Analysis report for sample: 2afd570dda31f6cad77ab013054eb434

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 7744 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 2afd570dda31f6cad77ab013054eb434

AV detections

- Microsoft: Trojan:Win32/Dynamer!ac
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec: Trojan.Gen
- Malwarebytes: Trojan.Injector

Original source url

-

Virustotal url

- https://virustotal.com/es/file/953ce769b1eb3c0a2b0048d4a65348eb58ea22de703e1c07c7b4da3250e8ab6a/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Nullsoft_PiMP_Stub_SFX ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- CRC32_poly_Constant (Look for CRC32 [poly])
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- anti_dbg (Checks if being debugged)
- win_mutex (Create or check mutex)
- Crypt32_CryptBinaryToString_API (Looks for crypt32 CryptBinaryToStringA function)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Prime_Constants_long (List of primes [long])
- CRC32_table (Look for CRC32 table)

Snapshot


Computer
C:\Windows
Recycle Bin
Start
12:16 PM
Saturday
6/17/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name cmd.exe Alias P2
- Name vssadmin.exe Alias P3

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name taskeng.exe
- Name GoogleUpdate.exe

- Name GoogleUpdate.exe
- Name GoogleUpdate.exe
- Name conhost.exe
- Name VSSVC.exe
- Name svchost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P3, Command line: C:\\Windows\\system32\\vssadmin.exe delete shadows /all /quiet)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe")
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKCU Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\nappers Type: REG_SZ, Length: 16, Data: termors)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: http://nsis.sf.net/NSIS_Error
- url | valid domains | tlds: #5gM;(].cY;>Zb}+lXDF>z-\'QaG"!suLwx>J2+;{|7tFtO}IS>4sgad4(^9FTnRhAlh~WNcsl5EXdw*;+gD1$e\'jaq.Ul7H8wl5-]≈~@bOWImsT$![H1H=IKoas8ONTXDreKAZQQU%veaqG~\'aoFF-d$OY\'#8Q67JPy7&<L8~4=*8aTN9)?m1Ma3vgj_PG
- url | valid domains | tlds: .vI"-v
- url | valid domains | tlds: 3.v\\9.vA
- url | valid domains | tlds: @.vN
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\
- path | frequently modified by malware: ers\\javi\\AppData\\Local\\Temp\\nsiDDEA.tmp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsy1112.tmp
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp
- path | frequently modified by malware: ers\\javi\\AppData\\Local\\Temp\\nsi1101.tmp\\System.dll
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp\\System.dll
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: "C:\\Users\\javi\\Downloads\\cebo.exe"
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ZwOpenProcess
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: GetDC
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: Sleep
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetVersion
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetTimer
- path | path unit: C:\\Users\\javi\\Downloads
- registry: Software\\Microsoft\\Windows\\CurrentVersion
- api | crypt32: CryptBinaryToStringA
- api | crypt32: CryptStringToBinaryA
- api | crypt32: CryptDecodeObjectEx
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv

- api | ntdll: _allmul
- api | ntdll: _aullshr
- api | ntdll: memcpy
- api | ntdll: _aulldvrm
- api | ntdll: memset
- api | kernel32: TlsAlloc
- api | ntdll: isspace
- api | kernel32: WaitForMultipleObjects
- api | kernel32: IsBadStringPtrA
- api | kernel32: IsBadWritePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadStringPtrW
- api | kernel32: GetCurrentThreadId
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: NtDeleteFile
- api | kernel32: GetTempPathW
- api | ntdll: RtlFreeUnicodeString
- api | kernel32: SearchPathW
- api | kernel32: GetTempFileNameW
- api | kernel32: MultiByteToWideChar
- api | user32: UnregisterClassW
- api | user32: RegisterClassExW
- api | advapi32: CreateWellKnownSid
- api | advapi32: CheckTokenMembership
- api | advapi32: DuplicateToken
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | kernel32: lstrcpynW
- api | kernel32: lstrcpynA
- api | ntdll: memmove
- api | kernel32: CloseHandle
- api | kernel32: VirtualProtect
- api | kernel32: GetModuleHandleA
- api | kernel32: lstrcmpiW
- api | kernel32: Process32NextW
- api | kernel32: GetSystemInfo
- api | advapi32: FreeSid
- api | kernel32: Process32FirstW
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: GetHandleInformation
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetVersionExW
- api | advapi32: GetTokenInformation
- api | kernel32: GetComputerNameA
- api | kernel32: HeapSetInformation
- api | kernel32: GetProcessHeaps
- api | kernel32: SetLastError
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetCurrentProcessId
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: lstrcatW
- api | kernel32: RegOpenKeyExW

- api | kernel32: QueryDosDeviceW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: lstrcmpiA
- api | kernel32: VirtualFree
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: FindFirstFileW
- api | user32: FillRect
- api | user32: DrawTextA
- api | kernel32: MulDiv
- api | user32: SystemParametersInfoW
- api | user32: ReleaseDC
- api | kernel32: OpenEventW
- api | advapi32: RegOpenKeyW
- api | kernel32: RegQueryValueExW
- api | kernel32: CreatePipe
- api | kernel32: GetLocalTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: CreateProcessA
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: MoveFileExW
- api | kernel32: SystemTimeToFileTime
- api | user32: GetKeyboardLayoutList
- api | kernel32: lstrcpyA
- api | user32: GetSystemMetrics
- api | kernel32: lstrlenA
- api | user32: CharLowerBuffA
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: SetFilePointer
- api | kernel32: GetFileSize
- api | kernel32: SetProcessShutdownParameters
- api | kernel32: OutputDebugStringA
- api | kernel32: CreateEventW
- api | user32: wsprintfA
- api | kernel32: GetLastError
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | user32: PeekMessageW
- api | kernel32: GetCurrentThread
- api | kernel32: SetEvent
- api | user32: CreateWindowExW
- api | kernel32: GetCurrentProcess
- api | user32: RegisterClassW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | user32: DefWindowProcW
- api | kernel32: GetCommandLineW
- api | user32: DispatchMessageW
- api | kernel32: LocalFree
- api | advapi32: CryptGetKeyParam
- api | kernel32: GetModuleHandleW
- api | advapi32: CryptAcquireContextW
- api | kernel32: lstrcpyW

- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileTime
- api | advapi32: CryptDestroyKey
- api | kernel32: EnterCriticalSection
- api | kernel32: MoveFileW
- api | kernel32: GetFileSizeEx
- api | user32: wsprintfW
- api | kernel32: FlushFileBuffers
- api | kernel32: lstrlenW
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetFileAttributesW
- api | kernel32: GetTimeFormatW
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: OutputDebugStringW
- api | kernel32: WaitForSingleObject
- api | kernel32: SetFilePointerEx
- api | kernel32: GetDateFormatW
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetCommandLineA
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: EnumResourceLanguagesA
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: TlsGetValue
- api | kernel32: RegEnumKeyExA
- api | advapi32: CryptSetProvParam
- api | user32: CreateCursor
- api | user32: CreateDialogIndirectParamA
- api | user32: DialogBoxIndirectParamW
- api | user32: EnableScrollBar
- api | user32: LoadBitmapA
- api | user32: OemToCharA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup

- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetUserDefaultUILanguage
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegCreateKeyExW
- api | kernel32: RegSetValueExW
- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumValueW
- api | user32: CharNextA
- api | user32: CharPrevW
- api | user32: MessageBoxIndirectW
- api | user32: GetDlgItemTextW
- api | user32: SetDlgItemTextW
- api | user32: CreatePopupMenu
- api | user32: AppendMenuW
- api | user32: TrackPopupMenu
- api | user32: OpenClipboard
- api | user32: EmptyClipboard
- api | user32: SetClipboardData
- api | user32: CloseClipboard
- api | user32: IsWindowVisible
- api | user32: CallWindowProcW
- api | user32: LoadBitmapW
- api | user32: CheckDlgButton
- api | user32: LoadCursorW
- api | user32: SetCursor
- api | user32: GetWindowLongW
- api | user32: GetSysColor
- api | user32: SetWindowPos
- api | user32: IsWindowEnabled
- api | user32: SetClassLongW
- api | user32: GetSystemMenu
- api | user32: EnableMenuItem
- api | user32: GetWindowRect
- api | user32: ScreenToClient
- api | user32: EndDialog
- api | user32: GetClassInfoW
- api | user32: DialogBoxParamW
- api | user32: CharNextW
- api | user32: ExitWindowsEx
- api | user32: DestroyWindow
- api | user32: CreateDialogParamW
- api | user32: SetWindowTextW
- api | user32: PostQuitMessage
- api | user32: SetForegroundWindow
- api | user32: ShowWindow
- api | user32: SendMessageTimeoutW
- api | user32: FindWindowExW
- api | user32: IsWindow
- api | user32: GetDlgItem
- api | user32: SetWindowLongW
- api | user32: LoadImageW
- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: SendMessageW
- api | user32: BeginPaint

- api | user32: GetClientRect
- api | user32: DrawTextW
- api | user32: EndPaint
- api | kernel32: GetSystemDirectoryW
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateProcessW
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: LoadLibraryW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: CopyFileW
- api | kernel32: CreateDirectoryW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetFullPathNameW
- api | kernel32: GetShortPathNameW
- api | kernel32: CompareFileTime
- api | kernel32: lstrcmpW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: GlobalFree
- api | kernel32: GlobalAlloc
- api | kernel32: GetExitCodeProcess
- api | kernel32: LoadLibraryExW
- api | kernel32: FreeLibrary
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: DeleteFileW

Involved hosts

- 31.184.234.0:6892
- 31.184.235.0:6892
- 31.184.235.100:6892
- 31.184.235.101:6892
- 31.184.235.102:6892
- 31.184.235.103:6892
- 31.184.235.104:6892
- 31.184.235.105:6892
- 31.184.235.106:6892
- 31.184.235.107:6892
- 31.184.235.108:6892
- 31.184.235.109:6892
- 31.184.235.10:6892
- 31.184.235.110:6892
- 31.184.235.111:6892
- 31.184.235.112:6892
- 31.184.235.113:6892
- 31.184.235.114:6892
- 31.184.235.115:6892
- 31.184.235.116:6892
- 31.184.235.117:6892
- 31.184.235.118:6892
- 31.184.235.119:6892
- 31.184.235.11:6892
- 31.184.235.120:6892
- 31.184.235.121:6892
- 31.184.235.122:6892
- 31.184.235.123:6892
- 31.184.235.124:6892
- 31.184.235.125:6892
- 31.184.235.126:6892
- 31.184.235.127:6892
- 31.184.235.128:6892
- 31.184.235.129:6892
- 31.184.235.12:6892
- 31.184.235.130:6892
- 31.184.235.131:6892
- 31.184.235.132:6892
- 31.184.235.133:6892
- 31.184.235.134:6892
- 31.184.235.135:6892
- 31.184.235.136:6892
- 31.184.235.137:6892
- 31.184.235.138:6892
- 31.184.235.139:6892
- 31.184.235.13:6892
- 31.184.235.140:6892
- 31.184.235.141:6892
- 31.184.235.142:6892
- 31.184.235.143:6892
- 31.184.235.144:6892
- 31.184.235.145:6892
- 31.184.235.146:6892
- 31.184.235.147:6892

- 31.184.235.148:6892
- 31.184.235.149:6892
- 31.184.235.14:6892
- 31.184.235.150:6892
- 31.184.235.151:6892
- 31.184.235.152:6892
- 31.184.235.153:6892
- 31.184.235.154:6892
- 31.184.235.155:6892
- 31.184.235.156:6892
- 31.184.235.157:6892
- 31.184.235.158:6892
- 31.184.235.159:6892
- 31.184.235.15:6892
- 31.184.235.160:6892
- 31.184.235.161:6892
- 31.184.235.162:6892
- 31.184.235.163:6892
- 31.184.235.164:6892
- 31.184.235.165:6892
- 31.184.235.166:6892
- 31.184.235.167:6892
- 31.184.235.168:6892
- 31.184.235.169:6892
- 31.184.235.16:6892
- 31.184.235.170:6892
- 31.184.235.171:6892
- 31.184.235.172:6892
- 31.184.235.173:6892
- 31.184.235.174:6892
- 31.184.235.175:6892
- 31.184.235.176:6892
- 31.184.235.177:6892
- 31.184.235.178:6892
- 31.184.235.179:6892
- 31.184.235.17:6892
- 31.184.235.180:6892
- 31.184.235.181:6892
- 31.184.235.182:6892
- 31.184.235.183:6892
- 31.184.235.184:6892
- 31.184.235.185:6892
- 31.184.235.186:6892
- 31.184.235.187:6892
- 31.184.235.188:6892
- 31.184.235.189:6892
- 31.184.235.18:6892
- 31.184.235.190:6892
- 31.184.235.191:6892
- 31.184.235.192:6892
- 31.184.235.193:6892
- 31.184.235.194:6892
- 31.184.235.195:6892
- 31.184.235.196:6892
- 31.184.235.197:6892
- 31.184.235.198:6892
- 31.184.235.199:6892

- 31.184.235.19:6892
- 31.184.235.1:6892
- 31.184.235.200:6892
- 31.184.235.201:6892
- 31.184.235.202:6892
- 31.184.235.203:6892
- 31.184.235.204:6892
- 31.184.235.205:6892
- 31.184.235.206:6892
- 31.184.235.207:6892
- 31.184.235.208:6892
- 31.184.235.209:6892
- 31.184.235.20:6892
- 31.184.235.210:6892
- 31.184.235.211:6892
- 31.184.235.212:6892
- 31.184.235.213:6892
- 31.184.235.214:6892
- 31.184.235.215:6892
- 31.184.235.216:6892
- 31.184.235.217:6892
- 31.184.235.218:6892
- 31.184.235.219:6892
- 31.184.235.21:6892
- 31.184.235.220:6892
- 31.184.235.221:6892
- 31.184.235.222:6892
- 31.184.235.223:6892
- 31.184.235.224:6892
- 31.184.235.225:6892
- 31.184.235.226:6892
- 31.184.235.227:6892
- 31.184.235.228:6892
- 31.184.235.229:6892
- 31.184.235.22:6892
- 31.184.235.230:6892
- 31.184.235.231:6892
- 31.184.235.232:6892
- 31.184.235.233:6892
- 31.184.235.234:6892
- 31.184.235.235:6892
- 31.184.235.236:6892
- 31.184.235.237:6892
- 31.184.235.238:6892
- 31.184.235.239:6892
- 31.184.235.23:6892
- 31.184.235.240:6892
- 31.184.235.241:6892
- 31.184.235.242:6892
- 31.184.235.243:6892
- 31.184.235.244:6892
- 31.184.235.245:6892
- 31.184.235.246:6892
- 31.184.235.247:6892
- 31.184.235.248:6892
- 31.184.235.249:6892
- 31.184.235.24:6892

- 31.184.235.250:6892
- 31.184.235.251:6892
- 31.184.235.252:6892
- 31.184.235.253:6892
- 31.184.235.254:6892
- 31.184.235.255:6892
- 31.184.235.25:6892
- 31.184.235.26:6892
- 31.184.235.27:6892
- 31.184.235.28:6892
- 31.184.235.29:6892
- 31.184.235.2:6892
- 31.184.235.30:6892
- 31.184.235.31:6892
- 31.184.235.32:6892
- 31.184.235.33:6892
- 31.184.235.34:6892
- 31.184.235.35:6892
- 31.184.235.36:6892
- 31.184.235.37:6892
- 31.184.235.38:6892
- 31.184.235.39:6892
- 31.184.235.3:6892
- 31.184.235.40:6892
- 31.184.235.41:6892
- 31.184.235.42:6892
- 31.184.235.43:6892
- 31.184.235.44:6892
- 31.184.235.45:6892
- 31.184.235.46:6892
- 31.184.235.47:6892
- 31.184.235.48:6892
- 31.184.235.49:6892
- 31.184.235.4:6892
- 31.184.235.50:6892
- 31.184.235.51:6892
- 31.184.235.52:6892
- 31.184.235.53:6892
- 31.184.235.54:6892
- 31.184.235.55:6892
- 31.184.235.56:6892
- 31.184.235.57:6892
- 31.184.235.58:6892
- 31.184.235.59:6892
- 31.184.235.5:6892
- 31.184.235.60:6892
- 31.184.235.61:6892
- 31.184.235.62:6892
- 31.184.235.63:6892
- 31.184.235.64:6892
- 31.184.235.65:6892
- 31.184.235.66:6892
- 31.184.235.67:6892
- 31.184.235.68:6892
- 31.184.235.69:6892
- 31.184.235.6:6892
- 31.184.235.70:6892

- 31.184.235.71:6892
- 31.184.235.72:6892
- 31.184.235.73:6892
- 31.184.235.74:6892
- 31.184.235.75:6892
- 31.184.235.76:6892
- 31.184.235.77:6892
- 31.184.235.78:6892
- 31.184.235.79:6892
- 31.184.235.7:6892
- 31.184.235.80:6892
- 31.184.235.81:6892
- 31.184.235.82:6892
- 31.184.235.83:6892
- 31.184.235.84:6892
- 31.184.235.85:6892
- 31.184.235.86:6892
- 31.184.235.87:6892
- 31.184.235.88:6892
- 31.184.235.89:6892
- 31.184.235.8:6892
- 31.184.235.90:6892
- 31.184.235.91:6892
- 31.184.235.92:6892
- 31.184.235.93:6892
- 31.184.235.94:6892
- 31.184.235.95:6892
- 31.184.235.96:6892
- 31.184.235.97:6892
- 31.184.235.98:6892
- 31.184.235.99:6892
- 31.184.235.9:6892
- 3dcreativestaffing.com:6892
- hostby.gto-projects.biz:6892
- jupiter-core-main.gto-projects.biz:6892
- jupoter2.gto-projects.biz:6892
- mail.dcmtravelgroup.com:6892
- mail.dolphintravelgroup.com:6892
- mail.escapetravelgroup.com:6892
- 192.168.133.1:5355
- 192.168.133.211:49195
- 192.168.133.211:54396
- 192.168.133.211:57124
- 192.168.133.211:68
- 192.168.133.254:67
- 216.58.198.206:443 (tools.google.com)

Dns queries

- tools.google.com ---> 216.58.198.206
- 254.133.168.192.in-addr.arpa ---> no answers
- 206.198.58.216.in-addr.arpa ---> no answers
- 0.234.184.31.in-addr.arpa ---> no answers
- 1.234.184.31.in-addr.arpa ---> no answers
- 3.234.184.31.in-addr.arpa ---> no answers
- 5.234.184.31.in-addr.arpa ---> no answers
- 7.234.184.31.in-addr.arpa ---> no answers
- 9.234.184.31.in-addr.arpa ---> no answers
- 11.234.184.31.in-addr.arpa ---> no answers
- 13.234.184.31.in-addr.arpa ---> no answers
- 15.234.184.31.in-addr.arpa ---> no answers
- 17.234.184.31.in-addr.arpa ---> no answers
- 19.234.184.31.in-addr.arpa ---> no answers
- 21.234.184.31.in-addr.arpa ---> no answers
- 23.234.184.31.in-addr.arpa ---> no answers
- 25.234.184.31.in-addr.arpa ---> no answers
- 27.234.184.31.in-addr.arpa ---> no answers
- 29.234.184.31.in-addr.arpa ---> no answers
- 31.234.184.31.in-addr.arpa ---> no answers
- 33.234.184.31.in-addr.arpa ---> no answers
- 35.234.184.31.in-addr.arpa ---> no answers
- 37.234.184.31.in-addr.arpa ---> no answers
- 39.234.184.31.in-addr.arpa ---> no answers
- 41.234.184.31.in-addr.arpa ---> no answers
- 43.234.184.31.in-addr.arpa ---> no answers
- 45.234.184.31.in-addr.arpa ---> no answers
- 47.234.184.31.in-addr.arpa ---> no answers
- 49.234.184.31.in-addr.arpa ---> no answers
- 51.234.184.31.in-addr.arpa ---> no answers
- 53.234.184.31.in-addr.arpa ---> no answers
- 2.234.184.31.in-addr.arpa ---> no answers
- 55.234.184.31.in-addr.arpa ---> no answers
- 4.234.184.31.in-addr.arpa ---> no answers
- 57.234.184.31.in-addr.arpa ---> no answers
- 59.234.184.31.in-addr.arpa ---> no answers
- 6.234.184.31.in-addr.arpa ---> no answers
- 8.234.184.31.in-addr.arpa ---> no answers
- 61.234.184.31.in-addr.arpa ---> no answers
- 10.234.184.31.in-addr.arpa ---> no answers
- 63.234.184.31.in-addr.arpa ---> no answers
- 12.234.184.31.in-addr.arpa ---> no answers
- 65.234.184.31.in-addr.arpa ---> no answers
- 14.234.184.31.in-addr.arpa ---> no answers
- 16.234.184.31.in-addr.arpa ---> no answers
- 67.234.184.31.in-addr.arpa ---> no answers
- 18.234.184.31.in-addr.arpa ---> no answers
- 20.234.184.31.in-addr.arpa ---> no answers
- 69.234.184.31.in-addr.arpa ---> no answers
- 71.234.184.31.in-addr.arpa ---> no answers
- 75.234.184.31.in-addr.arpa ---> no answers
- 73.234.184.31.in-addr.arpa ---> no answers
- 22.234.184.31.in-addr.arpa ---> no answers
- 77.234.184.31.in-addr.arpa ---> no answers

- 24.234.184.31.in-addr.arpa ---> no answers
- 26.234.184.31.in-addr.arpa ---> no answers
- 79.234.184.31.in-addr.arpa ---> no answers
- 28.234.184.31.in-addr.arpa ---> no answers
- 81.234.184.31.in-addr.arpa ---> no answers
- 30.234.184.31.in-addr.arpa ---> no answers
- 32.234.184.31.in-addr.arpa ---> no answers
- 83.234.184.31.in-addr.arpa ---> no answers
- 85.234.184.31.in-addr.arpa ---> no answers
- 34.234.184.31.in-addr.arpa ---> no answers
- 87.234.184.31.in-addr.arpa ---> no answers
- 36.234.184.31.in-addr.arpa ---> no answers
- 89.234.184.31.in-addr.arpa ---> no answers
- 40.234.184.31.in-addr.arpa ---> no answers
- 38.234.184.31.in-addr.arpa ---> no answers
- 42.234.184.31.in-addr.arpa ---> no answers
- 91.234.184.31.in-addr.arpa ---> no answers
- 44.234.184.31.in-addr.arpa ---> no answers
- 95.234.184.31.in-addr.arpa ---> no answers
- 93.234.184.31.in-addr.arpa ---> no answers
- 46.234.184.31.in-addr.arpa ---> no answers
- 97.234.184.31.in-addr.arpa ---> no answers
- 48.234.184.31.in-addr.arpa ---> no answers
- 99.234.184.31.in-addr.arpa ---> no answers
- 50.234.184.31.in-addr.arpa ---> no answers
- 52.234.184.31.in-addr.arpa ---> no answers
- 101.234.184.31.in-addr.arpa ---> no answers
- 103.234.184.31.in-addr.arpa ---> no answers
- 54.234.184.31.in-addr.arpa ---> no answers
- 105.234.184.31.in-addr.arpa ---> no answers
- 107.234.184.31.in-addr.arpa ---> no answers
- 56.234.184.31.in-addr.arpa ---> no answers
- 58.234.184.31.in-addr.arpa ---> no answers
- 109.234.184.31.in-addr.arpa ---> no answers
- 60.234.184.31.in-addr.arpa ---> no answers
- 111.234.184.31.in-addr.arpa ---> no answers
- 113.234.184.31.in-addr.arpa ---> no answers
- 64.234.184.31.in-addr.arpa ---> no answers
- 62.234.184.31.in-addr.arpa ---> no answers
- 115.234.184.31.in-addr.arpa ---> no answers
- 117.234.184.31.in-addr.arpa ---> no answers
- 66.234.184.31.in-addr.arpa ---> no answers
- 68.234.184.31.in-addr.arpa ---> no answers
- 119.234.184.31.in-addr.arpa ---> no answers
- 70.234.184.31.in-addr.arpa ---> no answers
- 121.234.184.31.in-addr.arpa ---> no answers
- 72.234.184.31.in-addr.arpa ---> no answers
- 123.234.184.31.in-addr.arpa ---> no answers
- 74.234.184.31.in-addr.arpa ---> no answers
- 76.234.184.31.in-addr.arpa ---> no answers
- 127.234.184.31.in-addr.arpa ---> no answers
- 125.234.184.31.in-addr.arpa ---> no answers
- 78.234.184.31.in-addr.arpa ---> no answers
- 129.234.184.31.in-addr.arpa ---> no answers
- 131.234.184.31.in-addr.arpa ---> no answers
- 80.234.184.31.in-addr.arpa ---> no answers
- 82.234.184.31.in-addr.arpa ---> no answers

- 86.234.184.31.in-addr.arpa ---> no answers
- 88.234.184.31.in-addr.arpa ---> no answers
- 84.234.184.31.in-addr.arpa ---> no answers
- 90.234.184.31.in-addr.arpa ---> no answers
- 92.234.184.31.in-addr.arpa ---> no answers
- 94.234.184.31.in-addr.arpa ---> no answers
- 96.234.184.31.in-addr.arpa ---> no answers
- 100.234.184.31.in-addr.arpa ---> no answers
- 98.234.184.31.in-addr.arpa ---> no answers
- 102.234.184.31.in-addr.arpa ---> no answers
- 104.234.184.31.in-addr.arpa ---> no answers
- 106.234.184.31.in-addr.arpa ---> no answers
- 108.234.184.31.in-addr.arpa ---> no answers
- 133.234.184.31.in-addr.arpa ---> no answers
- 110.234.184.31.in-addr.arpa ---> no answers
- 112.234.184.31.in-addr.arpa ---> no answers
- 137.234.184.31.in-addr.arpa ---> no answers
- 135.234.184.31.in-addr.arpa ---> no answers
- 114.234.184.31.in-addr.arpa ---> no answers
- 139.234.184.31.in-addr.arpa ---> no answers
- 116.234.184.31.in-addr.arpa ---> no answers
- 118.234.184.31.in-addr.arpa ---> no answers
- 141.234.184.31.in-addr.arpa ---> no answers
- 143.234.184.31.in-addr.arpa ---> no answers
- 120.234.184.31.in-addr.arpa ---> no answers
- 122.234.184.31.in-addr.arpa ---> no answers
- 145.234.184.31.in-addr.arpa ---> no answers
- 124.234.184.31.in-addr.arpa ---> no answers
- 126.234.184.31.in-addr.arpa ---> no answers
- 147.234.184.31.in-addr.arpa ---> no answers
- 149.234.184.31.in-addr.arpa ---> no answers
- 151.234.184.31.in-addr.arpa ---> no answers
- 128.234.184.31.in-addr.arpa ---> no answers
- 153.234.184.31.in-addr.arpa ---> no answers
- 130.234.184.31.in-addr.arpa ---> no answers
- 155.234.184.31.in-addr.arpa ---> no answers
- 132.234.184.31.in-addr.arpa ---> no answers
- 157.234.184.31.in-addr.arpa ---> no answers
- 134.234.184.31.in-addr.arpa ---> no answers
- 159.234.184.31.in-addr.arpa ---> no answers
- 136.234.184.31.in-addr.arpa ---> no answers
- 161.234.184.31.in-addr.arpa ---> no answers
- 138.234.184.31.in-addr.arpa ---> no answers
- 140.234.184.31.in-addr.arpa ---> no answers
- 165.234.184.31.in-addr.arpa ---> no answers
- 142.234.184.31.in-addr.arpa ---> no answers
- 163.234.184.31.in-addr.arpa ---> no answers
- 144.234.184.31.in-addr.arpa ---> no answers
- 167.234.184.31.in-addr.arpa ---> no answers
- 169.234.184.31.in-addr.arpa ---> no answers
- 146.234.184.31.in-addr.arpa ---> no answers
- 148.234.184.31.in-addr.arpa ---> no answers
- 171.234.184.31.in-addr.arpa ---> no answers
- 150.234.184.31.in-addr.arpa ---> no answers
- 152.234.184.31.in-addr.arpa ---> no answers
- 173.234.184.31.in-addr.arpa ---> no answers
- 175.234.184.31.in-addr.arpa ---> no answers

- 156.234.184.31.in-addr.arpa ---> no answers
- 154.234.184.31.in-addr.arpa ---> no answers
- 177.234.184.31.in-addr.arpa ---> no answers
- 179.234.184.31.in-addr.arpa ---> no answers
- 158.234.184.31.in-addr.arpa ---> no answers
- 181.234.184.31.in-addr.arpa ---> no answers
- 162.234.184.31.in-addr.arpa ---> no answers
- 183.234.184.31.in-addr.arpa ---> no answers
- 160.234.184.31.in-addr.arpa ---> no answers
- 164.234.184.31.in-addr.arpa ---> no answers
- 185.234.184.31.in-addr.arpa ---> no answers
- 166.234.184.31.in-addr.arpa ---> no answers
- 189.234.184.31.in-addr.arpa ---> no answers
- 168.234.184.31.in-addr.arpa ---> no answers
- 187.234.184.31.in-addr.arpa ---> no answers
- 191.234.184.31.in-addr.arpa ---> no answers
- 170.234.184.31.in-addr.arpa ---> no answers
- 193.234.184.31.in-addr.arpa ---> no answers
- 172.234.184.31.in-addr.arpa ---> no answers
- 195.234.184.31.in-addr.arpa ---> no answers
- 174.234.184.31.in-addr.arpa ---> no answers
- 197.234.184.31.in-addr.arpa ---> no answers
- 176.234.184.31.in-addr.arpa ---> no answers
- 199.234.184.31.in-addr.arpa ---> no answers
- 178.234.184.31.in-addr.arpa ---> no answers
- 201.234.184.31.in-addr.arpa ---> no answers
- 182.234.184.31.in-addr.arpa ---> no answers
- 180.234.184.31.in-addr.arpa ---> no answers
- 203.234.184.31.in-addr.arpa ---> no answers
- 184.234.184.31.in-addr.arpa ---> no answers
- 205.234.184.31.in-addr.arpa ---> no answers
- 207.234.184.31.in-addr.arpa ---> no answers
- 209.234.184.31.in-addr.arpa ---> no answers
- 211.234.184.31.in-addr.arpa ---> no answers
- 213.234.184.31.in-addr.arpa ---> no answers
- 186.234.184.31.in-addr.arpa ---> no answers
- 188.234.184.31.in-addr.arpa ---> no answers
- 190.234.184.31.in-addr.arpa ---> no answers
- 192.234.184.31.in-addr.arpa ---> no answers
- 194.234.184.31.in-addr.arpa ---> no answers
- 196.234.184.31.in-addr.arpa ---> no answers
- 198.234.184.31.in-addr.arpa ---> no answers
- 200.234.184.31.in-addr.arpa ---> no answers
- 202.234.184.31.in-addr.arpa ---> no answers
- 204.234.184.31.in-addr.arpa ---> no answers
- 206.234.184.31.in-addr.arpa ---> no answers
- 208.234.184.31.in-addr.arpa ---> no answers
- 210.234.184.31.in-addr.arpa ---> no answers
- 214.234.184.31.in-addr.arpa ---> no answers
- 212.234.184.31.in-addr.arpa ---> no answers
- 216.234.184.31.in-addr.arpa ---> no answers
- 218.234.184.31.in-addr.arpa ---> no answers
- 220.234.184.31.in-addr.arpa ---> no answers
- 222.234.184.31.in-addr.arpa ---> no answers
- 226.234.184.31.in-addr.arpa ---> no answers
- 224.234.184.31.in-addr.arpa ---> no answers
- 228.234.184.31.in-addr.arpa ---> no answers

- 230.234.184.31.in-addr.arpa ---> no answers
- 232.234.184.31.in-addr.arpa ---> no answers
- 234.234.184.31.in-addr.arpa ---> no answers
- 236.234.184.31.in-addr.arpa ---> no answers
- 238.234.184.31.in-addr.arpa ---> no answers
- 240.234.184.31.in-addr.arpa ---> no answers
- 244.234.184.31.in-addr.arpa ---> no answers
- 242.234.184.31.in-addr.arpa ---> no answers
- 246.234.184.31.in-addr.arpa ---> no answers
- 248.234.184.31.in-addr.arpa ---> no answers
- 250.234.184.31.in-addr.arpa ---> no answers
- 252.234.184.31.in-addr.arpa ---> no answers
- 254.234.184.31.in-addr.arpa ---> no answers
- 215.234.184.31.in-addr.arpa ---> no answers
- 217.234.184.31.in-addr.arpa ---> no answers
- 219.234.184.31.in-addr.arpa ---> no answers
- 221.234.184.31.in-addr.arpa ---> no answers
- 223.234.184.31.in-addr.arpa ---> no answers
- 227.234.184.31.in-addr.arpa ---> no answers
- 229.234.184.31.in-addr.arpa ---> no answers
- 231.234.184.31.in-addr.arpa ---> no answers
- 225.234.184.31.in-addr.arpa ---> no answers
- 235.234.184.31.in-addr.arpa ---> no answers
- 233.234.184.31.in-addr.arpa ---> no answers
- 237.234.184.31.in-addr.arpa ---> no answers
- 241.234.184.31.in-addr.arpa ---> no answers
- 239.234.184.31.in-addr.arpa ---> no answers
- 243.234.184.31.in-addr.arpa ---> no answers
- 245.234.184.31.in-addr.arpa ---> no answers
- 247.234.184.31.in-addr.arpa ---> no answers
- 249.234.184.31.in-addr.arpa ---> no answers
- 251.234.184.31.in-addr.arpa ---> no answers
- 253.234.184.31.in-addr.arpa ---> no answers
- 255.234.184.31.in-addr.arpa ---> no answers
- 3.235.184.31.in-addr.arpa ---> no answers
- 5.235.184.31.in-addr.arpa ---> no answers
- 0.235.184.31.in-addr.arpa ---> no answers
- 2.235.184.31.in-addr.arpa ---> no answers
- 4.235.184.31.in-addr.arpa ---> no answers
- 6.235.184.31.in-addr.arpa ---> no answers
- 1.235.184.31.in-addr.arpa ---> no answers
- 8.235.184.31.in-addr.arpa ---> no answers
- 10.235.184.31.in-addr.arpa ---> no answers
- 14.235.184.31.in-addr.arpa ---> no answers
- 12.235.184.31.in-addr.arpa ---> no answers
- 16.235.184.31.in-addr.arpa ---> no answers
- 18.235.184.31.in-addr.arpa ---> no answers
- 20.235.184.31.in-addr.arpa ---> no answers
- 22.235.184.31.in-addr.arpa ---> no answers
- 24.235.184.31.in-addr.arpa ---> no answers
- 26.235.184.31.in-addr.arpa ---> no answers
- 7.235.184.31.in-addr.arpa ---> no answers
- 28.235.184.31.in-addr.arpa ---> no answers
- 9.235.184.31.in-addr.arpa ---> no answers
- 11.235.184.31.in-addr.arpa ---> no answers
- 13.235.184.31.in-addr.arpa ---> no answers
- 30.235.184.31.in-addr.arpa ---> no answers

- 15.235.184.31.in-addr.arpa ---> no answers
- 17.235.184.31.in-addr.arpa ---> no answers
- 19.235.184.31.in-addr.arpa ---> no answers
- 21.235.184.31.in-addr.arpa ---> no answers
- 23.235.184.31.in-addr.arpa ---> no answers
- 25.235.184.31.in-addr.arpa ---> no answers
- 29.235.184.31.in-addr.arpa ---> no answers
- 31.235.184.31.in-addr.arpa ---> no answers
- 27.235.184.31.in-addr.arpa ---> no answers
- 33.235.184.31.in-addr.arpa ---> no answers
- 35.235.184.31.in-addr.arpa ---> no answers
- 37.235.184.31.in-addr.arpa ---> no answers
- 39.235.184.31.in-addr.arpa ---> no answers
- 41.235.184.31.in-addr.arpa ---> no answers
- 43.235.184.31.in-addr.arpa ---> no answers
- 45.235.184.31.in-addr.arpa ---> no answers
- 47.235.184.31.in-addr.arpa ---> no answers
- 51.235.184.31.in-addr.arpa ---> no answers
- 49.235.184.31.in-addr.arpa ---> no answers
- 53.235.184.31.in-addr.arpa ---> no answers
- 55.235.184.31.in-addr.arpa ---> no answers
- 57.235.184.31.in-addr.arpa ---> no answers
- 59.235.184.31.in-addr.arpa ---> no answers
- 61.235.184.31.in-addr.arpa ---> no answers
- 65.235.184.31.in-addr.arpa ---> no answers
- 67.235.184.31.in-addr.arpa ---> no answers
- 63.235.184.31.in-addr.arpa ---> no answers
- 69.235.184.31.in-addr.arpa ---> no answers
- 71.235.184.31.in-addr.arpa ---> no answers
- 73.235.184.31.in-addr.arpa ---> no answers
- 75.235.184.31.in-addr.arpa ---> no answers
- 77.235.184.31.in-addr.arpa ---> no answers
- 81.235.184.31.in-addr.arpa ---> no answers
- 79.235.184.31.in-addr.arpa ---> no answers
- 85.235.184.31.in-addr.arpa ---> no answers
- 83.235.184.31.in-addr.arpa ---> no answers
- 91.235.184.31.in-addr.arpa ---> no answers
- 89.235.184.31.in-addr.arpa ---> no answers
- 87.235.184.31.in-addr.arpa ---> no answers
- 93.235.184.31.in-addr.arpa ---> no answers
- 32.235.184.31.in-addr.arpa ---> no answers
- 95.235.184.31.in-addr.arpa ---> no answers
- 97.235.184.31.in-addr.arpa ---> no answers
- 99.235.184.31.in-addr.arpa ---> no answers
- 101.235.184.31.in-addr.arpa ---> no answers
- 105.235.184.31.in-addr.arpa ---> no answers
- 103.235.184.31.in-addr.arpa ---> no answers
- 107.235.184.31.in-addr.arpa ---> no answers
- 109.235.184.31.in-addr.arpa ---> no answers
- 111.235.184.31.in-addr.arpa ---> no answers
- 113.235.184.31.in-addr.arpa ---> no answers
- 115.235.184.31.in-addr.arpa ---> no answers
- 119.235.184.31.in-addr.arpa ---> no answers
- 117.235.184.31.in-addr.arpa ---> no answers
- 121.235.184.31.in-addr.arpa ---> no answers
- 125.235.184.31.in-addr.arpa ---> no answers
- 127.235.184.31.in-addr.arpa ---> no answers

- 129.235.184.31.in-addr.arpa ---> no answers
- 123.235.184.31.in-addr.arpa ---> no answers
- 131.235.184.31.in-addr.arpa ---> no answers
- 133.235.184.31.in-addr.arpa ---> no answers
- 135.235.184.31.in-addr.arpa ---> no answers
- 137.235.184.31.in-addr.arpa ---> no answers
- 141.235.184.31.in-addr.arpa ---> no answers
- 139.235.184.31.in-addr.arpa ---> no answers
- 145.235.184.31.in-addr.arpa ---> no answers
- 143.235.184.31.in-addr.arpa ---> no answers
- 147.235.184.31.in-addr.arpa ---> no answers
- 149.235.184.31.in-addr.arpa ---> no answers
- 151.235.184.31.in-addr.arpa ---> no answers
- 153.235.184.31.in-addr.arpa ---> no answers
- 155.235.184.31.in-addr.arpa ---> no answers
- 157.235.184.31.in-addr.arpa ---> no answers
- 161.235.184.31.in-addr.arpa ---> no answers
- 159.235.184.31.in-addr.arpa ---> no answers
- 163.235.184.31.in-addr.arpa ---> no answers
- 165.235.184.31.in-addr.arpa ---> no answers
- 34.235.184.31.in-addr.arpa ---> no answers
- 36.235.184.31.in-addr.arpa ---> no answers
- 38.235.184.31.in-addr.arpa ---> no answers
- 40.235.184.31.in-addr.arpa ---> no answers
- 42.235.184.31.in-addr.arpa ---> no answers
- 44.235.184.31.in-addr.arpa ---> no answers
- 46.235.184.31.in-addr.arpa ---> no answers
- 48.235.184.31.in-addr.arpa ---> no answers
- 50.235.184.31.in-addr.arpa ---> no answers
- 52.235.184.31.in-addr.arpa ---> no answers
- 54.235.184.31.in-addr.arpa ---> no answers
- 56.235.184.31.in-addr.arpa ---> no answers
- 58.235.184.31.in-addr.arpa ---> no answers
- 60.235.184.31.in-addr.arpa ---> no answers
- 62.235.184.31.in-addr.arpa ---> no answers
- 64.235.184.31.in-addr.arpa ---> no answers
- 66.235.184.31.in-addr.arpa ---> no answers
- 68.235.184.31.in-addr.arpa ---> no answers
- 70.235.184.31.in-addr.arpa ---> no answers
- 72.235.184.31.in-addr.arpa ---> no answers
- 74.235.184.31.in-addr.arpa ---> no answers
- 76.235.184.31.in-addr.arpa ---> no answers
- 78.235.184.31.in-addr.arpa ---> no answers
- 80.235.184.31.in-addr.arpa ---> no answers
- 82.235.184.31.in-addr.arpa ---> no answers
- 84.235.184.31.in-addr.arpa ---> no answers
- 86.235.184.31.in-addr.arpa ---> no answers
- 88.235.184.31.in-addr.arpa ---> no answers
- 90.235.184.31.in-addr.arpa ---> no answers
- 92.235.184.31.in-addr.arpa ---> no answers
- 94.235.184.31.in-addr.arpa ---> no answers
- 96.235.184.31.in-addr.arpa ---> no answers
- 98.235.184.31.in-addr.arpa ---> no answers
- 100.235.184.31.in-addr.arpa ---> no answers
- 102.235.184.31.in-addr.arpa ---> no answers
- 104.235.184.31.in-addr.arpa ---> no answers
- 106.235.184.31.in-addr.arpa ---> no answers

- 108.235.184.31.in-addr.arpa ---> no answers
- 110.235.184.31.in-addr.arpa ---> no answers
- 112.235.184.31.in-addr.arpa ---> no answers
- 114.235.184.31.in-addr.arpa ---> no answers
- 116.235.184.31.in-addr.arpa ---> no answers
- 118.235.184.31.in-addr.arpa ---> no answers
- 120.235.184.31.in-addr.arpa ---> no answers
- 122.235.184.31.in-addr.arpa ---> no answers
- 124.235.184.31.in-addr.arpa ---> no answers
- 126.235.184.31.in-addr.arpa ---> no answers
- 128.235.184.31.in-addr.arpa ---> no answers
- 130.235.184.31.in-addr.arpa ---> no answers
- 132.235.184.31.in-addr.arpa ---> no answers
- 134.235.184.31.in-addr.arpa ---> no answers
- 136.235.184.31.in-addr.arpa ---> no answers
- 138.235.184.31.in-addr.arpa ---> no answers
- 140.235.184.31.in-addr.arpa ---> no answers
- 142.235.184.31.in-addr.arpa ---> no answers
- 144.235.184.31.in-addr.arpa ---> no answers
- 146.235.184.31.in-addr.arpa ---> no answers
- 148.235.184.31.in-addr.arpa ---> no answers
- 150.235.184.31.in-addr.arpa ---> no answers
- 152.235.184.31.in-addr.arpa ---> no answers
- 154.235.184.31.in-addr.arpa ---> no answers
- 156.235.184.31.in-addr.arpa ---> no answers
- 158.235.184.31.in-addr.arpa ---> no answers
- 160.235.184.31.in-addr.arpa ---> no answers
- 164.235.184.31.in-addr.arpa ---> no answers
- 162.235.184.31.in-addr.arpa ---> no answers
- 166.235.184.31.in-addr.arpa ---> no answers
- 168.235.184.31.in-addr.arpa ---> no answers
- 170.235.184.31.in-addr.arpa ---> no answers
- 172.235.184.31.in-addr.arpa ---> no answers
- 174.235.184.31.in-addr.arpa ---> no answers
- 178.235.184.31.in-addr.arpa ---> no answers
- 176.235.184.31.in-addr.arpa ---> no answers
- 180.235.184.31.in-addr.arpa ---> no answers
- 184.235.184.31.in-addr.arpa ---> no answers
- 182.235.184.31.in-addr.arpa ---> no answers
- 186.235.184.31.in-addr.arpa ---> no answers
- 188.235.184.31.in-addr.arpa ---> no answers
- 190.235.184.31.in-addr.arpa ---> no answers
- 192.235.184.31.in-addr.arpa ---> no answers
- 194.235.184.31.in-addr.arpa ---> no answers
- 196.235.184.31.in-addr.arpa ---> no answers
- 198.235.184.31.in-addr.arpa ---> no answers
- 200.235.184.31.in-addr.arpa ---> no answers
- 202.235.184.31.in-addr.arpa ---> no answers
- 204.235.184.31.in-addr.arpa ---> no answers
- 206.235.184.31.in-addr.arpa ---> no answers
- 208.235.184.31.in-addr.arpa ---> no answers
- 212.235.184.31.in-addr.arpa ---> no answers
- 216.235.184.31.in-addr.arpa ---> no answers
- 214.235.184.31.in-addr.arpa ---> no answers
- 218.235.184.31.in-addr.arpa ---> no answers
- 210.235.184.31.in-addr.arpa ---> no answers
- 220.235.184.31.in-addr.arpa ---> no answers

- 222.235.184.31.in-addr.arpa ---> no answers
- 224.235.184.31.in-addr.arpa ---> no answers
- 226.235.184.31.in-addr.arpa ---> no answers
- 228.235.184.31.in-addr.arpa ---> no answers
- 230.235.184.31.in-addr.arpa ---> no answers
- 232.235.184.31.in-addr.arpa ---> no answers
- 234.235.184.31.in-addr.arpa ---> no answers
- 236.235.184.31.in-addr.arpa ---> no answers
- 238.235.184.31.in-addr.arpa ---> no answers
- 240.235.184.31.in-addr.arpa ---> no answers
- 242.235.184.31.in-addr.arpa ---> no answers
- 248.235.184.31.in-addr.arpa ---> no answers
- 244.235.184.31.in-addr.arpa ---> no answers
- 246.235.184.31.in-addr.arpa ---> no answers
- 252.235.184.31.in-addr.arpa ---> no answers
- 254.235.184.31.in-addr.arpa ---> no answers
- 250.235.184.31.in-addr.arpa ---> no answers
- 167.235.184.31.in-addr.arpa ---> no answers
- 171.235.184.31.in-addr.arpa ---> no answers
- 169.235.184.31.in-addr.arpa ---> no answers
- 173.235.184.31.in-addr.arpa ---> no answers
- 175.235.184.31.in-addr.arpa ---> no answers
- 177.235.184.31.in-addr.arpa ---> no answers
- 179.235.184.31.in-addr.arpa ---> no answers
- 181.235.184.31.in-addr.arpa ---> no answers
- 183.235.184.31.in-addr.arpa ---> no answers
- 185.235.184.31.in-addr.arpa ---> no answers
- 189.235.184.31.in-addr.arpa ---> no answers
- 187.235.184.31.in-addr.arpa ---> no answers
- 191.235.184.31.in-addr.arpa ---> no answers
- 193.235.184.31.in-addr.arpa ---> no answers
- 195.235.184.31.in-addr.arpa ---> no answers
- 199.235.184.31.in-addr.arpa ---> no answers
- 197.235.184.31.in-addr.arpa ---> no answers
- 201.235.184.31.in-addr.arpa ---> no answers
- 203.235.184.31.in-addr.arpa ---> no answers
- 205.235.184.31.in-addr.arpa ---> no answers
- 207.235.184.31.in-addr.arpa ---> no answers
- 209.235.184.31.in-addr.arpa ---> no answers
- 211.235.184.31.in-addr.arpa ---> no answers
- 213.235.184.31.in-addr.arpa ---> no answers
- 215.235.184.31.in-addr.arpa ---> no answers
- 217.235.184.31.in-addr.arpa ---> no answers
- 219.235.184.31.in-addr.arpa ---> no answers
- 221.235.184.31.in-addr.arpa ---> no answers
- 223.235.184.31.in-addr.arpa ---> no answers
- 225.235.184.31.in-addr.arpa ---> no answers
- 227.235.184.31.in-addr.arpa ---> no answers
- 229.235.184.31.in-addr.arpa ---> no answers
- 231.235.184.31.in-addr.arpa ---> no answers
- 233.235.184.31.in-addr.arpa ---> no answers
- 235.235.184.31.in-addr.arpa ---> no answers
- 237.235.184.31.in-addr.arpa ---> no answers
- 239.235.184.31.in-addr.arpa ---> no answers
- 241.235.184.31.in-addr.arpa ---> no answers
- 243.235.184.31.in-addr.arpa ---> no answers
- 245.235.184.31.in-addr.arpa ---> no answers

- 247.235.184.31.in-addr.arpa ---> no answers
- 249.235.184.31.in-addr.arpa ---> no answers
- 251.235.184.31.in-addr.arpa ---> no answers
- 253.235.184.31.in-addr.arpa ---> no answers
- 255.235.184.31.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.211:49195 ---> 216.58.198.206 (tools.google.com) :443

fcwcD/}E[...]a]5!1[...]tools.google.com[...]}!OTO[...]L`O-m[...]p{$c[...]3~uSlaX4[...]qonz[...]])Xa_[...]N_kjJ[...]4b"i[...]`gp!]|[...](|j.bl[...]rFp[...]^MKu[...]NbVx[...]m9PmY[...]Odt]|[...]_ZP{[...]sn%y[...]*PbNq[...]f-y&X;[...]_9z[...]+?8

• tcp 216.58.198.206 (tools.google.com) :443 ---> 192.168.133.211:49195

Google Inc1%0#[...]Google Internet Authority G20[...]170607154126Z[...]170830151100Z0f1[...]California1[...]Mountain View1[...]Google Inc1[...]*.google.com0Y0[...]*.google.com[...]*.android.com[...]*.appengine.google.com[...]*.cloud.google.com[...]*.g.co[...]*.gcp.gvt2.com[...]*.google-analytics.com[...]*.google.ca[...]*.google.cl[...]*.google.co.in[...]*.google.co.jp[...]*.google.co.uk[...]*.google.com.ar[...]*.google.com.au[...]*.google.com.br[...]*.google.com.co[...]*.google.com.mx[...]*.google.com.tr[...]*.google.com.vn[...]*.google.de[...]*.google.es[...]*.google.fr[...]*.google.hu[...]*.google.it[...]*.google.nl[...]*.google.pl[...]*.google.pt[...]*.googleadapis.com[...]*.googleapis.cn[...]*.googlecommerce.com[...]*.googlevideo.com[...]*.gstatic.cn[...]*.gstatic.com[...]*.gvt1.com[...]*.gvt2.com[...]*.metric.gstatic.com[...]*.urchin.com[...]*.url.google.com[...]*.youtube-nocookie.com[...]*.youtube.com[...]*.youtubeeducation.com[...]*.yt.be[...]*.ytimg.com[...]accounts.db833953.google.cn[...]android.clients.google.com[...]android.com[...]developer.android.google.cn[...]developers.android.google.cn[...]g.co[...]goo.gl[...]google-analytics.com[...]google.com[...]googlecommerce.com[...]settings.db833953.google.cn[...]source.android.google.cn[...]urchin.com[...]www.goo.gl[...]youtu.be[...]youtube.com[...]youtubeeducation.com[...]yt.be0h[...]\\0Z0+[...]http://pki.google.com/GIAG2.crt0+[...]http://clients1.google.com/ocsp0[...])0\'0%[...]http://pki.google.com/GIAG2.crl0[...]/$y-aL\\)[...]$0;R[...]r"W6[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]170522113237Z[...]181231235959Z0I1[...]Google Inc1%0#[...]Google Internet Authority G20[...]"0
0[...]http://g.symcd.com0[...].0,0*[...]$http://g.symcb.com/crls/gtglobal.crl0![...]ddw[[...]icT_[...](#df[...]zp\\L[...]Q\'0`[...]Equifax1-0+[...]$Equifax Secure Certificate Authority0[...]020521040000Z[...]180821040000Z0B1[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]X/f9)[...]3010/[...])http://crl.geotrust.com/crls/secureca.crl0N[...]G0E0C[...]0;09[...]-https://www.geotrust.com/resources/repository0[...]^h<w[...]h\tah[...]<#/l,[...]:3\ts[...];6\'Y[...]>,\t$`[...]:;\\vw6[...]Y?rU[...]v`"|E[...]C+0jq[...]:3\ts[...];6\'Y[...]>,\t$`[...]:;\\vw6[...]Y?rU[...]v`"|E[...]C+0jq

• udp 192.168.133.1:5355 ---> 192.168.133.211:57124

in-addr[...]arpa[...]in-addr

• udp 192.168.133.1:5355 ---> 192.168.133.211:54396

arpa

• udp 192.168.133.254:67 ---> 192.168.133.211:68

localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T2)
    - RegCreateKey (HKCU Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
    - RegSetValue (HKCU\\nappers Type: REG_SZ, Length: 16, Data: termors)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
- **Thread T4 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P1, cebo.exe)

- Thread T6 (in process P2, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T5)
  - Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe")

• Thread T5 (in process P1, cebo.exe) description

- **Thread's childs**

  - Thread T11 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T11)

• Thread T6 (in process P2, cmd.exe) description

- **Thread's childs**

  - Thread T7 (in process P2, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T7)

• Thread T7 (in process P2, cmd.exe) description

- **Thread's childs**

  - Thread T8 (in process P3, vssadmin.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P3, Command line: C:\\Windows\\system32\\vssadmin.exe delete shadows /all /quiet)

• Thread T8 (in process P3, vssadmin.exe) description

- **Thread's childs**

  - Thread T9 (in process P3, vssadmin.exe)

- **Thread' events**

  - Thread Create (Thread ID: T9)

• Thread T9 (in process P3, vssadmin.exe) description

- **Thread's childs**

- Thread T10 (in process P3, vssadmin.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T10)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T10 (in process P3, vssadmin.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T11 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P1 (cebo.exe)'s network events

- UDP Send (javi-PC.localdomain:dynport-> 31.184.234.0:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> jupiter-core-main.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> jupoter2.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 3dcreativestaffing.com:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> mail.dolphintravelgroup.com:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> mail.escapetravelgroup.com:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> mail.dcmtravelgroup.com:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> hostby.gto-projects.biz:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.0:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.1:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.2:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.3:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.4:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.5:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.6:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.7:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.8:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.9:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.10:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.11:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.12:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.13:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.14:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.15:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.16:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.17:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.18:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.19:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.20:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.21:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.22:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.23:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.24:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.25:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.26:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.27:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.28:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.29:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.30:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.31:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.32:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.33:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.34:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.35:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.36:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.37:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.38:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.39:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.40:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.41:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.42:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.43:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.44:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.45:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.46:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.47:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.48:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.49:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.50:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.51:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.52:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.53:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.54:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.55:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.56:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.57:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.58:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.59:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.60:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.61:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.62:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.63:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.64:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.65:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.66:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.67:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.68:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.69:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.70:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.71:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.72:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.73:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.74:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.75:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.76:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.77:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.78:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.79:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.80:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.81:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.82:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.83:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.84:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.85:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.86:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.87:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.88:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.89:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.90:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.91:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.92:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.93:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.94:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.95:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.96:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.97:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.98:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.99:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.100:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.101:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.102:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.103:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.104:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.105:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.106:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.107:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.108:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.109:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.110:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.111:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.112:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.113:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.114:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.115:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.116:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.117:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.118:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.119:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.120:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.121:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.122:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.123:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.124:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.125:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.126:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.127:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.128:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.129:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.130:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.131:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.132:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.133:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.134:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.135:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.136:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.137:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.138:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.139:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.140:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.141:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.142:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.143:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.144:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.145:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.146:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.147:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.148:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.149:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.150:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.151:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.152:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.153:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.154:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.155:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.156:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.157:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.158:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.159:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.160:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.161:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.162:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.163:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.164:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.165:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.166:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.167:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.168:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.169:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.170:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.171:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.172:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.173:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.174:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.175:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.176:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.177:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.178:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.179:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.180:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.181:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.182:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.183:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.184:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.185:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.186:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.187:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.188:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.189:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.190:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.191:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.192:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.193:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.194:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.195:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.196:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.197:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.198:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.199:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.200:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.201:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.202:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.203:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.204:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.205:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.206:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.207:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.208:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.209:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.210:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.211:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.212:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.213:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.214:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.215:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.216:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.217:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.218:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.219:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.220:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.221:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.222:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.223:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.224:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.225:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.226:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.227:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.228:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.229:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.230:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.231:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.232:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.233:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.234:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.235:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.236:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.237:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.238:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.239:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.240:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.241:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.242:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.243:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.244:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.245:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.246:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.247:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.248:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.249:6892 (9))

- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.250:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.251:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.252:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.253:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.254:6892 (9))
- UDP Send (javi-PC.localdomain:dynport-> 31.184.235.255:6892 (9))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e5300000000000000000000000c30f0f0003000000c30f5f0001000000c30f5d000200000000978830001000000097893001d00000000000100530100001b9daf003a0000001b9d9d00

• Module 1 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• anti_dbg (Checks if being debugged)
• escalate_priv (Escalade priviledges)
• screenshot (Take screenshot)
• win_mutex (Create or check mutex)
• win_registry (Affect system registries)
• win_token (Affect system token)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)
• Crypt32_CryptBinaryToString_API (Looks for crypt32 CryptBinaryToStringA function)
• MD5_Constants (Look for MD5 constants)
• RIPEMD160_Constants (Look for RIPEMD-160 constants)
• SHA1_Constants (Look for SHA1 constants)
• Prime_Constants_long (List of primes [long])

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: #5gM;(].cY;>Zb}+lXDF>z-\'QaG"!suLwx>J2+;{|7tFtO}!S>4sgad4(^9FTnRhAlh~WNcsl5EXdw*;+gD1$e\'jaq.Ul7H8wl5-]≈~@bOWImsT$![H1H=IKoas8ONTXDreKAZQQU%veaqG~\'aoFF-d$OY\'#8Q67JPy7&<L8~4=*8aTN9)?m1Ma3vgj_PG
• url | valid domains | tlds: .vI"-v
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: CreateToolhelp32Snapshot
• api | frequently used by malware: ZwOpenProcess
• api | frequently used by malware: OpenProcess
• api | frequently used by malware: ZwQuerySystemInformation
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: CreateThread
• api | frequently used by malware: GetNativeSystemInfo
• api | frequently used by malware: GetDC

- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: Sleep
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WriteFile
- api | crypt32: CryptBinaryToStringA
- api | crypt32: CryptStringToBinaryA
- api | crypt32: CryptDecodeObjectEx
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: _aullshr
- api | ntdll: memcpy
- api | ntdll: _aulldvrm
- api | ntdll: memset
- api | kernel32: TlsAlloc
- api | ntdll: isspace
- api | kernel32: WaitForMultipleObjects
- api | kernel32: IsBadStringPtrA
- api | kernel32: IsBadWritePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadStringPtrW
- api | kernel32: GetCurrentThreadId
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: NtDeleteFile
- api | kernel32: GetTempPathW
- api | ntdll: RtlFreeUnicodeString
- api | kernel32: SearchPathW
- api | kernel32: GetTempFileNameW
- api | kernel32: MultiByteToWideChar
- api | user32: UnregisterClassW
- api | user32: RegisterClassExW
- api | advapi32: CreateWellKnownSid
- api | advapi32: CheckTokenMembership
- api | advapi32: DuplicateToken
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | kernel32: lstrcpynW
- api | kernel32: lstrcpynA
- api | ntdll: memmove
- api | kernel32: CloseHandle
- api | kernel32: VirtualProtect
- api | kernel32: GetModuleHandleA
- api | kernel32: lstrcmpiW
- api | kernel32: Process32NextW
- api | kernel32: GetSystemInfo
- api | advapi32: FreeSid
- api | kernel32: Process32FirstW
- api | advapi32: AllocateAndInitializeSid

- api | kernel32: GetHandleInformation
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetVersionExW
- api | advapi32: GetTokenInformation
- api | kernel32: GetComputerNameA
- api | kernel32: HeapSetInformation
- api | kernel32: GetProcessHeaps
- api | kernel32: SetLastError
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetCurrentProcessId
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: lstrcatW
- api | kernel32: RegOpenKeyExW
- api | kernel32: QueryDosDeviceW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: lstrcmpiA
- api | kernel32: VirtualFree
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: FindFirstFileW
- api | user32: FillRect
- api | user32: DrawTextA
- api | kernel32: MulDiv
- api | user32: SystemParametersInfoW
- api | user32: ReleaseDC
- api | kernel32: OpenEventW
- api | advapi32: RegOpenKeyW
- api | kernel32: RegQueryValueExW
- api | kernel32: CreatePipe
- api | kernel32: GetLocalTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: CreateProcessA
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: MoveFileExW
- api | kernel32: SystemTimeToFileTime
- api | user32: GetKeyboardLayoutList
- api | kernel32: lstrcpyA
- api | user32: GetSystemMetrics
- api | kernel32: lstrlenA
- api | user32: CharLowerBuffA
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: SetFilePointer
- api | kernel32: GetFileSize
- api | kernel32: SetProcessShutdownParameters
- api | kernel32: OutputDebugStringA
- api | kernel32: CreateEventW
- api | user32: wsprintfA
- api | kernel32: GetLastError
- api | kernel32: SetThreadPriority

- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | user32: PeekMessageW
- api | kernel32: GetCurrentThread
- api | kernel32: SetEvent
- api | user32: CreateWindowExW
- api | kernel32: GetCurrentProcess
- api | user32: RegisterClassW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | user32: DefWindowProcW
- api | kernel32: GetCommandLineW
- api | user32: DispatchMessageW
- api | kernel32: LocalFree
- api | advapi32: CryptGetKeyParam
- api | kernel32: GetModuleHandleW
- api | advapi32: CryptAcquireContextW
- api | kernel32: lstrcpyW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileTime
- api | advapi32: CryptDestroyKey
- api | kernel32: EnterCriticalSection
- api | kernel32: MoveFileW
- api | kernel32: GetFileSizeEx
- api | user32: wsprintfW
- api | kernel32: FlushFileBuffers
- api | kernel32: lstrlenW
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetFileAttributesW
- api | kernel32: GetTimeFormatW
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: OutputDebugStringW
- api | kernel32: WaitForSingleObject
- api | kernel32: SetFilePointerEx
- api | kernel32: GetDateFormatW

• Module 1 other strings

- shell.{E9122D88-53C6-39CF-9609-68BAB20E065B}
- shell.{76BF4271-6363-0293-2F1D-54E34C016282}
- @C:\\Users\\javi\\Downloads\\
- spaB;
- aR~Z
- <-7,Yu
- 9 <(G
- J`A
- 3eO^
- eyv\\~
- a4qSj
- uj2~wD
- "8D!
- HEvhG

- :6"`6
- >baR
- l<U<
- ="w7
- PL3??
- Nt2R0
-)y<p3
- "UTr
- s<9(
- {E A~
- TZ^O3
- 2,>,
- 4GSi
- EKy2
- 5{`4+l
- ,o~M
- oi>d
- U6/j
- eP!\\
- _nDu
-)too
- P(5\\
- 9 T7^^#
- iKbJOZ
- [M%3)
- I$(0
- |10Y
- H0 1'#
- -OA/
- 5Z0x
- >Aj'
- ?1l`
- npBa
- @2jrb
- PXca
- x6ae
- A<r4
-].\\EV
- sHB9
- nQ64
- @tE|
- g1.j
- TZjO
- 1+nrw
- =J#1
- 0DI^
- X529*
- i:#0
- [9L|G
- 7Uen
- FwEP
- heyM
- 9bf]
- 1]]"t
- 4/LY
- M8&6R
- *dQ9$E

- 2DTy
- l5z^
- 2Uer^
- 3a}$
- a/L'
- 0DUVE
- u!Pq
- C\\3F
- AgK[
- eF>Z
- !9/M
- E!(6'S
- $q/u#
- ?6ct
- t$BA
- rU&G;
- aKoD
- 8/Q;\\o
- 1iD! J
- I}O#
- Xhm12Q
- 9Wd1
- ;mu>24M
- H_e3
- [<.u
- >.0WW
- ea=c
- (L0|
- 7}N%
- nFE|
- w5=p
- i}c~
- FSoz
- /P$8
- c(Uj
- E*BW
- pq1:
- }^2&
- !-;eS
- /Az=
- 52$a
- 3KK/]
- gxe)W
- AGN4
- 4B`:(
- Mv#4
- 17en
- q/c@9
- oiX'
- [6\t8n
- 7Dfeu
- uU<x
- I(id
- G9~`
- :L851Rn
- ^e^{kU
- vTa]

- k1w'
- U-d@
- (N)0
- 3\\@Fe
- A:@+
- %-w@0
- T7x@
- qLOv
- $EO[r|
- 4~$,
- kMUR
- |EA!
- U>|V
- 7]/"!
- {O-z=
- T8f5
- hP.E
- =OK`
- 9P;U
- uW~d
- 3*GCw
- R.]Eq
- 1Cia
- M$_)UO
- v5J=i
- R6o1(
- Ud6g7
- 4fYs
- /j}*U
- IaD"
- (Y6L
- 35+v
- &+eQ
- U1rC
- >B\\2
- o7x7
- e_>\tS
- i&Ig;#v/
- b7V6
- }[KiF
- 29m&
- "|s9
- <SDa
- XghI!
- uSZ[
- a&w;]q
- \\M1P
- Y*ab
- W@FA
- I5;P
- a8xh
- .Io6
- kg4FY
- [\tKE+
- UrneX
- ~Js5
- Fr1'rE/

- l9TZ$
- D@a5
- Xa[
- fo@M
- 67BD
- rK=u
- _4j3?t
- &XZi;(
- V"6|
- nra_1Z$
- *BOA
- b^~8
- a7!?
- !b6C
- 59A
- apG(
- 8gaX
- *3XQ
- Lo BY0"Q
- $3bWY
- <g\t2
- 16&t;
- W4]5
- d6J#
- 63Z8
- n0jgh
- k8P`
- 4K'B(
- |+8?
- {?|6
- jOX}9
- 3YO0
- |4>'
-)F|5
- <(m6
- (SG{0
- f|G0
- JVaF
- 1<eQ
- 'NXO
- E79.w
- V*X6(
- =_jY7
- a3^k
- ht5xq4X
- /|d1
- "5W1
- G7,v
- !u"JC
- &:.5
- T4`^a
- k5OV~T
- C:*G2
- My8Vq
- |VU^
- lW)
- m&V2f;

- 2b!L5
- |=-E
- gcT0W
- 9}_H
- ,*jx2
- VhKO
- 8\t$Nj
- 6g:O
- aN2%
- AIaUW2
- sEe#
- 4p\\E}b
- TlOv
- 1?f_b
- +M{O
- E|G'
- x|8YM
- nx8;6
- Hpt[7}_a
- Z0-(
- Jt+o=
- Oy,$
- %pGo6
- Owt|
- apcF
- ,x.16(
- 4j`#
- '9!\\
- apq7$J
- zc2|
- (R*.3
- D-72
- P4h:1
- I4I,
- UC`7y
- 93I+d
- t)4z
- h[8Z
- oLZR
- 7r[V
- "e+xi
- /y;oR
- wD*oX
- 3N$Y
- GO`}
- R9qS
- S2*R
- t:ur
- o>k?
- KUwB
- <8bn
- Bbra[
- SI\\q-
- 1Wz8a*L
- {S[hI
- ~c;I
- T5o!Tek

- +ROz
- D#DA-
- u`H2in
- Z3IY
- 54*uIQ
- AcAE
- Y>i3
- *0JA
- CJ4?
- ^@u0o
- 1Zt
- ",A\\
- >=am
- @r9-
- W%q3
- TE>{\\
- 6Ul&
- sz8@
- xvo`
- [+iI
- "L3mB
- Qri?6
- usE(
- (s}5b
- 5~+>i
- "1 -r
- >k1@L
- IxKF
- ')8l
- *|]9
- 8,*-%
- MSD a
- E,O.
- a-C#
- 8"C:
- [-**U
- O8O)
- uK#S
- _#8
- 5>o'
- E%%%Q
- VERSION.dll
- GetFileVersionInfoA
- GetFileVersionInfoSizeA
- VerQueryValueA
- StrToInt64ExA
- PathCombineW
- GDI32.dll
- SHELL32.dll
- ole32.dll
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- ShellExecuteW
- SetTextColor
- DeleteDC
- GetDeviceCaps

- GetDIBits
- SetBkColor
- SetPixel
- DeleteObject
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- CreateFontW
- GetObjectW
- GetStockObject
- SHChangeNotify
- CoInitialize
- CommandLineToArgvW
- SHGetFolderPathW
- CoInitializeEx
- ShellExecuteExW
- CoUninitialize
- WS2_32.dll
- WNetEnumResourceW
- WNetOpenEnumW
- WNetCloseEnum
- PathMatchSpecW
- PathFindFileNameA
- StrCmpNIA
- StrToIntA
- PathFindFileNameW
- c"5o
- T1`m
- 4d(2d
- 6DNo
- Uut5
- 7]r0
- m#{3
- iz_^
- a8n*
- xtJI
-)9!h
- jp Z4
- -NlnE
- 7Qzn
- \\`,1)4
- g2a|
- xobc
- JIA N(8)J
- 'fmA
- {Jh>I
- yyx1~
- &AAO;
- 3C3S
- P6,%b
- 8W"%E
- x4}F
- >+Aj
- o3PdI}
- hRe}P
- n+69
- INg@

- X/We
- $Rno
- z[E8=-
- 5.vp
- l/vA
- 3.vM7.v
- *-v3
- 5/v`
- 3.v6
- o$v;
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- 7<{t
- <9~9<[u
-]<-tA<0|
- ?:u!
- ?,uo3
- 8{ujP3
- >,u<3
- u)Sh
- u5S8_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- >nosju
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- w\t9E
- %dMA
- =tIA
- SUVW
- =tIA
- tG9M
- SVW3
- u%h/
- u*;U
- } f;u
- uof9
- YYKu
- u";M
- t-+u
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu

- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- <%u_
- t3Sj
- >.uB
- t5Sj
- >0uBF
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- Y_^3
- SVW3
- uaSU
- tGW3
- tE9}
- j4XP
- tESh
- SVW3
- Gicj
- tX!u
- ?-u.h
- jth0
- =xV4
- t2VVj
- j2hT
- j,h0
- 5X@A
- hX@A
- t8@=
- Y_^3
- >F;u
- 97vBS
- tISV
- YYUWh
- u6jQ
- u\tf95
- u\tja
- j2Pf
- =mIA
- ;D$ u

- ;T$4t0
- t$H3
- 0SUV
- 5HIA
- 5HIA
- 5HIA
- 5HIA
- 5HIA
- 5HIA
- s4hm8
- tAh9<
- =pIA
- =pIA
- %pIA
- PhuR@
- DSVW3
- u"Ph
- t#9]
- r0j.
- L$4;
- 5 IA
- YY_3
- u49]
- 67j;h
- t0ShH
- oj\th
- SUVW3
- SVW3
- FY;5
- j\tY3
- SVW3
- uvj8
- VWf9
- QSU3
- OVhF
- j1hH
- 8}lj
- \\iKjOh`
- SVW3
- .eRj
- SVW3
- t8Sh
- u3Sh
- QQSV3
- ufhA
- =gIA
- qF;u
- 6j\th
- ShUJ
- SVW3
- uiSW3
- =K@A
- u2jY
- SVW3
- QPNu
- tOSh^
- SVW3

- N6j(h0
- `SVW3
- =hIA
- SVW3
- t2Sh
- D$8P
- D$8P
- D$8P
- D$80
- j\th4
- t6Wh5
- t0Sh
- QQV3
- 5X@A
- h|@A
- NYYu
- =H@A
- =J@A
- j\th4
- D$4Pj
- 5`@A
- 5L@A
- 5p@A
- 5t@A
- YY9E
- 5p@A
- 5t@A
- =d@A
- SVW3
- QVW3
- .cdata
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- g(FR
- h"mJ>qZh
- Tr~{
- kSLh
- cgp)<
- 'k]R]
- k)\\,
- {|v(
- Fk^@
- Lqq|
- `tT%
-){WX
- wr'L
- j`IHDL
- R,'V
- \\q-
- VLq>~
-]e\\G=?w
- b\\b\\|Un
- ~T&~:|
- #W&w;,OB

- =,lpv
- xm~_w
- p?T,
- =(n
- vp?-
- rZzW{m}K
- Ly_L
- gm(S
- BK.Z}
- kQ!H
- Wt>k
- ~>ng
- " ys
- -Zh -
- CxzT+
- _F=-
- W(R/
- \"'dj
- %\t+R
- ?@!f
- [!NP
- NxYD
- g~.v
- d /R"
- (]YJ
- T(Gc
- K^\\;
- LCgF
- tRC0`B
- -^==!s[
- #`c_-HO
- z>lv
- '<=N
- yR'=w
- _GP`
- L;wp
- %{c*-
- cFFI?:
- JG_k
- {+*R
- V{[m/!q
- czx>
- Q[.T
- +.}"(0-Chby
- x!%#f
- ;FH_{
- F@Df
- SV)j
- >Xv]
- '#WP
- XqNy
- J*ww
-) Tg
- dM\\v
- +KP
- `:FSx
- !V"/O|

- _G>Y
- TJg^
- pp$"{
- v/yw
- ,D<v
- ^/!;
- =LXmk,5
- Z*||
- hy)*
- %F\t&
- Kq["Y
- !w;?
- ~>^h
- r?xH
- M~B?
- -;^9v`
- c>,<
- XVwM
- x)n@
- HK=.
- ^G,[
- \\kZq
- V:sN,n
- &zKV;\t}b
- [-"/
- WZ~R$
- bJD+
- yX{#
- /lGDIv
- !*dl
-]}||
- \\~;=
-]qvl
- ?VP#
- /=:Y'
- WGm(#
- mzxt
- X)wS
- hG$z
- W)L|
- }Q|&u;_
-)Lc,+
- Zxhx
- qJ!SW
- {(.t
- h@LF
- [v>s
-)G>b
- KF,]
- bQnD
- g(|N
- W"mpe|
- %DKRY
- z~.\\
-)["rtT
- qC$l
- j[&>

- -Pff8<
- Q,zF~&
- X<qr
- P\t~v
- jf'G
- >Bz!
- >]jH
- XN1=|:
- Tdd_
- ,HxP
- .^hs!0
- mtp+,g
- H.r{
- BN*M
- |@(X
- ?)F.M
- _^KH
- -?B>s
- \\pj@
- ={Zt
- ~|c,6=
- c/[$
- &Pvr;
- ,R.
- QzvG
- hbrN
- BV>{d
- Mvh
- ~<z#K
- (bcW)C&
- D-|Q
- b7V&Ct;
- [JsB
- W'#
- rdzD
- <?d-(#
- Mc;@
- x*=^
- /gH}v\\
- l,j^t
- rJLXFX
- .lZ[
- Y@yg
- {<v@
- dO"(rj
- \\=T|^(r1
- Y",]
- fHLf
- GbrT
- (tHP
- {JdNc@l
- YZG{
- k*Bk<
- b$hwCDv
- Nd*i/]w
- xMmBW
- r@Y$3bq

- P_p:
- \\t#"
- #{P'*
- mCw|*
- p@ePK+
- kb]V
- LZw4*$
- \\V>g&
- ySv!luQ(
- AG[./D
- m$YG
- -CQ-]
- ^nb^
- ^=WgX9
- J/R!
- -*;@
- \\3>ZHL
- nP)-F
- w:H=-
- YjV
- -=Z&
- }}Xz
- KPGX
- G +{
- =.{@
- My!m
- ZW}P
- S)~^
- c=`)le
- tMl_
- _<!>
- /x]::
- {[@{oX
- @@@@AI@@@@LB@@@@@@@@ODS@@@DWC\\@`@@@@@@@@@@@@@@dfnk@@jF@@DF@@[D@@
-
- PPPP
- vv[[[[[[[[[[[
- [[p[z
- [RRRR[[[[w|w
- [[[[[[[[[[[[js
- d[[[[[
- JJJJKRJJJJOLJJJJJJJJUE@JJJEYMFJ]JJJJJJJJJJJJJJacgNJJkmJJEmJJDEJJ
-
- PPPP
- ``YYYYYYYYYYY
- }YPPPPYYYYa
- YYYYYYYYYYYY
- YY`}
- YYYYY
- StrSpnA
- StrPBrkA
- StrStrIW
- ntdll.dll
- MPR.dll
- SHLWAPI.dll
- StrCmpNW
- StrCmpNIW

- StrChrW
- StrChrA
- StrCpyNW
- CRYPT32.dll
- q.yM
- =yv^
- v!X1M%b
- <<RR
- '#b^
- gx'+
- _yd@
-]3<djb
- dH:.
- M(zxF
- `b}V
- -+$VA-_
-)G/K
-]qBD
- L=rS
- gNbF
- dvt)cz~
- X!PN
- .=R
- .x%;
- s#Kj
- \\>vEG>v@F>v
- ,v(7.vQJ.v5
- -v${,v
- ,vA#-v
- k,vy
- \\/vWA.v]7.v
- -v`w
- K/v:
- /.vb
- S.vw
- -vO!.vd
- T-vV
- ,v\t>-v+E.vs
- -v1#-v
- m,v&<.v
- -vQ3.v
- vhuv
- _$v@f$v
- $v<j$v
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- QSVWj
- _^[]
- SVWj
- tqWVS
- >]ty
- SVWj

- ?"tB
- SVWj
- SVWj
- QQSV
-][YY
- QQSUVW
- t`SV
- t!Vj
- _^[]
- X_^[]
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- _^[Y
- QQSWj
- QQSW
- _^][Y
- YYVj
- QSVW
- v.VW
- @;D$
- QQSW
- SVWj [;
- j Y+
- @;D$
- <SVW
- t<VW
- t.VW
- t%h%
- j/RP
- Y_[Y]
- tJFf
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[]
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- ^@[]
- D$$@Y
- $SVW
- <+uH<-
- t%Sj
- _^@[

-]tRF:
- t^j@
- >PRW
- QQSW
- D$ WW
- PPVh
- [_^]
- tMSS
- PQhv
- tKVh
- j Y+
- t-WS
- t+SW
- QSVW
- PSSSSSSh
- tZVWS
- t!SW
- tRVh@
- FVSW
- t*VS
- ^[Y]
- jdY^
- tbh(
- jxX+
- QZ^&
- HSVWj
- YY^]
- Y_^[
- SVWj
- ?@s"9t$
- Y_^[
- _^][
- D$;
- ;T$<t
- f;D$H
- CFf;
- jhRQ
- K!D$
- _@^Y
- j:Xf
- VSSSS
- QQSV
- D$DP
- PWWh:
- _^][
- ;D$$
- ;D$ r
- SVWj
- u\tG;>r
- tsSj
- mRjj
- B%7j\tht
- x>$j
- SSSSSSSV
- jHjZ
- PSSh;&I;
- }hj9h|

- Vhw7,M
- j!h$
- WhWs
- t&Sh;
- VSSS
- PSSj
- j\th
- t[Sh&
- t-Sh
- tBSV
- tZSh
- t)WWWj
- tEVWWWj
- j\tPS
- t)j\th`
- t>Ht)Ht
- T|zj
- SSWP
- tySh
- rTVSh
- SSSj
- SSSj
- Sh>!@
- @PVh
- PSSSS
- PSSSS
- D$HP
- SVVW
- D$pVVSSSSh
- D$`h
- D$@VP
- PQhZ\\
- n"j&hl;
- PQhZ\\
- _^Y]
- QVWhX|
- @_^[
- VhN,*cj
- XVh_=dq
- SVWh(@A
- \\SVW
- D$4PVQh
- D$XP
- D$,Pj
- D$\\Pj
- D$,Pj
- D$ P
- SVWj
- CrbRf
- .CRT

- **Module 2 (probably unpacked / injected by the sample)**

  - **Module 2 rich signatures**

- 44616e530000000000000000000000000c30f0f0003000000c30f5f0001000000c30f5d000200000000978830001000000097893001d00000000000100530100001b9daf003a0000001b9d9d00

• Module 2 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Crypt32_CryptBinaryToString_API (Looks for crypt32 CryptBinaryToStringA function)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Prime_Constants_long (List of primes [long])

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: #5gM;(].cY;>Zb}+lXDF>z-\'QaG"!suLwx>J2+;{|7tFtO}IS>4sgad4(^9FTnRhAlh~WNcsl5EXdw*;+gD1$e\'jaq.Ul7H8wl5-]≈~@bOWImsT$![H1H=IKoas8ONTXDreKAZQQU%veaqG~\'aoFF-d$OY\'#8Q67JPy7&<L8~4=*8aTN9)?m1Ma3vgj_PG
- url | valid domains | tlds: .vl"-v
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: ZwOpenProcess
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: GetDC
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: Sleep
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress

- api | frequently used by malware: WriteFile
- api | crypt32: CryptBinaryToStringA
- api | crypt32: CryptStringToBinaryA
- api | crypt32: CryptDecodeObjectEx
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: _aullshr
- api | ntdll: memcpy
- api | ntdll: _aulldvrm
- api | ntdll: memset
- api | kernel32: TlsAlloc
- api | ntdll: isspace
- api | kernel32: WaitForMultipleObjects
- api | kernel32: IsBadStringPtrA
- api | kernel32: IsBadWritePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadStringPtrW
- api | kernel32: GetCurrentThreadId
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: NtDeleteFile
- api | kernel32: GetTempPathW
- api | ntdll: RtlFreeUnicodeString
- api | kernel32: SearchPathW
- api | kernel32: GetTempFileNameW
- api | kernel32: MultiByteToWideChar
- api | user32: UnregisterClassW
- api | user32: RegisterClassExW
- api | advapi32: CreateWellKnownSid
- api | advapi32: CheckTokenMembership
- api | advapi32: DuplicateToken
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | kernel32: lstrcpynW
- api | kernel32: lstrcpynA
- api | ntdll: memmove
- api | kernel32: CloseHandle
- api | kernel32: VirtualProtect
- api | kernel32: GetModuleHandleA
- api | kernel32: lstrcmpiW
- api | kernel32: Process32NextW
- api | kernel32: GetSystemInfo
- api | advapi32: FreeSid
- api | kernel32: Process32FirstW
- api | advapi32: AllocateAndInitializeSid
- api | kernel32: GetHandleInformation
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetVersionExW
- api | advapi32: GetTokenInformation
- api | kernel32: GetComputerNameA
- api | kernel32: HeapSetInformation
- api | kernel32: GetProcessHeaps
- api | kernel32: SetLastError
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: HeapFree

- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: GetCurrentProcessId
- api | kernel32: SetFileAttributesW
- api | kernel32: FindNextFileW
- api | kernel32: lstrcatW
- api | kernel32: RegOpenKeyExW
- api | kernel32: QueryDosDeviceW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: lstrcmpiA
- api | kernel32: VirtualFree
- api | kernel32: GetLogicalDrives
- api | kernel32: GetDriveTypeW
- api | kernel32: FindFirstFileW
- api | user32: FillRect
- api | user32: DrawTextA
- api | kernel32: MulDiv
- api | user32: SystemParametersInfoW
- api | user32: ReleaseDC
- api | kernel32: OpenEventW
- api | advapi32: RegOpenKeyW
- api | kernel32: RegQueryValueExW
- api | kernel32: CreatePipe
- api | kernel32: GetLocalTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: CreateProcessA
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: MoveFileExW
- api | kernel32: SystemTimeToFileTime
- api | user32: GetKeyboardLayoutList
- api | kernel32: lstrcpyA
- api | user32: GetSystemMetrics
- api | kernel32: lstrlenA
- api | user32: CharLowerBuffA
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: SetFilePointer
- api | kernel32: GetFileSize
- api | kernel32: SetProcessShutdownParameters
- api | kernel32: OutputDebugStringA
- api | kernel32: CreateEventW
- api | user32: wsprintfA
- api | kernel32: GetLastError
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | user32: PeekMessageW
- api | kernel32: GetCurrentThread
- api | kernel32: SetEvent
- api | user32: CreateWindowExW
- api | kernel32: GetCurrentProcess
- api | user32: RegisterClassW
- api | kernel32: SetErrorMode
- api | kernel32: CreateMutexW
- api | user32: DefWindowProcW

- api | kernel32: GetCommandLineW
- api | user32: DispatchMessageW
- api | kernel32: LocalFree
- api | advapi32: CryptGetKeyParam
- api | kernel32: GetModuleHandleW
- api | advapi32: CryptAcquireContextW
- api | kernel32: lstrcpyW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileTime
- api | advapi32: CryptDestroyKey
- api | kernel32: EnterCriticalSection
- api | kernel32: MoveFileW
- api | kernel32: GetFileSizeEx
- api | user32: wsprintfW
- api | kernel32: FlushFileBuffers
- api | kernel32: lstrlenW
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: FileTimeToSystemTime
- api | kernel32: GetFileAttributesW
- api | kernel32: GetTimeFormatW
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: OutputDebugStringW
- api | kernel32: WaitForSingleObject
- api | kernel32: SetFilePointerEx
- api | kernel32: GetDateFormatW

• Module 2 other strings

- shell.{E9122D88-53C6-39CF-9609-68BAB20E065B}
- shell.{76BF4271-6363-0293-2F1D-54E34C016282}
- @C:\\Users\\javi\\Downloads\\
- spaB;
- aR~Z
- <-7,Yu
- 9 <(G
- J`A
- 3eO^
- eyv\\~
- a4qSj
- uj2~wD
- "8D!
- HEvhG
- :6"`6
- >baR
- l<U<
- ="w7
- PL3??
- Nt2R0
-)y<p3
- "UTr
- s<9(
- {E A~
- TZ^O3

- 2,>,
- 4GSi
- EKy2
- 5{`4+I
- ,o~M
- oi>d
- U6/j
- eP!\\
- _nDu
-)too
- P(5\\
- 9 T7^^#
- iKbJOZ
- [M%3)
- I$(0
- |10Y
- H0 1'#
- -OA/
- 5Z0x
- >Aj'
- ?1I`
- npBa
- @2jrb
- PXca
- x6ae
- A<r4
-].\\EV
- sHB9
- nQ64
- @tE|
- g1.j
- TZjO
- 1+nrw
- =J#1
- 0DI^
- X529*
- i:#0
- [9L|G
- 7Uen
- FwEP
- heyM
- 9bf]
- 1]]"t
- 4/LY
- M8&6R
- *dQ9$E
- 2DTy
- I5z^
- 2Uer^
- 3a}$
- a/L'
- 0DUVE
- u!Pq
- C\\3F
- AgK[
- eF>Z
- !9/M

- E!(6'S
- $q/u#
- ?6ct
- t$BA
- rU&G;
- aKoD
- 8/Q;\\o
- 1iD! J
- I}O#
- Xhm12Q
- 9Wd1
- ;mu>24M
- H_e3
- [<.u
- >.0WW
- ea=c
- (L0|
- 7}N%
- nFE|
- w5=p
- i}c~
- FSoz
- /P$8
- c(Uj
- E*BW
- pq1:
- }^2&
- !-;eS
- /Az=
- 52$a
- 3KK/]
- gxe)W
- AGN4
- 4B`:(
- Mv#4
- 17en
- q/c@9
- oiX'
- [6\t8n
- 7Dfeu
- uU<x
- I(id
- G9~`
- :L851Rn
- ^e^{kU
- vTa]
- k1w'
- U-d@
- (N)0
- 3\\@Fe
- A:@+
- %-w@0
- T7x@
- qLOv
- $EO[r|
- 4~$,
- kMUR

- |EA!
- U>|V
- 7]/"!
- {O-z=
- T8f5
- hP.E
- =OK`
- 9P;U
- uW~d
- 3*GCw
- R.]Eq
- 1Cia
- M$_)UO
- v5J=i
- R6o1(
- Ud6g7
- 4fYs
- /j}*U
- IaD"
- (Y6L
- 35+v
- &+eQ
- U1rC
- >B\\2
- o7x7
- e_>\tS
- i&Ig;#v/
- b7V6
- }[KiF
- 29m&
- "|s9
- <SDa
- XghI!
- uSZ[
- a&w;]q
- \\M1P
- Y*ab
- W@FA
- I5;P
- a8xh
- .Io6
- kg4FY
- [\tKE+
- UrneX
- ~Js5
- Fr1'rE/
- I9TZ$
- D@a5
- Xa[
- fo@M
- 67BD
- rK=u
- _4j3?t
- &XZi;(
- V"6|
- nra_1Z$
- *BOA

- b^~8
- a7!?
- !b6C
- 59A
- apG(
- 8gaX
- *3XQ
- Lo BY0"Q
- $3bWY
- <g\t2
- 16&t;
- W4]5
- d6J#
- 63Z8
- n0jgh
- k8P`
- 4K'B(
- |+8?
- {?|6
- jOX}9
- 3YO0
- |4>'
-)F|5
- <(m6
- (SG{0
- f|G0
- JVaF
- 1<eQ
- 'NXO
- E79.w
- V*X6(
- =_jY7
- a3^k
- ht5xq4X
- /|d1
- "5W1
- G7,v
- !u"JC
- &:.5
- T4`^a
- k5OV~T
- C:*G2
- My8Vq
- |VU^
- IW)
- m&V2f;
- 2b!L5
- |=-E
- gcT0W
- 9}_H
- ,*jx2
- VhKO
- 8\t$Nj
- 6g:O
- aN2%
- AIaUW2
- sEe#

- 4p\\E}b
- TlOv
- 1?f_b
- +M{O
- E|G'
- x|8YM
- nx8;6
- Hpt[7}_a
- Z0-(
- Jt+o=
- Oy,$
- %pGo6
- Owt|
- apcF
- ,x.16(
- 4j`#
- '9!\\
- apq7$J
- zc2|
- (R*.3
- D-72
- P4h:1
- I4I,
- UC`7y
- 93I+d
- t)4z
- h[8Z
- oLZR
- 7r[V
- "e+xi
- /y;oR
- wD*oX
- 3N$Y
- GO`}
- R9qS
- S2*R
- t:ur
- o>k?
- KUwB
- <8bn
- Bbra[
- SI\\q-
- 1Wz8a*L
- {S[hI
- ~c;I
- T5o!Tek
- +ROz
- D#DA-
- u`H2in
- Z3IY
- 54*uIQ
- AcAE
- Y>i3
- *0JA
- CJ4?
- ^@u0o
- 1Zt

- ",A\\
- >=am
- @r9-
- W%q3
- TE>{\\
- 6Ul&
- sz8@
- xvo`
- [+iI
- "L3mB
- Qri?6
- usE(
- (s}5b
- 5~+>i
- "1 -r
- >k1@L
- IxKF
- ')8l
- *|]9
- 8,*-%
- MSD a
- E,O.
- a-C#
- 8"C:
- [-**U
- O8O)
- uK#S
- _#8
- 5>o'
- E%%%Q
- VERSION.dll
- GetFileVersionInfoA
- GetFileVersionInfoSizeA
- VerQueryValueA
- StrToInt64ExA
- PathCombineW
- GDI32.dll
- SHELL32.dll
- ole32.dll
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- ShellExecuteW
- SetTextColor
- DeleteDC
- GetDeviceCaps
- GetDIBits
- SetBkColor
- SetPixel
- DeleteObject
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- CreateFontW
- GetObjectW
- GetStockObject
- SHChangeNotify

- CoInitialize
- CommandLineToArgvW
- SHGetFolderPathW
- CoInitializeEx
- ShellExecuteExW
- CoUninitialize
- WS2_32.dll
- WNetEnumResourceW
- WNetOpenEnumW
- WNetCloseEnum
- PathMatchSpecW
- PathFindFileNameA
- StrCmpNIA
- StrToIntA
- PathFindFileNameW
- c"5o
- T1`m
- 4d(2d
- 6DNo
- Uut5
- 7]r0
- m#{3
- iz_^
- a8n*
- xtJI
-)9!h
- jp Z4
- -NlnE
- 7Qzn
- \\`,1)4
- g2a|
- xobc
- JIA N(8)J
- 'fmA
- {Jh>I
- yyx1~
- &AAO;
- 3C3S
- P6,%b
- 8W"%E
- x4}F
- >+Aj
- o3PdI}
- hRe}P
- n+69
- INg@
- X/We
- $Rno
- z[E8=-
- 5.vp
- I/vA
- 3.vM7.v
- *-v3
- 5/v`
- 3.v6
- o$v;
- SVWUj

- tYVU
- SVWU
- VC20XC00U
- 7<{t
- <9~9<[u
-]<-tA<0|
- ?:u!
- ?,uo3
- 8{ujP3
- >,u<3
- u)Sh
- u5S8_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- >nosju
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- w\t9E
- %dMA
- =tIA
- SUVW
- =tIA
- tG9M
- SVW3
- u%h/
- u*;U
- } f;u
- uof9
- YYKu
- u";M
- t-+u
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3

- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- <%u_
- t3Sj
- >.uB
- t5Sj
- >0uBF
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- Y_^3
- SVW3
- uaSU
- tGW3
- tE9}
- j4XP
- tESh
- SVW3
- Gicj
- tX!u
- ?-u.h
- jth0
- =xV4
- t2VVj
- j2hT
- j,h0
- 5X@A
- hX@A
- t8@=
- Y_^3
- >F;u
- 97vBS
- tISV
- YYUWh
- u6jQ
- u\tf95
- u\tja
- j2Pf
- =mIA
- ;D$ u
- ;T$4t0
- t$H3
- 0SUV
- 5HIA
- 5HIA
- 5HIA
- 5HIA
- 5HIA
- 5HIA
- s4hm8
- tAh9<

- =pIA
- =pIA
- %pIA
- PhuR@
- DSVW3
- u"Ph
- t#9]
- r0j.
- L$4;
- 5 IA
- YY_3
- u49]
- 67j;h
- t0ShH
- oj\th
- SUVW3
- SVW3
- FY;5
- j\tY3
- SVW3
- uvj8
- VWf9
- QSU3
- OVhF
- j1hH
- 8}lj
- \\iKjOh`
- SVW3
- .eRj
- SVW3
- t8Sh
- u3Sh
- QQSV3
- ufhA
- =gIA
- qF;u
- 6j\th
- ShUJ
- SVW3
- uiSW3
- =K@A
- u2jY
- SVW3
- QPNu
- tOSh^
- SVW3
- N6j(h0
- `SVW3
- =hIA
- SVW3
- t2Sh
- D$8P
- D$8P
- D$8P
- D$80
- j\th4
- t6Wh5

- t0Sh
- QQV3
- 5X@A
- h|@A
- NYYu
- =H@A
- =J@A
- j\th4
- D$4Pj
- 5`@A
- 5L@A
- 5p@A
- 5t@A
- YY9E
- 5p@A
- 5t@A
- =d@A
- SVW3
- QVW3
- .cdata
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- g(FR
- h"mJ>qZh
- Tr~{
- kSLh
- cgp)<
- 'k]R]
- k)\\,
- {|v(
- Fk^@
- Lqq|
- `tT%
-){WX
- wr'L
- j`IHDL
- R,'V
- \\q-
- VLq>~
-]e\\G=?w
- b\\b\\|Un
- ~T&~:|
- #W&w;,OB
- =,lpv
- xm~_w
- p?T,
- =(n
- vp?-
- rZzW{m}K
- Ly_L
- gm(S
- BK.Z}
- kQ!H
- Wt>k

- ~>ng
- " ys
- -Zh -
- CxzT+
- _F=-
- W(R/
- \'"dj
- %\t+R
- ?@!f
- [!NP
- NxYD
- g~.v
- d /R"
- (]YJ
- T(Gc
- K^\\;
- LCgF
- tRC0`B
- -^==!s[
- #`c_-HO
- z>lv
- '<=N
- yR'=w
- _GP`
- L;wp
- %{c*-
- cFFI?:
- JG_k
- {+*R
- V{[m/!q
- czx>
- Q[.T
- +.}"(0-Chby
- x!%#f
- ;FH_{
- F@Df
- SV)j
- >Xv]
- '#WP
- XqNy
- J*ww
-) Tg
- dM\\v
- +KP
- `:FSx
- !V"/O|
- _G>Y
- TJg^
- pp$"{
- v/yw
- ,D<v
- ^/!;
- =LXmk,5
- Z*||
- hy)*
- %F\t&
- Kq["Y

- !w;?
- ~>^h
- r?xH
- M~B?
- -;^9v`
- c>,<
- XVwM
- x)n@
- HK=.
- ^G,[
- \\kZq
- V:sN,n
- &zKV;\t}b
- [-"/
- WZ~R$
- bJD+
- yX{#
- /lGDIv
- !*dl
-]}||
- \\~;=
-]qvl
- ?VP#
- /=:Y'
- WGm(#
- mzxt
- X)wS
- hG$z
- W)L|
- }Q|&u;_
-)Lc,+
- Zxhx
- qJ!SW
- {(.t
- h@LF
- [v>s
-)G>b
- KF,]
- bQnD
- g(|N
- W"mpe|
- %DKRY
- z~.\\
-)["rtT
- qC$l
- j[&>
- -Pff8<
- Q,zF~&
- X<qr
- P\t~v
- jf'G
- >Bz!
- >]jH
- XN1=|:
- Tdd_
- ,HxP
- .^hs!0

- mtp+,g
- H.r{
- BN*M
- |@(X
- ?)F.M
- _^KH
- -?B>s
- \\pj@
- ={Zt
- ~|c,6=
- c/[$
- &Pvr;
- ,R.
- QzvG
- hbrN
- BV>{d
- Mvh
- ~<z#K
- (bcW)C&
- D-|Q
- b7V&Ct;
- [JsB
- W'#
- rdzD
- <?d-(#
- Mc;@
- x*=^
- /gH}v\\
- l,j^t
- rJLXFX
- .lZ[
- Y@yg
- {<v@
- dO"(rj
- \\=T|^(r1
- Y",]
- fHLf
- GbrT
- (tHP
- {JdNc@l
- YZG{
- k*Bk<
- b$hwCDv
- Nd*i/]w
- xMmBW
- r@Y$3bq
- P_p:
- \\t#"
- #{P'*
- mCw|*
- p@ePK+
- kb]V
- LZw4*$
- \\V>g&
- ySv!luQ(
- AG[./D
- m$YG

- -CQ-]
- ^nb^
- ^=WgX9
- J/R!
- -*;@
- \\3>ZHL
- nP)-F
- w:H=-
- YjV
- -=Z&
- }}Xz
- KPGX
- G +{
- =.{@
- My!m
- ZW}P
- S)~^
- c=`)le
- tMl_
- _<I>
- /x]::
- {[@{oX
- @@@@AI@@@@LB@@@@@@@@ODS@@@DWC\\@`@@@@@@@@@@@@@dfnk@@jF@@DF@@[D@@
-
- PPPP
- vv[[[[[[[[[[[
- [[p[z
- [RRRR[[[[w|w
- [[[[[[[[[[[[js
- d[[[[[
- JJJJKRJJJJOLJJJJJJJJUE@JJJEYMFJ]JJJJJJJJJJJJJJacgNJJkmJJEmJJDEJJ
-
- PPPP
- ``YYYYYYYYYYY
- }YPPPPYYYYa
- YYYYYYYYYYYY
- YY`}
- YYYYY
- StrSpnA
- StrPBrkA
- StrStrIW
- ntdll.dll
- MPR.dll
- SHLWAPI.dll
- StrCmpNW
- StrCmpNIW
- StrChrW
- StrChrA
- StrCpyNW
- CRYPT32.dll
- q.yM
- =yv^
- v!X1M%b
- <<RR
- '#b^
- gx'+
- _yd@

-]3<djb
- dH:.
- M(zxF
- `b}V
- -+$VA-_
-)G/K
-]qBD
- L=rS
- gNbF
- dvt)cz~
- X!PN
- .=R
- .x%;
- s#Kj
- \\>vEG>v@F>v
- ,v(7.vQJ.v5
- -v${,v
- ,vA#-v
- k,vy
- \\/vWA.v]7.v
- -v`w
- K/v:
- /.vb
- S.vw
- -vO!.vd
- T-vV
- ,v\t>-v+E.vs
- -v1#-v
- m,v&<.v
- -vQ3.v
- vhuv
- _$v@f$v
- $v<j$v
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- QSVWj
- _^[]
- SVWj
- tqWVS
- >]ty
- SVWj
- ?"tB
- SVWj
- SVWj
- QQSV
-][YY
- QQSUVW
- t`SV
- t!Vj
- _^[]
- X_^[]
- #x|#px3

- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- _^[Y
- QQSWj
- QQSW
- _^][Y
- YYVj
- QSVW
- v.VW
- @;D$
- QQSW
- SVWj [;
- j Y+
- @;D$
- <SVW
- t<VW
- t.VW
- t%h%
- j/RP
- Y_[Y]
- tJFf
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[]
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- ^@[]
- D$$@Y
- $SVW
- <+uH<-
- t%Sj
- _^@[
-]tRF:
- t^j@
- >PRW
- QQSW
- D$ WW
- PPVh
- [_^]
- tMSS
- PQhv
- tKVh
- j Y+

- t-WS
- t+SW
- QSVW
- PSSSSSSh
- tZVWS
- t!SW
- tRVh@
- FVSW
- t*VS
- ^[Y]
- jdY^
- tbh(
- jxX+
- QZ^&
- HSVWj
- YY^]
- Y_^[
- SVWj
- ?@s"9t$
- Y_^[
- _^][
- D$;
- ;T$<t
- f;D$H
- CFf;
- jhRQ
- K!D$
- _@^Y
- j:Xf
- VSSSS
- QQSV
- D$DP
- PWWh:
- _^][
- ;D$$
- ;D$ r
- SVWj
- u\tG;>r
- tsSj
- mRjj
- B%7j\tht
- x>$j
- SSSSSSSV
- jHjZ
- PSSh;&I;
- }hj9h|
- Vhw7,M
- j!h$
- WhWs
- t&Sh;
- VSSS
- PSSj
- j\th
- t[Sh&
- t-Sh
- tBSV
- tZSh

- t)WWWj
- tEVWWWj
- j\tPS
- t)j\th`
- t>Ht)Ht
- T|zj
- SSWP
- tySh
- rTVSh
- SSSj
- SSSj
- Sh>!@
- @PVh
- PSSSS
- PSSSS
- D$HP
- SVVW
- D$pVVSSSSh
- D$`h
- D$@VP
- PQhZ\\
- n"j&hl;
- PQhZ\\
- _^Y]
- QVWhX|
- @_^[
- VhN,*cj
- XVh_=dq
- SVWh(@A
- \\SVW
- D$4PVQh
- D$XP
- D$,Pj
- D$\\Pj
- D$,Pj
- D$ P
- SVWj
- CrbRf
- .CRT

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000c30f5f000200000000000100a6000000c30f5d001100000054233000a000000c7060600

• Module 3 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_registry (Affect system registries)
- win_token (Affect system token)

- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 3 strings

• Module 3 most interesting strings

- url | http tag | valid domain | tlds: http://nsis.sf.net/NSIS_Error
- url | valid domains | tlds: 3.v\\9.vA
- url | valid domains | tlds: @.vN
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\
- path | frequently modified by malware: ers\\javi\\AppData\\Local\\Temp\\nsiDDEA.tmp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsy1112.tmp
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp
- path | frequently modified by malware: ers\\javi\\AppData\\Local\\Temp\\nsi1101.tmp\\System.dll
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp\\System.dll
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\nsi1101.tmp\\System.dll
- path | frequently modified by malware: ers\\javi\\AppData\\Local\\Temp\\nsi1101.tmp\\System.dll
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: "C:\\Users\\javi\\Downloads\\cebo.exe"
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetVersion
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetVersion
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: Sleep
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- path | path unit: C:\\Users\\javi\\Downloads
- registry: Software\\Microsoft\\Windows\\CurrentVersion
- api | kernel32: RtlUnwind

- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: MultiByteToWideChar
- api | kernel32: LoadLibraryA
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: HeapReAlloc
- api | kernel32: VirtualAlloc
- api | kernel32: HeapAlloc
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: SetHandleCount
- api | kernel32: HeapFree
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCommandLineA
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: EnumResourceLanguagesA
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: TlsGetValue
- api | kernel32: RegEnumKeyExA
- api | advapi32: CryptSetProvParam
- api | user32: CreateCursor
- api | user32: CreateDialogIndirectParamA
- api | user32: DialogBoxIndirectParamW
- api | user32: EnableScrollBar
- api | user32: LoadBitmapA
- api | user32: OemToCharA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: MoveFileExW
- api | kernel32: RegDeleteKeyExW
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegCreateKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegQueryValueExW

- api | advapi32: RegEnumKeyW
- api | kernel32: RegEnumValueW
- api | user32: PeekMessageW
- api | user32: DispatchMessageW
- api | user32: wsprintfA
- api | user32: CharNextA
- api | user32: CharPrevW
- api | user32: MessageBoxIndirectW
- api | user32: GetDlgItemTextW
- api | user32: SetDlgItemTextW
- api | user32: GetSystemMetrics
- api | user32: CreatePopupMenu
- api | user32: AppendMenuW
- api | user32: TrackPopupMenu
- api | user32: OpenClipboard
- api | user32: EmptyClipboard
- api | user32: SetClipboardData
- api | user32: CloseClipboard
- api | user32: IsWindowVisible
- api | user32: CallWindowProcW
- api | user32: LoadBitmapW
- api | user32: CheckDlgButton
- api | user32: LoadCursorW
- api | user32: SetCursor
- api | user32: GetWindowLongW
- api | user32: GetSysColor
- api | user32: SetWindowPos
- api | user32: IsWindowEnabled
- api | user32: SetClassLongW
- api | user32: GetSystemMenu
- api | user32: EnableMenuItem
- api | user32: GetWindowRect
- api | user32: ScreenToClient
- api | user32: EndDialog
- api | user32: RegisterClassW
- api | user32: SystemParametersInfoW
- api | user32: CreateWindowExW
- api | user32: GetClassInfoW
- api | user32: DialogBoxParamW
- api | user32: CharNextW
- api | user32: ExitWindowsEx
- api | user32: DestroyWindow
- api | user32: CreateDialogParamW
- api | user32: SetWindowTextW
- api | user32: PostQuitMessage
- api | user32: SetForegroundWindow
- api | user32: ShowWindow
- api | user32: wsprintfW
- api | user32: SendMessageTimeoutW
- api | user32: FindWindowExW
- api | user32: IsWindow
- api | user32: GetDlgItem
- api | user32: SetWindowLongW
- api | user32: LoadImageW
- api | user32: ReleaseDC
- api | user32: EnableWindow
- api | user32: InvalidateRect

- api | user32: SendMessageW
- api | user32: DefWindowProcW
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: FillRect
- api | user32: DrawTextW
- api | user32: EndPaint
- api | kernel32: GetModuleHandleA
- api | kernel32: LoadLibraryA
- api | kernel32: GetSystemDirectoryW
- api | kernel32: lstrcatW
- api | kernel32: lstrcpyW
- api | kernel32: lstrcpyA
- api | kernel32: GetTempFileNameW
- api | kernel32: CreateFileW
- api | kernel32: lstrcmpiA
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateProcessW
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: lstrcpynW
- api | kernel32: lstrlenW
- api | kernel32: LoadLibraryW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: GetTempPathW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: CopyFileW
- api | kernel32: GetCurrentProcess
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileSize
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetLastError
- api | kernel32: GetFileAttributesW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: MoveFileW
- api | kernel32: GetFullPathNameW
- api | kernel32: GetShortPathNameW
- api | kernel32: SearchPathW
- api | kernel32: CompareFileTime
- api | kernel32: CloseHandle
- api | kernel32: lstrcmpiW
- api | kernel32: lstrcmpW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: GlobalFree
- api | kernel32: GlobalAlloc
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetModuleHandleW
- api | kernel32: LoadLibraryExW
- api | kernel32: FreeLibrary
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: lstrlenA

• api | kernel32: MultiByteToWideChar
• api | kernel32: ReadFile
• api | kernel32: SetFilePointer
• api | kernel32: FindClose
• api | kernel32: FindNextFileW
• api | kernel32: FindFirstFileW
• api | kernel32: DeleteFileW
• api | kernel32: MulDiv

• Module 3 other strings

• Please wait while Setup is loading...
• SysTreeView32
• cebo.exe
• 1033
• cebo.exe
• NsResize::Coconut
• 41527768
• sutures Setup
• Call
• nsi1101.tmp
• UnlockOssicle
• _ChangeNepenthe32
• HelpAngina
• OpenAgoraphobia
• LeaveShelduck
• EatRival
• }Cn3
• Call
• %u.%u%s%s
• open
• .exe
• Error writing temporary file. Make sure your temp folder is valid.
• NSIS Error
• \\Temp
• TEMP
• SeShutdownPrivilege
• Error launching installer
• More information at:
• installer's author to obtain a new copy.
• incomplete download and damaged media. Contact the
• Installer integrity check has failed. Common causes include
• verifying installer: %d%%
• \\Microsoft\\Internet Explorer\\Quick Launch
• Control Panel\\Desktop\\ResourceLocale
• .DEFAULT\\Control Panel\\International
• RichEd20
• RichEd32
• RichEdit20W
• RichEdit
• <?xml version="1.0" encoding="UTF-8" standalone="yes"?><assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0"><assemblyIdentity version="1.0.0.0" processorArchitecture="*" name="Nullsoft.NSIS.exehead" type="win32"/><description>Nullsoft Install System v3.0b0</description><dependency><dependentAssembly><assemblyIdentity type="win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" processorArchitecture="*" publicKeyToken="6595b64144ccf1df" language="*" /></dependentAssembly></dependency><trustInfo xmlns="urn:schemas-microsoft-com:asm.v3"><security><requestedPrivileges><requestedExecutionLevel level="asInvoker" uiAccess="false"/></requestedPrivileges></security></trustInfo><compatibility

xmlns="urn:schemas-microsoft-com:compatibility.v1"><application><supportedOS Id="{1f676c76-80e1-4239-95bb-83d0f6d0da78}"/><supportedOS Id="{4a2f28e3-53b9-4441-ba9c-d69d4a4a6e38}"/><supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"/></application></compatibility></assembly>

- fffox
- fffox
- fffox
- fffox
- fffox
- fffox
- fffox
- ek{[
- 7" 5!
- rlbA?4)
- O_mcs]0
- Ietau
- on83
- punqq974.
- puqqqqq<770
- ssB7+
- {s<.8
- s9.z
- !/45km
- _TPKI
- 075kmn
- 679m
- ZaZaZXKJ
- aZXJ
- ZPI
- 07km
- ZPI
-)25[n
- VPIU
- (3W\\a
- jEA>
- DdEBA@@@@=
- "IK`h
- QOK`
- QOTh
- hudx
- Iyls
- <~ru
- >}ru
- :}ux
- tubc
- Fwuv
- +o*7
- MGiI
- 9a&g;
- i]Wb
- a:z5_
- e\\UP
- Z]i+
- NullsoftInst
- 7*858>8E8N8T8a8h8q8x8
- 7"70797?7E7N7Y7`7l7t7z7
- 6"6\'6,6n6u6~6
- 5 5(5/545;5B5I5U5_5i5r5|5

- 4,4?4G4L4V4]4c4l4s4y4
- 3*30373B3H3N3Z3d3k3v3
- 1$2w2
- 0>1J1Y1_1n1v1{1
- 9 9%9,939:9A9H9Y9c9p9z9
- 8"8(83898@8G8T8Z8i8n8s8|8
- 7"7+70787F7M7^7d7l7s7y7~7
- 6#6(6-63686?6F6M6V6a6i6w6
- 5#5+52595@5
- 4&4+434<4G4N4Y4_4d4k4r4{4
- 3!3&3;3B3J3P3]3d3o3u3
- 2!2)222=2K2V2[2a2g2m2u2
- 1&11191@1K1R1]1c1l1q1x1
- 0&0-03090n0u0
- 9$9+90989B9K9Q9W9`9g9n9
- 8*8=8J8T8[8h8s8z8
- 7!7(7.7<7C7J7T7_7f7o7v7
- 6$6*636:6A6L6S6[6d6k6t6
- 5 5'5.555;5C5L5Z5e5p5v5
- 3%3,333:3?3F3h3n3w3~3
- 2'2.2;2B2J2Q2Y2^2d2i2p2w2
- 1!1'121@1G1L1S1Z1h1m1s1x1}1
- 0+01090@0G0N0S0Y0`0g0n0u0
- 9!9)929<9D9R9Y9f9m9z9
- 8%80898G8S8c8j8o8v8{8
- 7%7-747;7B7I7P7W7`7f7m7s7|7
- 6$6*626>6L6T6Z6`6i6t6}6
- 5&5-585@5G5L5Q5V5b5i5r5y5
- 4 4(484?4E4R4W4^4e4m4t4{4
- 3#3(3/343;3B3I3P3W3_3{3
- 2!2&2,21282?2G2L2R2W2c2l2s2
- 1%1/171<1A1K1Q1^1e1q1z1
- 0#0,030:0E0L0S0`0g0r0{0
- 9#9*90959;9C9L9
- 8$80878@8G8T8Z8f8p8w8}8
- 7'7.7;7C7J7P7Y7c7m7{7
- 646;6K6Y6_6l6w6~6
- 5%52585A5H5P5^5c5j5p5x5
- 4,424;4B4R4Y4f4q4|4
- 3(333:3G3N3Y3d3k3x3
- 2#2*232A2H2Q2k2r2x2
- 1&1-12181E1K1T1[1j1s1~1
- 0.050I0P0Y0d0k0r0y0
- ?$?+?3?:?A?I?U?_?f?l?u?z?
- 8$8*808=8G8R8X8]8d8j8x8
- 7#70777?7F7M7Y7`7e7l7q7
- 6!6*60676<6C6H6s6|6
- 5 5'5-525>5I5T5Y5b5h5s5z5
- 4$4,464?4E4N4U4]4d4k4r4y4
- 3 3+313:3D3J3Q3W3\\3c3i3z3
- 2!2/252@2N2S2Z2`2h2m2r2
- 1$1-121A1N1[1i1x1
- 0"0)00050:0A0H0P0W0^0e0v0}0
- =!=*=6=E=O=V=_=d=j=o=u={=
- 9/959=9D9J9Q9\\9g9n9}9
- 8!8.858<8I8P8]8k8q8x8
- 7+727:7H7O7X7f7u7|7

- 6*616A6L6S6Z6g6p6
- 5'5-555<5C5J5P5_5f5m5u5
- 4#454A4K4R4_4j4u4
- 3&3.333x3
- 2!2&2-242;2h2r2
- 1'1-121:1@1F1L1d1m1v1|1
- '010D0J0Y0_0j0r0y0
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- Those computer programmers leave her some flowers
- RevertSense32
- FindDesire32
- WinCapeskin
- _ToSerranid
- DoAppetency
- _TerminateRowboat32
- CreateTrihedron
- CreatgjiqLAagC
- CVanDunvcD
- oYtavATn.AWh
- Lawrence asks him questions
- HVmnvE32ZYJtU
- c.ce
- KERNEL32.dll
- comdlg32.dll
- GetFileTitleW
- ADVAPI32.dll
- USER32.dll
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN
- user32.dll
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- abnormal program termination
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device

- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- __GLOBAL_HEAP_SELECTED
- e+000
- KERNEL32
- GAIsProcessorFeaturePresent
- 5$5,545<5D5L5T5\\5d5l5t5|5
- l5p5|5
- 8 8$8(8,80848
- 5b6z6
- 505u5
- 0 080X0
- ="=4>9>U>h>o>
- 919?9N9_9
- 7L8R8p8
- 7'737=7H7R7\\7b7
- 5*686J6k6q6
- 5,5{5
- 2$3o4
- 0+111J1
- #000
- 9!9,92979=9J9g9m9x9}9
- 6"6*60666A6I6
- 223I3a3t3
- 1Z1`1d1h1l1u2
- :0E0`0g0l0p0t0
- =)=3=8=@=E=K=O=T=
- 7"757q7
- 4"4d4x4
- 3Z3l3{3
- 2<2D2^2j2z2
- 0w0~0
- 819I9X9l9
- 7Q8c8
- 667B7H7
- 505Q5Z5u5
- 4*4>4F4L4|4
- 393G3M3Q3V3\\3`3f3j3p3t3y3
- 1/2:2@2N2T2j2o2v2}2
- 1$1-141;1B1H1P1\\1c1j1{1
- 0!0&0-030:0F0M0Z0h0s0x0}0
- 8 8,838?8E8J8Q8W8_8f8m8u8~8
- 7G7L7Q7V7b7i7t7
- 5F6O6]6c6k6r6w6~6

- 5$5*51585?5G5
- 4 4'4-454<4C4H4R4X4a4l4s4{4
- 3&3+3>3
- 2 2&2+22292@2L2R2[2e2s2~2
- 1'10171B1H1S1[1d1r1{1
- :0?0L0W0]0g0n0z0
- 979=9B9l9
- 8(838:8G8L8S8Z8a8h8m8s8x8
- 7!7(757<7E7P7W7^7e7l7{7
- 6 6.676@6E6T6z6
- 5!5*585?5K5T5_5f5s5y5
- 4#4*424;4B4M4S4X4_4e4s4
- 3!3(3/3:3G3U3\\3j3q3z3
- 2(2.262A2J2O2T2[2b2q2}2
- 1 1&1-141?1G1f1m1v1
- G0L0X0`0f0n0w0~0
- 9%9,939:9A9H9O9U9]9d9j9s9y9
- 8#80858<8A8F8M8S8\\8m8x8
- 7$7-737;7B7I7N7U7[7d7p7u7
- 6 6%6+60696A6J6V6a6h6o6|6
- 5 5'505>5G5P5Z5m5t5{5
- 4$4+484=4P4W4`4l4r4y4
- 3!3*333:3E3L3U3c3i3v3
- 2!2.242<2C2J2\\2a2g2l2
- 1"1(1-141:1A1K1Z1d1n1u1
- 60>0G0Q0Y0_0l0w0~0
- 9J9Q9Y9`9e9l9s9
- 8(82898D8J8O8V8]8d8i8n8s8x8
- 7,777?7F7M7T7[7b7s7
- 6%6+616:6@6O6V6]6d6k6q6z6
- 4N5U5i5n5y5
- 3*414;4E4J4P4U4|4
- 3!3'3,3
- 2%232:2A2I2O2]2
- 1 1*151>1E1L1S1X1^1c1
- O0k0z0
- 9%9,91989?9J9O9s9z9
- 8 8+81868;8^8k8x8
- 7#7-7;7A7O7[7b7k7r7
- 646?6I6N6[6b6j6q6w6}6
- 4-545A5N5[5
- 4"4.4<4A4N4U4]4d4j4r4y4
- 3"3(3-3>3H3S3b3h3p3v3
- 2#2*22292?2D2K2l2{2
- 1#10161>1G1M1[1a1h1o1v1}1
- 0"0.050;0@0G0M0X0_0g0o0u0z0
- 9$969=9C9K9R9_9u9
- 8#8,8:8V8\\8f8o8y8
- 7 7'7,777A7L7S7[7b7h7m7t7{7
- 6!6/6:6A6H6U6\\6c6h6m6u6
- 5*575A5H5O5V5\\5m5}5
- 4#4,474>4K4R4_4e4m4t4z4
- 3"3)30373E3L3S3[3b3i3q3{3
- 2!2)2/272G2W2^2e2p2u2|2
- 1F1P1[1`1i1t1{1
- 0&02080=0D0J0O0V0\\0c0{0
- 9#949;9C9O9V9^9l9y9

- 8 8.848;8I8O8X8g8n8v8
- 7"7)7.757;7D7K7V7`7k7r7
- 6#6*676B6I6Q6Z6_6f6m6t6
- 5"5j5q5x5
- 4#4(4.434:4@4H4R4\\4j4u4
- 3'3>3C3J3
- 2#2*21282p2
- 171>1G1N1_1f1o1v1
- 0+080>0F0L0V0[0f0k0q0}0
- <$<-<4<A<I<U<[<a<n<x<
- 9!9(9/969O9T9d9r9x9
- ~wp5
- _.Oc
- 2l*>
-)?*O
- r_3.
- N0}@
- EWSh
- KKo)\\
- Z1L;x
- 1B7.
- _(tE
- lJ5B
- k(dEU
- dx9+
- ;6bkI
- V aP
- UX&ij;
- 2U$D
- 8lpg
- S6d|]4
- >aq@
- 1R}hW
- ARFJ`;qE
- %De1
- A3JL}
- [w+8
- =|7E
- 1e{L
- UK%8
- C-}0
- Zpo6}
- 2]~*
- 3>Np
- edoD
- zi@4J
- e?"ann
- L8O\\
- o\t_l1
- % f99
- u_\t]
- 04Fqk
- {/kAe
- Adt,
- 12NA
- e`>
- Eo-R

- id\\r
- Vd7\\
- 2/sP|
- _2gs
- WA!p
- a=l2@
- f}oF
- j1mh
- g3<bW
- w44~
- 2kha
- bwh<4
- V(--4
- lw6[Xo
- 7 r'
- sf,HpiI
- bA5
- V7jb
- 3pdW
- 5Nb5wp8^(
- _q=E
- 03dcl
- 0J\\:c
- 1?M9
- 3fm[
- ISs:
- AI?h
- s!'o
- NeHm
- u/J
- Nuu1
- |fQ\t4
- PF@e
- U<~:*i
- w4w@
- if^,.
- 08,E`f
- lO3>
- eHr^n
- m,n0
- l3_O
- 2#~L
- _{?1
- h<o=
- \'e"P
- &<Is
- `2Oo
- p\\eokM
- 6RSq
- 4g!s\tE
- a'Q2
- g.0A
- Z1gr
- #ja8/
- m9>9
- 3AN0
- bzY 6

- Q5Z?t
- cm/~9
- |(5s
- iZ7!
- ">1`
- V=x 1
- mlhFu
- 9`-4
- _E94
- GYc7
- bo\t{
- @_EJ
- lp 3A
- O#oP*
- *D|u
- c5U4
- Lzb7t
- x(oK'u
- ~m>9l
- OZpo
- [Rename]
- KERNEL32
- ADVAPI32
- SHLWAPI
- SHAutoComplete
- SHFOLDER
- SHGetFolderPathW
- VERSION.dll
- GetFileVersionInfoSizeW
- GetFileVersionInfoW
- VerQueryValueW
- ole32.dll
- CoTaskMemFree
- OleUninitialize
- COMCTL32.dll
- ImageList_Create
- ImageList_AddMasked
- ImageList_Destroy
- ADVAPI32.dll
- SHELL32.dll
- SHGetSpecialFolderLocation
- SHGetPathFromIDListW
- SHBrowseForFolderW
- SHGetFileInfoW
- ShellExecuteW
- SHFileOperationW
- GDI32.dll
- SetBkColor
- GetDeviceCaps
- DeleteObject
- CreateBrushIndirect
- CreateFontIndirectW
- SetBkMode
- SetTextColor
- SelectObject
- USER32.dll
- KERNEL32.dll

- a/v05,vP
- o$v<
- <6;}
- Vu-3
- v%Ph8
- $uih
- Xj7[
- 90u'AAf
- j9[u
- PWVU
- PPPU
- h8YB
- h8YB
- QSUVW
- \\u f9O
- 5@r@
- tK9u
- 6PjB
- PPh6
- PSha
- 5 r@
- 5 r@
- uDWWh
- SVW3
- uYh
- us9E
- t\t9E
- 5|&B;
- 5 r@
- 5 r@
- 5 r@
- u Pj
- 5 r@
- PSh5
- 5 r@
- w8j#
- t$ U
- t$0S
- t$0h
- u49-,
- 5x&B;
- 5x&B;
- UUUUW
- |$$3
- 5x&B;
- SUVW
- 58r@
- 5x&B;
- WPWj0
- D$(UPU
- t-UV
- txUS
- u6Wh
- @@f9
- PUhX
- D$4h
- SUVWj 3

- tS9u
- t19u
- t;9E
- tI+E
- YtS9]
- Y;5P
- NulluN\tE
- softuW
- Instu`
- (SV3
- 95H~A
- 5H~A
- 5 p@
- t%9]
- 5 q@
- 8u,j!
- t99]
- t\t9]
- uOWhP
- ur9]
- v'f9
- tEj\\V
- s495
- 5<p@
- .ndata
- @.data
- `.rdata
- .text
- *jRichu
- !This program cannot be run in DOS mode.
- MS Shell Dlg
- MS Shell Dlg
- f(b_
- MS Shell Dlg
- MS Shell Dlg
- (((((H
- *?|<>/":
- *.*
- @_Nb
- NCRC
- /D=
- _?=
- ~nsu.tmp
- ... %d%%
- wwwwwx
- wwwwww
- fffffox
- fffffox
- fffffox
- fffffox
- fffffox
- fffffox
- fffffox
- fffffox
- fffffox
- fffffox
- wwwwwwwx

- wwwwp
- wxwwwwww
- wwwwww
- wwwwwwp
- wwwwwwp
- wwwwww
- wwwwww
- wwwwp
- @qm\\
- z}z}z{v
- RYjgfW2+*
- NX\\kqphZUQ3,
- @.`n
- ||]~~
- }Z]^
- Z}R}
- {ssuBBs@@@<4
- {{{s<.
- /:Bt
- CDE*&&'
- %'(((
- zzz||||
- z|}}
- &+,Nlo
- V_VPTPIG
-)-.Yln
- _VTTPPI
- Z_ZT_PI
- hpppiffT
- (*MXob
- 'M]b
- FJ]b
- FJ^h
- HK^h
- P;?@@@@?
- #J^`
- P;?@@?
- P;??
- Jvhs
- }tgs
- kxdj
- @~ps
- Wrkl
- \\pjl
- w}nk
- Zwts
- \\vtt
- |tqn
- d}|{
- y|{y
-
-
-
-
-
-
- #.zf

- wn>Jj
- Qkkbal
- n;^
- @j"s
- ,Xl-
- yT;]h]rx
- ?"?3?A?K?V?]?j?t?{?
- >!>*>=>G>N>[>b>j>r>x>
- <h=r={=
- ;!;&;,;6;D;O;W;e;l;y;
- :!:(:/:8:?:L:S:`:i:o:t:{:
- ?&?/?8?C?L?S?Z?b?n?u?|?
- >*>4>;>H>O>W>^>d>k>r>x>}>
- ='=6=<=N=
- <"<(<3<A<H<O<V<[<b<l<r<z<
- ;&;3;:;G;M;R;
- : :):/:7:>:D:S:c:{:
- ?%?.?6???E?R?X?`?i?p?y?
- >&>/>8>?>F>L>R>Y>`>h>
- =%=+=1=9=A=K=Q=^=h={=
- : :*:0:Y:e:k:r:x:
- ?$?*?2?>?E?M?V?]?c?o?x?
- >#>0>:>A>M>S>X>`>f>k>q>x>
- =$=)=/=4=;=A=P=W=a=l=s=
- <%<,<3<<<J<S<_<e<k<t<{<
- ;!;&;-;4;B;R;k;r;z;
- :$:@:G:P:^:e:n:
- > >'>0>^>e>n>|>
- =&=,=4===G=N=U=\\=c=j=q=y=
- <%<.<9<D<J<V<a<h<{<
- ;%;/;9;@;G;N;Y;a;h;n;s;
- :):F:M:V:d:k:s:
- >!?:?@?M?T?a?l?w?|?
- >->8>?>G>N>U>\\>a>f>r>y>
- <$<,<3<:<B<I<P<^<o<v<~<
- :(;e;t;z;
- :%:,:2:C:M:S:`:e:r:}:
- D?$?
- ?/L[
- ?Zd;
- HMXB
- __MSVCRT_HEAP_SELECT
- ;+;l;
- >K?]?}?
- <J<P<T<X<\\<
- :*;5;P;W;\\;`;d;
- :+:E:L:P:T:X:\\:`:d:h:
- >k?q?|?
- =K>W>f>l>|>
- =&=,=?=
- ?;?U?\\?`?d?h?l?p?t?x?
- ?+?8?G?y?
- >;>E>f>{>
- =%=5=L=X=^=
- ;s<z<
- :9;h;n;
- :>:J:Q:a:g:n:x:

- ?-?3?<?B?G?N?T?\\?e?l?u?
- >!>/>9>>>D>K>R>X>`>
- =$=+=G=P=`=e=l=s=z=
- ;#<-<6<<<A<H<N<\\<c<n<v<}<
- ;V;p;~;
- :#:*:0:8:A:L:W:]:b:i:n:u:z:
- ?&?-?<?C?J?R?W?]?b?i?q?}?
- >6>=>F>T>[>h>o>|>
- =(=.=;=E=K=X=_=f=l=w=
- <+<5<;<H<O<W<^<e<r<y<
- ;$;8;?;P;V;a;j;v;};
- :,:::@:I:P:X:^:i:p:w:}:
- ? ?'?-?:?A?O?V?]?n?u?|?
- >&>+>2>9>@>L>Q>Y>f>p>{>
- =!=(=5=C=K=T=]=f=m=s=z=
- <&<1<8<E<L<W<]<b<r<
- ;!;,;2;:;?;D;K;R;Y;e;p;v;
- :#:/:4:;:B:P:U:\\:a:j:q:y:
- ?#?*?1?=?D?K?R?W?]?f?m?~?
- >'>2>8>A>H>M>T>[>b>i>p>v>~>
- =.=3=:=?=F=L=W=`=e=j=s=z=
- <&<-<4<;<B<
- :#:,:1:7:B:H:M:T:Y:b:i:|:
- ?,?6?=?D?L?
- >$>*>2>7><>H>O>W>]>i>o>v>}>
- =&=,=4=;=B=J=Q=V=]=d=l=v=
- <$<*<<<C<M<W<e<n<u<|<
- :/:;:@:M:X:^:p:u:
- ?!?'?-?4?;?B?I?l?
- >->3>;>B>I>P>W>\\>c>j>q>x>
- =O=\\=i=p={=
- < <)<5<;<@<K<U<`<f<n<u<{<
- ;%;3;9;@;G;L;Q;W;\\;c;k;p;z;
- :':0:::A:H:x:
- ? ?)?2?9?B?H?U?\\?d?k?r?y?
- >*>1>:>A>N>Y>`>m>u>|>
- =!=(=5=;=F=K=R=X=c=l=s=
- <-<3<<<C<L<S<`<f<t<{<
- ;!;.;5;<;H;O;V;j;q;|;
- :.:9:G:R:[:d:o:w:}:
- ?#?+?7?F?M?Z?a?j?p?}?
- >#>*>2>9>>>E>K>T>
- <`=j=q=|=
- ; ;+;4;:;E;K;T;_;f;m;t;{;
- :$:/:5:@:K:V:_:f:m:t:{:
- Pdx"
- J<^g
- d~(%#
- >)HX
- *Y!N
- fTp}
- "+zd
- K{jf
- kD?R
- >|'T
- dJ>w
- fLmX

- a+Xd+@z
- w-psr
- :Mtb
- jd~:z
- 'CR}
- qoSDhk
- }4PF(Nz
- @d,dK}
- PC \tJc
- ksH
- \\ t:
- G)F[
- #T>`
- B`wJ
- ^K&_
- %xgr
- Mx=;
- &%W-
- Fgw.=C
- db!H
- +>!r
- t$Yt_0
- t&M;_z
- gC7.QD
- _~~\\vA
- "DZ]
- YBWy
- |NL(
- kt&:
- hc@=
- tSPs
- &pH;>
- %_Q9br*
- HY"W
- 2x<NKY+t
- <lk)
- $@R_
- \\DP+
- gHL)~
- vDF
- bB<$`
-]c#BF
- cK,Xc
- >v&\\
- X<ff
- LSH"
- F#hk
- vK'.C
- Djfxy
- +$p,
- DD6[hg
- ,+Gp
- [#>;
- .k&p;
- ^/>L
- ?VQ)h
- wc/\\

- |/gYK
- |C?[
- c(GF
- !){>]
- }g"^
- P(&2sj>Pmf[k
- BCxh_
- Fmu+\\z
- Znn:
- _#{\\=a
- f"DfC*
- !svV
- %ls=%ls
- -v+E.v
- S.v:
- g.v2},v
- ,vQJ.v
- -vuG-vb
- -vM7.v
- -v]7.vM)vjX,vl"-vV
- g,vO!.v
- -v&<.v
- -vCE.v%9-vF
- T/vcv.v
- $v<j$v
- @f$v
- SVWj"
- =<mB
- _^[t\tP
- _^][Y
- VSh$
- -pp@
- f!>_^
- Wjd_
- =dq@
- QSVW
- ^j\\PN
- f;L$
- PPPPPP
- FFC;]
- SQPh
- PVSW
- t&jx;
- PSh?
- SQhN
- WSh
- j _W
- SPhP
- SShG
- p\\Sh
- WPhQ
- PShC
- t+Pj
- QShK
- PShC
- FPQQ
- _^][

- D$,t
- |$$;
- t$,VW
- D$,H
- _^][
- _^][
- t$,h
- D$,+D$$P
- D$$+D$
- tWf="
- WSWh`s@
- D$$Ph0
- t*Vh
- @j"@^f
- j Zf;
- j@Vh
- v#Vh
- PjdQ
- @_^[
- =\\q@
- SQPhP
- SQVPW
- QVPW
- VQSPW
- SQSSSPW
- PSWV
- t\tj"
- Shtt@
- Phdt@
- jHjZW
- PShr
- tDH;
- >FFf;
- .rsrc