Analysis report for sample: 8dbea8adaa453765255ce03a45e7f9b8

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 1859 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 8dbea8adaa453765255ce03a45e7f9b8

AV detections

- Microsoft: Ransom:Win32/Cerber
- Kaspersky: Trojan-Ransom.Win32.Zerber.edzm
- Symantec: Suspicious.Cloud.2
- Malwarebytes: Ransom.Cerber

Original source url

- hxxp://89.185.252.172/dist/css/c.exe

Virustotal url

- https://virustotal.com/es/file/54abf1ad16a0e6ea518ba91cd977465af07bf4c775fe72ec67d32dc680bb396c/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPacked (Entropy Check)
- maldoc_find_kernel32_base_method_1 ()

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.


P0(cebo.exe) T0
P0(cebo.exe) T1
P1(cebo.exe) T2
P1(cebo.exe) T3
P2(netsh.exe) T4
P2(netsh.exe) T5
P2(netsh.exe) T6

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name netsh.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\netsh.exe PID: P2, Command line: C:\\Windows\\system32\\netsh.exe advfirewall set allprofiles state on)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-100 Type: REG_SZ, Length: 70, Data: DHCP Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides DHCP based enforcement for NAP)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-103 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-102 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-1 Type: REG_SZ, Length: 40, Data: IPsec Relying Party)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-2 Type: REG_SZ, Length: 126, Data: Provides IPsec based enforcement for Network Access Protection)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-4 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-3 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-100 Type: REG_SZ, Length: 82, Data: RD Gateway Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides RD Gateway enforcement for NAP)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-100 Type: REG_SZ, Length: 68, Data: EAP Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-101 Type: REG_SZ, Length: 286, Data: Provides Network Access Protection enforcement for EAP authenticated network connections, such as those used with 802.1X and VPN technologies.)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegCreateKey (HKCU\\SYSTEM\\CurrentControlSet\\Control\\NetTrace Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\System\\CurrentControlSet\\Control\\NetTrace\\Session Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: v.va
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: *-vQJ.vA
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
- path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: HeapSize
- api | kernel32: SetStdHandle
- api | kernel32: SetFilePointer
- api | kernel32: ReadFile
- api | kernel32: SetEndOfFile
- api | kernel32: FlushFileBuffers
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: LoadLibraryA
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedExchange
- api | kernel32: MultiByteToWideChar
- api | kernel32: RtlUnwind
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: TlsFree
- api | kernel32: GetCurrentThreadId

- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetFileAttributesW
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: GetVersionExA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetSystemTime
- api | kernel32: GetModuleHandleW
- api | kernel32: GetLastError
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | ntdll: NtQueryVirtualMemory
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: memset
- api | ntdll: _aulldvrm
- api | ntdll: tolower
- api | ntdll: isspace
- api | ntdll: memmove

Involved hosts

- 192.168.133.1:5355
- 192.168.133.241:55927
- 192.168.133.241:62157

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- 250.255.255.239.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.241:55927**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.241:62157**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, netsh.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\netsh.exe PID: P2, Command line: C:\\Windows\\system32\\netsh.exe advfirewall set allprofiles state on)
- **Thread T4 (in process P2, netsh.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P2, netsh.exe)
  - **Thread' events**

• Thread Create (Thread ID: T5)

• Thread T5 (in process P2, netsh.exe) description

• Thread's childs

• Thread T6 (in process P2, netsh.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-100 Type: REG_SZ, Length: 70, Data: DHCP Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides DHCP based enforcement for NAP)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-103 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-102 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-1 Type: REG_SZ, Length: 40, Data: IPsec Relying Party)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-2 Type: REG_SZ, Length: 126, Data: Provides IPsec based enforcement for Network Access Protection)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-4 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-3 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-100 Type: REG_SZ, Length: 82, Data: RD Gateway Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides RD Gateway enforcement for NAP)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-100 Type: REG_SZ, Length: 68, Data: EAP Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-101 Type: REG_SZ, Length: 286, Data: Provides Network Access Protection enforcement for EAP authenticated network connections, such as those used with 802.1X and VPN technologies.)

- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- Thread Create (Thread ID: T6)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SYSTEM\\CurrentControlSet\\Control\\NetTrace Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\System\\CurrentControlSet\\Control\\NetTrace\\Session Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P2, netsh.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000050c0f0014000000050c5f006600000083085d0003000000000001005200000050c600006000000ec0b5e0001000000050c5a00

• Module 1 yara matches

• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: v.va
• url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | kernel32: GetSystemInfo
• api | kernel32: VirtualProtect
• api | kernel32: GetLocaleInfoA
• api | kernel32: GetStringTypeW
• api | kernel32: GetStringTypeA
• api | kernel32: LCMapStringW
• api | kernel32: LCMapStringA
• api | kernel32: HeapSize
• api | kernel32: SetStdHandle
• api | kernel32: SetFilePointer
• api | kernel32: ReadFile
• api | kernel32: SetEndOfFile
• api | kernel32: FlushFileBuffers
• api | kernel32: SetEnvironmentVariableW
• api | kernel32: SetEnvironmentVariableA
• api | kernel32: CompareStringW
• api | kernel32: CompareStringA

- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: LoadLibraryA
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedExchange
- api | kernel32: MultiByteToWideChar
- api | kernel32: RtlUnwind
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: TlsFree
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetFileAttributesW
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: GetVersionExA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetSystemTime
- api | kernel32: GetModuleHandleW
- api | kernel32: GetLastError
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue

• api | kernel32: FlsFree

• api | kernel32: GetModuleFileNameA

• Module 1 other strings

• TODO: layout OLE property page

• kernel32.dll

• 99.v

•]ItA

• KERNEL32.dll

• JanFebMarAprMayJunJulAugSepOctNovDec

• SunMonTueWedThuFriSat

• Sunday

• Monday

• Tuesday

• Wednesday

• Thursday

• Friday

• Saturday

• January

• February

• March

• April

• June

• July

• August

• September

• October

• November

• December

• Unknown security failure detected!

• continue execution and must now be terminated.

• corrupted the program's internal state. The program cannot safely

• A security error of unknown cause has been detected which has

• Buffer overrun detected!

• now be terminated.

• internal state. The program cannot safely continue execution and must

• A buffer overrun has been detected which has corrupted the program's

• Program:

• user32.dll

• kernel32.dll

• <program name unknown>

• Program:

• Runtime Error!

• Microsoft Visual C++ Runtime Library

• - floating point not loaded

• R6002

• - not enough space for arguments

• R6008

• - not enough space for environment

• R6009

• Please contact the application's support team for more information.

• This application has requested the Runtime to terminate it in an unusual way.

• - not enough space for thread data

• R6016

• - unexpected multithread lock error

- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- Please contact the application's support team for more information.
- R6029
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- CorExitProcess
- ,vA#-v(7.v
- 3.v8
- .va8.v
- 3.vM7.v
- ^_[3
- -_^u
- 6PWS
- j8h
- t&:a
- ;A t
- GWh4
- 9] u
- t-9]
- E SS
- 9] u
- FVh4
- u8SS3
- VWsU
- t5VV
- u5VVVVj
- tZ9u
- 3CYC
- 97tB
- 0954
- uZ9u
- Y9E t
- 9u u
- j$h8
- 9P@t
- 9P0t
- 9P4t
- 9P,t
- F,98uX
- F<W3

- t6S
- Wj@3
- A#D$
- VWumh
- t/9U
- u%9=x
- u:Vj
- SVWUj
- uiSj
- haY@
- 9x@t
- 9x0t
- 9x4t
- 9x,t
- tyf9
- SUVW
- 8"u&
- t7VP
- 0<=t
- t$<"u\t3
- ~\\u
- u79=
- F95L
- tYVU
- SVWU
- VC20XC00U
- <x=u
- AABBf
- t7PV
- u.;5
- 8MZu
- t3VW
- YYt6f
- u#j@
- A,h
- Q4Pj
- @.data
- `.rdata
- .text
- |Rich
- !This program cannot be run in DOS mode.
- MS Shell Dlg
- H
- h((((H
- (((((H
- h((((H
- ntdll.dll
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- +'c+
- !xUmyl
- HHV;
- MM/dd/yy
- dddd, MMMM dd, yyyy

- HH:mm:ss
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- /.vJ
- =-v.
- -v\\9.v
- v.v|
- ,v+E.v
- /.vQ
- d.vO!.v1#-v
- xd;=$
- t2WWVPVSW
- tCVj
- WWWWVSW
- t WW
- LSVWj
- PPPPPPPP
- PPPPPPPP
- ;p$t
- t!SS9]
- FVWS
- wLVWP
- VWsX
- H}Fj
- tmVV
- VVVVj
- YYtC
- YYtG;
- tWj=W
- xf==
- VVVV
- E VVVVW
- PSPVV
- v\tN+D$
-
- /t(;
- tVPV
- ~'WP
- QQSV
- BBFFOt
- r\tf=Z
- r\tf=Z
- H_^[
- @BB;
- t.;t$$t(
-]_^[
- j?^;
- @_^[
- YYt+V
- YYt-V
- _^][
- YYt.
- _^][YY
- t$$VSS
- t#SSUP
- @PVSS
- SSS+
- QQSVW3

- Y]_^[
- >=Yt
- QSVW
- <Yv"
- btFHt+
-]_^[
- t?xH
- Y_^[
- BBFFf
- t\tVP
- t\tSV
- @@FFf
- dSVW
- .rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 2 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 2 strings

• Module 2 most interesting strings

- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: memset
- api | ntdll: _aulldvrm
- api | ntdll: tolower
- api | ntdll: isspace

- api | ntdll: memmove

• Module 2 other strings

- \\Ek[z
- UIkf6
- 9VBy
- 7~]i
- K[4vJ2
- M7Sz
- 9rV;
- 2j\\:
- 26W=Q=
- mA|c
- yAydv
- A#3,
- 0K0d
- 6T"
- Wizo
- 4=6w
- u[M,O
- 'e$U
- 4buUR
- 6-=-
- ?XuX
- tVA+
-)~i}
- 6xPP\\
- #9,e
-];n8x
-]\tC6
- iAI>
- K!AS
- S6M}
- vAza
- c7{.
- ZsE#
- aeU+
- 3f[v
- _"d2
- IL$?
- DI<?\\
- ae=k
- yECW
- 'G:JE
- W[d1h7
- cbaP
- 8$|7
- 9g B
- Q[2A
- ,b?U
- bGU
- 9p\\z
- omGO
- &H4M;
- bL!3

- b"]U
- ;O=K}
- ER}%
- 2In@]d
- B2Y/^
- $ed?
- "=u@~
- ls0aF
- Yr4G
- OTq~
- <d+oLu
- Ia6mUn
- rW2e
- AgN:~
- 5m&1
- 8UVD
- /85-
- Ak8
- #E"-
- F1ME
- dS1'
- vqjuJ1
- [Vix]
- }5_q
- vve\\
- pogAp6r
- $6~2
- mA#$
- m4aN
- 2d(=
- g&4q
- qj1%
- u]gM6r
- -U{jS
- 8[ON
- Dyl9aq
- 5y<O
- uR<5
- ;UX{
- =m)A
- 1;I*
- `wu2-
- MK91mPn)
- 1`K!
- 9@ms
- tOpK
- 39$;xmL
- %v|i
- tnRE
- 1T0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1

- (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
- 52595N5T5
- 434G4
- 2 2{2
- 0&080>0J0\\0b0n0~0
- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>
- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7

- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0`0p0
- 7'7f:
- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- Id{4Q6"
- OY\t&
- *%13#
- ?7;Z
- k9cL
- I+BhAcJP
- 4tg/
- AB;q
- '^8z
- A2NtBE!#
- k6!H
- c`^I
- XJ2b
- [#4|
- x|en
- (j@4
- 4Gan
- 0L].
- %Fm/u
- G aZ
- Hx2h
- 1Sk_

- 5mHu
- sFIGG
- lgR8}
- e^s@
- l"1v*
- El/0E+b
- P6+-
- |uF+
- 3#5\tF
- Hj_E
- <lB:o
-)aA2
- \\tkud|JEH
- U'4J
- >\tE9!
- E_=W
- u8Ah
- Z`_>5
- bG2=
- E.Q3
- 7voo
- YNy5
- &E;@}
- D40]q
- 8:9\t*R
- O,x|
- 9\t[Q
- :O!@
- M.!O
- 'y*o
- HbvU_
- z-U_
- UBx$
- aBZG
- [uzg
- v7jBm0Y
- hr/1>
- s<&0t
- w3-(
- Uu3)M
- a&`x
- ix3L
- pf8j
- AgH
- Q4hL
- [_^/8O
- gKl0
- $2m$
- q!E
- 0+ P
- 5dur
- U>c-c
- AE-lZR
- K\tUTu
- A_vj
- fSvu
- Op#m

- tYs6
- Fd"n1
- 9IS6
- yMEf
- PH6,r
- 2)S0t
- q'A{
- 73XN
- Er"F
- y5>%
- iqj c
- _5j;
- 3d^Z
- ~Aw
- d8H(*
- vSeG
- 9GB/
- l0\t~
- >tc5
- Rw^U
- c-|0
- a(w86H
- 9V);8=P=Z
- Zcom-
- S0PSri
- aZct
- 4M\tx
- B|Iq
- I-]^
- vE4v
- MEeAZ1
- 5A3ws
- yI'u
- 7\\}f\\
- 0($s
- 8JMC
- 3m.)"
- a~5:
- 'U~~
- S`7b
- +nvp8^9
- 40Z8<
- OZsk
- l"V4
- j3,PS
- bnxi
- 9cQk
- cJ7>
- j0kJ1M0
- _YG3
- yLpDi
- u0oq
- Ps0J}9
- rRt8
- Yu h
- P3Vq
- zqbu

- [xB6`
- 3"4.~s
- E?Vka
- a(x5
- \\aFIhZF#5
- 8{Em
- a+>f
- 8Gteg
- 5n>'A
- A]ns
- atQw
- 0A:'i
- (:iF
- g:eUQ
- olnp\\
- [Nt6
- oY?
- VFiT
- 2-0v
- !Pa)
- "3=D{
- pT"i
- !,A3
- xN(5
- riQ;
- Av%e
- r9B"7,
- `G#1
- L9h^
- OUQX
- sInI
- >r2N
- Bmz]7
- ` 60
- <_EE
- E>I$
- '#A3tF
- gq26
- 0e;Q
- i9Y!n
- C_i(O
- iD;[
- e5ub
- s)%e
- Ox?4
- 9!:
- ?=Ne
- B5o(
- Ze#tOzi
- ARl=3
- 2A4&
- ;O]*
- ekN o
-)8ID
- iyCD
- CG3VY
- U4{m

- @0}k
- s0FKebT
- i=FV
- U_vU
- O|8@|F
- ^<>u
- 4!nJ
- $DYZ5
- ^2($v8Q
- `'/6w
- 8Z8jT
- bU8N
- 2@Kn
- JO4.
- ,9g1
- *)Z6
- E1,`
- b4;X!
- \\~LA;
- Dm"a
- 0!'_T
- 508C
- 2\t4rIEG
- ,2<!|
- ~za<
- A{]K8
- _HC9
- IzWS
- yR4%
- H/Ad
- Ooio"
- ^2eo
- }W7O
- a!Dv
- 1b^<A3"eP
- 9Q@g/
- i9Y@;
- 1Vnf
- K&8/
- zT2|
- i/{A
- x_k0
- FPlO
- ^/#8ha
- 2Il#
- Itqn
- PG8Y
- g5xOE[
- ddK3
- V@WO
- @Ki"
- Q$e0
- E@<
- Ji{q
- ET%>
- N24pWn~1
- 3Ptm

- O9p_
- cOW
- {}IP
- hO8<
- Iq`U
- A>q?
- Pb6>Q
- Z^1?
- A$E|
- :;je
- H:Y4f
- |XA7\\
- 1m):Q>1N!
- 2S%8
- tIlx
- mu='*
- 6X"<
- p1z"\\3
- 6'|m
- 0ASRe
- evR7
- +O:e
- u0q!`
- n11Di
- ^;uz
- H1qR
- i!v7W
- JZ5~ka
- }Ebj
- "*e4
- yl(5#4
- :O:y
- d8*@
- N1I#
- zIF!
- Z0f
- O]bD
- I}R=
- }^>^2
- h'0w
- eg/E'
- C.43+
- >A]`
- B*g9
- S+z4
- ^p@fHa0
- O$)EJ}c
- TE@&
- p0x>/
- 4A[D>
- XuQ>1T
- ^z$U
- >'rA
- 1Q^\t%
- j>\t7
- a%-[=
- nP(i

- l;lOP
- Z;7w
- '2 4j
- X@6e
- N8Dl
- ~5W_
-]&lyu;
- D8=&
- k=e>
- habl(
- d'i+
- c 5[
- i>:+
- 7Q*/p0-
- B7v?|
- RorL
- /b7y
- Q4p#(
- :xO'
- PJ5m
- NR#O
- 9shjr
- ;G1\\&
- AZaXc
- BE>h
- HF\\5
- J]e-
- 70tV
- Dib}
- }?s4u)
- E0G.
- Ll"%
- eTXtK
- '3ff
- 8hQe
- `!Ut
- B{aJH
- S1KU
- t,IS
- 5, q
- w6bn
- 1b9w
- Y=5@!
- u-\\U
- ~]sha
- DXx2
- qa%K
- q9"n
- |GW=7
- $8&Z;
- gtwa+
- !A\\g
- JUL-
- U_[\\
- ZM0
- ~VOQ
- s+"1

- P6KR
- "1,u
- y*j3
- _%a0
- nrAK
- 8&|y
- d761
- ~VAb
- E/:6
- <tao
- ~;W3
- 2?9
- I9(g$
- jE0\\
- EC\t"
- "DG6
- _8cI
- w(oY
- |5X<
- 9?}H
- oG`|
- ICN|@
- v%eq8
- HE/
- vU[*
- _SAQ
- I&Io;(8
- K%um
- >77
- .7#z
- SS4S
- f3[0
- !3zL
- AB{Qr
- 8Z<0onI]
- C0=Z8Y
- 6~kC
- 8zct;
- AgW`$H4
- ,y=o2so
- `4MT
- rDEK
- 4QnX
- 1V]^
- o6SA
- |X:0
- 9yH6
- E..ZJ
- ARk?3B6VrQ
- i|LL
- L3SrL ;U
- S2>m
- yXiF
- R2Z_
- ;BFI
- \\K~3
- CMJI

- q_1~
- maa?
- }L5@
- L4!h
- saa$
- X4.3L
- W!H8
- s$72
- 0$t_
- :9N@z
- \\>|0
- aBqv
- 6TUV#
- HM`U]
- S;IbF
- E.H+
- !7oq
- /kOy
- L!}e
- i_&}R
- (UAY;?
- m>9EKDkY
- !+5+
- 77wl
- y43t
- t#8hU|
- P>Ez
- |/Ii
- Mk~6EIX
- =5?p
- InU>
- !~[3e
- dOSu0
- 9YyU
- *hBI
- iXcD
- 1];>
- 4RQ+
- h"Iv#
- 1GY^
- Eg.!}
- U 5,
- A{-Y
- c3Lf
- u*%_m
- 1zi0etm
- .7AV
- %P1G
- f^Him
- mFME
- ap3,
- 9~g`
- &3wI0
- G3t{
- qpC0
- Gi36
- PU~$\\

- aRjZ
- !bU+
- uaz@C
-)C<iL
- 1HzJ'
- Io}^
- 3[by
- MQ0G_
- 1O(H
- L?xC5
- sqiSm5
- uY8W
- GQ2O
-]kaUB
- =buH
- (+6O~
- DR%8
- {/8Z
- '[be
- M,18
- Q"E
- w1Zn
- R\t$l}
- hp*9$
- gU>vE
- ^(@'w5O
- b6p\\=
- A40E
- PXEs
- 3>6rd
- T6QG
- 1aU"\'N
- <Uqi
- /qu0
- <72X
- 1B<B
- k*1{
- egYo
- Id%g
- s6\\7
-)8(je
- !Kr3
- !}S1is
- E/^}
- L@y3
- X6Fbn
- Y)@O
- ;8~j
- TU1=4
- '8Y-
- ,o,c
- Vi7%
- c$O]t
- 6LT|#
- }$(e
- 0>>^
- 0Xs+

- JB79
- S>s:-4S2>
- <]5[M
- gaoo
- j:4o
- ?"8:
- eWn[
- =oQ`
- #~IuL
- i1WY
- (P2
- pXfI
- k^4$
- JtGU
- uP?6
- 6kQ@a
- p`U%
- j?'0Lte
- 7{s!
- &>|9
- 46'7
- DreoN
- OLJN
- 9:3<4iTo
- U9$ZL
- nhUL
- Lej$V
- !OyA
- q5zw
- 3N\\F
- UP}Px
- I8J.8VP9
- eAu
- e,|J
- VLO@
-)nAn{
- *Qte
- h$XN8
- 84mI
- 5#?)
- KR~OD
- .5i}
- k;j9N
- Mnxu0
- ?8>?
- UCOu
- ,izz
- g5jv
- yZUj
- kWa['-k9J
- taiD>
- @)U1
- }|H8
- Ay-e
- &%uj
- -DA6%
- S^/i

- 3%t0
- \\OM1
- 4T!k
- 50i4a
- %Z$6%
- ?|I.
- iaBP
- 6#b"
- yE{S
- Z?@7
- Y\\F9
- *X}u
- 03L*GA
- KiaE
- P>or
- 4^Ep
- 6=j5+Mq
- _r9F
- oiiJ
- nW7w
- fUM[
- BuCR=
- ;`4J
- ua/\\$
- 0:}W
- 9jT
- :eOv
- [3Q8
- On2T:
- -lMe
- X-85
- /\\u:
- D,E*bU
- |UCt
- [e\\Tb
- gac'
- +4^#=
- %?`e
- Bp7Kyi
- 93EbX
- D9je
- 4QLV
- 2_l8
- schim
- ?;eH
- =!Dxo
- @84h
- e]=t
- 0[)k
- .AAZ
- 1BL
- 7sTM;e
- Uvl*
- ;<{0
- iL\\rr
- O8fh)
- 46C

- 3R"]
- *:;Z2
- 5:(h
- wT@7k
- UK`pA
- I\tp=*
- decmZ
-]DV7&
- fXVu
- >yqbA
- 732M
- FnH1(
- 2|gr
- Yh[1
- `X1i
- 4:'h
- 8N*Aa
- Mf 5
- -'Od
- 7U2?nCM
- 7G_&
- 4'Mno
- s8/e
- .u\\0
- ti~C
- 8>u/P
- 5Og"
- w/IM
- o\t4#
- AFY4
- q;1x
- %^+u
- wQUy
- fiHQ
- #E,s
-)G4q
- FHE
- e"h/5
- @p)O
- #{,6
- na<p
- Tv<U
- /k2/j
-]d2s
- 07A]
- 21?
- >[7*
- I(>>E
- 1Grz
- joS6KX96<
- 6Br3
- e1t{
- rB2k
- Z8@3
- D]`i
- ^B$6
- EM<]

- <MAd
- 8$\tB
- }qtu`
- <SP7~
- v9&`i
- I4\t1"MUv
- ;?CS70
- ,e<@
- c=G[7f1
- Fa\V_
- xneq
- ;v@G2
- wA[ZJ7^
- :8kC
- 0w1T
- |9PM|
- &E;|o
-)N1k#e
- @=1S
- %mQI
- N3.Ko.1
- No{a8
- 8Q-NT
- 5Xu7
- i*~,
- 1zz&
- #58Y
- ;Hoe
- STvU
- Jf8U
-]W}>2
- ;w 9P
- yQk6
- 4(\\#
- NSK1
- j,eP:
- HjOo
- gW&n1;
- ullO
- k=te
- 3*^*
- -AG_U
- ,*N3
- yTfo
- 0JN4
- mr,A
- $3%?p
- iIuk_
- 3mJ&
- fO*u
- NH#Ca
- [v6t,
- ~\\i\\4#
- RjPu
- oQy5XQdG
- >EVI
- /AL-

- g!do
- 9_7B
- {ew(
- Y5}@
- |E`JL
- 1)A5
- IYBi*
- puqK
- vkO/+
- \\+0/
- d@dci
- j)z5
- !\\s9
- 0=E3
- R3}b7
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC

- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3
- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C
- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s

- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t

- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_
- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8
- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- _=R]
- *RB\tR
- [lKq
- DCck
- #+H)
- VRc~
- .'>g
- xvgZ
- (K3V+K
-)gqq@
- CtF
- |2dryV~^
- =Nch
- Rj,Y
- pJLSY~
- &Hsg;
- sY_*
- cpSy
- 'b:V
- .|fT
- tbKV
- <c@h
- |=H(
- so}Wl~
- @ZGpV
- BC[D7n

- CTL^>
-]>g&L;
- ,-.Jj
- LJ+X
- ^Sz<
- ~PZx
- .kF"+
-)]pWSd|
- h(K;
- /w~Y
- RT\tT
- VVY%b
- 'g C
- }Ub-,K
- ^mwS
- yrtkk
- n\tFR
- SqG=
- x\\cY
- /h::
- >q[([!m
- }rt&[h
- sf:~
- 8H?\t_k
- ~HJ1{@
- <)yC
- LgR5"y
- [Bd\\t
- sg(U</(
- g'?
- (Q=m
- SB(+,
- #=_.
- !kDW
- ZFkqk
- -\tTK
- `px>c]
- bN,<
- ;g[S
- $J:{
- ""ZNWgJ
- hs_G
- ""G
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?

- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- >:L%
- V,g>
- t"PwS
- DzP\\
- |\tF)f
- B}bF
- KT,V
- $~+G
- Q;ZG
- "(N^
- >/:f6N
- Q*)h
- jds/
- C\\~)#
- k.b(
- #{&~z
- {:K!
- 'tJW
- Hk>}~
- R&tfj;
- rk-M
- tw;:
- /|XJ
- ak?z~%
- `"B^
- |{-]NXf
- %"m\\
- kV\tX'b^
-)K.v
- bD#<
- fD~C6W
- pS?t
- @Wwf
- +dzQ^
- {J,>
- KF&%
- s\tNqt
- ?[h]|RK
- J&_xda&
- wq#&
- XRFS\\
- nZn:
- wGSv
- oBL!)lP
- ,Shh
- jZrd|
- ,]|r

- ;|Lrq
- &@B:
- /p]w
- T\tanCLj
- CvfM
- uxCNXL
- z`,G^
- sKs?B< \\T
- hL]-g
- F):
- V.")c
- x$q@r
- =@&^
- JWPnP
- QdCW
- [gz
- :xNg
- J!&v;{ZFp
- [\\zL
- #"Pv
- TDMk
- P;"}
- mD"R
- ,H+z
- x]`f;
- M=+v:
- r/*`h.e
- @dg$.
- wkNi<Z
- Jm_Kr
- kH!\tRD#
-)g[y$^7
- Lf}>
- +'q!
- |H^!
- .\\#L
- tz;h
- M'^W
- |WSr
- Hf|L
- bL>c
- d=*m
- L;$|
-]l(v
- ?'}k)Y
- h:T
-)>Tt,=
- {hzZ
- bWh C
- X\\JpY9
- &fcr;
- nq#;
- K;S#
- `sR%
- HDC_Cz
-)t)v
- Q}qw

- /]l~
- 2wm Cw
- JH ~
- T(mk
- 3`b!F@
- ZQj{
- ;G%B
- [CF>
- bBNqc|1
- vFsq`
- .J):
- FqOwJn
- %x='
- +?B)
- NHDv~v
- d&KB;
- #\\;:
- DFD-xYP
- ~ }b
- yY@pB
- k/(]
- vfq>
- Xt&(
- ~K]@
- %SDt
- pxy"
- %WQv
- MQgvd
- XebR:*
- dj-$
- =g"|
- (fz(
- LxfXmiJ
- npZ[p
- K+(1w}>
- ^kwQ\\
- gpR/
- `(ns>
- LMTv
- XTS"
- #"kh
- qnB`
- Fl)Q
- qk%d
- !*fr
- S)*~
- C:v*
- nz?f
- :r~-x
- 4l)]%.
- Y!\\m>
- ?9RSN!z
- TqQ?
- PcH/
- #p;DUV
- xxd$
- <K`N

- PzLM
- x/q,
- &]fR
- [eBf>n
- zWNX
- j!rm
- +$!.%
- +C,p
- l@}q
-)kfs
- PC/]
- v!'l
- .j^
- f""
- SmFG
- 'y<[
- r&{bt
- B_L$:
- Mt&(%t
- %gcX
- |PFNP
- 2K-_']D
- wcYk
- p'z\\y
- >p;w
- `B X
- +TYG
- o\\HL|%
- <QP|
- nf/c
- =?zN/
- m[$V
- YM)v
- M {>
- |qZp
- +R(*;
- = #{
- c,/[
- 6:sx+?
- ;Mmn&
- k-fv
- wR+s
- Wwfp
- k):.
- ch$;
- F" J
- ^![Q
- Zk{!Gh
- C~g8vT
- tRrG
- Tj~b
- s?p(
- Nh;}9y
- _k.|
- tC*$
- !vyTj
- 7]V%z,

- KvY::~
- gB#wFlg
- vL\tg
- K*gb
- K**
- ["sm
- \\nwYd^
- rFL]:
- N\\./Y
- x$M#
- Djb<
- H)k>
- dl&l;
- bKLXs
- wbnz&
- %'>,,
- d}{R
- BJQ=^
- :y~#
- (xlb
- r`\\;
- c:Pqz
- bY=GU>
- '%y=
- l>q(
- ,QlP@{:K
- lCJV
- J!fZV
- tFwl
- ":}^
- "T){d
-))G&WJlnn;
- |Rvr
- H,x
- c[B'
- ["Y^/
- vMr:
- /="X
- @nz[
- Qy|$
- D#QW
- Gnj$
- H}y@_
- |&@:
- g/[P
- .PYp
- t[L,
- DTn+
- L,MJ
- !%m[
- -@\tGV8
- (cQk
- ZHL!
- `q,"S
- MrHT
- 3"?,L$
- b[\t.

- _v*W
- S$K:
- P@/D[
- ClxB
- w/D|*
- qh('v>
- #zM"
- /FfY
- }\ty@
- Gz=P%
- @NjH
- x-{\\
- ;[!DST
- @;(1jG
- MJHB
- K:ZLjG_
- ZmNK
- yc]&
- |GQK!
- cgFR
- ,<!n
- wW=Y
- hM'/
- Q?e{D*
- w><2.v
- "KWx
- D"Wl
- ;k[N
- nr*X
- c/Xz
- ;k~\\r<
- ^x|F
- ,Y&D;
- TNp]}B
- $,w+Q
- =/y)
- ;|]KQE
- ;wv"
- "HEF.v
- kDV
- T_M;
- ~!djr
- |_J(
- Ic}_\'"
- Wmbj
- k.X`
- >}(K
- GbhY
- =f[L
- /JgS
- XG!zw
- =]b|
- VS%z
- !MMD
- {Z]QW
-]2l;\\g
- m}v"

- r_(S
- \\bXr
- ,X=C
- /] W
- qD*Hr
- <\tF=
- \\;jY<
- [dL%
- "V$k*
- /vNB
- zFg
- vB"M
- _n:F
-]Z\\\\c
- WHZy
- x`W"
- d;?F
- vG<G
- `->JN?
- z)|hK'
- %\t#Zp
- nPrf
-]}@t
- ({H+
- |k]M
- q>Ff
- .}NX
- h(Vg
- ZTS
- $mQrf
- Y-B?
- '|)\\
- HfQfQ
- fs<p
- (+k&
- {hB~
- wp=@
- =|:b
- %{f]
- <Xw]
- *ynvv
- cN_k
- mqCT
- y.lYC
- _mw]
- |>Z'
- "]^{
- c&X;
- {_j#
- MR+B
- $-'\\l
- }w\\n
- p\\k"#
- tyh&
- Kl;d
- !+<Zc\\d
- *?Td

- v/v^
- YYFV
- \\L?N
- Yv'
- KB^Z
-)b;m
- V~vN
- !rLX:
- l)n=}s
- _X?-
- Vpn
- c^g#x
- J%_/
- J^=Gm%
- <Z?X
- c:5#c>
- -+c!
- <sk+
- mGWK
- NKBF
- &$UL/Nk=
- :)/(
- 8FV-]m=$
- l$+=
- N%Tf
- sJ<@|
- /!B<
- fdLL
- LY^&G;
- sNEQZv
- L T
- Dscn_:
-]l>p
- CM<
- vV'_
- :mfh
- CRfq
- QckYD.
- &Hq7zC.;
- :@ZX
- |_^h
- ZRX
- *&K;
- b*!CISY
- =(?d:T&C;
- LTK,
- RZ{MD
- Z<D{
- N(vF
- Gm&+
- KBc%
- YLb?'
- zjF~
- ~Z\tR
-]bR+
- p!gH
- Tnj*

- lj`&pc;
- ,t,SR$
- Bp"Y1.
- ">!\tvH
- xsS)<0
- nno*TD
- `D=R
- !,ZVPpc
- &_@)%
- _Qj(
- (B#TP=
- (FsV
- lQ`>
- Vz!L
- (h}(
- Ktk|+
- %s^fJ
-]wPT
- ghln
- =f.hk1
- '^Pn
-)!f~{
- (hF.K3)kx
- c\\fs
- <K^
- MW@:
- xsPp
- >^gf
- ~kb'yK
- &P;\t(
- .<Kx
- P"\\T
- c=h^
- |fh)n
- bwy[
- :<RVT
- J`Q}
- jmnfV
- dWrsL1
- ;Nlj
- $Rg
- SzPcAL
- d?V}d
- ?\tvj
- hQ/]
- HNjl
- k\\]Y
- K}l'H
- }%frp
- lxYsV
- n-L
- <1Xb/mC,
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll

- crypt32.dll
- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN
- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^

- t=Vh
- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh
- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS

- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _

- tBSV
- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty
- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• 44616e530000000000000000000000000978830004000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 3 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)

• Module 3 strings

• Module 3 most interesting strings

• url | valid domains | tlds: *-vQJ.vA
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
• path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | ntdll: NtQueryVirtualMemory
• api | kernel32: RtlUnwind
• api | ntdll: _alldiv
• api | ntdll: _allmul
• api | ntdll: memcpy
• api | ntdll: memset
• api | ntdll: _aulldvrm
• api | ntdll: tolower
• api | ntdll: isspace
• api | ntdll: memmove

• Module 3 other strings

• 9e3a
• 5036
• 4f18
• 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
• 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
• 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
• 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
• 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
• 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
• 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
• (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
• 52595N5T5
• 434G4
• 2 2{2
• 0&080>0J0\\0b0n0~0

- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>
- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0`0p0
- 7'7f:

- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- -vs3j
- Id{4Q6"
- OY\t&
- *%13#
- ?7;Z
- k9cL
- I+BhAcJP
- 4tg/
- AB;q
- '^8z
- A2NtBE!#
- k6!H
- c`^I
- XJ2b
- [#4|
- x|en
- (j@4
- 4Gan
- 0L].
- %Fm/u
- G aZ
- Hx2h
- 1Sk_
- 5mHu
- sFIGG
- lgR8}
- e^s@

- l"1v*
- El/0E+b
- P6+-
- |uF+
- 3#5\tF
- Hj_E
- <lB:o
-)aA2
- \\tkud|JEH
- U'4J
- >\tE9!
- E_=W
- u8Ah
- Z`_>5
- bG2=
- E.Q3
- 7voo
- YNy5
- &E;@}
- D40]q
- 8:9\t*R
- O,x|
- 9\t[Q
- :O!@
- M.!O
- 'y*o
- HbvU_
- z-U_
- UBx$
- aBZG
- [uzg
- v7jBm0Y
- hr/1>
- s<&0t
- w3-(
- Uu3)M
- a&`x
- ix3L
- pf8j
- AgH
- Q4hL
- [_^/8O
- gKl0
- $2m$
- q!E
- 0+ P
- 5dur
- U>c-c
- AE-lZR
- K\tUTu
- A_vj
- fSvu
- Op#m
- tYs6
- Fd"n1
- 9IS6
- yMEf

- PH6,r
- 2)S0t
- q'A{
- 73XN
- Er"F
- y5>%
- iqj c
- _5j;
- 3d^Z
- ~Aw
- d8H(*
- vSeG
- 9GB/
- l0\t~
- >tc5
- Rw^U
- c-|0
- a(w86H
- 9V);8=P=Z
- Zcom-
- S0PSri
- aZct
- 4M\tx
- B|Iq
- I-]^
- vE4v
- MEeAZ1
- 5A3ws
- yI'u
- 7\\}f\\
- 0($s
- 8JMC
- 3m.)"
- a~5:
- 'U~~
- S`7b
- +nvp8^9
- 40Z8<
- OZsk
- l"V4
- j3,PS
- bnxi
- 9cQk
- cJ7>
- j0kJ1M0
- _YG3
- yLpDi
- u0oq
- Ps0J}9
- rRt8
- Yu h
- P3Vq
- zqbu
- [xB6`
- 3"4.~s
- E?Vka
- a(x5

- \\aFIhZF#5
- 8{Em
- a+>f
- 8Gteg
- 5n>'A
- A]ns
- atQw
- 0A:'i
- (:iF
- g:eUQ
- olnp\\
- [Nt6
- oY?
- VFiT
- 2-0v
- !Pa)
- "3=D{
- pT"i
- !,A3
- xN(5
- riQ;
- Av%e
- r9B"7,
- `G#1
- L9h^
- OUQX
- sInI
- >r2N
- Bmz]7
- ` 60
- <_EE
- E>I$
- '#A3tF
- gq26
- 0e;Q
- i9Y!n
- C_i(O
- iD;[
- e5ub
- s)%e
- Ox?4
- 9!:
- ?=Ne
- B5o(
- Ze#tOzi
- ARl=3
- 2A4&
- ;O]*
- ekN o
-)8ID
- iyCD
- CG3VY
- U4{m
- @0}k
- s0FKebT
- i=FV
- U_vU

- O|8@|F
- ^<>u
- 4!nJ
- $DYZ5
- ^2($v8Q
- `'/6w
- 8Z8jT
- bU8N
- 2@Kn
- JO4.
- ,9g1
- *)Z6
- E1,`
- b4;X!
- \\~LA;
- Dm"a
- 0!'_T
- 508C
- 2\t4rIEG
- ,2<!|
- ~za<
- A{]K8
- _HC9
- IzWS
- yR4%
- H/Ad
- Ooio"
- ^2eo
- }W7O
- a!Dv
- 1b^<A3"eP
- 9Q@g/
- i9Y@;
- 1Vnf
- K&8/
- zT2|
- i/{A
- x_k0
- FPlO
- ^/#8ha
- 2Il#
- Itqn
- PG8Y
- g5xOE[
- ddK3
- V@WO
- @Ki"
- Q$e0
- E@<
- Ji{q
- ET%>
- N24pWn~1
- 3Ptm
- O9p_
- cOW
- {}IP
- hO8<

- Iq`U
- A>q?
- Pb6>Q
- Z^1?
- A$E|
- ::je
- H:Y4f
- |XA7\\
- 1m):Q>1N!
- 2S%8
- tIlx
- mu='*
- 6X"<
- p1z"\\3
- 6'|m
- 0ASRe
- evR7
- +O:e
- u0q!`
- n11Di
- ^;uz
- H1qR
- i!v7W
- JZ5~ka
- }Ebj
- "*e4
- yl(5#4
- :O:y
- d8*@
- N1I#
- zIF!
- Z0f
- O]bD
- I}R=
- }^>^2
- h'0w
- eg/E'
- C.43+
- >A]`
- B*g9
- S+z4
- ^p@fHa0
- O$)EJ}c
- TE@&
- p0x>/
- 4A[D>
- XuQ>1T
- ^z$U
- >'rA
- 1Q^\t%
- j>\t7
- a%-[=
- nP(i
- l;lOP
- Z;7w
- '2 4j
- X@6e

- N8Dl
- ~5W_
-]&lyu;
- D8=&
- k=e>
- habI(
- d'i+
- c 5[
- i>:+
- 7Q*/p0-
- B7v?|
- RorL
- /b7y
- Q4p#(
- :xO'
- PJ5m
- NR#O
- 9shjr
- ;G1\\&
- AZaXc
- BE>h
- HF\\5
- J]e-
- 70tV
- Dib}
- }?s4u)
- E0G.
- LI"%
- eTXtK
- '3ff
- 8hQe
- `!Ut
- B{aJH
- S1KU
- t,IS
- 5, q
- w6bn
- 1b9w
- Y=5@!
- u-\\U
- ~]sha
- DXx2
- qa%K
- q9"n
- |GW=7
- $8&Z;
- gtwa+
- !A\\g
- JUL-
- U_[\\
- ZM0
- ~VOQ
- s+"1
- P6KR
- "1,u
- y*j3
- _%a0

- nrAK
- 8&|y
- d761
- ~VAb
- E/:6
- <tao
- ~;W3
- 2?9
- I9(g$
- jE0\\
- EC\t"
- "DG6
- _8cI
- w(oY
- |5X<
- 9?}H
- oG`|
- ICN|@
- v%eq8
- HE/
- vU[*
- _SAQ
- I&Io;(8
- K%um
- >77
- .7#z
- SS4S
- f3[0
- !3zL
- AB{Qr
- 8Z<0onI]
- C0=Z8Y
- 6~kC
- 8zct;
- AgW`$H4
- ,y=o2so
- `4MT
- rDEK
- 4QnX
- 1V]^
- o6SA
- |X:0
- 9yH6
- E..ZJ
- ARk?3B6VrQ
- i|LL
- L3SrL ;U
- S2>m
- yXiF
- R2Z_
- ;BFI
- \\K~3
- CMJI
- q_1~
- maa?
- }L5@
- L4!h

- saa$
- X4.3L
- W!H8
- s$72
- 0$t_
- :9N@z
- \\>|0
- aBqv
- 6TUV#
- HM`U]
- S;IbF
- E.H+
- !7oq
- /kOy
- L!}e
- i_&}R
- (UAY;?
- m>9EKDkY
- !+5+
- 77wl
- y43t
- t#8hU|
- P>Ez
- |/Ii
- Mk~6EIX
- =5?p
- InU>
- !~[3e
- dOSu0
- 9YyU
- *hBI
- iXcD
- 1];>
- 4RQ+
- h"Iv#
- 1GY^
- Eg.!}
- U 5,
- A{-Y
- c3Lf
- u*%_m
- 1zi0etm
- .7AV
- %P1G
- f^Him
- mFME
- ap3,
- 9~g`
- &3wI0
- G3t{
- qpC0
- Gi36
- PU~$\\
- aRjZ
- !bU+
- uaz@C
-)C<iL

- 1HzJ'
- Io}^
- 3[by
- MQ0G_
- 1O(H
- L?xC5
- sqiSm5
- uY8W
- GQ2O
-]kaUB
- =buH
- (+6O~
- DR%8
- {/8Z
- '[be
- M,18
- Q"E
- w1Zn
- R\t$I}
- hp*9$
- gU>vE
- ^(@'w5O
- b6p\\=
- A40E
- PXEs
- 3>6rd
- T6QG
- 1aU"\'N
- <Uqi
- /qu0
- <72X
- 1B<B
- k*1{
- egYo
- Id%g
- s6\\7
-)8(je
- !Kr3
- !}S1is
- E/^}
- L@y3
- X6Fbn
- Y)@O
- ;8~j
- TU1=4
- '8Y-
- ,o,c
- Vi7%
- c$O]t
- 6LT|#
- }$(e
- 0>>^
- 0Xs+
- JB79
- S>s:-4S2>
- <]5[M
- gaoo

- j:4o
- ?"8:
- eWn[
- =oQ`
- #~IuL
- i1WY
- (P2
- pXfI
- k^4$
- JtGU
- uP?6
- 6kQ@a
- p`U%
- j?'0Lte
- 7{s!
- &>|9
- 46'7
- DreoN
- OLJN
- 9:3<4iTo
- U9$ZL
- nhUL
- Lej$V
- !OyA
- q5zw
- 3N\\F
- UP}Px
- I8J.8VP9
- eAu
- e,|J
- VLO@
-)nAn{
- *Qte
- h$XN8
- 84mI
- 5#?)
- KR~OD
- .5i}
- k;j9N
- Mnxu0
- ?8>?
- UCOu
- ,izz
- g5jv
- yZUj
- kWa['-k9J
- taiD>
- @)U1
- }|H8
- Ay-e
- &%uj
- -DA6%
- S^/i
- 3%t0
- \\OM1
- 4T!k
- 50i4a

- %Z$6%
- ?|I.
- iaBP
- 6#b"
- yE{S
- Z?@7
- Y\\F9
- *X}u
- 03L*GA
- KiaE
- P>or
- 4^Ep
- 6=j5+Mq
- _r9F
- oiiJ
- nW7w
- fUM[
- BuCR=
- ;`4J
- ua/\\$
- 0:}W
- 9jT
- :eOv
- [3Q8
- On2T:
- -lMe
- X-85
- /\\u:
- D,E*bU
- |UCt
- [e\\Tb
- gac'
- +4^#=
- %?`e
- Bp7Kyi
- 93EbX
- D9je
- 4QLV
- 2_l8
- schim
- ?;eH
- =!Dxo
- @84h
- e]=t
- 0[)k
- .AAZ
- 1BL
- 7sTM;e
- Uvl*
- ;<{0
- iL\\rr
- O8fh)
- 46C
- 3R"]
- *:;Z2
- 5:(h
- wT@7k

- UK`pA
- I\tp=*
- decmZ
-]DV7&
- fXVu
- >yqbA
- 732M
- FnH1(
- 2|gr
- Yh[1
- `X1i
- 4:'h
- 8N*Aa
- Mf 5
- -'Od
- 7U2?nCM
- 7G_&
- 4'Mno
- s8/e
- .u\\0
- ti~C
- 8>u/P
- 5Og"
- w/IM
- o\t4#
- AFY4
- q;1x
- %^+u
- wQUy
- fiHQ
- #E,s
-)G4q
- FHE
- e"h/5
- @p)O
- #{,6
- na<p
- Tv<U
- /k2/j
-]d2s
- 07A]
- 21?
- >[7*
- I(>>E
- 1Grz
- joS6KX96<
- 6Br3
- e1t{
- rB2k
- Z8@3
- D]`i
- ^B$6
- EM<]
- <MAd
- 8$\tB
- }qtu`
- <SP7~

- v9&`i
- I4\t1"MUv
- ;?CS70
- ,e<@
- c=G[7f1
- Fa\V_
- xneq
- ;v@G2
- wA[ZJ7^
- :8kC
- 0w1T
- |9PM|
- &E;|o
-)N1k#e
- @=1S
- %mQI
- N3.Ko.1
- No{a8
- 8Q-NT
- 5Xu7
- i*~,
- 1zz&
- #58Y
- ;Hoe
- STvU
- Jf8U
-]W}>2
- ;w 9P
- yQk6
- 4(\\#
- NSK1
- j,eP:
- HjOo
- gW&n1;
- ullO
- k=te
- 3*^*
- -AG_U
- ,*N3
- yTfo
- 0JN4
- mr,A
- $3%?p
- iIuk_
- 3mJ&
- fO*u
- NH#Ca
- [v6t,
- ~\\i\\4#
- RjPu
- oQy5XQdG
- >EVI
- /AL-
- g!do
- 9_7B
- {ew(
- Y5}@

- |E`JL
- 1)A5
- IYBi*
- puqK
- vkO/+
- \\+0/
- d@dci
- j)z5
- !\\s9
- 5.vp
- -v+E.v1#-v
- J-vI
- a/vy
- ~/v5
- ;.vo
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC

- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3
- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C
- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s

- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t

- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_
- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8
- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- >:L%
- V,g>

- t"PwS
- DzP\\
- |\tF)f
- B}bF
- KT,V
- $~+G
- Q;ZG
- "(N^
- >/:f6N
- Q*)h
- jds/
- C\\~)#
- k.b(
- #{&~z
- {:K!
- 'tJW
- Hk>}~
- R&tfj;
- rk-M
- tw;:
- /|XJ
- ak?z~%
- `"B^
- |{-]NXf
- %"m\\
- kV\tX'b^
-)K.v
- bD#<
- fD~C6W
- pS?t
- @Wwf
- +dzQ^
- {J,>
- KF&%
- s\tNqt
- ?[h]|RK
- J&_xda&
- wq#&
- XRFS\\
- nZn:
- wGSv
- oBL!)lP
- ,Shh
- jZrd|
- ,]|r
- ;|Lrq
- &@B:
- /p]w
- T\tanCLj
- CvfM
- uxCNXL
- z`,G^
- sKs?B< \\T
- hL]-g
- F):
- V.")c
- x$q@r

- =@&^
- JWPnP
- QdCW
- [gz
- :xNg
- J!&v;{ZFp
- [\\zL
- #"Pv
- TDMk
- P;"}
- mD"R
- ,H+z
- x]`f;
- M=+v:
- r/*`h.e
- @dg$.
- wkNi<Z
- Jm_Kr
- kH!\tRD#
-)g[y$^7
- Lf}>
- +'q!
- |H^!
- .\\#L
- tz;h
- M'^W
- |WSr
- Hf|L
- bL>c
- d=*m
- L;$|
-]l(v
- ?'}k)Y
- h:T
-)>Tt,=
- {hzZ
- bWh C
- X\\JpY9
- &fcr;
- nq#;
- K;S#
- `sR%
- HDC_Cz
-)t)v
- Q}qw
- /]l~
- 2wm Cw
- JH ~
- T(mk
- 3`b!F@
- ZQj{
- ;G%B
- [CF>
- bBNqc|1
- vFsq`
- .J):
- FqOwJn

- %x='
- +?B)
- NHDv~v
- d&KB;
- #\\;:
- DFD-xYP
- ~ }b
- yY@pB
- k/(]
- vfq>
- Xt&(
- ~K]@
- %SDt
- pxy"
- %WQv
- MQgvd
- XebR:*
- dj-$
- =g"|
- (fz(
- LxfXmiJ
- npZ[p
- K+(1w}>
- ^kwQ\\
- gpR/
- `(ns>
- LMTv
- XTS"
- #"kh
- qnB`
- Fl)Q
- qk%d
- !*fr
- S)*~
- C:v*
- nz?f
- :r~-x
- 4l)]%.
- Y!\\m>
- ?9RSN!z
- TqQ?
- PcH/
- #p;DUV
- xxd$
- <K`N
- PzLM
- x/q,
- &]fR
- [eBf>n
- zWNX
- j!rm
- +$!.%
- +C,p
- l@}q
-)kfs
- PC/]
- v!'l

- .j^
- f"'"
- SmFG
- 'y<[
- r&{bt
- B_L$:
- Mt&(%t
- %gcX
- |PFNP
- 2K-_']D
- wcYk
- p'z\\y
- >p;w
- `B X
- +TYG
- o\\HL|%
- <QP|
- nf/c
- =?zN/
- m[$V
- YM)v
- M {>
- |qZp
- +R(*;
- = #{
- c,/[
- 6:sx+?
- ;Mmn&
- k-fv
- wR+s
- Wwfp
- k):.
- ch$;
- F" J
- ^![Q
- Zk{!Gh
- C~g8vT
- tRrG
- Tj~b
- s?p(
- Nh;}9y
- _k.|
- tC*$
- !vyTj
- 7]V%z,
- KvY::~
- gB#wFlg
- vL\tg
- K*gb
- K**
- ["sm
- \\nwYd^
- rFL]:
- N\\./Y
- x$M#
- Djb<
- H)k>

- dI&l;
- bKLXs
- wbnz&
- %'>,,
- d}{R
- BJQ=^
- :y~#
- (xlb
- r`\\;
- c:Pqz
- bY=GU>
- '%y=
- l>q(
- ,QlP@{:K
- lCJV
- J!fZV
- tFwl
- ":}^
- "T}{d
-))G&WJlnn;
- |Rvr
- H,x
- c[B'
- ["Y^/
- vMr:
- /="X
- @nz[
- Qy|$
- D#QW
- Gnj$
- H}y@_
- |&@:
- g/[P
- .PYp
- t[L,
- DTn+
- L,MJ
- !%m[
- -@\tGV8
- (cQk
- ZHL!
- `q,"S
- MrHT
- 3"?,L$
- b[\t.
- _v*W
- S$K:
- P@/D[
- ClxB
- w/D|*
- qh('v>
- #zM"
- /FfY
- }\ty@
- Gz=P%
- @NjH
- x-{\\

- ;[!DST
- @;(1jG
- MJHB
- K:ZLjG_
- ZmNK
- yc]&
- |GQK!
- cgFR
- ,<!n
- wW=Y
- hM'/
- Q?e{D*
- w><2.v
- "KWx
- D"Wl
- ;k[N
- nr*X
- c/Xz
- ;k~\\r<
- ^x|F
- ,Y&D;
- TNp]}B
- $,w+Q
- =/y)
- ;|]KQE
- ;wv"
- "HEF.v
- kDV
- T_M;
- ~!djr
- |_J(
- Ic}_\'"
- Wmbj
- k.X`
- >}(K
- GbhY
- =f[L
- /JgS
- XG!zw
- =]b|
- VS%z
- !MMD
- {Z]QW
-]2l;\\g
- m}v"
- r_(S
- \\bXr
- ,X=C
- /] W
- qD*Hr
- <\tF=
- \\;jY<
- [dL%
- "V$k*
- /vNB
- zFg
- vB"M

- _n:F
-]Z\\\c
- WHZy
- x`W"
- d;?F
- vG<G
- `->JN?
- z)|hK'
- %\t#Zp
- nPrf
-]}@t
- ({H+
- |k]M
- q>Ff
- .}NX
- h(Vg
- ZTS
- $mQrf
- Y-B?
- '|)\\
- HfQfQ
- fs<p
- (+k&
- {hB~
- wp=@
- =|:b
- %{f]
- <Xw]
- *ynvv
- cN_k
- mqCT
- y.lYC
- _mw]
- |>Z'
- "]^{
- c&X;
- {_j#
- MR+B
- $-'\\l
- }w\\n
- p\\k"#
- tyh&
- Kl;d
- !+<Zc\\d
- *?Td
- v/v^
- YYFV
- \\L?N
- Yv'
- KB^Z
-)b;m
- V~vN
- !rLX:
- l)n=}s
- _X?-
- Vpn
- c^g#x

- J%_/
- J^=Gm%
- <Z?X
- c:5#c>
- -+c!
- <sk+
- mGWK
- NKBF
- &$UL/Nk=
- :)/(
- 8FV-]m=$
- I$+=
- N%Tf
- sJ<@|
- /!B<
- fdLL
- LY^&G;
- sNEQZv
- L T
- Dscn_:
-]l>p
- CM<
- vV'_
- :mfh
- CRfq
- QckYD.
- &Hq7zC.;
- :@ZX
- |_^h
- ZRX
- *&K;
- b*!CISY
- =(?d:T&C;
- LTK,
- RZ{MD
- Z<D{
- N(vF
- Gm&+
- KBc%
- YLb?'
- zjF~
- ~Z\tR
-]bR+
- p!gH
- Tnj*
- Ij`&pc;
- ,t,SR$
- Bp"Y1.
- ">!\tvH
- xsS)<0
- nno*TD
- `D=R
- !,ZVPpc
- &_@)%
- _Qj(
- (B#TP=
- (FsV

- lQ`>
- Vz!L
- (h}(
- Ktk|+
- %s^fJ
-]wPT
- ghln
- =f.hk1
- '^Pn
-)!f~{
- (hF.K3)kx
- c\\fs
- <K^
- MW@:
- xsPp
- >^gf
- ~kb'yK
- &P;\t(
- .<Kx
- P"\\T
- c=h^
- |fh)n
- bwy[
- :<RVT
- J`Q}
- jmnfV
- dWrsL1
- ;Nlj
- $Rg
- SzPcAL
- d?V}d
- ?\tvj
- hQ/]
- HNjl
- k\\]Y
- K}!'H
- }%frp
- vhuv
- _$v@f$v;
- <j$v
- T-vO!.vBN,v
- -v3g.v
- ".vc3.v
- .v(7.v|
- ,v${,vs
- -v%9-v
- ;-v]7.v)
- \\/vWA.v
- >.vQ
- J,v@
- d.vV
- S.v:
- -v\t>-v6
- -vQ3.v&<.v
- -vl"-v
- ,vL~/v
- @viF>v

- ?vEG>v
- \\>v|
- >v@F>v
- >v1S>v
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll
- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN
- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh

- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh
- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh
- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX

- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT

- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV
- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty
- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j

- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 4 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: *-vQJ.vA
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
- path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: memset
- api | ntdll: _aulldvrm
- api | ntdll: tolower
- api | ntdll: isspace
- api | ntdll: memmove

• Module 4 other strings

- 9e3a
- 5036
- 4f18
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6

- 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
- 52595N5T5
- 434G4
- 2 2{2
- 0&080>0J0\\0b0n0~0
- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8I8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>
- =8=A=N=[=

- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0`0p0
- 7'7f:
- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- -vs3j
- Id{4Q6"
- OY\t&
- *%13#
- ?7;Z
- k9cL
- I+BhAcJP
- 4tg/
- AB;q
- '^8z
- A2NtBE!#
- k6!H
- c`^I
- XJ2b
- [#4|
- x|en
- (j@4
- 4Gan
- 0L].

- %Fm/u
- G aZ
- Hx2h
- 1Sk_
- 5mHu
- sFIGG
- lgR8}
- e^s@
- l"1v*
- El/0E+b
- P6+-
- |uF+
- 3#5\tF
- Hj_E
- <lB:o
-)aA2
- \\tkud|JEH
- U'4J
- >\tE9!
- E_=W
- u8Ah
- Z`_>5
- bG2=
- E.Q3
- 7voo
- YNy5
- &E;@}
- D40]q
- 8:9\t*R
- O,x|
- 9\t[Q
- :O!@
- M.!O
- 'y*o
- HbvU_
- z-U_
- UBx$
- aBZG
- [uzg
- v7jBm0Y
- hr/1>
- s<&0t
- w3-(
- Uu3)M
- a&`x
- ix3L
- pf8j
- AgH
- Q4hL
- [_^/8O
- gKl0
- $2m$
- q!E
- 0+ P
- 5dur
- U>c-c
- AE-lZR

- K\tUTu
- A_vj
- fSvu
- Op#m
- tYs6
- Fd"n1
- 9IS6
- yMEf
- PH6,r
- 2)S0t
- q'A{
- 73XN
- Er"F
- y5>%
- iqj c
- _5j;
- 3d^Z
- ~Aw
- d8H(*
- vSeG
- 9GB/
- l0\t~
- >tc5
- Rw^U
- c-|0
- a(w86H
- 9V);8=P=Z
- Zcom-
- S0PSri
- aZct
- 4M\tx
- B|Iq
- I-]^
- vE4v
- MEeAZ1
- 5A3ws
- yI'u
- 7\\}f\\
- 0($s
- 8JMC
- 3m.)"
- a~5:
- 'U~~
- S`7b
- +nvp8^9
- 40Z8<
- OZsk
- l"V4
- j3,PS
- bnxi
- 9cQk
- cJ7>
- j0kJ1M0
- _YG3
- yLpDi
- u0oq
- Ps0J}9

- rRt8
- Yu h
- P3Vq
- zqbu
- [xB6`
- 3"4.~s
- E?Vka
- a(x5
- \\aFIhZF#5
- 8{Em
- a+>f
- 8Gteg
- 5n>'A
- A]ns
- atQw
- 0A:'i
- (:iF
- g:eUQ
- olnp\\
- [Nt6
- oY?
- VFiT
- 2-0v
- !Pa)
- "3=D{
- pT"i
- !,A3
- xN(5
- riQ;
- Av%e
- r9B"7,
- `G#1
- L9h^
- OUQX
- sInI
- >r2N
- Bmz]7
- ` 60
- <_EE
- E>I$
- '#A3tF
- gq26
- 0e;Q
- i9Y!n
- C_i(O
- iD;[
- e5ub
- s)%e
- Ox?4
- 9!:
- ?=Ne
- B5o(
- Ze#tOzi
- ARl=3
- 2A4&
- ;O]*
- ekN o

-)8ID
- iyCD
- CG3VY
- U4{m
- @0}k
- s0FKebT
- i=FV
- U_vU
- O|8@|F
- ^<>u
- 4!nJ
- $DYZ5
- ^2($v8Q
- `'/6w
- 8Z8jT
- bU8N
- 2@Kn
- JO4.
- ,9g1
- *)Z6
- E1,`
- b4;X!
- \\~LA;
- Dm"a
- 0!'_T
- 508C
- 2\t4rIEG
- ,2<!|
- ~za<
- A{]K8
- _HC9
- IzWS
- yR4%
- H/Ad
- Ooio"
- ^2eo
- }W7O
- a!Dv
- 1b^<A3"eP
- 9Q@g/
- i9Y@;
- 1Vnf
- K&8/
- zT2|
- i/{A
- x_k0
- FPlO
- ^/#8ha
- 2Il#
- Itqn
- PG8Y
- g5xOE[
- ddK3
- V@WO
- @Ki"
- Q$e0
- E@<

- Ji{q
- ET%>
- N24pWn~1
- 3Ptm
- O9p_
- cOW
- {}IP
- hO8<
- Iq`U
- A>q?
- Pb6>Q
- Z^1?
- A$E|
- ::je
- H:Y4f
- |XA7\\
- 1m):Q>1N!
- 2S%8
- tIlx
- mu='*
- 6X"<
- p1z"\\3
- 6'|m
- 0ASRe
- evR7
- +O:e
- u0q!`
- n11Di
- ^;uz
- H1qR
- i!v7W
- JZ5~ka
- }Ebj
- "*e4
- yl(5#4
- :O:y
- d8*@
- N1I#
- zIF!
- Z0f
- O]bD
- I}R=
- }^>^2
- h'0w
- eg/E'
- C.43+
- >A]`
- B*g9
- S+z4
- ^p@fHa0
- O$)EJ}c
- TE@&
- p0x>/
- 4A[D>
- XuQ>1T
- ^z$U
- >'rA

- 1Q^\t%
- j>\t7
- a%-[=
- nP(i
- l;lOP
- Z;7w
- '2 4j
- X@6e
- N8Dl
- ~5W_
-]&lyu;
- D8=&
- k=e>
- habl(
- d'i+
- c 5[
- i>:+
- 7Q*/p0-
- B7v?|
- RorL
- /b7y
- Q4p#(
- :xO'
- PJ5m
- NR#O
- 9shjr
- ;G1\\&
- AZaXc
- BE>h
- HF\\5
- J]e-
- 70tV
- Dib}
- }?s4u)
- E0G.
- Ll"%
- eTXtK
- '3ff
- 8hQe
- `!Ut
- B{aJH
- S1KU
- t,IS
- 5, q
- w6bn
- 1b9w
- Y=5@!
- u-\\U
- ~]sha
- DXx2
- qa%K
- q9"n
- |GW=7
- $8&Z;
- gtwa+
- !A\\g
- JUL-

- U_[\\
- ZM0
- ~VOQ
- s+"1
- P6KR
- "1,u
- y*j3
- _%a0
- nrAK
- 8&|y
- d761
- ~VAb
- E/:6
- <tao
- ~;W3
- 2?9
- I9(g$
- jE0\\
- EC\t"
- "DG6
- _8cI
- w(oY
- |5X<
- 9?}H
- oG`|
- ICN|@
- v%eq8
- HE/
- vU[*
- _SAQ
- I&Io;(8
- K%um
- >77
- .7#z
- SS4S
- f3[0
- !3zL
- AB{Qr
- 8Z<0onI]
- C0=Z8Y
- 6~kC
- 8zct;
- AgW`$H4
- ,y=o2so
- `4MT
- rDEK
- 4QnX
- 1V]^
- o6SA
- |X:0
- 9yH6
- E..ZJ
- ARk?3B6VrQ
- i|LL
- L3SrL ;U
- S2>m
- yXiF

- R2Z_
- ;BFI
- \\K~3
- CMJI
- q_1~
- maa?
- }L5@
- L4!h
- saa$
- X4.3L
- W!H8
- s$72
- 0$t_
- :9N@z
- \\>|0
- aBqv
- 6TUV#
- HM`U]
- S;IbF
- E.H+
- !7oq
- /kOy
- L!}e
- i_&}R
- (UAY;?
- m>9EKDkY
- !+5+
- 77wl
- y43t
- t#8hU|
- P>Ez
- |/Ii
- Mk~6EIX
- =5?p
- InU>
- !~[3e
- dOSu0
- 9YyU
- *hBI
- iXcD
- 1];>
- 4RQ+
- h"Iv#
- 1GY^
- Eg.!}
- U 5,
- A{-Y
- c3Lf
- u*%_m
- 1zi0etm
- .7AV
- %P1G
- f^Him
- mFME
- ap3,
- 9~g`
- &3wI0

- G3t{
- qpC0
- Gi36
- PU~$\\
- aRjZ
- !bU+
- uaz@C
-)C<iL
- 1HzJ'
- Io}^
- 3[by
- MQ0G_
- 1O(H
- L?xC5
- sqiSm5
- uY8W
- GQ2O
-]kaUB
- =buH
- (+6O~
- DR%8
- {/8Z
- '[be
- M,18
- Q"E
- w1Zn
- R\t$l}
- hp*9$
- gU>vE
- ^(@'w5O
- b6p\\=
- A40E
- PXEs
- 3>6rd
- T6QG
- 1aU"\'N
- <Uqi
- /qu0
- <72X
- 1B<B
- k*1{
- egYo
- Id%g
- s6\\7
-)8(je
- !Kr3
- !}S1is
- E/^}
- L@y3
- X6Fbn
- Y)@O
- ;8~j
- TU1=4
- '8Y-
- ,o,c
- Vi7%
- c$O]t

- 6LT|#
- }$(e
- 0>>^
- 0Xs+
- JB79
- S>s:-4S2>
- <]5[M
- gaoo
- j:4o
- ?"8:
- eWn[
- =oQ`
- #~luL
- i1WY
- (P2
- pXfl
- k^4$
- JtGU
- uP?6
- 6kQ@a
- p`U%
- j?'0Lte
- 7{s!
- &>|9
- 46'7
- DreoN
- OLJN
- 9:3<4iTo
- U9$ZL
- nhUL
- Lej$V
- !OyA
- q5zw
- 3N\\F
- UP}Px
- I8J.8VP9
- eAu
- e,|J
- VLO@
-)nAn{
- *Qte
- h$XN8
- 84mI
- 5#?)
- KR~OD
- .5i}
- k;j9N
- Mnxu0
- ?8>?
- UCOu
- ,izz
- g5jv
- yZUj
- kWa['-k9J
- taiD>
- @)U1
- }|H8

- Ay-e
- &%uj
- -DA6%
- S^/i
- 3%t0
- \\OM1
- 4T!k
- 50i4a
- %Z$6%
- ?|I.
- iaBP
- 6#b"
- yE{S
- Z?@7
- Y\\F9
- *X}u
- 03L*GA
- KiaE
- P>or
- 4^Ep
- 6=j5+Mq
- _r9F
- oiiJ
- nW7w
- fUM[
- BuCR=
- ;`4J
- ua/\\$
- 0:}W
- 9jT
- :eOv
- [3Q8
- On2T:
- -lMe
- X-85
- /\\u:
- D,E*bU
- |UCt
- [e\\Tb
- gac'
- +4^#=
- %?`e
- Bp7Kyi
- 93EbX
- D9je
- 4QLV
- 2_l8
- schim
- ?;eH
- =!Dxo
- @84h
- e]=t
- 0[)k
- .AAZ
- 1BL
- 7sTM;e
- Uvl*

- ;<{0
- iL\\rr
- O8fh)
- 46C
- 3R"]
- *:;Z2
- 5:(h
- wT@7k
- UK`pA
- l\tp=*
- decmZ
-]DV7&
- fXVu
- >yqbA
- 732M
- FnH1(
- 2|gr
- Yh[1
- `X1i
- 4:'h
- 8N*Aa
- Mf 5
- -'Od
- 7U2?nCM
- 7G_&
- 4'Mno
- s8/e
- .u\\0
- ti~C
- 8>u/P
- 5Og"
- w/IM
- o\t4#
- AFY4
- q;1x
- %^+u
- wQUy
- fiHQ
- #E,s
-)G4q
- FHE
- e"h/5
- @p)O
- #{,6
- na<p
- Tv<U
- /k2/j
-]d2s
- 07A]
- 21?
- >[7*
- l(>>E
- 1Grz
- joS6KX96<
- 6Br3
- e1t{
- rB2k

- Z8@3
- D]`i
- ^B$6
- EM<]
- <MAd
- 8$\tB
- }qtu`
- <SP7~
- v9&`i
- I4\t1"MUv
- ;?CS70
- ,e<@
- c=G[7f1
- Fa\\/_
- xneq
- ;v@G2
- wA[ZJ7^
- :8kC
- 0w1T
- |9PM|
- &E;|o
-)N1k#e
- @=1S
- %mQI
- N3.Ko.1
- No{a8
- 8Q-NT
- 5Xu7
- i*~,
- 1zz&
- #58Y
- ;Hoe
- STvU
- Jf8U
-]W}>2
- ;w 9P
- yQk6
- 4(\\#
- NSK1
- j,eP:
- HjOo
- gW&n1;
- ullO
- k=te
- 3*^*
- -AG_U
- ,*N3
- yTfo
- 0JN4
- mr,A
- $3%?p
- iIuk_
- 3mJ&
- fO*u
- NH#Ca
- [v6t,
- ~\\i\\4#

- RjPu
- oQy5XQdG
- >EVI
- /AL-
- g!do
- 9_7B
- {ew(
- Y5}@
- |E`JL
- 1)A5
- IYBi*
- puqK
- vkO/+
- \\+0/
- d@dci
- j)z5
- !\\s9
- 5.vp
- -v+E.v1#-v
- J-vI
- a/vy
- ~/v5
- ;.vo
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1

- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC
- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3
- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C
- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u

- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v

- lVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_
- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8
- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:

- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- >:L%
- V,g>
- t"PwS
- DzP\\
- |\tF)f
- B}bF
- KT,V
- $~+G
- Q;ZG
- "(N^
- >/:f6N
- Q*)h
- jds/
- C\\~)#
- k.b(
- #{&~z
- {:K!
- 'tJW
- Hk>}~
- R&tfj;
- rk-M
- tw;:
- /|XJ
- ak?z~%
- `"B^
- |{-]NXf
- %"m\\
- kV\tX'b^
-)K.v
- bD#<
- fD~C6W
- pS?t
- @Wwf
- +dzQ^
- {J,>
- KF&%
- s\tNqt
- ?[h]|RK
- J&_xda&
- wq#&
- XRFS\\
- nZn:
- wGSv
- oBL!)lP
- ,Shh
- jZrd|
- ,]|r
- ;|Lrq
- &@B:
- /p]w
- T\tanCLj

- CvfM
- uxCNXL
- z`,G^
- sKs?B< \\T
- hL]-g
- F):
- V.")c
- x$q@r
- =@&^
- JWPnP
- QdCW
- [gz
- :xNg
- J!&v;{ZFp
- [\\zL
- #"Pv
- TDMk
- P;"}
- mD"R
- ,H+z
- x]`f;
- M=+v:
- r/*`h.e
- @dg$.
- wkNi<Z
- Jm_Kr
- kH!\tRD#
-)g[y$^7
- Lf}>
- +'q!
- |H^!
- .\\#L
- tz;h
- M'^W
- |WSr
- Hf|L
- bL>c
- d=*m
- L;$|
-]l(v
- ?'}k)Y
- h:T
-)>Tt,=
- {hzZ
- bWh C
- X\\JpY9
- &fcr;
- nq#;
- K;S#
- `sR%
- HDC_Cz
-)t)v
- Q}qw
- /]l~
- 2wm Cw
- JH ~
- T(mk

- 3`b!F@
- ZQj{
- ;G%B
- [CF>
- bBNqc|1
- vFsq`
- .J):
- FqOwJn
- %x='
- +?B)
- NHDv~v
- d&KB;
- #\\;:
- DFD-xYP
- ~ }b
- yY@pB
- k/(]
- vfq>
- Xt&(
- ~K]@
- %SDt
- pxy"
- %WQv
- MQgvd
- XebR:*
- dj-$
- =g"|
- (fz(
- LxfXmiJ
- npZ[p
- K+(1w}>
- ^kwQ\\
- gpR/
- `(ns>
- LMTv
- XTS"
- #"kh
- qnB`
- Fl)Q
- qk%d
- !*fr
- S)*~
- C:v*
- nz?f
- :r~-x
- 4l)]%.
- Y!\\m>
- ?9RSN!z
- TqQ?
- PcH/
- #p;DUV
- xxd$
- <K`N
- PzLM
- x/q,
- &]fR
- [eBf>n

- zWNX
- j!rm
- +$!.%
- +C,p
- l@}q
-)kfs
- PC/]
- v!'l
- .j^
- f'"
- SmFG
- 'y<[
- r&{bt
- B_L$:
- Mt&(%t
- %gcX
- |PFNP
- 2K-_']D
- wcYk
- p'z\\y
- >p;w
- `B X
- +TYG
- o\\HL|%
- <QP|
- nf/c
- =?zN/
- m[$V
- YM)v
- M {>
- |qZp
- +R(*;
- = #{
- c,/[
- 6:sx+?
- ;Mmn&
- k-fv
- wR+s
- Wwfp
- k):.
- ch$;
- F'' J
- ^![Q
- Zk{!Gh
- C~g8vT
- tRrG
- Tj~b
- s?p(
- Nh;}9y
- _k.|
- tC*$
- !vyTj
- 7]V%z,
- KvY::~
- gB#wFlg
- vL\tg
- K*gb

- K**
- ["sm
- \\nwYd^
- rFL]:
- N\\./Y
- x$M#
- Djb<
- H)k>
- dl&l;
- bKLXs
- wbnz&
- %'>,,
- d}{R
- BJQ=^
- :y~#
- (xlb
- r`\\;
- c:Pqz
- bY=GU>
- '%y=
- l>q(
- ,QlP@{:K
- lCJV
- J!fZV
- tFwl
- ":}^
- "T){d
-))G&WJlnn;
- |Rvr
- H,x
- c[B'
- ["Y^/
- vMr:
- /="X
- @nz[
- Qy|$
- D#QW
- Gnj$
- H}y@_
- |&@:
- g/[P
- .PYp
- t[L,
- DTn+
- L,MJ
- !%m[
- -@\tGV8
- (cQk
- ZHL!
- `q,"S
- MrHT
- 3"?,L$
- b[\t.
- _v*W
- S$K:
- P@/D[
- ClxB

- w/Dl|*
- qh('v>
- #zM"
- /FfY
- }\ty@
- Gz=P%
- @NjH
- x-{\\
- ;[!DST
- @;(1jG
- MJHB
- K:ZLjG_
- ZmNK
- yc]&
- |GQK!
- cgFR
- ,<!n
- wW=Y
- hM'/
- Q?e{D*
- w><2.v
- "KWx
- D"Wl
- ;k[N
- nr*X
- c/Xz
- ;k~\\r<
- ^x|F
- ,Y&D;
- TNp]}B
- $,w+Q
- =/y)
- ;|]KQE
- ;wv"
- "HEF.v
- kDV
- T_M;
- ~!djr
- |_J(
- Ic}_\'"
- Wmbj
- k.X`
- >}(K
- GbhY
- =f[L
- /JgS
- XG!zw
- =]b|
- VS%z
- !MMD
- {Z]QW
-]2l;\\g
- m}v"
- r_(S
- \\bXr
- ,X=C
- /] W

- qD*Hr
- <\tF=
- \\;jY<
- [dL%
- "V$k*
- /vNB
- zFg
- vB"M
- _n:F
-]Z\\\\c
- WHZy
- x`W"
- d;?F
- vG<G
- `->JN?
- z)|hK'
- %\t#Zp
- nPrf
-]}@t
- ({H+
- |k]M
- q>Ff
- .}NX
- h(Vg
- ZTS
- $mQrf
- Y-B?
- '|)\\
- HfQfQ
- fs<p
- (+k&
- {hB~
- wp=@
- =|:b
- %{f]
- <Xw]
- *ynvv
- cN_k
- mqCT
- y.lYC
- _mw]
- |>Z'
- "]^{
- c&X;
- {_j#
- MR+B
- $-'\\l
- }w\\n
- p\\k"#
- tyh&
- Kl;d
- !+<Zc\\d
- *?Td
- v/v^
- YYFV
- \\L?N
- Yv'

- KB^Z
-)b;m
- V~vN
- !rLX:
- l)n=}s
- _X?-
- Vpn
- c^g#x
- J%_/
- J^=Gm%
- <Z?X
- c:5#c>
- -+c!
- <sk+
- mGWK
- NKBF
- &$UL/Nk=
- :)/(
- 8FV-]m=$
- l$+=
- N%Tf
- sJ<@|
- /!B<
- fdLL
- LY^&G;
- sNEQZv
- L T
- Dscn_:
-]l>p
- CM<
- vV'_
- :mfh
- CRfq
- QckYD.
- &Hq7zC.;
- :@ZX
- |_^h
- ZRX
- *&K;
- b*!CISY
- =(?d:T&C;
- LTK,
- RZ{MD
- Z<D{
- N(vF
- Gm&+
- KBc%
- YLb?'
- zjF~
- ~Z\tR
-]bR+
- p!gH
- Tnj*
- lj`&pc;
- ,t,SR$
- Bp"Y1.
- ">!\tvH

- xsS)<0
- nno*TD
- `D=R
- !,ZVPpc
- &_@)%
- _Qj(
- (B#TP=
- (FsV
- lQ`>
- Vz!L
- (h}(
- Ktk|+
- %s^fJ
-]wPT
- ghln
- =f.hk1
- '^Pn
-)!f~{
- (hF.K3)kx
- c\\fs
- <K^
- MW@:
- xsPp
- >^gf
- ~kb'yK
- &P;\t(
- .<Kx
- P"\\T
- c=h^
- |fh)n
- bwy[
- :<RVT
- J`Q}
- jmnfV
- dWrsL1
- ;Nlj
- $Rg
- SzPcAL
- d?V}d
- ?\tvj
- hQ/]
- HNjl
- k\\]Y
- K}l'H
- }%frp
- vhuv
- _$v@f$v;
- <j$v
- T-vO!.vBN,v
- -v3g.v
- ".vc3.v
- .v(7.v|
- ,v${,vs
- -v%9-v
- ;-v]7.v)
- \\VvWA.v
- >.vQ

- J,v@
- d.vV
- S.v:
- -v\t>-v6
- -vQ3.v&<.v
- -vl"-v
- ,vL~/v
- @viF>v
- ?vEG>v
- \\>v|
- >v@F>v
- >v1S>v
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll
- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN
- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j

- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh
- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh
- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P

- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]

- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV
- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty
- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj

- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/