Analysis report for sample: ab54d7203be331e7d3f99c8e9a52a5fd

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 2060 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: ab54d7203be331e7d3f99c8e9a52a5fd

AV detections

- Microsoft:
- Kaspersky:
- Symantec:
- Malwarebytes:

Original source url

- hxxp://sopoqaira.top/admin.php?f=3

Virustotal url

- https://virustotal.com/es/file/a915dde5750ec27d085b7c3f57bc62d99a60b7be2e359c24acd059357a5e0196/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- HasDebugData (DebugData Check)
- HasModified_DOS_Message (DOS Message Check)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPacked (Entropy Check)
- suspicious_packer_section (The packer/protector section names/keywords)

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.


P0(cebo.exe) T0
P0(cebo.exe) T1
P1(cebo.exe) T2
P1(cebo.exe) T3
P2(netsh.exe) T4
P2(netsh.exe) T5
P2(netsh.exe) T6

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name netsh.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\netsh.exe PID: P2, Command line: C:\\Windows\\system32\\netsh.exe advfirewall set allprofiles state on)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-100 Type: REG_SZ, Length: 70, Data: DHCP Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides DHCP based enforcement for NAP)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-103 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-102 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-1 Type: REG_SZ, Length: 40, Data: IPsec Relying Party)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-2 Type: REG_SZ, Length: 126, Data: Provides IPsec based enforcement for Network Access Protection)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-4 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-3 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-100 Type: REG_SZ, Length: 82, Data: RD Gateway Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides RD Gateway enforcement for NAP)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-100 Type: REG_SZ, Length: 68, Data: EAP Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-101 Type: REG_SZ, Length: 286, Data: Provides Network Access Protection enforcement for EAP authenticated network connections, such as those used with 802.1X and VPN technologies.)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegCreateKey (HKCU\\SYSTEM\\CurrentControlSet\\Control\\NetTrace Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\System\\CurrentControlSet\\Control\\NetTrace\\Session Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: .Fk`
- url | valid domains | tlds: *-vQJ.vA
- url | valid domains | tlds: v.va
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: command.com /c
- url | valid domains | tlds: .COM
- url | valid domains | tlds: ?.uK
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
- path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- path | path unit: Y:\\543534
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: memset
- api | ntdll: _aulldvrm
- api | ntdll: tolower
- api | ntdll: isspace
- api | ntdll: memmove
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: MultiByteToWideChar
- api | kernel32: LCMapStringA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: HeapSize
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedExchange
- api | kernel32: HeapReAlloc
- api | kernel32: VirtualAlloc
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: LoadLibraryA
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: HeapFree

- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: TlsFree
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetLastError
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetVersionExA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetLocalTime
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: GetModuleHandleA
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

Involved hosts

Dns queries

- 250.255.255.239.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, netsh.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\netsh.exe PID: P2, Command line: C:\\Windows\\system32\\netsh.exe advfirewall set allprofiles state on)
- **Thread T4 (in process P2, netsh.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P2, netsh.exe)
  - **Thread' events**

• Thread Create (Thread ID: T5)

• Thread T5 (in process P2, netsh.exe) description

• Thread's childs

• Thread T6 (in process P2, netsh.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-100 Type: REG_SZ, Length: 70, Data: DHCP Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides DHCP based enforcement for NAP)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-103 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-102 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-1 Type: REG_SZ, Length: 40, Data: IPsec Relying Party)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-2 Type: REG_SZ, Length: 126, Data: Provides IPsec based enforcement for Network Access Protection)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-4 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-3 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-100 Type: REG_SZ, Length: 82, Data: RD Gateway Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides RD Gateway enforcement for NAP)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-100 Type: REG_SZ, Length: 68, Data: EAP Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-101 Type: REG_SZ, Length: 286, Data: Provides Network Access Protection enforcement for EAP authenticated network connections, such as those used with 802.1X and VPN technologies.)

- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- Thread Create (Thread ID: T6)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SYSTEM\\CurrentControlSet\\Control\\NetTrace Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\System\\CurrentControlSet\\Control\\NetTrace\\Session Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P2, netsh.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 1 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: .Fk`
• url | valid domains | tlds: *-vQJ.vA
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
• path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | ntdll: NtQueryVirtualMemory
• api | kernel32: RtlUnwind
• api | ntdll: _alldiv
• api | ntdll: _allmul
• api | ntdll: memcpy
• api | ntdll: memset
• api | ntdll: _aulldvrm
• api | ntdll: tolower
• api | ntdll: isspace
• api | ntdll: memmove

• Module 1 other strings

• 9e3a
• 5036
• 4f18
• 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
• 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
• 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7

- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
- 52595N5T5
- 434G4
- 2 2{2
- 0&080>0J0\\0b0n0~0
- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>

- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0^0p0
- 7'7f:
- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- oJ|E
- Rim!}
- g"o.
- 7G<a
- ggmO#
- bPa#
- |8KT
- 7A=H[V
- /7p2
- ~>:4
- 2r.~
- gui\\
-)Ov`~
- ,7'Uz|
- guAd
- AmiK
- IJ*F
- i#GQ

- cA7-
- 3dlK
- uGld
- 0u"<
- 5+:t
- {>oMd
- t)o+
- D3'
- A^[C"
- 7ro'
- WE;6?{
- j{E `
- A\\E[^
- ISmL
- 9?ih
- u}%7<^gA
- 5Muf
- ;8"M2B
- :90X
- 0&FgX;
- IE@#
- }4HK
- \\4pq
- 7P.U
- 1b4)
- $iKc
- L1\\HQ
- &@T9@
- 9>8e
- `3Dda
- RUid
- 1$&Q;
- L6Y8U
- #RX7
- `Jn8
- k8ub
- 1zyd\\
- csUX$
- {lf3,
- O5wcvq
- q/6A
- g}Olu
- ajBX
- [e7I
- 9e0=
- d_*Ve
- 25ZS
- Bca1P
- !s8Y
- \\a?/
- nu+M
- e!M^C
- 8Qqi`
- 8A+9do<
- IYjK
- .e]1
- 6DLJ

- wBM3ol
- E8h[
- zhS_9
- @`F1
- Ayl-
- ""k<A
- jk0L
- .amb
- Fuk_
- /h]q2
- qItS
- Ps0P$
- cf3Y
- Q^ma'
- ,3L5
- <)+Go
- j!:U
- *jw3
- O66P
- Em=t
-)sUwQ4
- 9IJ~\\V
- CgUn
- aEr`
- Gja}
- FW/3
- .)OxQ6
- a{x]t
- E&('-
- q1~eo5
- 4?SZ
- ~&1nIN
- |p4
- bYOZ
- !\tY=o
- d'6!Z
- FJ_-5
- PP u
- QV<A
- l/a3A
- kHA++
- 8&KZB;
- Iy^|
- 9<{B
- E(`C
- rO_l
- A]OUW
- 6j^j
- >Oa%1
- +so8F
- Ax=#
-]0g~<
-){6&1`
- `=4%3
- #uLf
- t68oZ{
- }{(8'

-)UU$}\\
- }6>;D
- Y:1B
- I1O
- eTRa
- 3(&Lc;
- 7F:{
- _$5o
- i5yq`
- fa4W$6
- Iu-\\
- e\t2i#_
- iyI|
- lZK>U
- !@1.
- t(Y8
- }X[u
- 0#n&
- i~x
- A0bk
- .-eT
- d9_n
- =J91
- lc_8
- 9hFYW
- uJjv
- G0*&A;|A
- 5T9TD
- 0d9r
- 5\toLD
- |RI
- dQLo
- ugL>"
- 4h7b
- z}ta
- EQtax
- !9rt)
- y~0q
-]qI=M
- ~hQU
- N\\83
- E[q*
- p0{%
- 75y'
- W;Z7#
- m3"|
- ilPOl}~:z
- z50@
- vkXu
- K&Vu;
- /"\tu6
- IJ\tZ
- |EB(N
- xDif/
- {/e0Hg}
- 1K{$6
- JuGO

- dNm*0
- U%W$4
- az*WT
- 27"C
- okBy
- 3.Zn
- mVQ8
- 0;aPx
- n6[}1
- IG_6m
- SJcu
- 2Zo*
- 6=Z*m
- 9lL@
- ;CKku
- ^2.]#
- 3}T=
- JOw:
- APqaZ
- Ax^H:
- aAf_@
- UO&.
- oTeWx/
- ba<Z
- &;7V
- 6S$N
- _`o)
- !sxi
- m7grm
- 'i[c
- zm7g
- lv7*z
- 3Q#P
- :5_]
- <2H
- 9W;I`
- q0L?D
- ?iuV
- >Vur
- LUCf
-]KE[
- 2A)0d
- zZ0P
- avyQ
-]<zo
- VY6h4[
- 5@Vf
- ozQC
- ;k+8
- (E_5-
- I9<T
- 7`Q":
- yAG
- EjxY
- TD)2
- VA+C~
- U4p3

- EbvAS@sb
- o=O7
- 7A]/
- 9$.{
- 5%aC
- ~)_e
- 7M]y7
- 8Bog`
- sOtL
- [hir5
- +eZ[
- 0w%xu-
- 89'&lU;
- *Wixa
- 7OX2
- Vh3<E
- _sg8
- 3;0M
- uqCyN
- +9o=#
- =||a
- v78L
- WI>e
- .PnU
- aI8_0
- *i&*
- 5cJ"
- F#a2
- eO?a
- 8aUW
- IegvC
- 9dAL>g
- u,8d
- r62)B
- bR.3
- YC8%-
- 3>f*
- Fj"O
- H+5<
- d=ip
- 706d$
- plxe!
- 2Ap2
- u>z=
- >GGx29
- m6A{
- 4Sq/
- s JO
- N6MM~
- ;;1(
- 2Ok9
- e\tT8
- jlil'
- Lz@5p6b
- xE'S
- ctPI
- lZu\\$

- aLHw
- \\5W-F
- E<BD
- rrYt&EZAJ;
- +eJ@
- 3=~M
- $O0P
- #Ab1
- {Go~
- 2o!>
- gbE4k
- zIXR
- R6k'8
- RT$og
- \\0"~
- S&PE;
- [SuP
- jAu_`VW
- a6kV-$
- {Ey2
- 'ly7
- p70k
- e[JS
- HeJ^
- eBp~C
- 4A'
- X<AuY
- g$Ia
- 02R|
- 4ZY}
- @6dt
- ukx
- ^+iOAU
- 32.%
- c(IW
- &9f\\
- q8P:
- NxCE@
- IemL
- .b7@(
- .^Vl6
- e6H(WO
- 28dE
- &aw;@
- OtD]q
- A\tka{
- =o1}+
- EMYJ
- wn6$
- $y4O
- ac#D
- &s9;?
- f8~U
- t>[9G
- %'aM
- /zr2
- YKpI

- q{UB
- 3\tUj
- 72Ph
- fIC
- Y4u-
- *7MeTL
- "<Q.6
- i\t2c
- ANVo
- oL7>
- o`l^
- cAQ2
- @qH2
- 8x`A
- #Pw8
- "_4F`
- DKOM
- KAj'
- EOl?
- F\tru
- &g4LX;:A
- q@8s
- xvoT
- O72G
- #\tIP
- $cmU
- @2y:iN
- 1EJ7
- j6!!
- A&@2%
- oRp(m
- <8p}
- YDrU
- z!Oa
- Z/Cux
- Ml.7
- P7+}\\
- ,EXs
- c3R7
- fmyB5
- [s8B(
- c4qy
- iy@<G
- l0G>:Os
- Azu<
- 5nQ(
- ^UmV
- OU@)
- &s5F;
- ^F21Q
- Bb9K
- c&6nm&A;
- aRKcR
- uDga
- eWxQ
- i}?L[
- $5zfP

- y4|
- NT02
- PZ6[e
- e"/.@
- LbZ4!
- uJ J]
- aXUc
- ZO9.
- 9MgH
- O$"F\\
- JC}4
- M?AJS
- X0N>
- PB~&4
- &Ju;\t*
- Q"uL
- '#5o
- D|[U0
- u_T5
- VyTu
- 6i:
- F6#^
- f^~6
- *-1J
- z9Z/
- /Pep
- s?X 6
- oB#,
- i"U=
- hh":A
- 5GD3
- M/IS
- k'xO}
- |aSs
- +}ER
- 8u<]px
- Y2wx
- 57/7
- -Gpa
- zEn0
- P{8,=
- J0hH
- ([4k
- U6Nc
- =_^o
- 0v_^
- ,un<
- F"]U8
- 0t<xc
- u<hf]
- \\0r?
- q5b-~
-)9d\\
-)23{
- eQ\t?i
- c0-rk
- ,I#B~

- Pt7E
- sC'41}w
- kQmO
- b?Oo
- ?\\EX
- EtUr(x
- }2km
- {q2Y
- +d}Uj
- 5D9FO
- Vfci7M?
- :8u,YT
- @a?u
- 'cpi)
- 9~n&
- :yA.
- uLxJ
- V_}a
- 9kzP
- t7jBr
- ^'d5
- !r07
- 5i^T
- I7$i
- t7E|;
- >Sg#O
- }1Nr(
- ~wu(
- wRQI
- 5)c_r
- 7C2;
- a|X\\
- =D1I3
- _T&IG;
-)EcM
- &T1;,
- ,IxT9:R
- ;@u`
- 44Ne
- !TA2
- =CxA
- i]s
- r)A,~
- o{ql
- 3klz
- 3828
- 337@
- GCvU
- 6B<U
- ,SeX
- o}RL
- jW6E
- uWtA
- 'Xt4[
- wh>3
- bAI)t
- iP9F#9

- Re2U
- "\'!3`
- mq4/@
- B59M
- H[mey
- EO_9
- Ced(X
- :/)H&2(4_>
-)zcI
- I<h5
- e%oai
- #2`Q
- #6rl
- w?4V
- Iw<w
- Iz4a
- 8@~k
- un%d
- !ZE3en
- 73}P
- dIW:
- 9{RZ
- 0$r
- h1Poc1k
- X4SE
- {a~J
- p<YAV
- R7&_G
- ChEe8&Z;
- v7%(
- z2="
- .%ES
- kUH.
- w{Z-a
- u;mP
- x-hhO5Zl'
- R2l\\
- #oOR^
- W9z_
- 3Ve"0
- ihR:
- ^;su9
- wyq3
- 2@&$
- bh6-{
-)3bUw
- %DTO
- p~1s
- bUA}
- I[n{+
- 3TI~s
- uq"cn
- F"4d
- J/Eg
- [4*8
- 3tx/
- C_EI~S

- 9M[qi
- @#A+
- @i/j
- 5Obo\\rMs
- !@,0
- @)So
- "Aaa
- =H9g
- }w}Uj
- L*K0
- op 9
-]BIqE
- S+N;6
- m)78 O
- W2&|
- 4.OF
- }x6Y7,
- Z {U
- Hv:vE0
- g]X2[
- +a<O#
- uaH3
- GUKZA\\
- N}a2
- %$A]$
- du.k
- H 3o
- &A0fq;
- JTEF
- J8J3
- ~ar0
- 1OM,
-)[8M
- I4AA
- MDT42
- Env{
- Dje;
- ER<E6
- qoxCk
- I6Y*
- q8Lq
- 2?wsc
- /9a&[
- |mne
- >aec
- ,gLu~
- /3`L
- PeUD=
- n70i
- AM18X
- P2t>}
- 6Zem9r
- 61-z@ky
- $$RkO
- uI">
- BZ,5
- 4.s7

- t!IFU
- X 1e
- s,^2
- ~#k9
- ;/0l
- 4JY1R
- 2-c[
- y2O;
- 6%0\ta
- 4[:y
- q0m+,
- QA.i&
- U:`H
- uZh7
- 5hx]
- {2h6
- /;.3
- mTO9x
- 2i]_
- Pwa4
- g?.8
- dx8J
- 65wf=
- Q;e\\
- 9z;w#
- 0S%9m
- qmIS
- %iRW
- j~y7
- 2{b!
- 4<N8
- Qx7U7
- >sb!l
- 2^zZ
- xF#fA
- e[qg
- 5C<?
- oH$e
- jQ@8
- (Ab8C?b
- 4/B]7
- &[iS
- Y/lua
- nAO`
- 4@K
- 0x>H
- >!\\e
- OdMV
- KB9M9
- AD,$
- ZU6:
- $^'ha
- e$ib~z
- _1,0
- Oi8#
- 'i:]
- 52F3+

- |uBZRV-\t7W
- OD7NZ
- EY\to
- oo87
- eza(o^
- t{e9
- "ei6z
- UKrI#:
- 9RT!y
- dA'o
- 5>&MG0;
- f]aqr
- 3xov
- %Hm0
- *u$Q
- }@IQ
- 00s"
- O8f(n
- '\t^DE}P9
- |uH^L
- "X]nu
- SGHe
- BL\tu
- dip9
- >-VE
- (n3!{
- %U[!mo4pa`
- $\t`9
- jt1H
- A7TD
- 0cL+g
- J\tCu
- <W/x5
- ;\tYU
- "?Uq/
- <eG
- $B5P
- nf8IVh
- Apm6
- Z<j1
- YH.Q7
- '[&8
- *7,S
- Q4al
- 72><
- isU7
- l9,Vhu
- EFXT
- thU'
- _KID
- O=/j
- `:6)W
- iat?k
- pUxi
- yM5 1
- +dv8
- "aVf

- f^58
- RV3D
- Ld}80:
- 23BmE
- 9!B8=
-]%W3
- ^ge@
- K;|2
- D7xf
- ad>c
- IA.m
- YWVtE
- zXlaw
- j4&A;
- 1Q'K8r
- 1GpI
- |WZi
- H23B
- o|83Gq
- s0[?
-]y0Hl
- b@$a
- "8H
- e3$iE_qD
- d>heM
- sM:2
- c0't
- {9T[
- Oh7
- rfl2W
- 8'lZ
- `nI_
- .2C+
- iu^N
- u\\ex5
- R(3K+
- 4"@4
- (U;Y
- ~xG7
- W([e
- 0g_f
- O:Sd
- 2'rP
- zCaQ
- >(W2
- 19o.4
- <7D|P
- ^'E$
- e&6G
- 0Lb.|
- R<0c
- _1gwd
- 2Gb&Ne;
- "/aL
- &5Q)
- UIwD
- mtQi

- MgOgTi
- >6.B6
- 3k4u
- Q>E}
- 5.vp
- -v+E.v1#-v
- J-vI
- a/vy
- ~/v5
- ;.vo
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC
- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3

- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C
- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s

- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_

- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8
- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- %-!g
- JTA%k$]
- Y,.fF
- ss<%
- slYg
- |Zmh+
- SQ[f

- Z\tNq
- qX!VW9
- Ps*b
- &Nxg;
- YWc$[*
- n,Nv
- X/-N
- : BF
- J(Fm
- _Nh3m^
- JSgj$
- Dn!v
- K S)
- ' Vk,Kp
- ?> |
- ~pW{
- tK,r
- BH,.
- ;T+S
- ?)<|
- XW?W
- fmkq/
- {'V;
- r;yB
- s7(#PZ+
- G"&gdr8;
- :zJ*
- !@_]h.
- :S>t
- Z%Kk}
- y,/M
- {nDR
- tLLX
- pV_r:3
- ?@G=
- n$H/
- BywQ
- bqVj
- &qd;!
- ?}Kf
- L{S"
- b0k,.~
- vdL|
- ;h`*
- fFgkB
- ,'\tX
- {h{
- 9Br}kJ
- +KdXy
- F`|sK^>u
- $B*B
- "2=?=z
- rcf{
- X&@?P
- y%rq
- |ck%
- vSm=

- ?d=:
- ~NK"{S
- x&.N
- ^\\<r
- !QFYF
- !V]R
- (L@D
- Xv\t)X.
- <>=rQ
- Yxt
- Gbyd
- r%q<
- vnz>,
- ?\\K
-)PSN
- TwZr
- %p&w;
- +-hL
- zHgMM]p
-]-$ORT
- m@X\\
- +A/hQZG
- $@[os>[r
- JdJ!
- rMC
- "Q.p
- Nfb*
- y%;n
- q_#<
- ( ]g
- '~NP
- \\BD$"
- ref"C{
- k/!,7G
- {<=R\\
- SDqD?"
- %H/{X
- RKN"}
- mwN)M
- PQj{
- -nt@
- <#@E)<{
- }l`
- y%3\\=bP`.
- (vcY
- 'aP&sq;
- `/<P
- |_%J
- nF~F
- G?gZ!
- } W.
- L*h[
- 5B!%?f
- [K%Y
- r>Jq]h
- Y@xK
- @)L/M

- &o-p;\\Dz
- =~eShY
- 7CG|K{
- 4!m"|^(
- CzjJ
- \\Qd`
- }N+f
- vj%eR`
- /VX&
- m,n\\
- jfp,J
- lYhz
- R:!%^
- Sx $
- Qd/S
- S%?G#H
- n{YGk6
- ?nz:
- p&Cg;
- Z f8"\\P
- GS[`
-]\twJ
- ;UGcF>
- k+4~bc
- v#!|
- Bp?Z
- jD#Y
- gRcs"HuW
- <>g
- bR?z
- Y(~dM
- Mm*)t
- CQm|s
- R[sN
- &/-)
- \\SXC
- #N@;
- [P$s
- `Ypm
- +nJY
- #]r\\
-)HqL
- qx@f#'}n
- rZdwc
- v:y@
- {:GH
- $c!
- xF}#
- /=![
- V?Ls
- =jzy
- My[%)
- ?o^K\\Y
- /\\r9KW
- l<&W;[
- $nLL
- v;S:

- ~Ty&
- <Y\tC
- +`>&
- y:Bk
- m$)j
- _!_t
- kgdM
- p:|~6d
- eGrc@X[
- S@#T
- FHR[
- {MXQ`
- c<'[
- T'X>.Ul
- ,LK<
- F@M\\
- `DTZ{
- t*3jY&"%
- d-]
- >q[n
- G$<j
- =]SD
- hN.M{
- 9zrK+}
-]pV#
- uQFf.D
- W~WW
- r}@T
- +DzN
- ;2GDR\\t@cwb
- XZ%+
- d!*hm
- J\\e?}n{
- b'~[
- >Y:Z
- L]W]
- rq,X
- #J@X
- j_^sdeWB>
- \\Dwg
- SkrC
- q"z]{
- C4tv?~
- |Pv<cN
- %|nT#w
-)Q*sv
-)J,l
-)bsZ
- MwG(
- =~{r
- ``w-
- {~&%2!
- C[WX
- nW"m\\
- jY,m
- rl@c
- vBQD

- '!sM
- }L\tp
- #<kQ
- {~^!
- ; ~"@]
- s^|br
- |vzg
- iQN}.}
- v&l;)>
- p\\?p
- r?L}
- |QCq
- "{*>"
- v/F>
- ~~xW
- x}w\td
- $d>{
- |rzM
- [,`@
- uT?^~Q
- P>}k
- $l(V.
- gyM
- 3\tk&*/
- 0S{twx
- FY~/
- {z~*
- }lmf
- X~Fk
- yC!
- Lwfh~
- WPF{
- X%NPPT$
- /;)b
- 3>#(d_
- ,^B`
- yk4[Z$
- _f[H
- X.,JF#
- spQ?pv
- ?b%Rs
- d\t |
- Z>$_
- wcmZ,
- Z~|N
- mYTJ
- J7\\<K.
- q&RN;
- W}x)
- G"NK
- Vr"
- GZ%X
- C<M!
- #G#F/$6
- bqKznF
- |t}K
- p\t{<

- R+};g
- =v"T/
- <y[?
- ca&;=*
- xsXnk
- BtTm$=!
- <\tlvz
- VjpP
- .gqw
- vRvM
- M<}GL
- @\t(p
- {"[:
- "<~Nc5
- %}qhW)
- t\\p>
- 3:x"^}
- K]sf
- x/S~
- X*}T
- @}Pt
- ~p%K
- l<l9JfS
- :cPPwY
- pcY`
- V;[Fz
- fSCF
- s/-\\qA
- T_/V
- :XQY
- Bs#{+
- ?Z/:
- _NwwQ)ho
- t`@Lw
- GGQ|
- M$c@,Gx
- @+qM}
- -'{k
- {rL
- h;@
- ^nqL
- Lz;J
- !hxHj
- gFbR
- @NCh
- DpyxW
- /R=qWK
- \\NCNC5{
- <S<N
- L[S[
- n\\p=l
- LrPZ
- ry-;
- l,L{<
- "\\Mb
- jDo){?,
-)X{K

- F]\\5v=
- jb%x
- ,St
- h;.
- (RdQ
- ` T,
- |,nP
- -G/S$
- wRNV
- (;Gxq
- R!Ld-
- y$_=
- UB,$}{
- qFP@
- !K"<n
- m":!
- US\t~&Ky;
- g&GF;?
- $n]/
- ~,q%
- ?x&+K
- $.*|X-
-]SPyH
- {G|$
- =SlM
- =z=D
- y=\tMTW
-]J{H
- =Zgl
- }=(1-'Z
- llKr
- Z4Jw~`
- !Qdk
- VS.)z
- sqkk
- $B-P
- nvGc
- !p'+
- ^,Qd
- /tG$
- >Ffh
- &XZR;
- nxg^
- vq@_
- t>c)
- Cdt
- ?SEpw<
- V`s#<n=/*
- m.+W
- cBRw
- Pn<h
- j:'m
- Z\\gx
- JS=D
- +V\t\\
- =Tih+k
- qL$<

- @CG[
-)<"z
- QxS?
- w#J
- |swbP
- 3Wgc=}
- x]dw
- PFP>
- h]MM
- GW"rp
- HE;P+y
- zF#mH1G
- RJzV
- _jGJ[
- \\._,:
- 1B>Cj[P
- V}D_`]
- .+\\V'
- ',`}
- C{MK
- {<&C;
- #XW|{N
- @r>^
- MNb$F
- .Hzhz
- pQhgl
- lkBd
- QNW<
-)?<S
- XY^G
- (y<m
- H<B^
- K%')
- tN* Q
- q!.\\
- K!B#
- CD{VK
- B`[b
- pnzb*
- vLu-c{q
- ZL[p
- swVP
- $,[@
- Q@`,
- =QZ;
- K-$6%}
- ~5+>d~[
- Hm$<
- [&$c
- l|R!-
- v[qVb
- =$!W
- bmSM
- /(.n
- %q-R
- VTHF
- |_Fp

- MKg\\Kz
- *(~[
- -}R|
- \\jsD
- nS>\\
- HxZmQ
- r?$M
- yksH
- y:J,
- @vQ|
- b2]3 /|Js+sY
- gH..
- Z>?/p
- #GCr$
- XYhM
- wMLN$
- |v(V
- /TL#
- K,bJ
- =!F(
- nD<w!
-]/N@+a
- "jK$^
- \\vxP:g%3
- BP[~)
- ;SqM)-
- ?Ryt~
- c/ZV
- KT[*=
- &)~W
- ?}P h
- \\^rR
- 3Nj#+P
- /G~,p
- cdrvb
- lb)y
- >)x
- @1Zpy?
- kN#=[X
- KB(x
- !]yH
- ?FMK
- Nr_P
- "vp)
- LtD@
- jksg
- vd
- NyV?
- qgBpot
- nPC>
- `,=<
- l|\\X
- ?n{,
- Kcn"
- 'P#'
- K}x#
- Fcf<

- *`"SH/
- Gw-cfTJu
- }YZ*
- JD.;J
- Q>FWx
- b]*B
- bC!:
- 5YyBR^@
- =@K/
- nJ#.
-]rc%
- qGvW
- p;)]
- ';:x
- J&R;(
- }jq}
- ;=P"s
- -aBYq<
- 7T?j*G
- C;PC
- +Bk}
- TM<dX
- WfWrl
- }>@Wnov
- h/K*_
- QkJ{J
- clGYAgvl3b'
- vhuv
- _$v@f$v;
- <j$v
- T-vO!.vBN,v
- -v3g.v
- ".vc3.v
- .v(7.v|
- ,v${,vs
- -v%9-v
- ;-v]7.v)
- \\/vWA.v
- >.vQ
- J,v@
- d.vV
- S.v:
- -v\t>-v6
- -vQ3.v&<.v
- -vl"-v
- ,vL~/v
- @viF>v
- ?vEG>v
- \\>v|
- >v@F>v
- >v1S>v
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll

- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN
- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh

- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh
- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW

- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV

- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty
- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/

- **Module 2 (probably unpacked / injected by the sample)**

• Module 2 rich signatures

• 44616e5300000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 2 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)

• Module 2 strings

• Module 2 most interesting strings

• url | valid domains | tlds: .Fk`
• url | valid domains | tlds: *-vQJ.vA
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
• path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | ntdll: NtQueryVirtualMemory
• api | kernel32: RtlUnwind
• api | ntdll: _alldiv
• api | ntdll: _allmul
• api | ntdll: memcpy
• api | ntdll: memset
• api | ntdll: _aulldvrm
• api | ntdll: tolower
• api | ntdll: isspace
• api | ntdll: memmove

• Module 2 other strings

• 9e3a
• 5036
• 4f18
• 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
• 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
• 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
• 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
• 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
• 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
• 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
• (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
• 52595N5T5
• 434G4
• 2 2{2
• 0&080>0J0\\0b0n0~0

- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>
- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0`0p0
- 7'7f:

- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- oJ|E
- Rim!}
- g"o.
- 7G<a
- ggmO#
- bPa#
- |8KT
- 7A=H[V
- /7p2
- ~>:4
- 2r.~
- gui\\
-)Ov`~
- ,7'Uz|
- guAd
- AmiK
- IJ*F
- i#GQ
- cA7-
- 3dlK
- uGld
- 0u"<
- 5+:t
- {>oMd
- t)o+
- D3'
- A^[C"

- 7ro'
- WE;6?{
- j{E `
- A\\E[^
- ISmL
- 9?ih
- u}%7<^gA
- 5Muf
- ;8"M2B
- :90X
- 0&FgX;
- IE@#
- }4HK
- \\4pq
- 7P.U
- 1b4)
- $iKc
- L1\\HQ
- &@T9@
- 9>8e
- `3Dda
- RUid
- 1$&Q;
- L6Y8U
- #RX7
- `Jn8
- k8ub
- 1zyd\\
- csUX$
- {lf3,
- O5wcvq
- q/6A
- g}Olu
- ajBX
- [e7I
- 9e0=
- d_*Ve
- 25ZS
- Bca1P
- !s8Y
- \\a?/
- nu+M
- e!M^C
- 8Qqi`
- 8A+9do<
- IYjK
- .e]1
- 6DLJ
- wBM3ol
- E8h[
- zhS_9
- @`F1
- Ayl-
- ""k<A
- jk0L
- .amb
- Fuk_

- /h]q2
- qItS
- Ps0P$
- cf3Y
- Q^ma'
- ,3L5
- <)+Go
- j!:U
- *jw3
- O66P
- Em=t
-)sUwQ4
- 9IJ~\\V
- CgUn
- aEr`
- Gja}
- FW/3
- .)OxQ6
- a{x]t
- E&('-
- q1~eo5
- 4?SZ
- ~&1nIN
- |p4
- bYOZ
- !\tY=o
- d'6!Z
- FJ_-5
- PP u
- QV<A
- l/a3A
- kHA++
- 8&KZB;
- Iy^|
- 9<{B
- E(`C
- rO_l
- A]OUW
- 6j^j
- >Oa%1
- +so8F
- Ax=#
-]0g~<
-){6&1`
- `=4%3
- #uLf
- t68oZ{
- }{(8'
-)UU$}\\
- }6>;D
- Y:1B
- I1O
- eTRa
- 3(&Lc;
- 7F:{
- _$5o
- i5yq`

- fa4W$6
- lu-\\
- e\t2i#_
- iyI|
- lZK>U
- !@1.
- t(Y8
- }X[u
- 0#n&
- i~x
- A0bk
- .-eT
- d9_n
- =J91
- lc_8
- 9hFYW
- uJjv
- G0*&A;|A
- 5T9TD
- 0d9r
- 5\toLD
- |RI
- dQLo
- ugL>"
- 4h7b
- z}ta
- EQtax
- !9rt)
- y~0q
-]qI=M
- ~hQU
- N\\83
- E[q*
- p0{%
- 75y'
- W;Z7#
- m3"|
- ilPOl}~:z
- z50@
- vkXu
- K&Vu;
- /"\tu6
- IJ\tZ
- |EB(N
- xDif/
- {/e0Hg}
- 1K{$6
- JuGO
- dNm*0
- U%W$4
- az*WT
- 27"C
- okBy
- 3.Zn
- mVQ8
- 0;aPx
- n6[}1

- IG_6m
- SJcu
- 2Zo*
- 6=Z*m
- 9lL@
- ;CKku
- ^2.]#
- 3}T=
- JOw:
- APqaZ
- Ax^H:
- aAf_@
- UO&.
- oTeWx/
- ba<Z
- &;7V
- 6S$N
- _`o)
- !sxi
- m7grm
- 'i[c
- zm7g
- lv7*z
- 3Q#P
- :5_]
- <2H
- 9W;l`
- q0L?D
- ?iuV
- >Vur
- LUCf
-]KE[
- 2A)0d
- zZ0P
- avyQ
-]<zo
- VY6h4[
- 5@Vf
- ozQC
- ;k+8
- (E_5-
- I9<T
- 7`Q":
- yAG
- EjxY
- TD)2
- VA+C~
- U4p3
- EbvAS@sb
- o=O7
- 7A]/
- 9$.{
- 5%aC
- ~)_e
- 7M]y7
- 8Bog`
- sOtL

- [hir5
- +eZ[
- 0w%xu-
- 89'&lU;
- *Wixa
- 7OX2
- Vh3<E
- _sg8
- 3;0M
- uqCyN
- +9o=#
- =||a
- v78L
- WI>e
- .PnU
- aI8_0
- *i&*
- 5cJ"
- F#a2
- eO?a
- 8aUW
- IegvC
- 9dAL>g
- u,8d
- r62)B
- bR.3
- YC8%-
- 3>f*
- Fj"O
- H+5<
- d=ip
- 706d$
- plxe!
- 2Ap2
- u>z=
- >GGx29
- m6A{
- 4Sq/
- s JO
- N6MM~
- ;;1(
- 2Ok9
- e\tT8
- jlil'
- Lz@5p6b
- xE'S
- ctPI
- lZu\\$
- aLHw
- \\5W-F
- E<BD
- rrYt&EZAJ;
- +eJ@
- 3=~M
- $O0P
- #Ab1
- {Go~

- 2o!>
- gbE4k
- zIXR
- R6k'8
- RT$og
- \\0"~
- S&PE;
- [SuP
- jAu_`VW
- a6kV-$
- {Ey2
- 'ly7
- p70k
- e[JS
- HeJ^
- eBp~C
- 4A'
- X<AuY
- g$Ia
- 02R|
- 4ZY}
- @6dt
- ukx
- ^+iOAU
- 32.%
- c(IW
- &9f\\
- q8P:
- NxCE@
- IemL
- .b7@(
- .^Vl6
- e6H(WO
- 28dE
- &aw;@
- OtD]q
- A\tka{
- =o1}+
- EMYJ
- wn6$
- $y4O
- ac#D
- &s9;?
- f8~U
- t>[9G
- %'aM
- /zr2
- YKpI
- q{UB
- 3\tUj
- 72Ph
- fIC
- Y4u-
- *7MeTL
- "<Q.6
- i\t2c
- ANVo

- oL7>
- o`I^
- cAQ2
- @qH2
- 8x`A
- #Pw8
- "_4F`
- DKOM
- KAj'
- EOl?
- F\tru
- &g4LX;:A
- q@8s
- xvoT
- O72G
- #\tIP
- $cmU
- @2y:iN
- 1EJ7
- j6!!
- A&@2%
- oRp(m
- <8p}
- YDrU
- z!Oa
- Z/Cux
- MI.7
- P7+}\\
- ,EXs
- c3R7
- fmyB5
- [s8B(
- c4qy
- iy@<G
- l0G>:Os
- Azu<
- 5nQ(
- ^UmV
- OU@)
- &s5F;
- ^F21Q
- Bb9K
- c&6nm&A;
- aRKcR
- uDga
- eWxQ
- i}?L[
- $5zfP
- y4|
- NT02
- PZ6[e
- e"/.@
- LbZ4!
- uJ J]
- aXUc
- ZO9.
- 9MgH

- O$"F\\
- JC}4
- M?AJS
- X0N>
- PB~&4
- &Ju;\t*
- Q"uL
- '#5o
- D|[U0
- u_T5
- VyTu
- 6i:
- F6#^
- f^~6
- *-1J
- z9Z/
- /Pep
- s?X 6
- oB#,
- i"U=
- hh":A
- 5GD3
- M/IS
- k'xO}
- |aSs
- +}ER
- 8u<]px
- Y2wx
- 57/7
- -Gpa
- zEn0
- P{8,=
- J0hH
- ([4k
- U6Nc
- =_^o
- 0v_^
- ,un<
- F"]U8
- 0t<xc
- u<hf]
- \\0r?
- q5b-~
-)9d\\
-)23{
- eQ\t?i
- c0-rk
- ,I#B~
- Pt7E
- sC'41}w
- kQmO
- b?Oo
- ?\\EX
- EtUr(x
- }2km
- {q2Y
- +d}Uj

- 5D9FO
- Vfci7M?
- :8u,YT
- @a?u
- 'cpi)
- 9~n&
- :yA.
- uLxJ
- V_}a
- 9kzP
- t7jBr
- ^'d5
- !r07
- 5i^T
- I7$i
- t7E|;
- >Sg#O
- }1Nr(
- ~wu(
- wRQI
- 5)c_r
- 7C2;
- a|X\\
- =D1I3
- _T&IG;
-)EcM
- &T1;,
- ,lxT9:R
- ;@u`
- 44Ne
- !TA2
- =CxA
- i]s
- r)A,~
- o{ql
- 3klz
- 3828
- 337@
- GCvU
- 6B<U
- ,SeX
- o}RL
- jW6E
- uWtA
- 'Xt4[
- wh>3
- bAI)t
- iP9F#9
- Re2U
- "\'!3`
- mq4/@
- B59M
- H[mey
- EO_9
- Ced(X
- :/)H&2(4_>
-)zcI

- I<h5
- e%oai
- #2`Q
- #6rl
- w?4V
- Iw<w
- lz4a
- 8@~k
- un%d
- !ZE3en
- 73}P
- dIW:
- 9{RZ
- 0$r
- h1Poc1k
- X4SE
- {a~J
- p<YAV
- R7&_G
- ChEe8&Z;
- v7%(
- z2="
- .%ES
- kUH.
- w{Z-a
- u;mP
- x-hhO5Zl'
- R2l\\
- #oOR^
- W9z_
- 3Ve"0
- ihR:
- ^;su9
- wyq3
- 2@&$
- bh6-{
-)3bUw
- %DTO
- p~1s
- bUA}
- I[n{+
- 3TI~s
- uq"cn
- F"4d
- J/Eg
- [4*8
- 3tx/
- C_EI~S
- 9M[qi
- @#A+
- @i/j
- 5Obo\\rMs
- !@,0
- @)So
- "Aaa
- =H9g
- }w}Uj

- L*K0
- op 9
-]BIqE
- S+N;6
- m)78 O
- W2&|
- 4.OF
- }x6Y7,
- Z {U
- Hv:vE0
- g]X2[
- +a<O#
- uaH3
- GUKZA\\
- N}a2
- %$A]$
- du.k
- H 3o
- &A0fq;
- JTEF
- J8J3
- ~ar0
- 1OM,
-)[8M
- I4AA
- MDT42
- Env{
- Dje;
- ER<E6
- qoxCk
- I6Y*
- q8Lq
- 2?wsc
- /9a&[
- |mne
- >aec
- ,gLu~
- /3`L
- PeUD=
- n70i
- AM18X
- P2t>}
- 6Zem9r
- 61-z@ky
- $$RkO
- uI">
- BZ,5
- 4.s7
- t!IFU
- X 1e
- s,^2
- ~#k9
- ;/0l
- 4JY1R
- 2-c[
- y2O;
- 6%0\ta

- 4[:y
- q0m+,
- QA.i&
- U:`H
- uZh7
- 5hx]
- {2h6
- /;.3
- mTO9x
- 2i]_
- Pwa4
- g?.8
- dx8J
- 65wf=
- Q;e\\
- 9z;w#
- 0S%9m
- qmIS
- %iRW
- j~y7
- 2{b!
- 4<N8
- Qx7U7
- >sb!l
- 2^zZ
- xF#fA
- e[qg
- 5C<?
- oH$e
- jQ@8
- (Ab8C?b
- 4/B]7
- &[iS
- Y/lua
- nAO`
- 4@K
- 0x>H
- >!\\e
- OdMV
- KB9M9
- AD,$
- ZU6:
- $^'ha
- e$ib~z
- _1,0
- Oi8#
- 'i:]
- 52F3+
- |uBZRV-\t7W
- OD7NZ
- EY\to
- oo87
- eza(o^
- t{e9
- "ei6z
- UKrl#:
- 9RT!y

- dA'o
- 5>&MG0;
- f]aqr
- 3xov
- %Hm0
- *u$Q
- }@IQ
- 00s"
- O8f(n
- '\t^DE}P9
- |uH^L
- "X]nu
- SGHe
- BL\tu
- dip9
- >-VE
- (n3!{
- %U[!mo4pa`
- $\t`9
- jt1H
- A7TD
- 0cL+g
- J\tCu
- <W/x5
- ;\tYU
- "?Uq/
- <eG
- $B5P
- nf8IVh
- Apm6
- Z<j1
- YH.Q7
- '[&8
- *7,S
- Q4al
- 72><
- isU7
- l9,Vhu
- EFXT
- thU'
- _KID
- O=/j
- `:6)W
- iat?k
- pUxi
- yM5 1
- +dv8
- "aVf
- f^58
- RV3D
- Ld}80:
- 23BmE
- 9!B8=
-]%W3
- ^ge@
- K;|2
- D7xf

- ad>c
- IA.m
- YWVtE
- zXlaw
- j4&A;
- 1Q'K8r
- 1GpI
- |WZi
- H23B
- o|83Gq
- s0[?
-]y0Hl
- b@$a
- "8H
- e3$iE_qD
- d>heM
- sM:2
- c0't
- {9T[
- Oh7
- rfl2W
- 8'lZ
- `nI_
- .2C+
- iu^N
- u\\ex5
- R(3K+
- 4"@4
- (U;Y
- ~xG7
- W([e
- 0g_f
- O:Sd
- 2'rP
- zCaQ
- >(W2
- 19o.4
- <7D|P
- ^'E$
- e&6G
- 0Lb.|
- R<0c
- _1gwd
- 2Gb&Ne;
- "/aL
- &5Q)
- UIwD
- mtQi
- MgOgTi
- >6.B6
- 3k4u
- Q>E}
- 5.vp
- -v+E.v1#-v
- J-vI
- a/vy
- ~/v5

- ;.vo
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC
- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3
- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C

- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9

- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_
- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8

- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- %-!g
- JTA%k$]
- Y,.fF
- ss<%
- slYg
- |Zmh+
- SQ[f
- Z\tNq
- qX!VW9
- Ps*b
- &Nxg;
- YWc$[*
- n,Nv
- X/-N
- : BF
- J(Fm

- _Nh3m^
- JSgj$
- Dn!v
- K S)
- ' Vk,Kp
- ?> |
- ~pW{
- tK,r
- BH,.
- ;T+S
- ?)<|
- XW?W
- fmkq/
- {'V;
- r;yB
- s7(#PZ+
- G"&gdr8;
- :zJ*
- !@_]h.
- :S>t
- Z%Kk}
- y,/M
- {nDR
- tLLX
- pV_r:3
- ?@G=
- n$H/
- BywQ
- bqVj
- &qd;!
- ?}Kf
- L{S"
- b0k,.~
- vdL|
- ;h`*
- fFgkB
- ,'\tX
- {h{
- 9Br}kJ
- +KdXy
- F`|sK^>u
- $B*B
- "2=?=z
- rcf{
- X&@?P
- y%rq
- |ck%
- vSm=
- ?d=:
- ~NK"{S
- x&.N
- ^\\<r
- !QFYF
- !V]R
- (L@D
- Xv\t)X.
- <>=rQ

- Yxt
- Gbyd
- r%q<
- vnz>,
- ?\\K
-)PSN
- TwZr
- %p&w;
- +-hL
- zHgMM]p
-]-$ORT
- m@X\\
- +A/hQZG
- $@[os>[r
- JdJ!
- rMC
- "Q.p
- Nfb*
- y%;n
- q_#<
- ( ]g
- '~NP
- \\BD$"
- ref"C{
- k/!,7G
- {<=R\\
- SDqD?"
- %H/{X
- RKN"}
- mwN)M
- PQj{
- -nt@
- <#@E)<{
- }l`
- y%3\\=bP`.
- (vcY
- 'aP&sq;
- `/<P
- |_%J
- nF~F
- G?gZ!
- } W.
- L*h[
- 5B!%?f
- [K%Y
- r>Jq]h
- Y@xK
- @)L/M
- &o-p;\\Dz
- =~eShY
- 7CG|K{
- 4!m"|^(
- CzjJ
- \\Qd`
- }N+f
- vj%eR`
- /VX&

- m,n\\
- jfp,J
- lYhz
- R:!%^
- Sx $
- Qd/S
- S%?G#H
- n{YGk6
- ?nz:
- p&Cg;
- Z f8"\\P
- GS[`
-]\twJ
- ;UGcF>
- k+4~bc
- v#!|
- Bp?Z
- jD#Y
- gRcs"HuW
- <>g
- bR?z
- Y(~dM
- Mm*)t
- CQm|s
- R[sN
- &/-)
- \\SXC
- #N@;
- [P$s
- `Ypm
- +nJY
- #]r\\
-)HqL
- qx@f#'}n
- rZdwc
- v:y@
- {:GH
- $c!
- xF}#
- /=![
- V?Ls
- =jzy
- My[%)
- ?o^K\\Y
- /\\r9KW
- l<&W;[
- $nLL
- v;S:
- ~Ty&
- <Y\tC
- +`>&
- y:Bk
- m$)j
- _!_t
- kgdM
- p:|~6d
- eGrc@X[

- S@#T
- FHR[
- {MXQ`
- c<'[
- T'X>.Ul
- ,LK<
- F@M\\
- `DTZ{
- t*3jY&"%
- d-]
- >q[n
- G$<j
- =]SD
- hN.M{
- 9zrK+}
-]pV#
- uQFf.D
- W~WW
- r}@T
- +DzN
- ;2GDR\\t@cwb
- XZ%+
- d!*hm
- J\\e?}n{
- b'~[
- >Y:Z
- L]W]
- rq,X
- #J@X
- j_^sdeWB>
- \\Dwg
- SkrC
- q"z]{
- C4tv?~
- |Pv<cN
- %|nT#w
-)Q*sv
-)J,l
-)bsZ
- MwG(
- =~{r
- ``w-
- {~&%2!
- C[WX
- nW"m\\
- jY,m
- rl@c
- vBQD
- '!sM
- }L\tp
- #<kQ
- {~^!
- ; ~"@]
- s^|br
- |vzg
- iQN}.}
- v&l;)>

- p\\?p
- r?L}
- |QCq
- "{*>"
- v/F>
- ~~xW
- x}w\td
- $d>{
- |rzM
- [,`@
- uT?^~Q
- P>}k
- $l(V.
- gyM
- 3\tk&*/
- 0S{twx
- FY~/
- {z~*
- }lmf
- X~Fk
- yC!
- Lwfh~
- WPF{
- X%NPPT$
- /;)b
- 3>#(d_
- ,^B`
- yk4[Z$
- _f[H
- X.,JF#
- spQ?pv
- ?b%Rs
- d\t |
- Z>$_
- wcmZ,
- Z~|N
- mYTJ
- J7\\<K.
- q&RN;
- W}x)
- G"NK
- Vr"
- GZ%X
- C<M!
- #G#F/$6
- bqKznF
- |t}K
- p\t{<
- R+};g
- =v"T/
- <y[?
- ca&;=*
- xsXnk
- BtTm$=!
- <\tlvz
- VjpP
- .gqw

- vRvM
- M<}GL
- @\t(p
- {"[:
- "<~Nc5
- %}qhW)
- t\\p>
- 3:x"^}
- K]sf
- x/S~
- X*}T
- @}Pt
- ~p%K
- l<l9JfS
- :cPPwY
- pcY`
- V;[Fz
- fSCF
- s/-\\qA
- T_/V
- :XQY
- Bs#{+
- ?Z/:
- _NwwQ)ho
- t`@Lw
- GGQ|
- M$c@,Gx
- @+qM}
- -'{k
- {rL
- h;@
- ^nqL
- Lz;J
- !hxHj
- gFbR
- @NCh
- DpyxW
- /R=qWK
- \\NCNC5{
- <S<N
- L[S[
- n\\p=l
- LrPZ
- ry-;
- l,L{<
- "\\Mb
- jDo){?,
-)X{K
- F]\\5v=
- jb%x
- ,St
- h;.
- (RdQ
- ` T,
- |,nP
- -G/S$
- wRNV

- (;Gxq
- R!Ld-
- y$_=
- UB,$}{
- qFP@
- !K"<n
- m":!
- US\t~&Ky;
- g&GF;?
- $n]/
- ~,q%
- ?x&+K
- $.*|X-
-]SPyH
- {G|$
- =SlM
- =z=D
- y=\tMTW
-]J{H
- =Zgl
- }=(1-'Z
- llKr
- Z4Jw~`
- !Qdk
- VS.)z
- sqkk
- $B-P
- nvGc
- !p'+
- ^,Qd
- /tG$
- >Ffh
- &XZR;
- nxg^
- vq@_
- t>c)
- Cdt
- ?SEpw<
- V`s#<n=/*
- m.+W
- cBRw
- Pn<h
- j:'m
- Z\\gx
- JS=D
- +V\t\\
- =Tih+k
- qL$<
- @CG[
-)<"z
- QxS?
- w#J
- |swbP
- 3Wgc=}
- x]dw
- PFP>
- h]MM

- GW"rp
- HE;P+y
- zF#mH1G
- RJzV
- _jGJ[
- \\._,:
- 1B>Cj[P
- V}D_`]
- .+\\V'
- ',`}
- C{MK
- {<&C;
- #XW|{N
- @r>^
- MNb$F
- .Hzhz
- pQhgl
- lkBd
- QNW<
-)?<S
- XY^G
- (y<m
- H<B^
- K%')
- tN* Q
- q!.\\
- K!B#
- CD{VK
- B`[b
- pnzb*
- vLu-c{q
- ZL[p
- swVP
- $,[@
- Q@`,
- =QZ;
- K-$6%}
- ~5+>d~[
- Hm$<
- [&$c
- l|R!-
- v[qVb
- =$!W
- bmSM
- /(.n
- %q-R
- VTHF
- |_Fp
- MKg\\Kz
- *(~[
- -}R|
- \\jsD
- nS>\\
- HxZmQ
- r?$M
- yksH
- y:J,

- @vQ|
- b2]3 /|Js+sY
- gH..
- Z>?/p
- #GCr$
- XYhM
- wMLN$
- |v(V
- /TL#
- K,bJ
- =!F(
- nD<w!
-]/N@+a
- "jK$^
- \\vxP:g%3
- BP[~)
- ;SqM)-
- ?Ryt~
- c/ZV
- KT[*=
- &)~W
- ?}P h
- \\^rR
- 3Nj#+P
- /G~,p
- cdrvb
- lb)y
- >)x
- @1Zpy?
- kN#=[X
- KB(x
- !]yH
- ?FMK
- Nr_P
- "vp)
- LtD@
- jksg
- vd
- NyV?
- qgBpot
- nPC>
- `,=<
- I|\\X
- ?n{,
- Kcn"
- 'P#'
- K}x#
- Fcf<
- *`"SH/
- Gw-cfTJu
- }YZ*
- JD.;J
- Q>FWx
- b]*B
- bC!:
- 5YyBR^@
- =@K/

- nJ#.
-]rc%
- qGvW
- p;)]
- ';:x
- J&R;(
- }jq}
- ;=P"s
- -aBYq<
- 7T?j*G
- C;PC
- +Bk}
- TM<dX
- WfWrl
- }>@Wnov
- h/K*_
- QkJ{J
- clGYAgvl3b'
- vhuv
- _$v@f$v;
- <j$v
- T-vO!.vBN,v
- -v3g.v
- ".vc3.v
- .v(7.v|
- ,v${,vs
- -v%9-v
- ;-v]7.v)
- \\vWA.v
- >.vQ
- J,v@
- d.vV
- S.v:
- -v\t>-v6
- -vQ3.v&<.v
- -vl"-v
- ,vL~/v
- @viF>v
- ?vEG>v
- \\>v|
- >v@F>v
- >v1S>v
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll
- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN

- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh
- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh

- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f

- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV
- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty

- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)

- HasModified_DOS_Message (DOS Message Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: v.va
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: command.com /c
- url | valid domains | tlds: .COM
- url | valid domains | tlds: ?.uK
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- path | path unit: Y:\\543534
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: MultiByteToWideChar
- api | kernel32: LCMapStringA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: HeapSize
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedExchange
- api | kernel32: RtlUnwind
- api | kernel32: HeapReAlloc
- api | kernel32: VirtualAlloc
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: LoadLibraryA
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: HeapFree
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: TlsFree
- api | kernel32: GetCurrentThreadId

- api | kernel32: SetLastError
- api | kernel32: TlsAlloc
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetLastError
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetVersionExA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetLocalTime
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: GetModuleHandleA
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | kernel32: GetModuleFileNameA

• Module 3 other strings

- 99.v
- W5,&$
- KERNEL32.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September

• October
• November
• December
• Unknown security failure detected!
• continue execution and must now be terminated.
• corrupted the program's internal state. The program cannot safely
• A security error of unknown cause has been detected which has
• Buffer overrun detected!
• now be terminated.
• internal state. The program cannot safely continue execution and must
• A buffer overrun has been detected which has corrupted the program's
• Program:
• user32.dll
• <program name unknown>
• Program:
• Runtime Error!
• Microsoft Visual C++ Runtime Library
• - floating point not loaded
• R6002
• - not enough space for arguments
• R6008
• - not enough space for environment
• R6009
• Please contact the application's support team for more information.
• This application has requested the Runtime to terminate it in an unusual way.
• - not enough space for thread data
• R6016
• - unexpected multithread lock error
• R6017
• - unexpected heap error
• R6018
• - unable to open console device
• R6019
• - not enough space for _onexit/atexit table
• R6024
• - pure virtual function call
• R6025
• - not enough space for stdio initialization
• R6026
• - not enough space for lowio initialization
• R6027
• - unable to initialize heap
• R6028
• Please contact the application's support team for more information.
• R6029
• DOMAIN error
• SING error
• TLOSS error
• runtime error
• mscoree.dll
• CorExitProcess
• kernel32.dll
• ,vA#-v(7.v
• w\\9.v
• 3.v8
• .va8.vO!.v1#-v
• ^_[3

- -_^u
- 6PWS
- t&:a
- ;A t
- 95l-B
- 9] u
- t-9]
- E SS
- 9] u
- 5h-B
- u8SS3
- j8hh
- SVWUj
- uiSj
- 9P@t
- 9P0t
- 9P4t
- 9P,t
- F,98uX
- F<W3
- u%9=t-B
- u:Vj
- 5t-B
- u.;5
- =,2B
- t6S
- Wj@3
- A#D$
- 5(2B
- 5(2B
- tYVU
- SVWU
- VC20XC00U
- 9x@t
- 9x0t
- 9x4t
- 9x,t
- tyf9
- SUVW
- 5D*B
- 9=,2B
- 8"u&
- 54*B
- t7VP
- =4*B
- 0<=t
- t$<"u\t3
- 542B
- 9=,2B
- ~\\u
- 5T*B
- u79=(2B
- 5P*B
- F95T*B
- 8MZu
- h0 B
- u#j@

- Q4Pj
- @.data
- `.rdata
- .text
- ?Rich
- Runtime error:
- Bindtime error:
- Parsetime error:
- Scantime error:
- Command line error
- "Microsoft Test Driver (dumb shell)
- Cannot initialize parser
- Can't read the file '%s'
- Can't open the file '%s'
- Microsoft Test Driver (ds) Error
- RUNERR
- _RANDYBASIC
- YEAR
- WRITE
- WINDOW
- WHILE
- WEND
- WEEKDAY
- VIEWPORT
- USING
- UNDEF
- UCASE
- UBOUND
- TYPE
- TRAP
- TIMEVALUE
- TIMESERIAL
- TIMER
- TIME
- THEN
- SWAP
- STOP
- STEP
- STATIC
- SPLITPATH
- SPACE
- SORTED
- SLEEP
- SINGLE
- SHELL
- SHARED
- SETFILE
- SELECT
- SEEK
- SECOND
- RTRIM
- RMDIR
- RIGHT
- RETURN
- RESUME
- RESTORE
- REDIM

- REALLOCATE
- READ
- RANDOMIZE
- RANDOM
- PRINT
- POINTER
- PAUSE
- OUTPUT
- OPEN
- NULL
- NOWAIT
- NEXT
- NAME
- MONTH
- MKDIR
- MINUTE
- LTRIM
- LOOP
- LONG
- LOCAL
- LINE
- LEFT
- LCASE
- LBOUND
- KILL
- INTEGER
- INSTR
- INPUTBOX
- INPUT
- INCLUDE
- IFNDEF
- IFDEF
- HOUR
- GOTO
- GOSUB
- GLOBAL
- FUNCTION
- FROM
- FREEFILE
- FORMAT
- FILELIST
- FILEATTR
- FILE
- EXTENSION
- EXIT
- EXISTS
- ERROR
- ERASE
- ENVIRON
- ENDIF
- ELSEIFNDEF
- ELSEIFDEF
- ELSEIF
- ELSE
- ECHO
- DYNAMIC
- DOUBLE

- DEFINT
- DEFINE
- DECLARE
- DEALLOCATE
- DATEVALUE
- DATETIME
- DATESERIAL
- DATE
- DATA
- CURDIR
- CONST
- COMMON
- CLOSE
- CLIPBOARD
- CLEARLIST
- CLEAR
- CINT
- CHDRIVE
- CHDIR
- CDECL
- CASE
- CALL
- BYVAL
- BINARY
- BEEP
- APPEND
- ALLOCATE
- ALIAS
- Undefined error
- Input past end of file
- Subscript out of range
- Cannot dereference pointer
- Invalid memory allocation size
- Invalid pointer
- Memory allocation error
- Cannot resume
- Procedure not found in library
- Cannot load .DLL library
- Division by zero
- Bad RUN command
- No current working directory
- Invalid drive
- Invalid path
- Illegal function call
- Cannot open file
- File number already in use
- SETFILE: File/Path error or out of memory
- SHELL command too long
- RUN command too long
- File I/O error
- Bad file number
- RETURN without GOSUB
- GOSUB stack overflow
- Out of memory
- Unable to load TESTVIEW.DLL library
- Out of string space
- Stack underflow

- Stack overflow
- Symbol expected
- Line too long
- Too many nested '$INCLUDE files
- Out of memory for '$INCLUDE file
- Cannot open '$INCLUDE file
- '$INCLUDE syntax error
- ")" expected
- EOF reached, '$ENDIF expected
- Unexpected '$ENDIF directive
- "AND", "OR", or "NOT" expected
- Unexpected '$ELSE directive
- Too many nested '$IFx directives
- Out of symbol table space
- "STATIC" expected
- Recursive type definition
- Too many ON END subs
- Must specify user-defined sub with no parameters
- Overflow
- Illegal use of NULL function
- "[" expected
- "TO" expected
- Invalid assignment type
- Invalid inside SUB, FUNCTION, or TRAP
- "GOTO" expected
- "ERROR" expected
- Too many parameters
- Invalid parameter type
- Identifier expected
- SUB or FUNCTION expected
- Illegal function return type
- Relational operator expected
- FOR index variable already in use
- Array elements cannot be FOR index variables
- Illegal use of reserved word
- Hexidecimal constant expected
- WEND without WHILE
- Division by zero
- END TRAP expected
- END FUNCTION expected
- END SUB expected
- END SELECT expected
- WHILE without WEND
- "FOR", "WHILE", "SUB", "FUNCTION", or "TRAP" expected
- Variable expected
- Not valid inside control structure block
- "NAME" or "EXTENSION" expected
- "BY" expected
- "=" expected
- Trap already set
- Too many traps
- String constant expected
- END TRAP without TRAP
- "FROM" expected
- Internal parsing error
- "." expected
- Field name expected

- "END TYPE" expected
- Fixed-length string specification expected
- Bad array bound
- Integer constant expected
- Variable cannot have type id character
- Type identifier expected
- END FUNCTION without FUNCTION
- END SUB without SUB
- Function not defined
- Subprogram not defined
- "AS" expected
- Duplicate definition
- Metacommand error
- Too many nested $INCLUDE: files
- Label too long
- Too many DECLARE statements
- Not within SELECT CASE structure
- "CASE" expected
- "ON" or "OFF" or "CLEAR" expected
- String variable expected
- "FOR" expected
- "#" expected
- Illegal inside FILELIST processing loop
- Comma expected
- "ON" or "OFF" expected
- "(" expected
- ")" expected
- FOR without NEXT
- IF without END IF
- Block nesting error
- No matching FOR
- No matching IF
- Nesting level too deep
- String expression too complex
- Expression too complex
- Unresolved labels found
- Type mismatch
- Duplicate label
- Unknown opcode <internal>
- Syntax error
- Un-get buffer overflow
- Token too long
- String constant too long
- Unexpected EOF
- String constant exceeds line
- Cannot open file
- Parser out of memory
- &9?t
- to-:
- G9>F
- &9|h
- &9|h~
- &9Mh~
- &9|h
- &9Dhu
- &9Eh~=
- u+hH

- u0jRh
- (k6H
- tNk6H
- VWjo
- j2jd
- VWjo
- joWj)
- [[Pjo
- [[Pjo
- Pjoj"
- u?j8j'
- [[Pjo
- WjoV
- H~Yj1
- Ht~Hu
- eu\tj
- u8j.h
- "u`j
- r#jU
- u6hH
- &91u
- VWj7
- utj"j
- [Pje
- NjOji
- [@uXV
- uVhH
- uqkv
- ?_u
- <(u%
- 7i>`
- Ht0HtGHu
- F96&
- F96&
- <)u&&
- <4tD&
- 95|n
- u j
- u2jBj
- }AO;
- u~j\\
- tKHu
- 9"u5
- 8"u:+
- - floating-point support not loaded
- R6002
- run-time error
- - not enough space for environment
- R6009
- - integer divide by 0
- R6003
- - stack overflow
- R6000
- <<NMSG>>C RUNTIME ERROR
- TESTMODE
- INTEGER
- COMMAND

- LONG
- KERNEL
- POINTER
- INTEGER
- LONG
- TESTMODE
- COMMAND
- Break at address %0X
- Microsoft Test Driver
- Test Driver Viewport
- ViewportEcho
- ShowViewport
- ClearViewport
- UpdateViewport
- CreateViewport
- TESTVIEW.DLL
- .PIF
- .BAT
- .EXE
- UAETRAP
- KERNEL
- KERNEL.
- KERNEL
- '%s' not found in specified library
- Subprogram not defined: '%s'
- Unresolved label reference: '%s'
- Cannot load library: '%s'
- %5d:
- WINDOWS
- COMMAND
- TESTMODE
- UNTITLED.SCR
- INCLUDE:
- _C_FILE_INFO=
- TerminateApp
- InterruptUnregister
- InterruptRegister
- UAE Trapping not enabled
- TOOLHELP.DLL Library not found
- UAETrap Warning
- TOOLHELP.DLL
- INCLUDE
- RUNERR
- -RUN
- /RUN
- dshell.ini
- Version 1.00.0008 (beta)
- 0<9v
- WVS3
- !<Nu
- t^9v
- :u 9F
- 6\tEU
- ?.u6
- ?/u$
- ?/um
- -MS Test Driver (dumb shell) version 1.00.0021

- KEYBOARD
- USER
- KERNEL
- TRAPDISPATCH
- This program requires Microsoft Windows.
- H
- h((((H
- (((((H
- h((((H
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- RSDSQ
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- ntdll.dll
- .v+E.v
- /.v=
- /.vQ
- =-v.
- -v`w
- v\tN+D$
- xd;=
- LSVWj
- t2WWVPVSW
- tCVj
- WWWWVSW
- t WW
- PPPPPPPP
- PPPPPPPP
- ;p$t
- =`-B
- =l-B
- GWhd
- t!SS9]
- FVhd
- FVWS
- wLVWP
- h@-B
- h@-B
- h@-B
- h@-B
- t.;t$$t(
-]_^[
- j?^;
- @_^[
- t$h,
- t\tVP
-
- = *B
- t|hL
- VWumhh
-]_^[

- t?xH
- Y_^[
- = *B
- YYt+V
- =p+B
- VWh,
- YYt-V
- _^][
- YYt.
- _^][YY
- t$$VSS
- t#SSUP
- @PVSS
- SSS+
- =,*B
- QQSVW3
- Y]_^[
- >=Yt
- =X"B
- QSVW
- =D!B
- <Yv"
- =D!B
- Yh(B
- h B
- j`h@
- TSVW
- .rsrc
- .MST
- VARPTR
- SYSTEM
- STRING
- MSGBOX
- DEFSTR
- DEFSNG
- DEFLNG
- DEFDBL
- CSNG
- CLNG
- CDBL
- [[MM
- VjBj
- ^_MM
- RPjB
- RPjB
- ^_MM
- ^_MM
- RPjB
- ^_MM
- [[MM
- H^_MM
- ^_MM
- ^_MM
- ^_MM
- [[MM
- ^_MM
- t'+

- [[MM
- ^_MM
- ^_MM
- ^_MM
- [[^_MM
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- WVjfj
- [[MM
- ^_MM
- ^_MM
- ^_MM
- RPjB
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- [^_MM
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- DhH;
- t_j.&
- ^_MM
- WVkF
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- Oh&kGh;
- ^_MM
- &kGh;
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- [[@j
- ^_MM
- ^_MM
- ^_MM
- [[^_MM
- H^MM
- ^_MM
- [[MM
- t!j<
- t!-Y
- ^_MM
- [[PjoV
- ^_MM
- [[PjpV
- ^_MM
- [[PjoV

- Ht!j
- ^_MM
- ^_MM
- [[PjoV
- ^_MM
- [[Pj)
- ^_MM
- ^_MM
- [[Pj'
- [[Pj#
- WVj"
- wt\tV
- [[Pj'
- [[Pj#
- VWj"
- wtwV
- ^_MM
- WjqV
- ^_MM
- [[PjoV
- [[Pj)
- ^_MM
- [[Pj
- ^_MM
- [[;F
- [PhH
- [[PjoW
- [[PjoV
- [[Pj
- [[Pj
- joPj)j#
- [[Pjr
- [[Pj
- [[PjoW
- ^_MM
- [[PjoV
- [[Pj)
- [[Pjq
- tBVj
- [PhH
- WVj;j
- ^_MM
- [[PV
- ^_MM
- [[Pj)
- [[Pj
- ^_MM
- PWjt
- [[Vj
- [[Pj)
- [[Pj
- [[;F
- ^_MM
- ^_MM
- [[Pjr
- ^_MM
- ^_MM

- ^_MM
- ^_MM
- ^_MM
- ^_MM
- thj;j
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- PjqV
- ?st\t&
- H~<Ht@
- ^_MM
- RPj]
- \\jKj
- RPj]
- ^_MM
- ^_MM
- PVjj
- HtSH|
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- PVjk
- ^_MM
- RPjB
- jBPP
- [[@t
- [^MM
- j$j"
- VjKj
- ^_MM
- w\tj,
- ^_MM
- ^_MM
- WVjKj
- ^_MM
- [^MM
- [[^_MM
- [[PWjt
- [[^_MM
- ^_MM
- [[_MM
- ^_MM
- VWkv
- VWk~
- ^_MM
- trj"j]
- [[MM
- [[^_MM
- [[^MM
- [[^_MM
- [jHj
- ^_MM
- PWjC

- j$j''
- ^_MM
- [Pjb
- ^_MM
- j$j''
- ^_MM
- [[PV
- ^_MM
- [[PV
- [[^MM
- ^_MM
- WVjKj
- [[^MM
- VjKj
- [[MM
- ^_MM
- Pj@V
- ^_MM
- ^_MM
- ^_MM
- PjqV
- ?st\t&
- $WV+
- ^_MM
- GGFF
- &WV;+
- ^_MM
- WVk^
- [[^MM
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- RPjB
- Y\tm
- [GGF9v
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- WVj'
- ^_MM
- [^_MM
- RPjB
- ^_MM
- WVk^
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- Ht(HtEHtQ
- [^_MM
- WjqV
- PjrV
- &jBj;
- t/Ht;
- Ht#-

- WVk^
- ^_MM
- ^_MM
- ^_MM
- hH\tP
- [[^_
- [[^_
- [[^_
- [[^_
- @tTh
- @tjh
- [[^_
- [[^_
- [[^_
- uFjBSh
- h,\th@
- [[^_
- [[^_
- [[^_
- ^_MM
- @@Pj
- ^_MM
- ^_MM
- ^_MM
- jBj
- RPjB
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- [[^_
- D!;F
- vdW
- ^_MM
- ^_MM
- RPjB
- ^_MM
- ^_MM
- ^_MM
- t'h[
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- ^_MM
- tbhv
- STRING
- STRING
- _WTDVER

- `\tError %c%d: %s
- +-*/()[]=$%&#
- %lX
- %ld
- %ld
- %ld
- TESTDRVR
- TESTDRVR.EXE
- TRAP%d:
- %ld, %d
- _WTDVER
- \'$FILE "%s" %d
- \'$FILE "%s" %d
- \'$FILE "%s" %d
- (((((H
- %s(%d)
- .MST
- dshell
- P<-t
- [^_]
- !@:F
- _^Yt
- t*<"t
- t^<"t\'<\\t
- ?CCN
- t\'<"t
- tX<"t$<\\t
- tkGN
- ?/t"
- ?\tl
- RUNERRDLGPROC
- DSHELL
- $ Z

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f000300000001b9daf00560000001b9d9d00

• Module 4 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)

- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: .Fk`
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: memset
- api | ntdll: _aulldvrm
- api | ntdll: tolower
- api | ntdll: isspace
- api | ntdll: memmove

• Module 4 other strings

- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak

- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- %/9CMWak
- 9CMWak
- v6Mz
- 9'/C
- KZOf
- FRy}7
- #D\\4
- uwEl
- Nb"U
- PE$:
- Yv$O
- i;AS
- ?p,A
- AO%(ot
- u$b^
- E#6
- 1iAnM
- NgHU>
- hA$,L
- E?F57
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
- 52595N5T5
- 434G4
- 2 2{2
- 0&080>0J0\\0b0n0~0

- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>
- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0`0p0
- 7'7f:

- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- oJ|E
- Rim!}
- g"o.
- 7G<a
- ggmO#
- bPa#
- |8KT
- 7A=H[V
- /7p2
- ~>:4
- 2r.~
- gui\\
-)Ov`~
- ,7'Uz|
- guAd
- AmiK
- IJ*F
- i#GQ
- cA7-
- 3dlK
- uGld
- 0u"<
- 5+:t
- {>oMd
- t)o+
- D3'
- A^[C"

- 7ro'
- WE;6?{
- j{E `
- A\\E[^
- ISmL
- 9?ih
- u}%7<^gA
- 5Muf
- ;8"M2B
- :90X
- 0&FgX;
- IE@#
- }4HK
- \\4pq
- 7P.U
- 1b4)
- $iKc
- L1\\HQ
- &@T9@
- 9>8e
- `3Dda
- RUid
- 1$&Q;
- L6Y8U
- #RX7
- `Jn8
- k8ub
- 1zyd\\
- csUX$
- {lf3,
- O5wcvq
- q/6A
- g}Olu
- ajBX
- [e7I
- 9e0=
- d_*Ve
- 25ZS
- Bca1P
- !s8Y
- \\a?/
- nu+M
- e!M^C
- 8Qqi`
- 8A+9do<
- IYjK
- .e]1
- 6DLJ
- wBM3ol
- E8h[
- zhS_9
- @`F1
- Ayl-
- ""k<A
- jk0L
- .amb
- Fuk_

- /h]q2
- qItS
- Ps0P$
- cf3Y
- Q^ma'
- ,3L5
- <)+Go
- j!:U
- *jw3
- O66P
- Em=t
-)sUwQ4
- 9IJ~\\V
- CgUn
- aEr`
- Gja}
- FW/3
- .)OxQ6
- a{x]t
- E&('-
- q1~eo5
- 4?SZ
- ~&1nIN
- |p4
- bYOZ
- !\tY=o
- d'6!Z
- FJ_-5
- PP u
- QV<A
- l/a3A
- kHA++
- 8&KZB;
- Iy^|
- 9<{B
- E(`C
- rO_l
- A]OUW
- 6j^j
- >Oa%1
- +so8F
- Ax=#
-]0g~<
-){6&1`
- `=4%3
- #uLf
- t68oZ{
- }{(8'
-)UU$}\\
- }6>;D
- Y:1B
- I1O
- eTRa
- 3(&Lc;
- 7F:{
- _$5o
- i5yq`

- fa4W$6
- lu-\\
- e\t2i#_
- iyI|
- lZK>U
- !@1.
- t(Y8
- }X[u
- 0#n&
- i~x
- A0bk
- .-eT
- d9_n
- =J91
- lc_8
- 9hFYW
- uJjv
- G0*&A;|A
- 5T9TD
- 0d9r
- 5\toLD
- |RI
- dQLo
- ugL>"
- 4h7b
- z}ta
- EQtax
- !9rt)
- y~0q
-]qI=M
- ~hQU
- N\\83
- E[q*
- p0{%
- 75y'
- W;Z7#
- m3"|
- ilPOl}~:z
- z50@
- vkXu
- K&Vu;
- /"\tu6
- IJ\tZ
- |EB(N
- xDif/
- {/e0Hg}
- 1K{$6
- JuGO
- dNm*0
- U%W$4
- az*WT
- 27"C
- okBy
- 3.Zn
- mVQ8
- 0;aPx
- n6[}1

- IG_6m
- SJcu
- 2Zo*
- 6=Z*m
- 9lL@
- ;CKku
- ^2.]#
- 3}T=
- JOw:
- APqaZ
- Ax^H:
- aAf_@
- UO&.
- oTeWx/
- ba<Z
- &;7V
- 6S$N
- _`o)
- !sxi
- m7grm
- 'i[c
- zm7g
- lv7*z
- 3Q#P
- :5_]
- <2H
- 9W;l`
- q0L?D
- ?iuV
- >Vur
- LUCf
-]KE[
- 2A)0d
- zZ0P
- avyQ
-]<zo
- VY6h4[
- 5@Vf
- ozQC
- ;k+8
- (E_5-
- I9<T
- 7`Q":
- yAG
- EjxY
- TD)2
- VA+C~
- U4p3
- EbvAS@sb
- o=O7
- 7A]/
- 9$.{
- 5%aC
- ~)_e
- 7M]y7
- 8Bog`
- sOtL

- [hir5
- +eZ[
- 0w%xu-
- 89'&lU;
- *Wixa
- 7OX2
- Vh3<E
- _sg8
- 3;0M
- uqCyN
- +9o=#
- =||a
- v78L
- WI>e
- .PnU
- aI8_0
- *i&*
- 5cJ"
- F#a2
- eO?a
- 8aUW
- IegvC
- 9dAL>g
- u,8d
- r62)B
- bR.3
- YC8%-
- 3>f*
- Fj"O
- H+5<
- d=ip
- 706d$
- plxe!
- 2Ap2
- u>z=
- >GGx29
- m6A{
- 4Sq/
- s JO
- N6MM~
- ;;1(
- 2Ok9
- e\tT8
- jlil'
- Lz@5p6b
- xE'S
- ctPI
- lZu\\$
- aLHw
- \\5W-F
- E<BD
- rrYt&EZAJ;
- +eJ@
- 3=~M
- $O0P
- #Ab1
- {Go~

- 2o!>
- gbE4k
- zIXR
- R6k'8
- RT$og
- \\0"~
- S&PE;
- [SuP
- jAu_`VW
- a6kV-$
- {Ey2
- 'ly7
- p70k
- e[JS
- HeJ^
- eBp~C
- 4A'
- X<AuY
- g$Ia
- 02R|
- 4ZY}
- @6dt
- ukx
- ^+iOAU
- 32.%
- c(IW
- &9f\\
- q8P:
- NxCE@
- IemL
- .b7@(
- .^Vl6
- e6H(WO
- 28dE
- &aw;@
- OtD]q
- A\tka{
- =o1}+
- EMYJ
- wn6$
- $y4O
- ac#D
- &s9;?
- f8~U
- t>[9G
- %'aM
- /zr2
- YKpI
- q{UB
- 3\tUj
- 72Ph
- fIC
- Y4u-
- *7MeTL
- "<Q.6
- i\t2c
- ANVo

- oL7>
- o`I^
- cAQ2
- @qH2
- 8x`A
- #Pw8
- "_4F`
- DKOM
- KAj'
- EOl?
- F\tru
- &g4LX;:A
- q@8s
- xvoT
- O72G
- #\tIP
- $cmU
- @2y:iN
- 1EJ7
- j6!!
- A&@2%
- oRp(m
- <8p}
- YDrU
- z!Oa
- Z/Cux
- MI.7
- P7+}\\
- ,EXs
- c3R7
- fmyB5
- [s8B(
- c4qy
- iy@<G
- l0G>:Os
- Azu<
- 5nQ(
- ^UmV
- OU@)
- &s5F;
- ^F21Q
- Bb9K
- c&6nm&A;
- aRKcR
- uDga
- eWxQ
- i}?L[
- $5zfP
- y4|
- NT02
- PZ6[e
- e"/.@
- LbZ4!
- uJ J]
- aXUc
- ZO9.
- 9MgH

- O$"F\\
- JC}4
- M?AJS
- X0N>
- PB~&4
- &Ju;\t*
- Q"uL
- '#5o
- D|[U0
- u_T5
- VyTu
- 6i:
- F6#^
- f^~6
- *-1J
- z9Z/
- /Pep
- s?X 6
- oB#,
- i"U=
- hh":A
- 5GD3
- M/IS
- k'xO}
- |aSs
- +}ER
- 8u<]px
- Y2wx
- 57/7
- -Gpa
- zEn0
- P{8,=
- J0hH
- ([4k
- U6Nc
- =_^o
- 0v_^
- ,un<
- F"]U8
- 0t<xc
- u<hf]
- \\0r?
- q5b-~
-)9d\\
-)23{
- eQ\t?i
- c0-rk
- ,I#B~
- Pt7E
- sC'41}w
- kQmO
- b?Oo
- ?\\EX
- EtUr(x
- }2km
- {q2Y
- +d}Uj

- 5D9FO
- Vfci7M?
- :8u,YT
- @a?u
- 'cpi)
- 9~n&
- :yA.
- uLxJ
- V_}a
- 9kzP
- t7jBr
- ^'d5
- !r07
- 5i^T
- I7$i
- t7E|;
- >Sg#O
- }1Nr(
- ~wu(
- wRQI
- 5)c_r
- 7C2;
- a|X\\
- =D1I3
- _T&IG;
-)EcM
- &T1;,
- ,lxT9:R
- ;@u`
- 44Ne
- !TA2
- =CxA
- i]s
- r)A,~
- o{ql
- 3klz
- 3828
- 337@
- GCvU
- 6B<U
- ,SeX
- o}RL
- jW6E
- uWtA
- 'Xt4[
- wh>3
- bAI)t
- iP9F#9
- Re2U
- "\'!3`
- mq4/@
- B59M
- H[mey
- EO_9
- Ced(X
- :/)H&2(4_>
-)zcI

- I<h5
- e%oai
- #2`Q
- #6rl
- w?4V
- Iw<w
- lz4a
- 8@~k
- un%d
- !ZE3en
- 73}P
- dIW:
- 9{RZ
- 0$r
- h1Poc1k
- X4SE
- {a~J
- p<YAV
- R7&_G
- ChEe8&Z;
- v7%(
- z2="
- .%ES
- kUH.
- w{Z-a
- u;mP
- x-hhO5Zl'
- R2l\\
- #oOR^
- W9z_
- 3Ve"0
- ihR:
- ^;su9
- wyq3
- 2@&$
- bh6-{
-)3bUw
- %DTO
- p~1s
- bUA}
- I[n{+
- 3TI~s
- uq"cn
- F"4d
- J/Eg
- [4*8
- 3tx/
- C_EI~S
- 9M[qi
- @#A+
- @i/j
- 5Obo\\rMs
- !@,0
- @)So
- "Aaa
- =H9g
- }w}Uj

- L*K0
- op 9
-]BIqE
- S+N;6
- m)78 O
- W2&|
- 4.OF
- }x6Y7,
- Z {U
- Hv:vE0
- g]X2[
- +a<O#
- uaH3
- GUKZA\\
- N}a2
- %$A]$
- du.k
- H 3o
- &A0fq;
- JTEF
- J8J3
- ~ar0
- 1OM,
-)[8M
- I4AA
- MDT42
- Env{
- Dje;
- ER<E6
- qoxCk
- I6Y*
- q8Lq
- 2?wsc
- /9a&[
- |mne
- >aec
- ,gLu~
- /3`L
- PeUD=
- n70i
- AM18X
- P2t>}
- 6Zem9r
- 61-z@ky
- $$RkO
- uI">
- BZ,5
- 4.s7
- t!IFU
- X 1e
- s,^2
- ~#k9
- ;/0l
- 4JY1R
- 2-c[
- y2O;
- 6%0\ta

- 4[:y
- q0m+,
- QA.i&
- U:`H
- uZh7
- 5hx]
- {2h6
- /;.3
- mTO9x
- 2i]_
- Pwa4
- g?.8
- dx8J
- 65wf=
- Q;e\\
- 9z;w#
- 0S%9m
- qmIS
- %iRW
- j~y7
- 2{b!
- 4<N8
- Qx7U7
- >sb!l
- 2^zZ
- xF#fA
- e[qg
- 5C<?
- oH$e
- jQ@8
- (Ab8C?b
- 4/B]7
- &[iS
- Y/lua
- nAO`
- 4@K
- 0x>H
- >!\\e
- OdMV
- KB9M9
- AD,$
- ZU6:
- $^'ha
- e$ib~z
- _1,0
- Oi8#
- 'i:]
- 52F3+
- |uBZRV-\t7W
- OD7NZ
- EY\to
- oo87
- eza(o^
- t{e9
- "ei6z
- UKrl#:
- 9RT!y

- dA'o
- 5>&MG0;
- f]aqr
- 3xov
- %Hm0
- *u$Q
- }@IQ
- 00s"
- O8f(n
- '\t^DE}P9
- |uH^L
- "X]nu
- SGHe
- BL\tu
- dip9
- >-VE
- (n3!{
- %U[!mo4pa`
- $\t`9
- jt1H
- A7TD
- 0cL+g
- J\tCu
- <W/x5
- ;\tYU
- "?Uq/
- <eG
- $B5P
- nf8IVh
- Apm6
- Z<j1
- YH.Q7
- '[&8
- *7,S
- Q4al
- 72><
- isU7
- l9,Vhu
- EFXT
- thU'
- _KID
- O=/j
- `:6)W
- iat?k
- pUxi
- yM5 1
- +dv8
- "aVf
- f^58
- RV3D
- Ld}80:
- 23BmE
- 9!B8=
-]%W3
- ^ge@
- K;|2
- D7xf

- ad>c
- IA.m
- YWVtE
- zXlaw
- j4&A;
- 1Q'K8r
- 1GpI
- |WZi
- H23B
- o|83Gq
- s0[?
-]y0Hl
- b@$a
- "8H
- e3$iE_qD
- d>heM
- sM:2
- c0't
- {9T[
- Oh7
- rfl2W
- 8'lZ
- `nI_
- .2C+
- iu^N
- u\\ex5
- R(3K+
- 4"@4
- (U;Y
- ~xG7
- W([e
- 0g_f
- O:Sd
- 2'rP
- zCaQ
- >(W2
- 19o.4
- <7D|P
- ^'E$
- e&6G
- 0Lb.|
- R<0c
- _1gwd
- 2Gb&Ne;
- "/aL
- &5Q)
- UIwD
- mtQi
- MgOgTi
- >6.B6
- 3k4u
- Q>E}
- 0=E3
- R3}b7
- ws2_32.dll
- version.dll
- user32.dll

- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC
- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3
- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C
- j\tY3
- j\th0
- us9]
- SVW3

- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- QVW3
- hku8uj
- <+uE<-

- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(Ilt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_
- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8
- D$4P
- D$8P
- u\t8E
- |SVW3

- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- CQ=&
- f|\\r$
- /(/p
- SklH
- X(1tm^
- $\tfK
-]J:.
- hy_w-W
- K}ugc_^Y
- q)"w
- J%x\\
- !^;@
- -#K,pM:
- \\K[T
- #v`L
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- %-!g
- JTA%k$]
- Y,.fF
- ss<%
- slYg

- |Zmh+
- SQ[f
- Z\tNq
- qX!VW9
- Ps*b
- &Nxg;
- YWc$[*
- n,Nv
- X/-N
- : BF
- J(Fm
- _Nh3m^
- JSgj$
- Dn!v
- K S)
- ' Vk,Kp
- ?> |
- ~pW{
- tK,r
- BH,.
- ;T+S
- ?)<|
- XW?W
- fmkq/
- {'V;
- r;yB
- s7(#PZ+
- G"&gdr8;
- :zJ*
- !@_]h.
- :S>t
- Z%Kk}
- y,/M
- {nDR
- tLLX
- pV_r:3
- ?@G=
- n$H/
- BywQ
- bqVj
- &qd;!
- ?}Kf
- L{S"
- b0k,.~
- vdL|
- ;h`*
- fFgkB
- ,'\tX
- {h{
- 9Br}kJ
- +KdXy
- F`|sK^>u
- $B*B
- "2=?=z
- rcf{
- X&@?P
- y%rq

- |ck%
- vSm=
- ?d=:
- ~NK"{S
- x&.N
- ^\\<r
- !QFYF
- !V]R
- (L@D
- Xv\t)X.
- <>=rQ
- Yxt
- Gbyd
- r%q<
- vnz>,
- ?\\K
-)PSN
- TwZr
- %p&w;
- +-hL
- zHgMM]p
-]-$ORT
- m@X\\
- +A/hQZG
- $@[os>[r
- JdJ!
- rMC
- "Q.p
- Nfb*
- y%;n
- q_#<
- ( ]g
- '~NP
- \\BD$"
- ref"C{
- k/!,7G
- {<=R\\
- SDqD?"
- %H/{X
- RKN"}
- mwN)M
- PQj{
- -nt@
- <#@E)<{
- }l`
- y%3\\=bP`.
- (vcY
- 'aP&sq;
- `/<P
- |_%J
- nF~F
- G?gZ!
- } W.
- L*h[
- 5B!%?f
- [K%Y
- r>Jq]h

- Y@xK
- @)L/M
- &o-p;\\Dz
- =~eShY
- 7CG|K{
- 4!m"|^(
- CzjJ
- \\Qd`
- }N+f
- vj%eR`
- /VX&
- m,n\\
- jfp,J
- lYhz
- R:!%^
- Sx $
- Qd/S
- S%?G#H
- n{YGk6
- ?nz:
- p&Cg;
- Z f8"\\P
- GS[`
-]\twJ
- ;UGcF>
- k+4~bc
- v#!|
- Bp?Z
- jD#Y
- gRcs"HuW
- <>g
- bR?z
- Y(~dM
- Mm*)t
- CQm|s
- R[sN
- &/-)
- \\SXC
- #N@;
- [P$s
- `Ypm
- +nJY
- #]r\\
-)HqL
- qx@f#'}n
- rZdwc
- v:y@
- {:GH
- $c!
- xF}#
- /=![
- V?Ls
- =jzy
- My[%)
- ?o^K\\Y
- /\\r9KW
- l<&W;[

- $nLL
- v;S:
- ~Ty&
- <Y\tC
- +`>&
- y:Bk
- m$)j
- _!_t
- kgdM
- p:|~6d
- eGrc@X[
- S@#T
- FHR[
- {MXQ`
- c<'[
- T'X>.Ul
- ,LK<
- F@M\\
- `DTZ{
- t*3jY&"%
- d-]
- >q[n
- G$<j
- =]SD
- hN.M{
- 9zrK+}
-]pV#
- uQFf.D
- W~WW
- r}@T
- +DzN
- ;2GDR\\t@cwb
- XZ%+
- d!*hm
- J\\e?}n{
- b'~[
- >Y:Z
- L]W]
- rq,X
- #J@X
- j_^sdeWB>
- \\Dwg
- SkrC
- q"z]{
- C4tv?~
- |Pv<cN
- %|nT#w
-)Q*sv
-)J,l
-)bsZ
- MwG(
- =~{r
- ``w-
- {~&%2!
- C[WX
- nW"m\\
- jY,m

- rl@c
- vBQD
- '!sM
- }L\tp
- #<kQ
- {~^!
- ; ~"@]
- s^|br
- |vzg
- iQN}.}
- v&l;)>
- p\\?p
- r?L}
- |QCq
- "{*>"
- v/F>
- ~~xW
- x}w\td
- $d>{
- |rzM
- [,`@
- uT?^~Q
- P>}k
- $l(V.
- gyM
- 3\tk&*/
- 0S{twx
- FY~/
- {z~*
- }lmf
- X~Fk
- yC!
- Lwfh~
- WPF{
- X%NPPT$
- /;)b
- 3>#(d_
- ,^B`
- yk4[Z$
- _f[H
- X.,JF#
- spQ?pv
- ?b%Rs
- d\t |
- Z>$_
- wcmZ,
- Z~|N
- mYTJ
- J7\\<K.
- q&RN;
- W}x)
- G"NK
- Vr"
- GZ%X
- C<M!
- #G#F/$6
- bqKznF

- |t}K
- p\t{<
- R+};g
- =v"T/
- <y[?
- ca&;=*
- xsXnk
- BtTm$=!
- <\tlvz
- VjpP
- .gqw
- vRvM
- M<}GL
- @\t(p
- {"[:
- "<~Nc5
- %}qhW)
- t\\p>
- 3:x"^}
- K]sf
- x/S~
- X*}T
- @}Pt
- ~p%K
- l<l9JfS
- :cPPwY
- pcY`
- V;[Fz
- fSCF
- s/-\\qA
- T_/V
- :XQY
- Bs#{+
- ?Z/:
- _NwwQ)ho
- t`@Lw
- GGQ|
- M$c@,Gx
- @+qM}
- -'{k
- {rL
- h;@
- ^nqL
- Lz;J
- !hxHj
- gFbR
- @NCh
- DpyxW
- /R=qWK
- \\NCNC5{
- <S<N
- L[S[
- n\\p=l
- LrPZ
- ry-;
- l,L{<
- "\\Mb

- jDo){?,
-)X{K
- F]\\5v=
- jb%x
- ,St
- h;.
- (RdQ
- ` T,
- |,nP
- -G/S$
- wRNV
- (;Gxq
- R!Ld-
- y$_=
- UB,$}{
- qFP@
- !K"<n
- m":!
- US\t~&Ky;
- g&GF;?
- $n]/
- ~,q%
- ?x&+K
- $.*|X-
-]SPyH
- {G|$
- =SlM
- =z=D
- y=\tMTW
-]J{H
- =Zgl
- }=(1-'Z
- llKr
- Z4Jw~`
- !Qdk
- VS.)z
- sqkk
- $B-P
- nvGc
- !p'+
- ^,Qd
- /tG$
- >Ffh
- &XZR;
- nxg^
- vq@_
- t>c)
- Cdt
- ?SEpw<
- V`s#<n=/*
- m.+W
- cBRw
- Pn<h
- j:'m
- Z\\gx
- JS=D
- +V\t\\

- =Tih+k
- qL$<
- @CG[
-)<"z
- QxS?
- w#J
- |swbP
- 3Wgc=}
- x]dw
- PFP>
- h]MM
- GW"rp
- HE;P+y
- zF#mH1G
- RJzV
- _jGJ[
- \\._,:
- 1B>Cj[P
- V}D_`]
- .+\|V'
- ',`}
- C{MK
- {<&C;
- #XW|{N
- @r>^
- MNb$F
- .Hzhz
- pQhgl
- lkBd
- QNW<
-)?<S
- XY^G
- (y<m
- H<B^
- K%')
- tN* Q
- q!.\\
- K!B#
- CD{VK
- B`[b
- pnzb*
- vLu-c{q
- ZL[p
- swVP
- $,[@
- Q@`,
- =QZ;
- K-$6%}
- ~5+>d~[
- Hm$<
- [&$c
- l|R!-
- v[qVb
- =$!W
- bmSM
- /(.n
- %q-R

- VTHF
- |_Fp
- MKg\\Kz
- *(~[
- -}R|
- \\jsD
- nS>\\
- HxZmQ
- r?$M
- yksH
- y:J,
- @vQ|
- b2]3 /|Js+sY
- gH..
- Z>?/p
- #GCr$
- XYhM
- wMLN$
- |v(V
- /TL#
- K,bJ
- =!F(
- nD<w!
-]/N@+a
- "jK$^
- \\vxP:g%3
- BP[~)
- ;SqM)-
- ?Ryt~
- c/ZV
- KT[*=
- &)~W
- ?}P h
- \\^rR
- 3Nj#+P
- /G~,p
- cdrvb
- lb)y
- >)x
- @1Zpy?
- kN#=[X
- KB(x
- !]yH
- ?FMK
- Nr_P
- "vp)
- LtD@
- jksg
- vd
- NyV?
- qgBpot
- nPC>
- `,=<
- I|\\X
- ?n{,
- Kcn"
- 'P#'

- K}x#
- Fcf<
- *`"SH/
- Gw-cfTJu
- }YZ*
- JD.;J
- Q>FWx
- b]*B
- bC!:
- 5YyBR^@
- =@K/
- nJ#.
-]rc%
- qGvW
- p;)]
- ';:x
- J&R;(
- }jq}
- ;=P"s
- -aBYq<
- 7T?j*G
- C;PC
- +Bk}
- TM<dX
- WfWrl
- }>@Wnov
- h/K*_
- QkJ{J
- clGYAgvl3b'
- lxYsV
- n-L
- <1Xb/mC,
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll
- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN
- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh

- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh
- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh
- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#

- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS

- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV
- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty
- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP

- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/