Analysis report for sample: 1f2a383a0f14a4fcfb616b898c14a2a1

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 5279 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 1f2a383a0f14a4fcfb616b898c14a2a1

AV detections

- Microsoft: Ransom:Win32/Tescrypt!rfn
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec: Ransom.TeslaCrypt
- Malwarebytes: Ransom.FileLocker

Original source url

-

Virustotal url

- https://virustotal.com/es/file/aeda4f5eabf36fb50dd3eb6cd6828862dbe186fdfc58e78595509b32f0331b09/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- VC8_Microsoft_Corporation ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasRichSignature (Rich Signature Check)
- DebuggerException__SetConsoleCtrl ()
- Check_OutputDebugStringA_iat ()
- anti_dbg (Checks if being debugged)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_files_operation (Affect private profile)
- win_hook (Affect hook table)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- HasOverlay (Overlay Check)
- network_http (Communications over HTTP)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- win_registry (Affect system registries)
- win_token (Affect system token)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- Big_Numbers0 (Looks for big numbers 20:sized)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- BASE64_table (Look for Base64 table)

Snapshot


C:\Windows\s...
Computer
Recycle Bin
Start
7:21 AM
Friday
6/16/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name spbhg Alias P1
- Name cmd.exe Alias P2
- Name bcdedit.exe Alias P3
- Name vssadmin.exe Alias P4
- Name bcdedit.exe Alias P5
- Name bcdedit.exe Alias P6
- Name bcdedit.exe Alias P7

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe

- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name VSSVC.exe
- Name svchost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name bcdedit.exe
- Name conhost.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P3, Command line: bcdedit.exe /set {current} bootems off)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P5, Command line: bcdedit.exe /set {current} advancedoptions off)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P6, Command line: bcdedit.exe /set {current} optionsedit off)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P7, Command line: bcdedit.exe /set {current} bootstatuspolicy IgnoreAllFailures)
- Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P4, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /Quiet)
- Process Create (C:\\Users\\javi\\AppData\\Roaming\\spbhg-bc.exe PID: P1, Command line: C:\\Users\\javi\\AppData\\Roaming\\spbhg-bc.exe)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe" /c DEL C:\\Users\\javi\\DOWNLO~1\\cebo.exe)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Acronis Type: REG_SZ, Length: 86, Data: C:\\Users\\javi\\AppData\\Roaming\\spbhg-bc.exe)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\Software\\zsys\\ Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\zsys\\ID Type: REG_BINARY, Length: 8, Data: 2F 38 73 3E 61 D8 8B CF)
- RegCreateKey (HKCU\\Software\\2F38733E61D88BCF Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\2F38733E61D88BCF\\data Type: REG_BINARY, Length: <pid>, Data: 31 48 46 51 55 6B 41 79 6B 72 7A 54 59 4E 62 58)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System\\EnableLinkedConnections Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000020 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000020\\Element Type: REG_BINARY, Length: 1, Data: 00)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000040 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000040\\Element Type: REG_BINARY, Length: 1, Data: 00)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000041 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000041\\Element Type: REG_BINARY, Length: 1, Data: 00)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- suspicious event or string: bcdedit.exe /set {current} recoveryenabled off
- suspicious event or string: bcdedit.exe /set {current} bootstatuspolicy IgnoreAllFailures
- suspicious event or string: bcdedit.exe /set {current} optionsedit off
- suspicious event or string: bcdedit.exe /set {current} advancedoptions off
- suspicious event or string: bcdedit.exe /set {current} bootems off
- url | http tag | valid domain | tlds | wellknown extension:
 <a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
- url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->2.<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
- url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->1.<a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
- url | http tag | valid domain | tlds: http://myexternalip.com/raw
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> https://vr6g2curb2kcidou.onion.to/%S</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> <a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --><a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>
- url | http tag | valid domain | tlds: <a href="http://www.torproject.org/projects/torbrowser.html.en" target="_blank">http://www.torproject.org/projects/torbrowser.html.en</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->4.<a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">https://vr6g2curb2kcidou.onion.to/%S</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->3.<a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>
- url | http tag | valid domain | tlds:
 More information about the <!------===2134123421=34234123421342134213=====2134=123=2314 -->encryption RSA-2048 can be<!------===2134123421=34234123421342134213=====2134=123=2314 --> found here: <a href="http://en.wikipedia.org/wiki/RSA_(cryptosystem)" target="_blank">http://en.wikipedia.org/wiki/RSA_(cryptosystem)</a>
</font>
- url | http tag | valid domain | tlds: <font class="ttl"> NOT YOUR LANGUAGE? USE <a href="https://translate.google.com" target="_blank">Google Translate</a>
- url | http tag | valid domain | tlds: https://vr6g2curb2kcidou.onion.to/%S
- url | http tag | valid domain | tlds: http://psbc532jm8c.hsh73cu37n1.net/%S
- url | http tag | valid domain | tlds: http://tsbfdsv.extr6mchf.com/%S
- url | http tag | valid domain | tlds: http://alcov44uvcwkrend.softpay4562.com/%S
- url | http tag | valid domain | tlds: 1. Download and install tor-browser: http://www.torproject.org/projects/torbrowser.html.en
- url | http tag | valid domain | tlds: 4. https://vr6g2curb2kcidou.onion.to/%S
- url | http tag | valid domain | tlds: 3. http://psbc532jm8c.hsh73cu37n1.net/%S
- url | http tag | valid domain | tlds: 2. http://tsbfdsv.extr6mchf.com/%S
- url | http tag | valid domain | tlds: 1. http://alcov44uvcwkrend.softpay4562.com/%S
- url | http tag | valid domain | tlds: More information about the encryption keys using RSA-2048 can be found here: http://en.wikipedia.org/wiki/RSA_(cryptosystem)
- url | http tag | valid domain | tlds: NOT YOUR LANGUAGE? USE https://translate.google.com
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Microsoft\\Windows\\Burn\\Burn
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- path | path unit | wellknown extension: C:\\Users\\javi\\Documents\\recover_file_sahetpnre.txt
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe:Zone.Identifier
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: InternetCloseHandle

- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: WriteFile
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: Thread32First
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- path | path unit: C:\\ProgramData
- path | path unit: C:\\Program Files
- path | path unit: C:\\Windows
- path | path unit: C:\\Users\\Public\\Desktop
- path | path unit: C:\\Users\\javi\\Desktop
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System
- api | wininet: InternetOpenA
- api | wininet: HttpSendRequestA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetOpenUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | ntdll: _alldiv
- api | ntdll: _allshl
- api | ntdll: _aullshr
- api | kernel32: SetEndOfFile
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: WriteConsoleW
- api | kernel32: HeapSize
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: RaiseException
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LCMapStringW
- api | kernel32: GetCurrentThreadId

- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: GetCPInfo
- api | kernel32: GetStdHandle
- api | kernel32: HeapCreate
- api | kernel32: EncodePointer
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineW
- api | kernel32: HeapReAlloc
- api | kernel32: DecodePointer
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: RtlUnwind
- api | advapi32: CheckTokenMembership
- api | advapi32: FreeSid
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthority
- api | kernel32: RegSetValueExW
- api | kernel32: RegFlushKey
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | kernel32: RegCreateKeyExW
- api | user32: DrawTextA
- api | user32: ReleaseDC
- api | user32: LoadStringW
- api | kernel32: LocalFree
- api | kernel32: GetShortPathNameW
- api | kernel32: LocalAlloc
- api | kernel32: SetLastError
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: CopyFileW
- api | kernel32: GetModuleHandleW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetVersionExW
- api | kernel32: LoadLibraryW
- api | kernel32: FreeLibrary
- api | kernel32: GlobalMemoryStatus
- api | kernel32: GetVolumeInformationW
- api | kernel32: SetFileAttributesW

- api | kernel32: DeleteFileW
- api | kernel32: CloseHandle
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: GlobalFree
- api | kernel32: GetLastError
- api | kernel32: FlushFileBuffers
- api | kernel32: CreateFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalAlloc
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: MoveFileExW
- api | kernel32: HeapAlloc
- api | kernel32: GetDriveTypeW
- api | kernel32: SetFilePointer
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileSize
- api | kernel32: ReadFile
- api | ntdll: _vsnwprintf
- api | ntdll: _snwprintf
- api | ntdll: strstr
- api | ntdll: wcsncmp
- api | ntdll: wcsstr
- api | psapi: GetProcessImageFileNameW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: Heap32ListNext
- api | kernel32: Heap32ListFirst
- api | kernel32: Heap32Next
- api | kernel32: Heap32First
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptGenRandom
- api | advapi32: CryptAcquireContextW
- api | netapi: NetApiBufferFree
- api | netapi: NetStatisticsGet
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

Involved hosts

- 192.168.133.1:5355
- 192.168.133.246:56889
- 192.168.133.246:57724

Dns queries

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.246:56889**

  arpa

- **udp 192.168.133.1:5355 ---> 192.168.133.246:57724**

  in-addr[...]arpa[...]in-addr

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P1, spbhg-bc.exe)
• Thread T4 (in process P0, cebo.exe)
• Thread T5 (in process P2, cmd.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Process Create (C:\\Users\\javi\\AppData\\Roaming\\spbhg-bc.exe PID: P1, Command line: C:\\Users\\javi\\AppData\\Roaming\\spbhg-bc.exe)
• Thread Create (Thread ID: T4)
• Thread Create (Thread ID: TUNKALIAS)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• Thread Create (Thread ID: TUNKALIAS)
• Process Create (C:\\Windows\\system32\\cmd.exe PID: P2, Command line: "C:\\Windows\\system32\\cmd.exe" /c DEL C:\\Users\\javi\\DOWNLO~1\\cebo.exe)

• Thread T2 (in process P1, spbhg-bc.exe) description

• Thread's childs

• Thread T3 (in process P1, spbhg-bc.exe)

• Thread' events

- Thread Create (Thread ID: T3)

• Thread T3 (in process P1, spbhg-bc.exe) description

• Thread's childs

- Thread T6 (in process P1, spbhg-bc.exe)
- Thread T7 (in process P1, spbhg-bc.exe)
- Thread T9 (in process P3, bcdedit.exe)
- Thread T15 (in process P5, bcdedit.exe)
- Thread T17 (in process P6, bcdedit.exe)
- Thread T19 (in process P7, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\zsys\\ Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- Thread Create (Thread ID: T6)
- RegSetValue (HKCU\\Software\\zsys\\ID Type: REG_BINARY, Length: 8, Data: 2F 38 73 3E 61 D8 8B CF)
- RegCreateKey (HKCU\\Software\\2F38733E61D88BCF Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\2F38733E61D88BCF\\data Type: REG_BINARY, Length: <pid>, Data: 31 48 46 51 55 6B 41 79 6B 72 7A 54 59 4E 62 58)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System\\EnableLinkedConnections Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Acronis Type: REG_SZ, Length: 86, Data: C:\\Users\\javi\\AppData\\Roaming\\spbhg-bc.exe)
- Thread Create (Thread ID: T7)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P3, Command line: bcdedit.exe /set {current} bootems off)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P5, Command line: bcdedit.exe /set {current} advancedoptions off)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P6, Command line: bcdedit.exe /set {current} optionsedit off)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P7, Command line: bcdedit.exe /set {current} bootstatuspolicy IgnoreAllFailures)

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P2, cmd.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

- **Thread T6 (in process P1, spbhg-bc.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T7 (in process P1, spbhg-bc.exe) description**
  - **Thread's childs**
    - Thread T8 (in process P1, spbhg-bc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T8)
- **Thread T8 (in process P1, spbhg-bc.exe) description**
  - **Thread's childs**
    - Thread T11 (in process P1, spbhg-bc.exe)
    - Thread T12 (in process P4, vssadmin.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T11)
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
    - Process Create (C:\\Windows\\System32\\vssadmin.exe PID: P4, Command line: "C:\\Windows\\System32\\vssadmin.exe" delete shadows /all /Quiet)
- **Thread T9 (in process P3, bcdedit.exe) description**
  - **Thread's childs**
    - Thread T10 (in process P3, bcdedit.exe)
  - **Thread' events**

- Thread Create (Thread ID: T10)

• Thread T10 (in process P3, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000020 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000020\\Element Type: REG_BINARY, Length: 1, Data: 00)

• Thread T11 (in process P1, spbhg-bc.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T12 (in process P4, vssadmin.exe) description

• Thread's childs

- Thread T13 (in process P4, vssadmin.exe)

• Thread' events

- Thread Create (Thread ID: T13)

• Thread T13 (in process P4, vssadmin.exe) description

• Thread's childs

- Thread T14 (in process P4, vssadmin.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T14)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T14 (in process P4, vssadmin.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T15 (in process P5, bcdedit.exe) description

• Thread's childs

- Thread T16 (in process P5, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: T16)

• Thread T16 (in process P5, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000040 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000040\\Element Type: REG_BINARY, Length: 1, Data: 00)

• Thread T17 (in process P6, bcdedit.exe) description

• Thread's childs

- Thread T18 (in process P6, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: T18)

• Thread T18 (in process P6, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000041 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000041\\Element Type: REG_BINARY, Length: 1, Data: 00)

• Thread T19 (in process P7, bcdedit.exe) description

• Thread's childs

- Thread T20 (in process P7, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: T20)

• Thread T20 (in process P7, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000006f769e00110000006f76aa006d0000006f76ab002a000000c30f5d0002000000c30f5f000100000027c66d00010000
00097893001500000000000100a8000000000000000010000006f76af003d00000009c8db00010000006f769d00

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• suspicious event or string: bcdedit.exe /set {current} recoveryenabled off
• suspicious event or string: bcdedit.exe /set {current} bootstatuspolicy IgnoreAllFailures
• suspicious event or string: bcdedit.exe /set {current} optionsedit off
• suspicious event or string: bcdedit.exe /set {current} advancedoptions off
• suspicious event or string: bcdedit.exe /set {current} bootems off
• url | http tag | valid domain | tlds | wellknown extension:
 <a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
• url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->2.<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
• url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->1.<a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
• url | http tag | valid domain | tlds: http://myexternalip.com/raw
• url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> https://vr6g2curb2kcidou.onion.to/%S</a>
• url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> <a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">
• url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --><a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>
• url | http tag | valid domain | tlds: <a href="http://www.torproject.org/projects/torbrowser.html.en" target="_blank">http://www.torproject.org/projects/torbrowser.html.en</a>
• url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->4.<a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">https://vr6g2curb2kcidou.onion.to/%S</a>
• url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->3.<a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>
• url | http tag | valid domain | tlds:
 More information about the <!------===2134123421=34234123421342134213=====2134=123=2314 -->encryption RSA-2048 can be<!------===2134123421=34234123421342134213=====2134=123=2314 --> found here: <a href="http://en.wikipedia.org/wiki/RSA_(cryptosystem)" target="_blank">http://en.wikipedia.org/wiki/RSA_(cryptosystem)</a>
</font>
• url | http tag | valid domain | tlds: <font class="ttl"> NOT YOUR LANGUAGE? USE <a href="https://translate.google.com" target="_blank">Google Translate</a>
• url | http tag | valid domain | tlds: https://vr6g2curb2kcidou.onion.to/%S
• url | http tag | valid domain | tlds: http://psbc532jm8c.hsh73cu37n1.net/%S
• url | http tag | valid domain | tlds: http://tsbfdsv.extr6mchf.com/%S
• url | http tag | valid domain | tlds: http://alcov44uvcwkrend.softpay4562.com/%S
• url | http tag | valid domain | tlds: 1. Download and install tor-browser: http://www.torproject.org/projects/torbrowser.html.en

• url | http tag | valid domain | tlds: 4. https://vr6g2curb2kcidou.onion.to/%S
• url | http tag | valid domain | tlds: 3. http://psbc532jm8c.hsh73cu37n1.net/%S
• url | http tag | valid domain | tlds: 2. http://tsbfdsv.extr6mchf.com/%S
• url | http tag | valid domain | tlds: 1. http://alcov44uvcwkrend.softpay4562.com/%S
• url | http tag | valid domain | tlds: More information about the encryption keys using RSA-2048 can be found here: http://en.wikipedia.org/wiki/RSA_(cryptosystem)
• url | http tag | valid domain | tlds: NOT YOUR LANGUAGE? USE https://translate.google.com
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Microsoft\\Windows\\Burn\\Burn
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
• path | path unit | wellknown extension: C:\\Users\\javi\\Documents\\recover_file_sahetpnre.txt
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe:Zone.Identifier
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: IsDebuggerPresent
• api | frequently used by malware: InternetCloseHandle
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: GetDC
• api | frequently used by malware: CreateThread
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: ExitThread
• api | frequently used by malware: Sleep
• api | frequently used by malware: WriteFile
• api | frequently used by malware: EnumProcesses
• api | frequently used by malware: Wow64DisableWow64FsRedirection
• api | frequently used by malware: Module32Next
• api | frequently used by malware: Module32First
• api | frequently used by malware: Thread32Next
• api | frequently used by malware: Thread32First
• api | frequently used by malware: Process32Next
• api | frequently used by malware: Process32First
• api | frequently used by malware: CreateToolhelp32Snapshot
• path | path unit: C:\\ProgramData
• path | path unit: C:\\Program Files
• path | path unit: C:\\Windows
• path | path unit: C:\\Users\\Public\\Desktop
• path | path unit: C:\\Users\\javi\\Desktop
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System
• api | wininet: InternetOpenA
• api | wininet: HttpSendRequestA
• api | wininet: HttpOpenRequestA
• api | wininet: InternetOpenUrlW
• api | wininet: InternetCrackUrlA
• api | wininet: InternetConnectA
• api | ntdll: _alldiv
• api | ntdll: _allshl
• api | ntdll: _aullshr
• api | kernel32: SetEndOfFile
• api | kernel32: IsProcessorFeaturePresent
• api | kernel32: WriteConsoleW

- api | kernel32: HeapSize
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: RaiseException
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LCMapStringW
- api | kernel32: GetCurrentThreadId
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: GetCPInfo
- api | kernel32: GetStdHandle
- api | kernel32: HeapCreate
- api | kernel32: EncodePointer
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineW
- api | kernel32: HeapReAlloc
- api | kernel32: DecodePointer
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: RtlUnwind
- api | advapi32: CheckTokenMembership
- api | advapi32: FreeSid
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthority
- api | kernel32: RegSetValueExW
- api | kernel32: RegFlushKey
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | kernel32: RegCreateKeyExW
- api | user32: DrawTextA
- api | user32: ReleaseDC
- api | user32: LoadStringW
- api | kernel32: LocalFree
- api | kernel32: GetShortPathNameW

- api | kernel32: LocalAlloc
- api | kernel32: SetLastError
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: CopyFileW
- api | kernel32: GetModuleHandleW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetVersionExW
- api | kernel32: LoadLibraryW
- api | kernel32: FreeLibrary
- api | kernel32: GlobalMemoryStatus
- api | kernel32: GetVolumeInformationW
- api | kernel32: SetFileAttributesW
- api | kernel32: DeleteFileW
- api | kernel32: CloseHandle
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: GlobalFree
- api | kernel32: GetLastError
- api | kernel32: FlushFileBuffers
- api | kernel32: CreateFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalAlloc
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: MoveFileExW
- api | kernel32: HeapAlloc
- api | kernel32: GetDriveTypeW
- api | kernel32: SetFilePointer
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileSize
- api | kernel32: ReadFile
- api | ntdll: _vsnwprintf
- api | ntdll: _snwprintf
- api | ntdll: strstr
- api | ntdll: wcsncmp
- api | ntdll: wcsstr
- api | psapi: GetProcessImageFileNameW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: Heap32ListNext
- api | kernel32: Heap32ListFirst
- api | kernel32: Heap32Next
- api | kernel32: Heap32First
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptGenRandom
- api | advapi32: CryptAcquireContextW
- api | netapi: NetApiBufferFree
- api | netapi: NetStatisticsGet
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW

- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

• Module 1 other strings

- Translation
- VarFileInfo
- 1.0.0.1
- ProductVersion
- TODO: <Product name>
- ProductName
- TODO: <Original filename>
- OriginalFilename
- Copyright (C) 2015
- LegalCopyright
- TODO: <Internal name>
- InternalName
- 1.0.0.1
- FileVersion
- TODO: <File description>
- FileDescription
- TODO: <Company name>
- CompanyName
- 001f04b0
- StringFileInfo
- VS_VERSION_INFO
- 213421342134
- Public Desktop
- Desktop
- sconfi
- egedi
- rocex
- askmg
- Tahoma
- Acronis
- EnableLinkedConnections
- ComSpec
- %s\\Howto_RESTORE_FILES.bmp
- %s\\Howto_RESTORE_FILES.html
- open
- %s\\Howto_RESTORE_FILES.txt
- 2134-1234-1324-2134-1324-2134
- :Zone.Identifier
- \\recover_file_
- KERNEL32
- sShell32.dll
- runas
- %s\\system32\\cmd.exe
- windir
- tIntel Hardware Cryptographic Service Provider
- LanmanServer
- LanmanWorkstation
- NETAPI32.DLL

- KERNEL32.DLL
- ADVAPI32.DLL
- recove
- how_recover
- Software\\zsys\\
- \\S-1-5-18\\Software\\zsys\\
- data
- Software\\%s
- CONOUT$
- WUSER32.DLL
- UNICODE
- UTF-16LE
- UTF-8
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- Program:
- Runtime Error!
- <program name unknown>
- CMicrosoft Visual C++ Runtime Library
- - floating point support not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- - abort() has been called
- R6010
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026

- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- - CRT not initialized
- R6030
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - not enough space for locale information
- R6032
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9,989<9@9D9H9`9h9p9P=T=X=\\=`=d=h=l=p=t=
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 909L9P9p9
- 888X8x8
- 7(7H7h7
- 646D6H6X6\\6`6h6
- 7 7074787<7@7D7H7L7\\7`7
- 5 5,646@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 2(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 3$3(3
- 3f3l3p3t3x3
- 1B2M2h2o2t2x2|2
- 1?1]1d1h1l1p1t1x1|1
- 9f:u:
- 6<7m7
- 546;6
- 1n2s2
- 1Y1_1v1
-)0S0s0
- 8-8M8W8n8
- 4 4?4Q4d4v4
- 161C1H1V1"3
- =$=+=3=8=<=@=i=
- ;A;S;e;w;
- 5,6O6
- 1%1I1j1
- 0 0&00090D0I0R0\\0g0
- <E>c>
- 1G1Q1
- 8%8y8~8
- 6&757E7L7T7
- 6 6.6
- 5!5&5+505@5o5u5}5
- 2(3/393K3b3p3v3

- 0A2d2o2
- 0Q0[0s0
- 9,919
- 7%8H8j8u8
- 5*535W5
- 4 40474F4R4_4
- 2!2&252K2Q2Y2^2f2k2s2x2
- 01191
- 0,0R0
- <O={=
- ;0;A;U;
- 8\t9x9
- 7 838
- 7E7P7Z7s7}7
- 6B6i6v6|6K7-8A8e8q;
- 5$5X5e5z5
- 4 4$4(4,404?4K4_4r4
- 9?=0>w?
- 9&9L9
- 3O3{3
- 8(838?8D8T8Y8_8e8{8
- 6*70757=7M7W7]7q7
- 5?5N5V5c5o5{5
- 3n4t4
- 3%3K3R3l3s3
- 2!2&282B2G2c2m2
- 0N1T1]1d1
- 4K7t7]8
- 3U4[4m4
- 1D2`2
- 1#1*1:1A1O1V1a1h1s1z1
- 0%00070H0O0]0d0o0v0
- <o=v=
- ;9;C;M;W;a;k;u;
- 9#9-979A9K9[9e9o9y9
- 8)838=8U8_8i8s8}8
- 737=7G7Q7[7e7o7
- 6#6-676A6e6o6y6
- 5'515;5E5U5_5i5s5
- 4#4-474O4Y4c4m4w4
- 2\t3-373A3K3U3_3i3
- 2'212;2_2i2s2}2
- 0I0V0i0y0
- ;";5;E;U;e;
- 9*949>9H9R9b9l9v9
- 8(828<8F8]8g8q8{8
- 7=7G7Q7[7e7o7y7
- 6.686B6L6p6z6
- 5)535=5G5Q5a5k5u5
- 4'414;4E4\\4f4p4z4
- 3<3F3P3Z3d3n3x3
- 2-272A2K2o2y2
- 1(121<1F1P1`1j1t1~1
- 0&000:0D0[0e0o0y0
- ?\t?3?i?
- 1L1Z1w1
- A0r0{0

- : :I:U:
- 9!9l9
- 707e7k7q7|7
- 616E6L6V6d6v6
- 394E4t4
- 2&3:3C3S3Z3f3y3
- 2&2+20252:2?2D2I2N2S2X2]2b2g2l2~2
- 0\\1h1
- 0)080L0T0Y0c0p0z0
- 9A9H9w9|9
- 848J8r8
- 7*7T7
- 5N6T6y6
- =!=)=2=7=
- 92:x:
- 9!9-999E9Q9]9i9
- 6)767?7D7S7
- 6$616=6Q6Z6_6
- 5I5w5
- 3$3*323<3J3X3k3x3~3
- 2c2}2
- 1#1(1W1g1m1}1
- 8,9R9u9o:
- 8M8S8e8l8y8
- 757<7j7p7
- 393r3x3}3\t4q4x4
- S2a2g2m2s2x2~2
- =0>V>\\>o>
- 1!1G2`2e2
- 60L0R0i0
- 5A6F6
- 4\\5q5v5
- 4Q4[4e4j4s4}4
- >3Q3V3
- ;4<;<
- 5 5N5S5
- 31474F4K4U4d4i4q4x4
- 3-333:3w3|3
- 2-2>2I2a2
- 1&1^1n1v1~1
- 040J0]0
- <9<b<
- 9?9R9\\9}9
- 8V8o8
- 7'7;7@7L7i7x7
- 666t6
- 0+1:1D1N1U1\\1c1j1q1x1
- 6>6T6v8
- =9>\\>
- 8T8j8T=c=
- 7#7(7;7
- 4N4d4
- 1#3>3
- L1~1
- 4 4b5i5
- :6:d:i:
- 9G9[9{9

- 4#42474D4S4X4c4j4x4}4
- 1I3^3c3
- 1#1-121:1A1O1T1
- 0K1S1Y1
- <4<g<
- 8G:|:
- 8<8q8
- 6>7y7
- 5 676D6M6S6h6}6
- 5B5u5
- 4!4)444J4\\4
- 3*3<3i3|3
- 192f2
- 1 1C1
- 010<0r0
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"></requestedExecutionLevel>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- \\\tvu
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- .?AVtype_info@@
- %w(<I
- +8$4,8$4
- JFeQ
- f1tN
- ?uV},
- &O;\\r
- [TE$6.:$6.
- X6-9'6-9
- R~AeS~Ae
- 55_j55_
- %%oJ%%o
- 77Yn77Y
- 22Vd22V
- 88Hp88H
- 33Uf33U
- 99Kr99K
- "iN"i
- ##eF##e
- 11Sb11S
- 44\\h44\\
- ??A~??A
- 66Zl66Z
- 00P`00P
- WININET.dll
- WNetEnumResourceW
- WNetOpenEnumW
- WNetCloseEnum
- ole32.dll
- SHELL32.dll
- SHGetSpecialFolderPathW

• ShellExecuteExA
• SHGetFolderPathW
• ShellExecuteExW
• ADVAPI32.dll
• GDI32.dll
• SetTextColor
• GetDIBits
• SetBkMode
• CreateFontW
• GetStockObject
• DeleteDC
• DeleteObject
• SelectObject
• CreateCompatibleDC
• CreateCompatibleBitmap
• USER32.dll
• KERNEL32.dll
• PSAPI.DLL
• PathFindFileNameW
• PathFindExtensionW
• SeDebugPrivilege
• runas
• open
• /Quiet
• /all
• shadows
• delete
• .exe
• dmin
• vssa
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> <font style="font-weight:bold; color:#770000;">%S</font>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> (if you open the
<!------===2134123421=34234123421342134213=====2134=123=2314 --> site (or TOR-Browser's) directly):
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your personal
<!------===2134123421=34234123421342134213=====2134=123=2314 --> code
• <!------===2134123421=34234123421342134213=====2134=123=2314 --><font style="font-weight:bold; color:#009977;"><!--
===2134123421=34234123421342134213=====2134=123=2314 -->vr6g2curb2kcidou.onion/%S<!--
===2134123421=34234123421342134213=====2134=123=2314 --></font>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> (using TOR-Browser):
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your <!------===2134123421=34234123421342134213=====2134=123=2314
--> Personal PAGES
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your Personal PAGES:
• 4. <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> Follow the instructions <!--
===2134123421=34234123421342134213=====2134=123=2314 --> on the site.

IMPORTANT INFORMATION:
• 3. <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> Type<!-- ===2134123421=34234123421342134213=====2134=123=2314
--> in<!-- ===2134123421=34234123421342134213=====2134=123=2314 --> the tor-browser<!--
===2134123421=34234123421342134213=====2134=123=2314 --> address<!-- ===2134123421=34234123421342134213=====2134=123=2314 --> bar:
<font style="font-weight:bold; color:#009977;"><!-- ===2134123421=34234123421342134213=====2134=123=2314 -->vr6g2curb2kcidou.onion/%S<!--
===2134123421=34234123421342134213=====2134=123=2314 --></font><!-- ===2134123421=34234123421342134213=====2134=123=2314 -->
• 2. <!--===2134123421=34234123421342134213=====2134=123=2314 --> After a
successful<!------===2134123421=34234123421342134213=====2134=123=2314 --> installation, run the browser and wait for initialization.
• 1. <!------===2134123421=34234123421342134213=====2134=123=2314 --> Download and
<!------===2134123421=34234123421342134213=====2134=123=2314 --> install tor-browser:
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> addresses are not available,
<!------===2134123421=34234123421342134213=====2134=123=2314 --> follow these steps: <hr>
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->
 If for
some reasons the

• please visit your <!------===2134123421=34234123421342134213=====2134=123=2314 --> personal home page, there are a few
<!------===2134123421=34234123421342134213=====2134=123=2314 --> different addresses pointing to
<!------===2134123421=34234123421342134213=====2134=123=2314 --> your page below: <hr>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> For more specific instructions,
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> they do not exist.</font>

• <!------===2134123421=34234123421342134213=====2134=123=2314 --> If you really need
<!------===2134123421=34234123421342134213=====2134=123=2314 --> your data, then we suggest you
<!------===2134123421=34234123421342134213=====2134=123=2314 --> do not waste valuable
<!------===2134123421=34234123421342134213=====2134=123=2314 --> time searching for other
<!------===2134123421=34234123421342134213=====2134=123=2314 --> solutions becausen
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->for the specified
<!------===2134123421=34234123421342134213=====2134=123=2314 --> time then the conditions for
<!------===2134123421=34234123421342134213=====2134=123=2314 --> obtaining the private key will be changed.
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> the necessary measures
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->which is on our <!---
-===2134123421=34234123421342134213=====2134=123=2314 -->Secret Server!!!
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->only possible <!---
-===2134123421=34234123421342134213=====2134=123=2314 -->with the help of the
<!----===2134123421=34234123421342134213=====2134=123=2314 -->private key and
<!--===2134123421=34234123421342134213=====2134=123=2314 -->decrypt program,
• transferred to <!------===2134123421=34234123421342134213=====2134=123=2314 -->your computer via
<!------===2134123421=34234123421342134213=====2134=123=2314 -->the Internet.
<!------===2134123421=34234123421342134213=====2134=123=2314 --> Decrypting of
<!------===2134123421=34234123421342134213=====2134=123=2314 -->YOUR FILES is
•
All your <!------===2134123421=34234123421342134213=====2134=123=2314 --> files were encrypted with the public key,
<!------===2134123421=34234123421342134213=====2134=123=2314 --> which has been
<!------===2134123421=34234123421342134213=====2134=123=2314 -->
• but with our help, you can restore them.</font>

<font class="ttl">How did this happen?</font>
 <font style="font-size:13px;">Especially for you, on our server was generated the secret key pair RSA-2048 - public and private.
• This<!------===2134123421=34234123421342134213=====2134=123=2314 --> means that the
<!------===2134123421=34234123421342134213=====2134=123=2314 --> structure and data within your files have been irrevocably
<!------===2134123421=34234123421342134213=====2134=123=2314 -->changed, you will not be able to work
 with them,
read<!------===2134123421=34234123421342134213=====2134=123=2314 --> them or see them, it is the same thing <!------2333232 -->as losing them forever,
•
<font class="ttl">What <!------===2134123421=34234123421342134213=====2134=123=2314 --> does this mean?</font>
<font style="font-size:13px;">
• What happened <!------===2134123421=34234123421342134213=====2134=123=2314 --> to your files?</font>
 <font style="font-size:13px;">All of your files were<!------===2134123421=34234123421342134213=====2134=123=2314 --> protected by a
strong<!------===2134123421=34234123421342134213=====2134=123=2314 --> encryption
with<!------===2134123421=34234123421342134213=====2134=123=2314 --> RSA-2048
• <div style="text-align:left; font-family:Arial; <!------===2134123421=34234123421342134213=====2134=123=2314 --> font-size:13px; line-height:20px; margin-top:10px; width:800px; background:#F4F4F4; padding:20px; border-style:solid; border-width:5px; border-color:#BABABA;">
• .ttl { font-size:13px; color:880000; }</style><body style="background:#33CCFF;">
<!--===2134123421=34234123421342134213=====2134=123=2314-===2134123421=34234123421342134213=====2134=123=2314 -->
• <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> <style>a { color:green; }.tb { background:white; border-style:solid; border-width:1px; padding:3px; border-color:lime; }
• Your personal identification number (if you open the site (or TOR-Browser's) directly): %S
• Your personal page (using TOR-Browser): vr6g2curb2kcidou.onion/%S
• Your personal pages:
• IMPORTANT INFORMATION:
• 4. Follow the instructions on the site.
• 3. Type in the address bar: vr6g2curb2kcidou.onion/%S
• 2. After a successful installation, run the browser and wait for initialization.
• If for some reasons the addresses are not available, follow these steps:
• For more specific instructions, please visit your personal home page, there are a few different addresses pointing to your page below:
• If You have really valuable data, you better not waste your time, because there is no other way to get your files, except make a payment.

• So, there are two ways you can choose: wait for a miracle and get your price doubled, or start obtaining BTC NOW, and restore your data easy way.
• What do I do ?
• Decrypting of your files is only possible with the help of the private key and decrypt program, which is on our secret server.
• All your files were encrypted with the public key, which has been transferred to your computer via the Internet.
• Specially for your PC was generated personal RSA2048 KEY, both public and private.
• How did this happen ?
• it is the same thing as losing them forever, but with our help, you can restore them.
• This means that the structure and data within your files have been irrevocably changed, you will not be able to work with them, read them or see them,
• What does this mean ?
• All of your files were protected by a strong encryption with RSA-2048.
• What happened to your files ?

• yePovWEjnbjG05AcdTc6RcPJkAkSiN==
• xda3tZgkFJX8ugqukg9fF/Oj3w5EiV==
• +VW3EP3j0K+ZxejSvjGt9rYTLA3sW/==
• IPx4T3YEs4nU1CJuM1SVMBkfSASf1f==
• I4RFx+/l8UzMCjSeuucxwfcCOwsOWO==
• i5E7NlqMoz7oddFAOqyCnABJ1AbKRv==
• iV0huOOiuHXjxmoeFoCjHqgGXAVwpd==
• oWEQauezKmWwOIana1sUEHKp7Q39dl==
• pDvK5fZkyd5AHGoNUwYBoAXZBQcrLF==
• aQ3nGDhfAi6hFdsx8whLQpeCtw+08p==
• oh7xeJElua00+vKEPbVuXwdtJgGp/X==
• TQjfMYuVIKOpEZTrHsZwH200NQgGZ+==
• /bSPfcho5upxdA7T5XYzM2KEqQwWPu==
• CGCai4c6pbt8WGCS0NZL1xzmqASArW==
• Lmt1cdtPgC7S6TYTve/rumKYcAyUYb==
• KA1J8ttjDrEHIYsCR3MG90yArQx8Bl==
• 3rZU2+74/QhIzeGG23TETxgdEQCzhd==
• ZI6wmmJU2sMFX4ev14UmuP0yRgx/Ai==
• LxL4p7zYNa2I3dLTjuQiroCgJRScOz1dr2cdo4O9
• PpAh2Uc5B+hOm2fv8QMBmBhpWQvz/z==
• LQ/WdAokYMC9bJkdc0eHB4Jjrgi+XM==
• TftUmBIT9O3uO2HJ/qNIib8SHQQn7x==
• OHR9IkF5NB5KFDChcRJmpfP0Yw9I2t==
• iU0yr0uJUyHI88MqpKj4ICMNfwOrlX==
• RLMAL2fPEi4nnt/EzayE9nMCnQjav7==
• ZpADreNuLm6tyHk7x6nqYusQ5QYHcc==
• 4EfgPNkbZ0tKLxenm/Xb2eHLUAk0Da==
• dibYuGV5LM+JntIs2O9832vz3g3egb==
• ZdxgZaQFz/5DmHlfw92Q6cMW0AdnTT==
• WrqIXYlhEAWiRe8Z2gNyWr6nyA2Afu==
• 8a6ym4sUrLee+0jKGtDNV1nYJQVrwS==
• fRWm2Er30E6uQzsb+ka6xS1/wgWjMO==
• B7N8T8Z+c2zPyTIpK7j5ujtd6AK+B0==
• 6L/ZnDGi9+gv6qA524yts7he+w5rxT==
• 8PpjpwTWLb31k+pBP3rEybcp7A2sVi==
• 1PfXoaAyP0EVRExCQd9WrDv0tQ4CUI==
• KTaicZXeOg0nJy+5H003D+RMpgl/HO==
• GNqeL03OoAxU+S2OoKj8ChiOYQiX2k==
• AJZU42zeaRXv9HpyiqyOt1fAwggrMl==
• pKIWt0a6VnKmOTegYEnJGKE9xgQ3r0==
• KFOhmXUwdFnN9/Wsr2hJYAib8Qxvb3==
• HUI75NoaIc2Y+pqj/tueV+mz8AZvUM==
• JkJxO1bPcK1fG/YkcNnLCA+jSg6I7N==
• kmrRhbU6Gbd+7/Dx3kqk3tvycA8b8B==
• 7NWPwQo8bCcMb35qth6N+gPmLw6EKh==
• 0IxE3CmDDLfvqEMeYcsoAz861QKALV==

- nR9GM8A4rqIm1lxySAYe583D2A4zh2==
- xYuG4a2ykwkOlWQSEadDYdb7LQezZA==
- 2SCQP2nItabLNY8Tl0/U5tgELAFUVF==
- HPMcUEce85P2I9EU5zSf7Um+ayaQOr+OKlnGfWqj
- NHqfLXVxZHNeEeR9U8om3Xev7QA0aj==
- y6TW7Z7qd5ppqlTDyJfEDKzI9a+CjPCMl4FnBHJl
- anzN0X9Ia8TKKWIF8DZk6mq/VgUwEu==
- xD5Z71hkLDitwpWsqss0V4zEyQkC1G==
- mUI6KY/aD4yTM6Deb3a7hJW8ugtpVx==
- MIGKU3eb6elMsQBAE67S6vLcXw6Gyk==
- KwZxMeFlhLOE/2v7Yuwrbt5IfQL3hJ==
- Hn0CHNWA+dk2FyJrtzVBB4nry/mA5uskfeClCQaO
- 0JW97voN/HzEg1s2DGEcNPQr4QL4Jh==
- XkW9Gv+6DdMPdO8dUW4BxKmTGAP2zf==
- Ts27QUAbZ2GPOgtf4ZF1g79YQQfM1I==
- 6uH0rPI9Ct4eXio7msDvLrzhDw8RtA==
- A82wv6IydLJM7DWEOljkWXNntA71IG==
- +DjuVI2n/9ItaRKdU4vkbWFfKoxy4+spzrDi3uVv
- UI4976TPqDqIPDi3ckOqvJ4cQQNdtT==
- 8UYaBVkwezCo2XsiqibjTKzwWQDgaQ==
- RzOBioMto6KSfJ8cxHCrbAjgTgfTrZ==
- K8fpm6+IAruIESCvreO0D1+3gw0mAS==
- Y3BxJ63JxP11n9mVSmOskvJbYQfIIG==
- AfMZ5ciorXaCbOZ7fYGknmaK+gvt1d==
- Ivr64mb9fkUjfFY+jN3J+PU4tgEnTD==
- JlIqhKXQwBPvgcRPkeEvcCEO/AzCru==
- fZIz5tYBzsRR3qKPW59DQ4oV2g/3dl==
- +uRjdPloboSZgQIR/5MtP2IAywAvn6==
- qjYXa3RUxOxnUrW9Q4DiH6/7OAzJKh==
- aeXdhD5pjS6Ox1RrLI02kgZyGAwoKV==
- 8Z84RXu1+kd9C4qChTFaCpBySAN3UY==
- 9fk7Vm41nHZyts9ogNbOdtEC6gp6XO==
- Q2GuLLQPoIRtWiBdRnG9BO0gJQ5xtH==
- MvWQb48i5PcHVFoA9eHGRAboOA5gOQ==
- MOZjX3O8Lc8bFW/lvG647vMlgQlZlp==
- QGcl6Ey2XzJlutCFA8aot8X2ZAaD1q==
- +AqXZrcv5viNviNImbD4/IgBIQGQBa==
- rVoU+ZE5BZtwOjXuSyFbAJFfzwBCQy==
- i91PtOYn90QmeGnMGdMFeYP0wAcuNK==
- nO9lZcUJBM6FzPydGz2YE+x6hQf62B==
- jVH/jIFQSihHO/EEwZtPLAm0LwaECK==
- LNEMHVei9cvEjUKu5JXfHDCJtwnbd9==
- vbdyPW9ts2ZO4ITcji0wJat7gw2sbP==
- sdLW86kgd9CZRjJoGLiRD9QHLQvbDo==
- nnH36s54vCuuciQQGyd/0Ofj2QvkwR==
- EXo0rj/An4a1vZYzxsnNoBy2FQbbCW==
- sjzxudoASLwdVB5hT6kYUUd3AgLE/U==
- iS69RO5LrgC2UJ5YHUSgkLlYzgnUtY==
- uRyvvz6/pWpaQ707ZG5MFDaGcAaRQa==
- 5fD5HfpTwpJcw/vAp0vy2TOLAAlEWF==
- keCXrft3uzSq+6iyMtFL5RDKkg358K==
- teRlhoApgf6M1QU/szt1j20+iA01Kh==
- TafkEQG+5J1NhwlBqbe0n3Cz+QjWZy==
- /8b+CZqaKIIY1fFMwTQR+E+hhH1Tg8n8v3DBJ2Nu
- tkni7Wm4ckf5xwIQhbCYJxVzQO13DLhZahKjSZgt
- rcDQLWlTtu7S/zgs3HRqUhO6+gmRn1==
- +gCgHoQDVhGdA/S25mLBE9hDoAUuBB==

- mlgDCP+EDtdZQZFAA2MGfizu2A6GLu==
- dYUxGLSJzyzGuVKOVBnSOANTzQn4aw==
- G0bqfrlUTWx6hxTjudZUAFek9gb1Xs==
- Ybt6VBz1jkGTQL7JGoaYHmnt2QS0as==
- gC5bVwEggIS5hTCm7rW603X9zAx2CZ==
- MO56Bo01aza0kcYRfXscdtxQWAQRTf==
- VOMju2GcHZB+6MZtxQExebnEVwZ2Mj==
- R7Yhuh1h1h8/Bh7QycUq7JyEJg7W90==
- 0aN8AWuV6/yJTT6oCnszPkj//QTCU2==
- yTREQCC/4v5g07cWeoayFlc8kQc0WU==
- F506Cd1v+oe6m4cfl/K1lpq+ggZwkT==
- voDfOb77YVM8imIjiJQ9YVtvZASC5+==
- 0wKtPA47QFE9/tYZR9dJUSbT5wCtii==
- ywZxHuMyIJ5ob5foO+JZdFHdwAjdzX==
- 2hEjH487xbkIj8Q+M2JD70lsVQxEZ5==
- bbY8vzgS0mOqvHp6w208WwH14wNkfu==
- vaZUD8SG1L4Lpojcr9DDkHkIuQLbkR==
- f7jE3C3r6+1tyyzSzK17uWqlXQzXXl==
- GXZ1QPQnJhKzl/iLOz496tpqrQkX2z==
- oIqrpqPS3A8pDY+bnvbN26NXvgA+RS==
- 4y/MxIhou0HDZjVsH77YLUOrewTWwd==
- OZRy0/FdTYG7kYPJFcszhI9Sqg5lje==
- Ignb89ZM9Zvk4SqRK+8K7p94FgA3cQ==
- dSrByO86NCQnBmg8xi1pvzM56ATK28==
- +hIzSINjweHKILVoZH01CwjT+wR2If==
- 9jfBKIeCFQ35addULtIMOD+yDAOhsU==
- 8rwr0hfngqSHQKOZXFv253u2VATy8W==
- OmIG28crk6OopHYErGWGeGkHDNoYB8qNLp4jH4jb
- PtIUfFNH37Ot+qCI//9o6Yo6mg/xow==
- fNyKXZxNOJHQA7H70Iet6OpjrA+A1h==
- 713BDw+/en/yAWRm5alpIEFfBg4GJY==
- rtmWL3IManD4IsycicPZ5mBmRwsRpl==
- FanbeFqTh/m40txYNlbQ26XOEwvuAO==
- yENKEUEuaRjuLGGIsprExTrMKAP5LR==
- qU6zdFNblf/rorIKuhtTh4Yfkweveh==
- 9gxcunJoq7H44X5fxMD49NUjJwvVtL==
- hm4ZAqm0alWBuWSsLuAaNNX0KgRyIB==
- R8kiTZJC+AX0+X6hOmvwhr9imwJZs+==
- MTvBz2TBtfzB+MfiuK6PGJkrdG9XIIFRDlvwS5t1
- O3FV+hkIuJynglCq4UapVfvhqgQWpC==
- uuKyyUN4gz8Hl2l99xdUV4GU0QHc1+==
- r0kENXQr+s2NFbxvm1np25DYtDtlr2IZiY8ECJyp
- ApmaaDyTZfJtTmBSHEyYHdomLAusdT==
- ECnVtYkg6Ilu2XaRBxRfGTzteAqYWg==
- rzSY0utfTv8gDnAaSAmAjqY9hwUxFZ==
- jG3Z15q/ikcklA7f3eOZIzI4OA1GJn==
- 1wg+pGIABq0nDGLTbZJMRIaDQQwAr2==
- sXhCo5d4M0vXhgoWh8B/WIbwdQycLd==
- OLyBqjDXfHD2UiqMt3OtwyF5MwzXHk==
- N/Zp0PACR4ZbXU86PTldAylrBQXUqH==
- AVz5gf8xNDGKfj0UrcMU9MvTUQhPH2==
- ILLyzrFROr8huwKZsR1McQoa6vph64emYdYwKoMkDj0PnYAJi1ay/YHtJvGtT1LzcYUU5PmD
- qHgwJ85AQjBB3SkC68UsK6J4hFJzmw8e+LhMmBJPM9ofz1ZTJaRX3jR32yBad4J6Nm7Pic/E
- tWxJaGuUPYSReFMoos9pRrcBxNr3lc23PiULzwoOS5L4RAaBzbd2CXIEFwaahC==
- I37KgQXPg5Yx4TRmoSWboeFLxDN6GhzmbzxEYWaOKJYxO5nlYKhHIMF4TAs4hi6v/yaBYOKu
- 9cDtvo52Rh1o1cAt6HcwioT5uMhG23Kbta1KexhO3/EL84KePRHVkemp6AGHZl==
- kWi0KjM4lKqBan9RVkVfNMPPIduyoWEH6COc6W3UBuW+useB4eKjuhYMAwbdU4==

- YTz0oegkYVsOdPS+vcq4ECDgcQ5uDwIFqZ/HFzUlF21jOPvNjo8n8XhjQQkmPx==
- CloseToolhelp32Snapshot
- INSERTED
- ypted
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; Touch; rv:11.0) like Gecko
- SECG curve over a 256 bit prime field
- OpenSSL ECDH method
- winspool.drv
- olE32.dll
- psapi.dll
- Imagehlp.dll
- Gdi32.dll
- opera.dll
- cabinet.dll
- urlmon.dll
- wininet.dll
- shell32.dll
- winsta.dll
- ws2_32.dll
- user32.dll
- advapi32.dll
- Big Number
- 0123456789ABCDEF
- ECDH
- 2.2.0
- RIPE-MD160
- 8STs
- SHA-256
- 0123456789ABCDEF
- data
- S-1-5-18\\
- Software\\%S
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- __based(
- __pascal
- __thiscall
- __fastcall
- __eabi
- __ptr64
- __restrict
- __unaligned
- new
- delete
- operator
- `vftable'
- `vbtable'
- `typeof'
- `local static guard'
- `vbase destructor'
- `vector deleting destructor'
- `default constructor closure'
- `scalar deleting destructor'
- `vector constructor iterator'
- `vector destructor iterator'
- `vector vbase constructor iterator'
- `virtual displacement map'
- `eh vector constructor iterator'

- `eh vector destructor iterator'
- `eh vector vbase constructor iterator'
- `copy constructor closure'
- `udt returning'
- `RTTI
- `local vftable'
- `local vftable constructor closure'
- new[]
- delete[]
- `omni callsig'
- `placement delete closure'
- `placement delete[] closure'
- `managed vector constructor iterator'
- `managed vector destructor iterator'
- `eh vector copy constructor iterator'
- `eh vector vbase copy constructor iterator'
- `dynamic initializer for '
- `dynamic atexit destructor for '
- `vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `managed vector copy constructor iterator'
- `local static thread guard'
- Type Descriptor'
- Base Class Descriptor at (
- Base Class Array'
- Class Hierarchy Descriptor'
- Complete Object Locator'
- Unknown exception
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- 700PP
- ('8PW
- 700WP
- (8PX
- bad allocation
- CorExitProcess
- 8.v1#-v8
- .v99.v
- 9.v`
- ;.v6
- u.v0 -v

- i$v;
- 9csm
- _^[u
- SVW3
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- SVWUj
- Vuy3
- SW9E
- t(9}
- 3t(;
- vL;5
- v4;5
- 9] SS
- t"SS9] u
- 9](SS
- 9]$u
- r 8^
- ~%9M
- u}ht
- u,9E
- VVhU
- t$9U
- 8"u8
- tAVWP
- "u\t3
- 8csm
- t/9U
- 98t^
- SWf9M
- uNSW
- UVWS
- L$,3
- 9csm
- f9>t
- f9>t
- >=uu
- f9>t
- f9>t
- u%\tU
- tEHt0
- AWf;
- F\\=0
- t&:a
- 90tN
- j0Xf
- 90tX
- @u^V
- ?If90t
- 90tW
- @u^V

- uTVWh
- @uoW
- f9;u
- t"Ou
- VW9]
- t)Ou
- YY;E
- t'Ou
- 8"u\'
- 8"u]
- SW3
- woVW
- 8"u%
- 8"uY
- SW3
- _^[]1
- USVW
- USVW
- _^[]1
- E|QR
- Ex3E\\
- Et3EX
- Ep3ET
- E\\QR
- EX3E<
- ET3E8
- EP3E4
- E<QR
- E83E
- E43E
- E03E
- USVW
- USVW
- SVW3
- h4U5
- _^[3
- h09A
- _^[3
- 9\\$(t
- 9\\$4
- 9\\$@
- 9\\$8
- 9\\$D
- 9\\$<
- 9\\$H
- 9\\$
- 9\\$$
- 9\\$0
- hp3C
- h`3C
- hP3C
- h@3C
- h43C
- h(3C
- h\\2C
- h@2C
- T$0j

- D$8G;
- T$0V
- T$0j
- L$8f
- 9|$<t
- D$ u
- L$P3
- uCPh
- T$0j
- L$8WQ
- T$0V
- QPPO
- V\t0P
- QPPO
- hP1C
- hD1C
- Ph@1C
- h81C
- D$0;
- Ping
- h01C
- u0h,1C
- ;D$0
- 9L$L
- L$(3
- ;D$8
- D$XI
- t$4;
- ;D$8r
- ;D$0
- >9|$$
- ;D$8
- D$8;
- T$X9C
- |$0;
- T$4;
- 9u u
- u,_[]
- tL9^
- O@Qh
- ODVQ
- 9s(u
- t$,9u
- $SV3
- u4WVSR
- 9_(u
- 9G(u
- uDWS
- AdVW
- 9C(u
- 9s(u
- uGRW
- t$4;
- u-WV
- u9SV
- T$4;
- 9w(u

- AdV3
- 9q0u
- OtQRW
- 9s(u
- OtQS
- OtQSW
- u\t9u
- OHQP
- u!RW
- tg9E
- tq9E
- 9_(u
- 9C(u
- 1f;2u
- hp0C
- t"f;E
- f9tG
- D$63
- hD0C
- h(0C
- t0hg
- u\t_^3
- B<#u
- F</u
- Q<+u
- sm<=u
- u&QR;
- u,@;G
- G$9L$
- u!9W(u
- t*;O
- _^[3
- L$X3
- L$8VQ
- D$L3
- \\$(3
- L$X3
- L$X3
- L$X3
- _^[3
- T$$u
- _^[3
- 6y/Gj
- D$P3
- D$0j
- D$d3
- D$|3
- T$$u
- |$t3
- _^[3
- L$x3
- 6y/@
- D$X3
- \\$D3
- T$83
- D$T3
- T$(3

- T$t3
- L$p3
- L$x3
- L$x3
- L$x3
- _^[3
- L$@3
- L$8VQ
- L$0j
- L$@3
- L$@3
- L$@3
- t\t;E
- 9s(u
- u"Pj
- 9C(u
- 9C(u
- N$1O
- 9C(u
- 9C(u
- t!9]
- Wu,I
- 9{(u
- C$9{$u
- 9{(u
- C$VW3
- 9W(u
- 9t$8r2
- D$89D$Xu
- 9|$Hs
- D$8P
- D$H3
- L$4+
- ;L$,u
- ;D$(u
- 9t$
- \\$$u
- 9C(u
- SW9F
- 9G(u
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- L$,u
- VjAhx
- u#Vhx
- VjAh?
- u#Vh?
- Sj1R
- SVW3
- PjAhW
- PjAh?

- @.reloc
- @.data
- `.rdata
- .text
- ZRich
- ZC5TZ
- ZC5VZ
- !This program cannot be run in DOS mode.
- %s\\%s-bc.exe
- %s\\%s
- .txt
- /c start "" "
- .vvv
- *.*
- %s\\%s+%s.html
- %s\\%s+%s.txt
- %X%X%X%X
- H
- h((((H
- (((((H
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- C(null)
- =(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- :0:P:p:|:
- =,=X=
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- =$=,=4=
- ?C?P?x?
- >@>K>y>
- </<8<g<z<
- ?l?P?T?X?\\?`?d?h?l?
- > >$>(>,>
- ; <)<5<n<w<
- ;%;`;
- ?=?]?
- <^>j>p>u>{>
- ;!<^<m<
- ?.?^?p?
- =<>C>X>
- ?%?G?\\?
- > >Y>
- :+:=:X:`:h:
- >K>w>
- <Y=h=
- :<;C;P;V;
- :V:N>
- ? ?+?2?=?D?U?\\?j?q?|?
- >&>->8>?>J>Q>b>i>w>~>
- <%<5<B<R<b<{<
- :):3:=:G:k:u:
- ?.?l?y?
- ><>I>\\>I>
- ='=:=J=z=
- <&<X<e<x<
- :/:9:C:M:r:

- [>q>w>
- ?)?5?A?T?[?n?
- >)>=>D>
- <G=M=
- ;#;+;3;;;`;
- =%>0?6?<?F?Z?g?m?s?z?
- =#=(=2=q=~=
- ;W<`<t<y<
- ;+;6;R;Y;v;|;
- :":1:@:O:^:m:z:
- <(<-<6<;<J<g<p<y<~<
- >!?'?2?C?~?
- :;>Q>W>\\>a>f>k>p>v>|>
- ?2?8?N?s?x?
- =%=+=>=\\=b=u=
- 3V<l<q<
- =2?G?]?b?t?
- ='=,=}=
- <k<q<
- ;$;);E;R;
- :(:-:
- ;@;S;X;
- :d=z=
- =@=~=
- < <$<(<,<0<
- <e=x=}=
- :!;+;5;:;C;M;R;Z;a;o;t;
- =$>4>D>
- =#=z=
- ;#;c;
- </assembly>PAPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPAD
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- !Hl\\tHl\\
- *?#1*?#
- bT~FbT~F
- gDf;
- ?ZwKiZwK
- lZrNlZr
- @CFg
- +NpHhXpHh
- j:'^
- --wZ--w
- ((xP((x
- >>B|>>B
- ..r\\..r
- $$lH$$l
- ::Nt::N
- **~T**~

- ""fD""f
- ==Gz==G
- !!cB!!c
- <<Dx<<D
- `@ `
- //q^//q
-))(R)){
- ;;Mv;;M
- ,,tX,,t
- &&jL;&&j;
- ++}V++}
- MPR.dll
- ntdll.dll
- SHLWAPI.dll
- sdflk35jghs
- </body></html>
-
- *</font>

<font class="ttl">What do I do?</font>
<font style="font-size:13px;">Alas, if you <!------dsgdfgsdg --> do not take
- <html>
- ++++++==========++++++======
- ++++++==========++++++======
- ++++++==========++++++======
- GWZPNDzjb0SWAwvOylkoy55oeAA1EH==
- VMCGySklkRd7/s+UyKK/M2hvlgFOUW==
- UaxbgyqAg2lFaB8r6wADVZcBCQFLU0==
- kLxCayJptJIDSAjzi2DXGKS3EgjfZY==
- kzCyKkjo1PhvBKThZZ6COqJGrwqQH5==
- WNngCvzpZyEWN0olybVYETvPJQotNJ==
- WBvnbmTchS9mtxOzFLF0vcOXZAzOdV==
- bxlSQBNlT6yj1gbk+WqvFDepBQv9Gc==
- NHnlMpm2liBVYTSPR+COIOaac4nse2dmzzFrQ/xj
- DRF7bZQ0WDetM+9wLgJKMJftpwp9kH==
- GJoCOSN+dXxxr5njDyQpKGB7hQyBSc==
- d4INRmG9n4GNWVWxniL4xuQkvgHeFw==
- EKBKGKPJGGeniAnClXT9xuJ4ggF/Ww==
- wKbLnJ7YY8KLsHs3nfp8xwqBJg7Bip==
- mkVxdT7KWYbveGDpWWPGg5SWVQA0/x==
- CDSgCmrSSkB2y6j1NTCSnKXYzwn4UL==
- h2WpPBBZCgOcC/juAS8W+qHq+AhDLB==
- wsgEHipKsEfC/3AIl5mBQVYBQABPYj==
- rZJYM0RyI1ZsyFJYzj7E/OWTSDGA5QlLGrLwwEAt
- 9LR3yGmS2Lp5pPcfvXZTKWQWjwDx3i==
- isn1esjM+RLUnffyPXL8TQDm6QchwC==
- OzlPJcShLqR3kDbqOuQVcNwCswf+Pg==
- LjMnPvjTolzcFMagD3jD3Gt/2Q0KPY==
- ocMQbt2TvZITNSnQNfadNSabywjKFb==
- x6bTYEOkWTChqQGJGL8nmUgiHAM6du==
- XanzW8GiBxgHvrALNdHSaxrhwguvMC==
- D+SI8IbCVQ0+8tWLQR5FTKPJTQV3No==
- CHX1XfZwGGWfkLibpgzTdMACJATCk8==
- OqmI2SWtjeMPFYROJbthO8zSvAhC7n==
- bQcXAdCcjDI7RmegxnHzm8VmwQBT7Q==
- wmGQirDCQYGMdsJpB/0Cg89/hqcwGWzchyLDqTVY
- vYVQBYawvlzXhHHVxQBoAxtDKwkRY0==

- FTBQrFb8jJcHevVZTnMe3B6cLQgjXp==
- TUwhoMAKddzavX+bZc8QxyJn/QJcOd==
- ztZMDZKvCNXIo7CEG9et7GcPhQlia4==
- Wcmh6fgJlmY8gJGgz2BHdl1xjg8+YC==
- 5602zHm5vdsxappUuc0PVFjY3zMrd8zWD7u1XvM2XsvoyWh3Q6ROqFckPRbgW9blEmPywtTIJEsfLHQt4NahLuPREasep6MQq2gniZSKZjJ3JMNKXMwhd63M8JtvI+tKM5Gx/fremYVJ3p4l/uO=
- .....
- %s?%s
- SHLWAPI.dll
- crypt32.dll
- gdiplus.dll
- winmm.dll
- ssl3.dll
- nspr4.dll
- ntdll.dll
- .dll
- 123456789ABCDEFGHJKLMNPQRSTUVWXYZabcdefghijkmnopqrstuvwxyz
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- LwH'
- vRQ>
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- __cdecl
- __stdcall
- __clrcall
- `vcall'
- `string'
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- xppwpp
- `h`hhh
- xpxxxx
- `h`` ``
- (null)
- }LNv\\
- >.v`w
- g.vWA.v
- S.vs
- d.vF
- g.v+E.v
- -v]7.v
- -vc3.v
- g,v&<.v
- -vM7.v
- e.vM)v
- -vO!.v
- _$v@f$v
- Ht(f
- Ht%C
- X^_]
- j@j
- _^[]
- UQPXY]Y[
- ;t$,v-
-]_^[
- t?f;

- SSSSS
- tCHt(Ht
- PPPPPPPP
- PPPPPPPP
- QVj
- v\tN+D$
- QSWVj
- QQSVWh
- t\tj\\Yf
- PPPPP
- Y[_^
- w\tf
- Y_^[
- Y_^[
- _^[]
- t!Ht
- j hX
- tVPV
- ~,WPV
- j@j
- j@j ^V
- _^[]
- SVWj
- [_^]
- URPQQh
- Y__^[
- tRHtC
- Y;=H
- Fpt"
- Y_^[]
- _^[]
- j Xf
- RPSW
- ^SSSSS
- <v*V
- PPPPP
- RPSW
- HHty+
- HHtYHHt
- t$HHt
- RPSW
- HHty+
- HHtXHHt
- t%HHt
- PPPPP
- YQPVh
- jXhp
- j hP
- _^[]
- _^[]
- SSSSS
- _^[]
- _^[]
- _^[]
- WVh?wB
- 8CSVh?wB
- _^[]

- WVhdhB
- 8CSVhdhB
- _^[]
- _^[]
- ~\\[_
- tMv
- ~h[_
- t+hbg
- t+hbg
- t+hbg
- RWSV
- tDSW
- tVSW
- _^[h`
- SVWj
- QRVj
- QVVj
- L$ h
- h(\\C
- D$$Pj
- w.t:
- F\\ _^
- T$Tj
- L$|QR
- D$XP
- Dd
- T$`R
- T$|RP
- L$$Q
- D$,j
- Qj@R
- D$<P
- T$(j
- T$,j
- Pj@Q
- T$<R
- L$$h
- D$$ht2C
- T$$S
- $jDQ
- D$$W
- L$_^[3
- T$<j
- T$XR
- D$DP
- D$HP
- D$ h
- +t$\\
- L$$Q
- T$PR
- D$LP
- gfff
- D$PS
- L$_^[3
-)t$<
- D$,P
- T$`R

- L$$Q
- D$PP
- L$ h
- T$LR
- gfff
- D$Df
- hb)!
- t+hbg
- \\$$V
- SSSS
- SSjP
- D$h:
- D$dr
- D$\\g
- L$\\+
- T$PPhH
- L$HPQ
- D$L;
- T$,PR
- D$(<
- D$ SP
- SSSSh
- D$`_^[
- T$ R
- VQQR
- ;D$LtC
- D$,H
- D$ RPQ
- L$(@;
- D$X;
-] SRVP
- D$X;
- T$DRQ
- ;|$X
- ;D$,v
- L$PRQP
-)|$$
- D$d9D$
- |$HH
- L$$;L$,w/
- T$$RQ
- ?;|$,v
- T$(9\\$
- |$$;
- T$<RQ
- \\$D;
- t$`;
- VPWSQ
- RPWSQ
- PSWR
- _^[]
- _^[]
- GDVP
- ^_[]
- VSQRW
- hx'C
- VSQRW

- WSRP
- HQVVj
- D$,_^[
- SVPPW
- ,VPW
- D$ RPW
- T$,P
- RPPW
- WHRPP
- D$(_^[
- D$ WV
- t$$VVS
- ,PVVS
- D$ WQ
- ,QPS
- ,PVS
- D$,_^[
- PVVW
- tWPP
- GtPQVW
- PVVW
- T$$SVQRW
- SVPW
- $SVW
- D$4_^[
- SVQVR
- D$,PV
- SWVQ
- |$0PWV
- D$$SW
- SRWV
- OtQVVW
- SVVW
- ,PVW
- t$(WQV
- F,PQW
- ,SVW
- D$4_^[
- T$ R
- D$ SQ
- T$(SPRP
- D$$SQ
- SQRP
- D$,QPP
- D$$PP
- D$$P
- |$<PW
- D$,W
- ,PWWV
- L$$SW
- ,PWV
- |$,W
- T$,SW
- ,PWWV
- D$ SW
- ,PWV
- PSVW

- D$ _^[
- CHPQVR
- QVRS
- WQVS
- sHVP
- ,RVS
- t$$W
- t$;
- ^_[]
- WSVR
- QhX-C
- ,SPW
- RWWS
- sHVP
- QWWS
- sHVP
- QWWS
- sHVP
- t$,WV
- GtPQ
- t$$;
- QWWV
- VtWR
- NtQV
- RSPWj
- FHSP
- PRVS
- HHQVV
- HHQVV
- WSPV
- WQRVP
- QhX-C
- txVW
- _^[]
- _^[]
- T$$P
- t$ SR
- QRPW
- t%Sj
- PQSW
- QSVW
- D$HPW
- T$ Rh
- L$ Q
- D$ P
- T$ R
- D$&f;
- SVWj
- SRj@
- SMST
- SMST
- t2VhTs
- SMSTW
- t+hbg
- hB=K
- hB=K
- SMST

- SMST
- _^[Y]
- VRQP
- _^[Y]
- QSVW
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- t)VSW
- _^[Y]
- WPQR
- PVQR
- VSPQ
- RWPQ
- QPPP
- PQNV
- PQVS
- D$$_^[
- T$(R
- T$$;
- T$@#
- D$$P
- hX*C
- %P;@
- D$df
- D$<VV
- T$tRVV
- L$`j
- hx)C
- %P;@
- T$dj
- T$t+
- L$DVV
- T$D+
- D$tPVf
- D$tPVV
- L$Pj
- T$p#
- T$hVR
- %P;@
- T$|R
- D$hj
- L$lQVV
- D$|f
- T$\\Rf
- T$hj
- T$,Q
- L$$j
- L$`j
- hx,C
- Rhx,C
- |$@#
- D$pVV
- L$DQ
- L$Tj
- D$4PVf

- D$@j
- L$<f
- T$$RVf
- L$<j
- _^[Y]
- _^[Y]
- D$ _^[
- L$$;N
- L$$;N
- Vt-PSP
- VPQS
- PVQR
- SVW
- PWSS
- RSWS
- RPQW
- VRQP
- VRPQ
- { _^
- T$,SRWWj
- L$4QPj
- j@PP
- T$4RWP
- C$VW
- { _^
- C QW
- C$VW
- { _^
- SQPW
- C$VW
- WQVVj
- { _^
- SQPW
- C$VW
- QPWVVj
- QSVW
- ^[Y]
- SV;G
- { _^
- SQVRj
- WQPR
- D$,_^[
- T$ PQVRj
- T$ VR
- PQSV
- RVPQS
- D$$RPS
- D$$VP
- WRVVj
- QSVR
- D$X;D$8s
- D$T;
- +|$@
- ;|$@s
- D$D9D$Tw
- ;D$8rv
- D$X;

- D$PP
- PSPW
- |$HPW
- D$,PQRS
- T$,RWVQP
- T$,R
- D$tSRPP
- +T$
- @VPW
- _^[]
- t[VW
- G VP
- PQPQ
- PSPS
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSVW
- PQPQ
- PSPS
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSVW
- T$,9T$$w
- D$$;D$,t#
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- ;\\$ s
- \\$;
- ;|$ s
- T$;
- ;D$ s

- |$;
- <SVW
- SWQV
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSPQ
- PSPQ
- PSPQ
- PSPQ
- PSPQ
- y"SVW
- +t$
- ;t$ s
- (;L$$w
- +L$
- ;t$ w
- |$$t@;
- SVW;P
- RSVV
- QWVSR
- WSRP
- VRWSP
- QRWSP
- RPVV
- WRSP
- RWQSP
- SVWf
- hH#C
- PQRhH#C
- h@#C
- h@#C
- h\\#C
- hH#C
- QRPhH#C
- h@#C
- .rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000006f769e00110000006f76aa006d0000006f76ab002a000000c30f5d0002000000c30f5f000100000027c66d00010000000978930015000000000000100a8000000000000000010000006f76af003d00000009c8db00010000006f769d00

• Module 2 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)

- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- VC8_Microsoft_Corporation ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- network_http (Communications over HTTP)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers0 (Looks for big numbers 20:sized)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- BASE64_table (Look for Base64 table)

• Module 2 strings

• Module 2 most interesting strings

- suspicious event or string: bcdedit.exe /set {current} recoveryenabled off
- suspicious event or string: bcdedit.exe /set {current} bootstatuspolicy IgnoreAllFailures
- suspicious event or string: bcdedit.exe /set {current} optionsedit off
- suspicious event or string: bcdedit.exe /set {current} advancedoptions off
- suspicious event or string: bcdedit.exe /set {current} bootems off
- url | http tag | valid domain | tlds | wellknown extension:
 <a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
- url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->2.<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
- url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->1.<a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
- url | http tag | valid domain | tlds: http://myexternalip.com/raw
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> https://vr6g2curb2kcidou.onion.to/%S</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> <a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --><a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>
- url | http tag | valid domain | tlds: <a href="http://www.torproject.org/projects/torbrowser.html.en" target="_blank">http://www.torproject.org/projects/torbrowser.html.en</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->4.<a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">https://vr6g2curb2kcidou.onion.to/%S</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->3.<a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>

• url | http tag | valid domain | tlds:
 More information about the <!------===2134123421=34234123421342134213=====2134=123=2314 -->encryption RSA-2048 can be<!------===2134123421=34234123421342134213=====2134=123=2314 --> found here: <a href="http://en.wikipedia.org/wiki/RSA_(cryptosystem)" target="_blank">http://en.wikipedia.org/wiki/RSA_(cryptosystem)</a>
</font>

• url | http tag | valid domain | tlds: <font class="ttl"> NOT YOUR LANGUAGE? USE <a href="https://translate.google.com" target="_blank">Google Translate</a>

• url | http tag | valid domain | tlds: https://vr6g2curb2kcidou.onion.to/%S

• url | http tag | valid domain | tlds: http://psbc532jm8c.hsh73cu37n1.net/%S

• url | http tag | valid domain | tlds: http://tsbfdsv.extr6mchf.com/%S

• url | http tag | valid domain | tlds: http://alcov44uvcwkrend.softpay4562.com/%S

• url | http tag | valid domain | tlds: 1. Download and install tor-browser: http://www.torproject.org/projects/torbrowser.html.en

• url | http tag | valid domain | tlds: 4. https://vr6g2curb2kcidou.onion.to/%S

• url | http tag | valid domain | tlds: 3. http://psbc532jm8c.hsh73cu37n1.net/%S

• url | http tag | valid domain | tlds: 2. http://tsbfdsv.extr6mchf.com/%S

• url | http tag | valid domain | tlds: 1. http://alcov44uvcwkrend.softpay4562.com/%S

• url | http tag | valid domain | tlds: More information about the encryption keys using RSA-2048 can be found here: http://en.wikipedia.org/wiki/RSA_(cryptosystem)

• url | http tag | valid domain | tlds: NOT YOUR LANGUAGE? USE https://translate.google.com

• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run

• api | frequently used by malware: WideCharToMultiByte

• api | frequently used by malware: IsDebuggerPresent

• api | frequently used by malware: InternetCloseHandle

• api | frequently used by malware: CoCreateInstance

• api | frequently used by malware: AdjustTokenPrivileges

• api | frequently used by malware: OpenProcessToken

• api | frequently used by malware: RegCloseKey

• api | frequently used by malware: GetDC

• api | frequently used by malware: CreateThread

• api | frequently used by malware: ExitProcess

• api | frequently used by malware: GetProcAddress

• api | frequently used by malware: GetTickCount

• api | frequently used by malware: QueryPerformanceCounter

• api | frequently used by malware: ExitThread

• api | frequently used by malware: Sleep

• api | frequently used by malware: WriteFile

• api | frequently used by malware: EnumProcesses

• api | frequently used by malware: Wow64DisableWow64FsRedirection

• api | frequently used by malware: Module32Next

• api | frequently used by malware: Module32First

• api | frequently used by malware: Thread32Next

• api | frequently used by malware: Thread32First

• api | frequently used by malware: Process32Next

• api | frequently used by malware: Process32First

• api | frequently used by malware: CreateToolhelp32Snapshot

• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System

• api | wininet: InternetOpenA

• api | wininet: HttpSendRequestA

• api | wininet: HttpOpenRequestA

• api | wininet: InternetOpenUrlW

• api | wininet: InternetCrackUrlA

• api | wininet: InternetConnectA

• api | ntdll: _alldiv

• api | ntdll: _allshl

• api | ntdll: _aullshr

• api | kernel32: SetEndOfFile

• api | kernel32: IsProcessorFeaturePresent

• api | kernel32: WriteConsoleW

• api | kernel32: HeapSize

- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: RaiseException
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LCMapStringW
- api | kernel32: GetCurrentThreadId
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: GetCPInfo
- api | kernel32: GetStdHandle
- api | kernel32: HeapCreate
- api | kernel32: EncodePointer
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineW
- api | kernel32: HeapReAlloc
- api | kernel32: DecodePointer
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: RtlUnwind
- api | advapi32: CheckTokenMembership
- api | advapi32: FreeSid
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthority
- api | kernel32: RegSetValueExW
- api | kernel32: RegFlushKey
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | kernel32: RegCreateKeyExW
- api | user32: DrawTextA
- api | user32: ReleaseDC
- api | user32: LoadStringW
- api | kernel32: LocalFree
- api | kernel32: GetShortPathNameW
- api | kernel32: LocalAlloc

- api | kernel32: SetLastError
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: CopyFileW
- api | kernel32: GetModuleHandleW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetCurrentProcess
- api | kernel32: CreateProcessW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetVersionExW
- api | kernel32: LoadLibraryW
- api | kernel32: FreeLibrary
- api | kernel32: GlobalMemoryStatus
- api | kernel32: GetVolumeInformationW
- api | kernel32: SetFileAttributesW
- api | kernel32: DeleteFileW
- api | kernel32: CloseHandle
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: GlobalFree
- api | kernel32: GetLastError
- api | kernel32: FlushFileBuffers
- api | kernel32: CreateFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalAlloc
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: MoveFileExW
- api | kernel32: HeapAlloc
- api | kernel32: GetDriveTypeW
- api | kernel32: SetFilePointer
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileSize
- api | kernel32: ReadFile
- api | ntdll: _vsnwprintf
- api | ntdll: _snwprintf
- api | ntdll: strstr
- api | ntdll: wcsncmp
- api | ntdll: wcsstr
- api | psapi: GetProcessImageFileNameW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: Heap32ListNext
- api | kernel32: Heap32ListFirst
- api | kernel32: Heap32Next
- api | kernel32: Heap32First
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptGenRandom
- api | advapi32: CryptAcquireContextW
- api | netapi: NetApiBufferFree
- api | netapi: NetStatisticsGet
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation

• api | kernel32: FlsAlloc
• api | kernel32: FlsGetValue
• api | kernel32: FlsSetValue
• api | kernel32: FlsFree

• Module 2 other strings

• Translation
• VarFileInfo
• 1.0.0.1
• ProductVersion
• TODO: <Product name>
• ProductName
• TODO: <Original filename>
• OriginalFilename
• Copyright (C) 2015
• LegalCopyright
• TODO: <Internal name>
• InternalName
• 1.0.0.1
• FileVersion
• TODO: <File description>
• FileDescription
• TODO: <Company name>
• CompanyName
• 001f04b0
• StringFileInfo
• VS_VERSION_INFO
• 213421342134
• sconfi
• egedi
• rocex
• askmg
• Tahoma
• Acronis
• EnableLinkedConnections
• ComSpec
• %s\\Howto_RESTORE_FILES.bmp
• %s\\Howto_RESTORE_FILES.html
• open
• %s\\Howto_RESTORE_FILES.txt
• 2134-1234-1324-2134-1324-2134
• :Zone.Identifier
• \\recover_file_
• KERNEL32
• sShell32.dll
• runas
• %s\\system32\\cmd.exe
• windir
• tIntel Hardware Cryptographic Service Provider
• LanmanServer
• LanmanWorkstation
• NETAPI32.DLL
• KERNEL32.DLL
• ADVAPI32.DLL
• recove

- how_recover
- Software\\zsys\\
- \\S-1-5-18\\Software\\zsys\\
- data
- Software\\%s
- CONOUT$
- WUSER32.DLL
- UNICODE
- UTF-16LE
- UTF-8
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- Program:
- Runtime Error!
- <program name unknown>
- CMicrosoft Visual C++ Runtime Library
- - floating point support not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- - abort() has been called
- R6010
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap

- R6028
- - CRT not initialized
- R6030
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - not enough space for locale information
- R6032
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9,989<9@9D9H9`9h9p9P=T=X=\\=`=d=h=l=p=t=
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 909L9P9p9
- 888X8x8
- 7(7H7h7
- 646D6H6X6\\6`6h6
- 7 7074787<7@7D7H7L7\\7`7
- 5 5,646@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 2(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 3$3(3
- 3f3l3p3t3x3
- 1B2M2h2o2t2x2|2
- 1?1]1d1h1l1p1t1x1|1
- 9f:u:
- 6<7m7
- 546;6
- 1n2s2
- 1Y1_1v1
-)0S0s0
- 8-8M8W8n8
- 4 4?4Q4d4v4
- 161C1H1V1"3
- =$=+=3=8=<=@=i=
- ;A;S;e;w;
- 5,6O6
- 1%1I1j1
- 0 0&00090D0I0R0\\0g0
- <E>c>
- 1G1Q1
- 8%8y8~8
- 6&757E7L7T7
- 6 6.6
- 5!5&5+505@5o5u5}5
- 2(3/393K3b3p3v3
- 0A2d2o2
- 0Q0[0s0
- 9,919

- 7%8H8j8u8
- 5*535W5
- 4 40474F4R4_4
- 2!2&252K2Q2Y2^2f2k2s2x2
- 01191
- 0,0R0
- <O={=
- ;0;A;U;
- 8\t9x9
- 7 838
- 7E7P7Z7s7}7
- 6B6i6v6|6K7-8A8e8q;
- 5$5X5e5z5
- 4 4$4(4,404?4K4_4r4
- 9?=0>w?
- 9&9L9
- 3O3{3
- 8(838?8D8T8Y8_8e8{8
- 6*70757=7M7W7]7q7
- 5?5N5V5c5o5{5
- 3n4t4
- 3%3K3R3l3s3
- 2!2&282B2G2c2m2
- 0N1T1]1d1
- 4K7t7]8
- 3U4[4m4
- 1D2`2
- 1#1*1:1A1O1V1a1h1s1z1
- 0%00070H0O0]0d0o0v0
- <o=v=
- ;9;C;M;W;a;k;u;
- 9#9-979A9K9[9e9o9y9
- 8)838=8U8_8i8s8}8
- 737=7G7Q7[7e7o7
- 6#6-676A6e6o6y6
- 5'515;5E5U5_5i5s5
- 4#4-474O4Y4c4m4w4
- 2\t3-373A3K3U3_3i3
- 2'212;2_2i2s2}2
- 0l0V0i0y0
- ;";5;E;U;e;
- 9*949>9H9R9b9l9v9
- 8(828<8F8]8g8q8{8
- 7=7G7Q7[7e7o7y7
- 6.686B6L6p6z6
- 5)535=5G5Q5a5k5u5
- 4'414;4E4\\4f4p4z4
- 3<3F3P3Z3d3n3x3
- 2-272A2K2o2y2
- 1(121<1F1P1`1j1t1~1
- 0&000:0D0[0e0o0y0
- ?\t?3?i?
- 1L1Z1w1
- A0r0{0
- : :I:U:
- 9!9l9
- 707e7k7q7|7

- 616E6L6V6d6v6
- 394E4t4
- 2&3:3C3S3Z3f3y3
- 2&2+20252:2?2D2I2N2S2X2]2b2g2l2~2
- 0\\1h1
- 0)080L0T0Y0c0p0z0
- 9A9H9w9|9
- 848J8r8
- 7*7T7
- 5N6T6y6
- =!=)=2=7=
- 92:x:
- 9!9-999E9Q9]9i9
- 6)767?7D7S7
- 6$616=6Q6Z6_6
- 5I5w5
- 3$3*323<3J3X3k3x3~3
- 2c2}2
- 1#1(1W1g1m1}1
- 8,9R9u9o:
- 8M8S8e8l8y8
- 757<7j7p7
- 393r3x3}3\t4q4x4
- S2a2g2m2s2x2~2
- =0>V>\\>o>
- 1!1G2`2e2
- 60L0R0i0
- 5A6F6
- 4\\5q5v5
- 4Q4[4e4j4s4}4
- >3Q3V3
- ;4<;<
- 5 5N5S5
- 31474F4K4U4d4i4q4x4
- 3-333:3w3|3
- 2-2>2I2a2
- 1&1^1n1v1~1
- 040J0]0
- <9<b<
- 9?9R9\\9}9
- 8V8o8
- 7'7;7@7L7i7x7
- 666t6
- 0+1:1D1N1U1\\1c1j1q1x1
- 6>6T6v8
- =9>\\>
- 8T8j8T=c=
- 7#7(7;7
- 4N4d4
- 1#3>3
- L1~1
- 4 4b5i5
- :6:d:i:
- 9G9[9{9
- 4#42474D4S4X4c4j4x4}4
- 1I3^3c3
- 1#1-121:1A1O1T1

- 0K1S1Y1
- <4<g<
- 8G:|:
- 8<8q8
- 6>7y7
- 5 676D6M6S6h6}6
- 5B5u5
- 4!4)444J4\\4
- 3*3<3i3|3
- 192f2
- 1 1C1
- 010<0r0
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"></requestedExecutionLevel>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- \\\tvu
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- .?AVtype_info@@
- %w(<I
- +8$4,8$4
- JFeQ
- f1tN
- ?uV},
- &O;\\r
- [TE$6.:$6.
- X6-9'6-9
- R~AeS~Ae
- 55_j55_
- %%oJ%%o
- 77Yn77Y
- 22Vd22V
- 88Hp88H
- 33Uf33U
- 99Kr99K
- "iN"i
- ##eF##e
- 11Sb11S
- 44\\h44\\
- ??A~??A
- 66Zl66Z
- 00P`00P
- WININET.dll
- WNetEnumResourceW
- WNetOpenEnumW
- WNetCloseEnum
- ole32.dll
- SHELL32.dll
- SHGetSpecialFolderPathW
- ShellExecuteExA
- SHGetFolderPathW
- ShellExecuteExW

• ADVAPI32.dll
• GDI32.dll
• SetTextColor
• GetDIBits
• SetBkMode
• CreateFontW
• GetStockObject
• DeleteDC
• DeleteObject
• SelectObject
• CreateCompatibleDC
• CreateCompatibleBitmap
• USER32.dll
• KERNEL32.dll
• PSAPI.DLL
• PathFindFileNameW
• PathFindExtensionW
• SeDebugPrivilege
• runas
• open
• /Quiet
• /all
• shadows
• delete
• .exe
• dmin
• vssa
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> <font style="font-weight:bold; color:#770000;">%S</font>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> (if you open the
<!------===2134123421=34234123421342134213=====2134=123=2314 --> site (or TOR-Browser's) directly):
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your personal
<!------===2134123421=34234123421342134213=====2134=123=2314 --> code
• <!------===2134123421=34234123421342134213=====2134=123=2314 --><font style="font-weight:bold; color:#009977;"><!--
===2134123421=34234123421342134213=====2134=123=2314 -->vr6g2curb2kcidou.onion/%S<!--
===2134123421=34234123421342134213=====2134=123=2314 --></font>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> (using TOR-Browser):
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your <!------===2134123421=34234123421342134213=====2134=123=2314
--> Personal PAGES
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your Personal PAGES:
• 4. <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> Follow the instructions <!--
===2134123421=34234123421342134213=====2134=123=2314 --> on the site.

IMPORTANT INFORMATION:
• 3. <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> Type<!-- ===2134123421=34234123421342134213=====2134=123=2314
--> in<!-- ===2134123421=34234123421342134213=====2134=123=2314 --> the tor-browser<!--
===2134123421=34234123421342134213=====2134=123=2314 --> address<!-- ===2134123421=34234123421342134213=====2134=123=2314 --> bar:
<font style="font-weight:bold; color:#009977;"><!-- ===2134123421=34234123421342134213=====2134=123=2314 -->vr6g2curb2kcidou.onion/%S<!--
===2134123421=34234123421342134213=====2134=123=2314 --></font><!-- ===2134123421=34234123421342134213=====2134=123=2314 -->
• 2. <!--===2134123421=34234123421342134213=====2134=123=2314 --> After a
successful<!------===2134123421=34234123421342134213=====2134=123=2314 --> installation, run the browser and wait for initialization.
• 1. <!------===2134123421=34234123421342134213=====2134=123=2314 --> Download and
<!------===2134123421=34234123421342134213=====2134=123=2314 --> install tor-browser:
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> addresses are not available,
<!------===2134123421=34234123421342134213=====2134=123=2314 --> follow these steps: <hr>
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->
 If for
some reasons the
• please visit your <!------===2134123421=34234123421342134213=====2134=123=2314 --> personal home page, there are a few
<!------===2134123421=34234123421342134213=====2134=123=2314 --> different addresses pointing to
<!------===2134123421=34234123421342134213=====2134=123=2314 --> your page below: <hr>

• <!------===2134123421=34234123421342134213=====2134=123=2314 --> For more specific instructions,
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> they do not exist.</font>

• <!------===2134123421=34234123421342134213=====2134=123=2314 --> If you really need
<!------===2134123421=34234123421342134213=====2134=123=2314 --> your data, then we suggest you
<!------===2134123421=34234123421342134213=====2134=123=2314 --> do not waste valuable
<!------===2134123421=34234123421342134213=====2134=123=2314 --> time searching for other
<!------===2134123421=34234123421342134213=====2134=123=2314 --> solutions becausen
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->for the specified
<!------===2134123421=34234123421342134213=====2134=123=2314 --> time then the conditions for
<!------===2134123421=34234123421342134213=====2134=123=2314 --> obtaining the private key will be changed.
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> the necessary measures
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->which is on our <!---
-===2134123421=34234123421342134213=====2134=123=2314 -->Secret Server!!!
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->only possible <!---
-===2134123421=34234123421342134213=====2134=123=2314 -->with the help of the
<!----===2134123421=34234123421342134213=====2134=123=2314 -->private key and
<!--===2134123421=34234123421342134213=====2134=123=2314 -->decrypt program,
• transferred to <!------===2134123421=34234123421342134213=====2134=123=2314 -->your computer via
<!------===2134123421=34234123421342134213=====2134=123=2314 -->the Internet.
<!------===2134123421=34234123421342134213=====2134=123=2314 --> Decrypting of
<!------===2134123421=34234123421342134213=====2134=123=2314 -->YOUR FILES is
•
All your <!------===2134123421=34234123421342134213=====2134=123=2314 --> files were encrypted with the public key,
<!------===2134123421=34234123421342134213=====2134=123=2314 --> which has been
<!------===2134123421=34234123421342134213=====2134=123=2314 -->
• but with our help, you can restore them.</font>

<font class="ttl">How did this happen?</font>
 <font style="font-size:13px;">Especially for you, on our server was generated the secret key pair RSA-2048 - public and private.
• This<!------===2134123421=34234123421342134213=====2134=123=2314 --> means that the
<!------===2134123421=34234123421342134213=====2134=123=2314 --> structure and data within your files have been irrevocably
<!------===2134123421=34234123421342134213=====2134=123=2314 -->changed, you will not be able to work
 with them,
read<!------===2134123421=34234123421342134213=====2134=123=2314 --> them or see them, it is the same thing <!------2333232 -->as losing them forever,
•
<font class="ttl">What <!------===2134123421=34234123421342134213=====2134=123=2314 --> does this mean?</font>
<font style="font-size:13px;">
• What happened <!------===2134123421=34234123421342134213=====2134=123=2314 --> to your files?</font>
 <font style="font-size:13px;">All of your files were<!------===2134123421=34234123421342134213=====2134=123=2314 --> protected by a
strong<!------===2134123421=34234123421342134213=====2134=123=2314 --> encryption
with<!------===2134123421=34234123421342134213=====2134=123=2314 --> RSA-2048
• <div style="text-align:left; font-family:Arial; <!------===2134123421=34234123421342134213=====2134=123=2314 --> font-size:13px; line-height:20px; margin-top:10px; width:800px; background:#F4F4F4; padding:20px; border-style:solid; border-width:5px; border-color:#BABABA;">
• .ttl { font-size:13px; color:880000; }</style><body style="background:#33CCFF;">
<!--===2134123421=34234123421342134213=====2134=123=2314-===2134123421=34234123421342134213=====2134=123=2314 -->
• <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> <style>a { color:green; }.tb { background:white; border-style:solid; border-width:1px; padding:3px; border-color:lime; }
• Your personal identification number (if you open the site (or TOR-Browser's) directly): %S
• Your personal page (using TOR-Browser): vr6g2curb2kcidou.onion/%S
• Your personal pages:
• IMPORTANT INFORMATION:
• 4. Follow the instructions on the site.
• 3. Type in the address bar: vr6g2curb2kcidou.onion/%S
• 2. After a successful installation, run the browser and wait for initialization.
• If for some reasons the addresses are not available, follow these steps:
• For more specific instructions, please visit your personal home page, there are a few different addresses pointing to your page below:
• If You have really valuable data, you better not waste your time, because there is no other way to get your files, except make a payment.
• So, there are two ways you can choose: wait for a miracle and get your price doubled, or start obtaining BTC NOW, and restore your data easy way.
• What do I do ?
• Decrypting of your files is only possible with the help of the private key and decrypt program, which is on our secret server.

• All your files were encrypted with the public key, which has been transferred to your computer via the Internet.

• Specially for your PC was generated personal RSA2048 KEY, both public and private.

• How did this happen ?

• it is the same thing as losing them forever, but with our help, you can restore them.

• This means that the structure and data within your files have been irrevocably changed, you will not be able to work with them, read them or see them,

• What does this mean ?

• All of your files were protected by a strong encryption with RSA-2048.

• What happened to your files ?

• yePovWEjnbjG05AcdTc6RcPJkAkSiN==

• xda3tZgkFJX8ugqukg9fF/Oj3w5EiV==

• +VW3EP3j0K+ZxejSvjGt9rYTLA3sW/==

• IPx4T3YEs4nU1CJuM1SVMBkfSASf1f==

• I4RFx+/l8UzMCjSeuucxwfcCOwsOWO==

• i5E7NlqMoz7oddFAOqyCnABJ1AbKRv==

• iV0huOOiuHXjxmoeFoCjHqgGXAVwpd==

• oWEQauezKmWwOIana1sUEHKp7Q39dl==

• pDvK5fZkyd5AHGoNUwYBoAXZBQcrLF==

• aQ3nGDhfAi6hFdsx8whLQpeCtw+08p==

• oh7xeJElua00+vKEPbVuXwdtJgGp/X==

• TQjfMYuVIKOpEZTrHsZwH200NQgGZ+==

• /bSPfcho5upxdA7T5XYzM2KEqQwWPu==

• CGCai4c6pbt8WGCS0NZL1xzmqASArW==

• Lmt1cdtPgC7S6TYTve/rumKYcAyUYb==

• KA1J8ttjDrEHIYsCR3MG90yArQx8Bl==

• 3rZU2+74/QhlzeGG23TETxgdEQCzhd==

• Zl6wmmJU2sMFX4ev14UmuP0yRgx/Ai==

• LxL4p7zYNa2I3dLTjuQiroCgJRScOz1dr2cdo4O9

• PpAh2Uc5B+hOm2fv8QMBmBhpWQvz/z==

• LQ/WdAokYMC9bJkdc0eHB4Jjrgi+XM==

• TftUmBIT9O3uO2HJ/qNIib8SHQQn7x==

• OHR9IkF5NB5KFDChcRJmpfP0Yw9I2t==

• iU0yr0uJUyHI88MqpKj4ICMNfwOrlX==

• RLMAL2fPEi4nnt/EzayE9nMCnQjav7==

• ZpADreNuLm6tyHk7x6nqYusQ5QYHcc==

• 4EfgPNkbZ0tKLxenm/Xb2eHLUAk0Da==

• dibYuGV5LM+JntIs2O9832vz3g3egb==

• ZdxgZaQFz/5DmHlfw92Q6cMW0AdnTT==

• WrqIXYlhEAWiRe8Z2gNyWr6nyA2Afu==

• 8a6ym4sUrLee+0jKGtDNV1nYJQVrwS==

• fRWm2Er30E6uQzsb+ka6xS1/wgWjMO==

• B7N8T8Z+c2zPyTIpK7j5ujtd6AK+B0==

• 6L/ZnDGi9+gv6qA524yts7he+w5rxT==

• 8PpjpwTWLb31k+pBP3rEybcp7A2sVi==

• 1PfXoaAyP0EVRExCQd9WrDv0tQ4CUI==

• KTaicZXeOg0nJy+5H003D+RMpgl/HO==

• GNqeL03OoAxU+S2OoKj8ChiOYQiX2k==

• AJZU42zeaRXv9HpyiqyOt1fAwggrMl==

• pKIWt0a6VnKmOTegYEnJGKE9xgQ3r0==

• KFOhmXUwdFnN9/Wsr2hJYAib8Qxvb3==

• HUI75NoaIc2Y+pqj/tueV+mz8AZvUM==

• JkJxO1bPcK1fG/YkcNnLCA+jSg6I7N==

• kmrRhbU6Gbd+7/Dx3kqk3tvycA8b8B==

• 7NWPwQo8bCcMb35qth6N+gPmLw6EKh==

• 0IxE3CmDDLfvqEMeYcsoAz861QKALV==

• nR9GM8A4rqIm1lxySAYe583D2A4zh2==

• xYuG4a2ykwkOlWQSEadDYdb7LQezZA==

• 2SCQP2nItabLNY8Tl0/U5tgELAFUVF==

- HPMcUEce85P2l9EU5zSf7Um+ayaQOr+OKlnGfWqj
- NHqfLXVxZHNeEeR9U8om3Xev7QA0aj==
- y6TW7Z7qd5ppqlTDyJfEDKzI9a+CjPCMl4FnBHJl
- anzN0X9Ia8TKKWIF8DZk6mq/VgUwEu==
- xD5Z71hkLDitwpWsqss0V4zEyQkC1G==
- mUI6KY/aD4yTM6Deb3a7hJW8ugtpVx==
- MIGKU3eb6elMsQBAE67S6vLcXw6Gyk==
- KwZxMeFlhLOE/2v7Yuwrbt5IfQL3hJ==
- Hn0CHNWA+dk2FyJrtzVBB4nry/mA5uskfeClCQaO
- 0JW97voN/HzEg1s2DGEcNPQr4QL4Jh==
- XkW9Gv+6DdMPdO8dUW4BxKmTGAP2zf==
- Ts27QUAbZ2GPOgtf4ZF1g79YQQfM1I==
- 6uH0rPI9Ct4eXio7msDvLrzhDw8RtA==
- A82wv6IydLJM7DWEOljkWXNntA71IG==
- +DjuVI2n/9ltaRKdU4vkbWFfKoxy4+spzrDi3uVv
- UI4976TPqDqIPDi3ckOqvJ4cQQNdtT==
- 8UYaBVkwezCo2XsiqibjTKzwWQDgaQ==
- RzOBioMto6KSfJ8cxHCrbAjgTgfTrZ==
- K8fpm6+IAruIESCvreO0D1+3gw0mAS==
- Y3BxJ63JxP11n9mVSmOskvJbYQfIIG==
- AfMZ5ciorXaCbOZ7fYGknmaK+gvt1d==
- Ivr64mb9fkUjfFY+jN3J+PU4tgEnTD==
- JlIqhKXQwBPvgcRPkeEvcCEO/AzCru==
- fZIz5tYBzsRR3qKPW59DQ4oV2g/3dl==
- +uRjdPloboSZgQIR/5MtP2IAywAvn6==
- qjYXa3RUxOxnUrW9Q4DiH6/7OAzJKh==
- aeXdhD5pjS6Ox1RrLI02kgZyGAwoKV==
- 8Z84RXu1+kd9C4qChTFaCpBySAN3UY==
- 9fk7Vm41nHZyts9ogNbOdtEC6gp6XO==
- Q2GuLLQPoIRtWiBdRnG9BO0gJQ5xtH==
- MvWQb48i5PcHVFoA9eHGRAboOA5gOQ==
- MOZjX3O8Lc8bFW/lvG647vMlgQlZlp==
- QGcl6Ey2XzJlutCFA8aot8X2ZAaD1q==
- +AqXZrcv5viNviNImbD4/IgBIQGQBa==
- rVoU+ZE5BZtwOjXuSyFbAJFfzwBCQy==
- i91PtOYn90QmeGnMGdMFeYP0wAcuNK==
- nO9lZcUJBM6FzPydGz2YE+x6hQf62B==
- jVH/jIFQSihHO/EEwZtPLAm0LwaECK==
- LNEMHVei9cvEjUKu5JXfHDCJtwnbd9==
- vbdyPW9ts2ZO4ITcji0wJat7gw2sbP==
- sdLW86kgd9CZRjJoGLiRD9QHLQvbDo==
- nnH36s54vCuuciQQGyd/0Ofj2QvkwR==
- EXo0rj/An4a1vZYzxsnNoBy2FQbbCW==
- sjzxudoASLwdVB5hT6kYUUd3AgLE/U==
- iS69RO5LrgC2UJ5YHUSgkLlYzgnUtY==
- uRyvvz6/pWpaQ707ZG5MFDaGcAaRQa==
- 5fD5HfpTwpJcw/vAp0vy2TOLAAlEWF==
- keCXrft3uzSq+6iyMtFL5RDKkg358K==
- teRlhoApgf6M1QU/szt1j20+iA01Kh==
- TafkEQG+5J1NhwlBqbe0n3Cz+QjWZy==
- /8b+CZqaKIIY1fFMwTQR+E+hhH1Tg8n8v3DBJ2Nu
- tkni7Wm4ckf5xwIQhbCYJxVzQO13DLhZahKjSZgt
- rcDQLWlTtu7S/zgs3HRqUhO6+gmRn1==
- +gCgHoQDVhGdA/S25mLBE9hDoAUuBB==
- mlgDCP+EDtdZQZFAA2MGfizu2A6GLu==
- dYUxGLSJzyzGuVKOVBnSOANTzQn4aw==
- G0bqfrlUTWx6hxTjudZUAFek9gb1Xs==

- Ybt6VBz1jkGTQL7JGoaYHmnt2QS0as==
- gC5bVwEggIS5hTCm7rW603X9zAx2CZ==
- MO56Bo01aza0kcYRfXscdtxQWAQRTf==
- VOMju2GcHZB+6MZtxQExebnEVwZ2Mj==
- R7Yhuh1h1h8/Bh7QycUq7JyEJg7W90==
- 0aN8AWuV6/yJTT6oCnszPkj//QTCU2==
- yTREQCC/4v5g07cWeoayFlc8kQc0WU==
- F506Cd1v+oe6m4cfl/K1lpq+ggZwkT==
- voDfOb77YVM8imIjiJQ9YVtvZASC5+==
- 0wKtPA47QFE9/tYZR9dJUSbT5wCtii==
- ywZxHuMyIJ5ob5foO+JZdFHdwAjdzX==
- 2hEjH487xbklj8Q+M2JD70lsVQxEZ5==
- bbY8vzgS0mOqvHp6w208WwH14wNkfu==
- vaZUD8SG1L4Lpojcr9DDkHkIuQLbkR==
- f7jE3C3r6+1tyyzSzK17uWqlXQzXXl==
- GXZ1QPQnJhKzl/iLOz496tpqrQkX2z==
- oIqrpqPS3A8pDY+bnvbN26NXvgA+RS==
- 4y/MxIhou0HDZjVsH77YLUOrewTWwd==
- OZRy0/FdTYG7kYPJFcszhI9Sqg5lje==
- Ignb89ZM9Zvk4SqRK+8K7p94FgA3cQ==
- dSrByO86NCQnBmg8xi1pvzM56ATK28==
- +hIzSINjweHKILVoZH01CwjT+wR2If==
- 9jfBKIeCFQ35addULtIMOD+yDAOhsU==
- 8rwr0hfngqSHQKOZXFv253u2VATy8W==
- OmIG28crk6OopHYErGWGeGkHDNoYB8qNLp4jH4jb
- PtIUfFNH37Ot+qCI//9o6Yo6mg/xow==
- fNyKXZxNOJHQA7H70Iet6OpjrA+A1h==
- 713BDw+/en/yAWRm5alpIEFfBg4GJY==
- rtmWL3IManD4IsycicPZ5mBmRwsRpl==
- FanbeFqTh/m40txYNlbQ26XOEwvuAO==
- yENKEUEuaRjuLGGIsprExTrMKAP5LR==
- qU6zdFNblf/rorIKuhtTh4Yfkweveh==
- 9gxcunJoq7H44X5fxMD49NUjJwvVtL==
- hm4ZAqm0alWBuWSsLuAaNNX0KgRyIB==
- R8kiTZJC+AX0+X6hOmvwhr9imwJZs+==
- MTvBz2TBtfzB+MfiuK6PGJkrdG9XIIFRDlvwS5t1
- O3FV+hkIuJynglCq4UapVfvhqgQWpC==
- uuKyyUN4gz8Hl2l99xdUV4GU0QHc1+==
- r0kENXQr+s2NFbxvm1np25DYtDtlr2IZiY8ECJyp
- ApmaaDyTZfJtTmBSHEyYHdomLAusdT==
- ECnVtYkg6lIu2XaRBxRfGTzteAqYWg==
- rzSY0utfTv8gDnAaSAmAjqY9hwUxFZ==
- jG3Z15q/ikcklA7f3eOZIzI4OA1GJn==
- 1wg+pGIABq0nDGLTbZJMRIaDQQwAr2==
- sXhCo5d4M0vXhgoWh8B/WIbwdQycLd==
- OLyBqjDXfHD2UiqMt3OtwyF5MwzXHk==
- N/Zp0PACR4ZbXU86PTldAylrBQXUqH==
- AVz5gf8xNDGKfj0UrcMU9MvTUQhPH2==
- lLLyzrFROr8huwKZsR1McQoa6vph64emYdYwKoMkDj0PnYAJi1ay/YHtJvGtT1LzcYUU5PmD
- qHgwJ85AQjBB3SkC68UsK6J4hFJzmw8e+LhMmBJPM9ofz1ZTJaRX3jR32yBad4J6Nm7Pic/E
- tWxJaGuUPYSReFMoos9pRrcBxNr3lc23PiULzwoOS5L4RAaBzbd2CXIEFwaahC==
- I37KgQXPg5Yx4TRmoSWboeFLxDN6GhzmbzxEYWaOKJYxO5nlYKhHIMF4TAs4hi6v/yaBYOKu
- 9cDtvo52Rh1o1cAt6HcwioT5uMhG23Kbta1KexhO3/EL84KePRHVkemp6AGHZl==
- kWi0KjM4lKqBan9RVkVfNMPPIduyoWEH6COc6W3UBuW+useB4eKjuhYMAwbdU4==
- YTz0oegkYVsOdPS+vcq4ECDgcQ5uDwIFqZ/HFzUlF21jOPvNjo8n8XhjQQkmPx==
- CloseToolhelp32Snapshot
- INSERTED

- ypted
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; Touch; rv:11.0) like Gecko
- SECG curve over a 256 bit prime field
- OpenSSL ECDH method
- winspool.drv
- olE32.dll
- psapi.dll
- Imagehlp.dll
- Gdi32.dll
- opera.dll
- cabinet.dll
- urlmon.dll
- wininet.dll
- shell32.dll
- winsta.dll
- ws2_32.dll
- user32.dll
- advapi32.dll
- Big Number
- 0123456789ABCDEF
- ECDH
- 2.2.0
- RIPE-MD160
- 8STs
- SHA-256
- 0123456789ABCDEF
- data
- S-1-5-18\\
- Software\\%S
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- __based(
- __pascal
- __thiscall
- __fastcall
- __eabi
- __ptr64
- __restrict
- __unaligned
- new
- delete
- operator
- `vftable'
- `vbtable'
- `typeof'
- `local static guard'
- `vbase destructor'
- `vector deleting destructor'
- `default constructor closure'
- `scalar deleting destructor'
- `vector constructor iterator'
- `vector destructor iterator'
- `vector vbase constructor iterator'
- `virtual displacement map'
- `eh vector constructor iterator'
- `eh vector destructor iterator'
- `eh vector vbase constructor iterator'
- `copy constructor closure'

- `udt returning'
- `RTTI
- `local vftable'
- `local vftable constructor closure'
- new[]
- delete[]
- `omni callsig'
- `placement delete closure'
- `placement delete[] closure'
- `managed vector constructor iterator'
- `managed vector destructor iterator'
- `eh vector copy constructor iterator'
- `eh vector vbase copy constructor iterator'
- `dynamic initializer for '
- `dynamic atexit destructor for '
- `vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `managed vector copy constructor iterator'
- `local static thread guard'
- Type Descriptor'
- Base Class Descriptor at (
- Base Class Array'
- Class Hierarchy Descriptor'
- Complete Object Locator'
- Unknown exception
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- 700PP
- ('8PW
- 700WP
- (8PX
- bad allocation
- CorExitProcess
- 9csm
- _^[u
- SVW3
- FGIu
- FGIu
- o~pf
- ov`f
- onPf

- of@f
- o^0f
- oV f
- SVWUj
- Vuy3
- SW9E
- t(9}
- 3t(;
- vL;5
- v4;5
- 9] SS
- t"SS9] u
- 9](SS
- 9]$u
- r 8^
- ~%9M
- u}ht
- u,9E
- VVhU
- t$9U
- 8"u8
- tAVWP
- "u\t3
- 8csm
- t/9U
- 98t^
- SWf9M
- uNSW
- UVWS
- L$,3
- 9csm
- f9>t
- f9>t
- >=uu
- f9>t
- f9>t
- u%\tU
- tEHt0
- AWf;
- F\\=0
- t&:a
- 90tN
- j0Xf
- 90tX
- @u^V
- ?If90t
- 90tW
- @u^V
- uTVWh
- @uoW
- f9;u
- t"Ou
- VW9]
- t)Ou
- YY;E
- t'Ou
- 8"u\'

- 8"u]
- SW3
- woVW
- 8"u%
- 8"uY
- SW3
- _^[]1
- USVW
- USVW
- _^[]1
- E|QR
- Ex3E\\
- Et3EX
- Ep3ET
- E\\QR
- EX3E<
- ET3E8
- EP3E4
- E<QR
- E83E
- E43E
- E03E
- USVW
- USVW
- SVW3
- h4U5
- _^[3
- h09A
- 9\\$(
- P0QW
- T$63
- T$0RP
- Whh4C
- WhH5C
- h06C
- PQVS3
- _^[3
- 9\\$(t
- 9\\$4
- 9\\$@
- 9\\$8
- 9\\$D
- 9\\$<
- 9\\$H
- 9\\$
- 9\\$$
- 9\\$0
- hp3C
- h`3C
- hP3C
- h@3C
- h43C
- h(3C
- h\\2C
- h@2C
- T$0j
- D$8G;

- T$0V
- T$0j
- L$8f
- 9|$<t
- D$ u
- L$P3
- uCPh
- T$0j
- L$8WQ
- T$0V
- QPPO
- V\t0P
- QPPO
- hP1C
- hD1C
- Ph@1C
- h81C
- D$0;
- Ping
- h01C
- u0h,1C
- ;D$0
- 9L$L
- L$(3
- ;D$8
- D$XI
- t$4;
- ;D$8r
- ;D$0
- >9|$$
- ;D$8
- D$8;
- T$X9C
- |$0;
- T$4;
- 9u u
- u,_[]
- tL9^
- O@Qh
- ODVQ
- 9s(u
- t$,9u
- $SV3
- u4WVSR
- 9_(u
- 9G(u
- uDWS
- AdVW
- 9C(u
- 9s(u
- uGRW
- t$4;
- u-WV
- u9SV
- T$4;
- 9w(u
- AdV3

- 9q0u
- OtQRW
- 9s(u
- OtQS
- OtQSW
- u\t9u
- OHQP
- u!RW
- tg9E
- tq9E
- 9_(u
- 9C(u
- 1f;2u
- hp0C
- t"f;E
- f9tG
- D$63
- hD0C
- h(0C
- t0hg
- u\t_^3
- B<#u
- F</u
- Q<+u
- sm<=u
- u&QR;
- u,@;G
- G$9L$
- u!9W(u
- t*;O
- _^[3
- L$X3
- L$8VQ
- D$L3
- \\$(3
- L$X3
- L$X3
- L$X3
- _^[3
- T$$u
- _^[3
- 6y/Gj
- D$P3
- D$0j
- D$d3
- D$|3
- T$$u
- |$t3
- _^[3
- L$x3
- 6y/@
- D$X3
- \\$D3
- T$83
- D$T3
- T$(3
- T$t3

- L$p3
- L$x3
- L$x3
- L$x3
- _^[3
- L$@3
- L$8VQ
- L$0j
- L$@3
- L$@3
- L$@3
- t\t;E
- 9s(u
- u"Pj
- 9C(u
- 9C(u
- N$1O
- 9C(u
- 9C(u
- t!9]
- Wu,I
- 9{(u
- C$9{$u
- 9{(u
- C$VW3
- 9W(u
- 9t$8r2
- D$89D$Xu
- 9|$Hs
- D$8P
- D$H3
- L$4+
- ;L$,u
- ;D$(u
- 9t$
- \\$$u
- 9C(u
- SW9F
- 9G(u
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- L$,u
- VjAhx
- u#Vhx
- VjAh?
- u#Vh?
- Sj1R
- SVW3
- PjAhW
- PjAh?
- @.reloc

- @.data
- `.rdata
- .text
- ZRich
- ZC5TZ
- ZC5VZ
- !This program cannot be run in DOS mode.
- %s\\%s-bc.exe
- %s\\%s
- .txt
- /c start "" "
- .vvv
- *.*
- %s\\%s+%s.html
- %s\\%s+%s.txt
- %X%X%X%X
- H
- h((((H
- (((((H
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- C(null)
- =(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- :0:P:p:|:
- =,=X=
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- =$=,=4=
- ?C?P?x?
- >@>K>y>
- </<8<g<z<
- ?l?P?T?X?\\?`?d?h?l?
- > >$>(>,>
- ; <)<5<n<w<
- ;%;`;
- ?=?]?
- <^>j>p>u>{>
- ;!<^<m<
- ?.?^?p?
- =<>C>X>
- ?%?G?\\?
- > >Y>
- :+:=:X:`:h:
- >K>w>
- <Y=h=
- :<;C;P;V;
- :V:N>
- ? ?+?2?=?D?U?\\?j?q?|?
- >&>->8>?>J>Q>b>i>w>~>
- <%<5<B<R<b<{<
- :):3:=:G:k:u:
- ?.?l?y?
- ><>I>\\>I>
- ='=:=J=z=
- <&<X<e<x<
- :/:9:C:M:r:
- [>q>w>

- ?)?5?A?T?[?n?
- >)>=>D>
- <G=M=
- ;#;+;3;;;`;
- =%>0?6?<?F?Z?g?m?s?z?
- =#=(=2=q=~=
- ;W<`<t<y<
- ;+;6;R;Y;v;|;
- :":1:@:O:^:m:z:
- <(<-<6<;<J<g<p<y<~<
- >!?'?2?C?~?
- :;>Q>W>\\>a>f>k>p>v>|>
- ?2?8?N?s?x?
- =%=+=>=\\=b=u=
- 3V<l<q<
- =2?G?]?b?t?
- ='=,=}=
- <k<q<
- ;$;);E;R;
- :(:-:
- ;@;S;X;
- :d=z=
- =@=~=
- < <$<(<,<0<
- <e=x=}=
- :!;+;5;:;C;M;R;Z;a;o;t;
- =$>4>D>
- =#=z=
- ;#;c;
- </assembly>PAPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDI
NGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDING
XXPAD
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- !Hl\\tHl\\
- *?#1*?#
- bT~FbT~F
- gDf;
- ?ZwKiZwK
- lZrNlZr
- @CFg
- +NpHhXpHh
- j:'^
- --wZ--w
- ((xP((x
- >>B|>>B
- ..r\..r
- $$lH$$l
- ::Nt::N
- **~T**~
- ""fD""f
- ==Gz==G
- !!cB!!c

- <<Dx<<D
- `@ `
- //q^//q
-))(R)){
- ;;Mv;;M
- ,,tX,,t
- &&jL;&&j;
- ++}V++}
- MPR.dll
- ntdll.dll
- SHLWAPI.dll
- sdflk35jghs
- </body></html>
-
- *</font>

<font class="ttl">What do I do?</font>
<font style="font-size:13px;">Alas, if you <!------dsgdfgsdg --> do not take
- <html>
- ++++++==========+++++++

• Wcmh6fgJlmY8gJGgz2BHdl1xjg8+YC==
• 5602zHm5vdsxappUuc0PVFjY3zMrd8zWD7u1XvM2XsvoyWh3Q6ROqFckPRbgW9blEmPywtTIJEsfLHQt4NahLuPREasep6MQq2gniZSKZjJ3JMNKXMwhd63M8JtvI+tKM5Gx/fremYVJ3p4l/uO=
• .....
• %s?%s
• SHLWAPI.dll
• crypt32.dll
• gdiplus.dll
• winmm.dll
• ssl3.dll
• nspr4.dll
• ntdll.dll
• .dll
• 123456789ABCDEFGHJKLMNPQRSTUVWXYZabcdefghijkmnopqrstuvwxyz
• ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
• LwH'
• vRQ>
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
• __cdecl
• __stdcall
• __clrcall
• `vcall'
• `string'
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
• MM/dd/yy
• dddd, MMMM dd, yyyy
• HH:mm:ss
• xppwpp
• `h`hhh
• xpxxxx
• `h``
• (null)
• Ht(f
• Ht%C
• X^_]
• j@j
• _^[]
• UQPXY]Y[
• ;t$,v-
•]_^[
• t?f;
• SSSSS
• tCHt(Ht
• PPPPPPPP
• PPPPPPPP
• QVj
• v\tN+D$
• QSWVj
• QQSVWh
• t\tj\\Yf
• PPPPP
• Y[_^
• w\tf
• Y_^[
• Y_^[
• _^[]
• t!Ht

- j hX
- tVPV
- ~,WPV
- j@j
- j@j ^V
- _^[]
- SVWj
- [_^]
- URPQQh
- Y__^[
- tRHtC
- Y;=H
- Fpt"
- Y_^[]
- _^[]
- j Xf
- RPSW
- ^SSSSS
- <v*V
- PPPPP
- RPSW
- HHty+
- HHtYHHt
- t$HHt
- RPSW
- HHty+
- HHtXHHt
- t%HHt
- PPPPP
- YQPVh
- jXhp
- j hP
- _^[]
- _^[]
- SSSSS
- _^[]
- _^[]
- _^[]
- WVh?wB
- 8CSVh?wB
- _^[]
- WVhdhB
- 8CSVhdhB
- _^[]
- _^[]
- ~\\[_
- tMv
- ~h[_
- t+hbg
- t+hbg
- t+hbg
- RWSV
- tDSW
- tVSW
- _^[h`
- SVWj
- QRVj

- QVVj
- L$ h
- h(\\C
- D$$Pj
- w.t:
- T$ RP
- \\$;
- T$(RP
- D$,Ph
- j\tPf
- PSSSSSSh
- DWh 4C
- _^[]
- s^[]
- x@VW
- F\\ _^
- T$Tj
- L$|QR
- D$XP
- Dd
- T$`R
- T$|RP
- L$$Q
- D$,j
- Qj@R
- D$<P
- T$(j
- T$,j
- Pj@Q
- T$<R
- L$$h
- D$$ht2C
- T$$S
- $jDQ
- D$$W
- L$_^[3
- T$<j
- T$XR
- D$DP
- D$HP
- D$ h
- +t$\\
- L$$Q
- T$PR
- D$LP
- gfff
- D$PS
- L$_^[3
-)t$<
- D$,P
- T$`R
- L$$Q
- D$PP
- L$ h
- T$LR
- gfff
- D$Df

- hb)!
- t+hbg
- \\$$V
- SSSS
- SSjP
- D$h:
- D$dr
- D$\\g
- L$\\+
- T$PPhH
- L$HPQ
- D$L;
- T$,PR
- D$(<
- D$ SP
- SSSSh
- D$`_^[
- T$ R
- VQQR
- ;D$LtC
- D$,H
- D$ RPQ
- L$(@;
- D$X;
-] SRVP
- D$X;
- T$DRQ
- ;|$X
- ;D$,v
- L$PRQP
-)|$$
- D$d9D$
- |$HH
- L$$;L$,w/
- T$$RQ
- ?;|$,v
- T$(9\\$
- |$$;
- T$<RQ
- \\$D;
- t$`;
- VPWSQ
- RPWSQ
- PSWR
- _^[]
- _^[]
- GDVP
- ^_[]
- VSQRW
- hx'C
- VSQRW
- WSRP
- HQVVj
- D$,_^[
- SVPPW
- ,VPW
- D$ RPW

- T$,P
- RPPW
- WHRPP
- D$(_^[
- D$ WV
- t$$VVS
- ,PVVS
- D$ WQ
- ,QPS
- ,PVS
- D$,_^[
- PVVW
- tWPP
- GtPQVW
- PVVW
- T$$SVQRW
- SVPW
- $SVW
- D$4_^[
- SVQVR
- D$,PV
- SWVQ
- |$0PWV
- D$$SW
- SRWV
- OtQVVW
- SVVW
- ,PVW
- t$(WQV
- F,PQW
- ,SVW
- D$4_^[
- T$ R
- D$ SQ
- T$(SPRP
- D$$SQ
- SQRP
- D$,QPP
- D$$PP
- D$$P
- |$<PW
- D$,W
- ,PWWV
- L$$SW
- ,PWV
- |$,W
- T$,SW
- ,PWWV
- D$ SW
- ,PWV
- PSVW
- D$ _^[
- CHPQVR
- QVRS
- WQVS
- sHVP
- ,RVS

- t$$W
- t$;
- ^_[]
- WSVR
- QhX-C
- ,SPW
- RWWS
- sHVP
- QWWS
- sHVP
- QWWS
- sHVP
- t$,WV
- GtPQ
- t$$;
- QWWV
- VtWR
- NtQV
- RSPWj
- FHSP
- PRVS
- HHQVV
- HHQVV
- WSPV
- WQRVP
- QhX-C
- txVW
- _^[]
- _^[]
- T$$P
- t$ SR
- QRPW
- t%Sj
- PQSW
- QSVW
- D$HPW
- T$ Rh
- L$ Q
- D$ P
- T$ R
- D$&f;
- SVWj
- SRj@
- SMST
- SMST
- t2VhTs
- SMSTW
- t+hbg
- hB=K
- hB=K
- SMST
- SMST
- _^[Y]
- VRQP
- _^[Y]
- QSVW
- _^[Y]

- _^[Y]
- _^[Y]
- _^[Y]
- t)VSW
- _^[Y]
- WPQR
- PVQR
- VSPQ
- RWPQ
- QPPP
- PQNV
- PQVS
- D$$_^[
- T$(R
- T$$;
- T$@#
- D$$P
- hX*C
- %P;@
- D$df
- D$<VV
- T$tRVV
- L$`j
- hx)C
- %P;@
- T$dj
- T$t+
- L$DVV
- T$D+
- D$tPVf
- D$tPVV
- L$Pj
- T$p#
- T$hVR
- %P;@
- T$|R
- D$hj
- L$lQVV
- D$|f
- T$\\Rf
- T$hj
- T$,Q
- L$$j
- L$`j
- hx,C
- Rhx,C
- |$@#
- D$pVV
- L$DQ
- L$Tj
- D$4PVf
- D$@j
- L$<f
- T$$RVf
- L$<j
- _^[Y]
- _^[Y]

- D$ _^[
- L$$;N
- L$$;N
- Vt-PSP
- VPQS
- PVQR
- SVW
- PWSS
- RSWS
- RPQW
- VRQP
- VRPQ
- { _^
- T$,SRWWj
- L$4QPj
- j@PP
- T$4RWP
- C$VW
- { _^
- C QW
- C$VW
- { _^
- SQPW
- C$VW
- WQVVj
- { _^
- SQPW
- C$VW
- QPWVVj
- QSVW
- ^[Y]
- SV;G
- { _^
- SQVRj
- WQPR
- D$,_^[
- T$ PQVRj
- T$ VR
- PQSV
- RVPQS
- D$$RPS
- D$$VP
- WRVVj
- QSVR
- D$X;D$8s
- D$T;
- +|$@
- ;|$@s
- D$D9D$Tw
- ;D$8rv
- D$X;
- D$PP
- PSPW
- |$HPW
- D$,PQRS
- T$,RWVQP
- T$,R

- D$tSRPP
- +T$
- @VPW
- _^[]
- t[VW
- G VP
- PQPQ
- PSPS
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSVW
- PQPQ
- PSPS
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSVW
- T$,9T$$w
- D$$;D$,t#
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- ;\\$ s
- \\$;
- ;|$ s
- T$;
- ;D$ s
- |$;
- <SVW
- SWQV
- PQPQ
- PQPQ
- PQPQ

- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSPQ
- PSPQ
- PSPQ
- PSPQ
- PSPQ
- y"SVW
- +t$
- ;t$ s
- (;L$$w
- +L$
- ;t$ w
- |$$t@;
- SVW;P
- RSVV
- QWVSR
- WSRP
- VRWSP
- QRWSP
- RPVV
- WRSP
- RWQSP
- SVWf
- hH#C
- PQRhH#C
- h@#C
- h@#C
- h\\#C
- hH#C
- QRPhH#C
- h@#C
- .rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000006f769e00110000006f76aa006d0000006f76ab002a000000c30f5d0002000000c30f5f000100000027c66d00010000000978930015000000000000100a8000000000000000010000006f76af003d00000009c8db00010000006f769d00

• Module 3 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- VC8_Microsoft_Corporation ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()

- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- network_http (Communications over HTTP)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers0 (Looks for big numbers 20:sized)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- BASE64_table (Look for Base64 table)

• Module 3 strings

• Module 3 most interesting strings

- suspicious event or string: bcdedit.exe /set {current} recoveryenabled off
- suspicious event or string: bcdedit.exe /set {current} bootstatuspolicy IgnoreAllFailures
- suspicious event or string: bcdedit.exe /set {current} optionsedit off
- suspicious event or string: bcdedit.exe /set {current} advancedoptions off
- suspicious event or string: bcdedit.exe /set {current} bootems off
- url | http tag | valid domain | tlds | wellknown extension:
 <a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
- url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->2.<a href="http://tsbfdsv.extr6mchf.com/%S" target="_blank">http://tsbfdsv.extr6mchf.com/%S</a>
- url | http tag | valid domain | tlds | wellknown extension: <!------===2134123421=34234123421342134213=====2134=123=2314 -->1.<a href="http://alcov44uvcwkrend.softpay4562.com/%S" target="_blank">http://alcov44uvcwkrend.softpay4562.com/%S</a>
- url | http tag | valid domain | tlds: http://myexternalip.com/raw
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> https://vr6g2curb2kcidou.onion.to/%S</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --> <a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 --><a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>
- url | http tag | valid domain | tlds: <a href="http://www.torproject.org/projects/torbrowser.html.en" target="_blank">http://www.torproject.org/projects/torbrowser.html.en</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->4.<a href="https://vr6g2curb2kcidou.onion.to/%S" target="_blank">https://vr6g2curb2kcidou.onion.to/%S</a>
- url | http tag | valid domain | tlds: <!------===2134123421=34234123421342134213=====2134=123=2314 -->3.<a href="http://psbc532jm8c.hsh73cu37n1.net/%S" target="_blank">http://psbc532jm8c.hsh73cu37n1.net/%S</a>
- url | http tag | valid domain | tlds:
 More information about the <!------===2134123421=34234123421342134213=====2134=123=2314 -->encryption RSA-2048 can be<!------===2134123421=34234123421342134213=====2134=123=2314 --> found here: <a href="http://en.wikipedia.org/wiki/RSA_(cryptosystem)" target="_blank">http://en.wikipedia.org/wiki/RSA_(cryptosystem)</a>
</font>
- url | http tag | valid domain | tlds: <font class="ttl"> NOT YOUR LANGUAGE? USE <a href="https://translate.google.com" target="_blank">Google Translate</a>
- url | http tag | valid domain | tlds: https://vr6g2curb2kcidou.onion.to/%S
- url | http tag | valid domain | tlds: http://psbc532jm8c.hsh73cu37n1.net/%S

- url | http tag | valid domain | tlds: http://tsbfdsv.extr6mchf.com/%S
- url | http tag | valid domain | tlds: http://alcov44uvcwkrend.softpay4562.com/%S
- url | http tag | valid domain | tlds: 1. Download and install tor-browser: http://www.torproject.org/projects/torbrowser.html.en
- url | http tag | valid domain | tlds: 4. https://vr6g2curb2kcidou.onion.to/%S
- url | http tag | valid domain | tlds: 3. http://psbc532jm8c.hsh73cu37n1.net/%S
- url | http tag | valid domain | tlds: 2. http://tsbfdsv.extr6mchf.com/%S
- url | http tag | valid domain | tlds: 1. http://alcov44uvcwkrend.softpay4562.com/%S
- url | http tag | valid domain | tlds: More information about the encryption keys using RSA-2048 can be found here: http://en.wikipedia.org/wiki/RSA_(cryptosystem)
- url | http tag | valid domain | tlds: NOT YOUR LANGUAGE? USE https://translate.google.com
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetDC
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: ExitThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: WriteFile
- api | frequently used by malware: EnumProcesses
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: Module32Next
- api | frequently used by malware: Module32First
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: Thread32First
- api | frequently used by malware: Process32Next
- api | frequently used by malware: Process32First
- api | frequently used by malware: CreateToolhelp32Snapshot
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\System
- api | wininet: InternetOpenA
- api | wininet: HttpSendRequestA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetOpenUrlW
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | ntdll: _alldiv
- api | ntdll: _allshl
- api | ntdll: _aullshr
- api | kernel32: SetEndOfFile
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: WriteConsoleW
- api | kernel32: HeapSize
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: RaiseException
- api | kernel32: GetEnvironmentStringsW

- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LCMapStringW
- api | kernel32: GetCurrentThreadId
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | kernel32: GetCPInfo
- api | kernel32: GetStdHandle
- api | kernel32: HeapCreate
- api | kernel32: EncodePointer
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineW
- api | kernel32: HeapReAlloc
- api | kernel32: DecodePointer
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: RtlUnwind
- api | advapi32: CheckTokenMembership
- api | advapi32: FreeSid
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthority
- api | kernel32: RegSetValueExW
- api | kernel32: RegFlushKey
- api | kernel32: RegCreateKeyExA
- api | kernel32: RegQueryValueExW
- api | kernel32: RegQueryValueExA
- api | kernel32: RegCreateKeyExW
- api | user32: DrawTextA
- api | user32: ReleaseDC
- api | user32: LoadStringW
- api | kernel32: LocalFree
- api | kernel32: GetShortPathNameW
- api | kernel32: LocalAlloc
- api | kernel32: SetLastError
- api | kernel32: SetThreadPriority
- api | kernel32: GetModuleFileNameW
- api | kernel32: CopyFileW
- api | kernel32: GetModuleHandleW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetCurrentProcess

- api | kernel32: CreateProcessW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetVersionExW
- api | kernel32: LoadLibraryW
- api | kernel32: FreeLibrary
- api | kernel32: GlobalMemoryStatus
- api | kernel32: GetVolumeInformationW
- api | kernel32: SetFileAttributesW
- api | kernel32: DeleteFileW
- api | kernel32: CloseHandle
- api | kernel32: FindNextFileW
- api | kernel32: FindClose
- api | kernel32: GlobalFree
- api | kernel32: GetLastError
- api | kernel32: FlushFileBuffers
- api | kernel32: CreateFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: GlobalAlloc
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: GetLogicalDriveStringsW
- api | kernel32: MoveFileExW
- api | kernel32: HeapAlloc
- api | kernel32: GetDriveTypeW
- api | kernel32: SetFilePointer
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileSize
- api | kernel32: ReadFile
- api | ntdll: _vsnwprintf
- api | ntdll: _snwprintf
- api | ntdll: strstr
- api | ntdll: wcsncmp
- api | ntdll: wcsstr
- api | psapi: GetProcessImageFileNameW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: Heap32ListNext
- api | kernel32: Heap32ListFirst
- api | kernel32: Heap32Next
- api | kernel32: Heap32First
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptGenRandom
- api | advapi32: CryptAcquireContextW
- api | netapi: NetApiBufferFree
- api | netapi: NetStatisticsGet
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

- **Module 3 other strings**

- Translation
- VarFileInfo
- 1.0.0.1
- ProductVersion
- TODO: <Product name>
- ProductName
- TODO: <Original filename>
- OriginalFilename
- Copyright (C) 2015
- LegalCopyright
- TODO: <Internal name>
- InternalName
- 1.0.0.1
- FileVersion
- TODO: <File description>
- FileDescription
- TODO: <Company name>
- CompanyName
- 001f04b0
- StringFileInfo
- VS_VERSION_INFO
- 213421342134
- sconfi
- egedi
- rocex
- askmg
- Tahoma
- Acronis
- EnableLinkedConnections
- ComSpec
- %s\\Howto_RESTORE_FILES.bmp
- %s\\Howto_RESTORE_FILES.html
- open
- %s\\Howto_RESTORE_FILES.txt
- 2134-1234-1324-2134-1324-2134
- :Zone.Identifier
- \\recover_file_
- KERNEL32
- sShell32.dll
- runas
- %s\\system32\\cmd.exe
- windir
- tIntel Hardware Cryptographic Service Provider
- LanmanServer
- LanmanWorkstation
- NETAPI32.DLL
- KERNEL32.DLL
- ADVAPI32.DLL
- recove
- how_recover
- Software\\zsys\\
- \\S-1-5-18\\Software\\zsys\\
- data
- Software\\%s
- CONOUT$

- WUSER32.DLL
- UNICODE
- UTF-16LE
- UTF-8
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- Program:
- Runtime Error!
- <program name unknown>
- CMicrosoft Visual C++ Runtime Library
- - floating point support not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- - abort() has been called
- R6010
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- - CRT not initialized
- R6030
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031

- - not enough space for locale information
- R6032
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9,989<9@9D9H9`9h9p9P=T=X=\\=`=d=h=l=p=t=
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 909L9P9p9
- 888X8x8
- 7(7H7h7
- 646D6H6X6\\6`6h6
- 7 7074787<7@7D7H7L7\\7`7
- 5 5,646@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 2(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 3$3(3
- 3f3l3p3t3x3
- 1B2M2h2o2t2x2|2
- 1?1]1d1h1l1p1t1x1|1
- 9f:u:
- 6<7m7
- 546;6
- 1n2s2
- 1Y1_1v1
-)0S0s0
- 8-8M8W8n8
- 4 4?4Q4d4v4
- 161C1H1V1"3
- =$=+=3=8=<=@=i=
- ;A;S;e;w;
- 5,6O6
- 1%1I1j1
- 0 0&00090D0I0R0\\0g0
- <E>c>
- 1G1Q1
- 8%8y8~8
- 6&757E7L7T7
- 6 6.6
- 5!5&5+505@5o5u5}5
- 2(3/393K3b3p3v3
- 0A2d2o2
- 0Q0[0s0
- 9,919
- 7%8H8j8u8
- 5*535W5
- 4 40474F4R4_4
- 2!2&252K2Q2Y2^2f2k2s2x2
- 01191
- 0,0R0

- <O=}=
- ;0;A;U;
- 8\t9x9
- 7 838
- 7E7P7Z7s7}7
- 6B6i6v6|6K7-8A8e8q;
- 5$5X5e5z5
- 4 4$4(4,404?4K4_4r4
- 9?=0>w?
- 9&9L9
- 3O3{3
- 8(838?8D8T8Y8_8e8{8
- 6*70757=7M7W7]7q7
- 5?5N5V5c5o5{5
- 3n4t4
- 3%3K3R3l3s3
- 2!2&282B2G2c2m2
- 0N1T1]1d1
- 4K7t7]8
- 3U4[4m4
- 1D2`2
- 1#1*1:1A1O1V1a1h1s1z1
- 0%00070H0O0]0d0o0v0
- <o=v=
- ;9;C;M;W;a;k;u;
- 9#9-979A9K9[9e9o9y9
- 8)838=8U8_8i8s8}8
- 737=7G7Q7[7e7o7
- 6#6-676A6e6o6y6
- 5'515;5E5U5_5i5s5
- 4#4-474O4Y4c4m4w4
- 2\t3-373A3K3U3_3i3
- 2'212;2_2i2s2}2
- 0I0V0i0y0
- ;";5;E;U;e;
- 9*949>9H9R9b9l9v9
- 8(828<8F8]8g8q8{8
- 7=7G7Q7[7e7o7y7
- 6.686B6L6p6z6
- 5)535=5G5Q5a5k5u5
- 4'414;4E4\\4f4p4z4
- 3<3F3P3Z3d3n3x3
- 2-272A2K2o2y2
- 1(121<1F1P1`1j1t1~1
- 0&000:0D0[0e0o0y0
- ?\t?3?i?
- 1L1Z1w1
- A0r0{0
- : :I:U:
- 9!9l9
- 707e7k7q7|7
- 616E6L6V6d6v6
- 394E4t4
- 2&3:3C3S3Z3f3y3
- 2&2+20252:2?2D2I2N2S2X2]2b2g2l2~2
- 0\\1h1
- 0)080L0T0Y0c0p0z0

- 9A9H9w9|9
- 848J8r8
- 7*7T7
- 5N6T6y6
- =!=)=2=7=
- 92:x:
- 9!9-999E9Q9]9i9
- 6)767?7D7S7
- 6$616=6Q6Z6_6
- 5I5w5
- 3$3*323<3J3X3k3x3~3
- 2c2}2
- 1#1(1W1g1m1}1
- 8,9R9u9o:
- 8M8S8e8l8y8
- 757<7j7p7
- 393r3x3}3\t4q4x4
- S2a2g2m2s2x2~2
- =0>V>\\>o>
- 1!1G2`2e2
- 60L0R0i0
- 5A6F6
- 4\\5q5v5
- 4Q4[4e4j4s4}4
- >3Q3V3
- ;4<;<
- 5 5N5S5
- 31474F4K4U4d4i4q4x4
- 3-333:3w3|3
- 2-2>2I2a2
- 1&1^1n1v1~1
- 040J0]0
- <9<b<
- 9?9R9\\9}9
- 8V8o8
- 7'7;7@7L7i7x7
- 666t6
- 0+1:1D1N1U1\\1c1j1q1x1
- 6>6T6v8
- =9>\\>
- 8T8j8T=c=
- 7#7(7;7
- 4N4d4
- 1#3>3
- L1~1
- 4 4b5i5
- :6:d:i:
- 9G9[9{9
- 4#42474D4S4X4c4j4x4}4
- 1I3^3c3
- 1#1-121:1A1O1T1
- 0K1S1Y1
- <4<g<
- 8G:|:
- 8<8q8
- 6>7y7
- 5 676D6M6S6h6}6

- 5B5u5
- 4!4)444J4\\4
- 3*3<3i3|3
- 192f2
- 1 1C1
- 010<0r0
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"></requestedExecutionLevel>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- \\\tvu
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- .?AVtype_info@@
- %w(<I
- +8$4,8$4
- JFeQ
- f1tN
- ?uV},
- &O;\\r
- [TE$6.:$6.
- X6-9'6-9
- R~AeS~Ae
- 55_j55_
- %%oJ%%o
- 77Yn77Y
- 22Vd22V
- 88Hp88H
- 33Uf33U
- 99Kr99K
- "iN"i
- ##eF##e
- 11Sb11S
- 44\\h44\\
- ??A~??A
- 66Zl66Z
- 00P`00P
- WININET.dll
- WNetEnumResourceW
- WNetOpenEnumW
- WNetCloseEnum
- ole32.dll
- SHELL32.dll
- SHGetSpecialFolderPathW
- ShellExecuteExA
- SHGetFolderPathW
- ShellExecuteExW
- ADVAPI32.dll
- GDI32.dll
- SetTextColor
- GetDIBits
- SetBkMode
- CreateFontW

• GetStockObject
• DeleteDC
• DeleteObject
• SelectObject
• CreateCompatibleDC
• CreateCompatibleBitmap
• USER32.dll
• KERNEL32.dll
• PSAPI.DLL
• PathFindFileNameW
• PathFindExtensionW
• SeDebugPrivilege
• runas
• open
• /Quiet
• /all
• shadows
• delete
• .exe
• dmin
• vssa
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> <font style="font-weight:bold; color:#770000;">%S</font>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> (if you open the
<!------===2134123421=34234123421342134213=====2134=123=2314 --> site (or TOR-Browser's) directly):
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your personal
<!------===2134123421=34234123421342134213=====2134=123=2314 --> code
• <!------===2134123421=34234123421342134213=====2134=123=2314 --><font style="font-weight:bold; color:#009977;"><!--
===2134123421=34234123421342134213=====2134=123=2314 -->vr6g2curb2kcidou.onion/%S<!--
===2134123421=34234123421342134213=====2134=123=2314 --></font>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> (using TOR-Browser):
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your <!------===2134123421=34234123421342134213=====2134=123=2314
--> Personal PAGES
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> Your Personal PAGES:
• 4. <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> Follow the instructions <!--
===2134123421=34234123421342134213=====2134=123=2314 --> on the site.

IMPORTANT INFORMATION:
• 3. <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> Type<!-- ===2134123421=34234123421342134213=====2134=123=2314
--> in<!-- ===2134123421=34234123421342134213=====2134=123=2314 --> the tor-browser<!--
===2134123421=34234123421342134213=====2134=123=2314 --> address<!-- ===2134123421=34234123421342134213=====2134=123=2314 --> bar:
<font style="font-weight:bold; color:#009977;"><!-- ===2134123421=34234123421342134213=====2134=123=2314 -->vr6g2curb2kcidou.onion/%S<!--
===2134123421=34234123421342134213=====2134=123=2314 --></font><!-- ===2134123421=34234123421342134213=====2134=123=2314 -->
• 2. <!--===2134123421=34234123421342134213=====2134=123=2314 --> After a
successful<!------===2134123421=34234123421342134213=====2134=123=2314 --> installation, run the browser and wait for initialization.
• 1. <!------===2134123421=34234123421342134213=====2134=123=2314 --> Download and
<!------===2134123421=34234123421342134213=====2134=123=2314 --> install tor-browser:
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> addresses are not available,
<!------===2134123421=34234123421342134213=====2134=123=2314 --> follow these steps: <hr>
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->
 If for
some reasons the
• please visit your <!------===2134123421=34234123421342134213=====2134=123=2314 --> personal home page, there are a few
<!------===2134123421=34234123421342134213=====2134=123=2314 --> different addresses pointing to
<!------===2134123421=34234123421342134213=====2134=123=2314 --> your page below: <hr>
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> For
more specific instructions,
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> they do not exist.</font>

• <!------===2134123421=34234123421342134213=====2134=123=2314 --> If you really need
<!------===2134123421=34234123421342134213=====2134=123=2314 --> your data, then we suggest you
<!------===2134123421=34234123421342134213=====2134=123=2314 --> do not waste valuable

<!------===2134123421=34234123421342134213=====2134=123=2314 --> time searching for other
<!------===2134123421=34234123421342134213=====2134=123=2314 --> solutions becausen
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->for the specified
<!------===2134123421=34234123421342134213=====2134=123=2314 --> time then the conditions for
<!------===2134123421=34234123421342134213=====2134=123=2314 --> obtaining the private key will be changed.
• <!------===2134123421=34234123421342134213=====2134=123=2314 --> the necessary measures
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->which is on our <!---
-===2134123421=34234123421342134213=====2134=123=2314 -->Secret Server!!!
• <!------===2134123421=34234123421342134213=====2134=123=2314 -->only possible <!---
-===2134123421=34234123421342134213=====2134=123=2314 -->with the help of the
<!----===2134123421=34234123421342134213=====2134=123=2314 -->private key and
<!--===2134123421=34234123421342134213=====2134=123=2314 -->decrypt program,
• transferred to <!------===2134123421=34234123421342134213=====2134=123=2314 -->your computer via
<!------===2134123421=34234123421342134213=====2134=123=2314 -->the Internet.
<!------===2134123421=34234123421342134213=====2134=123=2314 --> Decrypting of
<!------===2134123421=34234123421342134213=====2134=123=2314 -->YOUR FILES is
•
All your <!------===2134123421=34234123421342134213=====2134=123=2314 --> files were encrypted with the public key,
<!------===2134123421=34234123421342134213=====2134=123=2314 --> which has been
<!------===2134123421=34234123421342134213=====2134=123=2314 -->
• but with our help, you can restore them.</font>

<font class="ttl">How did this happen?</font>
 <font style="font-size:13px;">
Especially for you, on our server was generated the secret key pair RSA-2048 - public and private.
• This<!------===2134123421=34234123421342134213=====2134=123=2314 --> means that the
<!------===2134123421=34234123421342134213=====2134=123=2314 --> structure and data within your files have been irrevocably
<!------===2134123421=34234123421342134213=====2134=123=2314 -->changed, you will not be able to work
 with them,
read<!------===2134123421=34234123421342134213=====2134=123=2314 --> them or see them, it is the same thing <!------2333232 -->as losing them
forever,
•
<font class="ttl">What <!------===2134123421=34234123421342134213=====2134=123=2314 --> does this mean?</font>
<font
style="font-size:13px;">
• What happened <!------===2134123421=34234123421342134213=====2134=123=2314 --> to your files?</font>
 <font style="font-size:13px;">All
of your files were<!------===2134123421=34234123421342134213=====2134=123=2314 --> protected by a
strong<!------===2134123421=34234123421342134213=====2134=123=2314 --> encryption
with<!------===2134123421=34234123421342134213=====2134=123=2314 --> RSA-2048
• <div style="text-align:left; font-family:Arial; <!------===2134123421=34234123421342134213=====2134=123=2314 --> font-size:13px; line-height:20px;
margin-top:10px; width:800px; background:#F4F4F4; padding:20px; border-style:solid; border-width:5px; border-color:#BABABA;">
• .ttl { font-size:13px; color:880000; }</style><body style="background:#33CCFF;">
<!--===2134123421=34234123421342134213=====2134=123=2314-===2134123421=34234123421342134213=====2134=123=2314 -->
• <!-- ===2134123421=34234123421342134213=====2134=123=2314 --> <style>a { color:green; }.tb { background:white; border-style:solid;
border-width:1px; padding:3px; border-color:lime; }
• Your personal identification number (if you open the site (or TOR-Browser's) directly): %S
• Your personal page (using TOR-Browser): vr6g2curb2kcidou.onion/%S
• Your personal pages:
• IMPORTANT INFORMATION:
• 4. Follow the instructions on the site.
• 3. Type in the address bar: vr6g2curb2kcidou.onion/%S
• 2. After a successful installation, run the browser and wait for initialization.
• If for some reasons the addresses are not available, follow these steps:
• For more specific instructions, please visit your personal home page, there are a few different addresses pointing to your page below:
• If You have really valuable data, you better not waste your time, because there is no other way to get your files, except make a payment.
• So, there are two ways you can choose: wait for a miracle and get your price doubled, or start obtaining BTC NOW, and restore your data easy way.
• What do I do ?
• Decrypting of your files is only possible with the help of the private key and decrypt program, which is on our secret server.
• All your files were encrypted with the public key, which has been transferred to your computer via the Internet.
• Specially for your PC was generated personal RSA2048 KEY, both public and private.
• How did this happen ?
• it is the same thing as losing them forever, but with our help, you can restore them.
• This means that the structure and data within your files have been irrevocably changed, you will not be able to work with them, read them or see them,
• What does this mean ?

- All of your files were protected by a strong encryption with RSA-2048.
- What happened to your files ?
- yePovWEjnbjG05AcdTc6RcPJkAkSiN==
- xda3tZgkFJX8ugqukg9fF/Oj3w5EiV==
- +VW3EP3j0K+ZxejSvjGt9rYTLA3sW/==
- IPx4T3YEs4nU1CJuM1SVMBkfSASf1f==
- I4RFx+/l8UzMCjSeuucxwfcCOwsOWO==
- i5E7NlqMoz7oddFAOqyCnABJ1AbKRv==
- iV0huOOiuHXjxmoeFoCjHqgGXAVwpd==
- oWEQauezKmWwOIana1sUEHKp7Q39dl==
- pDvK5fZkyd5AHGoNUwYBoAXZBQcrLF==
- aQ3nGDhfAi6hFdsx8whLQpeCtw+08p==
- oh7xeJElua00+vKEPbVuXwdtJgGp/X==
- TQjfMYuVIKOpEZTrHsZwH200NQgGZ+==
- /bSPfcho5upxdA7T5XYzM2KEqQwWPu==
- CGCai4c6pbt8WGCS0NZL1xzmqASArW==
- Lmt1cdtPgC7S6TYTve/rumKYcAyUYb==
- KA1J8ttjDrEHIYsCR3MG90yArQx8Bl==
- 3rZU2+74/QhlzeGG23TETxgdEQCzhd==
- ZI6wmmJU2sMFX4ev14UmuP0yRgx/Ai==
- LxL4p7zYNa2I3dLTjuQiroCgJRScOz1dr2cdo4O9
- PpAh2Uc5B+hOm2fv8QMBmBhpWQvz/z==
- LQ/WdAokYMC9bJkdc0eHB4Jjrgi+XM==
- TftUmBIT9O3uO2HJ/qNIib8SHQQn7x==
- OHR9IkF5NB5KFDChcRJmpfP0Yw9I2t==
- iU0yr0uJUyHI88MqpKj4ICMNfwOrlX==
- RLMAL2fPEi4nnt/EzayE9nMCnQjav7==
- ZpADreNuLm6tyHk7x6nqYusQ5QYHcc==
- 4EfgPNkbZ0tKLxenm/Xb2eHLUAk0Da==
- dibYuGV5LM+JntIs2O9832vz3g3egb==
- ZdxgZaQFz/5DmHlfw92Q6cMW0AdnTT==
- WrqIXYlhEAWiRe8Z2gNyWr6nyA2Afu==
- 8a6ym4sUrLee+0jKGtDNV1nYJQVrwS==
- fRWm2Er30E6uQzsb+ka6xS1/wgWjMO==
- B7N8T8Z+c2zPyTIpK7j5ujtd6AK+B0==
- 6L/ZnDGi9+gv6qA524yts7he+w5rxT==
- 8PpjpwTWLb31k+pBP3rEybcp7A2sVi==
- 1PfXoaAyP0EVRExCQd9WrDv0tQ4CUI==
- KTaicZXeOg0nJy+5H003D+RMpgl/HO==
- GNqeL03OoAxU+S2OoKj8ChiOYQiX2k==
- AJZU42zeaRXv9HpyiqyOt1fAwggrMl==
- pKIWt0a6VnKmOTegYEnJGKE9xgQ3r0==
- KFOhmXUwdFnN9/Wsr2hJYAib8Qxvb3==
- HUI75NoaIc2Y+pqj/tueV+mz8AZvUM==
- JkJxO1bPcK1fG/YkcNnLCA+jSg6I7N==
- kmrRhbU6Gbd+7/Dx3kqk3tvycA8b8B==
- 7NWPwQo8bCcMb35qth6N+gPmLw6EKh==
- 0IxE3CmDDLfvqEMeYcsoAz861QKALV==
- nR9GM8A4rqIm1lxySAYe583D2A4zh2==
- xYuG4a2ykwkOlWQSEadDYdb7LQezZA==
- 2SCQP2nItabLNY8Tl0/U5tgELAFUVF==
- HPMcUEce85P2I9EU5zSf7Um+ayaQOr+OKlnGfWqj
- NHqfLXVxZHNeEeR9U8om3Xev7QA0aj==
- y6TW7Z7qd5ppqlTDyJfEDKzI9a+CjPCMl4FnBHJl
- anzN0X9Ia8TKKWIF8DZk6mq/VgUwEu==
- xD5Z71hkLDitwpWsqss0V4zEyQkC1G==
- mUI6KY/aD4yTM6Deb3a7hJW8ugtpVx==

- MIGKU3eb6elMsQBAE67S6vLcXw6Gyk==
- KwZxMeFlhLOE/2v7Yuwrbt5IfQL3hJ==
- Hn0CHNWA+dk2FyJrtzVBB4nry/mA5uskfeClCQaO
- 0JW97voN/HzEg1s2DGEcNPQr4QL4Jh==
- XkW9Gv+6DdMPdO8dUW4BxKmTGAP2zf==
- Ts27QUAbZ2GPOgtf4ZF1g79YQQfM1I==
- 6uH0rPI9Ct4eXio7msDvLrzhDw8RtA==
- A82wv6IydLJM7DWEOljkWXNntA71IG==
- +DjuVI2n/9ltaRKdU4vkbWFfKoxy4+spzrDi3uVv
- UI4976TPqDqIPDi3ckOqvJ4cQQNdtT==
- 8UYaBVkwezCo2XsiqibjTKzwWQDgaQ==
- RzOBioMto6KSfJ8cxHCrbAjgTgfTrZ==
- K8fpm6+IAruIESCvreO0D1+3gw0mAS==
- Y3BxJ63JxP11n9mVSmOskvJbYQfIIG==
- AfMZ5ciorXaCbOZ7fYGknmaK+gvt1d==
- Ivr64mb9fkUjfFY+jN3J+PU4tgEnTD==
- JlIqhKXQwBPvgcRPkeEvcCEO/AzCru==
- fZIz5tYBzsRR3qKPW59DQ4oV2g/3dl==
- +uRjdPloboSZgQIR/5MtP2lAywAvn6==
- qjYXa3RUxOxnUrW9Q4DiH6/7OAzJKh==
- aeXdhD5pjS6Ox1RrLI02kgZyGAwoKV==
- 8Z84RXu1+kd9C4qChTFaCpBySAN3UY==
- 9fk7Vm41nHZyts9ogNbOdtEC6gp6XO==
- Q2GuLLQPoIRtWiBdRnG9BO0gJQ5xtH==
- MvWQb48i5PcHVFoA9eHGRAboOA5gOQ==
- MOZjX3O8Lc8bFW/lvG647vMlgQlZlp==
- QGcl6Ey2XzJlutCFA8aot8X2ZAaD1q==
- +AqXZrcv5viNviNImbD4/IgBIQGQBa==
- rVoU+ZE5BZtwOjXuSyFbAJFfzwBCQy==
- i91PtOYn90QmeGnMGdMFeYP0wAcuNK==
- nO9lZcUJBM6FzPydGz2YE+x6hQf62B==
- jVH/jIFQSihHO/EEwZtPLAm0LwaECK==
- LNEMHVei9cvEjUKu5JXfHDCJtwnbd9==
- vbdyPW9ts2ZO4ITcji0wJat7gw2sbP==
- sdLW86kgd9CZRjJoGLiRD9QHLQvbDo==
- nnH36s54vCuuciQQGyd/0Ofj2QvkwR==
- EXo0rj/An4a1vZYzxsnNoBy2FQbbCW==
- sjzxudoASLwdVB5hT6kYUUd3AgLE/U==
- iS69RO5LrgC2UJ5YHUSgkLlYzgnUtY==
- uRyvvz6/pWpaQ707ZG5MFDaGcAaRQa==
- 5fD5HfpTwpJcw/vAp0vy2TOLAAlEWF==
- keCXrft3uzSq+6iyMtFL5RDKkg358K==
- teRlhoApgf6M1QU/szt1j20+iA01Kh==
- TafkEQG+5J1NhwlBqbe0n3Cz+QjWZy==
- /8b+CZqaKIIY1fFMwTQR+E+hhH1Tg8n8v3DBJ2Nu
- tkni7Wm4ckf5xwIQhbCYJxVzQO13DLhZahKjSZgt
- rcDQLWlTtu7S/zgs3HRqUhO6+gmRn1==
- +gCgHoQDVhGdA/S25mLBE9hDoAUuBB==
- mlgDCP+EDtdZQZFAA2MGfizu2A6GLu==
- dYUxGLSJzyzGuVKOVBnSOANTzQn4aw==
- G0bqfrlUTWx6hxTjudZUAFek9gb1Xs==
- Ybt6VBz1jkGTQL7JGoaYHmnt2QS0as==
- gC5bVwEggIS5hTCm7rW603X9zAx2CZ==
- MO56Bo01aza0kcYRfXscdtxQWAQRTf==
- VOMju2GcHZB+6MZtxQExebnEVwZ2Mj==
- R7Yhuh1h1h8/Bh7QycUq7JyEJg7W90==
- 0aN8AWuV6/yJTT6oCnszPkj//QTCU2==

- yTREQCC/4v5g07cWeoayFlc8kQc0WU==
- F506Cd1v+oe6m4cfl/K1lpq+ggZwkT==
- voDfOb77YVM8imIjiJQ9YVtvZASC5+==
- 0wKtPA47QFE9/tYZR9dJUSbT5wCtii==
- ywZxHuMyIJ5ob5foO+JZdFHdwAjdzX==
- 2hEjH487xbklj8Q+M2JD70lsVQxEZ5==
- bbY8vzgS0mOqvHp6w208WwH14wNkfu==
- vaZUD8SG1L4Lpojcr9DDkHkIuQLbkR==
- f7jE3C3r6+1tyyzSzK17uWqlXQzXXl==
- GXZ1QPQnJhKzl/iLOz496tpqrQkX2z==
- oIqrpqPS3A8pDY+bnvbN26NXvgA+RS==
- 4y/MxIhou0HDZjVsH77YLUOrewTWwd==
- OZRy0/FdTYG7kYPJFcszhI9Sqg5lje==
- Ignb89ZM9Zvk4SqRK+8K7p94FgA3cQ==
- dSrByO86NCQnBmg8xi1pvzM56ATK28==
- +hIzSINjweHKILVoZH01CwjT+wR2If==
- 9jfBKIeCFQ35addULtIMOD+yDAOhsU==
- 8rwr0hfngqSHQKOZXFv253u2VATy8W==
- OmIG28crk6OopHYErGWGeGkHDNoYB8qNLp4jH4jb
- PtIUfFNH37Ot+qCI//9o6Yo6mg/xow==
- fNyKXZxNOJHQA7H70Iet6OpjrA+A1h==
- 713BDw+/en/yAWRm5alpIEFfBg4GJY==
- rtmWL3IManD4IsycicPZ5mBmRwsRpl==
- FanbeFqTh/m40txYNlbQ26XOEwvuAO==
- yENKEUEuaRjuLGGIsprExTrMKAP5LR==
- qU6zdFNblf/rorIKuhtTh4Yfkweveh==
- 9gxcunJoq7H44X5fxMD49NUjJwvVtL==
- hm4ZAqm0alWBuWSsLuAaNNX0KgRyIB==
- R8kiTZJC+AX0+X6hOmvwhr9imwJZs+==
- MTvBz2TBtfzB+MfiuK6PGJkrdG9XIIFRDlvwS5t1
- O3FV+hkIuJynglCq4UapVfvhqgQWpC==
- uuKyyUN4gz8Hl2l99xdUV4GU0QHc1+==
- r0kENXQr+s2NFbxvm1np25DYtDtlr2IZiY8ECJyp
- ApmaaDyTZfJtTmBSHEyYHdomLAusdT==
- ECnVtYkg6Ilu2XaRBxRfGTzteAqYWg==
- rzSY0utfTv8gDnAaSAmAjqY9hwUxFZ==
- jG3Z15q/ikcklA7f3eOZIzI4OA1GJn==
- 1wg+pGIABq0nDGLTbZJMRIaDQQwAr2==
- sXhCo5d4M0vXhgoWh8B/WIbwdQycLd==
- OLyBqjDXfHD2UiqMt3OtwyF5MwzXHk==
- N/Zp0PACR4ZbXU86PTldAylrBQXUqH==
- AVz5gf8xNDGKfj0UrcMU9MvTUQhPH2==
- ILLyzrFROr8huwKZsR1McQoa6vph64emYdYwKoMkDj0PnYAJi1ay/YHtJvGtT1LzcYUU5PmD
- qHgwJ85AQjBB3SkC68UsK6J4hFJzmw8e+LhMmBJPM9ofz1ZTJaRX3jR32yBad4J6Nm7Pic/E
- tWxJaGuUPYSReFMoos9pRrcBxNr3lc23PiULzwoOS5L4RAaBzbd2CXIEFwaahC==
- I37KgQXPg5Yx4TRmoSWboeFLxDN6GhzmbzxEYWaOKJYxO5nlYKhHIMF4TAs4hi6v/yaBYOKu
- 9cDtvo52Rh1o1cAt6HcwioT5uMhG23Kbta1KexhO3/EL84KePRHVkemp6AGHZl==
- kWi0KjM4lKqBan9RVkVfNMPPIduyoWEH6COc6W3UBuW+useB4eKjuhYMAwbdU4==
- YTz0oegkYVsOdPS+vcq4ECDgcQ5uDwIFqZ/HFzUlF21jOPvNjo8n8XhjQQkmPx==
- CloseToolhelp32Snapshot
- INSERTED
- ypted
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; Touch; rv:11.0) like Gecko
- SECG curve over a 256 bit prime field
- OpenSSL ECDH method
- winspool.drv
- olE32.dll

- psapi.dll
- Imagehlp.dll
- Gdi32.dll
- opera.dll
- cabinet.dll
- urlmon.dll
- wininet.dll
- shell32.dll
- winsta.dll
- ws2_32.dll
- user32.dll
- advapi32.dll
- Big Number
- 0123456789ABCDEF
- ECDH
- 2.2.0
- RIPE-MD160
- 8STs
- SHA-256
- 0123456789ABCDEF
- data
- S-1-5-18\\
- Software\\%S
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- __based(
- __pascal
- __thiscall
- __fastcall
- __eabi
- __ptr64
- __restrict
- __unaligned
- new
- delete
- operator
- `vftable'
- `vbtable'
- `typeof'
- `local static guard'
- `vbase destructor'
- `vector deleting destructor'
- `default constructor closure'
- `scalar deleting destructor'
- `vector constructor iterator'
- `vector destructor iterator'
- `vector vbase constructor iterator'
- `virtual displacement map'
- `eh vector constructor iterator'
- `eh vector destructor iterator'
- `eh vector vbase constructor iterator'
- `copy constructor closure'
- `udt returning'
- `RTTI
- `local vftable'
- `local vftable constructor closure'
- new[]
- delete[]

- `omni callsig'
- `placement delete closure'
- `placement delete[] closure'
- `managed vector constructor iterator'
- `managed vector destructor iterator'
- `eh vector copy constructor iterator'
- `eh vector vbase copy constructor iterator'
- `dynamic initializer for '
- `dynamic atexit destructor for '
- `vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `managed vector copy constructor iterator'
- `local static thread guard'
- Type Descriptor'
- Base Class Descriptor at (
- Base Class Array'
- Class Hierarchy Descriptor'
- Complete Object Locator'
- Unknown exception
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- 700PP
- ('8PW
- 700WP
- (8PX
- bad allocation
- CorExitProcess
- 9csm
- _^[u
- SVW3
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- SVWUj
- Vuy3
- SW9E

- t(9}
- 3t(;
- vL;5
- v4;5
- 9] SS
- t"SS9] u
- 9](SS
- 9]$u
- r 8^
- ~%9M
- u}ht
- u,9E
- VVhU
- t$9U
- 8"u8
- tAVWP
- "u\t3
- 8csm
- t/9U
- 98t^
- SWf9M
- uNSW
- UVWS
- L$,3
- 9csm
- f9>t
- f9>t
- >=uu
- f9>t
- f9>t
- u%\tU
- tEHt0
- AWf;
- F\\=0
- t&:a
- 90tN
- j0Xf
- 90tX
- @u^V
- ?If90t
- 90tW
- @u^V
- uTVWh
- @uoW
- f9;u
- t"Ou
- VW9]
- t)Ou
- YY;E
- t'Ou
- 8"u\'
- 8"u]
- SW3
- woVW
- 8"u%
- 8"uY
- SW3

- _^[]1
- USVW
- USVW
- _^[]1
- E|QR
- Ex3E\\
- Et3EX
- Ep3ET
- E\\QR
- EX3E<
- ET3E8
- EP3E4
- E<QR
- E83E
- E43E
- E03E
- USVW
- USVW
- SVW3
- h4U5
- _^[3
- h09A
- 9\\$(
- P0QW
- T$63
- T$0RP
- Whh4C
- WhH5C
- h06C
- PQVS3
- _^[3
- 9\\$(t
- 9\\$4
- 9\\$@
- 9\\$8
- 9\\$D
- 9\\$<
- 9\\$H
- 9\\$
- 9\\$$
- 9\\$0
- hp3C
- h`3C
- hP3C
- h@3C
- h43C
- h(3C
- h\\2C
- h@2C
- T$0j
- D$8G;
- T$0V
- T$0j
- L$8f
- 9|$<t
- D$ u
- L$P3

- uCPh
- T$0j
- L$8WQ
- T$0V
- QPPO
- V\t0P
- QPPO
- hP1C
- hD1C
- Ph@1C
- h81C
- D$0;
- Ping
- h01C
- u0h,1C
- ;D$0
- 9L$L
- L$(3
- ;D$8
- D$XI
- t$4;
- ;D$8r
- ;D$0
- >9|$$
- ;D$8
- D$8;
- T$X9C
- |$0;
- T$4;
- 9u u
- u,_[]
- tL9^
- O@Qh
- ODVQ
- 9s(u
- t$,9u
- $SV3
- u4WVSR
- 9_(u
- 9G(u
- uDWS
- AdVW
- 9C(u
- 9s(u
- uGRW
- t$4;
- u-WV
- u9SV
- T$4;
- 9w(u
- AdV3
- 9q0u
- OtQRW
- 9s(u
- OtQS
- OtQSW
- u\t9u

- OHQP
- u!RW
- tg9E
- tq9E
- 9_(u
- 9C(u
- 1f;2u
- hp0C
- t"f;E
- f9tG
- D$63
- hD0C
- h(0C
- t0hg
- u\t_^3
- B<#u
- F</u
- Q<+u
- sm<=u
- u&QR;
- u,@;G
- G$9L$
- u!9W(u
- t*;O
- _^[3
- L$X3
- L$8VQ
- D$L3
- \\$(3
- L$X3
- L$X3
- L$X3
- _^[3
- T$$u
- _^[3
- 6y/Gj
- D$P3
- D$0j
- D$d3
- D$|3
- T$$u
- |$t3
- _^[3
- L$x3
- 6y/@
- D$X3
- \\$D3
- T$83
- D$T3
- T$(3
- T$t3
- L$p3
- L$x3
- L$x3
- L$x3
- _^[3
- L$@3

- L$8VQ
- L$0j
- L$@3
- L$@3
- L$@3
- t\t;E
- 9s(u
- u"Pj
- 9C(u
- 9C(u
- N$1O
- 9C(u
- 9C(u
- t!9]
- Wu,I
- 9{(u
- C$9{$u
- 9{(u
- C$VW3
- 9W(u
- 9t$8r2
- D$89D$Xu
- 9|$Hs
- D$8P
- D$H3
- L$4+
- ;L$,u
- ;D$(u
- 9t$
- \\$$u
- 9C(u
- SW9F
- 9G(u
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- 9D$$w
- 9D$$t
- L$,u
- VjAhx
- u#Vhx
- VjAh?
- u#Vh?
- Sj1R
- SVW3
- PjAhW
- PjAh?
- @.reloc
- @.data
- `.rdata
- .text
- ZRich
- ZC5TZ
- ZC5VZ

- !This program cannot be run in DOS mode.
- %s\\%s-bc.exe
- %s\\%s
- .txt
- /c start "" "
- .vvv
- *.*
- %s\\%s+%s.html
- %s\\%s+%s.txt
- %X%X%X%X
- H
- h((((H
- (((((H
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- C(null)
- =(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- :0:P:p:|:
- =,=X=
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- =$=,=4=
- ?C?P?x?
- >@>K>y>
- </<8<g<z<
- ?l?P?T?X?\\?`?d?h?l?
- > >$>(>,>
- ; <)<5<n<w<
- ;%;`;
- ?=?]?
- <^>j>p>u>{>
- ;!<^<m<
- ?.?^?p?
- =<>C>X>
- ?%?G?\\?
- > >Y>
- :+:=:X:`:h:
- >K>w>
- <Y=h=
- :<;C;P;V;
- :V:N>
- ? ?+?2?=?D?U?\\?j?q?|?
- >&>->8>?>J>Q>b>i>w>~>
- <%<5<B<R<b<{<
- :):3:=:G:k:u:
- ?.?l?y?
- ><>l>\\>l>
- ='=:=J=z=
- <&<X<e<x<
- :/:9:C:M:r:
- [>q>w>
- ?)?5?A?T?[?n?
- >)>=>D>
- <G=M=
- ;#;+;3;:;`;
- =%>0?6?<?F?Z?g?m?s?z?
- =#=(=2=q=~=

- ;W<`<t<y<
- ;+;6;R;Y;v;|;
- :":1:@:O:^:m:z:
- <(<-<6<;<J<g<p<y<~<
- >!?'?2?C?~?
- :;>Q>W>\\>a>f>k>p>v>|>
- ?2?8?N?s?x?
- =%=+=>=\\=b=u=
- 3V<l<q<
- =2?G?]?b?t?
- ='=,=}=
- <k<q<
- ;$;);E;R;
- :(:-:
- ;@;S;X;
- :d=z=
- =@=~=
- < <$<(<,<0<
- <e=x=}=
- :!;+;5;:;C;M;R;Z;a;o;t;
- =$>4>D>
- =#=z=
- ;#;c;
- </assembly>PAPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDI
NGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDING
XXPAD
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- !Hl\\tHl\\
- *?#1*?#
- bT~FbT~F
- gDf;
- ?ZwKiZwK
- lZrNlZr
- @CFg
- +NpHhXpHh
- j:'^
- --wZ--w
- ((xP((x
- >>B|>>B
- ..r\\..r
- $$lH$$l
- ::Nt::N
- **~T**~
- ""fD""f
- ==Gz==G
- !!cB!!c
- <<Dx<<D
- `@ `
- //q^//q
-))\{R))\{
- ;;Mv;;M
- ,,tX,,t

- &&jL;&&j;
- ++}V++}
- MPR.dll
- ntdll.dll
- SHLWAPI.dll
- sdflk35jghs
- </body></html>
-
- *</font>

<font class="ttl">What do I do?</font>
<font style="font-size:13px;">Alas, if you <!------dsgdfgsdg --> do not take
- <html>
- ++++++==========+++++++======
- ++++++==========+++++++======
- ++++++==========+++++++======
- GWZPNDzjb0SWAwvOylkoy55oeAA1EH==
- VMCGySklkRd7/s+UyKK/M2hvlgFOUW==
- UaxbgyqAg2lFaB8r6wADVZcBCQFLU0==
- kLxCayJptJIDSAjzi2DXGKS3EgjfZY==
- kzCyKkjo1PhvBKThZZ6COqJGrwqQH5==
- WNngCvzpZyEWN0olybVYETvPJQotNJ==
- WBvnbmTchS9mtxOzFLF0vcOXZAzOdV==
- bxlSQBNlT6yj1gbk+WqvFDepBQv9Gc==
- NHnlMpm2liBVYTSPR+COIOaac4nse2dmzzFrQ/xj
- DRF7bZQ0WDetM+9wLgJKMJftpwp9kH==
- GJoCOSN+dXxxr5njDyQpKGB7hQyBSc==
- d4INRmG9n4GNWVWxniL4xuQkvgHeFw==
- EKBKGKPJGGeniAnClXT9xuJ4ggF/Ww==
- wKbLnJ7YY8KLsHs3nfp8xwqBJg7Bip==
- mkVxdT7KWYbveGDpWWPGg5SWVQA0/x==
- CDSgCmrSSkB2y6j1NTCSnKXYzwn4UL==
- h2WpPBBZCgOcC/juAS8W+qHq+AhDLB==
- wsgEHipKsEfC/3AIl5mBQVYBQABPYj==
- rZJYM0RyI1ZsyFJYzj7E/OWTSDGA5QlLGrLwwEAt
- 9LR3yGmS2Lp5pPcfvXZTKWQWjwDx3i==
- isn1esjM+RLUnffyPXL8TQDm6QchwC==
- OzlPJcShLqR3kDbqOuQVcNwCswf+Pg==
- LjMnPvjTolzcFMagD3jD3Gt/2Q0KPY==
- ocMQbt2TvZITNSnQNfadNSabywjKFb==
- x6bTYEOkWTChqQGJGL8nmUgiHAM6du==
- XanzW8GiBxgHvrALNdHSaxrhwguvMC==
- D+SI8IbCVQ0+8tWLQR5FTKPJTQV3No==
- CHX1XfZwGGWfkLibpgzTdMACJATCk8==
- OqmI2SWtjeMPFYROJbthO8zSvAhC7n==
- bQcXAdCcjDI7RmegxnHzm8VmwQBT7Q==
- wmGQirDCQYGMdsJpB/0Cg89/hqcwGWzchyLDqTVY
- vYVQBYawvlzXhHHVxQBoAxtDKwkRY0==
- FTBQrFb8jJcHevVZTnMe3B6cLQgjXp==
- TUwhoMAKddzavX+bZc8QxyJn/QJcOd==
- ztZMDZKvCNXIo7CEG9et7GcPhQlia4==
- Wcmh6fgJlmY8gJGgz2BHdl1xjg8+YC==
- 5602zHm5vdsxappUuc0PVFjY3zMrd8zWD7u1XvM2XsvoyWh3Q6ROqFckPRbgW9blEmPywtTIJEsfLHQt4NahLuPREasep6MQq2gniZSKZjJ3JMNKXMwhd63M8JtvI+tKM5Gx/fremYVJ3p4l/uO=
- .....
- %s?%s
- SHLWAPI.dll

- crypt32.dll
- gdiplus.dll
- winmm.dll
- ssl3.dll
- nspr4.dll
- ntdll.dll
- .dll
- 123456789ABCDEFGHJKLMNPQRSTUVWXYZabcdefghijkmnopqrstuvwxyz
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- LwH'
- vRQ>
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- __cdecl
- __stdcall
- __clrcall
- `vcall'
- `string'
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- xppwpp
- `h`hhh
- xpxxxx
- `h```
- (null)
- Ht(f
- Ht%C
- X^_]
- j@j
- _^[]
- UQPXY]Y[
- ;t$,v-
-]_^[
- t?f;
- SSSSS
- tCHt(Ht
- PPPPPPPP
- PPPPPPPP
- QVj
- v\tN+D$
- QSWVj
- QQSVWh
- t\tj\\Yf
- PPPPP
- Y[_^
- w\tf
- Y_^[
- Y_^[
- _^[]
- t!Ht
- j hX
- tVPV
- ~,WPV
- j@j
- j@j ^V
- _^[]

- SVWj
- [_^]
- URPQQh
- Y__^[
- tRHtC
- Y;=H
- Fpt"
- Y_^[]
- _^[]
- j Xf
- RPSW
- ^SSSSS
- <v*V
- PPPPP
- RPSW
- HHty+
- HHtYHHt
- t$HHt
- RPSW
- HHty+
- HHtXHHt
- t%HHt
- PPPPP
- YQPVh
- jXhp
- j hP
- _^[]
- _^[]
- SSSSS
- _^[]
- _^[]
- _^[]
- WVh?wB
- 8CSVh?wB
- _^[]
- WVhdhB
- 8CSVhdhB
- _^[]
- _^[]
- ~\\[_
- tMv
- ~h[_
- t+hbg
- t+hbg
- t+hbg
- RWSV
- tDSW
- tVSW
- _^[h`
- SVWj
- QRVj
- QVVj
- L$ h
- h(\\C
- D$$Pj
- w.t:
- T$ RP

- \\$;
- T$(RP
- D$,Ph
- j\tPf
- PSSSSSSh
- DWh 4C
- _^[]
- s^[]
- x@VW
- F\\ _^
- T$Tj
- L$|QR
- D$XP
- Dd
- T$`R
- T$|RP
- L$$Q
- D$,j
- Qj@R
- D$<P
- T$(j
- T$,j
- Pj@Q
- T$<R
- L$$h
- D$$ht2C
- T$$S
- $jDQ
- D$$W
- L$_^[3
- T$<j
- T$XR
- D$DP
- D$HP
- D$ h
- +t$\\
- L$$Q
- T$PR
- D$LP
- gfff
- D$PS
- L$_^[3
-)t$<
- D$,P
- T$`R
- L$$Q
- D$PP
- L$ h
- T$LR
- gfff
- D$Df
- hb)!
- t+hbg
- \\$$V
- SSSS
- SSjP
- D$h:

- D$dr
- D$\\g
- L$\\+
- T$PPhH
- L$HPQ
- D$L;
- T$,PR
- D$(<
- D$ SP
- SSSSh
- D$`_^[
- T$ R
- VQQR
- ;D$LtC
- D$,H
- D$ RPQ
- L$(@;
- D$X;
-] SRVP
- D$X;
- T$DRQ
- ;|$X
- ;D$,v
- L$PRQP
-)|$$
- D$d9D$
- |$HH
- L$$;L$,w/
- T$$RQ
- ?;|$,v
- T$(9\\$
- |$$;
- T$<RQ
- \\$D;
- t$`;
- VPWSQ
- RPWSQ
- PSWR
- _^[]
- _^[]
- GDVP
- ^_[]
- VSQRW
- hx'C
- VSQRW
- WSRP
- HQVVj
- D$,_^[
- SVPPW
- ,VPW
- D$ RPW
- T$,P
- RPPW
- WHRPP
- D$(_^[
- D$ WV
- t$$VVS

- ,PVVS
- D$ WQ
- ,QPS
- ,PVS
- D$,_^[
- PVVW
- tWPP
- GtPQVW
- PVVW
- T$$SVQRW
- SVPW
- $SVW
- D$4_^[
- SVQVR
- D$,PV
- SWVQ
- |$0PWV
- D$$SW
- SRWV
- OtQVVW
- SVVW
- ,PVW
- t$(WQV
- F,PQW
- ,SVW
- D$4_^[
- T$ R
- D$ SQ
- T$(SPRP
- D$$SQ
- SQRP
- D$,QPP
- D$$PP
- D$$P
- |$<PW
- D$,W
- ,PWWV
- L$$SW
- ,PWV
- |$,W
- T$,SW
- ,PWWV
- D$ SW
- ,PWV
- PSVW
- D$ _^[
- CHPQVR
- QVRS
- WQVS
- sHVP
- ,RVS
- t$$W
- t$;
- ^_[]
- WSVR
- QhX-C
- ,SPW

- RWWS
- sHVP
- QWWS
- sHVP
- QWWS
- sHVP
- t$,WV
- GtPQ
- t$$;
- QWWV
- VtWR
- NtQV
- RSPWj
- FHSP
- PRVS
- HHQVV
- HHQVV
- WSPV
- WQRVP
- QhX-C
- txVW
- _^[]
- _^[]
- T$$P
- t$ SR
- QRPW
- t%Sj
- PQSW
- QSVW
- D$HPW
- T$ Rh
- L$ Q
- D$ P
- T$ R
- D$&f;
- SVWj
- SRj@
- SMST
- SMST
- t2VhTs
- SMSTW
- t+hbg
- hB=K
- hB=K
- SMST
- SMST
- _^[Y]
- VRQP
- _^[Y]
- QSVW
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- t)VSW
- _^[Y]
- WPQR

- PVQR
- VSPQ
- RWPQ
- QPPP
- PQNV
- PQVS
- D$$_^[
- T$(R
- T$$;
- T$@#
- D$$P
- hX*C
- %P;@
- D$df
- D$<VV
- T$tRVV
- L$`j
- hx)C
- %P;@
- T$dj
- T$t+
- L$DVV
- T$D+
- D$tPVf
- D$tPVV
- L$Pj
- T$p#
- T$hVR
- %P;@
- T$|R
- D$hj
- L$lQVV
- D$|f
- T$\\Rf
- T$hj
- T$,Q
- L$$j
- L$`j
- hx,C
- Rhx,C
- |$@#
- D$pVV
- L$DQ
- L$Tj
- D$4PVf
- D$@j
- L$<f
- T$$RVf
- L$<j
- _^[Y]
- _^[Y]
- D$ _^[
- L$$;N
- L$$;N
- Vt-PSP
- VPQS
- PVQR

- SVW
- PWSS
- RSWS
- RPQW
- VRQP
- VRPQ
- { _^
- T$,SRWWj
- L$4QPj
- j@PP
- T$4RWP
- C$VW
- { _^
- C QW
- C$VW
- { _^
- SQPW
- C$VW
- WQVVj
- { _^
- SQPW
- C$VW
- QPWVVj
- QSVW
- ^[Y]
- SV;G
- { _^
- SQVRj
- WQPR
- D$,_^[
- T$ PQVRj
- T$ VR
- PQSV
- RVPQS
- D$$RPS
- D$$VP
- WRVVj
- QSVR
- D$X;D$8s
- D$T;
- +|$@
- ;|$@s
- D$D9D$Tw
- ;D$8rv
- D$X;
- D$PP
- PSPW
- |$HPW
- D$,PQRS
- T$,RWVQP
- T$,R
- D$tSRPP
- +T$
- @VPW
- _^[]
- t[VW
- G VP

- PQPQ
- PSPS
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSVW
- PQPQ
- PSPS
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PSVW
- T$,9T$$w
- D$$;D$,t#
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- T$;
- +\\$(
- \\$ +
- ;\\$ s
- \\$;
- ;|$ s
- T$;
- ;D$ s
- |$;
- <SVW
- SWQV
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ
- PQPQ

- PQPQ
- PSPQ
- PSPQ
- PSPQ
- PSPQ
- PSPQ
- y"SVW
- +t$
- ;t$ s
- (;L$$w
- +L$
- ;t$ w
- |$$t@;
- SVW;P
- RSVV
- QWVSR
- WSRP
- VRWSP
- QRWSP
- RPVV
- WRSP
- RWQSP
- SVWf
- hH#C
- PQRhH#C
- h@#C
- h@#C
- h\\#C
- hH#C
- QRPhH#C
- h@#C
- .rsrc