Analysis report for sample: 6ac2293e5a863c0cef84833b348b905b

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 5267 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 6ac2293e5a863c0cef84833b348b905b

AV detections

- Microsoft: Trojan:Win32/Zlader.A
- Kaspersky: Trojan.Win32.Zlader.h
- Symantec: Trojan Horse
- Malwarebytes:

Original source url

- hxxp://diferenciatedelresto.com/wp-content/plugins/wp-super-cache/plugins/st1.exe

Virustotal url

- https://virustotal.com/es/file/44070f56171b997ed4c76a5955d410b5388cf8b04f5983ef8f0e4c2ffd8d40db/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- HasRichSignature (Rich Signature Check)
- ThreadControl__Context ()
- anti_dbg (Checks if being debugged)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- suspicious_packer_section (The packer/protector section names/keywords)
- Microsoft_Visual_Basic_v50 ()
- IsDLL ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- disable_dep (Bypass DEP)
- ImportTableIsBad (ImportTable Check)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()

Snapshot


Computer
C:\Windows\s...
Recycle Bin
Turn on Windows Security Center service
The Windows Security Center service is turned off. Click to turn on.
Start
3:26 PM
Thursday
6/1/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name explorer.exe Alias P2
- Name cmd.exe Alias P3
- Name cmd.exe Alias P4
- Name cmd.exe Alias P5
- Name cmd.exe Alias P6
- Name cmd.exe Alias P7
- Name cmd.exe Alias P8
- Name cmd.exe Alias P9
- Name cmd.exe Alias P10
- Name iexplore.exe Alias P11
- Name net.exe Alias P12
- Name sc.exe Alias P13
- Name net.exe Alias P14
- Name sc.exe Alias P15
- Name sc.exe Alias P16
- Name net1.exe Alias P17
- Name sc.exe Alias P18
- Name net.exe Alias P19
- Name net.exe Alias P20
- Name net1.exe Alias P21
- Name net1.exe Alias P22
- Name net1.exe Alias P23
- Name vssadmin.exe Alias P24
- Name bcdedit.exe Alias P25
- Name bcdedit.exe Alias P26

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe

- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name UI0Detect.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name conhost.exe
- Name VSSVC.exe
- Name svchost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe

- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P24, Command line: vssadmin.exe delete shadows /all /quiet)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P25, Command line: bcdedit /set {default} recoveryenabled no)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P26, Command line: bcdedit /set {default} bootstatuspolicy ignoreallfailures)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd.exe /c net stop MpsSvc)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P4, Command line: cmd.exe /c sc config MpsSvc start= disabled)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P5, Command line: cmd.exe /c net stop WinDefend)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P6, Command line: cmd.exe /c sc config WinDefend start= disabled)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P7, Command line: cmd.exe /c net stop wscsvc)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P8, Command line: cmd.exe /c sc config wscsvc start= disabled)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P9, Command line: cmd.exe /c net stop wuauserv)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P10, Command line: cmd.exe /c sc config wuauserv start= disabled)
- Process Create (C:\\Windows\\system32\\net.exe PID: P14, Command line: net stop MpsSvc)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P18, Command line: sc config MpsSvc start= disabled)
- Process Create (C:\\Windows\\system32\\net.exe PID: P20, Command line: net stop WinDefend)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P15, Command line: sc config WinDefend start= disabled)
- Process Create (C:\\Windows\\system32\\net.exe PID: P19, Command line: net stop wscsvc)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P13, Command line: sc config wscsvc start= disabled)
- Process Create (C:\\Windows\\system32\\net.exe PID: P12, Command line: net stop wuauserv)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P16, Command line: sc config wuauserv start= disabled)
- Process Create (C:\\Windows\\system32\\net1.exe PID: P21, Command line: C:\\Windows\\system32\\net1 stop wuauserv)
- Process Create (C:\\Windows\\system32\\net1.exe PID: P17, Command line: C:\\Windows\\system32\\net1 stop MpsSvc)
- Process Create (C:\\Windows\\system32\\net1.exe PID: P23, Command line: C:\\Windows\\system32\\net1 stop wscsvc)
- Process Create (C:\\Windows\\system32\\net1.exe PID: P22, Command line: C:\\Windows\\system32\\net1 stop WinDefend)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: C:\\Users\\javi\\Downloads\\cebo.exe)
- Process Create (C:\\Windows\\explorer.exe PID: P2, Command line: C:\\Windows\\explorer.exe)
- Process Create (C:\\Program Files\\Internet Explorer\\iexplore.exe PID: P11, Command line: "C:\\Program Files\\Internet Explorer\\iexplore.exe" -nohome)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: Y-v&<.vA
- url | valid domains | tlds: 8.tW
- url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106323
- url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106322
- url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106320
- url | valid domains | tlds: wWA.vQJ.vI
- url | valid domains | tlds: >.IN+}
- url | valid domains | tlds: Ri.tn
- url | valid domains | tlds: N56.SK
- url | valid domains | tlds: 3.v&<.vA
- registry | frequently modified by malware: Software\\Microsoft\\Active Setup\\Installed Components\\>{26923b43-4d38-484f-9b9e-de460746276c}
- registry | frequently modified by malware: Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\iexplore.exe
- registry | frequently modified by malware: Software\\Microsoft\\Internet Explorer\\URLSearchHooks
- registry | frequently modified by malware: Software\\Microsoft\\Active Setup\\Installed Components\\{89820200-ECBD-11CF-8B85-00AA005B4383}
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnceEx
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\DelayedApps
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartPage
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: accept-Language: en-US.q=0.8
- api | frequently used by malware: accept-Encoding: none
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: Sleep
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: LoadResource
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: VirtualAllocEx
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\Main
- registry: Software\\Microsoft\\Internet Explorer\\Setup
- registry: Software\\Policies\\Microsoft\\Internet Explorer\\Main\\FeatureControl
- registry: Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl
- registry: Software\\Policies\\Microsoft\\Windows\\CurrentVersion\\Internet Settings
- registry: Software\\Microsoft\\Internet Explorer\\International
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\System
- registry: Software\\Microsoft\\Windows\\DWM

• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\HideDesktopIcons\\NewStartPanel
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\WindowsUpdate\\Auto Update\\UAS
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
• registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
• registry: SYSTEM\\CurrentControlSet\\Control\\TimeZoneInformation
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Themes
• registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Time Zones
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\ControlPanel
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Taskband
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\ThemeManager
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\AutoplayHandlers
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows,Load
• registry: Software\\Policies\\Microsoft\\Windows\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\FolderTypes\\{EF87B4CB-F2CE-4785-8658-4CA6C63E38C6}\\TopViews\\{00000000-0000-0000-0000-000000000000}
• registry: %LocalAppData%\\Microsoft\\Windows\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\SearchExtensions
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartMenu\\StartPanel
• api | kernel32: LoadLibraryA
• api | kernel32: IsWow64Process
• api | kernel32: SetSearchPathMode
• api | kernel32: SetProcessDEPPolicy
• api | user32: SetProcessDPIAware
• api | advapi32: EventWrite
• api | advapi32: EventRegister
• api | advapi32: EventUnregister
• api | user32: CreateHTMLPreview_ShowWindow
• api | user32: Browseui_Tabs_WaitMessage
• api | kernel32: RtlUnwind
• api | ntdll: _wcsicmp
• api | ntdll: _wcsnicmp
• api | ntdll: memset
• api | ntdll: iswspace
• api | ntdll: wcsncmp
• api | ntdll: _vsnwprintf
• api | ntdll: bsearch
• api | ntdll: memcpy
• api | user32: LoadStringW
• api | user32: MessageBoxW
• api | user32: FindWindowExW
• api | user32: AllowSetForegroundWindow
• api | user32: IsWindowEnabled
• api | user32: IsWindowVisible
• api | user32: SendMessageTimeoutW
• api | user32: CharNextW
• api | kernel32: VerSetConditionMask
• api | kernel32: GetModuleFileNameW
• api | kernel32: GetCurrentDirectoryW
• api | kernel32: VerifyVersionInfoW
• api | kernel32: InterlockedExchange
• api | kernel32: InterlockedCompareExchange
• api | kernel32: GetStartupInfoW
• api | kernel32: SetUnhandledExceptionFilter
• api | kernel32: GetModuleHandleA
• api | kernel32: GetCurrentThreadId

- api | kernel32: GetCurrentProcessId
- api | kernel32: ReleaseMutex
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: CreateFileMappingW
- api | kernel32: GetLocaleInfoW
- api | kernel32: FreeLibrary
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetSystemDefaultUILanguage
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: SearchPathW
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: CloseHandle
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetDllDirectoryW
- api | kernel32: lstrlenW
- api | kernel32: LocalFree
- api | kernel32: CreateProcessW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: LocalAlloc
- api | kernel32: GetCommandLineW
- api | kernel32: GetFileTime
- api | kernel32: GetUserDefaultLCID
- api | kernel32: GetSystemDefaultLCID
- api | kernel32: RaiseException
- api | kernel32: GetCurrentProcess
- api | kernel32: GetModuleHandleW
- api | kernel32: GetVersionExW
- api | kernel32: LoadLibraryW
- api | kernel32: InitializeCriticalSection
- api | kernel32: SetErrorMode
- api | kernel32: HeapSetInformation
- api | kernel32: DeleteCriticalSection
- api | kernel32: TerminateProcess
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: CreateFileW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | advapi32: RegisterTraceGuidsW
- api | advapi32: UnregisterTraceGuids
- api | advapi32: GetTraceLoggerHandle
- api | advapi32: GetTraceEnableLevel
- api | advapi32: GetTraceEnableFlags
- api | advapi32: TraceEvent
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: InterlockedPopEntrySList
- api | kernel32: InterlockedPushEntrySList
- api | user32: IsProcessDPIAware
- api | ntdll: RtlDllShutdownInProgress
- api | advapi32: IsTextUnicode
- api | advapi32: QueryServiceStatus
- api | kernel32: RegOpenKeyExA

- api | user32: GetClientRect
- api | user32: IsChild
- api | user32: GetMessageA
- api | user32: MessageBeep
- api | user32: CharLowerW
- api | user32: DrawTextW
- api | user32: KillTimer
- api | user32: DrawTextExW
- api | user32: MapWindowPoints
- api | kernel32: GetHandleInformation
- api | kernel32: DebugSetProcessKillOnExit
- api | kernel32: lstrcmpW
- api | kernel32: lstrcpynA
- api | kernel32: MulDiv
- api | kernel32: LocalReAlloc
- api | kernel32: FatalAppExitA
- api | kernel32: GetComputerNameA
- api | kernel32: OutputDebugStringW
- api | kernel32: FindResourceW
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: GlobalAlloc
- api | kernel32: LoadLibraryExA
- api | kernel32: EraseTape
- api | ntdll: NtUnmapViewOfSection

Involved hosts

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- cyperritheck.ru ---> no answers
- dilacinbut.ru ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: C:\\Users\\javi\\Downloads\\cebo.exe)
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, explorer.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\explorer.exe PID: P2, Command line: C:\\Windows\\explorer.exe)
- **Thread T4 (in process P2, explorer.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P2, explorer.exe)
  - **Thread' events**

- Thread Create (Thread ID: T5)

• Thread T5 (in process P2, explorer.exe) description

• Thread's childs

- Thread T6 (in process P3, cmd.exe)
- Thread T8 (in process P4, cmd.exe)
- Thread T10 (in process P5, cmd.exe)
- Thread T12 (in process P6, cmd.exe)
- Thread T14 (in process P7, cmd.exe)
- Thread T16 (in process P8, cmd.exe)
- Thread T18 (in process P9, cmd.exe)
- Thread T20 (in process P10, cmd.exe)
- Thread T22 (in process P2, explorer.exe)
- Thread T23 (in process P11, iexplore.exe)

• Thread' events

- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd.exe /c net stop MpsSvc)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P4, Command line: cmd.exe /c sc config MpsSvc start= disabled)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P5, Command line: cmd.exe /c net stop WinDefend)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P6, Command line: cmd.exe /c sc config WinDefend start= disabled)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P7, Command line: cmd.exe /c net stop wscsvc)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P8, Command line: cmd.exe /c sc config wscsvc start= disabled)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P9, Command line: cmd.exe /c net stop wuauserv)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P10, Command line: cmd.exe /c sc config wuauserv start= disabled)
- Thread Create (Thread ID: T22)
- Process Create (C:\\Program Files\\Internet Explorer\\iexplore.exe PID: P11, Command line: "C:\\Program Files\\Internet Explorer\\iexplore.exe" -nohome)

• Thread T6 (in process P3, cmd.exe) description

• Thread's childs

- Thread T7 (in process P3, cmd.exe)

• Thread' events

- Thread Create (Thread ID: T7)

• Thread T7 (in process P3, cmd.exe) description

• Thread's childs

- Thread T30 (in process P14, net.exe)

• Thread' events

- Process Create (C:\\Windows\\system32\\net.exe PID: P14, Command line: net stop MpsSvc)

• Thread T8 (in process P4, cmd.exe) description

- **Thread's childs**
  - Thread T9 (in process P4, cmd.exe)
- **Thread' events**
  - Thread Create (Thread ID: T9)

• Thread T9 (in process P4, cmd.exe) description

- **Thread's childs**
  - Thread T37 (in process P18, sc.exe)
- **Thread' events**
  - Process Create (C:\\Windows\\system32\\sc.exe PID: P18, Command line: sc config MpsSvc start= disabled)

• Thread T10 (in process P5, cmd.exe) description

- **Thread's childs**
  - Thread T11 (in process P5, cmd.exe)
- **Thread' events**
  - Thread Create (Thread ID: T11)

• Thread T11 (in process P5, cmd.exe) description

- **Thread's childs**
  - Thread T41 (in process P20, net.exe)
- **Thread' events**
  - Process Create (C:\\Windows\\system32\\net.exe PID: P20, Command line: net stop WinDefend)

• Thread T12 (in process P6, cmd.exe) description

- **Thread's childs**
  - Thread T13 (in process P6, cmd.exe)
- **Thread' events**
  - Thread Create (Thread ID: T13)

• Thread T13 (in process P6, cmd.exe) description

- **Thread's childs**

- Thread T32 (in process P15, sc.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\sc.exe PID: P15, Command line: sc config WinDefend start= disabled)

• Thread T14 (in process P7, cmd.exe) description

- **Thread's childs**

  - Thread T15 (in process P7, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T15)

• Thread T15 (in process P7, cmd.exe) description

- **Thread's childs**

  - Thread T39 (in process P19, net.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\net.exe PID: P19, Command line: net stop wscsvc)

• Thread T16 (in process P8, cmd.exe) description

- **Thread's childs**

  - Thread T17 (in process P8, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T17)

• Thread T17 (in process P8, cmd.exe) description

- **Thread's childs**

  - Thread T28 (in process P13, sc.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\sc.exe PID: P13, Command line: sc config wscsvc start= disabled)

• Thread T18 (in process P9, cmd.exe) description

- **Thread's childs**

- Thread T19 (in process P9, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T19)

• Thread T19 (in process P9, cmd.exe) description

- **Thread's childs**

  - Thread T25 (in process P12, net.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\net.exe PID: P12, Command line: net stop wuauserv)

• Thread T20 (in process P10, cmd.exe) description

- **Thread's childs**

  - Thread T21 (in process P10, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T21)

• Thread T21 (in process P10, cmd.exe) description

- **Thread's childs**

  - Thread T34 (in process P16, sc.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\sc.exe PID: P16, Command line: sc config wuauserv start= disabled)

• Thread T22 (in process P2, explorer.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T23 (in process P11, iexplore.exe) description

- **Thread's childs**

  - Thread T24 (in process P11, iexplore.exe)

- **Thread' events**

  - Thread Create (Thread ID: T24)

• Thread T24 (in process P11, iexplore.exe) description

- **Thread's childs**

  - Thread T27 (in process P11, iexplore.exe)
  - Thread T50 (in process P24, vssadmin.exe)
  - Thread T52 (in process P25, bcdedit.exe)
  - Thread T54 (in process P26, bcdedit.exe)

- **Thread' events**

  - Thread Create (Thread ID: T27)
  - Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P24, Command line: vssadmin.exe delete shadows /all /quiet)
  - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P25, Command line: bcdedit /set {default} recoveryenabled no)
  - Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P26, Command line: bcdedit /set {default} bootstatuspolicy ignoreallfailures)

• Thread T25 (in process P12, net.exe) description

- **Thread's childs**

  - Thread T26 (in process P12, net.exe)

- **Thread' events**

  - Thread Create (Thread ID: T26)

• Thread T26 (in process P12, net.exe) description

- **Thread's childs**

  - Thread T43 (in process P21, net1.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\net1.exe PID: P21, Command line: C:\\Windows\\system32\\net1 stop wuauserv)

• Thread T27 (in process P11, iexplore.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T28 (in process P13, sc.exe) description

- **Thread's childs**

- Thread T29 (in process P13, sc.exe)

- **Thread' events**

  - Thread Create (Thread ID: T29)

• Thread T29 (in process P13, sc.exe) description

- **Thread's childs**

  - Thread T49 (in process P13, sc.exe)

- **Thread' events**

  - Thread Create (Thread ID: T49)

• Thread T30 (in process P14, net.exe) description

- **Thread's childs**

  - Thread T31 (in process P14, net.exe)

- **Thread' events**

  - Thread Create (Thread ID: T31)

• Thread T31 (in process P14, net.exe) description

- **Thread's childs**

  - Thread T36 (in process P17, net1.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\net1.exe PID: P17, Command line: C:\\Windows\\system32\\net1 stop MpsSvc)

• Thread T32 (in process P15, sc.exe) description

- **Thread's childs**

  - Thread T33 (in process P15, sc.exe)

- **Thread' events**

  - Thread Create (Thread ID: T33)

• Thread T33 (in process P15, sc.exe) description

- **Thread's childs**

- Thread T48 (in process P15, sc.exe)

- **Thread' events**

  - Thread Create (Thread ID: T48)

• Thread T34 (in process P16, sc.exe) description

- **Thread's childs**

  - Thread T35 (in process P16, sc.exe)

- **Thread' events**

  - Thread Create (Thread ID: T35)

• Thread T35 (in process P16, sc.exe) description

- **Thread's childs**

  - Thread T46 (in process P16, sc.exe)

- **Thread' events**

  - Thread Create (Thread ID: T46)

• Thread T36 (in process P17, net1.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T37 (in process P18, sc.exe) description

- **Thread's childs**

  - Thread T38 (in process P18, sc.exe)

- **Thread' events**

  - Thread Create (Thread ID: T38)

• Thread T38 (in process P18, sc.exe) description

- **Thread's childs**

  - Thread T45 (in process P18, sc.exe)

- **Thread' events**
  - Thread Create (Thread ID: T45)

- **Thread T39 (in process P19, net.exe) description**
  - **Thread's childs**
    - Thread T40 (in process P19, net.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T40)

- **Thread T40 (in process P19, net.exe) description**
  - **Thread's childs**
    - Thread T47 (in process P23, net1.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\net1.exe PID: P23, Command line: C:\\Windows\\system32\\net1 stop wscsvc)

- **Thread T41 (in process P20, net.exe) description**
  - **Thread's childs**
    - Thread T42 (in process P20, net.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T42)

- **Thread T42 (in process P20, net.exe) description**
  - **Thread's childs**
    - Thread T44 (in process P22, net1.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\net1.exe PID: P22, Command line: C:\\Windows\\system32\\net1 stop WinDefend)

- **Thread T43 (in process P21, net1.exe) description**
  - **Thread's childs**
  - **Thread' events**

- Thread Create (Thread ID: TUNKALIAS)

- **Thread T44 (in process P22, net1.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T45 (in process P18, sc.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T46 (in process P16, sc.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T47 (in process P23, net1.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T48 (in process P15, sc.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T49 (in process P13, sc.exe) description**

  - **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T50 (in process P24, vssadmin.exe) description

- **Thread's childs**

  - Thread T51 (in process P24, vssadmin.exe)

- **Thread' events**

  - Thread Create (Thread ID: T51)

• Thread T51 (in process P24, vssadmin.exe) description

- **Thread's childs**

  - Thread T56 (in process P24, vssadmin.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T56)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T52 (in process P25, bcdedit.exe) description

- **Thread's childs**

  - Thread T53 (in process P25, bcdedit.exe)

- **Thread' events**

  - Thread Create (Thread ID: T53)

• Thread T53 (in process P25, bcdedit.exe) description

- **Thread's childs**

- **Thread' events**

  - RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)

• Thread T54 (in process P26, bcdedit.exe) description

- **Thread's childs**

- Thread T55 (in process P26, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: T55)

• Thread T55 (in process P26, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)

• Thread T56 (in process P24, vssadmin.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- Microsoft_Visual_Basic_v50 ()
- IsPE32 ()
- IsDLL ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: Y-v&<.vA
- url | valid domains | tlds: 8.tW
- api | frequently used by malware: accept-Language: en-US.q=0.8
- api | frequently used by malware: accept-Encoding: none
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: GetProcAddress
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- api | kernel32: LoadLibraryA

• Module 1 other strings

- "{%0.8X-%0.4X-%0.4X-%0.4X-%0.8X%0.8X}
- _O9"
- {ZW4+
- fX>I
- 8`d!8
- p>ae
- YESz+
- 0@sa
- HBifd
- RO^~
- \\@_3

- `L:0
- syf5
- H8BK
- [)Q4
- !|N5
- ^&7Z
- jRLU
- 8\tY+
- x<I7[
- BEi(]D{
- RJ7)/
- (Zt9
- ?5yh
- O[E}
- jATz
- WAI=
-]ADi|cjf
- y;}0
- (o#y2
- i!pag9
- l/_9
- MS3K
- U+WL
- ZDo7
- 4io%D]
- B>I-
- a,kw
- 3}\to
- 5(G*
- 4~5tN1
- [o~#
- V=eriTx
- |\\J1
- 9S1dW
- rR%Y0
- WV\to
- LiMt,
- iQFV
- {z4I
- KOXY
- G20v
- L-J1
- v|6k
- L@7j
- QAH+|
- -f.a[
- -{7Nee
- [dAkh
- [<Ef
- 2q,J
- 7p&R;
- 5v9E
- c2AL5e
- Ra44
- &b;^O0
- 7c%f
- 15Wm

- G4I~
- hA&bUX;
- m|]i
- 3wrv
- LZ$2
- 7V01Rg
- 8pjY
- ()u.-
- Ke\td
- Cqb0
- ^H7a#;
- Z-O/_
- oiA\\a?uI
- M3%X
- F]dew
- Oa=
- 8v.3
- C5cI
- ~`}u;
- 9k-(_
- Ic::-
- })2`V
- -9%64
- E\t@b$
- ','u
- 5,U+(
- E<,(
- 0(,!
- .!+40*
- G{5 K
- &2$67
- encryptedPassword
- encryptedUsername
- hostname
- EQTyt
- KLjsenvlknvlskgjbKJABjfai3uakj
- x_guid=%.8X%.8X&x;_report=
- LINK
- FILE
- Connection: close
- Content-Type: application/x-www-form-urlencoded
- POST
- #vHTTP/1.1
- uMv+
- /Pv1
- w5H}b
- 3#wT
- jOmou&4:'\\KiY
- 8%Txbz!7
- eVP;
- 5>wy~uVt
- 5\toKXSRt
- T/v6
- 3.v7
- |ojLx!DnU
- #eeI
- yFeMR

- "tep*
- uze6DruIK
- 5+`P#+`PmPrE}e\\
- zXIL
- ccW>6O&
- 5Xx&
- aBR<
- ={mo$
- 0-m
- SVW3
- 5 !,
- tS<|u
- tr</u
- SVW3
- SVW3
- SVW3
- _<-u
- SWV3
- CYXI}
- SVW3
- SWQ3
- 8.t5
- SVWQ3
- SWV3
- shell32.dll
- Fcmd.exe
- &x;_mails=
- email: %s,username: %s,password: %s,server: %s,port: %d
- SVW3
- SMTP User
- POP3 User
- POP3 Password
- Email
- SVW3
- %s%2.2X
- 5\\Rx
- SVW3
- SVW3
- #u(3
- SVW3
- xitP
- inEx
- rundll32 "%s",0
- CF;u
- SVW3
- 5LCC
- ssbsiuv
- ?C<0|\t<9
- >C</u
- G<3v
- SVW3
- t@;E
- tZ9E
- #uF3
- SWV3
- Vq{mQ23
- Wzta'unBG~

- +S4R
- t1+H
- 0-m
- 5FAK
- +S4R
- SVW3
- SWVQ3
- .Upack
- UpackByDwing@
- MZKERNEL32.DLL
- jjjjjj
- jjjj
- jjjj
- jjjjjj
- jjjjjj
- jjjjjj
- jjjjjj
- jjjj
- jjjj
- jjjjjj
- jjjjjj
- ^(VR
- N@_ZW
- ;~$s
- YPH;
- rw(-
- ?QFT
- :><"-I
- (H]@
- =JSv
- <qR|
- C"~G
- '!I
- <sF;
- X'jFbx
- q@t<
- <~n&
- Nc |
- 'H]c
- D$xR
- `&"g\tFQO
- <GGh
- $\tLp
- ^[}Ss
- Lqx*
- #^!f'
- P,,$
- ^?&m;
- Wk^<F;3
- j`bt
- n,{ I_
-)F<w
- SZ*g!
- \\ulZS\tr
- ,pMC
- {fry
- tcQs`

- BYpH
- X(pPN
- !\tCl
- dzt|
- *t):
- }Z/s
- =^<)
- |RTj
- RqFp
- ^)#(
- P/B\\
- qp^}
- fYgxz
- k~,]
- `s[y
- $dY|Y
- rrTf
- R:b}
- v'b
- Dn\t.
- B]VAL]
- fv*z@O
- pG<XJ
- `@~t
- R-Gn
- &&(*
- %\t-%\t-
- ":Q,
- x"KKb%
- @&(.
- ;/^L
- p+:=
- x_guid=%.8X%.8X&x;_os=%d&x;_bits=%d&x;_pl=%d&x;_spread=%d
- vwqLM
- vFN- BV'3tzm
- jZrF
- rdgb
- Mv}LNv>
- tpVjUz
- ,zHy
- QrMd
- ,vA#-v
- -vQJ.v
- -v\\9.v
- d.vs
- -vO!.vb
-)vM)v]7.vb
- g,v%9-v
- Vq{mQ2)w{m
- ;BVqdO
- xl__
- GK(>QK(>
- Rm[rNoDWzta'unB\\
- ^M
- "F{.<
- *VTyRbr[
- wkHB

- Y^[_
- WSVQ
- ZY^_
- WVQR
- YZ[^_
- @YZ[^_
- WVSRQj
- PhB
- Y_^[
- /C ""%s" && explorer "%s""
- &x;_browsers=
- url: %s,login: %s,password: %s
- SMTP Password
- SMTP Server
- SMTP Port
- RShN>
- RPShN>
- Y^_j
- Y_Z^[
- Y_Z^[
- SVRWQ3
- C<a|\t<z
- C<A|\t<Z
- Y^_[
- SWVQ
- H_^[
- j@Pj
- ;BVqdO
- t++H
- [<j@h
- Y^_[
- .rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000000978950008000000097893001b000000000001009d0100001e5284000100000009788400480000000978830040000000027c67e0011000000097894000100000009789100

• Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

- **Module 2 strings**

  - **Module 2 most interesting strings**

    - url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106323
    - url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106322
    - url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106320
    - url | valid domains | tlds: wWA.vQJ.vI
    - registry | frequently modified by malware: Software\\Microsoft\\Active Setup\\Installed Components\\>{26923b43-4d38-484f-9b9e-de460746276c}
    - registry | frequently modified by malware: Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\iexplore.exe
    - registry: Software\\Microsoft\\Internet Explorer\\Main
    - registry: Software\\Microsoft\\Internet Explorer\\Setup
    - registry: Software\\Policies\\Microsoft\\Internet Explorer\\Main\\FeatureControl
    - registry: Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl
    - registry: Software\\Policies\\Microsoft\\Windows\\CurrentVersion\\Internet Settings
    - api | kernel32: IsWow64Process
    - api | kernel32: SetSearchPathMode
    - api | kernel32: SetProcessDEPPolicy
    - api | user32: SetProcessDPIAware
    - api | advapi32: EventWrite
    - api | advapi32: EventRegister
    - api | advapi32: EventUnregister

  - **Module 2 other strings**

    - -ShowQLIcon
    - StubPath
    - Kernel32.dll
    - ieuser.exe
    - {SUB_PVER}
    - {SUB_OS}
    - {SUB_OVER}
    - {SUB_OLCID}
    - {SUB_RFC1766}
    - explorer.exe
    - StartPageCache
    - ar-SA
    - ca-ES
    - da-DK
    - de-DE
    - el-GR
    - en-US
    - es-ES_tradnl
    - fi-FI
    - he-IL
    - hu-HU
    - is-IS
    - it-IT
    - ja-JP
    - ko-KR
    - nb-NO
    - ro-RO
    - ru-RU
    - sq-AL
    - sv-SE
    - ur-PK

- id-ID
- uk-UA
- be-BY
- sl-SI
- et-EE
- fa-IR
- vi-VN
- hy-AM
- az-Latn-AZ
- eu-ES
- tn-ZA
- xh-ZA
- zu-ZA
- af-ZA
- ka-GE
- fo-FO
- hi-IN
- se-NO
- sw-KE
- uz-Latn-UZ
- tt-RU
- bn-IN
- pa-IN
- gu-IN
- or-IN
- ta-IN
- te-IN
- kn-IN
- ml-IN
- as-IN
- mr-IN
- sa-IN
- bo-CN
- lo-LA
- gl-ES
- kok-IN
- si-LK
- iu-Cans-CA
- am-ET
- ne-NP
- ps-AF
- ha-Latn-NG
- yo-NG
- quz-BO
- nso-ZA
- ba-RU
- lb-LU
- ig-NG
- ii-CN
- moh-CA
- ug-CN
- mi-NZ
- oc-FR
- co-FR
- sah-RU
- wo-SN
- qps-ploca

- ar-IQ
- de-CH
- en-GB
- es-MX
- fr-BE
- it-CH
- nl-BE
- nn-NO
- sv-FI
- az-Cyrl-AZ
- se-SE
- ga-IE
- uz-Cyrl-UZ
- quz-EC
- ar-EG
- de-AT
- en-AU
- es-ES
- fr-CA
- se-FI
- quz-PE
- ar-LY
- de-LU
- en-CA
- es-GT
- hr-BA
- ar-DZ
- zh-MO
- de-LI
- en-NZ
- es-CR
- fr-LU
- ar-MA
- en-IE
- es-PA
- sma-NO
- ar-TN
- en-ZA
- es-DO
- sma-SE
- ar-OM
- en-JM
- es-VE
- ar-YE
- en-029
- es-CO
- ar-SY
- en-BZ
- es-PE
- ar-JO
- en-TT
- es-AR
- sr-Latn-ME
- ar-LB
- en-ZW
- es-EC
- ar-KW

- en-PH
- es-CL
- ar-AE
- es-UY
- ar-BH
- es-PY
- ar-QA
- en-IN
- es-BO
- en-MY
- es-SV
- en-SG
- es-HN
- es-NI
- es-PR
- es-US
- az-Latn
- iu-Cans
- uz-Latn
- iu-Latn
- ha-Latn
- sr-BA-Latn
- sr-Latn-BA
- /iu-CA-Latn
- iu-Latn-CA
- bs-Latn-BA
- IEFrame
- kernel32.dll
- HaveCreatedQuickLaunchItems
- Security_HKLM_only
- iexplore.exe
- Shell32.dll
- yKernel32.DLL
- user32.dll
- -newtab
- CREDAT:
- SCODEF:
- Microsoft.InternetExplorer.Default
- FEATURE_ENABLESAFESEARCHPATH_KB963027
- advapi32
- Microsoft\\Internet Explorer
- -ResetDestinationList
- TerminateOnShutdown
- 8csm
- 8csm
- u[h(
- |9SVW
- t%;E
- Wjo_
- t'Ju6
- j8Xf
- 8VWj6
- FFJu
- 6Pj@
- hd2/
- hx2/
- UVWS

- L$,3
- RPj3
- udWh
- t5!E
- h8$/
- SetCurrentProcessExplicitAppUserModelID
- AACCN
- t89E
- wfkeraswyvnuyasp
- -vO!.v\\9.v
- Vq{mQ23
- Wzta'unBG~
- +S4R
- t1+H
- 0-m
- uZh(
- sviarv
- Guv
- U>vU
- .v&<.v00
- G-v8
- -v99.v`w
- e.vo
- 3.vM7.v
- urlmon.dll
- iertutil.dll
- ole32.dll
- SHELL32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- RichN
- !This program cannot be run in DOS mode.
- "%s" %s
- {SUB_PRD}
- {SUB_CLCID}
- {SUB_CLSID}
- bg-BG
- zh-TW
- cs-CZ
- fr-FR
- nl-NL
- pl-PL
- pt-BR
- rm-CH
- hr-HR
- sk-SK
- th-TH
- tr-TR
- lv-LV
- lt-LT
- tg-Cyrl-TJ
- hsb-DE
- mk-MK

- mt-MT
- ms-MY
- kk-KZ
- ky-KG
- tk-TM
- mn-MN
- cy-GB
- km-KH
- syr-SY
- fy-NL
- fil-PH
- dv-MV
- kl-GL
- arn-CL
- br-FR
- gsw-FR
- qut-GT
- rw-RW
- prs-AF
- gd-GB
- qps-ploc
- zh-CN
- pt-PT
- dsb-DE
- ms-BN
- bn-BD
- mn-Mong-CN
- tzm-Latn-DZ
- qps-plocm
- zh-HK
- zh-SG
- fr-CH
- smj-NO
- smj-SE
- fr-MC
- sms-FI
- sr-Latn-RS
- smn-FI
- sr-Cyrl-RS
- sr-Cyrl-ME
- bs-Cyrl
- bs-Latn
- sr-Cyrl
- sr-Latn
- az-Cyrl
- uz-Cyrl
- mn-Cyrl
- tg-Cyrl
- mn-Mong
- tzm-Latn
- zh-CHT
- /zh-CHS
- bs-BA-Cyrl
- /bs-BA-Latn
- sr-SP-Latn
- sr-SP-Cyrl
- /sr-BA-Cyrl

- sr-Latn-CS
- sr-Cyrl-CS
- sr-Cyrl-BA
- bs-Cyrl-BA
- zh-Hant
- zh-Hans
- \\AppPatch\\sysmain.sdb
- t?Ht)Ht
- ^txH
- _^[]
- VVVj
- VVVj
- tVVVj
- _^[]
- JsN(
- PVVh
- |hjD_W3
- WVPQ
- t hXr/
- SVWhhr/
- PhH=/
- h,q/
- _^[]
- ?Pj@
- @@f;
- SPQh
- @@f;
- hH=/
- UQPXY]Y[
- _^[]
- SVWj
- [_^]
- URPQQh
- Wj RP
- h$*/
- tJj?
- @s?h
- QRPh
- Y__^[
- hp#/
- _^[]
- -v|<
- -v!>-v
- ;BVqdO
- YQPSh
- =v)/=v
- V>vH2>v
- >vrt>v
- /.vr
- -vuG-vM
- F-vM)vd
- g.vc3.v
- ,v\\9.v
- -v1#-v
- SHLWAPI.dll
- msvcrt.dll
- ntdll.DLL

- .rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000097895000800000009789300290000000000010035040000097884009000000009788300 2b00000009789400010 0000009789100

• Module 3 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 3 strings

• Module 3 most interesting strings

• Module 3 other strings

- ITaskList_Deleted
- NonRudeHWND
- AACCN
- Q(+E
- +~\\+E
- Fh)E
- F`)E
- Rh4k
- t:9}
- @@Nu
- @pSW3
- t\t;5
- F\\u"
- VDR3
- t>9}
- 9{Lt
- u5!E
- Q0^]
- 9A8t
- ~^9u
- |99E
- tE!}
- tW9}
- $SV3
- t"9}
- @Qm6t
- t\t9E

- +>vE
- 2=v(8>vEG>vr4>v
- >vH2>vL Av
- S?v4
- Av-%>v3
- i$vX
- X-vA
- T-vO
- 8.vr
- @.vO!.ve6,v\t>-v
- l2vF
- e.v)
- Secur32.dll
- dwmapi.dll
- UxTheme.dll
- EXPLORERFRAME.dll
- OLEAUT32.dll
- ole32.dll
- SHELL32.dll
- USER32.dll
- GDI32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- _^[]
- M(j
- SVWh
- t%Sj
- [_^]
- QSVW
- NlQj
- VpRj
- P VR
- Pd_^
- SSVSSP
- ShXH
- PhhH
- QSVW
- _^[]
- _|+_|+
- jdZ+
- +V ;V0v
- jdX+
- _^[]
- ~<SV
- @_^]
- @_^[]
- _^[]
- ^veT^v
- ?viF>v
- >v/?>v
- ?vzA>v
-]?vd

- <>vY,>v
- >v6[>v
- r>v@F>vfB>vA
- >vyQ>v
- =vtE>v
- X>vD
- $>vv
- >v:A>v~
- #=v+
- >vsq>v;
- h$v@f$v
- vhuv
- svYtv<j$v
- ivykv
- vBrv
- $v;c$v-
- b$vN
- $v@p$v
-]$vF
- .v\\9.v
- .v1#-v
- -vM7.v
- -v`w
- *-vQJ.v/`,vGd/v
- #-v2},v&<.v
- -vWA.v
- Y,v]7.vM)v
- -vc3.v
- Y-v|
- G-vM
- Y-vGs-v
- -vBY-v
- -v(\\-v
- ,v-L,vb
- H-vuG-v
- ,vQ3.v
- -v+E.v
- "-v"<-vN
- ,ve%,v
- -v3g.v
- PROPSYS.dll
- RPCRT4.dll
- SSPICLI.DLL
- gdiplus.dll
- slc.dll
- POWRPROF.dll
- SHLWAPI.dll
- msvcrt.dll
- ntdll.DLL
- .rsrc

- **Module 4 (probably unpacked / injected by the sample)**

  - **Module 4 rich signatures**

- 44616e530000000000000000000000000978950008000000097893001b000000000001009d0100001e5284000100000009788400480000000978830 04d00000027c67e00110000000978940001000000009789100

• Module 4 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106323
- url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106322
- url | valid domains | tlds: -extoff go.microsoft.com/fwlink/?LinkId=106320
- url | valid domains | tlds: >.IN+}
- url | valid domains | tlds: Ri.tn
- url | valid domains | tlds: N56.SK
- url | valid domains | tlds: wWA.vQJ.vI
- registry | frequently modified by malware: Software\\Microsoft\\Internet Explorer\\URLSearchHooks
- registry | frequently modified by malware: Software\\Microsoft\\Active Setup\\Installed Components\\{89820200-ECBD-11CF-8B85-00AA005B4383}
- registry | frequently modified by malware: Software\\Microsoft\\Active Setup\\Installed Components\\>{26923b43-4d38-484f-9b9e-de460746276c}
- registry | frequently modified by malware: Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\iexplore.exe
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: Sleep
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: LoadResource
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: RegCloseKey
- registry: Software\\Microsoft\\Internet Explorer\\International
- registry: Software\\Microsoft\\Internet Explorer\\Main
- registry: Software\\Microsoft\\Internet Explorer\\Setup
- registry: Software\\Policies\\Microsoft\\Internet Explorer\\Main\\FeatureControl
- registry: Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl
- registry: Software\\Policies\\Microsoft\\Windows\\CurrentVersion\\Internet Settings
- api | user32: CreateHTMLPreview_ShowWindow
- api | user32: Browseui_Tabs_WaitMessage
- api | kernel32: RtlUnwind
- api | ntdll: _wcsicmp
- api | ntdll: _wcsnicmp
- api | ntdll: memset
- api | ntdll: iswspace
- api | ntdll: wcsncmp

- api | ntdll: _vsnwprintf
- api | ntdll: bsearch
- api | ntdll: memcpy
- api | user32: LoadStringW
- api | user32: MessageBoxW
- api | user32: FindWindowExW
- api | user32: AllowSetForegroundWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: SendMessageTimeoutW
- api | user32: CharNextW
- api | kernel32: VerSetConditionMask
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: VerifyVersionInfoW
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedCompareExchange
- api | kernel32: GetStartupInfoW
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetCurrentProcessId
- api | kernel32: ReleaseMutex
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: CreateFileMappingW
- api | kernel32: GetLocaleInfoW
- api | kernel32: FreeLibrary
- api | kernel32: UnmapViewOfFile
- api | kernel32: GetSystemDefaultUILanguage
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: SearchPathW
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: CloseHandle
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetDllDirectoryW
- api | kernel32: lstrlenW
- api | kernel32: LocalFree
- api | kernel32: CreateProcessW
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: LocalAlloc
- api | kernel32: GetCommandLineW
- api | kernel32: GetFileTime
- api | kernel32: GetUserDefaultLCID
- api | kernel32: GetSystemDefaultLCID
- api | kernel32: LoadLibraryA
- api | kernel32: RaiseException
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetModuleHandleW
- api | kernel32: GetVersionExW
- api | kernel32: LoadLibraryW

- api | kernel32: InitializeCriticalSection
- api | kernel32: SetErrorMode
- api | kernel32: HeapSetInformation
- api | kernel32: DeleteCriticalSection
- api | kernel32: TerminateProcess
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: CreateFileW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | advapi32: RegisterTraceGuidsW
- api | advapi32: UnregisterTraceGuids
- api | advapi32: GetTraceLoggerHandle
- api | advapi32: GetTraceEnableLevel
- api | advapi32: GetTraceEnableFlags
- api | advapi32: TraceEvent
- api | kernel32: IsWow64Process
- api | kernel32: SetSearchPathMode
- api | kernel32: SetProcessDEPPolicy
- api | user32: SetProcessDPIAware
- api | advapi32: EventWrite
- api | advapi32: EventRegister
- api | advapi32: EventUnregister

• Module 4 other strings

- stoptraq
- controlpanel
- shell
- wininet
- verbose
- extended
- subsystem
- primarynav
- Search_ImageProcessing
- Search_SuggestionsProcessing
- Search_SuggestionsDownload
- Find_DeactivateBar
- Find_ChangeSelectedHit
- Find_HighlightHitsStatus
- Find_HighlightHits
- Find_FindHits
- Find_ActivateBar
- FavoritesBar_WriteLinksCache
- FavoritesBar_PopulateLinksMonitor
- FavoritesBar_PopulateFeedsMenu
- Menuband_PopulateShellFolderToolbar
- Tab_NavigateToPidl
- Tab_InitializeBrowserState
- Tab_ShellBrowserOnCreate
- WS_ExecuteQuery
- UnifiedListView_SwitchMode
- UnifiedListView_DefaultAction
- UnifiedListView_GroupPopulated
- UnifiedListView_Populate
- NewTabPage_BuildActivitiesList
- NewTabPage_BuildTabsList

- DataModel_Provider_CreateDataList
- DataModel_Provider_WorkerThread
- DataModel_Provider_Query
- DataModel_Query
- Frame_Show
- Frame_LoadFrameState
- Frame_SearchBandCreate
- Frame_AddressBandCreate
- Frame_TravelBandCreate
- Frame_NavBarCreate
- Frame_LinksBandCreate
- Frame_FavBandCreate
- Frame_TabBandCreate
- Frame_CommandBandCreate
- Frame_CommandBarCreate
- Frame_OnCreate
- Browseui_CBrowserFrame_CreateInstance
- OnlineHistoryClear
- OnlineHistoryDelete
- OnlineHistoryCollectData
- OnlineHistoryAdd
- LCIE_ForeignProcessMessageQueueEnqueue
- LCIE_ForeignProcessMessageQueueDequeueAll
- WinMain
- ExtensionRelease
- ExtensionSetSiteNull
- ExtensionCloseDW
- ExtensionShowDW
- ExtensionSetSite
- ExtensionCreate
- CtrlLeftButtonAction
- GenerateThumbnail
- CompressThumbnail
- ScaleThumbnail
- CreateThumbnail
- LegacyHistoryEnum
- LegacyHistoryQuery
- LegacyHistoryAdd
- EnumHistoryRecords
- QueryHistory
- AddToHistory
- HistoryBrokerShutdown
- HistoryBrokerStartup
- Imaging_SendIconicLivePreviewBitmap
- Imaging_SendIconicThumbnail
- Imaging_CreateWebPagePreview
- Shdocvw_PanningTool_GetPanningProperties
- Shdocvw_PanningTool_ScrollElementBy
- Browseui_CSearchTagsMgr_ProcessSearchTag
- Browseui_CBrowserFrame_Close
- Browseui_Tabs_CloseOtherTabs
- Browseui_Tabs_SwitchTabs
- Browseui_Tabs_CloseTab
- Browseui_Tabs_TabReadyForNavigate
- Browseui_Tabs_AddTabAPI
- Browseui_Tabs_AddTabButton
- Shdocvw_Feed_Search

- Browseui_FeedViewer_PreviewStream
- Shdocvw_BaseBrowser_DocumentComplete
- Shdocvw_BaseBrowser_Navigate
- LeftButtonAction
- BrowserThreadProc_Prior
- BrowserThreadProc_Next
- BackNaviagation_Requested
- BrowserThreadProc_Return
- BrowserThreadProc_StartFrame
- Window_Maximized
- Window_Minimized
- Frame_URLEntered
- win:Stop
- win:Start
- win:Info
- Count
- Status
- Count
- Name
- Data
- Status
- Name
- Data
- EventData
- LinkCount
- LinkCount
- Name
- Data
- EventData
- PopulateOptions
- PopulateOptions
- Name
- Data
- EventData
- QueryID
- QueryID
- Name
- Data
- EventData
- ThreadID
- ThreadID
- Name
- Data
- EventData
- QueryID
- CLSID
- QueryID
- Name
- Data
- CLSID
- Name
- Data
- EventData
- MessageCount
- ProcessId
- MessageCount
- Name

- Data
- ProcessId
- Name
- Data
- EventData
- Show
- CLSID
- Show
- Name
- Data
- CLSID
- Name
- Data
- EventData
- CLSID
- CLSID
- Name
- Data
- EventData
- TabID
- TabID
- Name
- Data
- Name
- Data
- EventData
- TabID
- TabID
- Name
- Data
- EventData
- Message
- Message
- Name
- Data
- EventData
- Microsoft-IEFRAME/Diagnostic
- win:ResponseTime
- Navigation
- win:Informational
- win:Start
- Name
- Data
- EventData
- win:ResponseTime
- defunct
- UnifiedListView_Query_Feeds_Perftrack
- UnifiedListView_Query_Favorites_Perftrack
- UnifiedListView_Query_History_Perftrack
- UnifiedListView_Displayed_Complete_Perftrack
- UnifiedListView_Cancelled_Perftrack
- UnifiedListView_Displayed_Perftrack
- UnifiedListView_Dropdown_Perftrack
- UnifiedListView_Typed_Perftrack
- Search_ImageProcessing_Perftrack
- Search_SuggestionsProcessing_Perftrack
- Find_HighlightHits_Perftrack

- Find_FindHits_Perftrack
- Imaging_CreateWebPagePreview_Perftrack
- CreateThumbnail_Perftrack
- FavoritesBar_PopulateFeedsMenu_Perftrack
- Browseui_CBrowserFrame_CreateInstance_Perftrack
- Browseui_Tabs_CloseTab_Perftrack
- ShowTabListMenu
- QuickPickHide
- QuickPickShow
- QuickPickSwitch
- MenuItemPop
- MenuShrink
- MenuExpand
- FavCenterClose
- FavCenterOpen
- HistorySearchSwitchView
- HistoryByOrderSwitchView
- HistoryByMostVisSwitchView
- HistoryBySiteSwitchView
- HistoryByDateSwitchView
- HistorySwitchView
- FeedsSwitchView
- FavoritesSwitchView
- TabCreate
- TabSwitch
- win:Informational
- win:Stop
- win:Start
- win:Info
- Object
- Name
- Data
- Object
- Name
- Data
- EventData
- Object
- Object
- Name
- Data
- EventData
- Microsoft-PerfTrack-IEFRAME/Diagnostic
- WEVT_TEMPLATE
- %#04lx
- AcceptLanguage
- about:home
- about:blank
- MUI\\%04hx
- MUI\\0409
- %s\\%s.mui
- .\\%s.mui
- Locale
- -ShowQLIcon
- StubPath
- Kernel32.dll
- ieuser.exe
- {SUB_PVER}

- {SUB_OS}
- {SUB_OVER}
- {SUB_OLCID}
- {SUB_RFC1766}
- explorer.exe
- StartPageCache
- ar-SA
- ca-ES
- da-DK
- de-DE
- el-GR
- en-US
- es-ES_tradnl
- fi-FI
- he-IL
- hu-HU
- is-IS
- it-IT
- ja-JP
- ko-KR
- nb-NO
- ro-RO
- ru-RU
- sq-AL
- sv-SE
- ur-PK
- id-ID
- uk-UA
- be-BY
- sl-SI
- et-EE
- fa-IR
- vi-VN
- hy-AM
- az-Latn-AZ
- eu-ES
- tn-ZA
- xh-ZA
- zu-ZA
- af-ZA
- ka-GE
- fo-FO
- hi-IN
- se-NO
- sw-KE
- uz-Latn-UZ
- tt-RU
- bn-IN
- pa-IN
- gu-IN
- or-IN
- ta-IN
- te-IN
- kn-IN
- ml-IN
- as-IN
- mr-IN

- sa-IN
- bo-CN
- lo-LA
- gl-ES
- kok-IN
- si-LK
- iu-Cans-CA
- am-ET
- ne-NP
- ps-AF
- ha-Latn-NG
- yo-NG
- quz-BO
- nso-ZA
- ba-RU
- lb-LU
- ig-NG
- ii-CN
- moh-CA
- ug-CN
- mi-NZ
- oc-FR
- co-FR
- sah-RU
- wo-SN
- qps-ploca
- ar-IQ
- de-CH
- en-GB
- es-MX
- fr-BE
- it-CH
- nl-BE
- nn-NO
- sv-FI
- az-Cyrl-AZ
- se-SE
- ga-IE
- uz-Cyrl-UZ
- quz-EC
- ar-EG
- de-AT
- en-AU
- es-ES
- fr-CA
- se-FI
- quz-PE
- ar-LY
- de-LU
- en-CA
- es-GT
- hr-BA
- ar-DZ
- zh-MO
- de-LI
- en-NZ
- es-CR

- fr-LU
- ar-MA
- en-IE
- es-PA
- sma-NO
- ar-TN
- en-ZA
- es-DO
- sma-SE
- ar-OM
- en-JM
- es-VE
- ar-YE
- en-029
- es-CO
- ar-SY
- en-BZ
- es-PE
- ar-JO
- en-TT
- es-AR
- sr-Latn-ME
- ar-LB
- en-ZW
- es-EC
- ar-KW
- en-PH
- es-CL
- ar-AE
- es-UY
- ar-BH
- es-PY
- ar-QA
- en-IN
- es-BO
- en-MY
- es-SV
- en-SG
- es-HN
- es-NI
- es-PR
- es-US
- az-Latn
- iu-Cans
- uz-Latn
- iu-Latn
- ha-Latn
- sr-BA-Latn
- sr-Latn-BA
- /iu-CA-Latn
- iu-Latn-CA
- bs-Latn-BA
- IEFrame
- kernel32.dll
- HaveCreatedQuickLaunchItems
- Security_HKLM_only
- iexplore.exe

- Shell32.dll
- yKernel32.DLL
- user32.dll
- -newtab
- CREDAT:
- SCODEF:
- Microsoft.InternetExplorer.Default
- FEATURE_ENABLESAFESEARCHPATH_KB963027
- advapi32
- Microsoft\\Internet Explorer
- -ResetDestinationList
- TerminateOnShutdown
- E}II}-$%#'TuSM
- D}GI}a" !
- AAAAAAAAAAAAAAAAAyyyyyyyyyyyyyyAAy/0.*+,1<gipdyAGzhf
- 0111111111111111111111
- 2444444444444444444444442
- y~uv
- rsusEt
- x>CCA@9G+J
- :8887 g_
-)ag^#
- %!-ae^'
- {liihhmn
- 9383
- ihimzy{
- fefT
- <jij
- <pop
- <ihi
- fefz
- vN8@/
- c@6.
- 66(l
- a02#
- uWVV
- jVUU@@7
- bTT@7
- /%=2=2[
- _@71
- e%<???=o
- DRSR9
- AQL:
- 667v
- ww|a
- BCEc
- BCE|
- 0ppr
- 753I
- 5ooq
- 667[
- $##O
- 666I
- 999_
- 1111
- AAAD
- ojnd

- ploEwoq
- 988r+++,
- >>>9
- IIII
- 7777
- !9@9!
- sg{U
- }D1*
- n@?Ju5!
- ngiS
- Y60,
- 4/-6888
- 51/)
- -&!3
- icX0
- N*;]a`G3'W
- N';]aa`[C4'W
- N';aaa][LEC1'T
- -di".
- -di$
- -agggeD[0
- ,LIKOIL:)
- }s(-RihiPROKI:<&
- [[f4h6PRTKIL:;&
- /eokSSUQVL=E;9);
- Y4SROO5H
- Z2`_Ot
- OeT.
- ijj\\ijj\\ijj\\ijj\\ijj\\ijj\\^__eMMMyFFF
- PQRJ51MATFP
- $I4*&
- 9;W<
- ue?>>;
- OGTbvv_e?<;7
- 8djkkkkkjc?87
- ilfc?<85
- QpFEA
- NXUUN
- DomfJH9
- sriJH5
- XB2111
- riJ6
- 1211
- slH6S
- VKI@w
- lfd8
- 774fFdf
- 3111111111111111111112
- 1OOOOOOOOOOOOOOOOONPPP1
- 1YYYY1OOOOOOOOOOOOOOONONNNN1
- 1YYYY1YY7=6,,,,$VVVVUW
- 1YYYW1YY
- 1YYVV1YY
- 211111YY
- 2111111111111111111110
- 2?=
- 3Y^WY

- eee~
- iZRI
- j8+
- B?7_[
- *!1+
- @[[/9
- IEND
- _V~9
- A)(
- 8p5)
- V|Is2
- VBU>
- &B;(0
- 4.S"
- Q'JA
- 8ra(
- co=q5:
- P%@9
- E7cS
- R9JI
- N'O<q
- v6)ic
- XT"o/
- o>.!
- .hKu
- E6v7
- 7>E6
- re$
- +-ubT2
- >)TZ!Ua
- #BE1*
- IDAT
- II*9
- B4!f~
- Fi-%
- 5jQF);Mi
- YA,p
- >2}#
- 8]M?=
- R4Dt
- '^'M3
- ^ykA
- KiN+3
- qEe
- I-zK/U
- $^]9g
- H\tO@
- 3hFP
- |7Ze\\
- {wN03
- O]Zi\\
- JVi}y
- b1im
- -I&a;
- 6v;L
- 19J\tM
- n4Fj

- w/]eO
- mT!4
- L[aT9
- Qx3(,
- ~U)O_e
- 3a.#
- V1'|
- rmi@u
- t["2
- UJ'b
- c9)ub
- 5n+y
- yezX
- cJJ4E
-]4PW
- baW!
- 4r.)-
- ousI
- c3RA
- M?1Bka
- I6$&
- 4k0=
- IDAT
- u7\\9H
- gl0g
- -h(a
- 8=Gr;
- uC=J
- ^<eU
- 5np}
- PP)I1
- <:{0
- XTTYU
- W8Xv
- c+?A
- e8uI
- ;e)6P
- haO3
- PiNP
- RR0q
- Xoe\\
- Up4"J~
- iJ`m
- 9imA
- ks7"
- GI h
- o9fD
- RzIt
- r2o,
- i%6/
- ^yO(
- XOV5
- XoXL!
- WoE|
- }>8r
- #u9P
- 'fUK(

- FFuu
- 3tNw
- f<}a
- xw"9U
- EWe[
- 1WxTp
- ;=}e
- 6WkH
- 80k8
- (=Oe
- M[6o
- ?7Sk
- oz!sK5
- ml9NoAY
- j O!
- Xep27
- %OzC
- mi7Q.X
- BV#eF
- lDATn
- UtJ?
- 8 ix
- K=Ti
- %0><H
- u]<Hos\\/t]
- a6]z!
- O'W#
- 2F!T\\
- g*IH5
- 5.:Z
- @f?1
- P[oU
- J~78
- e@iA
- ! A=5
- yovN
- K*$`4
- mOEw
- }F44
- if`$Z
- 5kZ~
- s8\t:
- 3vm^
- ?s30
- H&,I
- >UnH`
- mImf
- m#oz
- aBGM
- !j;0
- !iJn#
- Go.OBR"F
- UM@;>
- H96;J;
- E:n@
- <1\ts;
- W_lJ

- z8q7
- "<EY
- Ep3tH
- ZiWW
- iJ?7
- \\Ycem
- JRfye
-]]E{x
- 1<w}o6a/
-].7Z
- d7hj
- /a?d
- _-0/
- BC3-
- RBOPES7
- [1Q6
- rL1#
- L\tU`
- ^%&(7
- A#!h
- uX!.{
- IDAT4
- 6AHn<
- Ua&dg;
- APe+
- hS2S
- k7=V
- [((Aj\t4
- GOj-Q
- "LSs4
- W%a\\
- 8Y3_
- r+B1
-]Kc0Z
- C,J 6uO
- POi&%y
- lVHRO
- :u\t7
- E&ZB1;
- }g1M.
- osh{
- P?v7
- .4aN h
- <or(
- {/c4
- 2]RL
- kC!U
- PauwnYd
- aS1O4h%g[~
- 1o_C
- Z['6
- 1V"1
- 9Aae:M4
- HrRL1i
- y@-7
- D5jc:
- wbsa

- i;XY
- 8KlR}
- ~J0]
- g2\\d
- SUAy
- zEgt
- zS.A
- #ca.
- SF1]
- Ok|U
- SL5G]
- 8x`?k
- BUabhI>
- w Mu
- ZBq1Ho9
- h&S;|9
- u2SP;
- _7LW&4
- w\\OQ
-)9gi
- +8pp
- IDAT
- 2|Y3
- e}2}N
- D;U4
- 5ey9
- r\\3Y)
- WAk(
- W3b0t
- 9fy=
- r\\wI
- 9d9a<fz
- -o}B
- bCCa
- d34+
- y4.g
- 9)a>
- W03s
- ^ayU
- `9vb
- V+D1
- a0"LK
- "KrO
- Kj3y
- 5&BO;
- 23TB
- q2qx
- %\tEf
- 0nH>7
- Yp9d
- Y&Ip;
- J65$M
- 2]]g
- y5[6
- 3m_?
- ;J|9
- (qd1n

- !4<~
- k/8~d
- Uiuf
-)6/P
- $+0u#
- E9ISDC
- _^cye
- d Ya
- u6ivqB
- 39@8
- O04F0
- L'+o
- _i@&e;
- RF`4Q
- ~`7?w
- B%ID
- fg)6-
- 5B5!
- I6C9\\
- 7pbRR
- @$UW
- IDAT
- 3g42+3Zi
- 4+q)
- X\t6r
- JEOJB
- HAcA
- JE9N
- EK_O&2
- !s:O
- .Ra1X
- 9HkP
- {m}1
- E\t\\+n
- ?'Yu;
- A{g'
- GBji
- y6mM
- [AKPK
- B`}A
- `B\tA
- (?"4
- hcAh_
- VChA
- X"!8
- B9.A
- qo[L5NH4
- >)\\8I(
- 4V%*
- *0:&
- Gw=@i
- t46e
- BftOc
- KTe3/5}
- 9u%s:
- cawY
- OJ;RW

- 0iLZ-
- S^7Y[
- [eh
- %KJ8
- 057k
- t1/O
- 0t~~
- |h#IM
- 4nR6B
- ua}+@k
- ZEW+
- BA.G
- yV,I
- 6EW+P+
- p]jAY
- FMo)
- `=,8
- IDATF0
- +b4X
- 1D{;
- 31q3
- 71Zc"]
- 1###
- 0 5)
- \\.322
- HAgs3
- p>Ee
- Hd3=
- f0eZXJ
- u~"[
-]2[Wn
- aLZc
- T*100
- {z7]S
- 6&T1;
- :ikk
- }(A0
- 4%4U
- Uj$:A
- 8MHRM
- *$5C%
- |C 0
- 8fKo/
- f 0
- `g`z7a6?
- e@0
- m4XS_
- cA`lz
- 6-cL
- aSSSt
- ZisZ
- =K:2
- i2 d'VO!
- 3li.
- \\2hmi
- I5JE
- "H1F

- %06$86I(
- $\tW]u
- _o+Y(
- i?v[
- g@`_7
- CB6H
- IDATx
- IHDR
- OddddddddOONO
- O[UA>/-Vdd]]O
- S4ddddO
- ddddO
- 36+!(
- W957IHRb^dcbcdD
- zxyu
- ELCB
- @A+'
- HOOQQJ2)
- dK3#
- -"4M
- h^S60
- %l`Zi
- }bS6
- #Sa}
- .1U{
- oQUUKK*
- 47BNeeKO/.%$
-)#(<i
- ?]652
- \":X4
- #9VabwwxxvbaPP9#
- yuaY;&
- -Rasw
- zwbY9#A
- 1-Pavz
- 8<PY__P:0f
- 8XleveveYY
- 8_e_e___3-
- 8____WWW0
- 0\\WWWW00
- :Z11W000'
- =ZZ10.--'
- 69::@@B@3\\Z11.-'%
- .G[]aabbbcaa^G11+(
- .G1L
- 74:995
- o4c[GFD,&
- 9da^FFD,*
- ,,&,[adg)o
- ,,*D^`ghh47Mom;4gda^FFD,
- $,+Ha`gi
- igaF,
- *Hagi
- O?HEG^a`a[F/+A
- bg%e
- UC7N
- U2\t*

- ZG<2
- XC9/
- rO<$
- C,2,
- 7LFD#
- E8+3
- >=8ba!
- >=@95p
- ~D9.
- [A+B
- x2\\W
- :ej%
- O8"`
- `K5
- 0*UP
- 731_
- HuP"
- IEND
- (X8
- a UZ
- oYP'
- *O+{
- hE@
- s'ga8
- G2eD>
- E7F!X
- om<x
- #OXs
- kx@=O
- hIDAT
- /sa%
- pA
- 6d|MZ
- S8PQ
- n`n7
- e|j4
- O%f2
- 2DW"
- ~8;qb
- q*_3
- >o);
- N2`P
- :Iea
- !F m13
- 1`O@ijP
- |O\\z
- 3&W;_
- I0?|B
- mcU_b
- 0{;0
- uF'z4$
- u\t(U
- !Ei'Z
- AVz&Q;
- i:gE
- Lxs1l
- p?b4R

- &6o8
- Ee%)K
- z9:r
- cAp /
- *8KF
- Y"%7
- VvEh
- 8,+AGY
-)h3P
- +j/8
- E! !
- [-1ZBi
- PzI<
- lH8V2
- 1C&(
- CP^UB
- *OG[
- |fa\\
- <K6'
- O/>|
- 1Y+AU
- LYur
- e`Qx
- 6B&5
- :Pho
- IDAT
- `vU"
- !i\tB
- `'7^
- !B#\t8
- 59H*
- 39yU
- yuy+
- !fye
- ;1~
- J%Nu
- 4##:1
- jj}1
- 6,h6Jnu
- 3U\\X
- 8%JY
- P/ErA
- 6Ki
- O :5
- AD?X
- 00"R
- gDvXA3
- Vu*B
- I2YQ
- @iGw?8s
- 86<
- p1"&
- <_s3
- (:e{
- *>~4<
- $ccI
- AiDK<

- +I`91
- t#RY358%
- <j8 \t1
- !ELn9T
- 7Bc'Y
- BNu=
- +<3x
- dNgI
- c`4t0$`"
- Q1!C
- [I$"
- I8m%
- zzm9
- SDC9
- H>L0
- ko-j
- &KUB;
- *o%#`
- a%t
- z5HU
-]Wu'
- BQo#
- oQG[]
- Uy)Q
- V|51
- D}oRZ
- fvue
- a8FTIb
- xXd<A
- ?Rx1,0
- OZ,@[O
- 6deQ
- bZ22b%ss
- 7We&
- 2,Gd
- mhOZ
- =h i*
- }T20gO
- bo#C
- (Y#}o
- 7A H
- N]zi
- `q\tA
- 3XvJ6
- RUBV%uJ
- !4^>,
- R]8A%V
- FU'`
- RH?2
- 4%[K}
- 6,Z_<ib}
- (b2+
- I]bk
- O<p!
- Vo0-`
- {_r0
- IDAT

- 1@-2
- 8hwf
- `R7>K
- U0cE\tTU
- T1L8
- 5q%'
- PL{uuTW
- #^|3
- ly3!
- jfB u
- 5\\Eh
- q6lT
- }EOu}
- SE yf
- g2(n
- Q}oET
- Ob$xV
- wLH9k
- 3U/s
- M+ME&
- e=b-
- jbU!*
- IM}E
- oR\t.\\
- UUy*
- mwn1
- 6.6+ 6
- iLNa
- a:\t4
- tUK|
- WaKc
- {xA3
- [Agny
- 9<Xvb
- 47$V
- wWl-9
- o30*
- 9HGi;
- &J;'!Uu
- -6/j
- bP+3
- 3Rw6
- :1v'
- IDAT
-]7K}{
- 58|Y-
- <lJ{i
- @a})
- dE@
- oyjQ
- 9go<
- 2jp\ty
- 7CSc9x
- ?7Ia
- <U{d
- v.0+
- ~r+I

- uh6!:
- dQMu
- oj)e
- $7OT!
- -C5o
- W9pJ
- 8n `%
- \\9E7
- P:lKO
- Z5ff
- $UrP2B
- ZHO>
- 4 n1
- pdxa
- YEa8
- ^ S98(
- $I6V!u
- ~ ~a
- $E*L
- KVI
- 2t_a
- 6y_,
- &9EC
- A4XVFz
- Tf}e
- e#jJ#
- kbh}e
- ei!/1Xi{1U
- :*VEy
- Q3!
- k<EN
- 4+,M
- i^)dZ
- /3,4
- }KW5
- `K2"
- i,]V
- 6A//
- U+ZM'1
- }S'a+
- lDAT
- ysAO
- ~b9T
- n}5TA
- \\(0k
- y`H4
- eLaH
- ribo
- %~6c~
- KOPz
- WEH8B
- NcAY
- J}M5
- K0ZV
- Xq8
- %O@-
- O`-v

- a$%R
- ?XPO
- 224k/
- ;7w0Rw
- JZ<4
- IsNI&
- o{$+
- efa
- "Ui8@
- 1~Qi,_-
- UK]s\\
- GOLm
- 6nzt
- y}a`
- {X8(l
- h&0^
- e}>B
- 2$\\b
- S)T9
- 7qZK
- TBYti
- 5XUJSMo
- S_~6
- 0Xedk
- .|HUu
- `o!II?
- ;a/T
- +uqE
- EI4`
- rNEKi3
- kR{5
- 1v))q0
- -iw)
- -}o:
- 3[P[
- 6 in^
- @l`Sx
- i&3b
- 0WBOR^
- _W9y
- GjEG
- ! 1P
- -uq?q
- S,2W
- 8k`J
- !65!z
- q:2os
- @gic
- "-r0k
- 2p&l;
- #bS0
- mh4nE&
- [g$AI52
- 6NN^
- (8ul
- 6t`v
- bXar

- 6W-e
- _[Ug
- FHPo1
- -.5l
- knYci
- lDAT
- x2F`
- OBKG
- "L6g
- Il(f
- =D0@t= 9
- u[/Ka|
- H/2d!
- aA!w
- f2g6
- NEk
- o\\:u
- -3%vt
- @_at
- J#h4W
- [ig7
- ~0O3Fc
- dL2mx
- .!uM
- c."3{
- <Fp.0p3.
- ON8S
- CdA&|u|
- 91R;
- 4&{
- sqb}9
- EjrhQ%0
- 4<*u*uUq
- z0TC
- C@d2
- Ud0
- 2XYe
- FZO1
- U[tEW)h
- 1\t}R
- 0\\av
- B7EP
- M]#e
- YX&&0
- ko≪
- #1nl
- _[gOl
- hEDBh
- _OpCp8
- 2)_!
- ?|'a
- UpPx
- Jv3/
- oilJ
- pkG(O
- 0O*u=:
- 6@Yd

- 1M!R
- 0&E;`n
- CZ3q
-]l,Z
- uPjt
- @.$E
- lDAT
- e@[.
- 2t<u
- #tU{
- 7`SJ
- ,l0BL
- PTAQ
- i!Q&
- p8&alQ;
- M8.e
- B7~)
- 6^`E
- o=V|X
- g 1c(
- E@/8
- KO|I
- IEp@
- 4OG}z
- _U@4&
- "6 Z
- />44
- /J(\t4
- c0m;
- 8N\\9
- 9z9?
- ikpt
- 7wQd
- raq!
- $Zf&8
- [EiGO
- HFN8
- eCR(
- |1Q)
- Kp|o;i
- A4"/X
- esHn#
- 3QR#d
- 4^45S0
- xe@,
- 8Dld
- =_Ak
- Uw0P
- KO{Uv
- E]'c
- ^V=4
- ^!*E
- :eAX
- Hl0.
- ~)7'
- D1\\;
- UPXEj

- FVIX
- o!>6
- Vx"#A
- H'zo;
- iGE]|
- "F9G
- yBom
- _K$8
- =+0,
- /-o"-
- xUi;
- R<|%2
- wGaW,
- A3{Z
- O|Pf:
- ooSn'X
- oZ:6
- lDAT\\<
- -Cw0
- -515
- D1So
- Ue{A
- y62q${}
- .8/!
- U^Zz
- NOQ<r
- IZS8
- UxE$P
- kW3V
- +G3+h8X
- 1H+1
- _21
- Kn`i
- l2WobLX
- Z2t{
- AQ@W
- lSCW
- *?`8}
- pz7C
- 77n\\
- ,271
- \\\\k$8
- 93}gqd
- 20(<
- AYa(
- Tk6-
- 96+
- b0@+
- N8n5k
- *lo~
- EkE^
- O*tZ
- V6sFc
- VV0W
- 5}dcW
- >828
- TjuE

- 0s?T
- t6ERHV
- K+Oh
- XOa
- }'i?{
- _e/~
- lJo{
- uz\tbV
- 8rkk
-)U3s
- rju+tN7
- IDATx
- IHDR
- [hi*
- ;<C<98H7
- 6U=C
- 15D?4gW@G
- ,:KkiVEQ
- ToooV
- PaRQ0
- >W951
- UW6/#
- `dA?
- -(4j;
- q]E"
- \\iiiibZ
- 7^XXX57
- o^W6552
- o^W632+
- ,_dddddeed^W3,
- 1/)Ge:
- 8f_HE0)
- Agc_GD0
- -C*4aflYO
- //Eafm
- kc_G0
- *Hagn
- Dakn
- -4_k
- .uuxz
- {zzuuvv{
- >ff[fa[>B9
- :a>a>[[[>9
- Tfa[[>>>>93
- ~>a[>?>8833
- 1<MMNabbbbcccaa??<84
- 1<Nbbbbbhhhhhbcaa?<433
- <NNbhhhhhihihgbba??8411
- 1M<$
- SK611Lbh
- "eddOA=4
- =7516Ngi8X
- @ibbMMK=61
- &K;=51Kbgii
- 27725Legipd
- &@njggbOML77
- 07757Oeiipsn

- o\\BB\\osspigNNML72
- 2757Neipst
- tsigeMMK7
- 25LNeips
- tpngeMM=0
- 2LNenpt
- tsigNM70
- 7Ngipt
- pieM70
- tpiNL5
- P07Lbis
- ffd0
- EVNT
- KEYW
- ?flew
- 2s1X
- `v$J6
- -74i
- @?\t\\5
- OjXB
- 5.(X
- p1vx
- OQ%n
- iq&B;
- TASK
- LEVL
- OPCOx
- TEMP
- TEMP
- TEMP
- TEMP
- TEMP
- TEMP
- TEMP<
- TEMP
- TEMP
- L]5MrI
- TEMP
- TEMP
- TEMP
- CHAN\\
- EVNTD
- KEYWD
- TASKD
- LEVL@
- OPCO0
- AL`N
- TEMP
- CHANl
- WEVT
- EVNT
- KEYWh
- Z*imN
- c1ZH
- TASKP
- LEVL@
- OPCOx

- TEMP
- TEMP
- CHANp
- WEVT
- CRIM
- iexplore.pdb
- CoUninitialize
- CoInitialize
- CommandLineToArgvW
- PathFindFileNameW
- SHEnumValueW
- UrlApplySchemeW
- UrlCreateFromPathW
- PathQuoteSpacesW
- PathAppendW
- PathRemoveFileSpecW
- SHRegGetValueW
- SHSetValueW
- SHGetValueW
- PathIsURLW
- UrlCanonicalizeW
- PathCombineW
- __wgetmainargs
- _cexit
- _exit
- exit
- _initterm
- _amsg_exit
- __setusermatherr
- __p__commode
- __p__fmode
- __set_app_type
- ??3@YAXPAX@Z
- ?terminate@@YAXXZ
- _controlfp
- _unlock
- __dllonexit
- _lock
- _onexit
- ??2@YAPAXI@Z
- ADVAPI32.dll
- KERNEL32.dll
- USER32.dll
- SHELL32.dll
- ole32.dll
- iertutil.dll
- urlmon.dll
- IEFRAME.dll
- v\t;E
- u$VS
- QjAV
- 1AAf;
- @@Nu
- _u/j
- 8csm
- 8csm
- u[h(

- |9SVW
- t%;E
- Wjo_
- t'Ju6
- j8Xf
- 8VWj6
- FFJu
- 6Pj@
- hd2/
- hx2/
- UVWS
- L$,3
- RPj3
- udWh
- t5!E
- h8$/
- SetCurrentProcessExplicitAppUserModelID
- AACCN
- t89E
- wfkeraswyvnuyasp
- -vO!.v\\9.v
- Vq{mQ23
- Wzta'unBG~
- +S4R
- t1+H
- 0-m
- uZh(
- sviarv
- Guv
- U>vU
- .v&<.v00
- G-v8
- -v99.v`w
- e.vo
- 3.vM7.v
- urlmon.dll
- iertutil.dll
- ole32.dll
- SHELL32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- RichN
- !This program cannot be run in DOS mode.
- jscript
- mshtml
- CreateHTMLPreview
- HWND
- HWND
- ObjectMSHTML
- ObjectMSHTML
- Microsoft-PerfTrack-MSHTML/Diagnostic
- CreateHTMLPreview_Perftrack
- shell:%s

- %s\\%s
- %s\\%s\\%s.mui
- .\\%s\\%s.mui
- "%s" %s
- {SUB_PRD}
- {SUB_CLCID}
- {SUB_CLSID}
- bg-BG
- zh-TW
- cs-CZ
- fr-FR
- nl-NL
- pl-PL
- pt-BR
- rm-CH
- hr-HR
- sk-SK
- th-TH
- tr-TR
- lv-LV
- lt-LT
- tg-Cyrl-TJ
- hsb-DE
- mk-MK
- mt-MT
- ms-MY
- kk-KZ
- ky-KG
- tk-TM
- mn-MN
- cy-GB
- km-KH
- syr-SY
- fy-NL
- fil-PH
- dv-MV
- kl-GL
- arn-CL
- br-FR
- gsw-FR
- qut-GT
- rw-RW
- prs-AF
- gd-GB
- qps-ploc
- zh-CN
- pt-PT
- dsb-DE
- ms-BN
- bn-BD
- mn-Mong-CN
- tzm-Latn-DZ
- qps-plocm
- zh-HK
- zh-SG
- fr-CH
- smj-NO

- smj-SE
- fr-MC
- sms-FI
- sr-Latn-RS
- smn-FI
- sr-Cyrl-RS
- sr-Cyrl-ME
- bs-Cyrl
- bs-Latn
- sr-Cyrl
- sr-Latn
- az-Cyrl
- uz-Cyrl
- mn-Cyrl
- tg-Cyrl
- mn-Mong
- tzm-Latn
- zh-CHT
- /zh-CHS
- bs-BA-Cyrl
- /bs-BA-Latn
- sr-SP-Latn
- sr-SP-Cyrl
- /sr-BA-Cyrl
- sr-Latn-CS
- sr-Cyrl-CS
- sr-Cyrl-BA
- bs-Cyrl-BA
- zh-Hant
- zh-Hans
- \\AppPatch\\sysmain.sdb
- }KK}}}}}}}}}}}}}KKKKRKKKRKKKRKKKK
- }KK}
- ZWZZXXXVVZ
- O}IK}P98:[_^`w]\\Q}KK}
- tRljCzII}kh;
- nsr@2zGGzcxm
- (>?q=zGGzbo
- wBDrDC@M#
- z;=??<5b-
- ////
- +,g_
- ^g^!
- +#_g^#
- #-de^'
- h&+-dd^#
- ZWWYVPPPMMMN[o
- {ssx
- wwwwwwwwwwwww
- jijFmkm
- gfgp
- <hghd
- <yyz
- <||}
- <sqs
- <hgh}
- fef|yxz

- XWVONc}
- VVVUN@@
- (%)-
- %ip=?GJG^=
- dEJJJD_
- *g}DL3^
- `,"\\q
- px|v
- lvvx
- ||dh
- pxvd|x
- px||dlvv
- wwwwwwww
- wwwp
- ,--SHGG
- ;;<wnmj
- +|||
- ")r
- "f
- ())S
- "R
- (()<
- GFBr
- =;<0wwx
- DB@s
- DDDY
- tpt&mfh;
- JJJZ
- ???n*+*+
- ?Kmt~sm]G
- !Jht~{{{{{p[3
- %!NPj{{{{{{{{td/
- n{{{{{yyyyn[
- t{{{{{tnjhSSE
- hjjnjL
- y{{tnj
- ptytytnc
- t{{{yytttQ2
- t{{{{{{tttp
- ~~~~{~{yttn
- ~~~~{{{yt
- xwwwxww
- >(B}=(-}=(o|<(
- }=)G}=(
- z?,X
- vm_Z
- ~tc]
- wfV~td
- g~vzw
- HJH!
- MM
- N"T
- P,;;%W
- # O,;[J;'W
- -``[GGC[
- -][GGC=[
- -[TGC>=[

- //////////////
- Y.hilkRROMLK=C,
- Z\\ojhkSTMMM<=C&
- ZdpnkSTTVQL<<C,w
- /cpokSTQVVV<E9,F
-]bolSTQML=<;-)s
-]4kSTTLKK+-
- VFdd
- df||tg
- ll|g
- |gl|ep
- ltt`
- FFPv
- |l|gp
- llgwp
- x[IPwfL
- <KKKgGJJ
- KFKFKFKFKKZ
- ,0;FFF
- B;;;;;;;;
- YZ;;W
- ;TTYYYT
- ;TTTYT
- ;;;;;;;;
- ubwxyy
- t`qqnna
- ^hh__:
- `e^^^;
- $**,
- NNUNNL
- {gkJH=5
- YXNLB
- $----------
- xxxxwwww
- wg~x
- tGwwf
- x~ld
- wwwwwww
- wwwwwwwww
- wwwwwwwwx
- wwwwwwwwww
- wwwwwwwwwwp
- wwwwwwwwwp
- wwwwwwwwwp
- zwwwp
- /QQQRQQQRQQQRQQ\tQ\tQ\tP1
- 1YYYYYYYYYYYYYYYYYWVW1
- 1YYYYYYYYYYYYYYYYYVVT1
- 1YYYYYYYYYYYYYYYYWWVV1
- 1YYYYM11111111111111111112
- 1YYYY0QQQRQQQRQQQRQQ\tQ\tQ\tP1
- 1YYYY1YYYYYYYYYYYYYWWWVVV0
- 1YYYY1YY9GEAA=77YRNNNW:.VT1
- 1YYYY1YY7LKIHEB=WVVVVW-'VV1
- 1YYYY1YY7IGDA==7VRNNNV((VS1
- 1YYYY1YY+$$+%%%%VRNNNT
- 1YYYY1YY ####%# VVVVVT

- VRNNNV
- VVVVVTTTTT1
- VVVVVTVSTT1
- VRNNNTTTTS1
- VVVVVTTTSS1
- 1YYYVVVSVSVTRNNNTTSSS1
- 1YYYYVVVVVSVSTTSSSSSS1
- 1Y444V444VVVSVSVSSSSS1
- wwxwwwxwxxp
- wxww
- C\\-XS7F
-)+kc1/
- p^Br
- i_()"rrMg
- X{*lw
- 7QYNVx
-)sMC
- ([@n
- C'n<
- G:{^}
- ksLz
- tR;bK
- ;M).X
- t:)%]
- 6\t.=Fk
- R? n
- ^ U_:CCP
- BkS.
- {z`T+
- j?D%
- F`#?
- B+]^~
- HYkT
- ,=#f
- Dp=C
- ZKLF
- (F%VV
- {Hx!
- S?w?
- tc)<
- "bm(%B
- h]'@Z
- j$>,
- wn;m
- 5Lp>Xs
- &*#qJ
- lgjm
- ^~!?
- z%wx
- fYK~
- Bn[r
- wtD!
- B5v]N>
- |b=k
- ;gQz<:
- $\tRpV
- hTpF

- <:Jz+2?
- =g^Qr
- tlL=
- sZ?P
- <x?(K
- c]z;
- #)&$e\\N
-)M!kV0R
- ?7:!:nzc
- @yRD
- S]g|
-]j'6ZK
- }'rR
- p[hV
- k-BB$#
- L"qy
- vC_Y
- z]|\\k:
- TVL#N
- CMpvn
- B}!k
- hgZ\\]s
- W")e\\p,
- PkCN
- }3rn\tn
- z*XW
- Y~G}
- wDcY
- {jdv
- hl?S
- }Zh'F
- NB?\\
- CPjs
- ?;H{
- #<tx
- B%:m
- FKPj
- ~Fpt
- s#Bmd
- q%</
- $_Mj
- /v!Xg
- cTgFs
- =>_!
- GPy|
- XQ0`(m
- D+@s
- w|TK
- $_"[
- NkJf
- Q/'J
- |t,^<2
- f\\g~
- ffMd:MLg-Mc
- [fkS
- XxqV
- kXY}r

- B# Q
- PhnJ
- j~n^y
- js;G
- W_\tn
- Fy[N
- n<g
- j)hk
- (S?@
- g?pT
- BxX%
- mZR_
- R+\\z=d
- Qd$$
- LdY[q
- -<yjOzm{
- --RJ
- Y.-?
- n%yr
-)r[m
- 3FCKQd
- D)D+
- dh*\\J=
- 'n!!
- t/Nn
- %&w;"
- g"Fs
- L<@"
- ,(D#
- /W?W
- !`|T
- xty7&k;
- |(KB]b1d
- /G"
- vNyj
- RdF'
- :Klj
- @$.@
- K;VJ
- ~&(;
- k"S/
- Mp?$D
- MGxY
- !XCX[e
- lpSQ
- p'x?
- '+b{
- |_\t$~
- wlcP
- yFMB
- @$l\\
- bT)$
- LtD[@
- $bKrs$
- (K\t?l\tX
- ,ZBlx
- SX))

- &V;~`+
- Y`ky
- zyR"
- ~}Ly
- gDM{
- !D:T
- g'q=
- x\\fp
- k[|{RR
- tQN&>
- };KV
- S%@N[
- Y['#
- Y8t/,?.J%F^y
- S ^b
- [Hf;(
- .]tSfByC
- '\thmrZ
- h(v
- uMC]VL
- *LKF
- qD'$
- &c;&_
- F;v*
- @{c
- MX@]
- #W\\~
- H=Y#N
- Y']{
- +k<t
- >F8qT+
- x\\gl
- <.s:
- XKpVZ
- z}!h
- 'B/Z
- m{(.
- zMCc
- #x<D
- ||"KL
- -T;w
- `r|,
- hW$)
- LC c
- \\SqNvWUfFF
- $D'R
- K@B{
- h#(D)
- k<j,
- _f\\X
- tJ/"
- rV,V
- ZRSc
- \\l_:P
- @[r-]
- YR\tVIR
- d=\t)

- vjVH
- C=/@
- G"B|Q
- :`Jk?
- ft+|P
- qf,xR
- GC|^
- HMDk
- ^k_r+
- m|T@
- ;^'h
- 1>Lh-Z
- <dA}<LD
- Zh]w#
- nf>M
- p\t>B
- .}Ny
- LYM.H
- Vsd_R
- ,hK
- !$FH
- C{k@
- .'Ys
- W^#q/
- sy2K(s
- +/QWv
- lLSK
- RH7SfKK
- *bS $fz
- [+W)g
- W_z>
- n%%&
- Yx,S
- @@J\\
- JiT:cL}
- B.G-MX
- rD_Z+ck#h
- `cdT
- S-CZ
- 0D?#lj
- k1$) !
- GaHsK+S#
- vvQ,
- hkk#
- ^zzz
- `/!w
- hnn!
- P"$BD
- {^B\\/
- lC/cs
- SB(
- jqD
- \\<^Z
- ,X,R
- XSFW
- ?&'{
- /FR*

- $l=mx,'`
- CC+%
- W%k@
- !]D<T!-
- M*XFI>k
- !RF@
- z+_k
- h<n[0
- ==cN
- ###l
- do}nx-
- /^L__
- zdpp
- PPPPPPPPPP
- PddddddddYO
- PddddddddY^O
- ddddN
- ddddL
- ^dcdddddddL
- ZQ&$"ddddK
- NddddK
- TbbdddF
- C^^^^^^b^dbcC
- ocFX]D
- :fhleG,&
- (lvvwpqnm>
- jV\\[YWs
- dNfgghrq3@
- cL^^[[M
- LQJJK.
- dQ/..+
- %PWWXXXXWO.%$
- <WPVVYVRO:,%
- jTX;9-
- l)&(PZSA
- !--PZb`7jnB\\aR;9-
- ~rttttX
- pplq
- wtqqkllxxxvv8
- JKXk
- %.FG[[[]]]]Z11.('
- .[[[]]bbbb][ZG1.('
- (.5>>>N>NNNNNKK>;77
- <C&$D`^
- ,,&*F`d2n
- yffzjhg`^FFD*
- ig`^FH,
- +F[dgz
- zg`^F,
- $F^`hi
- hd[D*5
- I(CG`hz
- s|wuw{}
- wwwwwwp
- wg~v
- {vgvv
- n|fx

- tfnnn
- |vtg
- dtgg
- l~nvfX
- Fgd`
- vdggggg
- lfffB
- fvvvvvvef
- vvVt
- ,Z%
- M>: C
- r |=
- *.)7l=
- }_.
- =XVR;
- @<;=
- jC%
- yYMH
- _fD\t^hG\t[{W
- vG(\tu;
- D"\t}|:
- S?))
- sL T}D
- <"~+
- MWW~
-)<<W;
- F`!P
- ?'Pw]
- !;Z? }
- =vKv
- ^@H
- >G W
- /<Hw
- (!<SQ
- W?'-
- #w!<t
- :j[g
- *y\tQx
- Wz@*
- %x>*
- !}N
- ?h_~
-]'Mv
- ='M|s
- O`w;/n
- TB}j
- ("(?L<
- =)T /
- \\:]*
- VNM.e@
- p#@>
- 8);YRg
- b(,!Z
- gdRJ
- -#rH
- . V]y
- +.?j

- (((#
- ZB+@&
- (zPdP
- .<bp
- l%y
- K~ zq
- :t$c
- t jT
- S]>hR@`
- h)X'%
- H>cD
- XNM}b
- Lgdv
- x?=V
- HB-V
- $\\:!
-]WJ'*d
- kS~?
- KEjP z'
- }`fv\\t
- \\C@R
- y$$c
- v:D
- Yj){
- l1J+QpbV
- _CZ*
- CW`m(
- b|fF
- P#Rk
- w]y'
- Z>*w
- Q*-BJ
- w\\x,
- s NB
- :BL/
- v3b)>r
- #tbM
- MHll
- VCGcy
- RGh*
- d+`VF
- bB!C
- CVG`
- LPo[Q
- 3T^?cd'
- q(]\t@/l
- #P;`&
- k-`,
- p/W^
- &SN;=
- HDS?:
- ?R?Z
- H>%j
- l/Z>
- *\\aN^+
-]TTr
- "<vx

- THll
- ,vwT]
- B^,gy
- +G%^
- H)(t
-]] H
- b-ObTT
- r->!&8
- [~{~
- /GH;
- ($k?^
- R.q%
- R^v{
- WC^c
- ~w%Q
-)?/d
- M{rv}
-)/ C
- ,z]W
- bChf
- (d]@
- ?Y'?q
- $@m]
- Pj{RR
- mcv;
- &hF;*
- &|:w
- ~NY%:
-)M&d;
- Nk^S
- w?p+K
- s{y|
- shFQ
- <vZ%
- K~</
- *{_\\
- h@-w
- &K;|(
- x^]S*
- :np&
- J^FT
- @<^R
- `b=n
- ~KXL
- R"/-
- _+%S4Dd
- >%^Q
- Qrg`#
- R^w:
- ;sQb
- :W^r.,
- ,@7Y>q
- jf *)
- R^`,
- bRF)oJ
- m[$z
- @SK7lj

- 2LK+#.P
- ;quGM)c
- KMCv
- nw7&p;
- "$n}
- -pk.
- H(t!J
- B-:'
- .+ Bh
- JtfD
- Ydb&
- @;P+
- ^s*q
- %[Hh
- mhh2}M
- '%`F\\\\
- k-\\~
- fR']
- SD=J@
- x]@dD
- ;_Tj
- KW\\yYy
- xYXQ
- :!#M
- wyNcY
- <: WY
- Hcds
- =`^BW=
- J\\nk
- -]'Z
- (\\$H
- VVK~
- !;V=
- sK-;s
- xb;W
-]J()
- r|2D*
- m_Z,W
- f['?
- l=BY
-)(;l
- '^)<
- {(`zr
- `uyTF?
- W[yH
- -J/-
- [\\}rw_
- `sF=
- Lkfm`:n
- LJ'_
- Z$>pk
- xLmH$[
- \\\\(.
- Xh*0+Z
- @ShP
- QVF-
- C #t

- LB[lL
- ^FBR
- RlKV?M.
- @szC
- hys\tN
- c)"kk
- hTKk
- C~:;M
- ?:t=
- @-qQ
- Rm,J!
- xs'Vz
-]WiV!F
- DdK)
- iZb;cz
- YhaVCS
- !M[G|{hi
-)~:F|`
-)KwR
- @cL2TH
- Z=\tLg
- tV*
- 'Z/B
- zV@P
- {^fn
- X(Kh#1:
- DTpj
- ?"~>
- ~F;v
- .]Hs
- Nl>)
- gN<r
- ^".m
- GTyS
- *B'f
- !]'c
- 'l'Q
- cD)L
- I=c=kX
- Cgb=
- +@z(
-)"*+
- T!}G
- *<g]
- kJq\tDl
- NF.Q
- KJCGf
- se@(-P_
- XQ|j
- mW'!
- ^TZm
- lDnc
- n_"
- ;}})r
- _!?n
- C!:|g
- "z/m`

- _LNw
- J+m!
- |N=m;
- 3Cg!Pd
- bPV*
- 'Z_6}F
- >{5~j.F
- \\q%b\t1
- ;A+W&;
- JJ#t
- PMF"u `
- /I>}1Pm
- *#'-
- `ngHlL
- }dYNn]l
- (V__H
- YfZM
- WLF$
- p)8K}r
- GZw]
- w`j:
- Q:L#
- _\t.k
- fBw_
- =gsh
- \\vqC
- ~Ct~
- Z<Z?
- F++h
- txh{
- (crP
- AWjq_JG
- Z&&';
- G^_)
- j)FkD<
- T*qFUL
- ,Frj
- {SLK
- RCCCKAu=R
- P#P]
-]2>q`p
- `>wl
- TN@\\
- kC[.J
- {+*;
- >/(r
- Dn:\\
- JL|=x
- +>CH
- k?zF
- (9|B_>}
- f%Rt!
- ~_:urjl
- "(gQ
- !!!K"
- snN}
- xqrv

- L^dc)
- >PbN/
- +-_M
- $?JF4#&
- nsZY
- yz}~
- $XdffgeY7/!
- !8^^____S:&
-)%dM
- |nm\\A?
- '+Ditp{
- +[kv
- mZ*G
- sh@=
- LFbr
- L|y|
- vprrrrs
- BbbbbXX
- +4KK```^^WW3,
- +GJ__ccac__K6/+
- PB>=<
- &C;*/_f`Q
- i\\]jnkc_GF*
- mc_C
- nfJ/
- z@FIfkkkcJ4?{
- /../X/
- m`^:
- %QQHHZ
- E^_`mmmmk]\\I
- (C:F
- &:kkkkkk]]\\I:
- 3kfffff[[[9
- !"#CFHHHHHH:faa[?9843
- <bbbbhhhhhhhhhbNM?<<31
- CGHHHHHHHHHHHHHGGCC#""
- WWVVVVVV/////
- nggNMMLK70
- 0=Mgns
- R2=LNgnpssspjgML71F
- yA=LLMMLLL=7J
- wgvg
- FFfv
- lnlf@
- ~~~ld
- x~xp
- vwwx
- wwvw
- pwfwx
- fFGnv
- nl~fvd
- gGvvvllvf
- FFFn
- lfF@B
- fgggggggfvfVF
- wwwwwp
- ;VdFl`

- ~Nld`
- k~"(H
- ;hlF
- >y(F
- zB=_,E
- $<kF
- TTBL
- WEVTpM
- TTBL
-]:gK
- M LD
- +l:t
- TTBL
- RSDS
- StrStrW
- _XcptFilter
- _wcmdln
- msvcrt.dll
- ntdll.dll
- SHLWAPI.dll
- MLANG.dll
- jzX]
- QRPh
- _^[]
- ?Pj@
- t!SW
- ^_[]
- PVVh
- t?Ht)Ht
- ^txH
- _^[]
- VVVj
- VVVj
- tVVVj
- _^[]
- JsN(
- PVVh
- |hjD_W3
- WVPQ
- t hXr/
- SVWhhr/
- PhH=/
- h,q/
- _^[]
- ?Pj@
- @@f;
- SPQh
- @@f;
- hH=/
- UQPXY]Y[
- _^[]
- SVWj
- [_^]
- URPQQh
- Wj RP
- h$*/
- tJj?

- @s?h
- QRPh
- Y__^[
- hp#/
- _^[]
- -v|<
- -v!>-v
- ;BVqdO
- YQPSh
- =v)/=v
- V>vH2>v
- >vrt>v
- /.vr
- -vuG-vM
- F-vM)vd
- g.vc3.v
- ,v\\9.v
- -v1#-v
- SHLWAPI.dll
- msvcrt.dll
- ntdll.DLL
- .rsrc

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

• Module 5 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- Microsoft_Visual_Basic_v50 ()
- IsPE32 ()
- IsDLL ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 5 strings

• Module 5 most interesting strings

- url | valid domains | tlds: Y-v&<.vA
- url | valid domains | tlds: 8.tW
- api | frequently used by malware: accept-Language: en-US.q=0.8
- api | frequently used by malware: accept-Encoding: none
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: GetProcAddress
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook

• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
• api | kernel32: LoadLibraryA

• Module 5 other strings

• "{%0.8X-%0.4X-%0.4X-%0.4X-%0.8X%0.8X}
• _O9"
• {ZW4+
• fX>I
• 8`d!8
• p>ae
• YESz+
• 0@sa
• HBifd
• RO^~
• \\@_3
• `L:0
• syf5
• H8BK
•]Q4
• !]N5
• ^&7Z
• jRLU
• 8\tY+
• x<I7[
• BEi(]D{
• RJ7)/
• (Zt9
• ?5yh
• O[E}
• jATz
• WAl=
•]ADi|cjf
• y;}0
• (o#y2
• i!pag9
• l/_9
• MS3K
• U+WL
• ZDo7
• 4io%D]
• B>I-
• a,kw
• 3}\to
• 5(G*
• 4~5tN1
• [o~#
• V=eriTx
• |\\J1
• 9S1dW
• rR%Y0
• WV\to
• LiMt,
• iQFV
• {z4I
• KOXY

- G20v
- L-J1
- v|6k
- L@7j
- QAH+|
- -f.a[
- -{7Nee
- [dAkh
- [<Ef
- 2q,J
- 7p&R;
- 5v9E
- c2AL5e
- Ra44
- &b;^O0
- 7c%f
- 15Wm
- G4I~
- hA&bUX;
- m[]i
- 3wrv
- LZ$2
- 7V01Rg
- 8pjY
- ()u.-
- Ke\td
- Cqb0
- ^H7a#;
- Z-O/_
- oiA\\a?uI
- M3%X
- F]dew
- Oa=
- 8v.3
- C5cI
- ~`}u;
- 9k-(_
- Ic::-
- })2`V
- -9%64
- E\t@b$
- ','u
- 5,U+(
- E<,(
- 0(,!
- .!+40*
- G{5 K
- &2$67
- encryptedPassword
- encryptedUsername
- hostname
- EQTyt
- x_guid=%.8X%.8X&x;_report=
- LINK
- FILE
- Connection: close
- Content-Type: application/x-www-form-urlencoded

- POST
- #vHTTP/1.1
- uMv+
- /Pv1
- w5H}b
- 3#wT
- jOmou&4:'\lKiY
- 8%Txbz!7
- eVP;
- 5>wy~uVt
- 5\toKXSRt
- T/v6
- 3.v7
- |ojLx!DnU
- #eel
- yFeMR
- "tep*
- uze6DruIK
- 5+`P#+`PmPrE}e\\
- zXIL
- ccW>6O&
- 5Xx&
- aBR<
- ={mo$
- 0-m
- SVW3
- 5 !,
- tS<|u
- tr</u
- SVW3
- SVW3
- SVW3
- _<-u
- SWV3
- CYXI}
- SVW3
- SWQ3
- 8.t5
- SVWQ3
- SWV3
- shell32.dll
- Fcmd.exe
- &x;_mails=
- email: %s,username: %s,password: %s,server: %s,port: %d
- SVW3
- SMTP User
- POP3 User
- POP3 Password
- Email
- SVW3
- %s%2.2X
- 5\\Rx
- SVW3
- SVW3
- #u(3
- SVW3
- xitP

- inEx
- rundll32 "%s",0
- CF;u
- SVW3
- 5LCC
- ssbsiuv
- ?C<0|\t<9
- >C</u
- G<3v
- SVW3
- t@;E
- tZ9E
- #uF3
- SWV3
- Vq{mQ23
- Wzta'unBG~
- +S4R
- t1+H
- 0-m
- 5FAK
- +S4R
- SVW3
- SWVQ3
- .Upack
- UpackByDwing@
- MZKERNEL32.DLL
- jjjjjj
- jjjj
- jjjj
- jjjjjj
- jjjjjj
- jjjjjj
- jjjjjj
- jjjj
- jjjj
- jjjjjj
- jjjjjj
- ^(VR
- N@_ZW
- ;~$s
- YPH;
- rw(-
- ?QFT
- :><"-I
- (H]@
- =JSv
- <qR|
- C"~G
- '!l
- <sF;
- X'jFbx
- q@t<
- <~n&
- Nc |
- 'H]c
- D$xR
- `&"g\tFQO

- <GGh
- $\tLp
- ^[}Ss
- Lqx*
- #^!f'
- P,,$
- ^?&m;
- Wk^<F;3
- j`bt
- n,{ !_
-)F<w
- SZ*g!
- \\ulZS\tr
- ,pMC
- {fry
- tcQs`
- BYpH
- X(pPN
- !\tCl
- dzt|
- *t):
- }Z/s
- =^<)
- |RTj
- RqFp
- ^)#(
- P/B\\
- qp^}
- fYgxz
- k~,]
- `s[y
- $dY|Y
- rrTf
- R:b}
- v'b
- Dn\t.
- B]VAL]
- fv*z@O
- pG<XJ
- `@~t
- R-Gn
- &&(*
- %\t-%\t-
- ":Q,
- x"KKb%
- @&(.
- ;/^L
- p+:=
- x_guid=%.8X%.8X&x;_os=%d&x;_bits=%d&x;_pl=%d&x;_spread=%d
- vwqLM
- vFN- BV'3tzm
- jZrF
- rdgb
- Mv}LNv>
- tpVjUz
- ,zHy
- QrMd

- ,vA#-v
- -vQJ.v
- -v\\9.v
- d.vs
- -vO!.vb
-)vM)v]7.vb
- g,v%9-v
- Vq{mQ2)w{m
- ;BVqdO
- xl__
- GK(>QK(>
- Rm[rNoDWzta'unB\\
- ^M
- "F{.<
- *VTyRbr[
- wkHB
- Y^[_
- WSVQ
- ZY^_
- WVQR
- YZ[^_
- @YZ[^_
- WVSRQj
- PhB
- Y_^[
- /C ""%s" && explorer "%s""
- &x;_browsers=
- url: %s,login: %s,password: %s
- SMTP Password
- SMTP Server
- SMTP Port
- RShN>
- RPShN>
- Y^_j
- Y_Z^[
- Y_Z^[
- SVRWQ3
- C<a|\t<z
- C<A|\t<Z
- Y^_[
- SWVQ
- H_^[
- j@Pj
- ;BVqdO
- t++H
- [<j@h
- Y^_[
- .rsrc

• Module 6 (probably unpacked / injected by the sample)

• Module 6 rich signatures

- 44616e530000000000000000000000000fc201200

• Module 6 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 6 strings

• Module 6 most interesting strings

- url | valid domains | tlds: 3.v&<.vA

• Module 6 other strings

- -v9,
- yFeM#eel
- GByrNoDWzta\'unB3t"us(yO{8
- mou&HyG;
- 8%Txbz!ZcmU7
- *0$0zXIL
- ccW>6O&
- 63h&
- 5 a@
- 5da@
- 5@a@
- 5FAK
- 5@a@
- 5Xa@
- 5<`@
- 5@a@
- 50a@
- 5`a@
- 0-m
- nabczefghijklmnopqrsvuvwH
- l\t'J
- q6:r
- # _21
- ,#;?1
- (EiiX.W
- ?1SC
- :3LY
- 1$'5
- \\!z9
- 0Rd/
- A< u
- W8FU
- "1Mo[pd
- 72ucNB

- GeD
- 7NzH
- oH)
- xEznB
- I9eKV
- 6mAak
- tQ|a
- I!<R
- Um\\@
- 4ne`
- "\tO4
- ;Na/
- r#6+
- ~6Owq
- l/<u
- S:4S
- b6r;
- ac,H6
- M}D0
- iRQ.
- j1ZoU
- (@ap
- ^a"8
- Yac
- Hw!o
- P&isB;
- yuH!X
- WDen
- ,opx
- olmf
- N.4~
- f2C37{
- p;s3
- S5E|
- f*oL
- ']~i
- 4]>tF
- -kxiu
- T7(f
- .`4u#
- U7DH`
- h\tLU
- DlvAO
- p'\to}
- K d4
- 2R%_c
- O~~)E
- v6g<x
- ZurYC
- c]SesE
- WNAJ
- u^;`Q
- 9<,,u
- 3=ds
- U(Js
- :ceZ
- Qox]

- Z9yt
- !v9Aut
- LT=O
- cuG"
- bJ}U
- 3VX`
- ZoCkW
- (A\to[
- =IRD
- 0q%e
- jE\\u
- >'t1
- U3Uw
- ?6#~
- e(8x
- :dU#
- z:XlUE
- rP=v\t!A\\2
- ^lL7
- /i<I
- 7u=@
- 'vPE
- K[@u(
- snrU
- jH4e
- 4k-b
- DS.9
- lQlo
- Vdb0
- x1ri,
- Lo&(
- e]w9
- $7zQ
- kRfw9u
- |_7d*
- MQikx
- px[U
- x7lpA
- Bc}3
- @2lE
- S]0j
- 8b\\v
- \\[6k
-]4k*>
- o90D
- ,mno 4rs8ttwxiz{t}~
- LMNO
- ,$5);3
- 5da@
- 5da@
- 5`a@
- 5pa@
- #uH3
- 5<a@
- 5`a@
- 5da@
- 5da@

- 5$`@
- 5Ta@
- 5,`@
- 58`@
- 5,`@
- 5(`@
- 5Pa@
- 5`a@
- 5Pa@
- 5`a@
- 5Pa@
- 50`@
- SWV3
- WztaVqdO
- +S4R
- t1+H
- 0-m
- =|a@
- =ta@
- 5ta@
- 0-m
- 5da@
- 5da@
- 5da@
- 5da@
- 5t`@
- 5la@
- 5|`@
- 5la@
- 5|`@
- 5x`@
- 5t`@
- 5la@
- 5|`@
- 5x`@
- 5`a@
- 5(l&
- 5"#5
- 5`a@
- 5`a@
- 5`a@
- SWV3
- 5da@
- 5da@
- 5$a@
- 5,a@
- 5`a@
- 5l`@
- 5`a@
- 5da@
- t!<.u
- 5`a@
- SWV3
- SVW3
- 5La@
- 5Ha@
- SVW3

- ^dpo<
- l}0kn
- ibsKbsiq
- lg~nKybe=
- ov/zrpMdexMne
- Y8a}[sca]kx
-]dvu,
- Kf3
- t@;E
- 5la@
- tZ9E
- 5la@
- 5da@
- 5da@
- 5da@
- 5da@
- 5 a@
- 5Xa@
- 5`a@
- 5`a@
- 5`a@
- 5`a@
- 5da@
- 5``@
- 5d`@
- 5h`@
- 5`a@
- 5h`@
- 5p`@
- 58a@
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- -v=D/v
- -v\\9.v
- G-vO!.v
-)vM)v1
- ;BVqdO{mQ2X
- =WI@'HM \t^M
- 5+`P#+`P]d
- wVP;
- = `@
- =``@
- z{|}~
- ;jTG*`f
- m,huRm
- c'~(_
- B{F+|
- z BQ
- ZqnP
- J!;r
- +rpV
- %-lq>
- f`P1}_
- "[*%
- .l_'

- bwtF
-]f;"l
- Xvl,
- _K\tk
- s,~nh
- J@*L
- Z$*h
- FP1=qB
-)?$Z
-]"]G
- v*+`
- Q ,X
- [?&)
- ;vfK
- q\t<_v
- &v;=w<&hUf;
- vQ^
- GNMD
- \\l$wH o
- "SN?
- w*vZ
- :~\\h_
- T_@eDy
- d=L"1z
- t~n)*
- C}[pt
- ppVQ
- bn?_
- Z(&^
- RFtmC
- j:S+\\
- 'mwq{
- F#((
- Q+!>
- OwBHDp
- 0(((w-)
- q<Ww
- DGg-
- V#tQ
- [<KL
-)_z;B
- `NRZ
- !!"#%%&\'))*+--./
- rstevwxyz{|}~
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefgF<
- <=(>/.^_5
- pq>?
- }kyvf{s{
- ZY_^[
- SVWQR3
- j@Pj
- Vq{mQ2
- [<j@h
- tFVWQ
- Y_^j
- zs>oi}V{k|Nn
- Lsca]kx

- vt=/$c2xxQ)tk:B
- H_^[

• Module 7 (probably unpacked / injected by the sample)

• Module 7 rich signatures

- 44616e530000000000000000000000000fc201200

• Module 7 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 7 strings

• Module 7 most interesting strings

- url | valid domains | tlds: 3.v&<.vA

• Module 7 other strings

- -v9,
- yFeM#eel
- GByrNoDWzta\'unB3t"us(yO{8
- mou&HyG;
- 8%Txbz!ZcmU7
- *0$0zXIL
- ccW>6O&
- 63h&
- 5 a@
- 5da@
- 5@a@
- 5FAK
- 5@a@
- 5Xa@
- 5<`@
- 5@a@
- 50a@
- 5`a@
- 0-m
- nabczefghijklmnopqrsvuvwH
- I\t'J
- q6:r
- # _21
- ,#;?1

- (EiiX.W
- ?1SC
- :3LY
- 1$'5
- \\!z9
- 0Rd/
- A< u
- W8FU
- "1Mo[pd
- 72ucNB
- GeD
- 7NzH
- oH)
- xEznB
- I9eKV
- 6mAak
- tQ|a
- I!<R
- Um\\@
- 4ne`
- "\tO4
- ;Na/
- r#6+
- ~6Owq
- l/<u
- S:4S
- b6r;
- ac,H6
- M}D0
- iRQ.
- j1ZoU
- (@ap
- ^a"8
- Yac
- Hw!o
- P&isB;
- yuH!X
- WDen
- ,opx
- olmf
- N.4~
- f2C37{
- p;s3
- S5E|
- f*oL
- ']~i
- 4]>tF
- -kxiu
- T7(f
- .`4u#
- U7DH`
- h\tLU
- DlvAO
- p'\to}
- K d4
- 2R%_c
- O~~)E

- v6g<x
- ZurYC
- c]SesE
- WNAJ
- u^;`Q
- 9<,,u
- 3=ds
- U(Js
- :ceZ
- Qox]
- Z9yt
- !v9Aut
- LT=O
- cuG"
- bJ}U
- 3VX`
- ZoCkW
- (A\to[
- =IRD
- 0q%e
- jE\\u
- >'t1
- U3Uw
- ?6#~
- e(8x
- :dU#
- z:XlUE
- rP=v\t!A\\2
- ^lL7
- /i<I
- 7u=@
- 'vPE
- K[@u(
- snrU
- jH4e
- 4k-b
- DS.9
- lQlo
- Vdb0
- x1ri,
- Lo&(
- e]w9
- $7zQ
- kRfw9u
- |_7d*
- MQikx
- px[U
- x7lpA
- Bc}3
- @2lE
- S]0j
- 8b\\v
- \\[6k
-]4k*>
- o90D
- ,mno 4rs8ttwxiz{t}~
- LMNO

- ,$5);3
- 5da@
- 5da@
- 5`a@
- 5pa@
- #uH3
- 5<a@
- 5`a@
- 5da@
- 5da@
- 5$`@
- 5Ta@
- 5,`@
- 58`@
- 5,`@
- 5(`@
- 5Pa@
- 5`a@
- 5Pa@
- 5`a@
- 5Pa@
- 50`@
- SWV3
- WztaVqdO
- +S4R
- t1+H
- 0-m
- =|a@
- =ta@
- 5ta@
- 0-m
- 5da@
- 5da@
- 5da@
- 5da@
- 5t`@
- 5la@
- 5|`@
- 5la@
- 5|`@
- 5x`@
- 5t`@
- 5la@
- 5|`@
- 5x`@
- 5`a@
- 5(l&
- 5"#5
- 5`a@
- 5`a@
- 5`a@
- SWV3
- 5da@
- 5da@
- 5$a@
- 5,a@
- 5`a@

- 5l`@
- 5`a@
- 5da@
- t!<.u
- 5`a@
- SWV3
- SVW3
- 5La@
- 5Ha@
- SVW3
- ^dpo<
- l}0kn
- ibsKbsiq
- Ig~nKybe=
- ov/zrpMdexMne
- Y8a}[sca]kx
-]dvu,
- Kf3
- t@;E
- 5la@
- tZ9E
- 5la@
- 5da@
- 5da@
- 5da@
- 5da@
- 5 a@
- 5Xa@
- 5`a@
- 5`a@
- 5`a@
- 5`a@
- 5da@
- 5``@
- 5d`@
- 5h`@
- 5`a@
- 5h`@
- 5p`@
- 58a@
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- -v=D/v
- -v\\9.v
- G-vO!.v
-)vM)v1
- ;BVqdO{mQ2X
- =WI@'HM \t^M
- 5+`P#+`P]d
- wVP;
- = `@
- =``@
- z{|}~
- ;jTG*`f
- m,huRm

- c'~(_
- B{F+|
- z BQ
- ZqnP
- J!;r
- +rpV
- %-lq>
- f`P1}_
- "[*%
- .l_'
- bwtF
-]f;"l
- Xvl,
- _K\tk
- s,~nh
- J@*L
- Z$*h
- FP1=qB
-)?$Z
-]"]G
- v*+`
- Q ,X
- [?&)
- ;vfK
- q\t<_v
- &v;=w<&hUf;
- vQ^
- GNMD
- \\l$wH o
- "SN?
- w*vZ
- :~\\h_
- T_@eDy
- d=L"1z
- t~n)*
- C}[pt
- ppVQ
- bn?_
- Z(&^
- RFtmC
- j:S+\\
- 'mwq{
- F#((
- Q+!>
- OwBHDp
- 0(((w-)
- q<Ww
- DGg-
- V#tQ
- [<KL
-)_z;B
- `NRZ
- !!"#%%&\'))*+--./
- rstevwxyz{|}~
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefgF<
- <=(>/.^_5
- pq>?

- }kyvf{s{
- ZY_^[
- SVWQR3
- j@Pj
- Vq{mQ2
- [<j@h
- tFVWQ
- Y_^j
- zs>oi}V{k|Nn
- Lsca]kx
- vt=/$c2xxQ)tk:B
- H_^[

• Module 8 (probably unpacked / injected by the sample)

• Module 8 rich signatures

- 44616e530000000000000000000000000097895000800000009789300290000000000010035040000097884009000000009788300 2b00000009789400010000000978910 0

• Module 8 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 8 strings

• Module 8 most interesting strings

- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnceEx
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\DelayedApps
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartPage
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\System
- registry: Software\\Microsoft\\Windows\\DWM
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\HideDesktopIcons\\NewStartPanel
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\WindowsUpdate\\Auto Update\\UAS
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
- registry: SYSTEM\\CurrentControlSet\\Control\\TimeZoneInformation

• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Themes
• registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Time Zones
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\ControlPanel
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Taskband
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\ThemeManager
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\AutoplayHandlers
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows,Load
• registry: Software\\Policies\\Microsoft\\Windows\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\FolderTypes\\{EF87B4CB-F2CE-4785-8658-4CA6C63E38C6}\\TopViews\\{00000000-0000-0000-0000-000000000000}
• registry: %LocalAppData%\\Microsoft\\Windows\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\SearchExtensions
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartMenu\\StartPanel
• api | kernel32: IsProcessorFeaturePresent
• api | kernel32: InterlockedPopEntrySList
• api | kernel32: InterlockedPushEntrySList
• api | kernel32: InterlockedCompareExchange
• api | user32: IsProcessDPIAware
• api | ntdll: RtlDllShutdownInProgress

• Module 8 other strings

• open
• Start_PowerButtonAction
• open
• DisableTaskMgr
• timedate.cpl
• StartMenu
• StartMenuComposited
• item
• programs
• StartMenuAdminTools
• Start_AdminToolsTemp
• Microsoft.NotificationAreaIcons
• MSAAStateImageMapCount
• MSAAStateImageMapAddr
• @explorer.exe,-810
• shell32.dll,-40
• %systemRoot%\\system32\\rundll32.exe %systemRoot%\\system32\\shell32.dll,Options_RunDLL 1
• Microsoft.Windows.ControlPanel.Taskbar
• DisablePreviewDesktop
• Microsoft-Windows-DesktopWindowManager-Core-LivePreviewAllowed
• EnableAeroPeek
• SystemNotification
• NULL
• startunpin
• startpin
• taskbarpin
• taskbarunpin
• rename
• delete
• link
• {A4756F80-4AE7-4A1F-A776-F5E9D9B04406}
• StartMenu_Balloon_Time

- static
- SHELL32
- control.exe
- MenuCommand
- StartMenuBalloonTip
- UpdateCount
- MenuPopup
- .Default
- Explorer
- AppEvents\\Schemes\\Apps\\%s\\%s\\.current
- Start_JumpListItems
- TaskbarSizeMove
- LockTaskbar
- TaskbarSmallIcons
- TaskbarGlomLevel
- AllowConsentToStealFocus
- Button
- StartTop
- StartBottom
- system.ini
- shell
- boot
- Taskman
- DynamicDaylightTimeDisabled
- InstallHighContrast
- Flags
- Control Panel\\Accessibility\\HighContrast
- ServerAdminUI
- Local_fCanRegisterWithShellService
- Control Panel\\Appearance
- SchemeLangID
- CleanShutdown
- IsObsolete
- IsCustom
- AppliedDPI
- Control Panel\\Desktop\\WindowMetrics
- ThumbnailLivePreviewHoverTime
- TaskListOverlayWnd
- TaskListThumbnailWnd
- DisablePreviewWindow
- ExtendedUIHoverTime
- LastActiveClick
- UserAssist\\Settings
- NeverIdle
- IdleTime
- HardError
- TaskbarButtonCreated
- SHELLHOOK
- SysFrostedWindow
- DropDescription
- comctl32.dll
- DesktopLivePreviewHoverTime
- <A id="customize">
- </A>
- NotifyIconOverflowWindow
- TrayNotifyVert
- EnableAutoTray

- TrayClockWClass
- StartButtonTag
- Logoff User
- Enable Balloon Tip
- ShowOnlyQuickLaunchDeskBand
- TrayShowDesktopButtonWClass
- TrayNotifyWnd
- StartMenuInit
- RestartTimer
- ToolbarWindow32
- SysPager
- Icon Cleanup Time
- IconDemoteTimerTick
- IconExpirationTime
- NumThumbnails
- MinThumbSizePx
- MaxThumbSizePx
- TextHeightPx
- TopMarginPx
- LeftMarginPx
- RightMarginPx
- BottomMarginPx
- ThumbSpacingXPx
- ThumbSpacingYPx
- USER32.DLL
- Ghost
- VerticalShowDesktop
- TrayNotifyVertOpenComposited
- TrayNotifyVertOpen
- TaskBarVertComposited
- TaskBarVert
- Streams
- LastAdvertisement
- IconStreams
- PastIconsStream
- Settings
- StuckRects2
- UserStartTime
- TaskbarWinXP
- ThemeActive
- StartupPage
- AutorunINFLegacyArrival
- HandleCDBurningOnArrival
- HandleDVDBurningOnArrival
- MixedContentOnArrival
- PlayCDAudioOnArrival
- PlayDVDAudioOnArrival
- PlayDVDMovieOnArrival
- PlayEnhancedCDOnArrival
- PlayEnhancedDVDOnArrival
- PlayMusicFilesOnArrival
- PlaySuperVideoCDMovieOnArrival
- PlayVideoCDMovieOnArrival
- PlayVideoFilesOnArrival
- ShowPicturesOnArrival
- DisableAutoplay
- UserChosenExecuteHandlers\\%s

- (Undefined)
- Preferred DropEffect
- Load
- TaskbarCreated
- explorer-AeroShakeAllowed
- DisallowShaking
- Delay_Sec
- BoxedPriorityClass
- BoxedIoPriority
- BoxedPagePriority
- RunStuffHasBeenRun
- CheckAssociations
- DisabledHotkeys
- .exe
- StartupHasBeenRun
- ShellDesktopSwitchEvent
- Desktop
- Progman
- Proxy Desktop
- Microsoft\\Shell
- ExplorerStartupTraceRecorded
- Local\\ExplorerIsShellMutex
- ShellReadyEvent
- ExplorerStartupLog
- Start_AdminToolsRoot
- TaskBand2
- TrayNotifyHoriz
- TaskBand2CompositedVertical
- TaskBand2Vertical
- TaskBar2
- {A1965210-3A9D-4bca-822B-433645B3F5A2}
- TraySettings
- WindowMetrics
- Software\\Clients
- PresentationMode
- intl
- SaveTaskbar
- Extensions
- Vertical
- TaskbandExtendedUI
- DisablePreviewDesktop
- TrayNotify
- TrayNotify
- TrayNotifyComposited
- Clock
- ShowDesktop
- TaskBarComposited
- Flyout
- Composited
- TaskBand2Composited::TaskBand2
- TaskBand2Composited
- TaskBar2Composited
- TaskBar
- TaskBand2
- TrayNotifyHorizComposited
- .dat
- user.bmp

- Start_NotifyNewApps
- StartMenuHoverComposited
- StartPanel_TopMatch
- shell:::{daf95313-e44d-46af-be1b-cbacea2c3065}
- shell:::{e345f35f-9397-435c-8f95-4e922c26259e}
- InternetExtensionName
- StartPanel_FadeIn
- StartPanel_FadeOut
- StartPanel_FadeDelay
- search
- explorer.exe
- TopMatchComposited
- Start_SearchFiles
- %ProgramData%
- UseDefaultTile
- user picture
- StartMenuCompositedMFU
- StartPanelCompositedBottom::StartPanelPriv
- Microsoft\\User Account Pictures
- ::{2559a1f3-21d7-11d4-bdaf-00c04f60b9f0}
- ::{26EE0668-A00A-44D7-9371-BEB064C98683}\\0\\::{38A98528-6CBF-4CA9-8DC0-B1E1D10F7B1B}
- ::{26EE0668-A00A-44D7-9371-BEB064C98683}\\5\\::{D20EA4E1-3957-11d2-A40B-0C5020524153}
- ::{E44E5D18-0652-4508-A4E2-8A090067BCB0}
- DontLoadAuthUIInExplorer
- DV2ControlHost
- CMBDragCancel
- Start_AutoCascade
- Desktop User Pane
- Desktop User Picture
- Desktop More Programs Pane
- DesktopLogoffPane
- Desktop NSCHost
- Desktop OpenBox Host
- Desktop Search Open View
- Desktop top match
- DesktopSpecialFolders
- DesktopProgramsMFU
- DesktopDestinationList
- StartPanelComposited::StartPanelPriv
- imageres.dll
- SysListView32
- StartMenuPlaceListComposited
- StartMenuTag
- _ShouldShow
- Start_ShowUser
- {59031a47-3f72-44a7-89c5-5595fe6b30ee}
- Start_ShowMyMusic
- Start_ShowHomegroup
- Start_ShowVideos
- Start_ShowDownloads
- Start_ShowRecordedTV
- StartMiddle
- Start_SortByName
- Start_EnableDragDrop
- Advanced
- Start_LargeMFUIcons
- explorer-AeroAnimationAllowed

- Start_TrackDocs
- TaskbarAnimations
- Marlett
- Start_MinMFU
- UseExecutableForTaskbarGroupIcon
- TaskbarExceptionsIcons
- ITaskList_Deleted
- NonRudeHWND
- V4Rh
- V0Rh
- t0j@
- uTjP
- 9{<t&
- kernel32.dll
- SV3
- CreatePropertySheetPageW
- x_^3
- t%;5
- Q8_^]
- Q4_^]
- F$9K4u
- 9{Pts
- 0SVW3
- Rh@4
- ;A$u,V
- btCHu
- j\tY3
- 9s4t\t9s8
- j\tC3
- `SVW3
- |:9u
- f90t}9u
- SVW3
- PSh6
- SVW3
- PSh0
- uF9]
- uK9]
- _u.j
- u@Wj
- 9A@t
- l^9]
- 9F`u
- F\\W3
- 9~Ht
- t19}
- u"9}
- ?i]?
- FXPh4
- ^P9;
- <zoE
- 5W3
- ImageList_Duplicate
- <VWj83
- ~tj8
- v1j<
- PropertySheetW

- _^[3
- QSVW3
- SVW3
- t!S3
- f9~$
- u&9u
- WhPe
- 8@@f;
- 9q$t
- 9^Pu
- t7VW9]
- CpVW3
- SIQP
- Ql9^Pu"9
- PWh2
- Ht2H
- F8+F
- ud9]
- QQSV3
- ImageList_DrawEx
- Ph,3
- t8jP
- Wj0[
- 8@@f;
- tq9X
- Si?YS
- Hu!9
- F8+~X
- v4Sh
- ;F4u
- SSShO
- +C,3
- PSh0
- uzW3
- uMSW
- F8^]
- tjHu
- SVW3
- |\t9}
- u(PP
- j\tY3
- ShHi
- Y9H0
- ;7t<;5
- u/WV
- f+A4f
- 9] [
- runas
- WWh5
- vP9u
- WVS3
- tv9u
- t{9u
- PSV3
- uWhe
- ;C8u
- u\t9~L

- 9A,uj
- t\t9}
- u\t9_
- QSh0
- u;9E
- u\t9}
- PVhA
- Q8_^]
- Q4_^]
- j\tY3
- |Dj0
- |\tW3
- SVj<3
- ^(^3
- 9A(u
- SSj1
- SSh8
- u?9~@t79
- 4SVW
- F W3
- (SV3
- VW9K
- tAVj
- 9_8t
- 8SVW
- (SVW3
- ;F<u
- 8SVW3
- ^[_3
- 0VW3
- 9^(t\t9^
- PPPh7
- ~2]r
- V +U
- 9^(t
- 98t"
- ,SV3
- ^[9M
- t69}
- Vj83
- O(hHj
- ;F8u
- |0SVW
- Wh7C
- u\t9{
- SVW3
- nabczefghijklmnopqrsvuvwH
- I\t'J
- q6:r
- # _21
- ,#;?1
- (EiiX.W
- ?1SC
- :3LY
- 1$'5
- \\!z9
- 0Rd/

- A< u
- W8FU
- "1Mo[pd
- 72ucNB
- GeD
- 7NzH
- oH)
- xEznB
- I9eKV
- 6mAak
- tQ|a
- I!<R
- Um\\@
- 4ne`
- "\tO4
- ;Na/
- r#6+
- ~6Owq
- l/<u
- S:4S
- b6r;
- ac,H6
- M}D0
- iRQ.
- j1ZoU
- (@ap
- ^a"8
- Yac
- Hw!o
- P&isB;
- yuH!X
- WDen
- ,opx
- olmf
- N.4~
- f2C37{
- p;s3
- S5E|
- f*oL
- ']~i
- 4]>tF
- -kxiu
- T7(f
- .`4u#
- U7DH`
- h\tLU
- DlvAO
- p'\to}
- K d4
- 2R%_c
- O~~)E
- v6g<x
- ZurYC
- c]SesE
- WNAJ
- u^;`Q
- 9<,,u

- 3=ds
- U(Js
- :ceZ
- Qox]
- Z9yt
- !v9Aut
- LT=O
- cuG"
- bJ}U
- 3VX`
- ZoCkW
- (A\to[
- =IRD
- 0q%e
- jE\\u
- >'t1
- U3Uw
- ?6#~
- e(8x
- :dU#
- z:XlUE
- rP=v\t!A\\2
- ^lL7
- /i<I
- 7u=@
- 'vPE
- K[@u(
- snrU
- jH4e
- 4k-b
- DS.9
- lQlo
- Vdb0
- x1ri,
- Lo&(
- e]w9
- $7zQ
- kRfw9u
- |_7d*
- MQikx
- px[U
- x7lpA
- Bc}3
- @2lE
- S]0j
- 8b\\v
- \\[6k
-]4k*>
- o90D
- ,mno 4rs8ttwxiz{t}~
- LMNO
- ,$5);3
- O!.v\\9.v
- WztaVqdO
- +S4R
- t1+H
- 0-m

- |\t9]
- j\tX9u
- u\t9u
- |xS3
- |}9u
- u*9E
- u$Vh
- u\t9E
- SVWj83
- hlRO
- Wj\tY3
- Wj\t3
- 0Vj,
- F,dI
- 0Vj,
- WWh0
- SWh2
- t29~
- PWh2
- SVW3
- VWjx3
- tTh0
- 4SVWj,3
- SVW3
- W'tVa
- 9s$u
- ImageList_Read
- u 9]
- tdW3
- Wh0u
- PWh2
- PWh2
- C 9}
- C,hO
- Whp0
- $>Qu@
- f98tN
- QRPh8
- Rp9]
- AQQP
- |\t9]
- |L9u
- (SVW3
- QVj0
- P`;u
- HIMAGELIST_QueryInterface
- ImageList_GetFlags
- ImageList_GetIcon
- ImageList_Destroy
- ImageList_Create
- PSh2
- 0SV3
- 6IBf
- 4](
- SVW3
- u;f9
- u<SW

- u%VVh
- t99u
- 4SVW
- ImageList_Remove
- ImageList_ReplaceIcon
- VjC3
- HuO@Ph
- 6hUj
- SVW3
- ImageList_GetIconSize
- Ph0u
- Ph0f
- Qh0d
- SVh0Y
- 0@@f;
- Ph8[
- n30'
- u.h@S
- RAS
- Chuk
- f98t
- tQ9]
- |V9]
- t,f9
- QQSV3
- uEVh
- uMRRS
- t0h+
- u&SW;
- t(9}
- f9_$
- Nx3j
- 8#4u4u
- 95t
- ui9u
- D0DP
- WWh0
- 8VW3
- t\t9^h
- 9^,ujW3
- 9q$t
- PWj2W
- F\\W3
- u]95
- tp95
- 9~<t2
- u.!E
- 95t
- u\t9]
- F<W3
- t@9~P
- D0DP
- D0DP
- j6Yj
- 4SVW3
- O(hHj
- 9~Xt

- QQVW3
- QQW3
- 9^Hts
- 550D
- w8Vh
- @,$A
- QPh8
- /@9}R[4K
- |\t9u
- F\\P3
- ADWWh
- Ph4
- 7hO
- 0j&P;
- WPj0
- v0QP
- Ph5
- Ph1
- 9^Du0
- F0PS
- F, A
- #_4H
- v8WWh
- SPh7
- PSh2
- PSh2
- F, A
- 2E72|
- Ph6
- ~4Wh
- SPj0
- SSj1
- F, A
- t.W3
- F, A
- 9{@u
- Wj\tY3
- Wj\tY3
- Wj\tY3
- F, A
- PSha
- 9~8u5
- @, A
- 98u4
- QShPi
- s4VW
- 6Pj@
- PVh4
- 9s(t@j0_W
- t|9u
- u,9^$u'
- D0DP
- u%jP
- 9_$u-9
- vHj0P
- SPj0
- txVj83

- u\t_[3
- {_41
- N$+E
- W9^X
- K9+cO
- $VW3
- PhXi
- Dfv5
- 9~(tE
- vDhb0
- AABB
- 3>"w
- FTW3
- QSVW3
- @@Nu
- t7f9
- QSW3
- P0^]
- QVhi
- Vj03
- @U4
- f98t
- W9^l
- P0;E
- ~5SW
- ud!E
- 4SVW
- P4^]
- QH9]
- 9^8tWW
- Q8_3
- +N 9M
- FH9E
- 9NL~
- 9NH~
- |<W3
- ;FXu
- L"e3
- E SV3
- 0HSVW
- Q0PW
- Q(9E
- It"It
- 95P$
- 95P$
- s 95P$
- ti9}
- u49}
- ~V9}
- qx9>
- QVW3
- 9N|~
- t\t9M
- AACCN
- Q(+E
- +~\\+E
- Fh)E

- F`)E
- Rh4k
- t:9}
- @@Nu
- @pSW3
- t\t;5
- F\\u"
- VDR3
- t>9}
- 9{Lt
- u5!E
- Q0^]
- 9A8t
- ~^9u
- |99E
- tE!}
- tW9}
- $SV3
- t"9}
- @Qm6t
- t\t9E
- +>vE
- 2=v(8>vEG>vr4>v
- >vH2>vL Av
- S?v4
- Av-%>v3
- i$vX
- X-vA
- T-vO
- 8.vr
- @.vO!.ve6,v\t>-v
- I2vF
- e.v)
- Secur32.dll
- dwmapi.dll
- UxTheme.dll
- EXPLORERFRAME.dll
- OLEAUT32.dll
- ole32.dll
- SHELL32.dll
- USER32.dll
- GDI32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- shell:::
- system
- dddd
- MSTaskListWClass
- MSTaskSwWClass
- SysLink
- Shell_TrayWnd
- ntdll.dll

- PlayHDDVDOnArrival
- jjjj
- TaskbandHWND
- Start_TrackProgs
- %s::%s
- %s\\%s\\%s
- %s\\%s
- Start_ShowMyDocs
- Start_ShowMyPics
- PShs
- V,Rh
- V(Rh,3
- V$Rh
- V Rh
- s<f9>tw
- j,Pf
- @^_[
- PWhC
- Wh`R
- PhPR
- RSVP
- HxSV
- t+WV
- VVhg
- RPQW
- |-j
- @_^]
- _^[]
- _^[]
- QX_^]
- PPhl
- WWh)
- Wh$@
- QhDS
- QQVj
- jc_^
- w$hc
- w$jbh
- w$hc
- |mj,
- _^[]
- HSVW
- PWjj
- }#Vj
- ^d^[
- QPjNW
- xN;}
- Kx#S
- _^[]
- ~TWh
- ;?B@
- sF(.
- FgkWsO
- QSVWj
- SVWh
- WWWj
- Qh$-

- Q|RPj
- +ClVW
- s@Vh
- ^\\Sh
- VhRQh
- @_^[]
- F$Ph
- _^[]
- SVWh
- _^[]
- HSVW
- Vh`D
- [_^]
- SVWj
- PWh?
- PWh>
- PWh>
- HSVW
- j Yf;H
- QPh`
- ChPh*
- tSVW
- ^ WS
- @_^]
- VWt.
- tFj(ht
- _^[]
- @[_^]
- j(ht
- PQh!
- WWWh
- _^[]
- tfWWWS
- @_^]
- @_^[
- G$Ph
- @_^[]
- tKWSW
- QQSVWj
- _[^]
- N$Qj
- PLPh
- Phxb
- QLPhXg
- _^[]
- P@_^[
- PSjf
- QSVWh
- Qp^[
- _^[]
- GC;}
- RKSP
- QQSV
- VhD*
- ;F$t
- PD^[
- tfSSh

- tMSW
- tXh >
- SWt.
- Phxb
- _^[]
- Q$_^]
- ~<Wh
- PWhh)
- QQVW
- QSVW
- QPh.
- PQjf
- +~T+^L
- +^PW
- QPjN
- WWWWW
- WWhG
- C(j-
- ^d^[
- QPjNW
- QX_^]
- QVhh
- t VV
- @j f
- ,SVW
- N<^]
- QPjNS
- !\t@j
- QWjNP
- PWhC
- SVVj
- SVVj
- ,SVWj
- QPh.
- QPh.
- QPh.
- QPh.
- VHHW
- QQSV
- PWWh
- RPQWWh
- HSVW
- $Wj
- FD:FP
- XSVWjT^V3
- Q_^]
- M QV
- _^[]
- _^[]
- t[SVW
- WWh=
- ;N`sP
- SVWj
- SVW
- $SVW
- PVhK
- WWWWW

- P Sj
- F8SjNP
- Phd$
- PVhK
- PVht
- PWhd
- _^H[]
- _^[]
- PVhW
- _^[]
- t6Wj\tY
- @_^[]
- _^[]
- QPjj
- _^[]
- Q(_^]
- VPjNW
- _^[]
- PPPP
- Q;PkG
- QSWV
- F(PhP
- PhH
- PSj\tSQ
- LSVW
- D> k
- PhD
- PhC
- PhB
- |SVW
- Wj<j
- PhF
- PhG
- H_^[t
- t7WSSh
- QVVVVPW
- VVhG
- QSjNP
- jLSSSSS
- QSjNP
- VVVVj
- VVVVj
- VVVVV
- PVVhG
- Rh@J
- tlPV
- SSSS
- FL^]
- PPPP
- j @f
- F$+F
- N(+N
- PVj
- PQQhV
- @_^[
- QQSW
- PWj

- PRRhV
- tLSW
- PPPh`
- SjFV
- PPPP
- QWSS
- FDQWj
- QQVW
- _^[]
- tcWj
- VPQR
- PShC
- t>Vj
- PPPPW
- PPPP
- j<X+
- Pj@W
- Pj@W
- SWj(f
- t3WWWW
- C`PV
- QVPP
- PPPP
- @_^[]
- @^_[]
- Vj j@
- _[^]
- t;WKS
- F$^]
- }J'q
- [tJ]
- PPPP
- _^[]
- z{|}~
- ;jTG*`f
- m,huRm
- c'~(_
- B{F+|
- z BQ
- ZqnP
- J!;r
- +rpV
- %-lq>
- f`P1}_
- "[*%
- .l_'
- bwtF
-]f;"l
- Xvl,
- _K\tk
- s,~nh
- J@*L
- Z$*h
- FP1=qB
-)?$Z
-]"]G
- v*+`

- Q ,X
- [?&)
- ;vfK
- q\t<_v
- &v;=w<&hUf;
- vQ^
- GNMD
- \\l$wH o
- "SN?
- w*vZ
- :~\\h_
- T_@eDy
- d=L"1z
- t~n)*
- C}[pt
- ppVQ
- bn?_
- Z(&^
- RFtmC
- j:S+\\
- 'mwq{
- F#((
- Q+!>
- OwBHDp
- 0(((w-)
- q<Ww
- DGg-
- V#tQ
- [<KL
-)_z;B
- `NRZ
- !!"#%%&\'))*+--./
- rstevwxyz{|}~
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefgF<
- <=(>/.^_5
- pq>?
- }kyvf{s{
- .v|<
- Vq{mQ2
- [<j@h
- PShP
- |&hX;
- PVhX
- nWhH
- QPjB
- SVWj
- |=Vj(
- QRPhx
- QRPhX
- _^[]
- SVW;
- PSSV
- tSSVWj
- VVVVVVVVh
- SSSSh
- tCVW
- ^tSh

- QQVW
- VWj@
- VVh
- VVVVh
- @Ph`$
- Q@PW
- F(jP
- PPPPh
- WWWWh
- ^DShX
- WWWWh
- PPPP
- VWSS
- g"F]y
- TWhl
- WWWWh
- (Wj\tY3
- VWhy
- WhXL
- (Wj\tY3
- QQQQQQh
- (Wj\tY3
- VWVW
- WWWWh
- QQSV
- Q@PhQ
- PPh;
- j'WWWWW
- CShdQ
- Qh<{
- VVVj
- SSSPV
- SSh<
- PShW
- VShX
- QPSSSShL
- PSh;
- SWhp
- WWWWh
- WWWWh
- PWhXL
- WWWWh
- VVhX
- VVVVh
- @Whj
- QVPP
- tJ;M
- ~(Wh
- ^ Sh\\
- SVWj
- (VWj
- Whq
- QhDS
- VVVPW
- QQSV
- Vj!^j
- (Wj\tY3

- PPhd
- QVPP
- Q$WWWWhTS
- PPPPh
- QRPh
- PSSh
- PSSh
- Pj$hh
- tNjC
- Sh@Y
- CSVh(
- _^[]
- VVVVj
- w,VV
- VVVVj
- Qh$-
- QQVW
- XSSf
- j @f
- QQVW
- Q _^
- SVWhD
- Rh$-
- ShDS
- Vh({
- Rh<{
- PLf+PD
- f+HHf
- PPPPh
- _^[]
- t)VW
- PVSPP
- _^[]
- VhYn
- |)Sh
- ShPf
- |lWh
- QQSVW
- ShH[
- SVWh
- Y!h!
- Ph`f
- SShxS
- SSSj
- @PSh
- PhDS
- QRPh
- _[^]
- rGv:
- v/WPR
- PhT>
- ^]>N
- Phl:
- V(RP
- Rh|:
- PWjr
- ,SVWj

- QSVW
- t=Sj
- _^[]
- PWh?
- _^[]
- _^[]
- @^[_
- tLSV
- _^[]
- SVWj
- _^[]
- ~@_[
- tbSW
- QPj)
- Pj\\j
- _^[]
- PWj\tW
- WSSh
- (SVW
- PWh>
- NSj(
- Xj%f
- QQhd
- Pj@h
- Pj@h
- Xj(f
- j(Pj
- j(Ph
- QPj)
- QSVWj
- PShc
- QQSV
- _^[]
- Whq
- ^(WSh?
- QhDS
- j7WWWWW
- ^(hXL
- QSVW
- F|PWh
- FlPWh
- F\\PWh
- ~<Sh
- QQSV
- j`jZ
- j`jX
- RPPhTS
- F8)F$_^[
- VSh,
- SSSSh
- tYVj
- p,Wh
- t?Vh
- Ph f
- @[_^]
- | WV
- |`Sh

- |xh,
- tnVj\\W
- PRWVj
- @(|G
- Ph"
- FLPSh
- F`PhY
- FdPhX
- W\\RWP
- W@RhX
- F(|)
- |-PP
- FdPj
- F`Pj
- v@SS
- ^ Sh
- QQVW
- FTSh
- vLSh
- vPSh&
- vPSh
- NLQh[
- SSSS
- FPPh }
- VPhXL
- +F|+M
- Ph#
- Ph"
- NTQh
- F,PW
- _^[]
- _^[]
- %>KH
- j+Xf
- PWVh
- q4PPPPh
- WWWWP
- Qh f
- |pj0[S
- wXVP
- Sh`R
- wTVhPR
- v PPPPh
- VShXL
- TSVW
- _^[]
- QQSVWj
- vXQS
- FLSP
- F@PS
- ^(^[]
- PhD
- PhC
- WhB
- SVW
- (Wj\tY3
- @ xN

- tDPS
- QQVW
- FlPPj
- _^[]
- Ph }
- SSSSj
- SShN
- FxPhq
- FtPhq
- FpPhp
- FlPhp
- FhPhp
- v<SQ
- DSVW
- WWWWWWP
- QWjNP
- @_^[
- QQSQ
- K(QRRP
- C$Pj
- F<Pj
- C,PRh
- _^[t
- {_Z$!
- PWRQj
- s<VP
- t\t;F
- QSVW
- Pj\\j
- SWQPj
- XSSf
- j @f
- PQSS
- PQSS
- XSSf
- j @f
- XSSf
- j @f
- PSSh^
- SjNV
- <SVW
- QSShM
- F\\PS
- Fd+F`
- +F$+
- v@SS
- FDh
- 9^<t}W
- QQSV
- FHSS
- _@j f
- F$+M
- <SVW
- QQVW
- NxCV
- SSh
- PSVW

- tTWWj1
- _^[]
- VQhZ
- _^[]
- _^[]
- VSWP
- _^[]
- s$W;
- _^[]
- ,SVW
- _^[]
- QQSV
- @_^[
- _^[]
- K,QP
- VWj\tY
- t[QR
- Ph_^[
- QQSV
- *<R!N
- _^[]
- _^[]
- _^[]
- VWj@
- |#WWWh@
- RPQjN
- QSVW
- }(Wj
- _^[]
- _^[]
- PPPPW
- _^[]
- Q\\Pj
- PL;F<
- _^[]
- _^[t
- t^9CttY
- PLPhx
- ^X_^[
- [9^Tt<W
- NXt&
- _^[]
- ||Vh(
- PhhH
- QDC;]
- QPPj
- _tfS
- X_^]
- ,,,,,,!"#,,,,,,,,,,,,$,,,,,,,,,,,,,,,,,%,,,,,&,,,,,,,,,,\'()*,+
- ,,,,,,,
- ,,,,,,,,,,,,,,,,,

- ~;SW
- ^_[]
- $SVW
- Q\\Pj
- PWWj
- p(hT
- QQSV
- Q\\Pj
- _^[]
- M(j
- SVWh
- t%Sj
- [_^]
- QSVW
- NlQj
- VpRj
- P VR
- Pd_^
- SSVSSP
- ShXH
- PhhH
- QSVW
- _^[]
- _l+_|+
- jdZ+
- +V ;V0v
- jdX+
- _^[]
- ~<SV
- @_^]
- @_^[]
- _^[]
- ^veT^v
- ?viF>v
- >v/?>v
- ?vzA>v
-]?vd
- <>vY,>v
- >v6[>v
- r>v@F>vfB>vA
- >vyQ>v
- =vtE>v
- X>vD
- $>vv
- >v:A>v~
- #=v+
- >vsq>v;
- h$v@f$v
- vhuv
- svYtv<j$v
- ivykv
- vBrv
- $v;c$v-
- b$vN
- $v@p$v
-]$vF
- .v\\9.v

- .v1#-v
- -vM7.v
- -v`w
- *-vQJ.v/`,vGd/v
- #-v2},v&<.v
- -vWA.v
- Y,v]7.vM)v
- -vc3.v
- Y-v|
- G-vM
- Y-vGs-v
- -vBY-v
- -v(\\-v
- ,v-L,vb
- H-vuG-v
- ,vQ3.v
- -v+E.v
- "-v"<-vN
- ,ve%,v
- -v3g.v
- PROPSYS.dll
- RPCRT4.dll
- SSPICLI.DLL
- gdiplus.dll
- slc.dll
- POWRPROF.dll
- SHLWAPI.dll
- msvcrt.dll
- ntdll.DLL
- .rsrc

• Module 9 (probably unpacked / injected by the sample)

• Module 9 rich signatures

- 44616e530000000000000000000000001e529500050000001e5283000a00000027c67b000b0000000000010039000000 1e528400010000001e529400010000001e529100

• Module 9 yara matches

- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- ThreadControl__Context ()
- anti_dbg (Checks if being debugged)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 9 strings

• Module 9 most interesting strings

• api | frequently used by malware: IsDebuggerPresent
• api | frequently used by malware: GetWindowThreadProcessId
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: LoadResource
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WriteProcessMemory
• api | frequently used by malware: GetThreadContext
• api | frequently used by malware: SetThreadContext
• api | frequently used by malware: ResumeThread
• api | frequently used by malware: VirtualAllocEx
• api | kernel32: RtlUnwind
• api | kernel32: SetUnhandledExceptionFilter
• api | kernel32: UnhandledExceptionFilter
• api | kernel32: GetCurrentProcess
• api | kernel32: TerminateProcess
• api | advapi32: IsTextUnicode
• api | advapi32: QueryServiceStatus
• api | kernel32: RegOpenKeyExA
• api | user32: GetClientRect
• api | user32: IsChild
• api | user32: GetMessageA
• api | user32: MessageBoxW
• api | user32: MessageBeep
• api | user32: LoadStringW
• api | user32: CharNextW
• api | user32: CharLowerW
• api | user32: DrawTextW
• api | user32: KillTimer
• api | user32: DrawTextExW
• api | user32: MapWindowPoints
• api | kernel32: GetHandleInformation
• api | kernel32: DebugSetProcessKillOnExit
• api | kernel32: lstrcmpW
• api | kernel32: lstrcpynA
• api | kernel32: MulDiv
• api | kernel32: LocalReAlloc
• api | kernel32: FatalAppExitA
• api | kernel32: GetComputerNameA
• api | kernel32: LocalAlloc
• api | kernel32: CreateFileW
• api | kernel32: GetCurrentThreadId
• api | kernel32: GetModuleHandleW
• api | kernel32: OutputDebugStringW
• api | kernel32: GetModuleHandleA
• api | kernel32: FindResourceW
• api | kernel32: LockResource
• api | kernel32: SizeofResource
• api | kernel32: GlobalAlloc
• api | kernel32: LoadLibraryExA
• api | kernel32: GetModuleFileNameW
• api | kernel32: EraseTape
• api | kernel32: LoadLibraryExW
• api | kernel32: CreateProcessW

- api | ntdll: NtUnmapViewOfSection

• Module 9 other strings

- !ZQarvZlRO,MIPRwAWiIrp,LmZyaAiLfCt
- QOBXuwG,mosCsXnU
- 'qdDfgU,rEWZGzGbKW,TDoyzNwieep,WQdUeCbL
- D,DWOEPa,qVAaQb
- OZYt
- OYfG,VegMCOc
- +wriMxqFG,CGlnOyKLm,udffXotl,IAwtAbyfI,iXotU
- 7Rgw
- DdeKqAAMykr,srFmoUV,tkRyVuFFcx
-)klAD
- MQbQeTvoWe,cUvIILGkYL
- bLCvicxreo,ZeTvLyV
- bUVGXciI,ostvPFVoG,GffnKL
- 3kpTXiAkiBo,UyOntgW,IAqVXTdNcM,BpUStUnQwrbg,bqqfprfn
- tRruzzoBYYsqI,emiQunKkrr
- 0yCrwUiAFlB,mffEsDaEo,fgmdgHeHr,aM
- uSGCOAt,xQqnFlU,TOkAMA,DhdOIvLkNCY,NQPcfk,SitHQFvk
- ,UQACTFqnK,zYOEDnU,
- eqiUrQgXF,ChRslAO
- AfzeQ
- ZT,GuoAfrfOox
- +MrkaACavNzK,yLmIKTdvEsn,vlrOc
- UBHbgnc,yrcFPSne,xmfUfPUL,EuXUMtruR,vZAEbdPq
- 6VmZurFRe,
- FEwIdLU
- RyFUmA
- {&imTNon;
- &mOnuVZOMI;
- &zvoSkAiYVqygM;
- |&OrZavxHiXUfHr;
- &gnumUuqh;
- |&DVUbqe;
- &rIumU;
- &OSdmQSIf;
- &kOrZebRsg;
- {&DOpIRxwL;
- &OcUzf;
- k&EqsgZsu;
- &AmHbEWlETXm;
- &nZUUqWy;
- &EcSawaA;
- &xLECiebP;
- &whAFerT;
- &SeYap;
- u&ozcgOH;
- o&crsrhO;
- e&UoLsWLSpo;
- qEEX
- &CeBefNB;
- &VmZEprI;
- &UHGUqh;
- &wzvNrOPA;

• &euRZfy;
• yCYer
• KuOqK
• xeIEARb
• tsanhAlP
• movrHgugEilUk
• uDbEEr
• Translation
• VarFileInfo
• 6,2,7,1,
• ProductVersion
• GosWareSofts
• ProductName
• GosWareSofts.exe
• OriginalFilename
• Copyright (C) 2016
• LegalCopyright
• GosWareSofts
• InternalName
• 6,2,7,1
• FileVersion
• GosWareSofts
• FileDescription
• GosWareSofts
• CompanyName
• 040704e3
• StringFileInfo
• VS_VERSION_INFO
• kernel32.dll
• KERNEL32.DLL
• Kernel32.dll
• Bvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7
• uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7Lnt
• 0ny4%F
• K%|;0
• Vz9pg_ip7;
• 2aJ$u
• UXW%
• 4nt9EqF
• 7uBvs7
• vs7uBv:#q_
• vs7uBvs7uBvs7uBvs7uBvs7uBvs7u|Vj[
• s7uBvs7uBvs7uBvs7uBvs7uBv%gNbaK
• Bvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7uB

- 9E[(
- C=6u
- ,`%A
- \\2!_
- u8}U?)@
- 790XK
- niW@F
- 8V1f
- 2thY
- xE?n
- mvB2-
- ADE7
- zn5 v
- sirv
- (1G"
- L"67
- zFn9
- gwEf2
- GL^E:
- 3GT$
-]%88
- 2\t,n
- Yz1
- adOv%
- UC0Mto
- Of6Y
- 1b[\tO"N
- GNF7
- -J3;
- 9'd
- }Au~
- 7>Ro
- +I9LJ
- O|mG,
- KJ,A
- A_LG
- N@Id
- d$D0
- i0YM.r
- x2pc
- 9&w3;
- ? u2;W
- 2xa.
- 2y.`
- `}QX4
- 8|b2T
- oAC%J
- 7(HW$
- +0Mt
- 1lzWb
-),Be
- KD1tL
- D1uX
- ao]A
-)3R1;
- :8'#
- 9`G\t-

- spAx
- RepW
- U??#s
- j7zX.
- b(3/B
- ReH[P
- e@'P
- O:}=
- mn0Q
- Ely.
- v7,w
- <"8"
- u3H:
- 8l57^z;
- os\\L
- 0b@b
- 1dY'X
- m<@7
- 0g3CS"
- 4G/m8!
- euOD0
- |Wz4
- az$+
- 3J$@i
- UQl`
- \\v+A&
- u"[\'
- 7p@u
- %0O-
- "&a;"
- 9#f'
- <8{8
- 35p=
- K}62u6
- LxMO
- Aw@D
- ZrGA
- _iZ^
- y<yOx|odPeo"cUnj-n^km(UcTP
- s6wArv1rJ
- x<a=
- 7u:Fs7
- #6so
- vs]u
- :{a6s
- xPwu
- HU37
-]q*vC7u
- uv9V
- #6so
- [s7BB
- whs=u
- FOu_
- F|uUv
- F(u\\v
- CV7UB
- COV5B.

- 7qBv
- #6so
-]q*vC7u*vw7u(v
- vs]u
- !#6so
- 3]u(w#]u(v
- uBvs
- s_uBv{]5
- Bvs7
- cws7
- BFs7
- %6uB
- %*vv7u
- Bss7
- BFs7
- 77uB
- 1Bvs
- %$aF
- Bvs7uBv&
- s7uBvs7uBvs7uBvs7uBvs7\t~Va
- &9o=#3
- 7uBvs7uBvs7u7
- Cd~7
- EBvs
- Ti37-
- S]6so
- ti37%(w
- G]6sn
-)5B$
- h37^
- Bvs4
- \\6s4
- \\6s<
- `i37-
- mwuA-O]5*vC7u
- Dlwu
- hi37
- mwuI
- m(5B.
- 7EBv$]u
- B6uB
- F^ZU
- uBvsj
- V5Bv
- ws7(
- V5B#
- 37u6B@
- vs]u
- V5B.
- 7u(v
- "6so
- "6so
- vw7u
- Cn7JH
- G|u#
-]u(v
- s3uB

- F7JHj
- wOX:
- Dws7
- "6so
- @]vs6
-]u(v
- s3uB
- F0wT0
- wljuf
- XC~u%
- aD|)
- Cw?,U
- #6so
-]q*vC7u*vr7u(v
- w?E8p
- Cg6Ns
- `Evh
- Cl7uC
- #6so
-]q*vC7u*vw7u(v
- CN:vE
- #6so
- s7u(v
- 2Avs]q*vC7u*
- s3uB
- V5B.
- 7u(v
- FupBi
- sv2Fl
- 40pOm
- Q#6so
- vr7u
- Bvsa"
- s3uB
- wj9&{
- sE`x
- CznwE
- @G1l#
- wvs79
- #6so
-)-]q*vC7u*vr7u(v
- ws7#
- "6so
- vr7u
- s3uB
- #6so
- #6so
- s7u(v
-]q*vC7u*
- Cd~7
- KC7uB
- Cd~7
- ^r7u
- (}GtE
-)L1%>$Ez7}
- yB45
- u6?*

- #6so
- 6,Jr}0t
- vs]u
- V5B.
- 7u(v
- U#6so
- _u@vs
- Brs7
- BFs7
- @Fv'7
- FeuDv
- wys:u
- Cl7dB
- #6so
-]q*vC7u*vq7u(v
- Cm7{B
- #6so
- w_urvs]e(v
- @^vg7
- V5B.
- ~vs7
- O7uBE
- w7uB
- ;HB6s7
- 4uBv
- v37u1q
- urvsE{
- q7uB
- 9HBFs7
- @N7UBv
- ws7u
- W5B.
- s]u(o
- W5B.
- 0uBv
- 2uBv
- =uBv
- >uBv
- Jvs7
- u7uB
- }r7u
- ^6uB
- OCvs
- ^ws7
- vs7uBvs7uBvs7uBv&
- Bvs5uBv;7uBvs7uBvs7uBv37u
- Cvs7
- #vs7
- vs7eBvsquBvq7uBvs7uBvs7uBvS7u"X
- 6vs75
- Bvs5uBvs7u@vs7uBfs7eBvs7eBvc7uBvs7eBvs7uBvs7uBvs7u

- s7uBvs75Bvs7uBvs7uBvs7uBvs7uBvs7uBvs7uBvs7u
- 7vBvs3uBv
- ADVAPI32.dll
- COMDLG32.dll
- GetOpenFileNameA
- ChooseFontA
- GetSaveFileNameA
- GetSaveFileNameW
- WINSPOOL.DRV
- OpenPrinterW
- USER32.dll
- KERNEL32.dll
- Bvs7u8ifywda8uio
- =.v8
- -va>-vA
- %x0@
- SVWUj
- h02@
- UVWS
- L$,3
- 9csm
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- -lA@
- %pA@
- =|A@
- 5d@@
- =<0@
- 5t0@
- SUVW
- 5@0@
- D$8t
- D$6u
- D$5o
- D$4C
- D$2c
- D$0a
- D$-o
- D$%u
- D$Pu
- D$Oq
- D$Ha
- D$Eo
- D$AP
- D$=u
- 5X0@
- _^][3
- hH1@
- h81@
- 5d@@
- D$0D
- =X0@
- UVWh

- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- ;EOLXVrpuLmOsn,NacDsDzoPK,BxCmKhBvQQZ,bTWZmeXb,lhVbuyHqoHtZP
- 1lftmgmDUWnr,gYCLPhoT,vDdUVwipMz
- hfVsrSvp,crYR
- :HqWoxXvuwui,UiVxsd,nePPidT,YdWZtWbYH,qYPFMrmZrVfbVn,aZhdZh
- EwnpHXxXd,TPSkTzdaIGW,nzVSVkY
- WHerrc,RgscHKGBE,lZvPxSbxHTD
- -MuBzVQaX,eLbYMhMb,iNaVSnl,NSKnbTdHB,mWuESWLwL
- #fypexFxul,FtmrCOYQB,qeReCc,reybhLT
- NvrrqvyIHRZIF,gWmOlFMwrfI,rIPXhvnC,ErntS,uYkNcDL,pTGIPbmKYoxbl,bnBgfvg,ukBpipBS
- owGqfZ,ruRUfq,dncQkOxANn,srbBAdx,xxDmVQEwx
- mpwRZ,VL
- DPDrV,qpHBnO,mmMTByNaml,RFydkCLb
- DrBTSdk,bQfAWbQvuS,vTPvqdXyYbB,FrSaZ
- SgLkgP
- pKNai,SKTHRrLa,
- 2McZRpvLPD,TPLGgE,QdUkrX,
- cusHfcT,XDFvAKD,MlyBIyYbS
- DpQsb,
- ;DLaWSgzcPmun,AAtHqNKC,Vzhd
- FWRfafc,GSCkWkrEW
- ddHwpdWHTivr,RNPtgrd
- fXuGaW,VbbRrX,SYDywbrsva
- $TvlIkV,AzyiRr,TceCGuryT,TZtOMfkxxNcK
- tPRQG,GrKgrKhw
- dVx,MkRDDZe
- <wlwqOPWw,
- Muzqpm,RLrqwnq
- ptIEYy,KVIPCwZpCP,OenzWGByq
- (nYcHLhSNPpDbR,LeOdTBQH,udeDd,DdIxc,YvINp
- bwcdGn,HCHXFry,bmokrzTMYg
- hvVvrOH,fKyXSFK,krBqBxt,KNNms
- KvNgLQULdO,nQcrrFCDRSDoR
- ZynAmH,Gx
- vAtBGzoz,rIScZgC,QorMbowCS
- 1YYmSUKM,bnShVnyZLf,pOQQYgpfQuFmg,spSvwAZyy,ztMxMF
- 4sbKZntdX,hsCQEyhtCKq,irZoucZBl,cGtObaeBKU,RPTzdWVbrR
- *sgBmrCXnT,TiFdqARUtV,WetTChufE,WuDgxnMbKwx
- -oxXVrZno,qGtHITc,AVurrW,DqvqAdCligfVX,iPdroMs
- +yVAwmYK,XLWrOPgkFn,CWiFxZ,swcdULH,PWXkwlnVv
- xqrccL
- yVGtsE
- tHGbwxI
- &dkVKx;
- &IgWFbftQ;
- nxlsgHO
- &LcpRlq;
- f&KsRaXlv;
- &zDhdmFUS;
- {&ZWmGOcWiQ;
- |&rgBeMrr;
- &opfrKIttfr;
- &MsazMcpysre;

- t&WKQdLmSnFr;
- v&RRlaYpK;
- &pFxubGvmma;
- j&HybfCgoAT;
- &XGkrpoD;
- &BTBilYp;
- g&TbCgGqtuD;
- &xbaps;
- Rtpb
- y&whpYlCKbcb;
- &WGKRshcYxPm;
- j&DHfiNtRN;
- k&xVWLFrwrlm;
- &tqiCLd;
- &npWPmeQx;
- &UCwXlYRHsiZ;
- &XrLxDvmHiXrG;
- &yQRTRrkrV;
- d&XrrIL;
- &axdQglql;
- s&QCWNTg;
- &rArfWBhVqh;
- &rXrqHNDI;
- &BZdRnV;
- lVPZFLLI
- SrIbFCWS
- gqWcbUxs
- mTBGQLb
- hcCsh
- gGnQWEY
- GZCMOVC
- mw)FX`s
- ;S>+
- !:wR
- pq^wW#
- HExSDyY
- xjvT
- F*Pw
- KSW5B#
- ,vsm
- c_uFvs
- \\Cvs
- !k(]
- qH?z
- :Q*o|n
- :$X#
- R{m(
- %,Nf
- \\@#td
- DfQF
- [Y%P
- v}Ty
- '&Yh;[G
- `=\\[
- ;n\\z
- !Kq F
- * 6\t(t

- %^k$
- gD?)
- \\Y<L
- ~T~$
- QK\tgKs
-]d;
- ,||)
- @dqn
- {vRF
- rkm=
- fY-c
- s#Z
- mF>~%
- \\}R)
- -VWz
- (`+4#-
- ;@T-
- mXXy|;v
- X!Wq
- (;,
- z,Ml
- ylJd_
- hPT-
- N!"vYQ
- S,T~\tV
- yX]{+
- h{gYL
- }lFq
-]@B;
- gh\tG
- DxWS
- _nYZ
- q +W
- dnS^(
- myx^T
- OHTCD\\
- KW2kGC
- V>+_
- Z+J:
- wm]d(z
- >L~B
- qVj^
- };j`
- rqxq
- zw*S
- %`w\\
- xS*\\
- ss:/G
- `Q};E/Pn
- ^HM(
- %soSPg
- rML
- rhPrB
- fwrP
- WOPDfK
- .~=?
- D{<%

- j H$
- \\h]^
- PgPT
- Tqk.oY
- Qd`#
- /)I)
- PdQ[
-)F&vByT;(V]vw;Y/
- vdLF!I
- Nq|?z;
- }nRF
- JNXP
- QBcs
- >tBv
- %%`$
- CWW5B.
- `wBv
- s_jBysf
- C#V5B.
- C#V5B.
- CCW5B.
- /%(v
- mBvs
- y@vs
- s]q(v
- SCvsj
- qCvs
- yCvs
- @tbB*
-]x`n
- Gsp$[
- 'Cvs
- FC-]&
-].Pp
- FDF^m
- %vBv
- wln*x
- F&{T<
- hKfd
- C{%m
- ptBv
- DJ)@wNV
- %%`F
- C?V5B.
- C;V5B.
- CkV5B.
- _*iKV{-w`
- YWTG:
- ~"- lbzeIr*)
- Nvf9ql
- p[`v
- cB%s
- ubvsDr
- qBvs
- Bvs'uBv
- fvs7uBvsjb_
- 'X~:

- "-v(j@
- fsdf
- NTDLL.DLL
- j2vuG-vM)v
- -v1#-v&<.v
- Z1v${,vp
- g.vO!.v
- 3.v(s-v
- -vc3.v
- k,vM7.v
- >-v)
- UQPXY]Y[
- ;t$,v-
- h`#@
-]_^[
- hX#@
- Y_^[
- Y_^[
- _^[]
- _^[]
- SVWj
- [_^]
- URPQQh,!@
- Y__^[
- _^][
- gfff
- L$P_^
- ;=|@@
- =|@@
- h@@@
- hP@@
- hX@@
- D$/m
- D$,f
- D$)P
- D$(y
- D$$Q
- D$Ty
- D$Sc
- D$LF
- D$Jc
- D$Gm
- D$Df
- D$@y
- D$<Q
- D$DSVWhd1@
- T$hRP
- T$hRP
- WRSPQ
- D$(Pj
- -d@@
- L$(j
- @.rsrc
- .CRT