# Analysis report for sample: df3ee045ee4d92f5a7772299651039f7

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 2915 (indicates the level of interest of the report, based on the amount of information collected about the sample).

## Index


- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

## Sample

•md5: df3ee045ee4d92f5a7772299651039f7

## AV detections

- Microsoft: Trojan:Win32/Derbit.A
- Kaspersky: Trojan-Spy.Win32.Zbot.xzzy
- Symantec: Trojan.Gen
- Malwarebytes: Trojan.Zbot

## Original source url

- hxxp://rigpriv.com/upload/wOUuxf2B.exe

## Virustotal url

- https://virustotal.com/es/file/4bdc75828362ee008b11ad43c758381dd64b0030dbdb02875a9c50066a29bc49/analysis

## Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Armadillo_v2xx_CopyMem_II_additional ()
- Microsoft_Visual_Cpp_70_MFC ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])
- IsPacked (Entropy Check)
- maldoc_find_kernel32_base_method_1 ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()

## Snapshot



## Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



# Running processes

Here it is the list of running processes after sample execution.

## Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name explorer.exe Alias P2

## Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

## Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" )
- Process Create (C:\\Windows\\explorer.exe PID: P2, Command line: explorer.exe)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: .vA#-v(7.v
- url | valid domains | tlds: 3.v\\9.vI
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnceEx
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\DelayedApps
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartPage
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetVersion
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WideCharToMultiByte
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\System
- registry: Software\\Microsoft\\Windows\\DWM
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\HideDesktopIcons\\NewStartPanel
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\WindowsUpdate\\Auto Update\\UAS
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
- registry: Software\\Classes\\Local Settings\\Software\\Microsoft\\Windows\\CurrentVersion\\TrayNotify
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Diagnostics\\Performance\\Shell\\ResponseMonitor
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\MenuOrder\\Favorites
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
- registry: SYSTEM\\CurrentControlSet\\Control\\TimeZoneInformation
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Themes
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Time Zones
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\ControlPanel
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Taskband
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\ThemeManager
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\AutoplayHandlers
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows,Load
- registry: Software\\Policies\\Microsoft\\Windows\\Explorer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\FolderTypes\\{EF87B4CB-F2CE-4785-8658-4CA6C63E38C6}\\TopViews\\{00000000-0000-0000-0000-000000000000}
- registry: %LocalAppData%\\Microsoft\\Windows\\Explorer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\SearchExtensions
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartMenu\\StartPanel
- api | wininet: UnlockUrlCacheEntryStream
- api | user32: CharNextExA
- api | ntdll: strpbrk
- api | ntdll: memcpy
- api | ntdll: _stricmp

- api | ntdll: strspn
- api | ntdll: strncmp
- api | ntdll: strchr
- api | ntdll: atoi
- api | ntdll: atol
- api | ntdll: toupper
- api | ntdll: _errno
- api | ntdll: memset
- api | ntdll: memmove
- api | ntdll: isdigit
- api | ntdll: tolower
- api | ntdll: _vsnprintf
- api | ntdll: _strnicmp
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedCompareExchange
- api | kernel32: OutputDebugStringA
- api | kernel32: RtlUnwind
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: TerminateProcess
- api | kernel32: GetCurrentProcess
- api | kernel32: DosDateTimeToFileTime
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SetFileAttributesA
- api | kernel32: GetFileAttributesExA
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: CreateFileA
- api | kernel32: GetLastError
- api | kernel32: CloseHandle
- api | kernel32: GetModuleHandleW
- api | kernel32: HeapSetInformation
- api | kernel32: ReadFile
- api | kernel32: GetLocaleInfoW
- api | kernel32: SetStdHandle
- api | kernel32: GetOEMCP
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: IsValidCodePage
- api | kernel32: IsValidLocale
- api | kernel32: EnumSystemLocalesA
- api | kernel32: GetUserDefaultLCID
- api | kernel32: SetFilePointer
- api | kernel32: FlushFileBuffers
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: GetStdHandle

- api | kernel32: VirtualQuery
- api | kernel32: HeapSize
- api | kernel32: IsBadWritePtr
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetModuleFileNameA
- api | kernel32: HeapReAlloc
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: GetCPInfo
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: MultiByteToWideChar
- api | kernel32: RaiseException
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: GetLocalTime
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetACP
- api | kernel32: GetVersionExA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | user32: MessageBoxW
- api | kernel32: CreateProcessW
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: InterlockedPopEntrySList
- api | kernel32: InterlockedPushEntrySList
- api | user32: IsProcessDPIAware
- api | ntdll: RtlDllShutdownInProgress

## Involved hosts

- javi-PC:http
- 192.168.133.1:5355
- 192.168.133.231:50909
- 192.168.133.231:52114
- 192.168.133.231:68
- 192.168.133.254:67

## Dns queries

- poketrytadek.cn.com ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers

## Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.254:67 ---> 192.168.133.231:68**

  localdomain

- **udp 192.168.133.1:5355 ---> 192.168.133.231:50909**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.231:52114**

  arpa

## Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe" )
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, explorer.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\explorer.exe PID: P2, Command line: explorer.exe)
- **Thread T4 (in process P2, explorer.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P2, explorer.exe)
  - **Thread' events**

- Thread Create ( Thread ID: T5)

## • Thread T5 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T6 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T6)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T7)

## • Thread T6 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• Thread Create ( Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

### Process P2 (explorer.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))

## Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

### • Module 1 (probably unpacked / injected by the sample)

#### • Module 1 rich signatures

• 44616e530000000000000000000000000050c0f0016000000050c5f006d00000013085d000200000083085d000500000000000001004e000000050c600016000000ec0b5e0001000000050c5a00

#### • Module 1 yara matches

• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• Armadillo_v2xx_CopyMem_II_additional ()
• Microsoft_Visual_Cpp_70_MFC ()
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• anti_dbg (Checks if being debugged)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)
• CRC32_table (Look for CRC32 table)
• CRC32_poly_Constant (Look for CRC32 [poly])

#### • Module 1 strings

##### • Module 1 most interesting strings

• url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
• url | valid domains | tlds: .vA#-v(7.v
• url | valid domains | tlds: 3.v\\9.vI
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: SetFileTime
• api | frequently used by malware: Sleep
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetVersion
• api | frequently used by malware: WriteFile
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetTickCount
• api | wininet: UnlockUrlCacheEntryStream
• api | user32: CharNextExA
• api | ntdll: strpbrk
• api | ntdll: memcpy

- api | ntdll: _stricmp
- api | ntdll: strspn
- api | ntdll: strncmp
- api | ntdll: strchr
- api | ntdll: atoi
- api | ntdll: atol
- api | ntdll: toupper
- api | ntdll: _errno
- api | ntdll: memset
- api | ntdll: memmove
- api | ntdll: isdigit
- api | ntdll: tolower
- api | ntdll: _vsnprintf
- api | ntdll: _strnicmp
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: InterlockedExchange
- api | kernel32: InterlockedCompareExchange
- api | kernel32: OutputDebugStringA
- api | kernel32: RtlUnwind
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: TerminateProcess
- api | kernel32: GetCurrentProcess
- api | kernel32: DosDateTimeToFileTime
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SetFileAttributesA
- api | kernel32: GetFileAttributesExA
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: CreateFileA
- api | kernel32: GetLastError
- api | kernel32: CloseHandle
- api | kernel32: GetModuleHandleW
- api | kernel32: HeapSetInformation
- api | kernel32: ReadFile
- api | kernel32: GetLocaleInfoW
- api | kernel32: SetStdHandle
- api | kernel32: GetOEMCP
- api | kernel32: IsBadCodePtr
- api | kernel32: IsBadReadPtr
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: IsValidCodePage
- api | kernel32: IsValidLocale
- api | kernel32: EnumSystemLocalesA
- api | kernel32: GetUserDefaultLCID
- api | kernel32: CloseHandle
- api | kernel32: SetFilePointer
- api | kernel32: FlushFileBuffers
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings

- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetStdHandle
- api | kernel32: VirtualQuery
- api | kernel32: HeapSize
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: IsBadWritePtr
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapReAlloc
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: LCMapStringW
- api | kernel32: GetLastError
- api | kernel32: LCMapStringA
- api | kernel32: GetCPInfo
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetModuleHandleA
- api | kernel32: HeapFree
- api | kernel32: RtlUnwind
- api | kernel32: HeapAlloc
- api | kernel32: MultiByteToWideChar
- api | kernel32: RaiseException
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: GetLocalTime
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetACP
- api | kernel32: InterlockedExchange
- api | kernel32: GetVersionExA
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation

**• Module 1 other strings**

- 34354534 535
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft

- ProductName
- makecab.exe
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- makecab.exe
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Cabinet Maker
- Microsoft
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- Kernel32.dll
- `l]X
- @.data
- `.rdata
- .text
- .?AVtype_info@@
- .?AVbad_alloc@std@@
- Copyright (c) 1992-2001 by P.J. Plauger, licensed by Dinkumware, Ltd. ALL RIGHTS RESERVED.
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AV_Locimp@locale@std@@
- .?AVfailure@ios_base@std@@
- .?AVruntime_error@std@@
- .?AVcodecvt_base@std@@
- .?AV?$basic_filebuf@GU?$char_traits@G@std@@@std@@
- .?AV?$basic_istream@GU?$char_traits@G@std@@@std@@
- .?AV?$basic_ios@GU?$char_traits@G@std@@@std@@
- .?AVios_base@std@@
- .?AUctype_base@std@@
- .?AVfacet@locale@std@@
- .?AVbad_cast@@
- .?AVexception@@
- f0n0
- OICK
- YDOF
- k0e2C
- OIBIj
- 8Q.Q
- %(6(
- ejih
- cxjzI
- 4a'a
- |2v0
- I#C!
- ;B7@
- LLIN
- D$g&o;
- U=Y?
- 2q qd
- 403'

- "$/\'07
- 2$(146
- #"4<!
- K$;0,
- "=5& 5%1%5
- j/'1'
- (:;&&/.8(//m=k01,u=7/1p+#>6<4;31
- h*=?."(1+"!5502ez.)<$;585nrv
- 6)(-9=:65#\t1#:)+ *
- jzrtl3uku
- /,80/
- G*7<"
- ,19(,9+=);
- eN[XOHKoMYw
- 2+:36w>58
- *4?&$8,${1-5
- anxgka??.glo
- cOlTP_OhZUD
- }WkA
- ]|nOyoov
- $<8>
- 4('&32s
- 5.8!'
- 274.<
- #50 2
- =5'=9
- :8#=;8"&3"
- vwme
- EKQEAK]
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- e.%UX
- v<4Gk
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- V5;'2N
- 89wx3V
- >?A~5R
- b&va;*O
- DS7c
- 2NLs
- [9'3]%)s
- HGs3M6B
- .8e'
- rEG{
- mDREH
- 2^q
- s3MOp2NLs

- s3MOp2NLs
- s3MOp2NLs
- iE%N
- z$7x
- wUz9
- Sa`)
- *m&fiW9i;
- 8P$
- YYHU4~
- fPuh
- U92b&/
- H4n
- -$oJ
- AxHG|
- Vxi0<
- rp6x3c0
- h\\L3
- |BoiN\\
- ?e1(
- 5k;$]
- Om{h
- @jN1
- OyRMI
- e]a
- Ku&I;\\
- d)~li
- (.l5 E
- >lr-1
- PH7g
- 7=l;
- /"g&a;
- %+uV
- j:~A56
- ~:@n6
- ,POO
- 88bsQv
- U@gC5p
- 0\\VP,
- Rn3_
- 3T&}
- :539
- #ie
- ?Ub|9
- 9~`x
- 68#t
- H ke
- vp6p
- mac!
- O2;0b>
- -.h3
- v8/Q
- VM|1[
- uc|8N
- 38EyCb
- l2+a
- h47J
- axHL(

- fs3s
- 6es7
- !uX[
- 9mo-m
- bZ#e3M'r3NL
- eXlgk
- lA>q
- ?6{0~~(:<2
- @rp0
- 4~4s
- ce%g
- LE\tl
- ;00u5
- qvv2
- Dr?7Y
- RASW9
- @\\6^
- ]3v2
- @KJo
- Xeq.
- S$1
- QXU:
- :5qSloxG
- 1cgUG
- $%oePqn
- Nb8Z
- ':@3
- ++a/
- EEPC
- im)ha
- 76z0
- "wv6
- 2|}o
- Y\tJ6
- .uEG
- 3MO e
- \\ c-0
- {r,K5
- Rw(3
- Q 5Q
- EnMc
- tdiQs
- "P|Xi
- C+^o
- \\6>Y
- Cfx3
- h.&o;
- e`wb5
- ]5]e
- 0zIG
- Doh=r
- ]a~!
- 2sn8
- v29B@
- aba!
- ]3rx|
- ]GEX

- v&z4;
- *f7p"
- ^F9*L
- ]:3&3^3
- !e;|
- R,/jaE
- LYXo
- imy`%
- n@6(
- lme%o
- ugn.d
- h7<]
- aqU\tm"
- ew.%B
- en/)
- GA_F
- vs3{6T
- !oyj+
- PPA9
- &/cI
- _]aT
- )nA!
- u,`w
- ,o-m
- =@O5@
- =0{;
- ~7=K
- W]u\\
- >t2z
- #e1c
- 'e;g
- P<6O
- u52uz
- lRe.
- >OB5
- ;01s
- wums
- i}'=
- lJnMLA
- Vt2s
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- s3MOp2NLs
- Ufn}#
- tde$
- 102F
- L#Y6
- $:122B
- L#U3
- L!AU
- L!8l
- N\t_3
- N!C3
- 0-L#
- 2/L\t{
- N!O"

- 2-nQ
- L!3@
- L!`0
- 2-N
- L#Ii
- L\t9x
- L\t$U
- N!a\\
- N\te\\
- L#A3
- L#K0
- %W220L
- L!u{
- 1220
- N\te&
- 022D
- L\t%5
- L!)5
- L#az
- 002L
- 020N!
- 620N!
- 020L
- 002N#
- L\tU5
- 002L
- IN!96
- L!De
- L\tHe
- L!U'
- 4220
- 720L
- L\t3~
- %):22N\t5
- N!u_
- 502F
- L!xo
- L\t|o
- L!Y8
- %I2220
- %/120
- 0022
- %5322D
- 5N\tv
- 7 7$70787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 60646D6H6X6\\6h6l6p6|6
- 5,505@5D5T5X5d5h5l5|5
- 4$4(4,484<4@4L4P4T4d4h4t4x4|4
- (0`3d3p3t3x3
- 2a4y=
- 7]7~?
- 6!6'6-63696?6E6K6Q6W6^6f6n6v6
- 4L5Z5
- 0.363N3^4
- 0W0l0
- <+=I=
- 9`:e:

- 9#90959}9
- 7I8N8~8
- 6P7U7
- 5>5Q5d5i5o5
- 3-3H3O3
- 192>2`2w2
- 1>1C1b1r1
- )0.0l0
- >8???
- =O>T>
- ;8;=;
- 9!:1:B:]:u:}:
- 7[8^9c9
- 6#6a7
- 50555`5y5~5
- 2#3(3H3M3o3t3
- 1g2v2
- ?/?I?
- =6>A>V>
- 93:8:
- 7>8C8n8
- 354:4O4T4g4l4
- 0a1t1y1
- 0#0O0
- 9-:I:N:
- 9,9O9y9
- 7 7c7h7
- 6a6x6~6
- 3)393>3R3@4O4$5
- 30s0i2w2
- 99:>:q:
- 859:9`9w9|9
- 7r8w8|8
- 5$5)5H5M5X5]5h5m5w5|5
- 3&3+303
- 2I2O2|2
- =4===I=f=
- 9,9f9k9}9
- 7A8Z8
- 7"7.73787Q7^7c7h7w7
- 6,6u6
- 2-373A3K3U3g3n3u3|3
- 0<1K1
- 9%9B9o9t9y9
- 8`8t8
- 6E7J7a7g7
- 6/666H6M6q6v6
- 5Z5_5p5v5
- 3C4J4
- 3/3m3r3
- 1@2E2J2
- H0M0W0\\0s0x0
- =A=F=i=q=
- <2<]<
- :-;2;
- 5"6"8
- 445Y5q5

- 3^4c4v4
- 3G3L3
- 051:1
- 080=0r0w0
- 9 9+9
- 6(6:6L6m6u6
- 5 5,5c5
- 304;4F4Q4b4g4
- 1:2c2h2
- 01161_1d1
- 70<0~0
- 54686m6
- 5 5'50565>5D5Q5y5
- 3C3H3a3n3Q4a4i4v4
- 1(2/2>2C2T2g2{2
- 0%1-121
- 9U:e:l:
- 8b9g9
- 7E7y7
- 2,3&5g5
- 1C2`2n2
- 1"141H1\\1
- 9X;e;p;
- 9.9\\9
- 5"5(5.545o5
- 2#212
- ^021y1
- 566;7]9
- 8F9F=
- 0_1g1l1
- 0!0&0+030
- 4!6H6
- 122K2o2
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- publicKeyToken="6595b64144ccf1df"
- processorArchitecture="*"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Cabinet</description>
- type="win32"/>
- version="5.1.0.0"
- processorArchitecture="x86"
- name="Microsoft.Windows.base.makecab"
- <assemblyIdentity

- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- +o*7
- MGiI
- 9a&g;
- i]Wb
- makecab.pdb
- GetFileVersionInfoSizeA
- VerQueryValueA
- GetFileVersionInfoA
- free
- malloc
- _open_osfhandle
- ctime
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- _exit
- _cexit
- __getmainargs
- time
- feof
- ferror
- fread
- fwrite
- _tempnam
- __doserrno
- _unlink
- _stat
- _iob
- setvbuf
- exit
- clock
- fopen
- fclose
- _open
- _eof
- remove
- _lseek
- _close
- _write
- _read
- KERNEL32.dll
- VERSION.dll
- USER32.dll
- QSV3
- 49_[^]
- _^[9E
- BBIu
- SVW3
- P8A;

- G@;E
- BF;u
- N$vE
- ;A(s
- sH9E
- F$S3
- F$+E
- F$9E
- F4V;
- 8LCICt
- 8LCICt
- 8LCICt
- LCIC
- u SW
- uShTC
- 8csm
- 8csm
- Invalid parameter passed to C runtime function.
- namet#C;
- 0123456789
- >.YYu
- Tried to read from write-only file: %1
- tV9]
- Invalid open mode %1 for file %2
- Could not open file %1
- Out of memory opening file: %1
- N 9}
- t1Ht"
- Wildcard (%1) limit (%2) exceeded in %3
- %1 length exceeded limit (%2): %3
- Out of memory creating INF file
- Vh(6
- InfFileLineFormat*
- !~(3
- InfCabinetLineFormat*
- InfDiskLineFormat*
- Undefined parameter: %1
- date
- u:9E
- Undeclared parameter: /%1
- @2QPh
- Phx8
- t-V3
- Bad character (%1) in file attribute: %2
- Missing separator (%1) in time: %2
- Bad AM/PM character (%1) in time: %2
- Odd second (%1) in time: %2
- Bad hour (%1) in time: %2
- Bad minute (%1) in time: %2
- Bad second (%1) in time: %2
- %02d%02d%02d%c
- %1:%2:%3%4
- Missing separator (%1) in date: %2
- Year (%1) lower than minimum (%2) in date: %3
- Year (%1) higher than maximum (%2) in date: %3
- Bad month (%1) in date: %2
- Bad day (%1) in date: %2

- Bad date format: %1
- %02d%02d%02d
- %1/%2/%3
- %04d%02d%02d
- %1-%2-%3
- Value of paramter '%1' must be between -32768 and 32767: %2
- Out of memory copying %1 %2 to %3
- Read failed copying %1 %2 to %3
- Write failed copying %1 %2 to %3
- Write of %1 failed on INF file: %2
- Undefined %1: %2
- Out of memory duplicating %1
- uJ9E
- %1 already exists: %2
- Out of memory adding %1: %2
- 2W|<
- Out of memory creating %1 list
- Missing right brace (%1)
- Right brace (%1) with no left brace (%2): %3
- Nested braces (%1) not allowed: %2
- Missing %1 after parameter name: %2
- 9{t%;
- 9}tP;
- Qt/HHuYA
- Out of memory allocating version buffer for file %1
- GetFileVersionInfo returned %1 on file %2
- \\VarFileInfo\\Translation
- Out of memory duplicating language string for file %1
- \\StringFileInfo\\%04x%04x\\FileVersion
- Out of memory duplicating version string for file %1
- u*Sh
- VerQueryValue on key %2 returned %1 on file %3
- No value for key %1 on file %2
- Cannot create %1
- Out of memorying creating %1
- Cannot open file: %1
- Could not allocate buffer to copy %1 to %2
- Cannot read file: %1
- Cannot write file: %1
- Cannot set date/time/attributes for file: %1
- CAB%5.5d.TMP
- EnsureDirectory: Cant create file: %s, errno=%d, _doserrno=%d, GLE=%d
- Path is invalid: %1
- Ran out of temp file names after %1 attempts: %2
- Could not create file in directory: %1
- Cannot delete %1: %2
- Cannot open %1: %2
- Cannot close %1
- Parsing directives
- PASS 1: Checking directive file(s)
- MakeCAB aborted: %1 errors encountered
- INF file
- RPT file
- %1 bytes in %2 files
- Executing directives
- PASS 2: Processing directive file(s)
- 9^@u

- MakeCAB aborted.
- No such file in layout section: %1
- Directive '%1' not valid in INF section
- Directive '%1 %2' not valid outside of a cabinet
- %1 exceeds maximum length (%2): %3
- u hT
- (%1)Out of memory
- (%1)Unknown compression type
- (%1)Failure compressing data from file %2
- (%1)User aborted
- (%1)Failure opening source file %2: %3
- (%1)Failure reading source file %2: %3
- (%1)Failure on temporary file: %2
- (%1)Failure creating or writing cabinet file: %2
- (%1)Data-size or file-count exceeded CAB format limits
- (%1)Unknown error(%2)
- MaxDiskSize(%1) is not a multiple of ClusterSize(%2)
- Cannot %1 a variable twice : %2
- Cannot %1 a standard variable: %2
- Define
- Cannot change INF generation setting
- Ht5HtFHu
- Cannot create report file: %1
- MakeCAB Report: %1
- %,13ld
- Total files: %1
- Bytes before: %1
- Bytes after: %1
- After/Before: %1%% compression
- %9.2f%2d%2d%5.2f
- %9.2f
- Sh49
- Out of memory doing CRC on file: %1
- Read failure doing CRC on file: %1
- File in layout section not referenced in INF section: %1
- Unique
- /unique=OFF not allowed for relational INF generation
- file info
- tracking files
- Duplicate file name: %1 already defined at %2(%3)
- file
- u$h(
- Illegal to write to INF file area in layout section
- INF file line
- tracking INF file lines
- size
- bad file handle/incompatible I/O operation
- invalid executable format
- arg list too long/out of environment space
- file/path does not exist
- no child processes
- permission denied
- out of memory
- create process failed
- file already exists
- <unknown C run-time error>
- deadlock would occur?

- math argument out of range
- bad argument to math function
- out of disk space
- out of file handles
- invalid argument
- cannot move file across devices
- ERROR
- G8^_]
- MaxDiskSize*
- MakeCAB Variables (in order of their definition)
- Standard
- Defined
- INTERR: GetNextCab called for %1
- PVW9
- Command name too long: %1
- Unexpected parameters on %1 command: %2
- File
- Disk
- Unknown keyword in %1 directive: %2
- %1 command without %2 command
- Delete
- InfBegin
- InfEnd
- 8h(9
- ==> Setting variable %1 to '%2'
- variable value
- source file name
- Multiple file lines specify /RUN flag
- Missing source file name
- </u.
- /RUN directive on reference line
- Missing destination file name
- ==> Reference dst=%1
- Missing %1 after variable name: %2
- Variable not defined: %1
- Buffer overflow while substituting variable: %1
- 6Sj%h
- Missing parameter name
- parameter value
- Out of memory saving %1
- u"Sh
- u(Ph
- Unknown command: %1
- Missing closing quote(%1) in %2
- VuYh
- Buffer overflow expanding '%1' parameter value: %2
- Value of paramter '%1' must be a number: %2
- INF header variable template
- INF disks temporary file
- INF cabinets temporary file
- INF files temporary file
- Cannot create %1: %2
- No more file handles: %1
- Out of memory: %1
- FCIFlushFolder
- FCICreate
- FCIAddFile

- FCIFlushCabinet
- FCIDestroy
- File name too long: %1
- Could not open file: %1
- OOut of memory %1
- InfDiskHeader*
- InfCabinetHeader*
- InfFileHeader*
- attr
- cab#
- cabfile
- csum
- disk#
- file#
- label
- lang
- time
- unique
- vers
- Folder
- Explicit
- No variable name in %1 command
- destination file name
- Unexpected text: %1
- InfWrite string
- Buffer overflow while copying: %1
- Variable name exceeds maximum length(%1): %2
- file parameter
- %1 assignment operator missing
- Parameter name exceeds maximum length(%1): %2
- %1 exceeded maximum length(%2)
- Dump
- InfWrite
- InfWriteCabinet
- InfWriteDisk
- Option
- N4f;
- [f9xJ
- E PV
- [INTERR] Variable already created: %1
- attempting to create variable: %1
- Variable value is longer than maximum (%1 chars): %2
- attempting to set variable: %1
- 6QhT
- Variable name is longer than maximum (%1 chars): %2
- attempting to create a variable list
- [INTERR] Format specifier missing %
- [INTERR] Format specifier has unknown type
- Cannot get date/time/attributes from file: %1
- Missing file name: %1
- Could not find file: %1
- %1 is not a file
- Changing destination
- Creating file list
- Adding a file
- Could not allocate SESSION
- /L dir Location to place destination (default is current directory).

- /D var=value Defines variable with specified value.
- Microsoft Cabinet SDK for information on directive_file.
- /F directives A file with MakeCAB directives (may be repeated). Refer to
- with an underscore (_) and used as the destination.
- last character of the source file name is replaced
- destination File name to give compressed file. If omitted, the
- source File to compress.
- MAKECAB [/V[n]] [/D var=value ...] /F directive_file [...]
- MAKECAB [/V[n]] [/D var=value ...] [/L dir] source [destination]
- Location too long: %1
- Invalid parameter: %1
- Too many parameters: %1
- Variable definition missing
- Directive file name missing
- Location missing
- Switch not expected: %1
- Invalid switch: %1
- ** %1 placed in cabinet %2(%3) on disk %4 - CONTINUATION
- ** %1 placed in cabinet %2(%3) on disk %4
- %1 %2 and variable not defined: %3
- [%.19s] File open error (Win32Error=0x%X), retrying %s
- _open_osfhandle(%s) failed errno=%d
- %1%% - raw=%2 compressed=%3
- Section order too long: %1
- Bad section order character '%1' in '%2'
- Duplicate section order character '%1' in '%2'
- Value of variable '%1' must be a number: %2
- Failure creating standard variable %1: %2
- Compression Memory not in range (%1..%2): %3
- Compression Level not in range (%1..%2): %3
- Invalid Compression Type: %1
- Checksum Width not in range (%1..%2): %3
- True
- Invalid boolean value: %1
- UVWS
- L$,3
- FdH9
- t6h"
- t?9N
- tD9N
- tI9N
- MCIC
- t5!E
- Cannot create INF file: %1
- InfHeader*
- InfFooter*
- InfCommentString
- InfFooter
- InfHeader
- Wh(6
- YPj2
- MaxDiskFileCount
- disk directory name
- disk label name
- DiskDirectory*
- DiskLabel*
- DiskDirectoryTemplate

- DiskLabelTemplate
- 9F,}
- CompressedFileExtensionChar
- MSZIP
- Parsing directives (%1: %2 lines)
- MakeCAB aborted: MaxErrors (%1) exceeded
- MaxErrors
- cabinet file name
- CabinetName*
- CabinetNameTemplate
- FolderSizeThreshold
- MaxCabinetSize
- ReservePerCabinetSize
- ReservePerDataBlockSize
- ReservePerFolderSize
- Compress
- CompressionType
- t3Wh
- CompressionLevel
- CompressionMemory
- UniqueFiles must be ON for relational INF generation
- CopyCommand: %1 to %2
- NOT IMPLEMENTED YET: compressing single files: %1
- DestinationDir
- DoNotCopyFiles
- FolderFileCountThreshold
- SourceDir
- u5Wh
- SXf9
- @@Iu
- 8M$tV
- !C0f
- tFVW3
- SVW3
- >MCIC
- False
- Hu)3
- !H0^f
- Undefined variable: %1
- test
- Bad format in %1: %2
- a test
- *cab#*,*disk#*,*cabfile*
- *disk#*,*label*
- *disk#*,*cab#*,*file*,*size*
- xphH8
- f9HH
- Af9HJ
- N4f;
- N$9^$
- F$9E
- ~8 }=
- H0Vj
- [INTERR] Format specifier %% is invalid
- ChecksumWidth
- %1%% - %2 (%3 of %4)
- 6.1.7600.16385

- Cabinet
- CabinetFileCountThreshold
- *.cab
- ClusterSize
- 1.44M
- disk*
- GenerateInf
- InfCabinetHeader
- [cabinet list]
- InfCabinetLineFormat
- InfDateFormat
- InfDiskHeader
- InfDiskLineFormat
- InfFileHeader
- [file list]
- InfFileLineFormat
- InfFileName
- setup.inf
- InfFooter1
- InfFooter2
- %1** Automatically generated on: %2 **
- InfFooter3
- InfFooter4
- InfHeader1
- InfHeader2
- InfHeader3
- InfHeader4
- InfHeader5
- InfHeader6
- InfSectionOrder
- MaxDiskSize
- RptFileName
- setup.rpt
- UniqueFiles
- 360K
- 1024
- 362496
- 720K
- 730112
- 1.2M
- 1213952
- 1.25M
- 1250304
- 1457664
- 1.68M
- 2048
- 1716224
- DMF168
- CDROM
- 65535
- 681984000
- >MCIC
- E Ph
- E PW
- E PW
- E PSS
- _%u_

- t19E
- 8MCIC
- %1%% [flushing current folder]
- ^$9]
- Cabinet Maker - Lossless Data Compression Tool
- <%u'G
- !CAB
- |0SVW
- %6.2f
- USER32.dll
- VERSION.dll
- KERNEL32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- USER32.dll
- KERNEL32.dll
- WININET.dll
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- user32.dll
- Norwegian-Nynorsk
- american
- american english
- american-english
- australian
- belgian
- canadian
- chinese
- chinese-hongkong
- chinese-simplified
- chinese-singapore
- chinese-traditional
- dutch-belgian
- english-american
- english-aus
- english-belize

- english-can
- english-caribbean
- english-ire
- english-jamaica
- english-nz
- english-south africa
- english-trinidad y tobago
- english-uk
- english-us
- english-usa
- french-belgian
- french-canadian
- french-luxembourg
- german-austrian
- german-lichtenstein
- german-luxembourg
- german-swiss
- irish-english
- italian-swiss
- norwegian
- norwegian-bokmal
- norwegian-nynorsk
- portuguese-brazilian
- spanish-argentina
- spanish-bolivia
- spanish-chile
- spanish-colombia
- spanish-costa rica
- spanish-dominican republic
- spanish-ecuador
- spanish-el salvador
- spanish-guatemala
- spanish-honduras
- spanish-mexican
- spanish-modern
- spanish-nicaragua
- spanish-panama
- spanish-paraguay
- spanish-peru
- spanish-puerto rico
- spanish-uruguay
- spanish-venezuela
- swedish-finland
- swiss
- america
- britain
- china
- czech
- england
- great britain
- holland
- hong-kong
- new-zealand
- pr china
- pr-china
- puerto-rico
- slovak

- south africa
- south korea
- south-africa
- south-korea
- trinidad & tobago
- united-kingdom
- united-states
- Spanish - Traditional Sort
- Spain
- Finnish
- Finland
- France
- Icelandic
- Iceland
- Swedish
- Sweden
- Basque
- Spanish
- Mexico
- Belgium
- German
- Austria
- English
- Australia
- Spanish - Modern Sort
- Canada
- Guatemala
- Switzerland
- Costa Rica
- Luxembourg
- Panama
- South Africa
- Dominican Republic
- Venezuela
- Colombia
- Peru
- Argentina
- Ecuador
- Chile
- Uruguay
- Paraguay
- 1252
- 3c0a
- 1252
- 380a
- 1252
- 340a
- 1252
- 300a
- 1252
- 2c0a
- 1252
- 280a
- 1252
- 240a
- 1252
- 200a

- 1252
- 1c0a
- 1252
- 1c09
- 1252
- 180a
- 1252
- 140c
- 1252
- 140a
- 1252
- 100c
- 1252
- 100a
- 1252
- 0c0c
- 1252
- 0c0a
- 1252
- 0c09
- 1252
- 0c07
- 1252
- 080c
- 1252
- 080a
- 1252
- 042d
- 1252
- 041d
- 1252
- 040f
- 1252
- 040c
- 1252
- 040b
- 1252
- 040a
- Program:
- Runtime Error!
- - floating point not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- Please contact the application's support team for more information.
- This application has requested the Runtime to terminate it in an unusual way.
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table

- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- Please contact the application's support team for more information.
- R6029
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- Unknown security failure detected!
- continue execution and must now be terminated.
- corrupted the program's internal state. The program cannot safely
- A security error of unknown cause has been detected which has
- Buffer overrun detected!
- now be terminated.
- internal state. The program cannot safely continue execution and must
- A buffer overrun has been detected which has corrupted the program's
- <program name unknown>
- Program:
- Microsoft Visual C++ Runtime Library
- mscoree.dll
- CorExitProcess
- LC_COLLATE
- LC_MONETARY
- LC_NUMERIC
- LC_TIME
- Unknown exception
- =L9o<
- bad allocation
- string too long
- invalid string position
- ios_base::badbit set
- ios_base::failbit set
- ios_base::eofbit set
- bad cast
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- kernel32.dll
- TypeLib
- Software
- SECURITY
- Mime

- Hardware
- Interface
- FileType
- Component Categories
- CLSID
- AppID
- Delete
- NoRemove
- ForceRemove
- E.v+E.vO!.v
- /.va8.v
- ha%B
- %@0B
- ^_[3
- s"95
- t!VV9u
- u.VV3
- VWsU
- t6S
- Wj@3
- A#D$
- h4QB
- VWumh
- 6PWS
- 5T0B
- t2j@
- uVhX
- h(IB
- u PV
- u"WV
- )9=H
- Yu9j
- uU9=T
- It[IItM
- YYu(j
- E+PjUVS
- E)Pj
- E(Pj
- VWu39
- v$;5
- VWu.9
- VtUh
- FlPj9
- FhPj8
- FdPjO
- FLPjI
- F<PjE
- F8PjD
- F4Pj/
- F0Pj.
- Qj13
- YF;5
- Yu+Vj
- SUVW
- SVWse
- u";U
- ~*9E

- ,0FF
- =00B
- tyf9
- SUVW
- 8"u&
- t7VP
- 0<=t
- t$<"u\t3
- 8csm
- t&:a
- u,9x
- 8csm
- 8csm
- 8csm
- YYu"
- uiSj
- wHVSU
- t;9u
- Y9E t
- 9] u
- u5SSWh
- G95X
- F95T
- 9] u
- t-9]
- E SS
- 9] u
- u8SS3
- j8h 7B
- 9uxt
- YYu
- h@5B
- h@6B
- >Cu4
- _^[u
- ,u3P
- OYYu
- @@8X
- 8ABB;
- ~98]
- @@8X
- ~,8]
- VWu#
- SVW3
- 8MZu
- =H0B
- j`h05B
- tYVU
- SVWU
- VC20XC00U
- SVWUj
- Dhh4B
- r2f=z
- u\\j4
- h@4B
- 9^Pv
- YYuR

- YYu}9E
- YYu;
- tm9]
- uK9^<u
- 9^<u
- HHuQ
- HHuF
- 9V<u
- vD;u
- 9^(f
- ~+9u
- ~iVW
- <6WP
- ~+9u
- uEj
- 4SVW
- A\tej
- A\ttj
- Qh|2B
- @\tej
- Rhl2B
- Ph\\2B
- PhL2B
- Ph<2B
- A\tdj
- Qh,2B
- .107
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- MS Shell Dlg
- H
- h(((( H
- ((((( H
- h(((( H
- jjjjj
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- .?AVlength_error@std@@
- .?AV?$codecvt@GDH@std@@
- .?AV?$basic_streambuf@GU?$char_traits@G@std@@@std@@
- .?AV?$ctype@G@std@@
- .?AV?$_Iosb@H@std@@
- sgdg<
- }/~-
- \\bR`
- [+K)/
- -J&H;
- K#G!
- B%K'
- Tp_r
- \\ZKX

- sy{{
- >7!?"?+:
- 3;(.;+?
- /1'+/'
- RDVTQUWl
- ZCG0t(
- [Q]\\TVT
- MXZIGMVNGFPPWW
- MH_Ia^QR[XU@kPSC
- (lh;g
- {}{`x7yvwt}sx?aw"ookc%-|&
- YUO8QSI<R@HBCSS5
- >*$=::
- ts*%,
- ~Wryxfh
- JHNXk
- xz|}^M[QpU@TwMHEQ
- [^K_
- lS[HN[K_k{^WA_B_KZqzNY_
- .(9-9!zxk"+*
- gtd|8}vw
- SgPU]CDD
- S}Hf`
- jVNKOZVxZY[V
- <$!%0<
- m\\k}|
- eFVqTJG@[X`NO_
- @csPlkdnD`kaygjl~{{
- $\\;3*.%/:=
- zdn`kj`rU
- G`vsGfv@k
- KpDjmm`c{iYe{||ky[r{|bj
- innysQxqnpx
- ]dWbpsC
- G~Yx`zjowVhrqsdjV
- (#> *
- /9<>)!
- +%j;`
- &tjB;
- '*)-
- ]LG:
- L<#R
- dk&R;
- LC_]
- fw~?
- )m B4`
- "L&T;
- vjlr
- F.;~
- x{~q
- (+gY}
- *;{
- stv:v
- Ck{_
- qXT=
- *HWG
- ,~Da )v

- 5`Yp]f
- [/m;+
- )D/z\tc
- ,bk*
- HH!m
- 9'>=|?
- ITw_)D
- ~dlw
- ~_(H
- &&0Kr~
- ^tp9K+
- p#<(V
- #,mT
- zn!)
- ptSk
- YKv}
- dfth%E
- Y""@
- .':f
- lyyd
- df&s;
- $xx<
- $%>h
- bb{f
- ^~b/[
- /@h@
- _[!GsZVT
- td"f
- /,T;
- df+S$
- !"dbb
- *y%:1^
- YB%{
- ~y,-h
- :YY[
- Lnc!
- hWV(j
- %rbr
- jh.j
- RB\\W
- XZGT
- [(`(
- wY<$c0Z
- B@H
- ``jf
- ?}?}
- "#m[z!
- qbFwsa
- Z-#d
- yr#;
- }:Rrt
- |wk9,/_
- -so:Xbf-/
- gh(f#AC
- b[Z$y
- IT`j,
- #" !

- ld~|
- *\\~g
- /.lh>
- ~|T[sy?
- <=Ed)K
- DF]N
- rpmv
- ~|oDW{?
- #jk+
- MM#[LOp
- Q{GvR,
- BBPK
- #,nh
- >jk/c
- Fc\tF
- ,m_,>8
- Ry'V
- jlZ&oW;*\\
- ]GG]
- uy*Lxv
- !w;ap?
- ac'^b`&
- L#")
- N\ttl
- N!xl
- L!Y,
- L\tg=
- L\ty$
- L#mz
- L#vS
- L\t<l
- N!.+
- L\t\tx
- N!MJ
- N\tK"
- L#V|
- N!jZ
- L\t<k
- L! k
- ;L!]
- L$W]
- F#L\ty{
- N!Q&
- N!{$
- N\tm"
- L!/>
- L!}"
- L#gv
- L\tQ'
- L"Jh
- L"KC
- L\t,l
- N!}K
- L!ms
- L\tQs
- L!\\l
- L\t&

- N!SV
- N\tWV
- N!w"
- N\t{"
- N\t`P
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=h=l=p=t=x=|=
- < <0<4<8<<<@<D<H<L<P<T<X<\\<h<l<p<t<x<|<
- :1:@<x<^>t>
- <B=i=n=
- ;r<w<
- <"<~<
- >C?V?[?
- >\t>+>0>
- =6=;=m=
- ;`<l<
- ;&;7;P;h;
- ?&?4?H?Y?g?
- >7>@>M>
- <k=o=s=w={=
- ;$;);.;3;;;Q;
- ?5?E?M?[?`?
- >">H>O>j>s>~>
- <"<:<\\<t<~<
- ?W?d?q?}?
- ;";&;*;.;2;
- :.:H:c:h:m:
- >*>?>Z>
- :':L:b:p:
- <)<H?d?i?n?
- 7!<?<k<|>
- ?H?M?
- ;f<|<
- ;?;D;P;
- ?[?g?
- >$>O>l>q>v>
- <!<2<Q<r<w<
- >f?}?
- >X>x>
- =%=<=Q=_=
- =k>p>v>{>
- <$<5<;<G<M<S<`<f<s<y<
- </assembly>
- />
- #.zf
- wn>Jj
- Qkkbal
- n;^
- RSDS<
- _strdup
- printf
- _XcptFilter
- _mkdir
- fprintf
- msvcrt.dll
- _^[]
- xSVW}$
- _^[]

- }+;M
- GB;}
- ~?;]
- [_^]
- _^[]
- _^[]
- SVWj`
- ^_[]
- PCSV
- v$SV
- )F(V
- $_^[]
- _^[]
- >LCICt
- [_^]
- s:Pj
- _^[]
- 0SSSSS
- .TTF
- (s*j
- _[^]
- [_^]
- %c%d%s
- PKSVhT
- PPPP
- @_^[]
- CYt!Ht
- @^_[
- @_^[]
- %d.%d.%d.%d
- (null)
- Y@^_]
- _^[]
- QQSV
- PQRVh
- RQPh
- PRQh
- @_^]
- Y^_]
- Y_^]
- |WWh@
- M WP
- @^[_]
- _^[]
- _^[]
- Y_^]
- Y_^[]
- %c%c%s
- >Sj*h
- Qj{h
- 0Qj{j}hD
- tlj}h|
- SPhT
- %d%s%s
- @_^]
- Y_^[
- ] SW

- @_^[
- Y@_^]
- %s%d%d
- @PWh
- <\\t"</t
- _@^]
- ----------
- %,ld%,ld
- ----------
- tTWh
- v\\h\\
- ~ Ph
- @_^]
- FHPh\\
- FHPhh
- _[^]
- FHPh
- FHPhh
- [tbHt
- @_^[]
- %ld%ld
- QWhL
- _^[]
- $SVW
- Time: %1 seconds (%2 hr %3 min %4 sec)
- Throughput: %1 Kb/second
- Gx+Gt
- Y_^[
- %s%s%d
- _^[]
- _^[]
- @^[]
- t?HHt4
- @t7HHt)
- %s(%d): %s: %s
- %s: %s
- _^[]
- ----------
- %s
- =<%s>
- tsSW
- %d: %s
- t$<\\t
- t WhL
- @_^]
- ^[_]
- j=h|
- j=h|
- ==> FileSpec src=%1 dst=%2
- @_^[
- @_^[
- tp</u&
- @_^[]
- t,WV
- >/YY
- r Sj
- j=h|

- ^_[]
- FG@@
- Y^_]
- %s%d%s
- %s%s
- %d%d%s
- %s%s%s
- %d%s
- %s%d
- %c%s
- HKKf
- VhQ'
- j hT
- /V[n] Verbosity level (1..3).
- HHtR
- FHPh\\
- FHPhh
- FHPhx
- FHPh
- %s%s%d%s
- %6.2f%,ld%,ld
- RQQQ
- yyyy-mm-dd
- %s%s
- UQPXY]Y[
- _^[]
- SVWj
- [_^]
- URPQQh
- _^[]
- _^[]
- _^[]
- Y__^[
- FpWP
- )~ V
- @^_]
- t%SVW
- _^[]
- SVWj
- mm/dd/yy
- QQSV
- QQSV
- QQSV
- Ft&j;
- @_^[]
- tcVW
- _[^]
- ;F v
- ^@[]
- @_^]
- Wh(b
- Ht<Ht
- QPPj
- FHPhx
- FHPh
- ~L9F$|Gh
- FhPWSV

- |/WSh
- XPVf
- Yj\t^f
- M(@@
- _jCZ
- @_^[
- _^[]
- @_^]
- @_^[
- @_^]
- @_^[]
- tShPR
- @^[_]
- tMSQ
- SVWj
- CX_^
- Ct@P
- QBWf
- VSV}
- f;HH
- N<~;
- f\tp,
- f\tP,
- _^[]
- %s%lx
- Vhd=
- @_^]
- %6.2f%s%,ld%,ld
- $h@;
- vlPQQ
- @_^]
- Disk *
- [disk list]
- %1*** END ************************************************************
- %1** **
- %1*** BEGIN ************************************************************
- %1** MakeCAB Version: %3 **
- _^[]
- w,Vh
- Y_^[]
- Y@_^[
- MSCF
- @_^[
- _@^]
- @_^[
- QQSV
- @^_]
- }$f;
- _^[]
- Y@^]
- >_^]
- %s%s
- FT^]
- @_^[]
- [_^]
- |/SVW
- @_^[

- @_^[
- msvcrt.dll
- .rsrc
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- french-swiss
- French
- LC_ALL
- LC_CTYPE
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- ntdll.dll
- SYSTEM
- e.vJ^/v
- g.vQ
- .v1#-v
- h}%B
- h`%B
- v\tN+D$
- u+WWSW
- VWsr
-
- hPQB
- t|hdQB
- htQB
- HHtXHHtF
- LSVWj
- t2WWVPVSW
- tCVj
- WWWWVSW
- t WW
- PPPPPPPP
- F@Ph
- j@Vh
- hF\tB
- _^[]
- SVWj
- |FVW
- PPPPPPPP
- _^][
- E/PjSVS
- E.PjRVS
- E-PjWVS
- E,PjVVS
- E*PjTVS
- E$PjQVj
- E PjPVj
- YY_^][
- F|Pj=
- FxPj<
- FtPj;
- FpPj:
- F`PjN
- F\\PjM
- FXPjL
- FTPjK
- FPPjJ

- FHPjH
- FDPjG
- F@PjF
- F,Pj-
- F(Pj,
- F$Pj+
- F Pj*
- _^][
- PVj
- Yt:SVW
- zu^SSS
- _^][YY
- t$$VSS
- t#SSUP
- @PVSS
- SSS+
- QQSVW3
- Y]_^[
- >=Yt
- <Yv"
- Yt\tV
- @_^]
- YY_^[
- ;csm
- >csm
- ;csm
- sVS;7|B;w
- >csm
- ~=;F
- j?^;
- @_^[
- ^_][
- FVSj
- Y_^[
- E SSSS
- t\t@@;
- VVVV
- j$hh<B
- hL<B
- h\\<B
- t!SS9]
- Ml_^[
- t"9]|t
- YYty
- s"Vh(
- [_^]
- _tPP
- .tgPV
- t%<.u(
- YYt%
- ~'WP
- ]_^[
- t?xH
- t.;t$$t(
- ]_^[
- QQSVWd
- hT^B

- Wj\tS
- _^[]
- PWj\tS
- Vj\tS
- _^[]
- r.f=Z
- YYSj
- F@PS
- FP_9^Xtx
- QQSV
- vXWj
- tgHt
- NHPj
- NHSj
- ~hVW
- hc#B
- h;#B
- $SVW
- @\tIj
- @\tFj
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
- @
- .rsrc

## • Module 2 (probably unpacked / injected by the sample)

### • Module 2 rich signatures

- 44616e530000000000000000000000000000010002000000fc77b9000500000066eecd000900000066eecc00

### • Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)

- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

## • Module 2 strings

### • Module 2 most interesting strings

- api | user32: MessageBoxW
- api | kernel32: CreateProcessW

### • Module 2 other strings

- USER32.dll
- KERNEL32.dll
- 't0t
- ?n4n
- AqSq
- 8o<o
- 2X9X
- p@\tA
- `r\tA
- =}1}
- pU}U
- ?^/^0
- Iq\\qP
- 0.&.*
- 52'1
- :"w5?=&;5~2=45)=k
- Bsa{e`7wuj~{ye?{ye`wqac(
- -9(1828p4(6
- %92/+7#5f,2.
- 2 )J
- +?0Q
- #78Y
- aGY_MABkAUG
- 7-+/)0*
- 0kYMV
- prvaMWLE]OYIxOZ[^Y[Gd
- y298
- }fu|{8qxw
- 7'/'$b`}812
- RDc_ROv\\hY^JVOO
- ,6;>)6
- $"!73(
- _ay~xmcOmlla@|
- 68=4>
- <<!0
- /2(1
- ,,71/57;
- UoainFxdmzxhOs_
- #?07&'

- 5*jk
- ~bitplxn=wiu
- $30.$
- /500#/
- 5?&:?6~4&:
- gk+dio:joc9lQ1]3[5WTV
- 43' ..04q;%9abl
- x8EIy
- aW%|c
- Q4q\t7r
- vaR,
- h!;5
- pc1Ro
- _yuO
- kaAqK
- "KsI
- 9,//8
- Lgii
- <iD(E
- 0 2$
- _wV^'?U9P
- e\tT)
- mVho
- zyirP
- Y3v&
- gS]6
- n,7J
- t7t1Z
- >_5;
- QS4g;
- 2uK(
- n%0<
- aa{UE
- `,I9
- oRm.s
- }~;a
- 2w>Bu
- =6B=
- `1h#-
- T'5Y
- t@FIs
- *54di:
- w*9t
- J}Ia1b
- 2H{D
- 6DkB
- {ou=
- b8&Q;
- >U\\l
- ROOM U
- zNpfU
- .f9]
- .Evv8
- 6t76
- 2r1A|
- s3*60
- a g

- ha2x
- o\\we
- E%pL
- JO
- 9:Np
- By8w
- .WI@~
- K,Bq7
- Bj-i
- 6O{(f
- iTd+
- {Fo':
- 41:=c
- %JeG
- ^^4=o
- k6w+
- l!7z
- <e ?
- ahdc
- Mf!3
- DCAF
- w0LCIB
- b?a%
- eu'$
- ,A4dI@T
- w3X<A
- 6g|:Ceq
- ZiU8
- [@BU
- 3
- ]+~?6fO
- }Kc+A6`
- D<<y8
- SFM7
- L6Bw5
- o! h
- mDUfm
- 7?c%
- sc52
- [4
- 9=@z
- ,BJ3
- .o|v
- 4:e`"
- Yxs6
- }dt,gA1
- AMUE
- 5e%\\z
- :]8>h
- t1@m
- }F7d
- X4NAB
- wL9C
- rz6l
- 7xy?4?
- ww4E<
- 3y=A@

- 6|:FC
- 9W:?
- #i-UP
- !Iz75]
- gZA~C
- .4q0
- EEs|c0
- exsD
- ^^Te2;
- YI``"I
- yr-2
- qdtIOxe
- {r"om
- wh*-9
- 4>l.{
- 4?,vb
- E>0DH
- 3"`a#
- ]{5=z
- rs1e
- Rp5FM
- ):ah
- !bi`
- ]7xZ
- EE}pb
- ;h1|
- {{0O
- w0l*
- J3y.
- BOA&
- 4HaM
- 1>|=
- I&3x
- 6el^
- 380K
- /:Aj
- 1ziy
- p0usLa
- ]7q?1^
- 4?|=
- Jz5|>
- 3"^w
- 711n
- +cU$
- +5d,w
- YR.a
- ,e]^
- C:+E
- |sD=68=v
- )FuN9
- rr,5S
- {jzO
- ];d89I
- *6'h
- /+{6BhtE)
- t$8X
- 3D$4P

- t$,U
- p X3
- t$,^3t$0R
- 5h A
- 5l A
- 5t A
- 5x A
- 5| A
- 5 A
- 5, A
- 5$ A
- 5( A
- $9L$
- r]+u
- D$,U
- @.data
- `.rdata
- .text
- `l]X
- 24<o
- 25<g
- !This program cannot be run in DOS mode.
- lw`ws
- qf}f
- cjmj
- +V V<
- &P;)P
- _xJx
- YcScG\tA
- &X;,X
- nV}V
- &+.-
- 8(*-+)l'#5!g 7+6`y},TWy
- ~fb``{c
- (#HGCNEJD+
- ZVNdTIJOY_XVWAiRFHHGI
- +&$/&
- GKSyTNJL^XNBE
- MJ_Ic^QP[XW@kGSZG_O
- ftm/c
- qtgkvey/kwi
- /TFO,PJC
- @FPDN|ES\\@^
- nM_nHJN[MTvQ@VwTV^RVXxVLTSG]GM`
- :.:=
- SQL
- TdpugwExm{|x
- aBPiCPTd\\]C_
- Q}zj\\psqr
- N~jo}m[xjgburW
- _injYzdi`wtKdmlpd
- nXMJU\\nSFPWS
- a_ICzYGJCTWqMHEO
- !vZTyrvfa><Sclxeqytvct<wpq
- Szo[~nIjxuppf`tQkj
- NbRrfxqvUr]pvmhthCoke
- ?#?-

- m`~wlnpf"hvj
- %%b$&q;
- gJ:ylE
- r<S,
- Y>WG)!YHs
- -MQ{
- $mhq;
- >gkQ
- )"{{=Z
- q.'w
- sCZ[
- <D}f
- Cry@
- ](*
- `W&ma;|
- QSFC
- yMQP
- |?l)Su
- X^xh
- Fs}q
- ?Jrl
- $Z{ y\tn&j;?
- q,G
- .Smj
- B`d
- Sj^(
- F[[Y0Y
- ];Rv
- [gSX
- hS@D
- [<^z
- BNlj
- vywt
- ,Oxx:l
- n'd+
- EQK>fc
- +[q;
- \\$JB
- ##g+
- '!-
- {:}_
- //<#t
- ,{<!
- **\\a$l
- :?q#1?%
- l\\l-#&&
- ttQTZ+
- d)`lM
- g/z(
- kd,bll
- bY6!!V
- lCn|
- N:}v:
- +St;<,
- '~=-
- /`w3DH
- g Q&$#_

- l q-Jg
- _Nt{
- %)Tf
- Hc![
- r%+h'
- "chb
- BBX !
- s@G
- \\f,cc
- @(]\\
- <c"xn2
- ??[\\L
- YGLY
- }L|w
- (fhXY
- :}TQ
- ? ]w
- Q)Vsx6
- g <Sh)
- xs7@r|
- YP+h
- MlPD
- '/l
- tyq|
- NZ")d
- %jYN^t
- G/(]HXm
- }"y\tF
- kN$Sn*
- )*$)X
- N8::wF.
- ~f%JC
- ))f%n
- W't#
- "#`/
- W,e@^Q
- CTw-
- ?Xbs
- h?ND
- 7<yDN)
- c&Zk;
- k%%b/m
- -"_"
- |vq~
- r/?)
- ryi%$t
- **g*/
- D`\tP
- ('kPJk
- ^WCP
- p|XY
- t$,^
- <-t^<.t+
- ,$T]
- t$,X
- t$ X
- t$$X

- t$<X
- t$@X
- t$DX
- t$@X
- t$HX
- t$HX
- t$TX
- ,$T]
- <Richn

## • Module 3 (probably unpacked / injected by the sample)

### • Module 3 rich signatures

- 44616e530000000000000000000000000097895000800000009789300290000000000010035040000097884009000000009788300 2b00000009789400010000000978910 0

### • Module 3 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

### • Module 3 strings

#### • Module 3 most interesting strings

#### • Module 3 other strings

- ITaskList_Deleted
- NonRudeHWND
- AACCN
- Q(+E
- +~\\+E
- Fh)E
- F`)E
- Rh4k
- t:9}
- @@Nu
- @pSW3
- t\t;5
- F\\u"
- VDR3
- t>9}
- 9{Lt
- u5!E
- Q0^]
- 9A8t

- ~^9u
- |99E
- tE!}
- tW9}
- $SV3
- t"9}
- @Qm6t
- t\t9E
- +>vE
- 2=v(8>vEG>vr4>v
- >vH2>vL Av
- S?v4
- Av-%>v3
- i$vX
- X-vA
- T-vO
- 8.vr
- @.vO!.ve6,v\t>-v
- I2vF
- e.v)
- Secur32.dll
- dwmapi.dll
- UxTheme.dll
- EXPLORERFRAME.dll
- OLEAUT32.dll
- ole32.dll
- SHELL32.dll
- USER32.dll
- GDI32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- _^[]
- M(j
- SVWh
- t%Sj
- [_^]
- QSVW
- NlQj
- VpRj
- P VR
- Pd_^
- SSVSSP
- ShXH
- PhhH
- QSVW
- _^[]
- _l+_|+
- jdZ+
- +V ;V0v
- jdX+
- _^[]
- ~<SV

- @_^]
- @_^[]
- _^[]
- ^veT^v
- ?viF>v
- >v/?>v
- ?vzA>v
- ]?vd
- <>vY,>v
- >v6[>v
- r>v@F>vfB>vA
- >vyQ>v
- =vtE>v
- X>vD
- $>vv
- >v:A>v~
- #=v+
- >vsq>v;
- h$v@f$v
- $vhu$v
- s$vYt$v<j$v
- i$vyk$v
- $vBr$v
- $v;c$v-
- b$vN
- $v@p$v
- ]$vF
- .v\\9.v
- .v1#-v
- -vM7.v
- -v`w
- *-vQJ.v/`,vGd/v
- #-v2},v&<.v
- -vWA.v
- Y,v]7.vM )v
- -vc3.v
- Y-v|
- G-vM
- Y-vGs-v
- -vBY-v
- -v(\\-v
- ,v-L,vb
- H-vuG-v
- ,vQ3.v
- -v+E.v
- "-v"<-vN
- ,ve%,v
- -v3g.v
- PROPSYS.dll
- RPCRT4.dll
- SSPICLI.DLL
- gdiplus.dll
- slc.dll
- POWRPROF.dll
- SHLWAPI.dll
- msvcrt.dll
- ntdll.DLL

- .rsrc

## • Module 4 (probably unpacked / injected by the sample)

### • Module 4 rich signatures

- 44616e530000000000000000000000000000010002000000fc77b9000500000066eecd000900000066eecc00

### • Module 4 yara matches

- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

### • Module 4 strings

#### • Module 4 most interesting strings

- api | user32: MessageBoxW
- api | kernel32: CreateProcessW

#### • Module 4 other strings

- \\9.v
- USER32.dll
- KERNEL32.dll
- 't0t
- ?n4n
- AqSq
- 8o<o
- 2X9X
- p@\tA
- `r\tA
- =}1}
- pU}U
- ?^/^0
- Iq\\qP
- 0.&.*
- 52'1
- :"w5?=&;5~2=45)=k
- Bsa{e`7wuj~{ye?{ye`wqac(
- -9(1828p4(6
- %92/+7#5f,2.
- 2 )J
- +?0Q
- #78Y

- aGY_MABkAUG
- 7-+/)0*
- 0kYMV
- prvaMWLE]OYIxOZ[^Y[Gd
- y298
- }fu|{8qxw
- 7'/'$b`}812
- RDc_ROv\\hY^JVOO
- ,6;>)6
- $"!73(
- _ay~xmcOmlla@|
- 68=4>
- <<!0
- /2(1
- ,,71/57;
- UoainFxdmzxhOs_
- #?07&'
- 5*jk
- ~bitplxn=wiu
- $30.$
- /500#/
- 5?&:?6~4&:
- gk+dio:joc9lQ1]3[5WTV
- 43' ..04q;%9abl
- x8EIy
- aW%|c
- Q4q\t7r
- vaR,
- h!;5
- pc1Ro
- _yuO
- kaAqK
- "KsI
- 9,//8
- Lgii
- <iD(E
- 0 2$
- _wV^'?U9P
- e\tT)
- mVho
- zyirP
- Y3v&
- gS]6
- n,7J
- t7t1Z
- >_5;
- QS4g;
- 2uK(
- n%0<
- aa{UE
- `,I9
- oRm.s
- }~;a
- 2w>Bu
- =6B=
- `1h#-
- T'5Y

- t@FIs
- *54di:
- w*9t
- J}la1b
- 2H{D
- 6DkB
- {ou=
- b8&Q;
- >U\\l
- ROOM U
- zNpfU
- .f9]
- .Evv8
- 6t76
- 2r1A|
- s3*60
- a g
- ha2x
- o\\we
- E%pL
- JO
- 9:Np
- By8w
- .WI@~
- K,Bq7
- Bj-i
- 6O{(f
- iTd+
- {Fo':
- 41:=c
- %JeG
- ^^4=o
- k6w+
- I!7z
- <e ?
- ahdc
- Mf!3
- DCAF
- w0LCIB
- b?a%
- eu'$
- ,A4dI@T
- w3X<A
- 6g|:Ceq
- ZiU8
- [@BU
- 3
- ]+~?6fO
- }Kc+A6`
- D<<y8
- SFM7
- L6Bw5
- o! h
- mDUfm
- 7?c%
- sc52
- [4

- 9=@z
- ,BJ3
- .o|v
- 4:e`"
- Yxs6
- }dt,gA1
- AMUE
- 5e%\\z
- :]8>h
- t1@m
- }F7d
- X4NAB
- wL9C
- rz6I
- 7xy?4?
- ww4E<
- 3y=A@
- 6|:FC
- 9W:?
- #i-UP
- !Iz75]
- gZA~C
- .4q0
- EEs|c0
- exsD
- ^^Te2;
- YI``"I
- yr-2
- qdtIOxe
- {r"om
- wh*-9
- 4>l.{
- 4?,vb
- E>0DH
- 3"`a#
- ]{5=z
- rs1e
- Rp5FM
- ):ah
- !bi`
- ]7xZ
- EE}pb
- ;h1|
- {{0O
- w0l*
- J3y.
- BOA&
- 4HaM
- 1>|=
- I&3x
- 6el^
- 380K
- /:Aj
- 1ziy
- p0usLa
- ]7q?1^
- 4?|=

- Jz5|>
- 3"^w
- 711n
- +cU$
- +5d,w
- YR.a
- ,e]^
- C:+E
- |sD=68=v
- )FuN9
- rr,5S
- {jzO
- ];d89I
- *6'h
- /+{6BhtE)
- t$8X
- 3D$4P
- t$,U
- p X3
- t$,^3t$0R
- 5h A
- 5l A
- 5t A
- 5x A
- 5| A
- 5 A
- 5, A
- 5$ A
- 5( A
- $9L$
- r]+u
- D$,U
- @.data
- `.rdata
- .text
- `l]X
- 24<o
- 25<g
- !This program cannot be run in DOS mode.
- -v&<.v1#-v
- lw`ws
- qf}f
- cjmj
- +V V<
- &P;)P
- _xJx
- YcScG\tA
- &X;,X
- nV}V
- &+.-
- 8(*-+)l'#5!g 7+6`y},TWy
- ~fb``{c
- (#HGCNEJD+
- ZVNdTIJOY_XVWAiRFHHGI
- +&$/&
- GKSyTNJL^XNBE
- MJ_Ic^QP[XW@kGSZG_O

- ftm/c
- qtgkvey/kwi
- /TFO,PJC
- @FPDN|ES\\@^
- nM_nHJN[MTvQ@VwTV^RVXxVLTSG]GM`
- :.:=
- SQL
- TdpugwExm{|x
- aBPiCPTd\\]C_
- Q}zj\\psqr
- N~jo}m[xjgburW
- _injYzdi`wtKdmlpd
- nXMJU\\nSFPWS
- a_lCzYGJCTWqMHEO
- !vZTyrvfa><Sclxeqytvct<wpq
- Szo[~nIjxuppf`tQkj
- NbRrfxqvUr]pvmhthCoke
- ?#?-
- m`~wlnpf"hvj
- %%b$&q;
- gJ:ylE
- r<S,
- Y>WG)!YHs
- -MQ{
- $mhq;
- >gkQ
- )"{{=Z
- q.'w
- sCZ[
- <D}f
- Cry@
- ](*
- `W&ma;|
- QSFC
- yMQP
- |?l)Su
- X^xh
- Fs}q
- ?Jrl
- $Z{ y\tn&j;?
- q,G
- .Smj
- B`d
- Sj^(
- F[[Y0Y
- ];Rv
- [gSX
- hS@D
- [<^z
- BNlj
- vywt
- ,Oxx:l
- n'd+
- EQK>fc
- +[q;
- \\$JB
- ##g+

- '!-
- {:}_
- //<#t
- ,{<!
- **\\a$l
- :?q#1?%
- l\\l-#&&
- ttQTZ+
- d)`lM
- g/z(
- kd,bll
- bY6!!V
- lCn|
- N:}v:
- +St;<,
- '~=-
- /`w3DH
- g Q&$#_
- l q-Jg
- _Nt{
- %)Tf
- Hc![
- r%+h'
- "chb
- BBX !
- s@G
- \\f,cc
- @(]\\
- <c"xn2
- ??[\\L
- YGLY
- }L|w
- (fhXY
- :}TQ
- ? ]w
- Q)Vsx6
- g <Sh)
- xs7@r|
- YP+h
- MlPD
- '/l
- tyq|
- NZ")d
- %jYN^t
- G/(]HXm
- }"y\tF
- kN$Sn*
- )*$)X
- N8::wF.
- ~f%JC
- ))f%n
- W't#
- "#`/
- W,e@^Q
- CTw-
- ?Xbs
- h?ND

- 7<yDN)
- c&Zk;
- k%%b/m
- -"_"
- |vq~
- r/?)
- ryi%$t
- **g*/
- D`\tP
- ('kPJk
- ^WCP
- M )v
- p|XY
- t$,^
- <-t^<.t+
- ,$T]
- t$,X
- t$ X
- t$$X
- t$<X
- t$@X
- t$DX
- t$@X
- t$HX
- t$HX
- t$TX
- ,$T]
- <Richn

## • Module 5 (probably unpacked / injected by the sample)

### • Module 5 rich signatures

- 44616e530000000000000000000000000000010002000000fc77b9000500000066eecd000900000066eecc00

### • Module 5 yara matches

- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

### • Module 5 strings

#### • Module 5 most interesting strings

- api | user32: MessageBoxW

• api | kernel32: CreateProcessW

**• Module 5 other strings**

• \\9.v
• USER32.dll
• KERNEL32.dll
• 't0t
• ?n4n
• AqSq
• 8o<o
• 2X9X
• p@\tA
• `r\tA
• =}1}
• pU}U
• ?^/^0
• Iq\\qP
• 0.&.*
• 52'1
• :"w5?=&;5~2=45)=k
• Bsa{e`7wuj~{ye?{ye`wqac(
• -9(1828p4(6
• %92/+7#5f,2.
• 2 )J
• +?0Q
• #78Y
• aGY_MABkAUG
• 7-+/)0*
• 0kYMV
• prvaMWLE]OYIxOZ[^Y[Gd
• y298
• }fu|{8qxw
• 7'/'$b`}812
• RDc_ROv\\hY^JVOO
• ,6;>)6
• $"!73(
• _ay~xmcOmlla@|
• 68=4>
• <<!0
• /2(1
• ,,71/57;
• UoainFxdmzxhOs_
• #?07&'
• 5*jk
• ~bitplxn=wiu
• $30.$
• /500#/
• 5?&:?6~4&:
• gk+dio:joc9lQ1]3[5WTV
• 43' ..04q;%9abl
• x8EIy
• aW%|c
• Q4q\t7r
• vaR,
• h!;5

- pc1Ro
- _yuO
- kaAqK
- "KsI
- 9,//8
- Lgii
- <iD(E
- 0 2$
- _wV^'?U9P
- e\tT)
- mVho
- zyirP
- Y3v&
- gS]6
- n,7J
- t7t1Z
- >_5;
- QS4g;
- 2uK(
- n%0<
- aa{UE
- `,I9
- oRm.s
- }~;a
- 2w>Bu
- =6B=
- `1h#-
- T'5Y
- t@FIs
- *54di:
- w*9t
- J}Ia1b
- 2H{D
- 6DkB
- {ou=
- b8&Q;
- >U\\l
- ROOM U
- zNpfU
- .f9]
- .Evv8
- 6t76
- 2r1A|
- s3*60
- a g
- ha2x
- o\\we
- E%pL
- JO
- 9:Np
- By8w
- .WI@~
- K,Bq7
- Bj-i
- 6O{(f
- iTd+
- {Fo':

- 41:=c
- %JeG
- ^^4=o
- k6w+
- l!7z
- <e ?
- ahdc
- Mf!3
- DCAF
- w0LCIB
- b?a%
- eu'$
- ,A4dI@T
- w3X<A
- 6g|:Ceq
- ZiU8
- [@BU
- 3
- ]+~?6fO
- }Kc+A6`
- D<<y8
- SFM7
- L6Bw5
- o! h
- mDUfm
- 7?c%
- sc52
- [4
- 9=@z
- ,BJ3
- .o|v
- 4:e`"
- Yxs6
- }dt,gA1
- AMUE
- 5e%\\z
- :]8>h
- t1@m
- }F7d
- X4NAB
- wL9C
- rz6I
- 7xy?4?
- ww4E<
- 3y=A@
- 6|:FC
- 9W:?
- #i-UP
- !Iz75]
- gZA~C
- .4q0
- EEs|c0
- exsD
- ^^Te2;
- YI``"I
- yr-2
- qdtIOxe

- {r"om
- wh*-9
- 4>l.{
- 4?,vb
- E>0DH
- 3"`a#
- ]{5=z
- rs1e
- Rp5FM
- ):ah
- !bi`
- ]7xZ
- EE}pb
- ;h1|
- {{0O
- w0l*
- J3y.
- BOA&
- 4HaM
- 1>|=
- l&3x
- 6el^
- 380K
- /:Aj
- 1ziy
- p0usLa
- ]7q?1^
- 4?|=
- Jz5|>
- 3"^w
- 711n
- +cU$
- +5d,w
- YR.a
- ,e]^
- C:+E
- |sD=68=v
- )FuN9
- rr,5S
- {jzO
- ];d89I
- *6'h
- /+{6BhtE)
- t$8X
- 3D$4P
- t$,U
- p X3
- t$,^3t$0R
- 5h A
- 5l A
- 5t A
- 5x A
- 5| A
- 5 A
- 5, A
- 5$ A
- 5( A

- $9L$
- r]+u
- D$,U
- @.data
- `.rdata
- .text
- `l]X
- 24<o
- 25<g
- !This program cannot be run in DOS mode.
- -v&<.v1#-v
- lw`ws
- qf}f
- cjmj
- +V V<
- &P;)P
- _xJx
- YcScG\tA
- &X;,X
- nV}V
- &+.-
- 8(*-+)l'#5!g 7+6`y},TWy
- ~fb``{c
- (#HGCNEJD+
- ZVNdTIJOY_XVWAiRFHHGI
- +&$/&
- GKSyTNJL^XNBE
- MJ_Ic^QP[XW@kGSZG_O
- ftm/c
- qtgkvey/kwi
- /TFO,PJC
- @FPDN|ES\\@^
- nM_nHJN[MTvQ@VwTV^RVXxVLTSG]GM`
- :.:=
- SQL
- TdpugwExm{|x
- aBPiCPTd\\]C_
- Q}zj\\psqr
- N~jo}m[xjgburW
- _injYzdi`wtKdmlpd
- nXMJU\\nSFPWS
- a_lCzYGJCTWqMHEO
- !vZTyrvfa><Sclxeqytvct<wpq
- Szo[~nIjxuppf`tQkj
- NbRrfxqvUr]pvmhthCoke
- ?#?-
- m`~wlnpf"hvj
- %%b$&q;
- gJ:ylE
- r<S,
- Y>WG)!YHs
- -MQ{
- $mhq;
- >gkQ
- )"{{=Z
- q.'w
- sCZ[

- <D}f
- Cry@
- ](($
- `W&ma;|
- QSFC
- yMQP
- |?l)Su
- X^xh
- Fs}q
- ?Jrl
- $Z{ y\tn&j;?
- q,G
- .Smj
- B`d
- Sj^(
- F[[Y0Y
- ];Rv
- [gSX
- hS@D
- [<^z
- BNlj
- vywt
- ,Oxx:l
- n'd+
- EQK>fc
- +[q;
- \\$JB
- ##g+
- '!-
- {:}_
- //<#t
- ,{<!
- **\\a$l
- :?q#1?%
- l\\l-#&&
- ttQTZ+
- d)`lM
- g/z(
- kd,bll
- bY6!!V
- lCn|
- N:}v:
- +St;<,
- '~=-
- /`w3DH
- g Q&$#_
- l q-Jg
- _Nt{
- %)Tf
- Hc![
- r%+h'
- "chb
- BBX !
- s@G
- \\f,cc
- @(]\\
- <c"xn2

- ??[\\L
- YGLY
- }L|w
- (fhXY
- :}TQ
- ? ]w
- Q)Vsx6
- g <Sh)
- xs7@r|
- YP+h
- MlPD
- '/l
- tyq|
- NZ")d
- %jYN^t
- G/(]HXm
- }"y\tF
- kN$Sn*
- )*$)X
- N8::wF.
- ~f%JC
- ))f%n
- W't#
- "#`/
- W,e@^Q
- CTw-
- ?Xbs
- h?ND
- 7<yDN)
- c&Zk;
- k%%b/m
- -"_"
- |vq~
- r/?)
- ryi%$t
- **g*/
- D`\tP
- ('kPJk
- ^WCP
- M )v
- p|XY
- t$,^
- <-t^<.t+
- ,$T]
- t$,X
- t$ X
- t$$X
- t$<X
- t$@X
- t$DX
- t$@X
- t$HX
- t$HX
- t$TX
- ,$T]
- <Richn

## • Module 6 (probably unpacked / injected by the sample)

### • Module 6 rich signatures

• 44616e530000000000000000000000000097895000800000009789300290000000000001003504000009788400900000000097883002b00000009789400010000009789100

### • Module 6 yara matches

• IsPE32 ()
• IsWindowsGUI ()
• HasDebugData (DebugData Check)
• IsBeyondImageSize (Data Beyond ImageSize Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)

### • Module 6 strings

#### • Module 6 most interesting strings

• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnceEx
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced\\DelayedApps
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Run
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
• registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartPage
• registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\System
• registry: Software\\Microsoft\\Windows\\DWM
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\HideDesktopIcons\\NewStartPanel
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\WindowsUpdate\\Auto Update\\UAS
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
• registry: Software\\Classes\\Local Settings\\Software\\Microsoft\\Windows\\CurrentVersion\\TrayNotify
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Diagnostics\\Performance\\Shell\\ResponseMonitor
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\MenuOrder\\Favorites
• registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
• registry: SYSTEM\\CurrentControlSet\\Control\\TimeZoneInformation
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Themes
• registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Time Zones
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\ControlPanel
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Taskband
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\ThemeManager
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\AutoplayHandlers
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows,Load
• registry: Software\\Policies\\Microsoft\\Windows\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\FolderTypes\\{EF87B4CB-F2CE-4785-8658-4CA6C63E38C6}\\TopViews\\{00000000-0000-0000-0000-000000000000}
• registry: %LocalAppData%\\Microsoft\\Windows\\Explorer

• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\SearchExtensions
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\StartMenu\\StartPanel
• api | kernel32: IsProcessorFeaturePresent
• api | kernel32: InterlockedPopEntrySList
• api | kernel32: InterlockedPushEntrySList
• api | kernel32: InterlockedCompareExchange
• api | user32: IsProcessDPIAware
• api | ntdll: RtlDllShutdownInProgress

**• Module 6 other strings**

• open
• Start_PowerButtonAction
• open
• DisableTaskMgr
• timedate.cpl
• StartMenu
• StartMenuComposited
• item
• programs
• StartMenuAdminTools
• Start_AdminToolsTemp
• Microsoft.NotificationAreaIcons
• MSAAStateImageMapCount
• MSAAStateImageMapAddr
• @explorer.exe,-810
• shell32.dll,-40
• %systemRoot%\\system32\\rundll32.exe %systemRoot%\\system32\\shell32.dll,Options_RunDLL 1
• Microsoft.Windows.ControlPanel.Taskbar
• DisablePreviewDesktop
• Microsoft-Windows-DesktopWindowManager-Core-LivePreviewAllowed
• EnableAeroPeek
• SystemNotification
• NULL
• startunpin
• startpin
• taskbarpin
• taskbarunpin
• rename
• delete
• link
• {A4756F80-4AE7-4A1F-A776-F5E9D9B04406}
• StartMenu_Balloon_Time
• static
• SHELL32
• control.exe
• MenuCommand
• StartMenuBalloonTip
• UpdateCount
• MenuPopup
• .Default
• Explorer
• AppEvents\\Schemes\\Apps\\%s\\%s\\.current
• Start_JumpListItems
• TaskbarSizeMove

- LockTaskbar
- TaskbarSmallIcons
- TaskbarGlomLevel
- AllowConsentToStealFocus
- Button
- StartTop
- StartBottom
- tooltips_class32
- PromotedIconCache
- MinTriggerPeriod
- LatencyThreshold
- LatencyPeak
- LatencyAverageWeight
- LatencyWeigthBoost
- IdleThreshold
- Global\\ScmCreatedEvent
- Start_ShowMyGames
- StartMenuFavorites
- ::{0c39a5cf-1a7a-40c8-ba74-8900e6df5fcd}
- Start_ShowRecentDocs
- Start_ShowMyComputer
- {20D04FE0-3AEA-1069-A2D8-08002B30309D}
- Start_ShowNetPlaces
- Start_ShowNetConn
- ::{5399E694-6CE5-4D6C-8FCE-1D8870FDCBA0}
- Start_ShowControlPanel
- {5399E694-6CE5-4D6C-8FCE-1D8870FDCBA0}
- ::{26EE0668-A00A-44D7-9371-BEB064C98683}\\2\\::{A8A91A66-3A7D-4424-8D24-04E180695C7A}
- Start_ShowPrinters
- Start_ShowSetProgramAccessAndDefaults
- ::{2559a1f1-21d7-11d4-bdaf-00c04f60b9f0}
- Start_ShowHelp
- Start_ShowRun
- ::{2559a1f2-21d7-11d4-bdaf-00c04f60b9f0}
- system.ini
- shell
- boot
- Taskman
- DynamicDaylightTimeDisabled
- InstallHighContrast
- Flags
- Control Panel\\Accessibility\\HighContrast
- ServerAdminUI
- Local_fCanRegisterWithShellService
- Control Panel\\Appearance
- SchemeLangID
- CleanShutdown
- IsObsolete
- IsCustom
- AppliedDPI
- Control Panel\\Desktop\\WindowMetrics
- ThumbnailLivePreviewHoverTime
- TaskListOverlayWnd
- TaskListThumbnailWnd
- DisablePreviewWindow
- ExtendedUIHoverTime
- LastActiveClick

- UserAssist\\Settings
- NeverIdle
- IdleTime
- HardError
- TaskbarButtonCreated
- SHELLHOOK
- SysFrostedWindow
- DropDescription
- comctl32.dll
- DesktopLivePreviewHoverTime
- <A id="customize">
- </A>
- NotifyIconOverflowWindow
- TrayNotifyVert
- EnableAutoTray
- TrayClockWClass
- StartButtonTag
- Logoff User
- Enable Balloon Tip
- ShowOnlyQuickLaunchDeskBand
- TrayShowDesktopButtonWClass
- TrayNotifyWnd
- StartMenuInit
- RestartTimer
- ToolbarWindow32
- SysPager
- Icon Cleanup Time
- IconDemoteTimerTick
- IconExpirationTime
- NumThumbnails
- MinThumbSizePx
- MaxThumbSizePx
- TextHeightPx
- TopMarginPx
- LeftMarginPx
- RightMarginPx
- BottomMarginPx
- ThumbSpacingXPx
- ThumbSpacingYPx
- USER32.DLL
- Ghost
- VerticalShowDesktop
- TrayNotifyVertOpenComposited
- TrayNotifyVertOpen
- TaskBarVertComposited
- TaskBarVert
- Streams
- LastAdvertisement
- IconStreams
- PastIconsStream
- Settings
- StuckRects2
- UserStartTime
- TaskbarWinXP
- ThemeActive
- StartupPage
- AutorunINFLegacyArrival

- HandleCDBurningOnArrival
- HandleDVDBurningOnArrival
- MixedContentOnArrival
- PlayCDAudioOnArrival
- PlayDVDAudioOnArrival
- PlayDVDMovieOnArrival
- PlayEnhancedCDOnArrival
- PlayEnhancedDVDOnArrival
- PlayMusicFilesOnArrival
- PlaySuperVideoCDMovieOnArrival
- PlayVideoCDMovieOnArrival
- PlayVideoFilesOnArrival
- ShowPicturesOnArrival
- DisableAutoplay
- UserChosenExecuteHandlers\\%s
- (Undefined)
- Preferred DropEffect
- Load
- TaskbarCreated
- explorer-AeroShakeAllowed
- DisallowShaking
- Delay_Sec
- BoxedPriorityClass
- BoxedIoPriority
- BoxedPagePriority
- RunStuffHasBeenRun
- CheckAssociations
- DisabledHotkeys
- .exe
- StartupHasBeenRun
- ShellDesktopSwitchEvent
- Desktop
- Progman
- Proxy Desktop
- Microsoft\\Shell
- ExplorerStartupTraceRecorded
- Local\\ExplorerIsShellMutex
- ShellReadyEvent
- ExplorerStartupLog
- Start_AdminToolsRoot
- TaskBand2
- TrayNotifyHoriz
- TaskBand2CompositedVertical
- TaskBand2Vertical
- TaskBar2
- {A1965210-3A9D-4bca-822B-433645B3F5A2}
- TraySettings
- WindowMetrics
- Software\\Clients
- PresentationMode
- intl
- SaveTaskbar
- Extensions
- Vertical
- TaskbandExtendedUI
- DisablePreviewDesktop
- TrayNotify

- TrayNotify
- TrayNotifyComposited
- Clock
- ShowDesktop
- TaskBarComposited
- Flyout
- Composited
- TaskBand2Composited::TaskBand2
- TaskBand2Composited
- TaskBar2Composited
- TaskBar
- TaskBand2
- TrayNotifyHorizComposited
- .dat
- user.bmp
- Start_NotifyNewApps
- StartMenuHoverComposited
- StartPanel_TopMatch
- shell:::{daf95313-e44d-46af-be1b-cbacea2c3065}
- shell:::{e345f35f-9397-435c-8f95-4e922c26259e}
- InternetExtensionName
- StartPanel_FadeIn
- StartPanel_FadeOut
- StartPanel_FadeDelay
- search
- explorer.exe
- TopMatchComposited
- Start_SearchFiles
- %ProgramData%
- UseDefaultTile
- user picture
- StartMenuCompositedMFU
- StartPanelCompositedBottom::StartPanelPriv
- Microsoft\\User Account Pictures
- ::{2559a1f3-21d7-11d4-bdaf-00c04f60b9f0}
- ::{26EE0668-A00A-44D7-9371-BEB064C98683}\\0\\::{38A98528-6CBF-4CA9-8DC0-B1E1D10F7B1B}
- ::{26EE0668-A00A-44D7-9371-BEB064C98683}\\5\\::{D20EA4E1-3957-11d2-A40B-0C5020524153}
- ::{E44E5D18-0652-4508-A4E2-8A090067BCB0}
- DontLoadAuthUIInExplorer
- DV2ControlHost
- CMBDragCancel
- Start_AutoCascade
- Desktop User Pane
- Desktop User Picture
- Desktop More Programs Pane
- DesktopLogoffPane
- Desktop NSCHost
- Desktop OpenBox Host
- Desktop Search Open View
- Desktop top match
- DesktopSpecialFolders
- DesktopProgramsMFU
- DesktopDestinationList
- StartPanelComposited::StartPanelPriv
- imageres.dll
- SysListView32
- StartMenuPlaceListComposited

- StartMenuTag
- _ShouldShow
- Start_ShowUser
- {59031a47-3f72-44a7-89c5-5595fe6b30ee}
- Start_ShowMyMusic
- Start_ShowHomegroup
- Start_ShowVideos
- Start_ShowDownloads
- Start_ShowRecordedTV
- StartMiddle
- Start_SortByName
- Start_EnableDragDrop
- Advanced
- Start_LargeMFUIcons
- explorer-AeroAnimationAllowed
- Start_TrackDocs
- TaskbarAnimations
- Marlett
- Start_MinMFU
- UseExecutableForTaskbarGroupIcon
- TaskbarExceptionsIcons
- ITaskList_Deleted
- NonRudeHWND
- V4Rh
- V0Rh
- t0j@
- uTjP
- 9{<t&
- kernel32.dll
- SV3
- CreatePropertySheetPageW
- x_^3
- t%;5
- Q8_^]
- Q4_^]
- F$9K4u
- 9{Pts
- 0SVW3
- Rh@4
- ;A$u,V
- btCHu
- j\tY3
- 9s4t\t9s8
- j\tC3
- `SVW3
- |:9u
- f90t}9u
- SVW3
- PSh6
- SVW3
- PSh0
- uF9]
- uK9]
- _u.j
- u@Wj
- 9A@t
- l^9]

- 9F`u
- F\\W3
- 9~Ht
- t19}
- u"9}
- ?i]?
- FXPh4
- ^P9;
- <zoE
- 5W3
- ImageList_Duplicate
- <VWj83
- ~tj8
- v1j<
- PropertySheetW
- _^[3
- QSVW3
- SVW3
- t!S3
- f9~$
- u&9u
- WhPe
- 8@@f;
- 9q$t
- 9^Pu
- t7VW9]
- CpVW3
- SIQP
- Ql9^Pu"9
- PWh2
- Ht2H
- F8+F
- ud9]
- QQSV3
- ImageList_DrawEx
- Ph,3
- t8jP
- Wj0[
- 8@@f;
- tq9X
- Si?YS
- Hu!9
- F8+~X
- v4Sh
- ;F4u
- SSShO
- +C,3
- PSh0
- uzW3
- uMSW
- F8^]
- tjHu
- SVW3
- |\t9}
- u(PP
- j\tY3
- ShHi

- Y9H0
- ;7t<;5
- u/WV
- f+A4f
- 9] [
- runas
- WWh5
- vP9u
- WVS3
- tv9u
- t{9u
- PSV3
- uWhe
- ;C8u
- u\t9~L
- 9A,uj
- t\t9}
- u\t9_
- QSh0
- u;9E
- u\t9}
- PVhA
- Q8_^]
- Q4_^]
- j\tY3
- |Dj0
- |\tW3
- SVj<3
- ^(^3
- 9A(u
- SSj1
- SSh8
- u?9~@t79
- 4SVW
- F W3
- (SV3
- VW9K
- tAVj
- 9_8t
- 8SVW
- (SVW3
- ;F<u
- 8SVW3
- ^[_3
- 0VW3
- 9^(t\t9^
- PPPh7
- ~2]r
- V +U
- 9^(t
- 98t"
- ,SV3
- ^[9M
- t69}
- Vj83
- O(hHj
- ;F8u

- |0SVW
- Wh7C
- u\t9{
- SVW3
- A@_^
- u\t9]
- 9s4t
- 9s4u
- QQSV3
- t5!E
- |\t9]
- j\tX9u
- u\t9u
- |xS3
- |}9u
- u*9E
- u$Vh
- u\t9E
- SVWj83
- hlRO
- Wj\tY3
- Wj\t3
- 0Vj,
- F,dI
- 0Vj,
- WWh0
- SWh2
- t29~
- PWh2
- SVW3
- VWjx3
- tTh0
- 4SVWj,3
- SVW3
- W'tVa
- 9s$u
- ImageList_Read
- u 9]
- tdW3
- Wh0u
- PWh2
- PWh2
- C 9}
- C,hO
- Whp0
- $>Qu@
- f98tN
- QRPh8
- Rp9]
- AQQP
- |\t9]
- |L9u
- (SVW3
- QVj0
- P`;u
- HIMAGELIST_QueryInterface
- ImageList_GetFlags

- ImageList_GetIcon
- ImageList_Destroy
- ImageList_Create
- PSh2
- 0SV3
- 6IBf
- 4](
- SVW3
- u;f9
- u<SW
- u%VVh
- t99u
- 4SVW
- ImageList_Remove
- ImageList_ReplaceIcon
- VjC3
- HuO@Ph
- 6hUj
- SVW3
- ImageList_GetIconSize
- Ph0u
- Ph0f
- Qh0d
- SVh0Y
- 0@@f;
- Ph8[
- n30'
- u.h@S
- RAS
- Chuk
- f98t
- tQ9]
- |V9]
- t,f9
- QQSV3
- uEVh
- uMRRS
- t0h+
- u&SW;
- t(9}
- f9_$
- Nx3j
- 8#4u4u
- 95t
- ui9u
- D0DP
- WWh0
- 8VW3
- t\t9^h
- 9^,ujW3
- 9q$t
- PWj2W
- F\\W3
- u]95
- tp95
- 9~<t2
- u.!E

- 95t
- u\t9]
- F<W3
- t@9~P
- D0DP
- D0DP
- j6Yj
- 4SVW3
- O(hHj
- 9~Xt
- QQVW3
- QQW3
- 9^Hts
- 550D
- w8Vh
- @,$A
- QPh8
- /@9}R[4K
- |\t9u
- F\\P3
- ADWWh
- Ph4
- 7hO
- 0j&P;
- WPj0
- v0QP
- Ph5
- Ph1
- 9^Du0
- F0PS
- F, A
- #_4H
- v8WWh
- SPh7
- PSh2
- PSh2
- F, A
- 2E72|
- Ph6
- ~4Wh
- SPj0
- SSj1
- F, A
- t.W3
- F, A
- 9{@u
- Wj\tY3
- Wj\tY3
- Wj\tY3
- F, A
- PSha
- 9~8u5
- @, A
- 98u4
- QShPi
- s4VW
- 6Pj@

- PVh4
- 9s(t@j0_W
- t|9u
- u,9^$u'
- D0DP
- u%jP
- 9_$u-9
- vHj0P
- SPj0
- txVj83
- u\t_[3
- {_41
- N$+E
- W9^X
- K9+cO
- $VW3
- PhXi
- Dfv5
- 9~(tE
- vDhb0
- AABB
- 3>"w
- FTW3
- QSVW3
- @@Nu
- t7f9
- QSW3
- P0^]
- QVhi
- Vj03
- @U4
- f98t
- W9^l
- P0;E
- ~5SW
- ud!E
- 4SVW
- P4^]
- QH9]
- 9^8tWW
- Q8_3
- +N 9M
- FH9E
- 9NL~
- 9NH~
- |<W3
- ;FXu
- L"e3
- E SV3
- 0HSVW
- Q0PW
- Q(9E
- It"It
- 95P$
- 95P$
- s 95P$
- ti9}

- u49}
- ~V9}
- qx9>
- QVW3
- 9N|~
- t\t9M
- AACCN
- Q(+E
- +~\\+E
- Fh)E
- F`)E
- Rh4k
- t:9}
- @@Nu
- @pSW3
- t\t;5
- F\\u"
- VDR3
- t>9}
- 9{Lt
- u5!E
- Q0^]
- 9A8t
- ~^9u
- |99E
- tE!}
- tW9}
- $SV3
- t"9}
- @Qm6t
- t\t9E
- +>vE
- 2=v(8>vEG>vr4>v
- >vH2>vL Av
- S?v4
- Av-%>v3
- i$vX
- X-vA
- T-vO
- 8.vr
- @.vO!.ve6,v\t>-v
- I2vF
- e.v)
- Secur32.dll
- dwmapi.dll
- UxTheme.dll
- EXPLORERFRAME.dll
- OLEAUT32.dll
- ole32.dll
- SHELL32.dll
- USER32.dll
- GDI32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text

- Rich
- !This program cannot be run in DOS mode.
- shell:::
- system
- dddd
- (null)
- MSTaskListWClass
- MSTaskSwWClass
- SysLink
- Shell_TrayWnd
- ntdll.dll
- PlayHDDVDOnArrival
- jjjj
- TaskbandHWND
- Start_TrackProgs
- %s::%s
- %s\\%s\\%s
- %s\\%s
- Start_ShowMyDocs
- Start_ShowMyPics
- PShs
- V,Rh
- V(Rh,3
- V$Rh
- V Rh
- s<f9>tw
- j,Pf
- @^_[
- PWhC
- Wh`R
- PhPR
- RSVP
- HxSV
- t+WV
- VVhg
- RPQW
- |-j
- @_^]
- _^[]
- _^[]
- QX_^]
- PPhl
- WWh)
- Wh$@
- QhDS
- QQVj
- jc_^
- w$hc
- w$jbh
- w$hc
- |mj,
- _^[]
- HSVW
- PWjj
- }#Vj
- ^d^[
- QPjNW

- xN;}
- Kx#S
- _^[]
- ~TWh
- ;?B@
- sF(.
- FgkWsO
- QSVWj
- SVWh
- WWWj
- Qh$-
- Q|RPj
- +ClVW
- s@Vh
- ^\\Sh
- VhRQh
- @_^[]
- F$Ph
- _^[]
- SVWh
- _^[]
- HSVW
- Vh`D
- [_^]
- SVWj
- PWh?
- PWh>
- PWh>
- HSVW
- j Yf;H
- QPh`
- ChPh*
- tSVW
- ^ WS
- @_^]
- VWt.
- tFj(ht
- _^[]
- @[_^]
- j(ht
- PQh!
- WWWh
- _^[]
- tfWWWS
- @_^]
- @_^[
- G$Ph
- @_^[]
- tKWSW
- QQSVWj
- _[^]
- N$Qj
- PLPh
- Phxb
- QLPhXg
- _^[]
- P@_^[

- PSjf
- QSVWh
- Qp^[
- _^[]
- GC;}
- RKSP
- QQSV
- VhD*
- ;F$t
- PD^[
- tfSSh
- tMSW
- tXh >
- SWt.
- Phxb
- _^[]
- Q$_^]
- ~<Wh
- PWhh)
- QQVW
- QSVW
- QPh.
- PQjf
- +~T+^L
- +^PW
- QPjN
- WWWWW
- WWhG
- C(j-
- ^d^[
- QPjNW
- QX_^]
- QVhh
- t VV
- @j f
- ,SVW
- N<^]
- QPjNS
- !\t@j
- QWjNP
- PWhC
- SVVj
- SVVj
- ,SVWj
- QPh.
- QPh.
- QPh.
- QPh.
- VHHW
- QQSV
- PWWh
- RPQWWh
- HSVW
- $Wj
- FD:FP
- XSVWjT^V3
- Q_^]

- M QV
- _^[]
- _^[]
- t[SVW
- WWh=
- ;N`sP
- SVWj
- SVW
- $SVW
- PVhK
- WWWWW
- P Sj
- F8SjNP
- Phd$
- PVhK
- PVht
- PWhd
- _^H[]
- _^[]
- PVhW
- _^[]
- t6Wj\tY
- @_^[]
- _^[]
- QPjj
- _^[]
- Q(_^]
- VPjNW
- _^[]
- PPPP
- Q;PkG
- QSWV
- F(PhP
- PhH
- PSj\tSQ
- LSVW
- D> k
- PhD
- PhC
- PhB
- |SVW
- Wj<j
- PhF
- PhG
- H_^[t
- t7WSSh
- QVVVVPW
- VVhG
- QSjNP
- jLSSSSS
- QSjNP
- VVVVj
- VVVVj
- VVVVV
- PVVhG
- Rh@J
- tlPV

- SSSS
- FL^]
- PPPP
- j @f
- F$+F
- N(+N
- PVj
- PQQhV
- @_^[
- QQSW
- PWj
- PRRhV
- tLSW
- PPPh`
- SjFV
- PPPP
- QWSS
- FDQWj
- QQVW
- _^[]
- tcWj
- VPQR
- PShC
- t>Vj
- PPPPW
- PPPP
- j<X+
- Pj@W
- Pj@W
- SWj(f
- t3WWWW
- C`PV
- QVPP
- PPPP
- @_^[]
- @^_[]
- Vj j@
- _[^]
- t;WKS
- F$^]
- }J'q
- [tJ]
- PPPP
- _^[]
- WWVS
- |P!]
- NL+ND
- XSVWjT^V
- |]SW
- Y__^[
- |+Sh`
- MtY&
- PVh;
- QPSh
- vwf
- PShP
- |&hX;

- PVhX
- nWhH
- QPjB
- SVWj
- |=Vj(
- QRPhx
- QRPhX
- _^[]
- SVW;
- PSSV
- tSSVWj
- VVVVVVVVh
- SSSSh
- tCVW
- ^tSh
- QQVW
- VWj@
- VVh
- VVVVh
- @Ph`$
- Q@PW
- F(jP
- PPPPh
- WWWWh
- ^DShX
- WWWWh
- PPPP
- VWSS
- g"F]y
- TWhl
- WWWWh
- (Wj\tY3
- VWhy
- WhXL
- (Wj\tY3
- QQQQQQh
- (Wj\tY3
- VWVW
- WWWWh
- QQSV
- Q@PhQ
- PPh;
- j'WWWWW
- CShdQ
- Qh<{
- VVVj
- SSSPV
- SSh<
- PShW
- VShX
- QPSSSShL
- PSh;
- SWhp
- WWWWh
- WWWWh
- PWhXL
- WWWWh

- VVhX
- VVVVh
- @Whj
- QVPP
- tJ;M
- ~(Wh
- ^ Sh\\
- SVWj
- (VWj
- Whq
- QhDS
- VVVPW
- QQSV
- Vj!^j
- (Wj\tY3
- PPhd
- QVPP
- Q$WWWWhTS
- PPPPh
- QRPh
- PSSh
- PSSh
- Pj$hh
- tNjC
- Sh@Y
- CSVh(
- _^[]
- VVVVj
- w,VV
- VVVVj
- Qh$-
- QQVW
- XSSf
- j @f
- QQVW
- Q _^
- SVWhD
- Rh$-
- ShDS
- Vh({
- Rh<{
- PLf+PD
- f+HHf
- PPPPh
- _^[]
- t)VW
- PVSPP
- _^[]
- VhYn
- |)Sh
- ShPf
- |lWh
- QQSVW
- ShH[
- SVWh
- Y!h!
- Ph`f

- SShxS
- SSSj
- @PSh
- PhDS
- QRPh
- _[^]
- rGv:
- v/WPR
- PhT>
- ^]>N
- Phl:
- V(RP
- Rh|:
- PWjr
- ,SVWj
- QSVW
- t=Sj
- _^[]
- PWh?
- _^[]
- _^[]
- @^[_
- tLSV
- _^[]
- SVWj
- _^[]
- ~@_[
- tbSW
- QPj)
- Pj\\j
- _^[]
- PWj\tW
- WSSh
- (SVW
- PWh>
- NSj(
- Xj%f
- QQhd
- Pj@h
- Pj@h
- Xj(f
- j(Pj
- j(Ph
- QPj)
- QSVWj
- PShc
- QQSV
- _^[]
- Whq
- ^(WSh?
- QhDS
- j7WWWWW
- ^(hXL
- QSVW
- F|PWh
- FlPWh
- F\\PWh

- ~<Sh
- QQSV
- j`jZ
- j`jX
- RPPhTS
- F8)F$_^[
- VSh,
- SSSSh
- tYVj
- p,Wh
- t?Vh
- Ph f
- @[_^]
- | WV
- |`Sh
- |xh,
- tnVj\\W
- PRWVj
- @(|G
- Ph"
- FLPSh
- F`PhY
- FdPhX
- W\\RWP
- W@RhX
- F(|)
- |-PP
- FdPj
- F`Pj
- v@SS
- ^ Sh
- QQVW
- FTSh
- vLSh
- vPSh&
- vPSh
- NLQh[
- SSSS
- FPPh }
- VPhXL
- +F|+M
- Ph#
- Ph"
- NTQh
- F,PW
- _^[]
- _^[]
- %>KH
- j+Xf
- PWVh
- q4PPPPh
- WWWWP
- Qh f
- |pj0[S
- wXVP
- Sh`R
- wTVhPR

- v PPPPh
- VShXL
- TSVW
- _^[]
- QQSVWj
- vXQS
- FLSP
- F@PS
- ^(^[]
- PhD
- PhC
- WhB
- SVW
- (Wj\tY3
- @ xN
- tDPS
- QQVW
- FlPPj
- _^[]
- Ph }
- SSSSj
- SShN
- FxPhq
- FtPhq
- FpPhp
- FlPhp
- FhPhp
- v<SQ
- DSVW
- WWWWWWP
- QWjNP
- @_^[
- QQSQ
- K(QRRP
- C$Pj
- F<Pj
- C,PRh
- _^[t
- {_Z$!
- PWRQj
- s<VP
- t\t;F
- QSVW
- Pj\\j
- SWQPj
- XSSf
- j @f
- PQSS
- PQSS
- XSSf
- j @f
- XSSf
- j @f
- PSSh^
- SjNV
- <SVW
- QSShM

- F\\PS
- Fd+F`
- +F$+
- v@SS
- FDh
- 9^<t}W
- QQSV
- FHSS
- _@j f
- F$+M
- <SVW
- QQVW
- NxCV
- SSh
- PSVW
- tTWWj1
- _^[]
- VQhZ
- _^[]
- _^[]
- VSWP
- _^[]
- s$W;
- _^[]
- ,SVW
- _^[]
- QQSV
- @_^[
- _^[]
- K,QP
- VWj\tY
- t[QR
- Ph_^[
- QQSV
- *<R!N
- _^[]
- _^[]
- _^[]
- VWj@
- |#WWWh@
- RPQjN
- QSVW
- }(Wj
- _^[]
- _^[]
- PPPPW
- _^[]
- Q\\Pj
- PL;F<
- _^[]
- _^[t
- t^9CttY
- PLPhx
- ^X_^[
- [9^Tt<W
- NXt&
- _^[]

- ||Vh(
- PhhH
- QDC;]
- QPPj
- _tfS
- X_^]
- ,,,,,,!"#,,,,,,,,,,,,$,,,,,,,,,,,,,,,,,,%,,,,,&,,,,,,,,,,\'()*,+
- ,,,,,,,
- ,,,,,,,,,,,,,,,,,,

- X>vD
- $>vv
- >v:A>v~
- #=v+
- >vsq>v;
- h$v@f$v
- $vhu$v
- s$vYt$v<j$v
- i$vyk$v
- $vBr$v
- $v;c$v-
- b$vN
- $v@p$v
- ]$vF
- .v\\9.v
- .v1#-v
- -vM7.v
- -v`w
- *-vQJ.v/`,vGd/v
- #-v2},v&<.v
- -vWA.v
- Y,v]7.vM )v
- -vc3.v
- Y-v|
- G-vM
- Y-vGs-v
- -vBY-v
- -v(\\-v
- ,v-L,vb
- H-vuG-v
- ,vQ3.v
- -v+E.v
- "-v"<-vN
- ,ve%,v
- -v3g.v
- PROPSYS.dll
- RPCRT4.dll
- SSPICLI.DLL
- gdiplus.dll
- slc.dll
- POWRPROF.dll
- SHLWAPI.dll
- msvcrt.dll
- ntdll.DLL
- .rsrc