Analysis report for sample: 274340eab3bac4596052cdc4a9c588cd

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 4323 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 274340eab3bac4596052cdc4a9c588cd

AV detections

- Microsoft: Backdoor:Win32/Dodiw.A
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec: SMG.Heur!gen
- Malwarebytes: Trojan.Stealer.ORM

Original source url

-

Virustotal url

- https://virustotal.com/es/file/6948e724d0ef7536d993870eb4cdf558db7656c7a4c9282fe2830515128bf0e3/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- PackerUPX_CompresorGratuito_wwwupxsourceforgenet ()
- UPX_wwwupxsourceforgenet_additional ()
- yodas_Protector_v1033_dllocx_Ashkbiz_Danehkar_h ()
- UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay ()
- UPX_v0896_v102_v105_v124_Markus_Laszlo_overlay_additional ()
- UPX_wwwupxsourceforgenet ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasRichSignature (Rich Signature Check)
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- network_dropper (File downloader/dropper)
- screenshot (Take screenshot)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name client.exe Alias P1

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe

- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce\\12345 Type: REG_SZ, Length: 62, Data: C:\\ProgramData\\meme\\client.exe)
- Process Create (C:\\ProgramData\\meme\\client.exe PID: P1, Command line: "C:\\ProgramData\\meme\\client.exe")

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: testhostmemez.ddns.net
- url | valid domains | tlds: 3.vA#-v
- url | valid domains | tlds: f;F.sc
- url | valid domains | tlds: f;F.sU
- url | valid domains | tlds: f;V.sH
- url | valid domains | tlds: @.PW
- path | frequently modified by malware: c:\\Windows\\system32\\cmd.exe
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
- path | frequently modified by malware: \\AppData\\Local\\Google\\Chrome\\User Data\\Default\\Login Data
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: Update Failed [OpenProcess]...
- api | frequently used by malware: Send
- api | frequently used by malware: GetDC
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: ExitThread
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: Process32First
- api | frequently used by malware: Process32Next
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: WriteFile
- api | frequently used by malware: not a socket
- api | frequently used by malware: not_a_socket
- api | frequently used by malware: bind on a busy prepared statement: [%s]
- api | frequently used by malware: bind or column index out of range
- api | frequently used by malware: NtQueryInformationProcess
- path | path unit: C:\\Users\\Stefan\\documents\\visual studio 2013\\Projects\\sqliteProject\\Release\\sqliteProject.pdb
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\App Paths\\chrome.exe
- api | crypt32: CryptUnprotectData
- api | ws2_32: GetAddrInfoW

- api | ws2_32: FreeAddrInfoW
- api | ws2_32: inet_pton
- api | ws2_32: inet_ntop
- api | crypt32: CryptStringToBinaryA
- api | urlmon: URLDownloadToFileW
- api | psapi: GetModuleBaseNameW
- api | netapi: NetUserEnum
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | user32: SetWindowsHookExW
- api | user32: GetMessageW
- api | user32: DispatchMessageW
- api | user32: SendMessageW
- api | user32: DefWindowProcW
- api | user32: PostQuitMessage
- api | user32: RegisterClassExW
- api | user32: GetDesktopWindow
- api | user32: EnumDisplayDevicesW
- api | user32: EnumDisplaySettingsW
- api | user32: CreateWindowExW
- api | user32: ShowWindow
- api | user32: FlashWindowEx
- api | user32: UpdateWindow
- api | user32: SetWindowTextW
- api | user32: GetWindowTextW
- api | user32: GetWindowTextLengthW
- api | user32: SetCursorPos
- api | user32: GetClientRect
- api | user32: ReleaseDC
- api | user32: GetSystemMetrics
- api | user32: SendInput
- api | user32: GetWindowRect
- api | user32: GetLastInputInfo
- api | user32: ExitWindowsEx
- api | user32: UnhookWindowsHookEx
- api | user32: LoadCursorW
- api | user32: CharUpperW
- api | user32: GetKeyboardState
- api | user32: GetKeyboardLayout
- api | user32: ToUnicodeEx
- api | user32: CloseClipboard
- api | user32: OpenClipboard
- api | user32: wsprintfW
- api | user32: LoadIconW
- api | psapi: GetModuleFileNameExW
- api | netapi: NetApiBufferFree
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | advapi32: GetUserNameW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | advapi32: RegCreateKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegSetValueExW
- api | advapi32: LookupPrivilegeValueW

- api | kernel32: EncodePointer
- api | kernel32: DecodePointer
- api | kernel32: GetStringTypeW
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: LoadLibraryExW
- api | kernel32: GetCommandLineA
- api | kernel32: SetFilePointer
- api | kernel32: lstrcatA
- api | kernel32: lstrlenA
- api | kernel32: GetFileAttributesA
- api | kernel32: TerminateProcess
- api | kernel32: CloseHandle
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetPrivateProfileSectionNamesA
- api | kernel32: MultiByteToWideChar
- api | kernel32: TerminateThread
- api | kernel32: GetModuleHandleW
- api | kernel32: InitializeCriticalSection
- api | kernel32: CreateMutexW
- api | kernel32: CreateEventW
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GetLocalTime
- api | kernel32: CreateDirectoryW
- api | kernel32: Process32FirstW
- api | kernel32: Process32NextW
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GetSystemInfo
- api | kernel32: LoadLibraryW
- api | kernel32: GetCPInfo
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: TlsAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: EnterCriticalSection
- api | kernel32: TlsFree
- api | kernel32: GetDateFormatW
- api | kernel32: GetTimeFormatW
- api | kernel32: CompareStringW
- api | kernel32: LCMapStringW
- api | kernel32: IsValidLocale
- api | kernel32: GetUserDefaultLCID
- api | kernel32: EnumSystemLocalesW
- api | kernel32: GetModuleHandleExW
- api | kernel32: IsValidCodePage
- api | kernel32: GetACP
- api | kernel32: GetOEMCP
- api | kernel32: GetStdHandle
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetConsoleMode
- api | kernel32: ReadConsoleW

- api | kernel32: SetFilePointerEx
- api | kernel32: GetFileType
- api | kernel32: GetConsoleCP
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: SetStdHandle
- api | kernel32: WriteConsoleW
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: SetEvent
- api | kernel32: FindNextFileW
- api | kernel32: FindFirstFileW
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW
- api | kernel32: FileTimeToSystemTime
- api | kernel32: SystemTimeToTzSpecificLocalTime
- api | kernel32: FindClose
- api | kernel32: GetFileSizeEx
- api | kernel32: GetLogicalDrives
- api | kernel32: GetComputerNameW
- api | kernel32: lstrcpyW
- api | kernel32: InterlockedDecrement
- api | kernel32: GlobalFree
- api | kernel32: GlobalAlloc
- api | kernel32: OpenMutexW
- api | kernel32: SetSystemPowerState
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: SetErrorMode
- api | kernel32: GetCurrentProcess
- api | kernel32: TryEnterCriticalSection
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetFullPathNameW
- api | kernel32: GetFullPathNameA
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempPathW
- api | kernel32: HeapCompact
- api | kernel32: ResetEvent
- api | kernel32: UnmapViewOfFile
- api | kernel32: SetEndOfFile
- api | kernel32: FreeLibrary
- api | kernel32: HeapAlloc
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapFree
- api | kernel32: WaitForSingleObject
- api | kernel32: InterlockedCompareExchange
- api | kernel32: UnlockFile
- api | kernel32: FlushViewOfFile
- api | kernel32: LockFile
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: OutputDebugStringW
- api | kernel32: UnlockFileEx
- api | kernel32: GetProcessHeap
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: FormatMessageA
- api | kernel32: FormatMessageW

- api | kernel32: HeapDestroy
- api | kernel32: HeapCreate
- api | kernel32: HeapValidate
- api | kernel32: CreateFileW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetLastError
- api | kernel32: HeapSize
- api | kernel32: LockFileEx
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateFileMappingW
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetFileAttributesExW
- api | kernel32: OutputDebugStringA
- api | kernel32: GetVersionExA
- api | kernel32: GetTempPathA
- api | kernel32: LocalFree
- api | kernel32: GetSystemTime
- api | kernel32: AreFileApisANSI
- api | kernel32: DeleteFileA
- api | kernel32: GetStartupInfoW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetVersionExW
- api | kernel32: GetCurrentProcessId
- api | kernel32: MoveFileExW
- api | kernel32: MoveFileW
- api | kernel32: CopyFileW
- api | kernel32: DeleteFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: SetFileAttributesW
- api | kernel32: RemoveDirectoryW
- api | kernel32: GetTempFileNameW
- api | kernel32: GetModuleFileNameW
- api | kernel32: lstrlenW
- api | kernel32: lstrcmpW
- api | kernel32: SetFileAttributesA
- api | kernel32: CreateFileA
- api | kernel32: GetSystemDirectoryA
- api | kernel32: ReadFile
- api | kernel32: GetFileSize
- api | kernel32: CreateProcessW
- api | kernel32: GetLocaleInfoW
- api | kernel32: IsWow64Process
- api | ntdll: sqrt
- api | kernel32: K32GetModuleFileNameExW
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | kernel32: GetTickCount64
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx

- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: CreateEventExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc
- api | ntdll: fabs
- api | ntdll: floor
- api | ntdll: ceil
- api | ntdll: atan
- api | ntdll: sqlite_log
- api | rpcrt4: UuidCreateSequential
- api | rpcrt4: UuidCreate
- api | kernel32: CreateFileMappingFromApp
- api | kernel32: LoadPackagedLibrary
- api | kernel32: CreateFile2
- api | kernel32: MapViewOfFileFromApp
- api | kernel32: GetFileInformationByHandleEx
- api | kernel32: FileTimeToLocalFileTime
- api | user32: CharLowerW

Involved hosts

- 192.168.133.181:57124
- 192.168.133.181:60640
- 192.168.133.1:5355

Dns queries

- testhostmemez.ddns.net ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.181:60640**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.181:57124**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T2)
    - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce\\12345 Type: REG_SZ, Length: 62, Data: C:\\ProgramData\\meme\\client.exe)
    - Process Create (C:\\ProgramData\\meme\\client.exe PID: P1, Command line: "C:\\ProgramData\\meme\\client.exe")
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T3 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
- **Thread T4 (in process P1, client.exe) description**
  - **Thread's childs**

- Thread T5 (in process P1, client.exe)
- Thread T6 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T5)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce\\12345 Type: REG_SZ, Length: 62, Data: C:\\ProgramData\\meme\\client.exe)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T6)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P1, client.exe) description

• Thread's childs

- Thread T12 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T12)

• Thread T6 (in process P1, client.exe) description

• Thread's childs

- Thread T7 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T7)

• Thread T7 (in process P1, client.exe) description

• Thread's childs

- Thread T8 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T8)

• Thread T8 (in process P1, client.exe) description

• Thread's childs

- Thread T9 (in process P1, client.exe)

- **Thread' events**
  - Thread Create (Thread ID: T9)

- **Thread T9 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T10 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T10)

- **Thread T10 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T11 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T11)

- **Thread T11 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T14 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T14)

- **Thread T12 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T13 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T13)

- **Thread T13 (in process P1, client.exe) description**
  - **Thread's childs**
  - **Thread' events**

- Thread Create (Thread ID: TUNKALIAS)

- **Thread T14 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T15 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T15)
- **Thread T15 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T16 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T16)
- **Thread T16 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T17 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T17)
- **Thread T17 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T18 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T18)
- **Thread T18 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T19 (in process P1, client.exe)
  - **Thread' events**

- Thread Create (Thread ID: T19)

• Thread T19 (in process P1, client.exe) description

• Thread's childs

- Thread T20 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T20)

• Thread T20 (in process P1, client.exe) description

• Thread's childs

- Thread T21 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T21)

• Thread T21 (in process P1, client.exe) description

• Thread's childs

- Thread T22 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T22)

• Thread T22 (in process P1, client.exe) description

• Thread's childs

- Thread T23 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T23)

• Thread T23 (in process P1, client.exe) description

• Thread's childs

- Thread T24 (in process P1, client.exe)

• Thread' events

- Thread Create (Thread ID: T24)

- **Thread T24 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T25 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T25)
- **Thread T25 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T26 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T26)
- **Thread T26 (in process P1, client.exe) description**
  - **Thread's childs**
    - Thread T27 (in process P1, client.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T27)
- **Thread T27 (in process P1, client.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000097884000100000004651e100050000000d52df00220000000d52e1004c0000000d52e000e100000009788300050000000978930021000000000001004b0100000378e000010000000378e1002c0000000d52db000100000000000970001000000378de00

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: testhostmemez.ddns.net
• url | valid domains | tlds: testhostmemez.ddns.net
• url | valid domains | tlds: 3.vA#-v
• url | valid domains | tlds: f;F.sc
• url | valid domains | tlds: f;F.sU
• url | valid domains | tlds: f;V.sH
• url | valid domains | tlds: @.PW
• path | frequently modified by malware: c:\\Windows\\system32\\cmd.exe
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
• path | frequently modified by malware: \\AppData\\Local\\Google\\Chrome\\User Data\\Default\\Login Data
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: Update Failed [OpenProcess]...
• api | frequently used by malware: Send
• api | frequently used by malware: GetDC
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: TranslateMessage
• api | frequently used by malware: GetDC
• api | frequently used by malware: CallNextHookEx
• api | frequently used by malware: GetKeyState
• api | frequently used by malware: GetWindowThreadProcessId
• api | frequently used by malware: GetForegroundWindow
• api | frequently used by malware: GetClipboardData
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: IsDebuggerPresent
• api | frequently used by malware: ExitThread
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: OpenProcess
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: CreateToolhelp32Snapshot
• api | frequently used by malware: Process32First

- api | frequently used by malware: Process32Next
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: PeekNamedPipe
- api | frequently used by malware: WriteFile
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: Sleep
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: not a socket
- api | frequently used by malware: not_a_socket
- api | frequently used by malware: not a socket
- api | frequently used by malware: not_a_socket
- api | frequently used by malware: bind on a busy prepared statement: [%s]
- api | frequently used by malware: bind or column index out of range
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: WriteFile
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Sleep
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: NtQueryInformationProcess
- path | path unit: C:\\Users\\Stefan\\documents\\visual studio 2013\\Projects\\sqliteProject\\Release\\sqliteProject.pdb
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\App Paths\\chrome.exe
- api | crypt32: CryptUnprotectData
- api | ws2_32: GetAddrInfoW
- api | ws2_32: FreeAddrInfoW
- api | ws2_32: inet_pton
- api | ws2_32: inet_ntop
- api | crypt32: CryptUnprotectData
- api | crypt32: CryptStringToBinaryA
- api | urlmon: URLDownloadToFileW
- api | psapi: GetModuleBaseNameW
- api | netapi: NetUserEnum
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | user32: SetWindowsHookExW
- api | user32: GetMessageW
- api | user32: DispatchMessageW
- api | user32: SendMessageW
- api | user32: DefWindowProcW
- api | user32: PostQuitMessage

- api | user32: RegisterClassExW
- api | user32: GetDesktopWindow
- api | user32: EnumDisplayDevicesW
- api | user32: EnumDisplaySettingsW
- api | user32: CreateWindowExW
- api | user32: ShowWindow
- api | user32: FlashWindowEx
- api | user32: UpdateWindow
- api | user32: SetWindowTextW
- api | user32: GetWindowTextW
- api | user32: GetWindowTextLengthW
- api | user32: SetCursorPos
- api | user32: GetClientRect
- api | user32: ReleaseDC
- api | user32: GetSystemMetrics
- api | user32: SendInput
- api | user32: GetWindowRect
- api | user32: GetLastInputInfo
- api | user32: ExitWindowsEx
- api | user32: UnhookWindowsHookEx
- api | user32: LoadCursorW
- api | user32: CharUpperW
- api | user32: GetKeyboardState
- api | user32: GetKeyboardLayout
- api | user32: ToUnicodeEx
- api | user32: CloseClipboard
- api | user32: OpenClipboard
- api | user32: wsprintfW
- api | user32: LoadIconW
- api | urlmon: URLDownloadToFileW
- api | psapi: GetModuleBaseNameW
- api | psapi: GetModuleFileNameExW
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | kernel32: RegQueryValueExA
- api | kernel32: RegOpenKeyExA
- api | advapi32: GetUserNameW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | advapi32: RegCreateKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegSetValueExW
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: EncodePointer
- api | kernel32: DecodePointer
- api | kernel32: GetStringTypeW
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: LoadLibraryExW
- api | kernel32: GetCommandLineA
- api | kernel32: SetFilePointer
- api | kernel32: lstrcatA
- api | kernel32: lstrlenA
- api | kernel32: GetFileAttributesA
- api | kernel32: TerminateProcess
- api | kernel32: CloseHandle

- api | kernel32: LoadLibraryA
- api | kernel32: GetPrivateProfileStringA
- api | kernel32: GetPrivateProfileSectionNamesA
- api | kernel32: MultiByteToWideChar
- api | kernel32: TerminateThread
- api | kernel32: GetModuleHandleW
- api | kernel32: InitializeCriticalSection
- api | kernel32: CreateMutexW
- api | kernel32: CreateEventW
- api | kernel32: GlobalLock
- api | kernel32: GlobalUnlock
- api | kernel32: GetLocalTime
- api | kernel32: CreateDirectoryW
- api | kernel32: Process32FirstW
- api | kernel32: Process32NextW
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GetSystemInfo
- api | kernel32: LoadLibraryW
- api | kernel32: GetCPInfo
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: TlsAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: EnterCriticalSection
- api | kernel32: TlsFree
- api | kernel32: GetDateFormatW
- api | kernel32: GetTimeFormatW
- api | kernel32: CompareStringW
- api | kernel32: LCMapStringW
- api | kernel32: IsValidLocale
- api | kernel32: GetUserDefaultLCID
- api | kernel32: EnumSystemLocalesW
- api | kernel32: GetModuleHandleExW
- api | kernel32: IsValidCodePage
- api | kernel32: GetACP
- api | kernel32: GetOEMCP
- api | kernel32: GetStdHandle
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetConsoleMode
- api | kernel32: ReadConsoleW
- api | kernel32: SetFilePointerEx
- api | kernel32: GetFileType
- api | kernel32: GetConsoleCP
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: SetStdHandle
- api | kernel32: WriteConsoleW
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: SetEvent
- api | kernel32: FindNextFileW
- api | kernel32: FindFirstFileW

- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW
- api | kernel32: FileTimeToSystemTime
- api | kernel32: SystemTimeToTzSpecificLocalTime
- api | kernel32: FindClose
- api | kernel32: GetFileSizeEx
- api | kernel32: GetLogicalDrives
- api | kernel32: GetComputerNameW
- api | kernel32: lstrcpyW
- api | kernel32: InterlockedDecrement
- api | kernel32: GlobalFree
- api | kernel32: GlobalAlloc
- api | kernel32: OpenMutexW
- api | kernel32: SetSystemPowerState
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: GetCommandLineW
- api | kernel32: SetErrorMode
- api | kernel32: GetCurrentProcess
- api | kernel32: TryEnterCriticalSection
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetFullPathNameW
- api | kernel32: GetFullPathNameA
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempPathW
- api | kernel32: HeapCompact
- api | kernel32: ResetEvent
- api | kernel32: UnmapViewOfFile
- api | kernel32: SetEndOfFile
- api | kernel32: FreeLibrary
- api | kernel32: HeapAlloc
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapFree
- api | kernel32: WaitForSingleObject
- api | kernel32: InterlockedCompareExchange
- api | kernel32: UnlockFile
- api | kernel32: FlushViewOfFile
- api | kernel32: LockFile
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: OutputDebugStringW
- api | kernel32: UnlockFileEx
- api | kernel32: GetProcessHeap
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: FormatMessageA
- api | kernel32: FormatMessageW
- api | kernel32: HeapDestroy
- api | kernel32: HeapCreate
- api | kernel32: HeapValidate
- api | kernel32: CreateFileW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetLastError
- api | kernel32: HeapSize
- api | kernel32: LockFileEx
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateFileMappingW
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetFileAttributesExW

- api | kernel32: OutputDebugStringA
- api | kernel32: GetVersionExA
- api | kernel32: GetTempPathA
- api | kernel32: LocalFree
- api | kernel32: GetSystemTime
- api | kernel32: AreFileApisANSI
- api | kernel32: DeleteFileA
- api | kernel32: GetStartupInfoW
- api | kernel32: CreatePipe
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetVersionExW
- api | kernel32: GetCurrentProcessId
- api | kernel32: MoveFileExW
- api | kernel32: MoveFileW
- api | kernel32: CopyFileW
- api | kernel32: DeleteFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: SetFileAttributesW
- api | kernel32: RemoveDirectoryW
- api | kernel32: GetTempFileNameW
- api | kernel32: GetModuleFileNameW
- api | kernel32: lstrlenW
- api | kernel32: lstrcmpW
- api | kernel32: SetFileAttributesA
- api | kernel32: CreateFileA
- api | kernel32: GetSystemDirectoryA
- api | kernel32: ReadFile
- api | kernel32: GetFileSize
- api | kernel32: CreateProcessW
- api | kernel32: GetLocaleInfoW
- api | kernel32: IsWow64Process
- api | ntdll: sqrt
- api | ntdll: sqrt
- api | kernel32: CreateFileW
- api | kernel32: WriteConsoleW
- api | kernel32: SetFilePointerEx
- api | kernel32: SetStdHandle
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: FlushFileBuffers
- api | kernel32: GetStringTypeW
- api | kernel32: OutputDebugStringW
- api | kernel32: LCMapStringW
- api | kernel32: HeapReAlloc
- api | kernel32: LoadLibraryExW
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage
- api | kernel32: GetModuleHandleW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: GetCurrentProcess

- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStartupInfoW
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: GetStdHandle
- api | kernel32: GetProcessHeap
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: HeapAlloc
- api | kernel32: HeapFree
- api | kernel32: HeapSize
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetModuleHandleExW
- api | kernel32: GetLastError
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: RtlUnwind
- api | kernel32: RaiseException
- api | kernel32: GetCommandLineA
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer
- api | kernel32: DeleteFileW
- api | kernel32: CloseHandle
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: MoveFileW
- api | kernel32: GetTempPathW
- api | kernel32: GetModuleFileNameW
- api | kernel32: TerminateProcess
- api | kernel32: K32GetModuleFileNameExW
- api | kernel32: GetTempFileNameW
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | kernel32: GetTickCount64
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns

- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: CreateEventExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc
- api | ntdll: fabs
- api | ntdll: floor
- api | ntdll: ceil
- api | ntdll: sqrt
- api | ntdll: atan
- api | kernel32: GetDiskFreeSpaceExW
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | ntdll: fabs
- api | ntdll: floor
- api | ntdll: ceil
- api | ntdll: sqrt
- api | ntdll: atan
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: InitializeCriticalSectionEx

- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc
- api | ntdll: sqlite_log
- api | kernel32: FlushViewOfFile
- api | rpcrt4: UuidCreateSequential
- api | rpcrt4: UuidCreate
- api | kernel32: InterlockedCompareExchange
- api | kernel32: CreateFileMappingFromApp
- api | kernel32: GetProcessHeap
- api | kernel32: OutputDebugStringW
- api | kernel32: OutputDebugStringA
- api | kernel32: GetTickCount64
- api | kernel32: LoadPackagedLibrary
- api | kernel32: CreateFile2
- api | kernel32: MapViewOfFileFromApp
- api | kernel32: GetFileInformationByHandleEx
- api | kernel32: SetFilePointerEx
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: WaitForSingleObject
- api | kernel32: CreateEventExW
- api | kernel32: UnmapViewOfFile
- api | kernel32: UnlockFileEx
- api | kernel32: UnlockFile
- api | kernel32: SystemTimeToFileTime
- api | kernel32: SetFilePointer
- api | kernel32: SetEndOfFile
- api | kernel32: ReadFile
- api | kernel32: MultiByteToWideChar
- api | kernel32: LockFileEx
- api | kernel32: LockFile
- api | kernel32: LocalFree
- api | kernel32: LoadLibraryW
- api | kernel32: LoadLibraryA
- api | kernel32: HeapCompact
- api | kernel32: HeapValidate
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: HeapDestroy
- api | kernel32: HeapCreate
- api | kernel32: HeapAlloc
- api | kernel32: GetVersionExW
- api | kernel32: GetVersionExA
- api | kernel32: GetTempPathW
- api | kernel32: GetTempPathA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetSystemTime
- api | kernel32: GetSystemInfo
- api | kernel32: GetLastError
- api | kernel32: GetFullPathNameW
- api | kernel32: GetFullPathNameA
- api | kernel32: GetFileSize
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetFileAttributesW
- api | kernel32: GetFileAttributesA

- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetCurrentProcessId
- api | kernel32: FreeLibrary
- api | kernel32: FormatMessageW
- api | kernel32: FormatMessageA
- api | kernel32: FlushFileBuffers
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: DeleteFileW
- api | kernel32: DeleteFileA
- api | kernel32: CreateMutexW
- api | kernel32: CreateFileMappingW
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateFileW
- api | kernel32: CreateFileA
- api | kernel32: CloseHandle
- api | user32: CharUpperW
- api | user32: CharLowerW
- api | kernel32: AreFileApisANSI

• Module 1 other strings

- 12345
- 12345
- 4baef02e-c1fa-466f-ac5e-a8a480cf9bce
- 12345
- meme
- client
- pAxA
- A$A0A<A@ADAPAdA
- CONOUT$
- USER32.DLL
- zu-za
- zh-mo
- xh-za
- vi-vn
- uz-uz-latn
- uz-uz-cyrl
- ur-pk
- uk-ua
- tt-ru
- tn-za
- te-in
- ta-in
- sw-ke
- sv-se
- sv-fi
- sr-ba-latn
- sq-al
- sma-se
- sma-no
- sl-si
- se-se
- se-no
- se-fi

- sa-in
- ru-ru
- ro-ro
- quz-pe
- quz-ec
- quz-bo
- pa-in
- ns-za
- nn-no
- nl-be
- nb-no
- mr-in
- ml-in
- mi-nz
- ko-kr
- kok-in
- kn-in
- ka-ge
- ja-jp
- it-it
- it-ch
- is-is
- id-id
- hy-am
- hu-hu
- hr-ba
- hi-in
- he-il
- gu-in
- gl-es
- fr-lu
- fr-ca
- fr-be
- fo-fo
- fi-fi
- fa-ir
- eu-es
- et-ee
- es-ve
- es-uy
- es-sv
- es-py
- es-pr
- es-pe
- es-pa
- es-ni
- es-mx
- es-hn
- es-gt
- es-es
- es-ec
- es-do
- es-cr
- es-co
- es-cl
- es-bo
- es-ar

- en-zw
- en-za
- en-us
- en-tt
- en-ph
- en-nz
- en-jm
- en-ie
- en-gb
- en-cb
- en-ca
- en-bz
- en-au
- el-gr
- de-lu
- de-li
- de-de
- de-ch
- de-at
- da-dk
- ca-es
- bs-ba-latn
- bn-in
- be-by
- az-az-latn
- az-az-cyrl
- ar-ye
- ar-tn
- ar-sy
- ar-sa
- ar-qa
- ar-om
- ar-ma
- ar-ly
- ar-lb
- ar-kw
- ar-jo
- ar-iq
- ar-eg
- ar-dz
- ar-bh
- ar-ae
- af-za
- es-PR
- es-NI
- es-HN
- es-SV
- es-BO
- ar-QA
- es-PY
- ar-BH
- es-UY
- ar-AE
- es-CL
- en-PH
- ar-KW
- es-EC

- en-ZW
- ar-LB
- es-AR
- en-TT
- ar-JO
- es-PE
- en-BZ
- ar-SY
- es-CO
- en-CB
- ar-YE
- es-VE
- en-JM
- ar-OM
- sma-SE
- es-DO
- en-ZA
- ar-TN
- sma-NO
- sr-BA-Latn
- es-PA
- en-IE
- ar-MA
- bs-BA-Latn
- fr-LU
- es-CR
- en-NZ
- de-LI
- zh-MO
- ar-DZ
- hr-BA
- es-GT
- en-CA
- de-LU
- ar-LY
- quz-PE
- se-FI
- fr-CA
- es-ES
- en-AU
- de-AT
- ar-EG
- quz-EC
- uz-UZ-Cyrl
- se-SE
- az-AZ-Cyrl
- sv-FI
- nn-NO
- nl-BE
- it-CH
- fr-BE
- es-MX
- en-GB
- de-CH
- ar-IQ
- mi-NZ
- ns-ZA

- quz-BO
- kok-IN
- gl-ES
- sa-IN
- mr-IN
- ml-IN
- kn-IN
- te-IN
- ta-IN
- gu-IN
- pa-IN
- bn-IN
- tt-RU
- uz-UZ-Latn
- sw-KE
- se-NO
- hi-IN
- fo-FO
- ka-GE
- af-ZA
- zu-ZA
- xh-ZA
- tn-ZA
- eu-ES
- az-AZ-Latn
- hy-AM
- vi-VN
- fa-IR
- et-EE
- sl-SI
- be-BY
- uk-UA
- id-ID
- ur-PK
- sv-SE
- sq-AL
- ru-RU
- ro-RO
- nb-NO
- it-IT
- is-IS
- hu-HU
- he-IL
- fi-FI
- el-GR
- de-DE
- da-DK
- ca-ES
- ar-SA
- en-US
- December
- November
- October
- September
- August
- July
- June

- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- ko-KR
- kernel32.dll
- Microsoft Visual C++ Runtime Library
- <program name unknown>
- Program:
- Runtime Error!
- runtime error
- TLOSS error
- SING error
- DOMAIN error
- - inconsistent onexit begin-end variables
- R6034
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- - not enough space for locale information
- R6032
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - CRT not initialized
- R6030
- - unable to initialize heap
- R6028
- - not enough space for lowio initialization
- R6027
- - not enough space for stdio initialization
- R6026
- - pure virtual function call
- R6025
- - not enough space for _onexit/atexit table
- R6024
- - unable to open console device
- R6019
- - unexpected heap error
- R6018
- - unexpected multithread lock error
- R6017
- - not enough space for thread data
- R6016
- - abort() has been called
- R6010
- - not enough space for environment
- R6009
- - not enough space for arguments
- R6008

- - floating point support not loaded
- @R6002
- Amscoree.dll
- t{57eb221a-430f-4eec-be86-fa78d43a898d}
- " ENABLE
- netsh firewall add allowedprogram "
- " & exit
- ping 0 & del "
- GetChrome
- Recovery.Recovery
- Wkernel32
- CONOUT$
- USER32.DLL
- united-states
- united-kingdom
- trinidad & tobago
- south-korea
- south-africa
- south korea
- south africa
- slovak
- puerto-rico
- pr-china
- pr china
- new-zealand
- hong-kong
- holland
- great britain
- england
- czech
- china
- britain
- america
- swiss
- swedish-finland
- spanish-venezuela
- spanish-uruguay
- spanish-puerto rico
- spanish-peru
- spanish-paraguay
- spanish-panama
- spanish-nicaragua
- spanish-modern
- spanish-mexican
- spanish-honduras
- spanish-guatemala
- spanish-el salvador
- spanish-ecuador
- spanish-dominican republic
- spanish-costa rica
- spanish-colombia
- spanish-chile
- spanish-bolivia
- spanish-argentina
- portuguese-brazilian
- norwegian-nynorsk
- norwegian-bokmal

- norwegian
- italian-swiss
- irish-english
- german-swiss
- german-luxembourg
- german-lichtenstein
- german-austrian
- french-luxembourg
- french-canadian
- french-belgian
- english-usa
- english-us
- english-uk
- english-trinidad y tobago
- english-south africa
- english-nz
- english-jamaica
- english-ire
- english-caribbean
- english-can
- english-belize
- english-aus
- english-american
- dutch-belgian
- chinese-traditional
- chinese-singapore
- chinese-simplified
- chinese-hongkong
- chinese
- canadian
- belgian
- australian
- american-english
- american english
- american
- UNICODE
- UTF-16LE
- UTF-8
- Microsoft Visual C++ Runtime Library
- <program name unknown>
- Program:
- Runtime Error!
- runtime error
- TLOSS error
- SING error
- DOMAIN error
- - inconsistent onexit begin-end variables
- R6034
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- - not enough space for locale information
- R6032
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - CRT not initialized

- R6030
- - unable to initialize heap
- R6028
- - not enough space for lowio initialization
- R6027
- - not enough space for stdio initialization
- R6026
- - pure virtual function call
- R6025
- - not enough space for _onexit/atexit table
- R6024
- - unable to open console device
- R6019
- - unexpected heap error
- R6018
- - unexpected multithread lock error
- R6017
- - not enough space for thread data
- R6016
- - abort() has been called
- R6010
- - not enough space for environment
- R6009
- - not enough space for arguments
- R6008
- - floating point support not loaded
- R6002
- LC_TIME
- LC_NUMERIC
- LC_MONETARY
- LC_COLLATE
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- mscoree.dll
- zu-za
- zh-mo
- xh-za
- vi-vn
- uz-uz-latn
- uz-uz-cyrl
- ur-pk

- uk-ua
- tt-ru
- tn-za
- te-in
- ta-in
- sw-ke
- sv-se
- sv-fi
- sr-ba-latn
- sq-al
- sma-se
- sma-no
- sl-si
- se-se
- se-no
- se-fi
- sa-in
- ru-ru
- ro-ro
- quz-pe
- quz-ec
- quz-bo
- pa-in
- ns-za
- nn-no
- nl-be
- nb-no
- mr-in
- ml-in
- mi-nz
- ko-kr
- kok-in
- kn-in
- ka-ge
- ja-jp
- it-it
- it-ch
- is-is
- id-id
- hy-am
- hu-hu
- hr-ba
- hi-in
- he-il
- gu-in
- gl-es
- fr-lu
- fr-ca
- fr-be
- fo-fo
- fi-fi
- fa-ir
- eu-es
- et-ee
- es-ve
- es-uy
- es-sv

- es-py
- es-pr
- es-pe
- es-pa
- es-ni
- es-mx
- es-hn
- es-gt
- es-es
- es-ec
- es-do
- es-cr
- es-co
- es-cl
- es-bo
- es-ar
- en-zw
- en-za
- en-us
- en-tt
- en-ph
- en-nz
- en-jm
- en-ie
- en-gb
- en-cb
- en-ca
- en-bz
- en-au
- el-gr
- de-lu
- de-li
- de-de
- de-ch
- de-at
- da-dk
- ca-es
- bs-ba-latn
- bn-in
- be-by
- az-az-latn
- az-az-cyrl
- ar-ye
- ar-tn
- ar-sy
- ar-sa
- ar-qa
- ar-om
- ar-ma
- ar-ly
- ar-lb
- ar-kw
- ar-jo
- ar-iq
- ar-eg
- ar-dz
- ar-bh

- ar-ae
- af-za
- es-PR
- es-NI
- es-HN
- es-SV
- es-BO
- ar-QA
- es-PY
- ar-BH
- es-UY
- ar-AE
- es-CL
- en-PH
- ar-KW
- es-EC
- en-ZW
- ar-LB
- es-AR
- en-TT
- ar-JO
- es-PE
- en-BZ
- ar-SY
- es-CO
- en-CB
- ar-YE
- es-VE
- en-JM
- ar-OM
- sma-SE
- es-DO
- en-ZA
- ar-TN
- sma-NO
- sr-BA-Latn
- es-PA
- en-IE
- ar-MA
- bs-BA-Latn
- fr-LU
- es-CR
- en-NZ
- de-LI
- zh-MO
- ar-DZ
- hr-BA
- es-GT
- en-CA
- de-LU
- ar-LY
- quz-PE
- se-FI
- fr-CA
- es-ES
- en-AU
- de-AT

- ar-EG
- quz-EC
- uz-UZ-Cyrl
- se-SE
- az-AZ-Cyrl
- sv-FI
- nn-NO
- nl-BE
- it-CH
- fr-BE
- es-MX
- en-GB
- de-CH
- ar-IQ
- mi-NZ
- ns-ZA
- quz-BO
- kok-IN
- gl-ES
- sa-IN
- mr-IN
- ml-IN
- kn-IN
- te-IN
- ta-IN
- gu-IN
- pa-IN
- bn-IN
- tt-RU
- uz-UZ-Latn
- sw-KE
- se-NO
- hi-IN
- fo-FO
- ka-GE
- af-ZA
- zu-ZA
- xh-ZA
- tn-ZA
- eu-ES
- az-AZ-Latn
- hy-AM
- vi-VN
- fa-IR
- et-EE
- sl-SI
- be-BY
- uk-UA
- id-ID
- ur-PK
- sv-SE
- sq-AL
- ru-RU
- ro-RO
- nb-NO
- ko-KR
- ja-JP

- it-IT
- is-IS
- hu-HU
- he-IL
- fi-FI
- en-US
- el-GR
- de-DE
- da-DK
- ca-ES
- ar-SA
- kernel32.dll
- combase.dll
- am/pm
- FriendlyName
- Description
- \\ConfigsEx\\
- \\sqlite3.dll
- \\Configs
- \\Microsoft
- LgDError33x98dGetProcAddress
- RAM Disk
- Network Drive
- Removable
- Invalid Root
- Unknown
- LCaption
- ROOT\\CIMV2
- 1.6.0.0
- {F01F6548-3661-4221-A448-07DA8BB6A4BC}
- image/jpeg
- static
- A Babylon RAT client is currently running on this PC. Close this window to end the client.
- Babylon RAT Client
- clsNotify
- File Download and Execution Failed...
- File Downloaded and Executed
- DoS Stopped
- DoS Not Active
- DoS Already Active...
- DoS Active...
- Update Failed...
- Updating...
- Downloading File...
- vbc.exe
- csc.exe
- cvtres.exe
- SeTcbPrivilege
- SeDebugPrivilege
- SeShutdownPrivilege
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS

- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- UUTTTS
- AVVVVUUTTTS
- VVVVUUTTTS
- VVVVUUTTTS
- library routine called out of sequence
- out of memory
- !$).056;>ACENQV[_`eimuz
- [ALT]
- _DefaultEx
- :Zone.Identifier
- .exe
- [UP]
- [DEL]
- NewLine
- [END]
- [INSERT]
- open
- [%02d/%02d/%d %02d:%02d:%02d] (%s)
- 32 bit
- 64 bit
- Guest
- Administrator
- a,ccs=UTF-16LE
- [%02d/%02d/%d %02d:%02d:%02d] [%s] (%s):
- ClipBoard.txt
- ConfigsEx
- button
- edit
- chatBox
- Chat
- [Failed]
- @0D0
- ShellExecuteW
- SetSuspendState
- CoInitialize
- GdipFree
- GetDIBits
- InitCommonControlsEx
- WS2_32.dll
- USER32.dll
- urlmon.dll
- SHELL32.dll
- PSAPI.DLL
- OLEAUT32.dll
- ole32.dll
- NETAPI32.dll
- GDI32.dll
- COMCTL32.dll
- ADVAPI32.dll

• KERNEL32.DLL
• \\9.v
• </dependency>
• </dependentAssembly>
• <assemblyIdentity type='win32' name='Microsoft.Windows.Common-Controls' version='6.0.0.0' processorArchitecture='*' publicKeyToken='6595b64144ccf1df' language='*' />
• <dependentAssembly>
• <dependency>
• </trustInfo>
• </security>
• </requestedPrivileges>
• <requestedExecutionLevel level='asInvoker' uiAccess='false' />
• <requestedPrivileges>
• <security>
• <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
• <assembly xmlns='urn:schemas-microsoft-com:asm.v1' manifestVersion='1.0'>
• <?xml version='1.0' encoding='UTF-8' standalone='yes'?>
• 'baN
• SL9N
• Ji_
• `O0t
• /-)pe
• %3H#+0#5rbI0
• >%03-#
• BB78%
• e#-+EF<B5}{
• 1IK
• _106
• f8<l
• ;l4w1x
• bB94[
• h3(8
• Oswl
• 4'K1N
• 9bj*
• 6|S'
• boh!
• &1b$-
• h6+1j$
• KV366"2
• .!*2
• 2i(V0
• hn8^
• aV+(
• E("X
• R3&\t0
• `#1e\\
• 6*\t-5
• 0D$J|
• uMW$
• 1p*&<
• mOn_t6
• M2A`
• A/DZ
• R=0"
• *0 #0
• '1(*

- t|SE
- 6*@}
- /..0R
- jERL
- GN,9
- N0HU
- $6%1
- W(1
- @.reloc
- @.data
- `.rdata
- .text
- 8
- ##--0#7
- #+0#5r#3I0
- -%%3
- 33#3+T--33##3##e#-+EF
- 60U!N
- 1IK
- qe8,8w1x
- f+Z7
- 4'K1
- .+76
- boh!
- "S>e
- h6+1j$
- KV366"
- $i(V
- aV+(
- $E("X
- R3&
- `#1e
- WHAV;
- *\t-5
- 0D$J|
- uMW$
- A/DZ
- R=0"
- *0, #0
- '1(*
- 6*@}
- /..0R
- GN,9
- N0HUy
- $6%1
- 9891
- Q55-
- Nl5%+8uj
- `1LL
- D<O#*8
- M1,5
- %6Oz
- 3!#R
- F!O!K
- fA'S
- [2G*/
- :0/u

- SHGetValueA
- SHGetFolderPathA
- CommandLineToArgvW
- SHFileOperationW
- SHGetKnownFolderPath
- ShellExecuteW
- SHGetFolderPathW
- SHGetFileInfoW
- SetSuspendState
- CoUninitialize
- CoInitialize
- CoTaskMemFree
- CoInitializeEx
- CoSetProxyBlanket
- CoInitializeSecurity
- GdipAlloc
- GdipGetImageWidth
- GdipGetImageHeight
- GdipGetImagePixelFormat
- GdipCreateBitmapFromStream
- GdipBitmapLockBits
- GdipBitmapUnlockBits
- GdipGetImageEncodersSize
- GdipGetImageEncoders
- GdiplusStartup
- GdipDisposeImage
- GdipSaveImageToStream
- GdipCreateBitmapFromGdiDib
- GdipCloneImage
- GdiplusShutdown
- GdipFree
- GetObjectW
- CreateFontW
- GetStockObject
- SetBkColor
- SetTextColor
- CreateCompatibleBitmap
- CreateCompatibleDC
- DeleteObject
- GetDIBits
- SelectObject
- SetStretchBltMode
- InitCommonControlsEx
- ecd|l
- xcd|l
- /ec~
- xcd|l
- b`\\ec
- .?AV_com_error@@
- .?AVbad_exception@std@@
- .?AVbad_typeid@std@@
- .?AVtype_info@@
- .?AV_Locimp@locale@std@@
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVbad_alloc@std@@
- .?AVCallbackHandler@VideoDevice@@

- .?AUISampleGrabberCB@@
- .?AUIUnknown@@
- .?AVSocksClient@@
- .?AVWebcamClient@@
- .?AVTransferClient@@
- .?AVcodecvt_base@std@@
- .?AV?$basic_filebuf@DU?$char_traits@D@std@@@std@@
- .?AV?$basic_iostream@DU?$char_traits@D@std@@@std@@
- .?AV?$basic_ostream@DU?$char_traits@D@std@@@std@@
- .?AV?$basic_istream@DU?$char_traits@D@std@@@std@@
- .?AV?$basic_ios@DU?$char_traits@D@std@@@std@@
- .?AVios_base@std@@
- .?AVWeaveClient@@
- .?AV?$num_put@DV?$ostreambuf_iterator@DU?$char_traits@D@std@@@std@@@std@@
- .?AUctype_base@std@@
- .?AVfacet@locale@std@@
- .?AV_Facet_base@std@@
- .?AVfailure@ios_base@std@@
- .?AVexception@std@@
- .?AVruntime_error@std@@
- .?AVImage@Gdiplus@@
- .?AVBitmap@Gdiplus@@
- .?AVGdiplusBase@Gdiplus@@
- .?AVDesktopClient@@
- .?AVClient@@
- .?AV_System_error_category@std@@
- .?AV_Iostream_error_category@std@@
- .?AV_Generic_error_category@std@@
- .?AVerror_category@std@@
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- Copyright (c) 1992-2004 by P.J. Plauger, licensed by Dinkumware, Ltd. ALL RIGHTS RESERVED.
- 2(2H2h2
- 9 9$9(9,909<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 1$1,141<1D1
- d0l0t0|0
- 849H9X9h9p9x9
- 8 8084888@8X8h8x8|8
- 7$7(787<7L7P7T7\\7t7
- 6,6<6@6P6T6X6\\6d6|6
- 4d5|5
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 1 1(10181@1H1P1X1
- 0 0(00080@0H0P0X0`0h0p0x0
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4

- $3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2
- 6$6,646<6D6L6T6\\6d6l6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1(14181<1@1D1P1T1X1
- 98:B:]:
- 9#9E9L9
- 7a8}8
- 6J6S6{6
- 3 343
- (010O0
- 4<8@8D8H8L8P8T8X8\\8`8d8h8
- >4?@?
- 4 525
- 5M6X6
- 4!5-5
- 4J4b4{4
- 3*303?3F3V3\\3b3j3p3v3~3
- 0B0O0X0|0
- 54696B6G6P6U6b6
- 4s5y5
- 3&323=3d3
- 0X2b2h2|2
- =-=2=A=o=
- 9H;_;
- 9(989
- 4@4K4Q4
- 2!2)2.242<2A2G2O2T2Z2b2g2m2u2z2
- 1$1*12171=1E1J1P1X1]1c1k1p1u1~1
- 020E0K0Q0X0a0f0l0t0y0
- 9H;\t<
- 8);I=W=a=
- 5<6B6G6O6
- 5;5O5Z5
- 4(444C4L4Y4
- 3/3B3
- 1=2U2_2{2
- 1N1Z1f1u1
- 8?9I9
- 6\\6{6
- G3/4:4J4|4
- =3=9=K=
- 989=9I9N9m9
- 667>7Q7\\7a7q7}7
- 2%3.363P3o3
- 2&262F2O2a2o2
- 1)101C1{1
- 0$0F0\\0
- 8%8O8
- 7R7X7\\7`7d7
- 3C4k4y4%6C6\\6c6k6p6t6x6
- 2.333=3w3|3
- >5>_>
- 919>9T9

- 435=5G5M6
- 3#313Z3`3t3
- 1\\2h2
- 0!0<0
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level='asInvoker' uiAccess='false' />
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- <assembly xmlns='urn:schemas-microsoft-com:asm.v1' manifestVersion='1.0'>
- <?xml version='1.0' encoding='UTF-8' standalone='yes'?>
- .?AV_Generic_error_category@std@@
- .?AVerror_category@std@@
- .?AV_System_error_category@std@@
- .?AV_Iostream_error_category@std@@
- .?AVbad_exception@std@@
- .?AVtype_info@@
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- KERNEL32.dll
- invalid string position
- string too long
- iostream stream error
- iostream
- unknown error
- generic
- 1#QNAN
- 1#INF
- 1#IND
- 1#SNAN
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- Complete Object Locator'
- Class Hierarchy Descriptor'
- Base Class Array'
- Base Class Descriptor at (
- Type Descriptor'
- `local static thread guard'
- `managed vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `vector copy constructor iterator'
- `dynamic atexit destructor for '
- `dynamic initializer for '
- `eh vector vbase copy constructor iterator'
- `eh vector copy constructor iterator'
- `managed vector destructor iterator'

- `managed vector constructor iterator'
- `placement delete[] closure'
- `placement delete closure'
- `omni callsig'
- delete[]
- new[]
- `local vftable constructor closure'
- `local vftable'
- `RTTI
- `udt returning'
- `copy constructor closure'
- `eh vector vbase constructor iterator'
- `eh vector destructor iterator'
- `eh vector constructor iterator'
- `virtual displacement map'
- `vector vbase constructor iterator'
- `vector destructor iterator'
- `vector constructor iterator'
- `scalar deleting destructor'
- `default constructor closure'
- `vector deleting destructor'
- `vbase destructor'
- `local static guard'
- `typeof'
- `vbtable'
- `vftable'
- operator
- delete
- new
- restrict(
- __unaligned
- __restrict
- __ptr64
- __eabi
- __vectorcall
- __fastcall
- __thiscall
- __pascal
- __based(
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday

- SetFileInformationByHandleW
- GetFileInformationByHandleExW
- e+000
- bad exception
- _nextafter
- _logb
- frexp
- fmod
- _cabs
- ldexp
- modf
- atan2
- acos
- asin
- tanh
- cosh
- sinh
- log10
- CorExitProcess
- Unknown exception
- bad allocation
- wrong protocol type
- value too large
- too many symbolic link levels
- too many links
- too many files open in system
- timed out
- text file busy
- stream timeout
- state not recoverable
- result out of range
- resource deadlock would occur
- read only file system
- protocol not supported
- protocol error
- owner dead
- operation would block
- operation not supported
- operation not permitted
- operation in progress
- not supported
- not connected
- not a stream
- not a directory
- no such process
- no such device or address
- no stream resources
- no protocol option
- no message
- no message available
- no link
- no child process
- no buffer space
- network unreachable
- network reset
- network down
- message size

- is a directory
- invalid seek
- inappropriate io control operation
- illegal byte sequence
- identifier removed
- host unreachable
- file too large
- executable format error
- destination address required
- connection reset
- connection refused
- connection already in progress
- connection aborted
- broken pipe
- bad message
- bad file descriptor
- bad address
- argument out of domain
- argument list too long
- already connected
- address not available
- address in use
- address family not supported
- operation_would_block
- timed_out
- wrong_protocol_type
- protocol_not_supported
- operation_not_supported
- not_connected
- no_protocol_option
- no_buffer_space
- network_unreachable
- network_reset
- network_down
- filename_too_long
- message_size
- too_many_files_open
- already_connected
- invalid_argument
- interrupted
- operation_in_progress
- host_unreachable
- bad_address
- destination_address_required
- connection_reset
- connection_refused
- connection_aborted
- bad_file_descriptor
- connection_already_in_progress
- address_family_not_supported
- address_not_available
- address_in_use
- permission_denied
- too many files open
- operation canceled
- cross device link
- resource unavailable try again

- not enough memory
- no lock available
- function not supported
- no such file or directory
- no space on device
- invalid argument
- directory not empty
- io error
- device or resource busy
- filename too long
- no such device
- file exists
- permission denied
- =(iA
- hp>A
- hP>A
- VVhU
- h0>A
- <5|E
- u\t9Y
- Huzj
- u\t9Y
- HAO8
- 9] t"
- 9E$u
- 9E W
- SVW3
- PP9E u
- 9E(j
- WVU3
- SVWUj
- 5@qA
- 5PqA
- tO9=PqA
- 5@qA
- h|+A
- Vhd+A
- 95@qA
- t%Ou
- =H^A
- SVW3
- UVWS
- L$,3
- =8qA
- s\t9r
- hh=A
- hH=A
- =hUA
- MpoA
- h(=A
- 9wlt
- 1N_^[
- A_^[]
- SVAW
- 5doA
- <et
- |+;E

- Wj0V
- y&8]
- 80t-
- v6j0
- j0Yf
- u'j0X
- r.9z
- rY9q
- ft!9q
- 8csm
- 8MOC
- 8RCC
- Hu4j
- u Qj
- @u(j
- ?MOC
- 8csm
- 8csm
- hh;A
- 5\\oA
- Ot\tA
- -biA
- <v5hbiA
- hbiA
- VhbiA
- hbiA
- h0iA
- =(iA
- =(iA
- < t8<\tt4
- tA9M
- >"u3
- 5 gA
- 5pQA
- FhhUA
- h ;A
- 5pQA
- 5pQA
- 8csm
- woSW
- t&:a
- -TQA
- -HQA
- -HQA
- %`QA
- =`QA
- 8csm
- u*9E
- <Xu
- 5Genu
- 5ntel
- inel
- FGIu
- FGIu
- o~pf
- ov`f
- onPf

- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- =XoA
- hx:A
- hl9A
- hX:A
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- hl9A
- hx4A
- hh4A
- hh4A
- hx4A
- hx4A
- hd4A
- hd4A
- hD4A
- @.reloc
- @.data
- `.rdata
- .text
- Richq
- !This program cannot be run in DOS mode.
- ParadoxRAT_Client
- MyApplication
- SETTINGS
- SVWU
- Configuracoes
- bss_server.usrRelay
- sckRelay
- Online
- Offline
- }?i"Z
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- vids
- 1#QNAN
- 1#INF
- 1#IND
- 1#SNAN
- 700PP
- ('8PW

- Complete Object Locator'
- Class Hierarchy Descriptor'
- Base Class Array'
- Base Class Descriptor at (
- Type Descriptor'
- `local static thread guard'
- `managed vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `vector copy constructor iterator'
- `dynamic atexit destructor for '
- `dynamic initializer for '
- `eh vector vbase copy constructor iterator'
- `eh vector copy constructor iterator'
- `managed vector destructor iterator'
- `managed vector constructor iterator'
- `placement delete[] closure'
- `placement delete closure'
- `omni callsig'
- delete[]
- new[]
- `local vftable constructor closure'
- `local vftable'
- `RTTI
- `udt returning'
- `copy constructor closure'
- `eh vector vbase constructor iterator'
- `eh vector destructor iterator'
- `eh vector constructor iterator'
- `virtual displacement map'
- `vector vbase constructor iterator'
- `vector destructor iterator'
- `vector constructor iterator'
- `scalar deleting destructor'
- `default constructor closure'
- `vector deleting destructor'
- `vbase destructor'
- `local static guard'
- `typeof'
- `vbtable'
- `vftable'
- operator
- delete
- new
- restrict(
- __unaligned
- __restrict
- __ptr64
- __eabi
- __vectorcall
- __fastcall
- __thiscall
- __pascal
- __based(
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- 700WP
- (8PX

- UNICODE
- UTF-16LE
- UTF-8
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- e+000
- _nextafter
- _logb
- frexp
- fmod
- _cabs
- ldexp
- modf
- atan2
- acos
- asin
- tanh
- cosh
- sinh
- log10
- CorExitProcess
- SetFileInformationByHandleW
- GetFileInformationByHandleExW
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- bad exception
- RoUninitialize
- RoInitialize
- Unknown exception
- Bad dynamic_cast!
- Access violation - no RTTI data!
- 0123456789abcdefABCDEF
- 0123456789abcdefghijklmnopqrstuvwxyz
- 0123456789abcdefghijklmnopqrstuvwxyz
- wrong protocol type
- value too large
- too many symbolic link levels
- too many links
- too many files open in system
- timed out
- text file busy
- stream timeout

- state not recoverable
- result out of range
- resource deadlock would occur
- read only file system
- protocol not supported
- protocol error
- owner dead
- operation would block
- operation not supported
- operation not permitted
- operation in progress
- not supported
- not connected
- not a stream
- not a directory
- no such process
- no such device or address
- no stream resources
- no protocol option
- no message
- no message available
- no link
- no child process
- no buffer space
- network unreachable
- network reset
- network down
- message size
- is a directory
- invalid seek
- inappropriate io control operation
- illegal byte sequence
- identifier removed
- host unreachable
- file too large
- executable format error
- destination address required
- connection reset
- connection refused
- connection already in progress
- connection aborted
- broken pipe
- bad message
- bad file descriptor
- bad address
- argument out of domain
- argument list too long
- already connected
- address not available
- address in use
- address family not supported
- operation_would_block
- timed_out
- wrong_protocol_type
- protocol_not_supported
- operation_not_supported
- not_connected

- no_protocol_option
- no_buffer_space
- network_unreachable
- network_reset
- network_down
- filename_too_long
- message_size
- too_many_files_open
- already_connected
- invalid_argument
- operation_in_progress
- host_unreachable
- bad_address
- destination_address_required
- connection_reset
- connection_refused
- connection_aborted
- bad_file_descriptor
- connection_already_in_progress
- address_family_not_supported
- address_not_available
- address_in_use
- permission_denied
- too many files open
- operation canceled
- cross device link
- resource unavailable try again
- not enough memory
- no lock available
- function not supported
- no such file or directory
- no space on device
- invalid argument
- directory not empty
- io error
- device or resource busy
- filename too long
- no such device
- file exists
- permission denied
- bad allocation
- SELECT * FROM Win32_OperatingSystem
- O8M.
- @wKA
- no such table column: %s.%s
- cannot open file at line %d of [%.10s]
- misuse at line %d of [%.10s]
- database corruption at line %d of [%.10s]
- main
- RTRIM
- %s mode not allowed: %s
- no such %s mode: %s
- access
- cache
- invalid uri authority: %.*s
- localhost
- unable to delete/modify collation sequence due to active statements

- unknown database: %s
- unable to delete/modify user-function due to active statements
- abort due to ROLLBACK
- unable to close due to unfinalized statements or unfinished backups
- 2015-05-20 18:17:19 2ef4f3a5b1d1d0c4338f8243d40a2452cc1f7fe4
- explain
- temporary
- temp
- create
- unrecognized token: "%T"
- interrupt
- the NOT INDEXED clause is not allowed on UPDATE or DELETE statements within triggers
- the INDEXED BY clause is not allowed on UPDATE or DELETE statements within triggers
- qualified table names are not allowed on INSERT, UPDATE, and DELETE statements within triggers
- too many arguments on function %T
- near "%T": syntax error
- set list
- unknown table option: %.*s
- parser stack overflow
- too many terms in compound SELECT
- at most %d tables in a join
- no query solution
- %s.xBestIndex() malfunction
- VIRTUAL TABLE INDEX %d:%s
- USING INTEGER PRIMARY KEY
- (rowid<?)
- (rowid>?)
- (rowid>? AND rowid<?)
- (rowid=?)
- USING
- INDEX %s
- COVERING INDEX %s
- AUTOMATIC COVERING INDEX
- AUTOMATIC PARTIAL COVERING INDEX
- PRIMARY KEY
- AS %s
- TABLE %s
- SUBQUERY %d
- SCAN
- SEARCH
- AND
- table %s: xBestIndex returned an invalid plan
- auto-index
- automatic index on %s(%s)
- NOCASE
- no such module: %s
- hidden
- hidden
- vtable constructor did not declare schema: %s
- vtable constructor failed: %s
- vtable constructor called recursively: %s
- name='%q' AND type='table'
- UPDATE %Q.%s SET type='table', name=%Q, tbl_name=%Q, rootpage=0, sql=%Q WHERE rowid=#%d
- CREATE VIRTUAL TABLE %T
- INSERT INTO vacuum_db.sqlite_master SELECT type, name, tbl_name, rootpage, sql FROM main.sqlite_master WHERE type='view' OR type='trigger' OR (type='table' AND rootpage=0)

• SELECT 'INSERT INTO vacuum_db.' || quote(name) || ' SELECT * FROM main.' || quote(name) || ';' FROM vacuum_db.sqlite_master WHERE name=='sqlite_sequence';
• SELECT 'DELETE FROM vacuum_db.' || quote(name) || ';' FROM vacuum_db.sqlite_master WHERE name='sqlite_sequence'
• SELECT 'INSERT INTO vacuum_db.' || quote(name) || ' SELECT * FROM main.' || quote(name) || ';'FROM main.sqlite_master WHERE type = 'table' AND name!='sqlite_sequence' AND coalesce(rootpage,1)>0
• SELECT 'CREATE UNIQUE INDEX vacuum_db.' || substr(sql,21) FROM sqlite_master WHERE sql LIKE 'CREATE UNIQUE INDEX %'
• SELECT 'CREATE INDEX vacuum_db.' || substr(sql,14) FROM sqlite_master WHERE sql LIKE 'CREATE INDEX %'
• SELECT 'CREATE TABLE vacuum_db.' || substr(sql,14) FROM sqlite_master WHERE type='table' AND name!='sqlite_sequence' AND coalesce(rootpage,1)>0
• BEGIN;
• PRAGMA vacuum_db.synchronous=OFF
• ATTACH '' AS vacuum_db;
• ATTACH ':memory:' AS vacuum_db;
• cannot VACUUM - SQL statements in progress
• cannot VACUUM from within a transaction
• _rowid_
• rows updated
• no such column: %s
• no such trigger: %S
• type='trigger' AND name='%q'
• INSERT INTO %Q.%s VALUES('trigger',%Q,%Q,0,'CREATE TRIGGER %q')
• cannot create INSTEAD OF trigger on table: %S
• cannot create %s trigger on view: %S
• AFTER
• BEFORE
• cannot create trigger on system table
• trigger %T already exists
• cannot create triggers on virtual tables
• trigger
• temporary trigger may not have qualified name
• sqlite3_get_table() called with two or more incompatible queries
• ORDER BY
• RIGHT PART OF ORDER BY
• GROUP BY
• DISTINCT
• USING COVERING INDEX
• DISTINCT aggregates must have exactly one argument
• too many columns in result set
• no tables specified
• no such table: %s
• too many references to "%s": max 65535
• recursive reference in a subquery: %s
• multiple recursive references: %s
• table %s has %d values for %d columns
• circular reference: %s
• multiple references to recursive table: %s
• no such index: %s
• LIMIT clause should come after %s not before
• ORDER BY clause should come after %s not before
• SELECTs to the left and right of %s do not have the same number of result columns
• all VALUES must have the same number of terms
• column%d
• COMPOUND SUBQUERIES %d AND %d %s(%s)
• USING TEMP B-TREE
• USE TEMP B-TREE FOR %s
• UNION
• EXCEPT

- INTERSECT
- UNION ALL
- only a single result allowed for a SELECT that is part of an expression
- cannot join using column %s - column not present in both tables
- cannot have both ON and USING clauses in the same join
- a NATURAL join may not have an ON or USING clause
- RIGHT and FULL OUTER JOINs are not currently supported
- unknown or unsupported join type: %T %T%s%T
- statement too long
- database schema is locked: %s
- SELECT name, rootpage, sql FROM '%q'.%s ORDER BY rowid
- unsupported file format
- invalid rootpage
- create
- malformed database schema (%s)
- timeout
- checkpointed
- busy
- restart
- compile_option
- unsupported encoding: %s
- wrong # of entries in index
- non-unique entry in index
- missing from index
- row
- NULL value in %s.%s
- *** in database %s ***
- fkid
- parent
- rowid
- NONE
- match
- on_delete
- on_update
- partial
- origin
- unique
- coll
- desc
- seqno
- height
- width
- dflt_value
- notnull
- type
- name
- Safety level may not be changed inside a transaction
- not a writable directory
- result
- NO ACTION
- RESTRICT
- CASCADE
- SET DEFAULT
- SET NULL
- temporary storage cannot be changed from within a transaction
- file
- incremental

- full
- none
- normal
- exclusive
- automatic extension loading failed: %s
- error during initialization: %s
- no entry point [%s] in shared library [%s]
- _init
- sqlite3_
- unable to open shared library [%s]
- sqlite3_extension_init
- rows inserted
- %d values for %d columns
- table %S has %d columns but %d values were supplied
- table %S has no column named %s
- foreign key mismatch - "%w" referencing "%w"
- MATCH
- %!.20e
- ESCAPE expression must be a single character
- LIKE or GLOB pattern too complex
- integer overflow
- blob
- text
- rows deleted
- cannot modify %s because it is a view
- table %s may not be modified
- no such collation sequence: %s
- duplicate WITH table name: %s
- unable to identify the object to be reindexed
- %s.rowid
- unable to open a temporary database file for storing temporary tables
- COMMIT
- a JOIN clause is required before %s
- USING
- DELETE FROM %Q.%s WHERE name=%Q AND type='index'
- index associated with UNIQUE or PRIMARY KEY constraint cannot be dropped
- no such index: %S
- name='%q' AND type='index'
- CREATE%s INDEX %.*s
- UNIQUE
- conflicting ON CONFLICT clauses specified
- table %s has no column named %s
- sqlite_autoindex_%s_%d
- index %s already exists
- there is already a table named %s
- virtual tables may not be indexed
- views may not be indexed
- table %s may not be indexed
- altertab_
- cannot create a TEMP index on non-TEMP table "%s"
- index
- unknown column "%s" in foreign key definition
- number of columns in foreign key does not match the number of columns in the referenced table
- foreign key on %s should reference only one column of table %T
- use DROP VIEW to delete view %s
- use DROP TABLE to delete table %s
- table %s may not be dropped

- sqlite_stat
- DELETE FROM %Q.%s WHERE tbl_name=%Q and type!='trigger'
- DELETE FROM %Q.sqlite_sequence WHERE name=%Q
- sqlite_stat%d
- UPDATE %Q.%s SET rootpage=%d WHERE #%d AND rootpage=#%d
- view %s is circularly defined
- parameters are not allowed in views
- CREATE TABLE %Q.sqlite_sequence(name,seq)
- CREATE %s %.*s
- VIEW
- view
- TABLE
- table
- PRIMARY KEY missing on table %s
- AUTOINCREMENT not allowed on WITHOUT ROWID tables
- CREATE TABLE
- AUTOINCREMENT is only allowed on an INTEGER PRIMARY KEY
- INTEGER
- table "%s" has more than one primary key
- default value of column [%s] is not constant
- duplicate column name: %s
- too many columns on %s
- there is already an index named %s
- table %T already exists
- temporary table name must be unqualified
- object name reserved for internal use: %s
- unknown database %T
- corrupt database
- no such table
- no such view
- not authorized
- access to %s.%s is prohibited
- access to %s.%s.%s is prohibited
- authorizer malfunction
- %s cannot use variables
- %s %T cannot reference objects in database %s
- database %s is locked
- cannot DETACH database within transaction
- cannot detach database %s
- no such database: %s
- unable to open database: %s
- attached databases must use the same text encoding as main database
- database is already attached
- database %s is already in use
- cannot ATTACH database within transaction
- too many attached databases - max %d
- SELECT tbl,idx,stat FROM %Q.sqlite_stat1
- noskipscan*
- sz=[0-9]*
- unordered*
- %llu
- %llu
- DELETE FROM %Q.%s WHERE %s=%Q
- CREATE TABLE %Q.%s(%s)
- sqlite_altertab_%s
- Cannot add a column to a view
- virtual tables may not be altered

• Cannot add a column with non-constant default
• Cannot add a NOT NULL column with default value NULL
• Cannot add a REFERENCES column with non-NULL default value
• Cannot add a UNIQUE column
• Cannot add a PRIMARY KEY column
• UPDATE sqlite_temp_master SET sql = sqlite_rename_trigger(sql, %Q), tbl_name = %Q WHERE %s;
• UPDATE "%w".sqlite_sequence set name = %Q WHERE name = %Q
• sqlite_sequence
• UPDATE %Q.%s SET sql = CASE WHEN type = 'trigger' THEN sqlite_rename_trigger(sql, %Q)ELSE sqlite_rename_table(sql, %Q) END, tbl_name = %Q, name = CASE WHEN type='table' THEN %Q WHEN name LIKE 'sqlite_autoindex%%' AND type='index' THEN 'sqlite_autoindex_' || %Q || substr(name,%d+18) ELSE name END WHERE tbl_name=%Q COLLATE nocase AND (type='table' OR type='index' OR type='trigger');
• view %s may not be altered
• there is already another table or index with this name: %s
• table %s may not be altered
• sqlite_
• %s OR name=%Q
• name=%Q
• RAISE() may only be used within a trigger-program
• unknown function: %.*s()
• misuse of aggregate: %s()
• hex literal too big: %s
• EXECUTE %s%s SUBQUERY %d
• CORRELATED
• SCALAR
• LIST
• ROWID
• _ROWID_
• too many columns in %s
• too many SQL variables
• variable number must be between ?1 and ?%d
• Expression tree is too large (maximum depth %d)
• aggregate functions are not allowed in the GROUP BY clause
• GROUP
• a GROUP BY clause is required before HAVING
• too many terms in %s BY clause
• %r ORDER BY term does not match any column in the result set
• ORDER
• too many terms in ORDER BY clause
• %r %s BY term out of range - should be between 1 and %d
• parameters
• subqueries
• wrong number of arguments to function %.*s()
• no such function: %.*s
• misuse of aggregate function %.*s()
• not authorized to use function: %s
• second argument to likelihood() must be a constant between 0.0 and 1.0
• functions
• %s prohibited in CHECK constraints
• %s prohibited in partial index WHERE clauses
• ambiguous column name
• no such column
• misuse of aliased aggregate %s
• cannot open %s column for writing
• indexed
• foreign key
• no such column: "%s"
• cannot open view: %s

- cannot open table without rowid: %s
- cannot open virtual table: %s
- no such rowid: %lld
- cannot open value of type %s
- integer
- real
- null
- database table is locked: %s
- cannot change %s wal mode from within a transaction
- out of
- into
- too many levels of trigger recursion
- SELECT name, rootpage, sql FROM '%q'.%s WHERE %s ORDER BY rowid
- sqlite_master
- sqlite_temp_master
- cannot commit - no transaction is active
- cannot rollback - no transaction is active
- cannot start a transaction within a transaction
- cannot commit transaction - SQL statements in progress
- cannot release savepoint - SQL statements in progress
- no such savepoint: %s
- cannot open savepoint - SQL statements in progress
- %s constraint failed
- %s constraint failed: %s
- %02x
- zeroblob(%d)
- unable to use function %s in the requested context
- API called with NULL prepared statement
- API called with finalized prepared statement
- FOREIGN KEY constraint failed
- -mj%06X9%02X
- MJ collide: %s
- MJ delete: %s
- %.2x
- program
- intarray
- (%.20s)
- BINARY
- %!.15g
- source and destination must be distinct
- destination database is in use
- unknown database %s
- Outstanding page count goes from %d to %d during this analysis
- Pointer map page %d is referenced
- Page %d is never used
- List of tree roots:
- Main freelist:
- Fragmentation of %d bytes reported as %d on page %d
- Multiple uses for byte %u of page %d
- Corruption detected in cell %d on page %d
- Rowid %lld out of order (min less than parent max of %lld)
- Rowid %lld out of order (max larger than parent max of %lld)
- Rowid %lld out of order (min less than parent min of %lld)
- Rowid %lld out of order (max larger than parent min of %lld)
- On page %d at right child:
- Child page depth differs
- Rowid %lld out of order (previous was %lld)

- On tree page %d cell %d:
- btreeInitPage() returns error code %d
- unable to get the page. error code=%d
- Page %d:
- freelist leaf count too big on page %d
- failed to get page %d
- %d of %d pages missing from overflow list starting at %d
- Failed to read ptrmap key=%d
- 2nd reference to page %d
- invalid page number %d
- :memory:
- cannot limit WAL size: %s
- recovered %d frames from WAL file %s
- immutable
- nolock
- -wal
- -journal
- recovered %d pages from %s
- winFullPathname4
- winFullPathname3
- winFullPathname2
- winFullPathname1
- winAccess
- winDelete
- psow
- winOpen
- winGetTempname5
- winGetTempname4
- winGetTempname3
- winGetTempname2
- winGetTempname1
- etilqs_
- winMapfile2
- winMapfile1
- winUnmapfile2
- winUnmapfile1
- winShmMap3
- winShmMap2
- winShmMap1
- winOpenShm
- winUnlock
- winUnlockReadLock
- winFileSize
- winSync2
- winSync1
- winTruncate2
- winTruncate1
- winWrite2
- winWrite1
- winRead
- winClose
- winSeekFile
- delayed %dms for lock/sharing conflict at line %d
- OsError 0x%lx (%lu)
- invalid
- unopened
- API call with %s database connection pointer

- 922337203685477580
- NULL
- +Inf
- -Inf
- failed memory resize %u to %u bytes
- failed to allocate %u bytes of memory
- %04d
- %.16g
- %03d
- %06.3f
- %02d
- %04d-%02d-%02d
- %02d:%02d:%02d
- %04d-%02d-%02d %02d:%02d:%02d
- second
- minute
- hour
- year
- month
- start of
- weekday
- unixepoch
- localtime
- local time unavailable
- SQLITE_
- out of memory
- writable_schema
- wal_checkpoint
- detail
- wal_autocheckpoint
- order
- user_version
- selectid
- threads
- comment
- temp_store_directory
- temp_store
- table_info
- synchronous
- stats
- soft_heap_limit
- opcode
- shrink_memory
- addr
- short_column_names
- secure_delete
- schema_version
- reverse_unordered_selects
- recursive_triggers
- read_uncommitted
- quick_check
- query_only
- page_size
- page_count
- mmap_size
- max_page_count
- locking_mode

- legacy_file_format
- journal_size_limit
- journal_mode
- integrity_check
- index_xinfo
- index_list
- index_info
- incremental_vacuum
- ignore_check_constraints
- full_column_names
- freelist_count
- foreign_keys
- foreign_key_list
- foreign_key_check
- encoding
- empty_result_callbacks
- defer_foreign_keys
- THREADSAFE=1
- default_cache_size
- SYSTEM_MALLOC
- database_list
- data_version
- data_store_directory
- count_changes
- compile_options
- collation_list
- sqlite_attach
- checkpoint_fullfsync
- case_sensitive_like
- cache_spill
- cache_size
- busy_timeout
- automatic_index
- auto_vacuum
- application_id
- sqlite_detach
- file is encrypted or is not a database
- auxiliary database format error
- authorization denied
- large file support is disabled
- library routine called out of sequence
- datatype mismatch
- constraint failed
- table contains no data
- locking protocol
- unable to open database file
- database or disk is full
- unknown operation
- database disk image is malformed
- disk I/O error
- interrupted
- attempt to write a readonly database
- database table is locked
- database is locked
- callback requested query abort
- access permission denied
- SQL logic error or missing database

- not an error
- RELEASE
- REAL
- INT
- NUM
- TEXT
- ROLLBACK
- BEGIN
- string or blob too big
- group_concat
- count
- total
- load_extension
- UTF16
- zeroblob
- UTF-16
- replace
- UTF16be
- total_changes
- UTF16le
- changes
- UTF-16be
- last_insert_rowid
- UTF-16le
- quote
- UTF-8
- sqlite_compileoption_get
- UTF8
- sqlite_compileoption_used
- sqlite_source_id
- sqlite_version
- nullif
- randomblob
- random
- likely
- likelihood
- unlikely
- ifnull
- coalesce
- lower
- upper
- round
- char
- unicode
- instr
- typeof
- trim
- rtrim
- ltrim
- FOREIGN KEY
- CHECK
- UNIQUE
- NOT NULL
- stat_get
- glob
- like
- stat_push

- from
- private
- shared
- stat_init
- sqlite_stat4
- sqlite_stat3
- sqlite_stat1
- GetProcAddressA
- current_date
- current_timestamp
- current_time
- strftime
- datetime
- time
- date
- julianday
- Explain
- Noop
- Init
- Pagecount
- VRename
- VNext
- VColumn
- VOpen
- VDestroy
- VCreate
- VBegin
- TableLock
- Expire
- IncrVacuum
- AggFinal
- JumpZeroIncr
- DecrJumpZero
- IfNotZero
- IfNeg
- IfPos
- MemMax
- FkIfZero
- FkCounter
- Real
- Param
- Program
- RowSetTest
- RowSetRead
- RowSetAdd
- IntegrityCk
- DropTrigger
- DropIndex
- DropTable
- LoadAnalysis
- ParseSchema
- CreateTable
- CreateIndex
- ResetSorter
- Clear
- Destroy
- IdxGE

- IdxLT
- IdxGT
- IdxLE
- IdxRowid
- IdxDelete
- IdxInsert
- SorterInsert
- Rewind
- Sort
- SorterSort
- Last
- NullRow
- Rowid
- RowData
- RowKey
- SorterData
- SorterCompare
- ResetCount
- String8
- BitNot
- Delete
- Concat
- Remainder
- Divide
- Multiply
- Subtract
- ShiftRight
- ShiftLeft
- BitOr
- BitAnd
- InsertInt
- database schema has changed
- NotNull
- IsNull
- Insert
- NewRowid
- Sequence
- NotExists
- Found
- NotFound
- NoConflict
- Seek
- SeekGT
- SeekGE
- SeekLE
- SeekLT
- Close
- OpenPseudo
- SequenceTest
- truncate
- SorterOpen
- OpenEphemeral
- persist
- OpenAutoindex
- delete
- OpenWrite
- OpenRead

- win32-longpath
- ReopenIdx
- sqlite_rename_parent
- SetCookie
- sqlite_rename_trigger
- ReadCookie
- sqlite_rename_table
- Count
- MakeRecord
- win32
- Affinity
- Column
- IfNot
- Once
- Jump
- Compare
- Permutation
- Cast
- RealAffinity
- MustBeInt
- AddImm
- CollSeq
- ResultRow
- SCopy
- Copy
- Move
- Variable
- Blob
- SoftNull
- Null
- Int64
- Integer
- Halt
- HaltIfNull
- Yield
- EndCoroutine
- InitCoroutine
- Return
- Gosub
- Goto
- VUpdate
- VFilter
- Vacuum
- JournalMode
- Checkpoint
- AggStep
- Next
- Prev
- NextIfOpen
- PrevIfOpen
- SorterNext
- Transaction
- AutoCommit
- Savepoint
- Function
- memory
- _\\aXm

- |j<{9
- tU6p
- LiuJ
- 0123456789ABCDEF0123456789abcdef
- onoffalseyestruefull
- !5Ng
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- 22d0
- rootpage integer,
- tbl_name text,
- name text,
- type text,
- CREATE TEMP TABLE sqlite_temp_master(
- rootpage integer,
- tbl_name text,
- name text,
- type text,
- CREATE TABLE sqlite_master(
- SQLite format 3
- 9$oz
- 5`abe
- eYZ[
- lmn%E
- |23ab
- abab
- eaab
- 23cdefghi
- ab!d
- z;7q
- fghO
- abcz
- 3.8.10.2
- naturaleftouterightfullinnercross
- liA>@?
- =s}?@0t0123456789ABCDEF
- yIr-{b2$
- (bEEf
- 4e2%!m
- v>ic
- *T,h5#q./2
- raB3G
- bad cast
- _bufferLength:
- ios_base::eofbit set
- ios_base::failbit set
- ios_base::badbit set
- true
- false
- bad locale name
- map/set<T> too long
- invalid map<K, T> key
- \\drivers\\etc\\HOSTS
- GET /
- vector<T> too long
- invalid vector<T> subscript
- guid
- encryptedPassword

- encryptedUsername
- usernameField
- formSubmitURL
- \\logins.json
- SELECT encryptedUsername, encryptedPassword, formSubmitURL FROM moz_logins
- \\signons.sqlite
- %s\\Mozilla\\Firefox\\Profiles\\%s
- Profile
- %s\\Mozilla\\Firefox\\profiles.ini
- Internal Slot error
- Authenticate error
- Decryption error
- sqlite3_column_text
- sqlite3_step
- sqlite3_prepare_v2
- sqlite3_open
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- PATH=
- PATH
- Install Directory
- \\Main
- CurrentVersion
- SOFTWARE\\Mozilla\\Mozilla Firefox
- SELECT origin_url, username_value, password_value FROM logins
- plugin-container.exe
- chrome.exe
- firefox.exe
- Path
- invalid string position
- string too long
- iostream stream error
- iostream
- unknown error
- generic
- E.v+E.v
- E/v=D/v1
- wM7.v
- =.v8
- 5.v99.v
- .v9>-vO!.v
- 3.v;
- w57.vCE.v
- |,v3
- -v05,v/i/v
- -vej/va8.v6
- 5/vK
- _^[u
- D1$$
- D1$$
- <5|E
- u\t9Y
- u\t9Y
- HAO8

- 9] t"
- 9E$u
- Huzj
- j0Yf;
- >0t-N
- @ucP
- Wj0XP
- >0t<NAj0X
- jiZ;
- ItDf
- D2$$
- uJSSR
- r2f;A
- 8f;A
- tGS3
- tAWPj
- tAVSP
- tO9=
- t0j@
- tVjU
- tgf9
- t9Wj
- u4Wj
- u4Wj
- uF9C
- Yu2Vj@h
- u\t!C
- t%Ou
- f;1u
- PjAS
- Pj9S
- Pj8S
- PjOSj
- PjIS
- PjES
- Pj0S
- Pj7S
- Pj6S
- Pj5S
- Pj4S
- Pj3S
- Pj2S
- Pj1S
- PjAS
- Pj0S
- Wj7S
- Pj6S
- Pj5S
- Pj4S
- Pj3S
- Qj2S
- Pj1S
- <0|m<9
- "<;u
- +PjUW
- SVWUj
- s\t9r

- f90u
- f90t
- 9E W
- SVW3
- "u\t3
- < t8<\tt4
- tA9M
- >"u3
- 8csm
- G@A;
- uHjAXf;
- uDiE
- uBjAYjZ+
- Wj0XP
- >0t<NAj0X
- jiZ;
- 8"u7
- 8"uo
- Vh4!
- VVhU
- >0t-N
- @ucP
- jdh`i
- Xf9E
- Xf9E
- Zf9W
- t3f;
- QQS3
- t&9=
- un9}
- Ot\tA
- <v5hr
- @A;E
- <Xu
- ^_[3
- j;Yf9
- j;Yf9
- 0Nu
- 0Nu
- vlh|4
- @PSjU
- WVjU
- >Cu/f9F
- uCPVj
- Wh4=
- f97t
- f90t
- Vh|4
- 95|4
- 9wlt
- 1N_^[
- A_^[]
- SVAW
- <et
- |+;E
- Wj0V
- y&8]

- 80t-
- v6j0
- j0Yf
- u'j0X
- UVWS
- L$,3
- URPQQh0
- Y;=|4
- 5Genu
- 5ntel
- inel
- YYhl5
- SVW3
- t7QVW
- t&:a
- u*9E
- u*9E
- PP9E u
- 9E(j
- ~E8]
- ~18]
- r.9z
- rY9q
- ft!9q
- 8csm
- 8MOC
- 8RCC
- Hu4j
- u Qj
- @u(j
- ?MOC
- 8csm
- 8csm
- 8csm
- u(9u
- @uoV
- @uqV
- @uqV
- WVU3
- WVS3
- u8h\\
- u9h4
- YY;E
- YY;E
- FjIXV
-)1_[
- HtrHu
- t`Ht1
- SW3
- SW3
- t19}
- uUj=V
- woSW
- <8=u
- ^[_3
- FGIu
- FGIu

- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- 8csm
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- 9;t>
- Vh(9
- Vh89
- Vhh9
- PhH9
- Shx9
- 7j0V
- 9Q u
- 9{\\u\tV
- 9{\\u\tV
- t,;:u
- WSj0
- 8_^[]
- ,;0u
- t5;p
- TSVW3
- j0^Vj
- 9q8V
- P$;E
- 9C@u
- j<Y3
- s0Rj
- 9N@u
- Z9A8
- ;0u,9E
- GP9}
- W9^Pu
- 9f;:u
- 9f;:u
- 1f;2u
- 1f;2u
- 1f;2u
- HtAHt
- ~0_^[
- A0V3
- HHtZ2

- QVW3
- A fH
- uW8F
- .]^_`a8b
- STU.
- OPQ(
- .6.78.9:;
- 2345
- Y97}
- YY9C
- PjIR
- ;Ap~
- IQQh
- tCV8J
- 8#uP
- t`9N4t6VR
- PjaR
- f9K }
- f9S |
- G2:F2u
- N.f9O.t
- OH9U
- s0Vj
- STu!
- 0;s`|
- 9s`~&3
- A"PRS
- 97~%
- 9~,tB
- 9^T~
- u=PP
- Y;~0u\t;^4
- 9F0v
- 9F4|
- 7Wj\tY3
- 7GKu
- VWtO
- QQSV3
- C4 u
- t\tf9F
- }(f9B*u"
- 9F0t
- J(Ix4
- 9x(u
- H4PV
- ^49;t<
- u'WjH
- A(Xf
- u#;y
- F89F0t
- O(Ix
- f;C0s
- O$"3
- F$#O
- 9S(~
- 8PAt
- @<@uf

- A* u<
- G4 t
- @$;E
- A* t
- 8XAu
- 8O)v4
- 0PkF
- j0Y3
- 0PWQ
- _[9B
- 8^AWj
- 9x`v8
- f9~(um
- 8_^[
- }k;U
- A\\Pj
- Y9FP
- Wj0P
- uqPW
- ui+u
- 8XAWj
- AX;F
- J8!r8
- 6hl?
- Y9;~93
- 98t1
- u@8^9
- Y8V;v
- ux!u
- 9S(t
- uaCF;
- @f9F
- u$+}
- @f9C
- 9~$u"
- ^,9;t
- uI9G
- u#9N
- t"9A
- 7;~(
- A(PWQ
- 8Y;>|
- t W3
- t7Sh8
- t6kE
- ti9}
- &uPQ;
- PRj9
- 9G$t
- ;F0t
- 9>~)S
- t1W3
- u<9w
- Q<Y3
- t5SWj
- QQS3
- <gu

- </u3
- 8j=W
- YY9V
- 0jhW
- @$@u
- j6Zt
- A HPQ
- G* uD
- utj6Y8V&t;
- A$@uz
- @* u
- 9X@u
- YY8_At%
- YY8_Au
- uYWV
- u\t9^
- 8S,t}
- E PRf
- CB9u
- 8C0t%
- 9shu
- f9K(
- 8F+t"
- ub8^+u
- uj9~Dt&
- tbV3
- 9PHu
- ;8tAA
- !F8W
- u!SV
- u;SV
- 98tAB
- 9S8tH
- w4+G(
- N$99t
- 9^(u
- 8^;viW
- YY9^
- 9~(u
- SVW3
- 49^Pt/
- SWt93
- 8_At
- uT9E
- tRW3
- 1FXV
- 1FX
- GL;U
- 9wdt=
- FX@u
- tIPV
- u!9FPt
- FX@u
- uESV
- t9k}
- Qu\tV
- [f9ZD

- je^j
- t#9S
- u#9C
- G8kS
- 9HHv
- 9HL|
- uRkC
- u#P
- 9y(u
- 9Q8t
- 8AIu
- B8PIt
- P0VW
- I$;NX
- u+kC
- G8YY
- u\t;K
- 9Ohu
- 8N?t
- uGPW
- uS8NFtN3
- u!R3
- ;F@u
- u$kF
- ;.u\t3
- Nt/It%It
- 9wdt=
- F4YY
- C H_^9E
- 9A v
- 9A v
- 9A v
- ;AT~
- ~ 9xT
- p Af
- >F@;E
- F@Ou
- Qj0V
- .FAy6
- FOYYy
- uNSj
- .u|A
- u1S3
- @8G\tu%
- nu-3
- C"A;
- j7SV
- C* u{
- ;G@u
- et\tV
- FX@u
- 7_^]
- IPHu
- t8S3
- 9]$tA
- 0VPW
- YYuF

- uUVS
- 9~,uT
- A(QS
- u\tPW
- Vj9W
- PRj9W
- uYhH
- t595
- 8G?u
- tcHu
- QQVW3
- t#9;~
- At9P
- s%V3
- ;~8~
- @PjiW
- Pj7W
- 8_At\tQ
- 3AX%
- u!9]
- RPh0
- SQS3
- uHSh
- YY9]
- Pj2W
- SjaW
- SjaW
- YY8^2
- SjaW
- SjaW
- SjaW
- SjaV
- f;A"
- OFHW
- 9FHjl
- @Pj6
- @* u
- SjaW
- A* u
- SjaW
- Pj1W
- 9ND}
- TWS3
- Wja^V
- XjaY
- thS3
- @4S#
- SV8A2
- 0SWSja
- SjaW
- SjaW
- t0Sh
- SjaV
- 0SWP
- 6SQSP
- SjaW
- SjaW

- 8Y?u
- 8Y?u
- A8H@w
- ShPE
- SVS3
- ~1j ^
- uZ@PW
- t,9]
- uU9]
- X 9x
- t#f9H
- 1_^[
- u"Wh
- :modeu
- jeY:J
- cach;
- <9&u;\t3
- ?file
- 9B4t
- t@!E
- uE9E
- F@98uaS
- F@98t
- ^`u'
- uT9]
- t79U
- u-9E
- t"8H+u
- t48N
- uS9{
- v6WS
- 9s(t
- C* u
- F* u
- 4_[^
- XtM9E
- u?9]
- W4YY
- GL3-<
- GL0y5
- IQVj
- N"AQS
- j7VS
- F"+E
- Rj9V
- 9P4u
- f\tHN3
- f\tHN3
- u\t9}
- t4W3
- u1AA
- :u78\\
- <Eu>
- <Xu4
- N0QP
- E(PWj
- u\t9E

- SRj1
- E F;
- 9p$t
- ;U$u
- I.I;
- F0BA
- F0PW
- 9N$t+
- u*9F
- YY9u
- (VW3
- 9FDu
- 9F@u3
- ~|!E
- YY8CA
- f9H }
- Af9H.uw
- A>PQ
- $f9u
- u\t9u
- ;A`~
- u(Vj
- >Gu&
- u\tVW
- 9p,uq
- PQPja
- Sj0W
- 8SjMW
- SjOW
- PjUW
- !u5j
- t!k3
- @d9E
- B&<at4<
- st_9N
- ;A|~
- QSV3
- X9GH}
- 7j\tV
- u19E
-]SV3
- 0^_]
- YY9^4t)9^0~
- u\tVS
- j7WS
- CHj9
- G* u%3
- G* u
- 7j\tS
- <70t
- u\tSV
- u Pj
- A.f;
- u?RRW
- 3B9U
- E(YY
- F"9E

- O"PQRj1V
- f;1t
- ~aj X
- ~9S3
- Pj1S
- FD9E
- F\t;E
- 6PPSh
- u\tVW
- PSh0
- 0_^[]
- AQj
- y88_
- u*9E
- DQN3
- A,u$
- G@95
- G +E
- DANf
- 8GIu
- u+8FIu
- u.VW
- u 8G
- E(PSW
- E(PQW
- u=RW
- je^S
- Z8SR
- 9N<u
- uhj0
- Y_^3
- 8^\tt
- uU9]
- 9^,u
- 98u_
- u\t9]
- ;7w^
- VIW9
- 1j$V
- u h$
- 1t)j
- u\tSV
- E YY
- 79](t$
- 0SVW
- uWWV
- u1;~
- Pj1S
- 0QVQja
- Y;5h
- QQW3
- e_^[
- v'9}
- <-u
- <EuI
- @8#E
- ufPS

- u"9s
- PVPja
- 9AL
- PjAj
- =tni
- buodu
- aolft
- laert
- bolbu
- txetu
- bolct
- rahcu
- u49E
- tEhH
- t79M
- 91t*
- ^8PSV
- VjIW
- Vj1W
- @PjEW
- U YY
- u FPVjEW
- PjoW
- u$QjOW
- YY9E
- t.k0
- 8ttO
- YYKu
- 9;~8V
- 9~<u
- ^0SV
- 9H<t
- u*Ph
- @f\tE
- 1D:0
- 3D:0
- u'RVS
- 8_^[
- 9Gt$P
- 9;~"
- 8HAt
- 9K@u
- O491u
- 9^,~V
- J@9r@
- 9~`~
- <6u#
- ;~Pu
- 9PLt
- 4_^[
- Pj1S
- u\t8B
- tT9J
- 9{(vOV
- 9~(t
- 9~(t
- rR;50

- 9V s
- u!;S
- t4VW
- 9J4t@V
- +u>3
- u78G*t2
- >.uf
- s:9~
- K<99u"
- ^(8^
- th9M
- ur9]
- O<91
- YY;E
- u&;K
- u;9M
- uHPS
- u@9w
- 9F v
- t28^
- 9GXt
- Wt 3
- 9_(t
- IRPj
- ;_4s
- ;ADs
- f9Y(|
- u%8N
- Z8VW
- rG;u
- 7Pj7
- umWS
- uhW3
- p0PV
- s0SV
- x1SPV
- Xf\tA
- @j9V
- F,f9Z
- 89^<t&
- Yf9^Lu
- LFN3
- VWu2
- u1hp
- uH9;~8
- @* u
- 98~U3
- 9p,t
- u?9q
- 9p$uN
- H lQP
- p jAV
- u&WV;
- f9x
- 9P$u
- 9P<u
- 9P4u

- u\t9H
- 0^[]
- YY;2|
- t$V3
- j3Xk
- W8RW
- V;A,v
- Pj9W
- GD9K
- 0SVW
- 9>~.S3
- YY98
- 9s<u
- YjP3
- A$f;E
- f98tB
- 9C4t
- PWjOS
- u WS
- u WS
- G* u3j
- u WS
- 9u$}
- ;U(|
- u jOV
- u[h0
- PjIS
- PjOS
- E VWP
- 97~b
- uo9E
- 9{,~4
- s +u
- } !u
- B4V3
- f;A t6
- 8;>t
- 9>~8
- j0X+
- 0SWV
- t^9N
- PSj3
- ;Ou
- O$#U
- 0_[^]
- 8^_]
- f9^ }
- j0X]
- ~zW3
- :BINAu
- 9A(}
- > Yu
- F0_^[
- u?f;C"}9
- B"A;
- GF;u
- j?#A@

- A$AB
- tlkC
- P0JW
- 9W@t
- HHuu
- }:9]
- 8GAu
- (8H)v
- A$t-
- B* u$
- A&B;''
- @* u:
- f9x.v
- A?>@
- A'' t
- ~5Vj
- tZkK8
- C8kC8
- 9s8u
- XjiY
- 9_^[
- >AF;u
- YY<Au
- XjiY
- F8YY
- 9~$~!
- t*W3
- u!Sj
- 8F\tt
- ^4WV
- 9^Lu
- G89E
- O8PQW
- SVWt1
- ttWH3
- t^W3
- !~8Y
- 8^Iu
- 8FIu
- A fH
- O(Yu
- 9pLu
- ub9E
- u79E
- ~4f9F
- u]C;
- YYu)
- A9HHw
- u=8^
- @9CHt
- u.8N
- u7Rj
- <Bu(V
- 0SWV
- 4^_[
- f9N.u
- G YY3

- HRjaW
- A* t
- t\t9u
- PjaW
- OADRQ
- @9ADV
- C9YH
- F&9A
- G(_^3
- u\\9E
- ;C0u
- x09y
- C8YY
- C894
- ADf9P
- u-9U
- PVjOW
- 9s`~1
- N4^]
- u?S3
- K4VS
- j4Yj4
- F<Y3
- s4_^[
- ;{0s
- </t5<\\t1V
- 9AL|
- q0+u
- ;A0w
- ;q0sd
- Ht Hu
- j\tY3
- ;F0w
- ;~0sl
- Yu\tW
- F8#F4
- ,91u
- 9~(t
- Y9>t
- w)9{(
- C 9s
- VjD3
- u#h
- u|9E
- u.j0S
- uvSf
- :GKu
- QQV3
- uISVP
- u1Wh
- uZWh
- IItN
- IIt`
- H<u
- uYVW9
- y$97
- 9E W

- 9F0r
- 9V4|
- 9F@v79F,u
- 9FD|>
- GWh0
- tYV3
- uaG;}
- tES3
- uAV9
- A8j8
- 9^T~
- Y9^T
- G* uy
- Yu"8M
- t9kO
- YY_3
- YY9~
- u=f\t{
- K`[u
- YYuV
- FY9u
- |\t9E
- 1RPh`
- <:%u4
- 9N0v
- ~D9N4|
- ;~Dt,9N$u'
- r6;V@u
- AXRQ
- SAQW
- CSVW3
- V9q8
- 9]$t
- <:0u
- tC97u?j
- u(@P
- <>0u
- S9Y8
- P$8]
- ~$9~
- 2FOu
- 9x8W
- P$;E
- "h(i
- 4h(i
- Fh(i
- Xh(i
- rh(i
- t5HHt
- 0f;1u
- s#9>w
- It<
- jAYSP
- Xj2f
- XjlYj3f
- Xjif
- Xjef

- Xj0f
- XjoZjcYjef
- [jef
- XjOf
- ZjIf
- XjEf
- _^[3
- Yjaf
- Yjof
- Yjof
- Yjif
- Yjef
- Yjof
- YjEf
- Xjaf
- Xjef
- Xjof
- Xjef
- Yjef
- Xjuf
- Xjof
- Xjof
- XjEf
- Xjof
- SXjif
- Xjef
- Xjaf
- Xjof
- XjIf
- Xjef
- Xjof
- Xjif
- Xjef
- XjEf
- SVW3
- G4PSWh17
- t V3
- j0[W
- wN9q
- @h4:
- Vhd9
- Sh\\6
- 9=<B
- 9=DB
- 9=@B
- t#9=8B
- 9=HB
- Ph$6
- wL9q
- ^{a1
- Lt#8t
- <$@4
- 75V$|
- y6Xj
- @ 9u
- _i4`1
- QeBY,

- 1F2J2qK
- Y+4S
- B5+U
- lV1YS
-)N{2u
- EPWAP
- P1[M
- q6ms4
- wL9q
- daSS
- pjb6
- UPX!
- 3.91
- `UPX1
- UPX0
- Rich
- !This program cannot be run in DOS mode.
-
- (((((H
- (((((H
- zh-tw
- zh-sg
- zh-hk
- zh-cn
- zh-cht
- zh-chs
- tr-tr
- th-th
- syr-sy
- sr-sp-latn
- sr-sp-cyrl
- sr-ba-cyrl
- sms-fi
- smn-fi
- smj-se
- smj-no
- sk-sk
- pt-pt
- pt-br
- pl-pl
- nl-nl
- mt-mt
- ms-my
- ms-bn
- mn-mn
- mk-mk
- lv-lv
- lt-lt
- ky-kg
- kk-kz
- hr-hr
- fr-mc
- fr-fr
- fr-ch
- div-mv
- cy-gb
- cs-cz

- bg-bg
- zh-CHT
- smn-FI
- sms-FI
- sr-BA-Cyrl
- fr-MC
- smj-SE
- smj-NO
- fr-CH
- zh-SG
- sr-SP-Cyrl
- zh-HK
- ms-BN
- sr-SP-Latn
- pt-PT
- div-MV
- syr-SY
- cy-GB
- mn-MN
- ky-KG
- kk-KZ
- ms-MY
- mt-MT
- mk-MK
- lt-LT
- lv-LV
- tr-TR
- th-TH
- sk-SK
- hr-HR
- pt-BR
- pl-PL
- nl-NL
- fr-FR
- cs-CZ
- bg-BG
- zh-CHS
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- zh-TW
- zh-CN
- @ja-JP
- jjjjj
- @SPYNET
- yy/MM/d
- .tmp
- french-swiss
- (null)
- LC_CTYPE
- LC_ALL
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- zh-tw
- zh-sg
- zh-hk

- zh-cn
- zh-cht
- zh-chs
- tr-tr
- th-th
- syr-sy
- sr-sp-latn
- sr-sp-cyrl
- sr-ba-cyrl
- sms-fi
- smn-fi
- smj-se
- smj-no
- sk-sk
- pt-pt
- pt-br
- pl-pl
- nl-nl
- mt-mt
- ms-my
- ms-bn
- mn-mn
- mk-mk
- lv-lv
- lt-lt
- ky-kg
- kk-kz
- hr-hr
- fr-mc
- fr-fr
- fr-ch
- div-mv
- cy-gb
- cs-cz
- bg-bg
- zh-CHT
- smn-FI
- sms-FI
- sr-BA-Cyrl
- fr-MC
- smj-SE
- smj-NO
- fr-CH
- zh-SG
- sr-SP-Cyrl
- zh-HK
- ms-BN
- sr-SP-Latn
- pt-PT
- zh-CN
- div-MV
- syr-SY
- cy-GB
- mn-MN
- ky-KG
- kk-KZ
- ms-MY

- mt-MT
- mk-MK
- lt-LT
- lv-LV
- tr-TR
- th-TH
- sk-SK
- hr-HR
- pt-BR
- pl-PL
- nl-NL
- fr-FR
- cs-CZ
- zh-TW
- bg-BG
- zh-CHS
-
- (((((H
- (((((H
- %d/%d/%d %d:%d%d %s
- %d/%d/%d %d:%d %s
- CD\\DVD Drive
- "%s" %i
- %s %s
- WWXXXX
- WWXXXX
- WWXXXX
- nnnn
- WWXXXX
- WWXXXX
- WWXXXX
- WWXXXX
- WWXXXX
- WWXXXX
- -YZP
- WWXXXX
- WWXXXX
- WWXXXX
- WWXXXX
- WWXXXX
- WWXXXX
- kYZP
- TTTS
- WWXXXX
- XXXX
- XXXXQVVVVUUTTTS
- ntdll
- [DOWN]
- [RIGHT]
- [LEFT]
- [BACK]
- [PRINT]
- \\%Y %m %d - %I %M %p
- %s\\%s
- txtMsg
- clsChat
- MS Shell Dlg

- jjjjj
- jjjjj
- SHLWAPI.dll
- POWRPROF.dll
- gdiplus.dll
- CRYPT32.dll
- .vO!.v
- </assembly>
- XPTPSW
- NN&Bv;
- .\\Lq6Xk
- n ,3jD
- 8<$&V;`
- /}g!
- / #T
- *-&,
- lV:H@
- tJ|+
- .%**
- W?Htt
- /\tV
- f+X&
-)."D
- :";R
- "%H|
- jt"g@
- pPnL('o
- y._L
- +%:j
- ,yxS
- (":$
- hW3]k;
- .Lxl/6
- f.dl
- jNw
- V:>D
- `?K@
- zGS<
- .rsrc
- $
- 8<<<<<<
- T
- $,,,
-
-
-
- >%#-3-#
- 5###@##BB7--%
- *-&,
- J\t(Z7P
- /\tV
- "D
- <=><#
- %"%H
- y._L
- +%:j
- ,yxS

- (":$
- jNw
- t\t`"Qa
- gcFc_^7
- y `b
- @Bg
- _+/!
- Z(B<
- FP!(
- $\tD
- StretchBlt
- X`cu]ectYdcm
- cgcrbgc
- .?AV__non_rtti_object@std@@
- .?AVlength_error@std@@
- .?AV?$codecvt@DDH@std@@
- .?AV?$basic_fstream@DU?$char_traits@D@std@@@std@@
- .?AV?$basic_streambuf@DU?$char_traits@D@std@@@std@@
- .?AV?$_Iosb@H@std@@
- .?AV?$numpunct@D@std@@
- .?AV?$ctype@D@std@@
- .?AVbad_cast@std@@
- .?AV_System_error@std@@
- .?AVsystem_error@std@@
- D?$?
- ?/L[
- ?Zd;
- HMXB
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- :$:4:D:T:t:
- >(>H>h>
- = =@=`=
- <,<0<@<d<p<x<
- ;8;D;`;|;
- :$:,:0:4:<:P:p:
- ? ?(?0?8?@?H?P?X?`?h?p?x?
- > >(>0>8>@>H>P>X>`>h>p>x>
- = =(=0=8=@=H=P=X=`=h=p=x=
- < <(<0<8<@<H<P<X<`<h<p<x<
- ; ;(;0;8;@;H;P;X;`;h;p;x;
- :$:,:4:<:@:H:P:X:`:h:p:x:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?
- =h=y=
- =3>M>s>
- =C=`=~=
- >+>c>
- <'<$=
- ;":Y;
- 9\\:d:p:
- >;>M>_>q>

- 86;D=V=h=z=
- ?%?6?@?Z?g?v?
- >P?Z?`?p?x?~?
- >#?(?
- =\t>Z>
- =\\=b=i=
- <$<\\<h<
- :B;L;n;
- :<:W:o:{:
- :/:P:
- <g>x>
- ;R;v;k<
- =b=h=l=p=t=
- :5<S<l<s<{<
- :S:{:
- </assembly>
- .?AVlength_error@std@@
- D?$?
- ?/L[
- ?Zd;
- HMXB
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- RSDSQa
- system
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- `string'
- `vcall'
- __clrcall
- __stdcall
- __cdecl
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- _hypot
- GWVj
- ;_tr.
- wtVj
- ~';_t|%3
- j@%@
- SSSSS
- Ht+Ht$Ht
- tWPV
- +t"HHt
- WVPS
- v\tN+D$
- PPPPP
- [_^]
- @PSV
- UQPXY]Y[
- ;t$,v-
-]_^[

- VVhd+A
- jA[jZZ+
- _^[]
- _^[]
- SVWj
- [_^]
- URPQQh`
- t#Ht
- Y_^[
- Y_^[
- h ;@
- _^[]
- v\tN+D$
- PSSSSV
- PWWWWV
- _^[]
- Npt"
- Y_^[]
- PPPPP
- VWh$
- VVVVV
- PSVW
- WWWWW
- -jd[;
- PjdSQ
- PRSQ
- Wj0XPV
- ,SVWj0X
- @_^]
- @_^[]
- YYPW
- QQSV
- |c;F
- ?RCC
- >csm
- >csm
- >csm
- >csm
- PRSW
- SVWPP
- FVWPP
- SPPP+
- SSSSS
- PPPPP
- Y[_^
- t@VSP
- PSSV
- SVWh
- } j@W
- j@j _W
- jdhH;A
- ~pjCXf
- t/Ht
- Y__^[
- h ;@
- YYhd
- _^[]

- t#=`
- QQSVWd
- VWj
- r>PS
- Y_^[
- _^[]
- _^[]
- .rsrc
- abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789
- Z]_^[
- xppwpp
- `h`hhh
- `string'
- `vcall'
- __clrcall
- __stdcall
- __cdecl
- xpxxxx
- `h``
- (null)
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- _hypot
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
-
- BmT}
- M@fffff
- >@aTR'
- no such vfs: %s
- ANY(%s)
- -- TRIGGER %s
- SCAN TABLE %s%s%s
- %s.%s.%s
- sqlite_sq_%p
- %s:%d
- %s - %s
- %.*f
- %s.%s
- INSERT INTO %Q.%s VALUES('index',%Q,%Q,#%d,%Q);
- tbl_name='%q' AND type!='trigger'
- UPDATE %Q.%s SET type='%s', name=%Q, tbl_name=%Q, rootpage=#%d, sql=%Q WHERE rowid=#%d
- UPDATE "%w".%s SET sql = substr(sql,1,%d) || \', \' || %Q || substr(sql,%d) WHERE type = \'table\' AND name = %Q
- UPDATE "%w".%s SET sql = sqlite_rename_parent(sql, %Q, %Q) WHERE %s;
- tbl_name=%Q
- type='trigger' AND (%s)
- %s%.*s"%w"
- %.*s"%w"%s
- %s: %s
- %s: %s.%s
- %s: %s.%s.%s
- statement aborts at %d: [%s] %s
- abort at %d in [%s]: %s
- '%.*q'
- %s-mjXXXXXX9XXz
- vtab:%p

- (blob)
- %s(%d)
- k(%d
- %s%s
- Bad ptr map entry key=%d expected=(%d,%d) got=(%d,%d)
- %s%c%s
- %s-shm
- os_win.c:%d: (%lu) %s(%s) - %s
- (NULL)
- %lld
- fullfsync
- printf
- substr
- length
- tbl,idx,stat
- MaxPgcnt
- String
- ^(;r
- xPq>.T
- REINDEXEDESCAPEACHECKEYBEFOREIGNOREGEXPLAINSTEADDATABASELECTABLEFTHENDEFERRABLELSEXCEPTRANSACTIONATURALTERAISEXCLUSIVEXISTSAVEPOINTERSECTRIGGEREFERENCESCONSTRAINTOFFSETEMPORARYUNIQUERYWITHOUTERELEASEATTACHAVINGROUPDATEBEGINNERECURSIVEBETWEENOTNULLIKECASCADELETECASECOLLATECREATECURRENT_DATEDETACHIMMEDIATEJOINSERTMATCHPLANALYZEPRAGMABORTVALUESVIRTUALIMITWHENWHERENAMEAFTEREPLACEANDEFAULTAUTOINCREMENTCASTCOLUMNCOMMITCONFLICTCROSSCURRENT_TIMESTAMPRIMARYDEFERREDISTINCTDROPFAILFROMFULLGLOBYIFISNULLORDERESTRICTRIGHTROLLBACKROWUNIONUSINGVACUUMVIEWINITIALLY
- &&&&&&&&&&
- &&
-
- @@@@

- GHIJKLMNOPQRS
- lmnF
- UVWXYZ[\\]^_
- GHIJKLMNOPQRS
- cgpfgh
- UVWXYZ[\\]^_
- pAEGHIJKLMNOPQRS
- GHIJKLMNOPQRS3UVWXYZ[\\]^_
- YZ[\\]^_
- UVWXYZ[\\]^_
- a[\\]^_
- GHIJKLMNOPQRSzUVWXYZ[\\]^_
- 23PQRSzUVWXYZ[\\]^_
- PQRSTUVWXYZ[\\]^_lmn
- thstndrd
- trqs
- L~<b
- ;Hdj
- b:JM
- NSS_Shutdown
- \\nss3.dll
- system
- >-vp
- .vuG-v
- -v1#-v
- ,v\\9.v|
- ".v]7.v
- *-vF
- ,v%9-v
- ,v(7.v+
- <.vw
- S.v:
- ;.v@
- Y-vb
- g.v:
- -vQJ.v
- -v/d/v
- .vGi/v`
- T-vh
- ,v='-v
- ;-vb
- d.vb
- m,vjX,v
- -v&<.v
- e.vM)vs
- vhuv
- i$v<j$v
- $v@f$v;
- w$vg
- Y_^[
- WVPSj
- SVWP
- _[^]
- j-Xf
- j@%@
- SSSSS
- +t"HHt

- Ht+Ht$Ht
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- [_^]
- PWj?
- _^[t
- RPWQ
- HHtp
- HHtVHHt
- t/HHt
- [_^]
- PWj?
- Wj XP
- j Zf
- j-Xf
- RPWQ
- YYjgXf9
- jgXf;
- nt'joZ;
- HHtXHHt
- htHjlZ;
- j*Xf;
- j*Xf;
- t/HHt
- j Z+
- t?f;
- jAZjZ^
- SVjA[jZ^+
- SSSSS
- tHHt*Ht#
- GWVj
- ;_tr.
- wtVj
- ~';_t|%3
- QVWSj
- r)f;q
- /f;q
- j@j
- KWWj
- PPPPP
- Y_^[
- j=Yf
- (SWS
- 8jZZf;
- kSjA[jZ^+
- PPPPP
- PRPQh
- VPRQ
- j@Sh
- SHPh
- WHPh
- PPPPP

- tMj_S
- tnj@
- j@Wh
- QSVW
- j\tPjYV
- PPPPP
- WWWWW
- PPPPP
- _^[]
- Pj S
- Pj)S
- Pj(S
- PjCS
- PjBS
- Pj@S
- Pj?S
- Pj>S
- Pj=S
- Pj<S
- Pj;S
- Pj:S
- PjNS
- PjMS
- PjLS
- PjKS
- PjJS
- PjHS
- PjGS
- PjFS
- PjDS
- Pj/S
- Pj.S
- Pj-S
- Pj,S
- Pj+S
- Pj*S
- Pj S
- Pj)S
- Pj(S
- PjCS
- PjBS
- Pj@Sj
- Pj?S
- Pj>S
- G|Pj=S
- GxPj<S
- GtPj;S
- GpPj:S
- GlPj9S
- GhPj8S
- GdPjOS
- G`PjNS
- G\\PjMS
- GXPjLS
- GTPjKS
- GPPjJS
- GLPjIS

- GHPjHS
- GDPjGS
- G@PjFS
- G<PjES
- G8PjDS
- G4Pj/S
- G0Pj.S
- G,Pj-S
- G(Pj,S
- G$Pj+S
- G Pj*S
- QQSV
- _^[]
- FjPV
- LPjQW
- HPjPW
- /PjSW
- .PjRW
- -PjWW
- ,PjVW
- *PjTW
- $PjQW
- PjPW
- PPPPP
- PSSSSV
- PWWWWV
- [_^]
- @PSV
- UQPXY]Y[
- ;t$,v-
-]_^[
- t WW9}
- t#Ht
- j$h`j
- QVVVj
- qtRj
- RVSQj
- RVSQSWV
- [_^]
- SVWPP
- FVWPP
- SPPP+
- PPPPP
- Y[_^
- t@VSP
- PSSV
- SVWh
- Zv&j;
- jXYf;
- jxYf;
- jXYf;
- jxYf;
- } kE$<
- ?:uBGW
- PSj?
- PSj?
- SSSSS

- SSSSS
- @_^[
- PPSW
- PPPj
- RPQj
- SSPQSW
- t:f;
- SVWjA_jZ+
- Wj XP
- j Zf
- j-Xf
- RPWQ
- YYjgXf9
- jgXf;
- nt'joZ;
- HHtXHHt
- htHjlZ;
- j*Xf;
- j*Xf;
- t/HHt
- j Z+
- t;Ht+
- tRHtC
- QQSV
- _^[t
- RPWQ
- HHtp
- HHtVHHt
- t/HHt
- [_^]
- } j@W
- j@j _W
- HtRj
- XP_f
- Ht#j
- t$VW
- t;Ht+
- tRHtC
- <at-<rt"<wt
- t:Sh
- =t!f
- _[^]
- PPPPP
- tTSS
- ?snj
- tsj=S
- <=t
- _[^]
- PPPPP
- tPSS
- ?snj
- t\\j=S
- SSSSS
- PRPQh
- bWWWWj
- VVVVV
- PPPPP

- QQQQQ
- w$h,
- FlWP
- SSSSS
- _^[]
- PPPPP
- SSSSS
- @PVW
- GWVh
- PWPt
- Y_^]
- Wj.Y
- SSSSS
- PPPPP
- u#j,Xf;
- _tcPVj@
- tyPVj@W
- j.Yf;
- j.Yf;
- QSVW
- VVVVV
- PPPPP
- _^[]
- Npt"
- Y_^[]
- PPPPP
- VVVVV
- PSVW
- WWWWW
- -jd[;
- PjdSQ
- PRSQ
- Wj0XPV
- ,SVWj0X
- _^[]
- SVWj
- [_^]
- Y_^[
- Y_^[
- _^[]
- ~pjCXf
- t/Ht
- t#=`
- _^[]
- VVVVV
- PSQR
- jA[jZZ+
- PPPPP
- _^[]
- _^[]
- ~"VP
- VWh
- PPPPP
- VVVVV
- WWWWW
- SSSSS
- WVPS

- PRQh
- @_^]
- @_^[]
- YYPW
- QQSV
- |c;F
- ?RCC
- >csm
- >csm
- >csm
- >csm
- PRSW
- VSj
- WVSj
- _^[]
- tWPV
- _^[]
- j-Xf
- X_^]
- v\tN+D$
- v\tN+D$
- ^_[]
- ^TYY
- PPPPPPPP
- j Y+
- SSSSS
- j<SV
- j<VS
- j<VS
- RWPR
- sBHSW
- VVVVV
- _^[]
- HthHt3
- HHtPHHt-H
- PPPPP
- F@C;
- j=Zf
- tzWPj
- }\\@WP
- H^[_
- QQSVWd
- Y__^[
- Y__^[
- VWj
- r>PS
- H(Qj
- YYh|;
- _^[]
- $SWj
- PVWS
- PPPPS
- HtMHu)
- C$VP
- s Vhh9
- S$Rh
- VRh@

- VRh(
- VWPhX9
- QSVW
- t%Wh
- F,YY^
- VWjPj
- ~%P
- t<Ht9Ht/Ht%Ht
- F(k@
- PRQh
- j\\Xf
- Xj:f
- PQQVQ
- t*Ht#Ht
- WVhp<
- QQQQQQPQ
- _^[]
- SSSSRP
- SSSj
- SSSj
- HtmHH
- PPPPS
- SVWh
- PPPPS
- Y_^[
- VPVV
- PWWh(
- PWWWWWWW
- jD^V
- PWWWWWW
- SSSh
- YSSVh
- tlSVj
- ._^[]
- Y_^[
- SSjZh
- SSSj
- SSSh
- SVWh
- PVWj0h
- t.-(
- j<Y;
- PPPP
- _^[]
- _^[]
- SSSh
- SSSh<t
- NH^[
- YPSh
- WShl
- Ht\\H
- FH^]
- _^[]
- PWWWWWWV
- ~\\YY
- F@RRj
- Gcdefghhijggklmnopqqqqqqqrstuvwxyzz{|

- .(YZ[\\
- KLMN
- B.CDEFFG
- <=>?.@
- '()*
- !"#$%&
- PQQj9R
- QQQj9R
- Qj$W
- WWWj
- QQQj
- PPWj
- PPPPPPP
- QQQjwR
- PPWj
- PQQh
- PPWj
- PPQj
- PPQj
- PWjzV
- PQQj
- PVjz
- WPPj
- SQQj
- WWWW
- QPQQ
- VPjzW
- PQQjtR
- QQQQQ
- QQQQQ
- WWWWWWWPWV
- PWWWV
- QQQQ
- QQQQR
- QQQQ
- QQQR
- QQht
- _^[]
- <Fs&
- SSSj
- t\tPW
- Pj=W
- PPSj=W
- @PSj\tW
- f9C |L
- PPPj
- t/QQ
- C f;F
- K"f;N"
- @[_^
- PQSV
- sHVW
- C$f\tQ
- ^_[]
- t"WVj
- ~<9~(t%
- ^_[]

- t$SSWVj
- SSSSj
- _^[]
- t PPSWj
- PPPPj
- G\\^_
- [_^]
- C;^T|
- WSQj
- ;~@v
- ;^D|
- Phl?
- Phl?
- Rhl?
- SVWh
- Vhl?
- WWhD
- VVPVWVh
- VVPVWVh
- 9H@tWVPS
- _^[]
- SVWQ
- W YY
- GDSf
- #A@#QD
- G" t
- B ;F
- Y_^[]
- YY_^[
- PVQS
- f9F |M
- F QP
- _^[]
- C(PW
- ~,[_^]
- F,#}
- F,#J
- _^[]
- @_^[]
- V(Jx*
- G*f;
- [^_]
- t<WV
- @$\tG
- t%Ht
- qf+Dq
- W(f;
- Qf+DQ
- G(X\tG$
- W$|Xf
- G$ t
- G,f;A(
- #H@#PD
- j+XPRf
- QQRW
- #O #G$
- YY_^

- ,SVW
- YY^_]
- _^[]
- _^[]
- t\tWS
- _^[]
- Y_^[
- ub;NDr
- w\t;~Dw
- ;FDuGj
- P<YY9]
- Q<Y]
- WSSV
- _^[]
- QQVW
- $SVW
- j(Sj
- PVj(
- F Yj
- FLPWj
- F-@+
- _^[]
- F,Ph
- Q@YY_^]
- yL;F
- ;GDs
- vj;M
- t.SW
- t@< t<3
- ~8f;F"}
- F@_^[]
- Phl?
- TVKk
- C Wh
- B;SVW3
- YY[_^
- WPPR
- YY^]
- q;Nx
- C(YY
- @jH^
- C$Pk
- QQSVW
- C _^[]
- F PQV
- QQSV
- QPWS
- QQSV
- F,SP
- OF(QPV
- C,;C
- C(;C
- C,;C
- WD_^
- YY^]
- YY^]
- s,SW+

- t\tQV
- Vj=W
- Vj\tW
- Hf;G"}3
- PPPPPP
- f;G"}`3
- Y_^[
- ;G$|
- B$#M
- PPPS
- _^[]
- !^,V
- FTt
- _[^]
- F,WS
- [_^]
- YY_^[
- QSVW
- _^[]
- f;x"
- YY_^[]
- f;C"}A
- Y@_^]
- djdZ
- _^[]
- j\\Shp
- YY^]
- RPVW
- QQSVW
- YY_^[
- @* t
- Pj=W
- ;C@t
- t$HPW
- YYt%j
- F(YYk
- C)HY
- x\tWS
- s(QR
- uSj@Xf9G"}J
- F f@
- f\tF"
- FDC;
- CHPR
- B< t
- QSVW
- _[^]
- ^;CDt
- CDVW
- _^[]
- sNWS
- WSRP
- PWQR
- CTPj
- F(^]
- F(Yf
- PPPV

- RRRQ
- _[^]
- YY_^]
- t<j\tY
- _^[]
- PVSh
- PPPh
- QQSVW
- _^[]
- _^[]
- _^[]
- t~VW
- QSVW
- [_^]
- F@YY
- QQSV
- rd^]
- _^[]
- {PtM
- w$_^[
- _,;_
- QSVW
- F@QP
- ^ ^[]
- YYt
- QWWP
- YYPj
- _^[]
- FX^]
-
- FPYY
- Y9^L|$V
- _[^]
- FFG;
- f;FF}/
- j X;
- Sj@W
- _^[]
- _^[]
- }lj Y;
- jBVf
- AtJHHt=Ht2Ht'
- Y_^[
- fHYf+
- xj V
- ;W }
- Phl?
- t&j;\tXP
- [_^]
- _^[]
- Y_^[
- F(s)
- FX@t
- FX t
- G,_^]
- ~(s)
- ,j\tX

- G,VP
- G,VP
- Phl?
- w,PV
- Q$VW
- X\tGX
- G,VP
- G,VP
- G,VP
- Phl?
- G,VP
- Phl?
- QkV,
- Yj@Yf
- t$kC
- PRVf
- j X;
- RPPP
- @L:GWs
- F ;C
- X\tGXj
- GhHPQV
- G,VP
- G,VP
- FD;D
- ;F@v
- s:!FL!FD
- ;N@w
- F<;GH
- $G<C|>j
- s(j@X
- j@Z;
- G,VP
- Phl?
- tyRQ
- HtzHtgH
- GHks
- [_^]
- ;pX~
- ^_[]
- YY_^]
- $_^[
- YYNy
- QSVW
- C []
- ;C }4Vk
- _^[]
- C Hk
- FYY;p
- j PV
- >F:M
- j\'Xj"
- SRQVPO
- XPVR
- t3Ht*HHt
- _^[
- SSPj=W

- Vj=W
- C"F;
- f;C"}4
- f;C"
- S@PP
- f;C"}j
- PjLW
- RQjDW
- FHQPQj
- @&jgW;
- FHt+
- f;C"}
- jnSV
- YY_^]
- _^[]
- :_@t>
- _^[]
- F\tt.
- f;HD})S
- _^[]
- _^[]
- _^[]
- f;F"}
- Y_[^
- VWVjJS
- @>Pj
- @Pj-S
- @PVj3S
- YY_^[
- F$WS
- ~*Wk
- jPY+
- YYjP
- v>Hk
- YY_[]
- _[^]
- _^[]
-] VW
- [_^]
- >_^]
- D_^]
- YY_[^
- PjXW
- PjtW
- ;jHW
- YY_^
- ^[_]
- f;Q,}
- P,f;W(}
- G* t
- Pj+W
- VPRj<W
- PQj"W
- CDQj
- t\tPW
- CH@j
- Xf\tF

- PPPj
- t?VW
- r:;=X
- VjTV
- CN_^[
- {HYY
- YY[_^]
- tJSV
- wKt*
- H +H$
- X_^[
- KYYy
- PSWR
- Cf\t^
- _^[]
- ;H`~
- ^<_^[]
- YY[_^
- <_^]
- PPPh
- PPPh
- PPPh
- D_^[
- Vj=W
- Pj=W
- Sj=W
- @PjnW
- VjdW
- VjcW
- VjjW
- VjlW
- Rj:W
- F.Pj
- F(VS
- Phl?
- GC;}
- RPQW
- ;_\\~;h$
- RPhh
- @Pj#W
- S@PW
- @PPj#W
- FAQSPW
- tDPQ
- @PSjaW
- @SPj
- Vj^W
- ^VSjaW
- @Pj%W
- SSSj
- Pj%W
- PjLW
- Yf;F.s9
- S@Ph
- XPPj
- XPPj
- XPPj

- Pj%W
- PQj%W
- @SSPh
- @Pj%V
- SSVjMW
- SSSj
- S@Ph
- @SPj
- SSVjLW
- @PRj
- SSSj
- S@Ph
- @PQj
- YYjdY
- S@PSj
- SjgW
- QPSVW
- SPSjgW
- @Pj&W;
- @PjLW
- tEPRSj/W
- NDSSSjl
- FHj6QWSV
- ;FH~
- S@PW
- @Pj#W
- WVWj
- PWPj
- PShd
- S@PW
- V@Pj#W
- ^VSjaW
- S@PW
- V@Pj#W
- ^VSjaW
- @PRj
- S@PW
- @Pj#
- @PQj
- PSh,
- S@PW
- @Pj#W
- @PQj
- S@PW
- @Pj#V
- @,SWP
- @Pj#
- S@PW
- @Pj#W
- ^VSjaYQW
- S@PQj
- f;P"
- S@PW
- SSSh
- Phl?
- Phl?
- t@;}

- RPhl
- V@Ph
- Pj%W
- SS@Pj#W
- @VPS
- HPVS
- RPh@
- RPhx
- @PPj#W
- @PVj
- @PPj#W
- @PSjaW
- @PVj#W
- RPhP
- CSVj
- @PVj#W
- SVSjaW
- YY_^]
- _^[]
- YY_^]
- V YY
- QVPS
- SQh\\
- jsX:B
- <#t&
- j\tSh$
- tF</t
- YY^]
- 0Y;^`|
- ;^`}
- YY_[^]
- t#WV
- ^`;]
- t,WS
- XVf\tF
- [_^]
- Y;^ v%
- _^[]
- Y_^[
- YYWS
- QPWS
- _^[]
- _^[]
- ;wD~
- C* t
- _^]
- _D_^[]
- @_^[
- SjSV
- YY_^[
- QQSV
- <_^[
- PPPPPP
- VVVW
- @_^[]
- YYSWj
- _^[]

- wHr
- <~\t_
- Y_^]
- tmPW
- W(YY
- Q4CYY;
- t>hd
- !<!t#
- (_^[
- Sj=W
- Pj=W
- YYt'
- jlRS
- QVPj
- Pj"W
- t\t;B
- f;F"
- QjJW
- QPj!W
- QjJW
- F"@P
- @PVW
- f;F"
- KH@Pj
- PWjlVS
- f\tPN
- t&hP;
- Phl?
- PQQj
- f!HN
- t\tSV
- F>;^
- _^[]
- f;F0s,
- _^[]
- GYY;~
- WPSV
- YY_^]
- _^[]
- _^[]
- <tQHt6H
- @_^[
- w"Wj
- D_^[
- $;p }!f
- f;G"}=
- t-9w$t&Q;
- RRjm
- lVPW
- f;B.s9
- @* u=Q
- QPj"S
- f;N0s^
- @PQS
- QQVW
- QQjmVW
- PjLS

- VjMS
- HtgHtSHtaHt6
- _^[]
- @_^[
- YY[^_
- t\tSV
- ^[_]
- PPPS
- PjLW
- t);F u
- QVPW
- _[^]
- YYPj
- tMPW
- GH@P
- ,SVW
- f9B }%
- #t/Ht Ht
- _[^]
- @_^[]
- QVSW
- Pj-S
- 4tmNt*N
- Pj.V
- S~?=
- 4tZHt(H
- YY_^[]
- YY_^]
- F f;C
- @>PS
- @>PS
- C>PS
- _^[]
- G QRP
- VPjZ
- PPPj$V
- VjMW
- G QPj
- WSjH
- j WPSjQV
- RSjSV
- G Q@
- PVj(
- VPj"
- Sj&W;
- PSjLW
- QPjLW
- SjNW
- PSSjUW
- _^[]
- _^[]
- Bh_^]
- _^[]
- _^[]
- ;Gd~
- _^[]
- YY[_^

- [_]
- u"VPPjH
- _[^]
- YY;>|
- YY_^[]
- t\tSW
- F,YY^_[
- YYVS
- QQQj=P
- GH_^[
- 0QQVj~S
- PPPj=S
- PVj\tW
- YY_^[
- YY^[
- Rj\tV
- QQSV
- YY_^[
- Qj\tV
- ^[_]
- YY_[^
- YYVW
- YYC;^0|
- Sj=V
- RjDV
- Yt"V
- t\tPV
- ;CH~
- CHQPQj
- w(jvV
- jmWS
- G_^[
- F.[f
- j Xj
- Wj!Y
- _^[]
- _^[]
- YY[_^
- PPPh
- @* t
- B.F;
- C.PQ
- f;B.
- C* t(S
- _^[
- ;C@tG
- \\SVW
- Y_^[
- r j?X
- YY_^[
- G* t
- PQjLV
- QQSVW
- <C}
- _[^]
- [_^]
- Y_^[

- x\tPW
- QPj&S;
- SPSj
- ,_^[
- VPRj,P
- f!HN_^[
- 6PPSj|
- [YY
- YYVW
- ^F^[]
- f;FL
- tNVW
- QQSW
- W$[t
- _ +_$
- G0Y_^]
- !G,W
- YY_^
- YY_^]
- |QNf
- Xf\tG
- @f\tG
- t#QQjd
- DANf;F
- ;N<
- [_^]
- t(VW
- Y_^]
- [_^]
- @_^[
- CLY;
- DSNf;A
- Y_[^
- DFNf;A
- Vf9FLt~
- YY_^
- NSWV
- _^[]
- f;FL
- _^[]
- Y9F,t&
- F(8_\tt
- YYj}XF;
- |s$@
- SWj}
- _^[]
- j}XF;
- j}YB;
- j}Yh
- YY^]
- j#Xj
- YY_^[
- tPh|
- _^[]
- _[^]
- tPSW
- PWSWj

- PWj\tV
- t+h(h
- _^[]
- t]SW
- @_^[
- w.Wj
- _^[]
- _^[]
- YY_[
- RQPW
- YYF;s
- t\tVW
- PPPPPQ
- PPVh
- YY_[
- f;B"}G3
- SPPPV
- YY_^[
- YY_^[]
- _^[]
- F"[_^
- F"@;G`~
- YY[_^
- tdSW
- YY_^]
- _^[]
- @_^]
- _[^]
- X_^]
- t\tPW
- VjnW
- ;] |
- Pj"W
- @PjnW
- Vj#W
- u VjnW
- VPjnW
- ;CH~
- ;G`~
- PjzS
- PjzS
- f;P"
- @_^[
- @PSh
- ^_[]
- P;;|
- _^[f
- f;P"
- _^[]
- Y_[^]
- tCVW
- L_^[]
- Sj#W
- VSVj
- X_[^
- Xf\tF
- QQSV

- ^DYY
- VWQPR
- @f\tG
- ~}Vh
- ;H`~
- $SVW
- _^[]
- YY_^[
- PPVj
- _0^_[]
- ;^,|
- F,twSW
- YYPj~V
- GA_^[]
- Y_^]
- [0Y;~`|
- t}SW
- @[_^]
- F;r |
- ;P(t"
- F9r ~FVR
- PQVSW
- ;^Tt9SWj
- HHSV
- Pj+S
- Y^[_
- Y_^[]
- _^[]
- ^_[]
- G;{(r
- ^(_^[
- ;~(r
- tQ9~(v:
- N$_^]
- J ^]
- _^[]
- F$@;F
- ;~(r
- _^[]
- <]t"
- YY^]
- ;ph~
- Pj-h
- Pj-j
- QQSV
- _^[]
- Pj:j
- FPRj;Rj
- FPSj;SWV
- _WPj:j
- Sj;Sj
- SVWP
- ;{ v
- Xf\tG
- QQSVW
- F<SSS
- 9^(t'V

- G [_
- jeX_^[
- ;GPw
- ;G v
- ;GPw~3
- ;GT|
- RPQV
- RPQV
- _^[]
- FLt'SSQ
- trPh
- P YY
- _^[]
- YY^]
- YY^_[]
- u`SSVW
- WhG.
- C(;Aht
- RPQV
- RQPj
- QQSW
- F<SP
- j@Xf
- GC;]
- @PPh
- WVWj
- WVWj
- t\t@P
- VWRP
- C *C$
- ^_[]
- PPPj)V
- D@Pj
- G @PRQj
- PQj!W
- YY_^]
- YY_^[
- Wj=V
- Wj\tV
- PRWf
- Yf\tH
- Rj.V
- SSWj=V
- SSPj=V
- Wj\tS
- PQWf
- Y_^[]
- x#tY
- _^[]
- F,^]
- Y_^]
- L~Pf
- YY^]
- _^[]
- C@\tKD
- @j?X
- X_^[

- C* j
- C B;
- ~#h(
- G VP
- ;w t-
- @f\tG
- ;C\\t
- X^[_]
- @ PQ
- W@Pj
- w @;
- ^<^[
- ^[_]
- KSVW
- ;^,w.
- v @;
- _^[]
- CLVW
- F@_^[
- Xf\tF
- PPPj!S
- YY_^[
- HtpHtAHHt=
- PQj/V
- RjkV
- t\tPV
- HtdHt
- Pj+S
- twWj.S
- G;>|
- _^[]
- wgPQ
- Y_^]
- YYVW
- YY^]
- @^[_
- F$PW
- PPPW
- PPPj
- ._^[]
- YY_^[
- t\tPS
- PPPPVWS
- f;H.s]
- PVjNS
- RjNV
- f;K
- Pj!V
- Qj"V
- PjLV
- GDHV
- _^[]
- QPQV
- QQQQQQ
- PPPjeS
- PjzS
- PjzS

- PjzS
- B$#M
- B f;
- _^[]
- H=QW
- QSVW
- _^[]
- ;{,|
- Y_^[
- s @;
- _[^]
- _^[]
- YY_^
- t#kv
- G$_[^
- Xf\tG
- PjRV
- PjSV
- Xf\tG
- (^_]
- B* t
- @* t
- QPQQj
- SPSSj
- F(^[]
- YY_f
- YY_f
- YYt!V
- 7,...f
- YY^[]
- [_^]
- GL#J(#B,
- _^[]
- @_^[]
- YY;]
- < t\tF
- GVhx
- IVhl
- Y^[]
- f;H"}q
- QSVW
- VWjd
- }LQV
- C.PQ
- F.G;
- C+PRWWWV
- Bf9{ |wWWV
- C Vjt
- QQWPQQQV
- YY_^[
- PPPP
- j?Yf;J"}
- <[_^
- VjYS
- Sj&W;
- GHSW
- C+_^[

- Wjd^
- F ^]
- _^[]
- YYPS
- YYPj
- YYPS
- YYPS
- PVSf
- HtsHt<j
- [_^]
- SL_^[
- F,#KH#CL
- t\tPV
- s$j.V
- B,#KH#CL
- @* t
- @* u/V
- PQPjHW
- N.QPj9
- OHPQPj
- @.PQ
- f;P.s@
- H.QW
- VPVj
- YY<At{
- t'f;
- P.f;
- wHVPjg
- jSXjQZ
- jP^jRX
- jlXjiZ
- VPj&
- vHVQW
- YYG;}
- QSPV
- FH@WPWj
- $_^[
- VRj/
- VWVj
- YY_^[]
- ,^[_
- ~#VSj0P
- QPj"
- jAXj>Y
- G;~$|
- CYY;_@|
- kG<(
- _[^]
- t\tVW
- YY[V
- ;G,v
- _^[]
- PQhX
- ^ PSW
- @_^[]
- F(WP
- F(h$

- ^_[]
- YY_^]
- Y_^]
- F>PV
- NDt
- FL^[]
- f;FL
- _^[]
- FLYf9\\FNt
- Bf9^LtFV
- w"+}
- DFNf;B
- DFNf;B
- DFNf
- @_^]
- Y_^[]
- XLf!H
- PSPj
- _^[]
- w @;
- _^[]
- Phl?
- _^[]
- @>PS
- YY^]
- ([_^
- f+C
- F PV
- GYY;
- Pf;G
- GH;D
- @DPf
- tV~(
- _f9<Vs
- QQSV
- G|PV
- v @;
- RPSQ
- |\t;M
- v @;
- ~,WV
- QQSV
- _^[]
- <C|*
- _^[]
- vDPS
- Sj.W
- @PPW
- SjMW
- F.Pj
- F.RQR
- YY_^[
- QPSj
- @_^[
- @ f;F t
- ;W |
- G&Pj;

- t'VS
- K,@;
- YY;C,uT
- K,@;
- _^[]
- ;{`|
- C\\;T
- CYY;
- RPQV
- t%Ht
- ;C@~+
- CL!}
- CX3FX%
- Phl?
- ,_^[
- SWh$
- Y_^]
- YY_^]
- Y_^]
- Yf;FD}-
- HtdHtDHt
- ;Fx~
- Y_^]
- VWRP
- Vhl?
- SSSW
- SSSW
- Vj\\R
- t\tVW
- t"SW
- wzSW
- ^[_]
- tCSV
- YYt-
- X_^]
- _[^]
- RQPSV
- q @;
- s$+C
- _^[]
- YY_^[
- t\tVW
- @M:C>t
- [_^]
- Y_[^]
- _^[]
- _[^]
- G"Pj
- G"@PV
- w@VS
- G* t
- YY^_[
- :PQS
- _^[]
- WWWh
- QQSVW
- Ht%Ht

- YY^_[
- RPhX
- GYY;
- _^[]
- _[^]
- FT9^T~
- Y_^]
- YY_^[
- _^[]
- PPPP
- VQPh
- Q<YY
- QQSVWj
- _^[]
- _^[]
- RPVQ
- QQVW
- Y_^[
- Y_^[]
- >FC;]
- YY_^[]
- _WRP
- HHtj
- HHtq
- HtQHt>
- ADf;BDt
- _^[]
- t(Vj
- _^[]
- S@Pj
- ._^[
- PVh$
- QQSVW
- ._^[
- RPWV
- Phl?
- WSSSh4?
- PSSj
- CYY;
- CYY;
- PQVS
- @t)V
- QjLPW
- [_^]
- PQVW
- PWhl>
- PWhd>
- PQVS
- j.Xf
- ~,9~$t
- Wh >
- _^[h(i
- t6HHt j
- tdHtO-
- HHt{
- FG;}
- FG;}

- [_^]
- PhH=
- VWPhH=
- YY_^
- PhH=
- Sj#S
- t/HHt
- tSHtC-
- (tvHHte
- t'HHt
- PWVS
- _SWV
- SVWj
- _^[]
- ~!WWPVWW
- PVVVVVV
- TVWj@3
- PRQh
- QhP;
- SVjNZjeXjt[jAf
- _^[]
- Xjgf
- Xjnf
- Xjtf
- XjSf
- Xjmf
- YjsXjNf
- XjPf
- Xj\\f
- Xjsf
- jr[ja^jlXjPf
- Xjnf
- Xj\\f
- Yjmf
- Xjtf
- Xjsf
- XjSf
- XjNf
- YjPXjTf
- XjCf
- Xj\\[jSf
- SVWjHXjAYjR^jDZjWf
- Yjmf
- Yjtf
- Yjcf
- Yjdf
- Yjrf
- YjPf
- Yjsf
- Yjrf
- ^jtYjVf
- jCYjuZjrf
- [jTf
- YjNf
- Yj f
- Yjwf
- _jdYjof

- Yjtf
- Yjs[jff
- Yjrf
- Yji_jcf
- Yj\\^jMf
- YjRf
- YjWZjAf
- YjTf
- YjFf
- SVWjSYjOf
- Y_^]
- VWj@^V
- Xjyf
- XjIf
- ZjDXjpf
- Zjsf
- Xj ZjZf
- Xjmf
- j\\XjTf
- XjVf
- ^jtf
- Xjnf
- Xjrf
- XjCf
- Xj\\f
- XjTf
- Xj f
- Xjwf
- Xjdf
- Xjnf
- Xj\\f
- Xjtf
- XjsZjff
- ji[jcXjrf
- XjMf
- Xj\\f
- XjWYjA[jRf
- XjFf
- jSXjOf
- ^jaXjmf
- XjNf
- Xjyf
- XjKf
- Xjnf
- XjeYjZf
- [jBXjsf
- XjTf
- Xjvf
- [jcXjtf
- YjnXjAf
- Xjff
- Xjnf
- Xjnf
- ^jeXjZf
- Zjmf
- XjTf
- Xj\\f

- Xjlf
- Xjnf
- Xj\\f
- XjSf
- Xjt[jo^jlf
- YjeXjnf
- Yjrf
- Yj\\XjCZjuf
- YjMf
- jSXjYYjTf
- VjZXPh
- VjYXPh
- ttVh
- VSWP
- PPWhx7
- ~Q;~
- QQSV
- QSVW
- PPQh
- Y_^[
- VVPh
- LSVWj,3
- VVVVVVVVj
- VVVj
- [_^]
- ~_^]
- @hD:
- HtmHt[
- t&PPWVj;
- PPPPj
- Y_^[
- SVWP
- PSShT6
- t+9=LB
- t*WSh
- YY^]
- _^[]
- QSVW
- PSSSSS
- _^[]
- DDPX
- \\^.L(
- =e*WS%
- TF;V|J
- n\\W{
- tYXD
- @:!v
- SKFd
- HuzsN{
- b <*
- %@vv
- !.[V
- PRQH&|
- `.rsrc