Analysis report for sample: 3848fe7518d7ce390e61d70779999ff1

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 2500 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 3848fe7518d7ce390e61d70779999ff1

AV detections

- Microsoft: Trojan:Win32/Emotet.L!bit
- Kaspersky: Trojan-Ransom.Win32.Purgen.cw
- Symantec: Trojan.Gen.2
- Malwarebytes: Trojan.Downloader

Original source url

-

Virustotal url

- https://virustotal.com/es/file/e7c3f47287824d10a68e407ca55c778f34bbffebc2898e623b62189f9d62e5d0/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- VC8_Microsoft_Corporation ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasRichSignature (Rich Signature Check)
- DebuggerException__SetConsoleCtrl ()
- anti_dbg (Checks if being debugged)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- TEAN (Look for TEA Encryption)
- Microsoft_Visual_Cpp_8_additional ()
- HasOverlay (Overlay Check)
- with_images (Rule to detect the presence of an or several images)
- RijnDael_AES_LONG (RijnDael AES)
- Prime_Constants_long (List of primes [long])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

Snapshot


Computer
C:\Windows
Recycle Bin
how_to_ba...
Start
11:40 AM
Sunday
6/18/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name vssadmin.exe Alias P2
- Name cmd.exe Alias P3

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name VSSVC.exe

- Name svchost.exe
- Name wmpnscfg.exe
- Name conhost.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P2, Command line: vssadmin.exe Delete Shadows /All /Quiet)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\hjkhkHUhhjp.bat" ")
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- suspicious event or string: vssadmin.exe Delete Shadows /All /Quiet
- url | valid domains | tlds: |.FO`
- url | valid domains | tlds: 9.my
- url | valid domains | tlds: .pR{}
- url | valid domains | tlds: Microsoft.NET
- url | valid domains | tlds: -.vl"-vb
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | kernel32: IsValidLocale
- api | kernel32: EnumSystemLocalesA
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetUserDefaultLCID
- api | kernel32: FlushFileBuffers
- api | kernel32: CloseHandle
- api | kernel32: CreateFileW
- api | kernel32: HeapSize
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: HeapReAlloc
- api | kernel32: HeapAlloc
- api | kernel32: GetStringTypeW
- api | kernel32: LCMapStringW
- api | kernel32: WriteConsoleW
- api | kernel32: SetStdHandle
- api | kernel32: RtlUnwind
- api | kernel32: GetLocaleInfoW
- api | kernel32: InterlockedExchange
- api | kernel32: FreeLibrary
- api | kernel32: SetConsoleCtrlHandler
- api | kernel32: FatalAppExitA
- api | kernel32: MultiByteToWideChar
- api | kernel32: HeapFree
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: SetFilePointer
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: HeapDestroy

- api | kernel32: HeapCreate
- api | kernel32: GetCurrentThread
- api | kernel32: InterlockedDecrement
- api | kernel32: GetLastError
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: InterlockedIncrement
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: GetModuleHandleW
- api | kernel32: EncodePointer
- api | kernel32: DecodePointer
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineA
- api | kernel32: GetTempPathA
- api | kernel32: GetCurrentProcessId
- api | kernel32: AddAtomA
- api | kernel32: GetFileType
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetProcessHandleCount
- api | kernel32: LoadLibraryW
- api | kernel32: GlobalAlloc
- api | kernel32: GetDriveTypeA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: VirtualProtect
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation
- api | advapi32: SystemFunction036
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | kernel32: OutputDebugStringW
- api | kernel32: LoadLibraryExW
- api | kernel32: GetModuleHandleExW
- api | kernel32: SetFilePointerEx
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptAcquireContextW
- api | user32: wsprintfA

- api | user32: SystemParametersInfoW
- api | kernel32: lstrcpyA
- api | kernel32: SetFileAttributesW
- api | kernel32: lstrcpyW
- api | kernel32: CompareStringA
- api | kernel32: FindNextFileW
- api | kernel32: lstrcatW
- api | kernel32: LockResource
- api | kernel32: FindClose
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: lstrlenW
- api | kernel32: lstrcmpW
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: SizeofResource
- api | kernel32: GetProcessHeap
- api | kernel32: SetThreadExecutionState
- api | kernel32: GetLogicalDrives
- api | kernel32: MoveFileExW
- api | kernel32: FindResourceW
- api | kernel32: FreeResource
- api | kernel32: FindFirstFileW
- api | kernel32: CreateFileA
- api | kernel32: LoadLibraryA
- api | kernel32: GetFileSizeEx
- api | kernel32: ReadFile
- api | kernel32: lstrlenA
- api | kernel32: CreateProcessA
- api | urlmon: URLDownloadToFileA
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: GetTickCount64
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: CreateEventExW

- api | kernel32: InitializeCriticalSectionEx

Involved hosts

- 192.168.133.169:56889
- 192.168.133.169:57124
- 192.168.133.1:5355

Dns queries

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.169:57124**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.169:56889**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, vssadmin.exe)
    - Thread T7 (in process P1, cebo.exe)
    - Thread T8 (in process P3, cmd.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P2, Command line: vssadmin.exe Delete Shadows /All /Quiet)
    - Thread Create (Thread ID: T7)
    - Thread Create (Thread ID: TUNKALIAS)
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\AppData\\Local\\Temp\\hjkhkHUhhjp.bat" ")

• Thread T4 (in process P2, vssadmin.exe) description

• Thread's childs

- Thread T5 (in process P2, vssadmin.exe)

• Thread' events

- Thread Create (Thread ID: T5)

• Thread T5 (in process P2, vssadmin.exe) description

• Thread's childs

- Thread T6 (in process P2, vssadmin.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T6)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P2, vssadmin.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T7 (in process P1, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

- **Thread T8 (in process P3, cmd.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e5300000000000000000000000006f76ab001d0000006f769e00120000006f76aa006600000009789300050000000000010051000006f76af00010000006f769a00010000006f769d00

• Module 1 yara matches

• Microsoft_Visual_Cpp_8_additional ()
• Microsoft_Visual_Cpp_8 ()
• IsPE32 ()
• IsWindowsGUI ()
• IsPacked (Entropy Check)
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• DebuggerException__SetConsoleCtrl ()
• anti_dbg (Checks if being debugged)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)
• TEAN (Look for TEA Encryption)

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: |.FO`
• url | valid domains | tlds: 9.my
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: Sleep
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: IsDebuggerPresent
• api | frequently used by malware: GetProcAddress
• api | kernel32: IsValidLocale
• api | kernel32: EnumSystemLocalesA
• api | kernel32: GetLocaleInfoA
• api | kernel32: GetUserDefaultLCID
• api | kernel32: FlushFileBuffers
• api | kernel32: CloseHandle
• api | kernel32: CreateFileW
• api | kernel32: HeapSize
• api | kernel32: IsProcessorFeaturePresent

- api | kernel32: HeapReAlloc
- api | kernel32: HeapAlloc
- api | kernel32: GetStringTypeW
- api | kernel32: LCMapStringW
- api | kernel32: WriteConsoleW
- api | kernel32: SetStdHandle
- api | kernel32: RtlUnwind
- api | kernel32: GetLocaleInfoW
- api | kernel32: InterlockedExchange
- api | kernel32: FreeLibrary
- api | kernel32: SetConsoleCtrlHandler
- api | kernel32: FatalAppExitA
- api | kernel32: MultiByteToWideChar
- api | kernel32: HeapFree
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: SetFilePointer
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: HeapDestroy
- api | kernel32: HeapCreate
- api | kernel32: GetCurrentThread
- api | kernel32: InterlockedDecrement
- api | kernel32: GetLastError
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: InterlockedIncrement
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: DeleteCriticalSection
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetStdHandle
- api | kernel32: GetModuleHandleW
- api | kernel32: EncodePointer
- api | kernel32: DecodePointer
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineA
- api | kernel32: GetTempPathA
- api | kernel32: GetCurrentProcessId
- api | kernel32: AddAtomA
- api | kernel32: GetFileType

- api | kernel32: GetModuleFileNameW
- api | kernel32: GetProcessHandleCount
- api | kernel32: LoadLibraryW
- api | kernel32: GlobalAlloc
- api | kernel32: GetDriveTypeA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: VirtualProtect
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation
- api | advapi32: SystemFunction036
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree

• Module 1 other strings

- Translation
- VarFileInfo
- 1, 8, 4, 39
- ProductVersion
- Benovepu cotu fopafimi wotu jabevepa kixuvugebuda
- LegalCopyright
- 1, 8, 4, 39
- FileVersion
- 040904b0
- StringFileInfo
- VS_VERSION_INFO
- kernel32.dll
- CONOUT$
- WUSER32.DLL
- ADVAPI32.DLL
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- KERNEL32.DLL
- Program:
- Runtime Error!

- <program name unknown>
- Microsoft Visual C++ Runtime Library
- - floating point support not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- - abort() has been called
- R6010
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- - CRT not initialized
- R6030
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - not enough space for locale information
- R6032
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0"><compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1"><application><supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"></supportedOS><supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"></supportedOS></application></compatibility></assembly>
- ;@eU
- 7*+@
- me6@^8
- -EpG
- 7*+@
- E))))
- 888F
-)))8!
- 888
- I))8)+

- 8ccc--8
-)))*8
- I))))88
- IK8c
- 8888S
-))88)
- |ITK8
- 8II8
- I5)88)5
- 8WIV8K<
- 88))I
- 8888KIIc88)8II
- U8888
- u8888
- K8KI
- 8888
- 88I)8888
- 88B.H
- \\8f9
- 88))8)
- 8...
- cc/#8
- +I)8I8I8
- 888II8)
- cc8n
-))8
- y111118I8f
- 88+)I)8M
- 8II)))8)1
- "8/8
- 8)))8
- I8888)))8
-)8)))8
- 8)))
- 8)gU8
- 8_88
- 8888U
- 88CCN
- V_9e
- V_9e
- 'Eq*
- 'Eq*
- g*D7
- g*D7
- N#\tD7
- N#\tD7
- [4IY
- v5h}&h0;
- zbo!
- S'3v#
- hF4O
- =JEy
- J1r;
- s2Cc
- =ip2
- 8>Aj
- Si6m

- 5mu;
- Ig5OS
- iEiu
- 7dt#]
- 'I@5
- *492
- .(8D
- ncz*6
- Q1mI
- <I+'
-)"iJ6c
- =8A-
- *s1
- D:G2'
- "s9f
- 5|Epu
- s}Ak
- cFuV
- t4G!
- =oP3
- ^O+*
-]reY
- aoNi
- zll4
- IW.6
- tnG4UIT
- m?4L
- 00|:
- !iNb
- hmIi
- HAok
- M44xdb
- K S5
- sk:,4
- a-1I
- 8E.?
- AFbY
- |D2`
- kzo,
- D)7|
- BU~G
- yEo
- OX_:
- }"aoq
- {6I"Bt
- >Y$9
- *$^3
- Pf4^
- 'OJ0!
- i_uz
- ,8dw.
- BG\\{i
- `))4
- Qrue
- kk8Z
- t\tei
- ok[Kf

- 84(x
- 5Tl 3
- '8U;
- RWU^}
- 4,{gY
- 4,{gY
- 4,{gY
- 4,{gY
- 4,{gY
- .@9W
- }*8e>
- bi7:
- 5x0`.1pky
- 3UBB
- MvA6p
- ;Yc1#
-]z0"
- >9vz
- ;Yc1
- zurM
- Wj[oL
- R6j3
- n0;c5q
- ziIm
- "Uid
- E+%5X
- W,2^
- 8h\\@
- JeBA
- PUr{
- PUr{
- PUr{#
- PUr{!
- PUr{
- PUr{
- PUr{
- PUr{!
- PUr{
- PUr{!
- PUr{
- PUr{
- PUr{_
- PUr{
- PUr{@
- PUr{
- PUr{
- PUr{
- 0-e'
- PUr{
- PUr{r
- PUr{
- PUr{
- PUr{
- PUr{
- PUr{
- PUr{
- PUr{

- PUr{!
- ;'o\t7
- y1Km
- Lv939
- 2}P8q
- 2}P8q
- 2}P8q
- 2}P8q
- -ax&
- N5nC^
- BjaK
- -N6A
- m2@Y
- <(1wP
- 9?4t
- -~`9t
- +ZO~
- OT Q
- O>^X;
- hUup
- wacAs
- $i@Z
- Hg9>
- RV3E
- 7.#s
- <uIY
- ai_v
- aM4]1
- [eA.
- 2.4[
- <4t${
- IY$58
- 7Sd_Y
- 5I"\\
- r_n3
- p6lnd
- KI64s
- U8}i
- EqXL
- We{Q+
- DOsH
-]eMm
- IGPC
- PA{4
- *!5c
- Q#eE
- 4Ekl
- a`)Ew
- "O0fbXo
- K'ab
- 7@3\\
- '8iC
- AHB4;
- {H!3\tFO
- +|pu
- OR^X
- 33Hl#H

- R-o{
- Z^O/
- #.P8
- LZU#
- u+$'R
- >?OSE
- Ξ/
- 2l@<V
- &}Q0
- 6S (N
- ,mwa
- 4)~j
- OP_1
- 8)&Y;
- LuoT
- zZ=u
- 1Ja+h
- k#F4
- eoz=
-]E 9
- Q%Aq
- 6hh9>
- etmA
-]5N?
- f0A/y
- 6@ :
- 1K/FD
- zr0_m
- bm9o{5
- ="0!
- A?QUE
- i ir9
- PA'X
- x;05
- B5>ZP
- 9T8Y
- 5jhR
- "Esra
- w_h%5
- x67^
- aB:k
- ,MEC
- `Q#a
- ?}e]5`
- 8X@0
- b\t7z6
- 8X@0
- b\t7z6
- 8X@0
- b\t7z6
- 8X@0
- b\t7z6
- 0n-i
- ^toZ
- 1DddR=1'$
- uy*i
- !SY1

- /9u>
- 5,
- m+ix
- <LQ}A
- +Cz<U
- 4(kgHU
- [qBx7
- <"CA
- q:?e
- b1,W
- #3`\t0
- 24 u
- Tq~E
- dB<c5
- #3`\t0
-])v6
- 1|j<
- n:egr
- I7k0
- [in{
- I7k0
- R?c3
- 8`|u
- ^u6"
- !>Z9
- 1MyS
- LUN3
- oW-|
- 0>e&
- w6&h;
- J;oLj
- r\tDi
- Q@Uk
- iU#x
- %XkE
- -ul"\\
- aYC^z
- 6&fe;
- RQp@[72
- X/~U
- 6#bT
- [. O
- Sl[A?
- zU.Xk
- 2u,38
- O+K5
- E:~s
- m7z$
- *U\\W
- 9JQ9
- .*!a
- IW3)
- Due%
- =% i
- [<3q
- (~OS;
- Q\t8V;

- #O`j
- L]G4
- xKqO
- 5N!&
- SdJI
- fi^)K
- 7L@-
- s]Je)O
- SLbI
- oD"LY
- ACZ8
- Lo\t\t/
- gLLU
- K,;5$1
- nt5j
- tjo,
- $g=i
- i`u)
- Rn9T
- ZMo&
- ~oI.
-]]T8b
- z-9?
- HjJE+
- ADqO
- U0XcP
- >v6/
- qd5b
- qp3tR
- F5(Uo~r
- [UIa
- <6I}
- /4{U
- &6s`
- pZ1N
- ACnU
- U.!@
- 0-x3q
- ~8KRs
- }7>n8
- 1tcBW
- P6|\\
- ar&\\h
- e}tcX
- Ozm8B
- fA{7
- @6GM_
- noI$
- s&/ E
- S/*;8
- 9aF~
- [SxE
- pmA>
- cOd$g
- >1o`\t@
- aC)c
- Xr\tvI

- :9Hu
-]@9.
- ![`aF
- ?U/2'
- +pCa
- $*zi
- ,vvu
- h=cO
- rO_<
- 4aL4
- }O^i
- 6#Y1
- /3_V
- F-0"@
- ;4c!?
- DV=5
- (6j4qU
- 1x0
- 0F5q
- ;5$1
- h)a\t0
- 1ER=
- Do^o
- a*pZ
- 5H;+
- bi/LD
- Ic'W
- U9hK
- l9X1-
- xEOE
- uG~m
- s#io7
- fvmO
- 7d!K
- J A(
- @j*7,
- B{3^
- R6DX
- g,QZ>o6
- 3RcR
- w5XMK
- ->6c
- 2m>~
- *U5!
- Em]v*
- ;3v *
- %uKe
- 0x0
- xpKa
- y0&.z
- yOn%
- 6DKL
- qelZ
- ICcFx
- S@ba
- JW3jU
- =5ln

- OfyD
- wdUV
- I:3F
- 0$+;
- o/PX
- 573[
- VamJ
- Xr!5
- B+Im
- 6Pw;7
- _ w2W
- 8:u
- &8@.
- Oy7N
- e2?!
- g{5w
- !a0\\
- O4B39
- R1[vp
- ~^8|
- z2pm
- ?.97
- zs'4T
- igC{
- W|ig
- o>x>
- =Pte
- 2ATB
- Yqv2
- q7c
- sOp8
- ZPl51
- Gy-8T
- :N-7
- :oWn
- 1P7^
- <yz6
- *a?^L7kl
- 5Y&yD;
- =|6O
- kLjar
- @Db3w
- gZ7X%
- [q6tq
- U@{}3
- 5zwb
- Ra\\hT
- 6pDwQ
- |4E!
- BHix
- #b'Veo
- 0L3\tN
- 0'Sg
- to=3
- Hwp5
- Jhk|0
- "Q u

- ,.65J
- r87`H
- &>I
- Cf!AO
- i%GM
- O`#[
- 5j\tO
- *Wc1
- 'Ca:a
- 5!CK
- zwaZn
- bRSi6
-];2
- 8RFV
- awd%
- /W36
- <uq,
- 2NrOF
-)kLz5
- lE&5
- lu6,
- j5W8q
- Y=q7
- kraP
- M`e=f
- 4CcX
- A',^y
- 0oRNY
- JG45w
- 5aY]u
- ^"hU
- +]|O
- 2t3A
- 8yBm
- n\t4W
- i}EN
- J0!lv
- b]Ei
- a=L!C
- 4q6?
- {2q_
- /I@
- qL{e
- 6KxL
- zVOqv3
- 8y3Q<
- qU3w@
- 9/&z;
- ?g{I
- +pe\\
- .$6s
- 4B0V1
- 3Mcu
- BAsm
- 119(
- 8z&O;
- 6~$M*

- {"fi
- om~y
- y6h0
- %X1x
- UrlW#
- 1,cq
- |C.O
- 5syr
- Br)Q1
- FL"u
- =C^aq
- Fh7g
- *';8
- A`:Jp
- K\\7,
- q-2AI
- a~&*
- P9]]2B
- DU,a
- D2{/2
- 2jiU
- *2Y\\
- i[!p
- iP[j
- Qwf7{
- 0Bci9
- $1NE
- fal*
- MIdZ
- c[<O^
- 1H~
- 7Gz"{
- {3Mu
- A*.,
- :})i
- ut;^
- .C6h'
- OJ]
- -8n<.
- #:70
- Te.?
- hU.5"
- a,S7
- uL-R
- 7Gz"{
- 0_%9,Z
- Bgif
- /dIp
- X9V+E
- Ux#Zi
- ?e/+
- I3U.4
- XI[s
- :Be6
- ~oI.
-]]T8b
- HjJE+

- qd5b
- qp3tR
- 2m{j
- `"1PKe
- :H9R
- s'ew
- QEwf`
- eQ~^0
- #>q1
- Nb8K
- /M}a
- @?Uz}
- \\9"R
- xa@;
- zb3*
- 2-Z7
-)eVL
- 'I(i
- W@?X1
- #Oop&
- P6q*
- 0>GG8
- (Hef
- 1kB-
- |&4'r
- 3.^Rm
- A^7x
- 7gt3
- 1{B6
- j:UPy4
- opr.
- (L9R
- N9@yr
- e7'I
- `(~8
- U b)
- K%4-_
- ^=4#
- !Gg0
- +:0_
- 7b\\{@
- ,N05(ZD,
- 0"Q
- 5dd3rg
- .o[}
- e=$)
- n;E'
- T3MF#
- z5l)
- f2F
- ?hUF
- U(?`
- !NO_
- 6Jo'M
- >U'7W=
- g9$38
- *3M,

- a tL
- aO#T
- uJ17-Nx
- R}/2
- M%`a
- Y'E-
- Q0yR
- \\Fuw
- 1aByA&
- Y3jbAN
- (A{@&
- jcqU
- 3Omt
- +iG,{
- TRu8
- _5)<
- g`3(J
- $R0t
- !4?|w
- ,J3;C
- veI
- 5W]1
- A"SqL0
- f$5Gf
- @eus
- !O|#
- Jp]i
- "`iw
- GkiR(
- oIA7
- am{A$
- Dvac
- 9vJu
- \'sav"
- amwma
- UNtxw
- Id<}(
- QX-8#
- A=#
- YzMa3\\B;|Vqo\\
- .\tu,
- Hb.+707
- :E_`
- BzmU
- 2;+m
- Y50T]_]w
- ATr|
- u9Ls
- 2`7-
- D3;5
- 3=8;
- 31G-X
-]R*8^
- W>(3Z
- t[EGo
- 9Q{@2
- izA2

- ;E)%
- u/>XaS
- %i?R
- LET_
- 8ntR
- 4X/m/
- 8#+:
- oXJs
- &A4t;
- g&SOKAM9;
- <Y4/
- Q'FUa
-]&O;^7
- ;*Os
- K]W"i
- NJ<u
- 6/$(y
- >zoQ
- `'9&
- '0P-
- AU)D5
- '0P-
- Uz*}>
- XuIle
- %ZA
- +"IG
- pKjO
- {w6k
- "GIj
- EX~m
- Szsz7
- 5~fJ
- L3^s)
- b}#9
- &Y7;$
- qnUS.
- C9I/l
- e{FJw
- #u'f
- 0S2q
- wq6A
- %;&8x
-]7P@
- uqS;^
- %=1;
- sAUY
- .3J>
- -gM7p
- 5hcS
- (\t~]u
- cl_6
- =p[u
- jY7BID
- 22]z
- 2isv\tX
- ['D9
- Suu'

- itw&
- <VUcU6
- L\t1o?
- q\tp(4
- 2'[v^
- _22hvU$
- r7iUn.n
- Yg>@5
- Af`g-
- ~1)lX
- !;?lZ
- *_0bu
- K4`C
- aYlPm3&
- IaEK
- {E3,q
- 9kTwED
- |7V}
- UMIq
- 3#k*2\\
- /x*2\\
- OzU+'o:
-)o*
- $IeG
- Zm0`
- SVK5
- l0IPH
- _a#LJ
- DGp7
- VXIT
- RQp@[A2tb
- ~[0i
- CG75
- TJ5!X
- a2]=
- kTO)
- =/nI
- p2Jh
- A#-v
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- GDI32.dll
- GetEnhMetaFileHeader
- KERNEL32.dll
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN
- e+000
- hhfgbsdob asfuiydfasdfuigaspia sfasdfansdf
- Norwegian-Nynorsk

- american
- american english
- american-english
- australian
- belgian
- canadian
- chinese
- chinese-hongkong
- chinese-simplified
- chinese-singapore
- chinese-traditional
- dutch-belgian
- english-american
- english-aus
- english-belize
- english-can
- english-caribbean
- english-ire
- english-jamaica
- english-nz
- english-south africa
- english-trinidad y tobago
- english-uk
- english-us
- english-usa
- french-belgian
- french-canadian
- french-luxembourg
- german-austrian
- german-lichtenstein
- german-luxembourg
- german-swiss
- irish-english
- italian-swiss
- norwegian
- norwegian-bokmal
- norwegian-nynorsk
- portuguese-brazilian
- spanish-argentina
- spanish-bolivia
- spanish-chile
- spanish-colombia
- spanish-costa rica
- spanish-dominican republic
- spanish-ecuador
- spanish-el salvador
- spanish-guatemala
- spanish-honduras
- spanish-mexican
- spanish-modern
- spanish-nicaragua
- spanish-panama
- spanish-paraguay
- spanish-peru
- spanish-puerto rico
- spanish-uruguay
- spanish-venezuela

- swedish-finland
- swiss
- america
- britain
- china
- czech
- england
- great britain
- holland
- hong-kong
- new-zealand
- pr china
- pr-china
- puerto-rico
- slovak
- south africa
- south korea
- south-africa
- south-korea
- trinidad & tobago
- united-kingdom
- united-states
- LC_COLLATE
- LC_MONETARY
- LC_NUMERIC
- LC_TIME
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- 700PP
- ('8PW
- 700WP
- (8PX
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- CorExitProcess
- e.vp
- /.v6
- 5.vp
- .v99.v
- wM7.vO!.v
- 8.v1#-v
- 1v&<.v9

- @tH9
- 0K;]
- ;9u
- u\t9E
- u\t9p
- u"9U
- u-hP
- 9M$u
- u\t9K
- r"9U
- r"9U
- r"9U
- WVU3
- |-;E
- Wj0S
- 80t/
- $jah
- oct
- u>9u
- u09E
- u'9E
- @FA;
- 0;1tt
- u1Vj
- u49^
- u/Vj
- t&:a
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- >CuS
- ,uCP
- <.u1
- Wj6Y
- ~U8]
- ~.8]
- SVWUj
- t VV9u
- t"Ou
- VW9]
- u+9u
- uNSW
- woVW
- C8Pj
- vL;5t
- C4Pj
- C0Pj
- v4;5\\
- PjAS
- Pj9S
- Pj8S
- PjOSj

- PjIS
- PjES
- Pj0S
- Pj7S
- Pj6S
- Pj5S
- Pj4S
- Pj3S
- Pj2S
- Pj1S
- PjAS
- Pj0S
- Vj7S
- Pj6S
- Pj5S
- Pj4S
- Pj3S
- Pj2S
- Pj1S
- 9] SS
- t"SS9] u
- 9](SS
- 9]$u
- t/9U
- 98t^
- UVWS
- L$,3
- t'Ou
- u}hh
- zuxVV
- 9~\\u'
- 90tX
- @u^V
- u+9u
- u)jAXf;
- If90t
- @tl9
- @tJ9
- 8$u'
- @u^V
- u;3E
- Xu^:
- r 8^
- ~%9M
- u,9E
- u,9E
- ?If90t
- 90tW
- @u^V
- to=(
- VVhU
- 9csm
- SWf9M
- f90u
- f90u
- wf93t
- >"u&

- t$<"u\t3
- uTVWh
- 8csm
- It2It/It%It"It&II;
- Kf90t
- @th9
- @tJ9
- j0Xf
- 8$u+
- u53E
- Xulf;
- 90tO
- j0Xf
- SW3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- jsdgfvasdf asduyfb bfasuydfbasdnfasmfla;sjfn %d %s %c %f
- H
- h((((H
- (((((H
- n(null)
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- *}c@
- *}c@*}c@
-]+_@
-]+_@
- ;))))'
-))))'!
- rccc
- ,,,N
- C,,,
- V_q*
- V_q*
- V_q*
- V_q*
- V_q*
- V_q*
- V_q*
- V_q*
- V_q*
- lN#\tN#
- lN#\tN#
- lN#
- ?'q*
- &N;#\tN#
- N#\t%
- &N;#\tN#\tq*
- ?'q*
- &N;#\tN#
- ?'q*
- &N;#
- &N;#\tN#

- &N;#\tN#
- &N;#\tN#
- &N;#\tN#\tN#
- &N;#\tN#
- g*N#
- g*N#\tN#
- N#\tN#
- N#\tQ
- N#\tN#\tQ
- N#\tQ
- N#\tQ
- N#\tN#\tQ
- N#\tQ
- eN#\tN#\tQ
- eN#\tN#\tN#\ty
- eN#\tN#\tq*
- eN#\tN#
- N#\tN#
- N#\tN#\tQ
- N#\tQ
- N#\tN#\tQ
- N#\tQ
- N#\tQ
- N#\tN#\tQ
- N#\tQ
- N#\tN#\tQ
- ;N#\tN#\tQ
- N#\tN#\tQ
- N#\tN#\tD7
- N#\tN#\tD7
- N#\tN#\tZ
- N#\tN#
- N#\tN#
- N#\tN#
- N#\tN#\tq*
- C:f)
- C:f)
- C:f)
- C:f)
- -NR@`}
- T&LMj;
-)-qm
-)<!%
- HDT{Y*#
- ZsMxR
- nrT:
- Yhq+
- (#P&Y;
- !<d^[
- >Z(<
- W!v`
- Jy?S!
- -}`H
- dGP]
- #p%C
- *-=
- @/ l

- \\N>
- xR}s
- ;k\tj>6LZ/j
- t],/
- "s)m
- :"J
- rL:w
- lyKQ
- wDd!
- HR.x
- Ly.j 9
- sBXD
- =\tv$Y
- ^l@bJ
- c\\'y
- Qn!'
- (=TpZ
- xcML
- Z|>Zj
- |"VVat
- Fwd?
- vMWS
- >H|V
- `))~
- X/vz
- f~X_
- b_l*|
- ><xQ
- MFGq
- @hD<
- cl(^
- !~K^
- KX|(>r
- ~?yl
- {@'>
- bNgB
- hWN+
- (/8RB\\
- Y8b%;@D
- :mQm
- h@.)h
- zM=K
- nc}TS
- .|'w
- H{K^q
- Mq$N<
- !-Z$
- \\"`hx>
- PUr{h@
- PUr{h@
- PUr{[&
- PUr{h@
- PUr{h@
- PUr{h@
- PUr{h@
- PUr{h@
- PUr{h@

- PUr{cF
- PUr{K@>
- PUr{D\\
- Y/DT
-)N$)
- X*QR
- =.@oJ_
- !T`z
- mT\\"
- Gj_
- q=S_
- XlKM
- WX_*
- /ZrQ
- d\tnr
- p$K*
- m&=z
- ?#Q#G
- ;CB,)B
- ;CB,)B
- ##Dnz
- sL]^
- _eB>Rm
- X`,~{
- *Q#G
- h-MG
- d6~M&sm;
- Jfp/
- d}#\\u/
- +F:B
- 'X)]
- @}x"
- ;qPx*
- G"}Xm
- \\j%=
- '$;CB,)B
- c*m-
- *%JHdF
- (,fyw
- %gP;
- mnKLd
- G G
- +vJ[)r
- &%%>
- @",n
- @HtC
- Bp?#G
- _(b-
- {DxJ[W
- *Bsd
- Yux)z`
- hc\\ZK
- Rvmw
- F*:r
- LeC>@[
- ~QC@
- ZDrRo]

- VZDw
- ['JQ
- '<\\c
- IZgH)=
- '<\\c
- '<\\c
- -~[v
- '<\\c
- 2:p"wh
- zL*W
- > x!
- |:pf
- R=qZd
- h_GC
- 'HVc
- c^:-@
- M$}h
- T>Z)
- */,[jD
- {*|QV
- ,*N>J
- !lv
- d<M=
- ?y- N
- RQp@[
- yG<-
- R_=T
- C[X`
- >P{_
- W,dQG
- <<-mPB
- slhq
- `(R_
- FG&S;
- \'"dY
- j@C$,
- lvks\tx
- >`@p
- nxf'k
- rq*F^FnY
- cqW'
- sN#:s]|
- QjDR
- .w:W
- p;jSS
- _@NT
- !4P_'H
- c[%F
- x;Kd
- B<"\'
- -[RxJF
- S`="
- 7-fqgh
- (}Xr
- T^nn
- {R`H
- JDM#

- *lnQ
- RQp@[
- Ss"H
- qE]:=^
- ^pLD9z
- Ss"H
- Ss"H
- $}XN
- pM}z#
- :yyz
- Wk:yyz
- +mx%
- !Em-+;}
- f;Vx
- CqN>
- S^$g
- q/KyW-
- "+\t(
- sqp/KyW-
- +S~L
- ,?z*Dc
- /KyW-
- Hg!\\"
- B{;<
- S>"#
- =Z|q
- `W/M'
- ^<PT
- \\[;=
- _J|4g^
- }'(j
- ~M%3uKhXB^>
- ->Q
- bGKZ
- Gcmv4}
- fwF/%
- _vSR
- rc(P
- @#~C
- `RP:
- ;2ZD|\\
- %%rw
- s;ly
- >%a^YkG
- %x{LW
- vZvNi\\>;
- -g@+oVk
- #LHS
- LL#|
- wSX/
- t=D<
- P%P=
- []/R
- +Nw=%
- cpjLe&
- @'n?`
- ZvR]_

- RQp@[
- `?J`
- Jx}:"
- l!y_JF
- Jb$"
- PT"R
- @b\t(kX
- |;md
- G*J/
- NE`DnJ
- `![P
- b$C^
- Bs~BC0
- @|\\v
- !-jh
- <rn#
- K+F[D
- pZC:
- pcO,k"/
- n[>Q$
- 1[r-b$
- Xm+6l]
- VrS/-paw
- |LPK
- rPl *
- xLBP
- XY,/
- M)K:
- RQp@[;
- Y}Q
- qc\tT
- (.bP{C
- _J?M
- >(/py
- v/'
- Qmvd!
- 3v~$r\\zwb
- dKt=
- >d@w
- klZ*
- `*[GBt
- &}b*
- n_pV
- '}R
- DG=D
- =_=+<
-)!Ydv*
- RQp@[
- DdJ,
- gbBL
- Zh]'
- VkSl
- n=nY
- ^k:L
- .lTj
- zm==
- sJ\t]

- Thwx}
- RQp@[
- RQp@[
- sw(}
- ;G$S
- Q[S@
- H=C
- #My%
- [+Nd
- T}HG
- FZNm
- Dl&t;`5
- /AF~ b
- @[:~
- CQ`Q
- b/H.
- Dq*:
- @#n*
- D-`TB
- lTjn
- LgZz2S
- rGx-
- SFp<L
- `-T'
- RS[[
- FR<Xv1
- c!okm?
- RQp@[!
- RQp@[`
- <Z"-
- -`]Xk+
- lT}dx
- z<$Q
- n)=`
- "[pK
- `r"}
- Y)yN%
- |#th
-]n+X
- Vu`k V\\)
-)bqt,
- PKFf
- P:`"
- ?)"*
- n=Jw-~
- ?b>%B
- t`LK{ZXW
- B W"id
- Ss"H
- KfqXoZ
- qE]:=^
- ^pLD9z
- "|UxBR
- Ss"H
- Ss"H
- gl EWl
- pM}z#

- :yyz
- Wk:yyz
- +mx%
- !Em-+;}
- f;Vx
- RQp@[>
- xC/+
- >F\th
- *gSL)
- #QRk
- sLNf
- sLNf
- d)tH~'
- ssncw
- HL:g
- +USfN^
- RQp@[3
- HK^<
- &w;+|
- DT+R
- x%|?
- SC`&
- KlHd
- c]BT
- k[[w
- BL$-w
- YyZz
- C},*=
- H$tc
- ^xd*T
- Zw,
- +S)w}
- ~ftjh
- [|RG
- $|v}
- pyPr
- >qxbV
- #C+[
- !/v}j'
- [#4`sf
- #Hst
- BN$g
- @#MTCK
- _PCc
- vNKF
- w>d@
- @d:L^
- L`j*
- ;%mh
- Mxp>
- 9PYQRYA<
- Xy?*
- WCjw
- ?mf:l
- &;Z^
- WLkM
- %\t~l

- +d<,
- nt-K
- fX~
- |cW&
- #V#`
- H;5qMf
- #HZZ
- |MK?
- vFy}
- vFHj
- NMhX-%
- jY*wF
- gvYh
- !%x"
- $>S\\
- {VcQ7'
-]&~k
- ?hBJ_
- kNKY
- <nU<#s
- -=vt
- T!Rs
- '2{S@)
- \\>;f
- @mQH"
- <L{f#
- +K)#W
- v}h *}
- /)dN
- d.G
- Yr^!|Y
- k`-~^
- }"!P
- mRJq
- %(K`
- :<=;
- #|Wf
- m) "++-
- p{)\\j
- M}{d
- &dj;'V
-)NdG3,
- DTf x
- _s<t{u
- "L>%
- pd/*
- &dj;'V
- fc*pE'Z
- ^%CK&
- K:nu*L
- py\tq
- f!hb2hX
- ~S=/
- HjpKY
- #/K@L
- LC%y
- X<W

- 4P{}y<K
- NH0M,k
- e.Fg&`
- q<_~
- j$pP
- hJY}
- jqTN
- l":|
- ZB bf
- \\{$(
- /ZYy
- J%D:
- Fj,!
- tb x:
- $X(
- !/v}j
- z`F_
- crL|
- #>[!
- WwYF
- XmHK
- @_[
- ~Rx\tpTh
- #<:QK
- !hh&
- :pD?Q
- %<C=
- !sl[
- W#ZC
- BM.N
- mbZS
- \\w|>
- Znrl
- b();
- W\tK
- /V,_
- K^R?|
- RQp@[
- "%%G
- ZX$:
- ~Z~V
- ~*nZc
- Ym]rd
- GKJ'
- BMHj
- RQp@[
- D?$?
- ?/L[
- ?Zd;
- HMXB
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz

•
• french-swiss
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
• LC_ALL
• LC_CTYPE
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
• xppwpp
• `h`hhh
• xpxxxx
• `h``
• (null)
• MM/dd/yy
• dddd, MMMM dd, yyyy
• HH:mm:ss
• ,vJ^/v
• -v+E.v{
• -vQ3.v
• .vWA.v
• -vej/v
• @^[t
• _^[t
• VVVVV
• PPPPP
• _^[]
• +t HHt
• <+t"<-t
• v\tN+D$
• PPPPP
• _^[]
• @PWV
• SSSSW
• SSSj
• SSSSW
• VVVVV
• @PVS
• @PVS
• jdRP
• SQRP
• PPPPP
• Rj@hP
• <Xt
• _^[]
• PPPPPPPP
• t&:Q
• t<:Q
• tR:Q
• Sj Z
• _^[]
• C@Ph
• t,j@
• j@Sh
• PPPPP
• Wj@h
• |FVW
• PPPPPPPP
• X^_]
• ~ISW

- VWw$
- xSSSh
- VVVVV
- PPPPP
- VVVVV
- @PVW
- PPPPP
- ^H_[
- PPPPP
- SSSSS
- PPPPP
- _^[]
- _tcP
- .t|PVj@
- SSSSS
- SSSSS
- ^_[]
- W@Ph
- QW@Ph
- UQPXY]Y[
- ;t$,v-
-]_^[
- _^[]
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- Jvf;
- <Xt
- _^[]
- QSWVj
- CLPjQV
- CHPjPV
- CDPj
- C@Pj
- C<Pj
- C/PjSV
- C.PjRV
- C-PjWV
- C,PjVV
- C+PjUV
- C*PjTV
- C)Pj
- C(Pj
- C$PjQV
- C PjPV
- v>Sj
- _^[]
- tBhd
- Pj)Sj
- Pj(S
- PjCS
- PjBS
- Pj@S
- Pj?S

- Pj>S
- Pj=S
- Pj<S
- Pj;S
- Pj:S
- PjNS
- PjMS
- PjLS
- PjKS
- PjJS
- PjHS
- PjGS
- PjFS
- PjDS
- Pj/S
- Pj.S
- Pj-S
- Pj,S
- Pj+S
- Pj*S
- Pj)S
- Pj(S
- PjCS
- PjBS
- Pj@S
- Pj?S
- Pj>S
- F|Pj=S
- FxPj<S
- FtPj;S
- FpPj:S
- FlPj9S
- FhPj8S
- FdPjOS
- F`PjNS
- F\\PjMS
- FXPjLS
- FTPjKS
- FPPjJS
- FLPjIS
- FHPjHS
- FDPjGS
- F@PjFS
- F<PjES
- F8PjDS
- F4Pj/S
- F0Pj.S
- F,Pj-S
- F(Pj,S
- F$Pj+Sj
- F Pj*S
- tVPV
- ~,WPV
- j@j
- _^[]
- _^[]
- SVWj

- [_^]
- URPQQh
- _^[]
- Y_^[
- Y_^[
- _^[]
- WWWWW
- QSVP
- tXFVP
- t!Ht
- RPSW
- HHty+
- HHtYHHt
- t$HHt
- RPSW
- HHtiHHt
- <it|<otx<utt<xtp<Xtl
- t%HHt
- tM<it-<ot)<ut%<xt!<Xt
- v\tN+D$
- QVj
- RPSW
- HHty+
- HHtXHHt
- t%HHt
- Fpt"
- Y_^[]
- _^[]
- Fh=P
- Y__^[
- j@j
- j@j ^V
- t*VV
- @PSVV
- VVV+
- < tK<\ttG
- PPPPP
- Y[_^
- t?VSP
- ^SSSSS
- <v*V
- PPPPP
- j Xf
- RPSW
- j*Yf
- t!f;
- Xt"f;
- t]f;
- ji_jdZf;
- VPPPPP
- PPPPP
- j Xf
- RPSW
- YQPVh
- .rsrc

- **Module 2 (probably unpacked / injected by the sample)**

  - **Module 2 rich signatures**

    - 44616e530000000000000000000000004651e100210000004651df00150000004651e0007e000000097893000b0000000000010076000000d52e400160000000d52db00010000000000097000100000000d52de00

  - **Module 2 yara matches**

    - IsPE32 ()
    - IsWindowsGUI ()
    - HasOverlay (Overlay Check)
    - HasRichSignature (Rich Signature Check)
    - anti_dbg (Checks if being debugged)
    - win_files_operation (Affect private profile)
    - without_attachments (Rule to detect the no presence of any attachment)
    - with_images (Rule to detect the presence of an or several images)
    - without_urls (Rule to detect the no presence of any url)
    - contentis_base64 (This rule finds for base64 strings)
    - RijnDael_AES_LONG (RijnDael AES)
    - Prime_Constants_long (List of primes [long])
    - RijnDael_AES_CHAR (RijnDael AES (check2) [char])

  - **Module 2 strings**

    - **Module 2 most interesting strings**

    - suspicious event or string: vssadmin.exe Delete Shadows /All /Quiet
    - url | valid domains | tlds: .pR{}
    - url | valid domains | tlds: Microsoft.NET
    - url | valid domains | tlds: -.vl"-vb
    - path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
    - api | frequently used by malware: Sleep
    - api | frequently used by malware: QueryPerformanceCounter
    - api | frequently used by malware: ExitProcess
    - api | frequently used by malware: IsDebuggerPresent
    - api | frequently used by malware: WideCharToMultiByte
    - api | frequently used by malware: LoadResource
    - api | frequently used by malware: WriteFile
    - api | frequently used by malware: GetProcAddress
    - api | frequently used by malware: CreateToolhelp32Snapshot
    - api | kernel32: LCMapStringW
    - api | kernel32: HeapSize
    - api | kernel32: GetStringTypeW
    - api | kernel32: HeapReAlloc
    - api | kernel32: OutputDebugStringW
    - api | kernel32: LoadLibraryExW
    - api | kernel32: GetCPInfo
    - api | kernel32: GetOEMCP
    - api | kernel32: GetACP
    - api | kernel32: IsValidCodePage
    - api | kernel32: FlushFileBuffers
    - api | kernel32: WriteConsoleW
    - api | kernel32: SetStdHandle
    - api | kernel32: GetModuleHandleW

- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: TerminateProcess
- api | kernel32: GetCurrentProcess
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleExW
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: SetFilePointerEx
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetStartupInfoW
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptAcquireContextW
- api | user32: wsprintfA
- api | user32: SystemParametersInfoW
- api | kernel32: HeapFree
- api | kernel32: lstrcpyA
- api | kernel32: SetFileAttributesW
- api | kernel32: lstrcpyW
- api | kernel32: GetTempPathA
- api | kernel32: CompareStringA
- api | kernel32: FindNextFileW
- api | kernel32: lstrcatW
- api | kernel32: GetModuleFileNameA
- api | kernel32: LockResource
- api | kernel32: FindClose
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: GetStdHandle
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcmpW
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: HeapDestroy
- api | kernel32: SizeofResource
- api | kernel32: GetDriveTypeA

- api | kernel32: GetProcessHeap
- api | kernel32: SetThreadExecutionState
- api | kernel32: GetLogicalDrives
- api | kernel32: MoveFileExW
- api | kernel32: FindResourceW
- api | kernel32: FreeResource
- api | kernel32: FindFirstFileW
- api | kernel32: CreateFileA
- api | kernel32: LoadLibraryA
- api | kernel32: GetFileSizeEx
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: lstrlenA
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: CreateProcessA
- api | kernel32: HeapCreate
- api | kernel32: LoadLibraryW
- api | kernel32: HeapAlloc
- api | urlmon: URLDownloadToFileA
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | kernel32: GetTickCount64
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: CreateEventExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree

- api | kernel32: FlsAlloc

• Module 2 other strings

- KDATA
- EXDATA
- DDATA
- CODATA
- CODATA
- KDATA
- eShlwapi.dll
- DDATA
- \\EXDATA
- Kernel32.dll
- zu-za
- zh-mo
- xh-za
- vi-vn
- uz-uz-latn
- uz-uz-cyrl
- ur-pk
- uk-ua
- tt-ru
- tn-za
- te-in
- ta-in
- sw-ke
- sv-se
- sv-fi
- sr-ba-latn
- sq-al
- sma-se
- sma-no
- sl-si
- se-se
- se-no
- se-fi
- sa-in
- ru-ru
- ro-ro
- quz-pe
- quz-ec
- quz-bo
- pa-in
- ns-za
- nn-no
- nl-be
- nb-no
- mr-in
- ml-in
- mi-nz
- ko-kr
- kok-in
- kn-in
- ka-ge
- ja-jp

- it-it
- it-ch
- is-is
- id-id
- hy-am
- hu-hu
- hr-ba
- hi-in
- he-il
- gu-in
- gl-es
- fr-lu
- fr-ca
- fr-be
- fo-fo
- fi-fi
- fa-ir
- eu-es
- et-ee
- es-ve
- es-uy
- es-sv
- es-py
- es-pr
- es-pe
- es-pa
- es-ni
- es-mx
- es-hn
- es-gt
- es-es
- es-ec
- es-do
- es-cr
- es-co
- es-cl
- es-bo
- es-ar
- en-zw
- en-za
- en-us
- en-tt
- en-ph
- en-nz
- en-jm
- en-ie
- en-gb
- en-cb
- en-ca
- en-bz
- en-au
- el-gr
- de-lu
- de-li
- de-de
- de-ch
- de-at

- da-dk
- ca-es
- bs-ba-latn
- bn-in
- be-by
- az-az-latn
- az-az-cyrl
- ar-ye
- ar-tn
- ar-sy
- ar-sa
- ar-qa
- ar-om
- ar-ma
- ar-ly
- ar-lb
- ar-kw
- ar-jo
- ar-iq
- ar-eg
- ar-dz
- ar-bh
- ar-ae
- af-za
- es-PR
- es-NI
- es-HN
- es-SV
- es-BO
- ar-QA
- es-PY
- ar-BH
- es-UY
- ar-AE
- es-CL
- en-PH
- ar-KW
- es-EC
- en-ZW
- ar-LB
- es-AR
- en-TT
- ar-JO
- es-PE
- en-BZ
- ar-SY
- es-CO
- en-CB
- ar-YE
- es-VE
- en-JM
- ar-OM
- sma-SE
- es-DO
- en-ZA
- ar-TN
- sma-NO

- sr-BA-Latn
- es-PA
- en-IE
- ar-MA
- bs-BA-Latn
- fr-LU
- es-CR
- en-NZ
- de-LI
- zh-MO
- ar-DZ
- hr-BA
- es-GT
- en-CA
- de-LU
- ar-LY
- quz-PE
- se-FI
- fr-CA
- es-ES
- en-AU
- de-AT
- ar-EG
- quz-EC
- uz-UZ-Cyrl
- se-SE
- az-AZ-Cyrl
- sv-FI
- nn-NO
- nl-BE
- it-CH
- fr-BE
- es-MX
- en-GB
- de-CH
- ar-IQ
- mi-NZ
- ns-ZA
- quz-BO
- kok-IN
- gl-ES
- sa-IN
- mr-IN
- ml-IN
- kn-IN
- te-IN
- ta-IN
- gu-IN
- pa-IN
- bn-IN
- tt-RU
- uz-UZ-Latn
- sw-KE
- se-NO
- hi-IN
- fo-FO
- ka-GE

- af-ZA
- zu-ZA
- xh-ZA
- tn-ZA
- eu-ES
- az-AZ-Latn
- hy-AM
- vi-VN
- fa-IR
- et-EE
- sl-SI
- be-BY
- uk-UA
- id-ID
- ur-PK
- sv-SE
- sq-AL
- ru-RU
- ro-RO
- nb-NO
- it-IT
- is-IS
- hu-HU
- he-IL
- fi-FI
- el-GR
- de-DE
- da-DK
- ca-ES
- ar-SA
- nCONOUT$
- USER32.DLL
- en-US
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- ko-KR
- Aja-JP
- kernel32.dll
- Microsoft Visual C++ Runtime Library
- <program name unknown>
- Program:

• Runtime Error!
• runtime error
• TLOSS error
• SING error
• DOMAIN error
• - inconsistent onexit begin-end variables
• R6034
• This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
• - Attempt to use MSIL code from this assembly during native code initialization
• R6033
• - not enough space for locale information
• R6032
• This indicates a bug in your application.
• - Attempt to initialize the CRT more than once.
• R6031
• - CRT not initialized
• R6030
• - unable to initialize heap
• R6028
• - not enough space for lowio initialization
• R6027
• - not enough space for stdio initialization
• R6026
• - pure virtual function call
• R6025
• - not enough space for _onexit/atexit table
• R6024
• - unable to open console device
• R6019
• - unexpected heap error
• R6018
• - unexpected multithread lock error
• R6017
• - not enough space for thread data
• R6016
• - abort() has been called
• R6010
• - not enough space for environment
• R6009
• - not enough space for arguments
• R6008
• - floating point support not loaded
• AR6002
• mscoree.dll
• <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
• PADn
• &}PA
• ul4+
• 0o]r
• Ea*X
• `ia[|
• <|Bi>
• 0QX"
• C5VJ
• }m2|5
• 0M^!
• 5O~Fc

- FbiO
- ^HfI
- .ul#
-]!&}3
- ~Z/i
- =#(I
- Eh`0
- 6.3l
- u(K\\]
- $1Zi"
- D5S#
- `^7HX
- aC`C"O
- Cokzk
- euhf-
- LWav
- ry/7
- Q`%8
- NooT
- }k2d5
- =O|Fo
- FbiO
- mu7#
- YU3t
- N1&2u_L
- $#xl`a
- '>jE
- l1,Ym
- E,`y
- F+-6
- umK\\]
- $1YiD
- U5C#
- rq#I6
- SH7h
- C`CqO
- ERO[x
- "1.G
- Ao6z~
- Iedh'-
- 4y47
- otZK
- =mej
- QJ%U
- how_to_back_files.html
- 5!L@
- 9oX
- 9JLX
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm

- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I
- U 0m
- eS~A
- (<IA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0

- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X.,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- +ehH|
- o%8h
- +o3: >D
- u8+1
- u/\tV(
- U!9Z
- V0zea
- 87}Y
- /x9"x
- 2hH\\
- gCae
- 8EKQ
- {RaGFf1F
- 7f4<BM
- $`rO
- zev{U
- H=ax
- 1i L
- kuS:
- K9n5c
- l~G3
- sf0{
- VIEW
- tl^
- &Iop.;
- *(8=

- Z}0ij`$
- +O;C
- #134J
- -~M9
- UL4"#
- |-eX
- {L0O{
- UMx0
- u>(`
- 6nEW
- aE#i
- @93%[
- \\<ICUig
- Im}T
- 2: #
- IKNz
- FF;'E
- b2a'
- -d3z
- @i ~
- oGu6
- /N<0}
- aZ{;
- @Y]5
- `_.8
- (pu2
- kU/O
- e\t7n
- +qPI
- {,9B
- S5g<
- +Yan{
- if exist "%s" goto Repeat
- :Repeat
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- ole32.dll
- CoCreateGuid
- StringFromGUID2
- SHELL32.dll
- ShellExecuteA
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- \\Desktop\\
- USERPROFILE
- YandexBrowser
- Opera
- Mozilla Firefox
- Chrome
- Movie Maker

- Outlook Express
- Common Files
- Microsoft Shared
- system volume information
- Symantec_Client_Security
- Symantec
- Avast
- sysconfig
- spytech software
- Avira
- McAfee
- Kaspersky Lab
- Internet Explorer
- NVIDIA Corporation
- Temp
- WindowsPowerShell
- Windows Sidebar
- Windows Portable Devices
- Windows Photo Viewer
- Windows Phone Silverlight Kits
- Windows Phone Kits
- Windows Multimedia Platform
- Windows Media Player
- Windows Mail
- Windows Kits
- Windows NT
- COMODO
- ESET
- Windows Defender
- Windows App Certification Kit
- Microsoft Help
- Microsoft
- Desktop
- windows
- temp
- PathFindExtensionW
- postgre
- outlook
- open
- 010001
- urlmon
- SHA-256
- id-sha256
- SHA-224
- id-sha224
- DES-EDE3-CBC
- des-ede3-cbc
- EC key for ECDH
- id-ecDH
- Generic EC key
- id-ecPublicKey
- rsaEncryption
- RSASSA-PSS
- RSA with SHA-256
- sha256WithRSAEncryption
- RSA with SHA-224
- sha224WithRSAEncryption

- SHA256
- SHA224
- 8STs
- 0123456789ABCDEF
- 1#QNAN
- 1#INF
- 1#IND
- 1#SNAN
- e+000
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- SetFileInformationByHandleW
- GetFileInformationByHandleExW
- CorExitProcess
- 700PP
- ('8PW
- 700WP
- (8PX
- UNICODE
- UTF-16LE
- UTF-8
- 5.vp
- =.v99.vF
- 3.v|
- WVS3
- <5|E
- u\t9Y
- hTNA
- u!hLNA
- u0hDNA
- h<NA
- WVU3
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f

- oF f
- oF f
- oF f
- %pvA
- <et
- |+;E
- Wj0V
- y&8]
- 80t-
- h4NA
- v6j0
- j0Yf
- u'j0X
- u\t9Y
- HAO8
- 9] t"
- 9E$u
- SVW3
- 9E W
- SVW3
- PP9E u
- 9E(j
- woSW
- tO9=
- t%Ou
- s\t9r
- hp\\A
- 9wlt
- hP\\A
- h0\\A
- 1N_^[
- A_^[]
- SVAW
- SVWUj
- 5pvA
- 5pvA
- 5pvA
- 5pvA
- 5Genu
- 5pvA
- 5ntel
- inel
- 5pvA
- u*9E
- hp A
- hT A
- hD A
- h4 A
- h$ A
- 5LuA
- 5LuA
- Ot\tA
- <v5h
- < t8<\tt4
- tA9M
- >"u3
- hp[A

- uCh8
- h0NA
- =0NA
- 5HuA
- hH[A
- 5HuA
- 5HuA
- h [A
- 8csm
- %pvA
- UVWS
- L$,3
- VVhU
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- %pvA
- Ph0tA
- t6h0tA
- h0tA
- 8csm
- 3=0tA
- hxZA
- hXZA
- QSUVj
- D$4SP
- SUVWh
- SUVW3
- ~u)|$
- I$ 3
- I$ Uj
- SUVWj
- QUSh
- ~8QSP
- QUSh
- WjiY
- D$8f
- YSUS
- \\$DU
- SUVWhA
- SUVW3
- UjmY
- QSUVh`VA
- WjeU
- SUVW
- SUVWR
- hDVA
- h@VA
- h8VA

- h4VA
- h0VA
- UVW3
- UVW3
- PQVU
- SUVW
- SVW3
- D$,3
- \\SUVW
- QSUV
- T$X3
- L4x#
- t$$3
- 3D$0#
- D$$3
- D$$3
- T$ 3
- D$$3
- D$0#
- T$(3
- 3D$
- 3D$ #
- l$4#
- t$03D$(
- D$(3
- 3D$,#
- SUVW
- L$,t4
- QQSU
- /GJu
- UPj6S
- 9nl~
- |$0 v
- u89D$
- wp@9F
- Y_^3
- t$@Y3
- <SUVWj0
- 9D$Ht
- D$0PUS
- D$0PUS
- L$(US
- D$0Pk
- D$0PUS
- D$0PUS
- 9|$(u(
- D$0Y
- D$0PUS
- D$0PUS
- D$0PU
- D$0PUS
- |$ 3
- L$<E
- L$@3
- D$4P
- D$8KH
- l$8;

- QQSU
- 7_^][
- 7_^][
-]_^3
- t7;{
- >WS3
- 8-tF
- \\$(3
- D$ 3
- _^]3
- SUVW
- SUVW
- 5($B
- hxNA
- SUVWh\\NA
- @.data
- `.rdata
- .text
- !This program cannot be run in DOS mode.
- zh-tw
- zh-sg
- zh-hk
- zh-cn
- zh-cht
- zh-chs
- tr-tr
- th-th
- syr-sy
- sr-sp-latn
- sr-sp-cyrl
- sr-ba-cyrl
- sms-fi
- smn-fi
- smj-se
- smj-no
- sk-sk
- pt-pt
- pt-br
- pl-pl
- nl-nl
- mt-mt
- ms-my
- ms-bn
- mn-mn
- mk-mk
- lv-lv
- lt-lt
- ky-kg
- kk-kz
- hr-hr
- fr-mc
- fr-fr
- fr-ch
- div-mv
- cy-gb
- cs-cz
- bg-bg

• zh-CHT
• smn-FI
• sms-FI
• sr-BA-Cyrl
• fr-MC
• smj-SE
• smj-NO
• fr-CH
• zh-SG
• sr-SP-Cyrl
• zh-HK
• ms-BN
• sr-SP-Latn
• pt-PT
• div-MV
• syr-SY
• cy-GB
• mn-MN
• ky-KG
• kk-KZ
• ms-MY
• mt-MT
• mk-MK
• lt-LT
• lv-LV
• tr-TR
• th-TH
• sk-SK
• hr-HR
• pt-BR
• pl-PL
• nl-NL
• fr-FR
• cs-CZ
• bg-BG
• zh-CHS
•
• (((((H
• (((((H
• HH:mm:ss
• dddd, MMMM dd, yyyy
• MM/dd/yy
• zh-TW
• zh-CN
• (null)
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0"><compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1"><application><supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"></supportedOS><supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"></supportedOS></application></compatibility></assembly>PPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADD
• kPAD1478B8A8D18D838C5AC3214872C2E653E15FF3E1CD83C9ACCE04D757D85F4F028DB9D64C83B402EC3181DC27BB9C6B8FBA3FFBDC739AAF82A572B5ABA2D218D3D536EF4CEF0639A12AE701E9892B2BEFE57F94C7C3794AD21BA3C87CB6F709828924E6619EC298BB21F8A16D34F9090DEEC8BE44993B2EBA72FE3ADEB4E609F.cryptPAhow_to_back_filesPAD
• w%~Axm
• :hB:

- fXX.
- X-[f
- NSc)
- LL|wSJ
- |t]W
- M&)
- Nc&yu;]L
- CkWg
- ",;4_P
-)?~S 7
- %<K@
- bRkjQ
- };v"
-]LyN^Ml
- x`TF
- dhRr
- "_.?
- bbT/?
- /t\tW
- W!v}k
- wM')
- ".;}_N
- LcjY
- k<@@
- bRkj
- |^=H
- }~vq
-]RyQ^Hl
- dhRr
- *+n\\
- KlHqx
- ~=d]
- c|w{
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN

- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){

- v;;M
- V++}
- lpHP
- M!pz$
- @/mG?H
- hYW:
- %T-{S
- h@dKRK\\j=
- '4>bGs=
- x:?tq|e
- =X$C
- R]&q;
- mLC(
- y Q])b
- ^ j[3n
- l-un!;
- D?`_`
- XwNf
- xyz?
- &Wdc;
- XeHdb[T
- ?qB<
- _j(C}
- ->lk`|R
- hq
- -</(
- MJc?S
- Wy+%
- VJl<
- Xm)c
- ,'-K
- $p;b
- d+v_
- G<!\\[
- 5[>vvy
- jmmS
- H&N;"k
- @GH$
- w{[MD
- {m CqDr
- >]vB
- wjk!j
- {j&ZZ;
- del "%s"
- rmdir "%s"
- del "%s"
- D?$?
- ?/L[
- ?Zd;
- HMXB
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-

•
• rsa_encrypt
• ntldr
• Dr.Web
• qfjgmfgmkj.tmp
• .html
• ssms
• \\wall.jpg
• hjkhkHUhhjp.bat
• DES-CBC
• desCBC
• LwH'
• vRQ>
• taskkill /F /T /PID
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
• HH:mm:ss
• dddd, MMMM dd, yyyy
• MM/dd/yy
• xppwpp
• `h`hhh
• xpxxxx
• `h```
• (null)
• k,vQ
• .vuG-v
• =-v.
• .vM7.v
• -v1#-v
• -vO!.v9>-v&<.v
• $.vp
• -vej/v
• K/v:
• g.v+E.v
•)v.
• Y-v=
• ,va>-vM
• Y-v\\9.v
• j@%@
• SSSSS
• v\tN+D$
• PPPPP
• [_^]
• @PSV
• VVVVV
• PSVW
• WWWWW
• -jd[;
• PjdSQ
• PRSQ
• Wj0XPV
• ,SVWj0X
• +t"HHt
• PSSSSV
• PWWWWV
• jA[jZZ+
• _^[]

- WVPS
- t#Ht
- r>PS
- v\tN+D$
- _^[]
- Npt"
- Y_^[]
- UQPXY]Y[
- ;t$,v-
-]_^[
- GWVj
- ;_tr.
- wtVj
- ~';_t|%3
- t#=`
- Y_^[
- Y_^[
- _^[]
- SVWPP
- FVWPP
- SPPP+
- SSSSS
- PPPPP
- Y[_^
- t@VSP
- PSSV
- SVWh
- _^[]
- ~pjCXf
- _^[]
- SVWj
- [_^]
- URPQQh
- tWPV
- } j@W
- j@j _W
- Y__^[
- PPPPP
-)][Y
- _^][
- _^][
- SSSS
- j SP
- D$\\PSSh
- D$HP
- D$\\SP
- jD^V
- D$<PV
- D$$Pj
- jjYf
- _^][
- _^][Y
- WWSVW
- SVWjpj
- _^][
- D$(PS
- D$XP

- D$TP
- D$TP
- D$XP
- D$XP
- D$(P
- VWQQ
- PPVWj
- WWWWj
- _^][
- D$ Ph(VA
- D$,P
- j SP
- SSj(
- [_^]
- t"VW
- D$HPS
- D$XPS
- D$(Ph
- PPPS
- t$$YV
- T$Lh
- |$-;
-][_^YY
- SVWjl^Vj
- Xjx+
- QQSVW
- _^][Y
- _^][
- #|$
- !$(3D$
- #D$
- #D$(
- D$(#
- #D$,
- |$ 3D$
- #D$,
- D$,#D$0
- t$(3D$
- !D$(
- |$(
- D$(3D$ #
- t$$]
- !$(!!$
- D$(#
- D$$@
- |$<Y
- _^][YY
- D$,d
- Vjlj
- D$ P
- ^_[]
- X^][_
- ;Nl|
- D$$Pj Z
- X^[_]
- X;_l|
- YYj [j

- _^][
- D$,VP
- _^][
- D$ P
- _^][
- D$HP
- D${j
- D$|j
- X_^][
- |$(!T$
- ;D$ r
- !L$(
- ;D$(r
- 9D$(v.
- t$;
- T$<S
- D$\\j
- X_^]
- _^[Y
- _^][
- T$(P
- T$(P
- L$\\SUV
- _^][
- _^][
- ^_][
- Y^[_
- t2j Y+
- QQSVW
- s2j]+
- _^][Y
-][YY
- _^[]
- _^][
- _^][
- D$$3T>
- D$(H
- B\t\tD$
- _^][
- _^][
- QQQPQ
- D$,P
- |$p+
- |$(Sj
- .rsrc
- VRicht

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000004651e100210000004651df00150000004651e0007e000000097893000b0000000000010076000000d52e400160000000d52db00010000000000097000100000000d52de00

• Module 3 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- anti_dbg (Checks if being debugged)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- with_images (Rule to detect the presence of an or several images)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- RijnDael_AES_LONG (RijnDael AES)
- Prime_Constants_long (List of primes [long])
- RijnDael_AES_CHAR (RijnDael AES (check2) [char])

• Module 3 strings

• Module 3 most interesting strings

- suspicious event or string: vssadmin.exe Delete Shadows /All /Quiet
- url | valid domains | tlds: .pR{}
- url | valid domains | tlds: Microsoft.NET
- url | valid domains | tlds: -.vl"-vb
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: Sleep
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: LoadResource
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | kernel32: LCMapStringW
- api | kernel32: HeapSize
- api | kernel32: GetStringTypeW
- api | kernel32: HeapReAlloc
- api | kernel32: OutputDebugStringW
- api | kernel32: LoadLibraryExW
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage
- api | kernel32: FlushFileBuffers
- api | kernel32: WriteConsoleW
- api | kernel32: SetStdHandle
- api | kernel32: GetModuleHandleW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: TerminateProcess
- api | kernel32: GetCurrentProcess
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FreeEnvironmentStringsW

- api | kernel32: GetEnvironmentStringsW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleExW
- api | kernel32: GetCurrentThreadId
- api | kernel32: SetLastError
- api | kernel32: SetFilePointerEx
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetStartupInfoW
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileType
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError
- api | advapi32: CryptGenRandom
- api | advapi32: CryptReleaseContext
- api | advapi32: CryptAcquireContextW
- api | user32: wsprintfA
- api | user32: SystemParametersInfoW
- api | kernel32: HeapFree
- api | kernel32: lstrcpyA
- api | kernel32: SetFileAttributesW
- api | kernel32: lstrcpyW
- api | kernel32: GetTempPathA
- api | kernel32: CompareStringA
- api | kernel32: FindNextFileW
- api | kernel32: lstrcatW
- api | kernel32: GetModuleFileNameA
- api | kernel32: LockResource
- api | kernel32: FindClose
- api | kernel32: lstrcmpiA
- api | kernel32: FindFirstFileA
- api | kernel32: GetStdHandle
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: lstrcmpW
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: HeapDestroy
- api | kernel32: SizeofResource
- api | kernel32: GetDriveTypeA
- api | kernel32: GetProcessHeap
- api | kernel32: SetThreadExecutionState
- api | kernel32: GetLogicalDrives
- api | kernel32: MoveFileExW
- api | kernel32: FindResourceW
- api | kernel32: FreeResource
- api | kernel32: FindFirstFileW
- api | kernel32: CreateFileA
- api | kernel32: LoadLibraryA
- api | kernel32: GetFileSizeEx

- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: lstrlenA
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: CreateProcessA
- api | kernel32: HeapCreate
- api | kernel32: LoadLibraryW
- api | kernel32: HeapAlloc
- api | urlmon: URLDownloadToFileA
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | kernel32: GetTickCount64
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: CreateEventExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc

• Module 3 other strings

- KDATA
- EXDATA
- DDATA
- CODATA
- CODATA

- KDATA
- eShlwapi.dll
- DDATA
- \\EXDATA
- Kernel32.dll
- zu-za
- zh-mo
- xh-za
- vi-vn
- uz-uz-latn
- uz-uz-cyrl
- ur-pk
- uk-ua
- tt-ru
- tn-za
- te-in
- ta-in
- sw-ke
- sv-se
- sv-fi
- sr-ba-latn
- sq-al
- sma-se
- sma-no
- sl-si
- se-se
- se-no
- se-fi
- sa-in
- ru-ru
- ro-ro
- quz-pe
- quz-ec
- quz-bo
- pa-in
- ns-za
- nn-no
- nl-be
- nb-no
- mr-in
- ml-in
- mi-nz
- ko-kr
- kok-in
- kn-in
- ka-ge
- ja-jp
- it-it
- it-ch
- is-is
- id-id
- hy-am
- hu-hu
- hr-ba
- hi-in
- he-il
- gu-in

- gl-es
- fr-lu
- fr-ca
- fr-be
- fo-fo
- fi-fi
- fa-ir
- eu-es
- et-ee
- es-ve
- es-uy
- es-sv
- es-py
- es-pr
- es-pe
- es-pa
- es-ni
- es-mx
- es-hn
- es-gt
- es-es
- es-ec
- es-do
- es-cr
- es-co
- es-cl
- es-bo
- es-ar
- en-zw
- en-za
- en-us
- en-tt
- en-ph
- en-nz
- en-jm
- en-ie
- en-gb
- en-cb
- en-ca
- en-bz
- en-au
- el-gr
- de-lu
- de-li
- de-de
- de-ch
- de-at
- da-dk
- ca-es
- bs-ba-latn
- bn-in
- be-by
- az-az-latn
- az-az-cyrl
- ar-ye
- ar-tn
- ar-sy

- ar-sa
- ar-qa
- ar-om
- ar-ma
- ar-ly
- ar-lb
- ar-kw
- ar-jo
- ar-iq
- ar-eg
- ar-dz
- ar-bh
- ar-ae
- af-za
- es-PR
- es-NI
- es-HN
- es-SV
- es-BO
- ar-QA
- es-PY
- ar-BH
- es-UY
- ar-AE
- es-CL
- en-PH
- ar-KW
- es-EC
- en-ZW
- ar-LB
- es-AR
- en-TT
- ar-JO
- es-PE
- en-BZ
- ar-SY
- es-CO
- en-CB
- ar-YE
- es-VE
- en-JM
- ar-OM
- sma-SE
- es-DO
- en-ZA
- ar-TN
- sma-NO
- sr-BA-Latn
- es-PA
- en-IE
- ar-MA
- bs-BA-Latn
- fr-LU
- es-CR
- en-NZ
- de-LI
- zh-MO

- ar-DZ
- hr-BA
- es-GT
- en-CA
- de-LU
- ar-LY
- quz-PE
- se-FI
- fr-CA
- es-ES
- en-AU
- de-AT
- ar-EG
- quz-EC
- uz-UZ-Cyrl
- se-SE
- az-AZ-Cyrl
- sv-FI
- nn-NO
- nl-BE
- it-CH
- fr-BE
- es-MX
- en-GB
- de-CH
- ar-IQ
- mi-NZ
- ns-ZA
- quz-BO
- kok-IN
- gl-ES
- sa-IN
- mr-IN
- ml-IN
- kn-IN
- te-IN
- ta-IN
- gu-IN
- pa-IN
- bn-IN
- tt-RU
- uz-UZ-Latn
- sw-KE
- se-NO
- hi-IN
- fo-FO
- ka-GE
- af-ZA
- zu-ZA
- xh-ZA
- tn-ZA
- eu-ES
- az-AZ-Latn
- hy-AM
- vi-VN
- fa-IR
- et-EE

- sl-SI
- be-BY
- uk-UA
- id-ID
- ur-PK
- sv-SE
- sq-AL
- ru-RU
- ro-RO
- nb-NO
- it-IT
- is-IS
- hu-HU
- he-IL
- fi-FI
- el-GR
- de-DE
- da-DK
- ca-ES
- ar-SA
- nCONOUT$
- USER32.DLL
- en-US
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- ko-KR
- Aja-JP
- kernel32.dll
- Microsoft Visual C++ Runtime Library
- <program name unknown>
- Program:
- Runtime Error!
- runtime error
- TLOSS error
- SING error
- DOMAIN error
- - inconsistent onexit begin-end variables
- R6034
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033

- - not enough space for locale information
- R6032
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - CRT not initialized
- R6030
- - unable to initialize heap
- R6028
- - not enough space for lowio initialization
- R6027
- - not enough space for stdio initialization
- R6026
- - pure virtual function call
- R6025
- - not enough space for _onexit/atexit table
- R6024
- - unable to open console device
- R6019
- - unexpected heap error
- R6018
- - unexpected multithread lock error
- R6017
- - not enough space for thread data
- R6016
- - abort() has been called
- R6010
- - not enough space for environment
- R6009
- - not enough space for arguments
- R6008
- - floating point support not loaded
- AR6002
- mscoree.dll
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- PADn
- &}PA
- ul4+
- 0o]r
- Ea*X
- `ia[|
- <|Bi>
- 0QX"
- C5VJ
- }m2|5
- 0M^!
- 5O~Fc
- FbiO
- ^HfI
- .ul#
-]!&}3
- ~Z/i
- =#(I
- Eh`0
- 6.3I
- u(K\\]
- $1Zi"

- D5S#
- `^7HX
- aC`C"O
- Cokzk
- euhf-
- LWav
- ry/7
- Q`%8
- NooT
- }k2d5
- =O|Fo
- FbiO
- mu7#
- YU3t
- N1&2u_L
- $#xl`a
- '>jE
- l1,Ym
- E,`y
- F+-6
- umK\\]
- $1YiD
- U5C#
- rq#I6
- SH7h
- C`CqO
- ERO[x
- "1.G
- Ao6z~
- Iedh'-
- 4y47
- otZK
- =mej
- QJ%U
- how_to_back_files.html
- 5!L@
- 9oX
- 9JLX
- $4,8
- [_=o
- 1?#1*
- awKiZ
- 6.:$
- =-9'6
- HhXpE
- Ebdw
- U vm
- PQAeS~
- h4,8$@_
- #1*?
- Df~4[
- KiZw
- 9'6-
- H2+p
- *fU(
- EbSw
- Xti)I

- U 0m
- eS~A
- (<lA
- ,8$4_
- f7tN
- 1*?#0
- Df;4[
- iZwK
- '6-9d
- Q3EbS
- Xt!)I
- S~Ae
- >8$4,
- *?#1
- ZwKi
- $6.:
- 6-9'
- Q3`bS
- P~AeS
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99

- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N
- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- +ehH|
- o%8h
- +o3: >D
- u8+1
- u/\tV(
- U!9Z
- V0zea
- 87}Y
- /x9"x
- 2hH\\
- gCae
- 8EKQ
- {RaGFf1F
- 7f4<BM
- $`rO
- zev{U
- H=ax
- 1i L
- kuS:
- K9n5c
- l~G3
- sf0{
- VIEW
- tl^
- &Iop.;
- *(8=
- Z}0ij`$
- +O;C
- #134J
- -~M9
- UL4"#
- |-eX
- {L0O{
- UMx0
- u>(`
- 6nEW

- aE#i
- @93%[
- \\<ICUig
- Im}T
- 2: #
- IKNz
- FF;'E
- b2a'
- -d3z
- @i ~
- oGu6
- /N<0}
- aZ{;
- @Y]5
- `_.8
- (pu2
- kU/O
- e\t7n
- +qPI
- {,9B
- S5g<
- +Yan{
- if exist "%s" goto Repeat
- :Repeat
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- ole32.dll
- CoCreateGuid
- StringFromGUID2
- SHELL32.dll
- ShellExecuteA
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- \\Desktop\\
- USERPROFILE
- YandexBrowser
- Opera
- Mozilla Firefox
- Chrome
- Movie Maker
- Outlook Express
- Common Files
- Microsoft Shared
- system volume information
- Symantec_Client_Security
- Symantec
- Avast
- sysconfig
- spytech software
- Avira

- McAfee
- Kaspersky Lab
- Internet Explorer
- NVIDIA Corporation
- Temp
- WindowsPowerShell
- Windows Sidebar
- Windows Portable Devices
- Windows Photo Viewer
- Windows Phone Silverlight Kits
- Windows Phone Kits
- Windows Multimedia Platform
- Windows Media Player
- Windows Mail
- Windows Kits
- Windows NT
- COMODO
- ESET
- Windows Defender
- Windows App Certification Kit
- Microsoft Help
- Microsoft
- Desktop
- windows
- temp
- PathFindExtensionW
- postgre
- outlook
- open
- 010001
- urlmon
- SHA-256
- id-sha256
- SHA-224
- id-sha224
- DES-EDE3-CBC
- des-ede3-cbc
- EC key for ECDH
- id-ecDH
- Generic EC key
- id-ecPublicKey
- rsaEncryption
- RSASSA-PSS
- RSA with SHA-256
- sha256WithRSAEncryption
- RSA with SHA-224
- sha224WithRSAEncryption
- SHA256
- SHA224
- 8STs
- 0123456789ABCDEF
- 1#QNAN
- 1#INF
- 1#IND
- 1#SNAN
- e+000
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~

- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- SetFileInformationByHandleW
- GetFileInformationByHandleExW
- CorExitProcess
- 700PP
- ('8PW
- 700WP
- (8PX
- UNICODE
- UTF-16LE
- UTF-8
- 5.vp
- =.v99.vF
- 3.v|
- WVS3
- <5|E
- u\t9Y
- hTNA
- u!hLNA
- u0hDNA
- h<NA
- WVU3
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- %pvA
- <et
- |+;E
- Wj0V
- y&8]
- 80t-
- h4NA

- v6j0
- j0Yf
- u'j0X
- u\t9Y
- HAO8
- 9] t"
- 9E$u
- SVW3
- 9E W
- SVW3
- PP9E u
- 9E(j
- woSW
- tO9=
- t%Ou
- s\t9r
- hp\\A
- 9wlt
- hP\\A
- h0\\A
- 1N_^[
- A_^[]
- SVAW
- SVWUj
- 5pvA
- 5pvA
- 5pvA
- 5pvA
- 5Genu
- 5pvA
- 5ntel
- inel
- 5pvA
- u*9E
- hp A
- hT A
- hD A
- h4 A
- h$ A
- 5LuA
- 5LuA
- Ot\tA
- <v5h
- < t8<\tt4
- tA9M
- >"u3
- hp[A
- uCh8
- h0NA
- =0NA
- 5HuA
- hH[A
- 5HuA
- 5HuA
- h [A
- 8csm
- %pvA

- UVWS
- L$,3
- VVhU
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- %pvA
- Ph0tA
- t6h0tA
- h0tA
- 8csm
- 3=0tA
- hxZA
- hXZA
- QSUVj
- D$4SP
- SUVWh
- SUVW3
- ~u)|$
- I$ 3
- I$ Uj
- SUVWj
- QUSh
- ~8QSP
- QUSh
- WjiY
- D$8f
- YSUS
- \\$DU
- SUVWhA
- SUVW3
- UjmY
- QSUVh`VA
- WjeU
- SUVW
- SUVWR
- hDVA
- h@VA
- h8VA
- h4VA
- h0VA
- UVW3
- UVW3
- PQVU
- SUVW
- SVW3
- D$,3
- \\SUVW
- QSUV

- T$X3
- L4x#
- t$$3
- 3D$0#
- D$$3
- D$$3
- T$ 3
- D$$3
- D$0#
- T$(3
- 3D$
- 3D$ #
- l$4#
- t$03D$(
- D$(3
- 3D$,#
- SUVW
- L$,t4
- QQSU
- /GJu
- UPj6S
- 9nl~
- |$0 v
- u89D$
- wp@9F
- Y_^3
- t$@Y3
- <SUVWj0
- 9D$Ht
- D$0PUS
- D$0PUS
- L$(US
- D$0Pk
- D$0PUS
- D$0PUS
- 9|$(u(
- D$0Y
- D$0PUS
- D$0PUS
- D$0PU
- D$0PUS
- |$ 3
- L$<E
- L$@3
- D$4P
- D$8KH
- l$8;
- QQSU
- 7_^][
- 7_^][
-]_^3
- t7;{
- >WS3
- 8-tF
- \\$(3
- D$ 3
- _^]3

- SUVW
- SUVW
- 5($B
- hxNA
- SUVWh\\NA
- @.data
- `.rdata
- .text
- !This program cannot be run in DOS mode.
- zh-tw
- zh-sg
- zh-hk
- zh-cn
- zh-cht
- zh-chs
- tr-tr
- th-th
- syr-sy
- sr-sp-latn
- sr-sp-cyrl
- sr-ba-cyrl
- sms-fi
- smn-fi
- smj-se
- smj-no
- sk-sk
- pt-pt
- pt-br
- pl-pl
- nl-nl
- mt-mt
- ms-my
- ms-bn
- mn-mn
- mk-mk
- lv-lv
- lt-lt
- ky-kg
- kk-kz
- hr-hr
- fr-mc
- fr-fr
- fr-ch
- div-mv
- cy-gb
- cs-cz
- bg-bg
- zh-CHT
- smn-FI
- sms-FI
- sr-BA-Cyrl
- fr-MC
- smj-SE
- smj-NO
- fr-CH
- zh-SG
- sr-SP-Cyrl

• zh-HK
• ms-BN
• sr-SP-Latn
• pt-PT
• div-MV
• syr-SY
• cy-GB
• mn-MN
• ky-KG
• kk-KZ
• ms-MY
• mt-MT
• mk-MK
• lt-LT
• lv-LV
• tr-TR
• th-TH
• sk-SK
• hr-HR
• pt-BR
• pl-PL
• nl-NL
• fr-FR
• cs-CZ
• bg-BG
• zh-CHS
•
• (((((H
• (((((H
• HH:mm:ss
• dddd, MMMM dd, yyyy
• MM/dd/yy
• zh-TW
• zh-CN
• (null)
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0"><compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1"><application><supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"></supportedOS><supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"></supportedOS></application></compatibility></assembly>PPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADD
• kPAD1478B8A8D18D838C5AC3214872C2E653E15FF3E1CD83C9ACCE04D757D85F4F028DB9D64C83B402EC3181DC27BB9C6B8FBA3FFBDC739AAF82A572B5ABA2D218D3D536EF4CEF0639A12AE701E9892B2BEFE57F94C7C3794AD21BA3C87CB6F709828924E6619EC298BB21F8A16D34F9090DEEC8BE44993B2EBA72FE3ADEB4E609F.cryptPAhow_to_back_filesPAD
• w%~Axm
• :hB:
• fXX.
• X-[f
• NSc)
• LL|wSJ
• |t]W
• M&)
• Nc&yu;]L
• CkWg
• ",;4_P
•)?~S 7

- %<K@
- bRkjQ
- };v"
-]LyN^Ml
- x`TF
- dhRr
- "_.?
- bbT/?
- /t\tW
- W!v}k
- wM')
- ".;}_N
- LcjY
- k<@@
- bRkj
- |^=H
- }~vq
-]RyQ^Hl
- dhRr
- *+n\\
- KlHqx
- ~=d]
- c|w{
- l\\tH
- j~FbT
- ~4[C)v
- !h[T
- ZrNl
- 2\\tHlWB
- j_FbT~
- Bc"@
- [.:$6g
- !h\\T
- rNlZ
- hXpH
- tHl\\B
- bT~F
- *C<"
- [T:$6.
- pNlZr
- @Cwg
- +XpHh
- WBPQ
- pHl\\t
- &x;\tnY
- T~Fb
- lZrN
- pHhX
- X>k'
- -Xt!
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T

- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD'"*~T*
- ~=Gz=d
- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- lpHP
- M!pz$
- @/mG?H
- hYW:
- %T-{S
- h@dKRK\\j=
- '4>bGs=
- x:?tq|e

- =X$C
- R]&q;
- mLC(
- y Q])b
- ^ j[3n
- l-un!;
- D?`_`
- XwNf
- xyz?
- &Wdc;
- XeHdb[T
- ?qB<
- _j(C}
- ->lk`|R
- hq
- -</(
- MJc?S
- Wy+%
- VJl<
- Xm)c
- ,'-K
- $p;b
- d+v_
- G<!\\[
- 5[>vvy
- jmmS
- H&N;"k
- @GH$
- w{[MD
- {m CqDr
- >]vB
- wjk!j
- {j&ZZ;
- del "%s"
- rmdir "%s"
- del "%s"
- D?$?
- ?/L[
- ?Zd;
- HMXB
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- rsa_encrypt
- ntldr
- Dr.Web
- qfjgmfgmkj.tmp
- .html
- ssms
- \\wall.jpg
- hjkhkHUhhjp.bat
- DES-CBC

- desCBC
- LwH'
- vRQ>
- taskkill /F /T /PID
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- xppwpp
- `h`hhh
- xpxxxx
- `h``
- (null)
- k,vQ
- .vuG-v
- =-v.
- .vM7.v
- -v1#-v
- -vO!.v9>-v&<.v
- $.vp
- -vej/v
- K/v:
- g.v+E.v
-)v.
- Y-v=
- ,va>-vM
- Y-v\\9.v
- j@%@
- SSSSS
- v\tN+D$
- PPPPP
- [_^]
- @PSV
- VVVVV
- PSVW
- WWWWW
- -jd[;
- PjdSQ
- PRSQ
- Wj0XPV
- ,SVWj0X
- +t"HHt
- PSSSSV
- PWWWWV
- jA[jZZ+
- _^[]
- WVPS
- t#Ht
- r>PS
- v\tN+D$
- _^[]
- Npt"
- Y_^[]
- UQPXY]Y[
- ;t$,v-
-]_^[

- GWVj
- ;_tr.
- wtVj
- ~';_t|%3
- t#=`
- Y_^[
- Y_^[
- _^[]
- SVWPP
- FVWPP
- SPPP+
- SSSSS
- PPPPP
- Y[_^
- t@VSP
- PSSV
- SVWh
- _^[]
- ~pjCXf
- _^[]
- SVWj
- [_^]
- URPQQh
- tWPV
- } j@W
- j@j _W
- Y__^[
- PPPPP
-)][Y
- _^][
- _^][
- SSSS
- j SP
- D$\\PSSh
- D$HP
- D$\\SP
- jD^V
- D$<PV
- D$$Pj
- jjYf
- _^][
- _^][Y
- WWSVW
- SVWjpj
- _^][
- D$(PS
- D$XP
- D$TP
- D$TP
- D$XP
- D$XP
- D$(P
- VWQQ
- PPVWj
- WWWWj
- _^][
- D$ Ph(VA

- D$,P
- j SP
- SSj(
- [_^]
- t"VW
- D$HPS
- D$XPS
- D$(Ph
- PPPS
- t$$YV
- T$Lh
- |$-;
-][_^YY
- SVWjl^Vj
- Xjx+
- QQSVW
- _^][Y
- _^][
- #|$
- l$(3D$
- #D$
- #D$(
- D$(#
- #D$,
- |$ 3D$
- #D$,
- D$,#D$0
- t$(3D$
- !D$(
- |$(
- D$(3D$ #
- t$$]
- l$(!l$
- D$(#
- D$$@
- |$<Y
- _^][YY
- D$,d
- Vjlj
- D$ P
- ^_[]
- X^][_
- ;Nl|
- D$$Pj Z
- X^[_]
- X;_l|
- YYj [j
- _^][
- D$,VP
- _^][
- D$ P
- _^][
- D$HP
- D${j
- D$|j
- X_^][
- |$(!T$

- ;D$ r
- !L$(
- ;D$(r
- 9D$(v.
- t$;
- T$<S
- D$\\j
- X_^]
- _^[Y
- _^][
- T$(P
- T$(P
- L$\\SUV
- _^][
- _^][
- ^_][
- Y^[_
- t2j Y+
- QQSVW
- s2j]+
- _^][Y
-][YY
- _^[]
- _^][
- _^][
- D$$3T>
- D$(H
- B\t\tD$
- _^][
- _^][
- QQQPQ
- D$,P
- |$p+
- |$(Sj
- .rsrc
- VRicht