Analysis report for sample: 13b55725de38fbe6647077fb8db914bf

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 3355 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 13b55725de38fbe6647077fb8db914bf

AV detections

- Microsoft: VirTool:Win32/Injector
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec: ML.Relationship.HighConfidence [W32.Mytob@mm]
- Malwarebytes: Backdoor.IRCBot

Original source url

•

Virustotal url

- https://virustotal.com/es/file/b96869deff5b492d73a99cd919b776b541e693220d252421fbafd4b11281d54a/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- MinGW_1 ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- HasDebugData (DebugData Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- vmdetect (Possibly employs anti-virtualization techniques)
- escalate_priv (Escalade priviledges)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- IsBeyondImageSize (Data Beyond ImageSize Check)

Snapshot


Computer
C:\Windows\s...
Recycle Bin
Start
10:44 PM
Tuesday
6/13/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name schtasks.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name UI0Detect.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\Chrome Browser Type: REG_SZ, Length: 94, Data: "C:\\ProgramData\\Chrome Browser0\\skskjbpjx.exe")
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Chrome Browser Type: REG_SZ, Length: 94, Data: "C:\\ProgramData\\Chrome Browser0\\skskjbpjx.exe")
- Process Create (C:\\Windows\\System32\\schtasks.exe PID: P2, Command line: "C:\\Windows\\System32\\schtasks.exe" /Create /SC ONLOGON /TN "Windows Update Check - 0x05B00174" /TR "C:\\ProgramData\\Chrome Browser0\\skskjbpjx.exe /task" /RL HIGHEST)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKCU\\Software\\Win7zip Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Win7zip\\Uuid Type: REG_BINARY, Length: 16, Data: EC C9 E8 F9 A1 F5 6A 4C 94 18 32 4D 79 DC 2C 0A)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: http://answers.microsoft.com/en-us/windows/forum/windows_vista-windows_programs/corrupted-documents-folder/e2a7660f-8eea-4f27-b2e6-e77a0f0c1535
- url | valid domains | tlds: /.vA#-v
- url | valid domains | tlds: 3.vI
- url | valid domains | tlds: 0@.eh_fram
- url | valid domains | tlds: <a href=".ms">%s</a>
- url | valid domains | tlds: 3.v&<.vA
- url | valid domains | tlds: g.vI"-v
- url | valid domains | tlds: .net
- url | valid domains | tlds: .com
- url | valid domains | tlds: .org
- url | valid domains | tlds: .info
- url | valid domains | tlds: google.com
- url | valid domains | tlds: windowsupdate.microsoft.com
- url | valid domains | tlds: microsoft.com
- url | valid domains | tlds: update.microsoft.com
- url | valid domains | tlds: Mozilla/5.0 (compatible; MSIE 7.0; Windows NT 5.2; WOW64; .NET CLR 2.0.50726)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; WOW64; SLCC1; .NET CLR 2.0.50727; .NET CLR 3.0.04506; Media Center PC 5.0; .NET CLR 1.1.4322; Windows-Media-Player/10.00.00.3990; InfoPath.2
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; NeosBrowser; .NET CLR 1.1.4322; .NET CLR 2.0.50727)
- url | valid domains | tlds: |$D.tC
- path | frequently modified by malware: APPDATA
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
- registry | frequently modified by malware: SOFTWARE\\Wow6432Node\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\RunOnce
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\%s
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run
- registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\services\\%s
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
- registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
- registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\Services\\DragonUpdater
- path | path unit | wellknown extension: %c:\\%s.lnk
- path | path unit | wellknown extension: %c:*p.exe
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Charset: %s
- api | frequently used by malware: Accept-Language: %s
- api | frequently used by malware: Accept: %s
- api | frequently used by malware: ObtainUserAgentString
- registry: SYSTEM\\CurrentControlSet\\Control\\Session Manager
- registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows
- registry: SOFTWARE\\Microsoft\\CurrentVersion\\Run
- registry: Software\\Classes\\CLSID\\%S
- path | path unit: C:\\Users\\Dvx\\Documents\\USB - Projects\\Development\\vNeuter\\vNeuter\\Release\\vBetaLib.pdb
- url | http tag: http://
- registry: Software\\Microsoft\\Internet Explorer\\Media\\MimeTypes
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
- registry: Software\\Microsoft\\VisualStudio

• registry: SOFTWARE\\Classes\\origin
• registry: Software\\Microsoft\\Terminal Server Client\\Default
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\WindowsBackup
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
• registry: Software\\Microsoft
• registry: SOFTWARE\\Microsoft\\NET Framework Setup\\NDP
• registry: Software\\Microsoft\\Internet Explorer\\Main
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\%u
• registry: Software\\Classes\\CLSID\\%s\\%08X\\%s
• registry: Software\\Classes\\CLSID\\%s\\%08X
• api | ws2_32: You denied the proper privileges to the Windows file restoration utility. Please select YES on the following UAC prompt to allow Windows to restore the corrupted files.
• api | ws2_32: GetAddrInfoW
• api | ntdll: memcpy
• api | kernel32: VirtualQuery
• api | kernel32: VirtualProtect
• api | kernel32: VirtualAlloc
• api | kernel32: TlsGetValue
• api | kernel32: SetUnhandledExceptionFilter
• api | kernel32: LeaveCriticalSection
• api | kernel32: InitializeCriticalSection
• api | kernel32: GetModuleHandleA
• api | kernel32: GetLastError
• api | kernel32: EnterCriticalSection
• api | kernel32: DeleteCriticalSection
• api | kernel32: VirtualQuery failed for %d bytes at address %p
• api | ntdll: RtlQueryElevationFlags
• api | dnsapi: DnsFlushResolverCache
• api | ntdll: RtlFreeHeap
• api | ntdll: ZwContinue
• api | ntdll: ZwDelayExecution
• api | ntdll: ZwCreatePagingFile
• api | netapi: NetUserGetInfo
• api | advapi32: CreateProcessWithTokenW
• api | user32: ChangeWindowMessageFilter
• api | kernel32: CreateProcessInternalW
• api | psapi: GetMappedFileNameW
• api | kernel32: K32GetMappedFileNameW
• api | advapi32: GetSecurityInfo

Involved hosts

- 192.168.133.192:50909
- 192.168.133.192:62075
- 192.168.133.1:5355

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.192:62075**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.192:50909**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
    - Thread T5 (in process P1, cebo.exe)
    - Thread T6 (in process P2, schtasks.exe)
  - **Thread' events**
    - RegCreateKey (HKCU\\Software\\Win7zip Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
    - RegSetValue (HKCU\\Software\\Win7zip\\Uuid Type: REG_BINARY, Length: 16, Data: EC C9 E8 F9 A1 F5 6A 4C 94 18 32 4D 79 DC 2C 0A)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: T4)
    - Thread Create (Thread ID: TUNKALIAS)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
    - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\Chrome Browser Type: REG_SZ, Length: 94, Data: "C:\\ProgramData\\Chrome Browser0\\skskjbpjx.exe")

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\Chrome Browser Type: REG_SZ, Length: 94, Data: "C:\\ProgramData\\Chrome Browser0\\skskjbpjx.exe")
- Thread Create (Thread ID: T5)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\System32\\schtasks.exe PID: P2, Command line: "C:\\Windows\\System32\\schtasks.exe" /Create /SC ONLOGON /TN "Windows Update Check - 0x05B00174" /TR "C:\\ProgramData\\Chrome Browser0\\skskjbpjx.exe /task" /RL HIGHEST)

• Thread T4 (in process P1, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P1, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P2, schtasks.exe) description

• Thread's childs

- Thread T7 (in process P2, schtasks.exe)

• Thread' events

- Thread Create (Thread ID: T7)

• Thread T7 (in process P2, schtasks.exe) description

• Thread's childs

- Thread T8 (in process P2, schtasks.exe)

- **Thread' events**

  - Thread Create (Thread ID: T8)

• Thread T8 (in process P2, schtasks.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- MinGW_1 ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: /.vA#-v
- url | valid domains | tlds: 3.vI
- url | valid domains | tlds: 0@.eh_fram
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | ntdll: memcpy
- api | kernel32: VirtualQuery
- api | kernel32: VirtualProtect
- api | kernel32: VirtualAlloc
- api | kernel32: TlsGetValue
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetModuleHandleA
- api | kernel32: GetLastError
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: VirtualQuery failed for %d bytes at address %p

• Module 1 other strings

- Translation
- VarFileInfo
- 15.0
- ProductVersion

- Embarcadero Dr. Interop Utility
- ProductName
- DRINTEROP.exe
- OriginalFilename
- 2005-2010 Embarcadero Technologies, Inc.
- Copyright
- LegalCopyright
- DRINTEROP
- InternalName
- 15.0.3890.34076
- FileVersion
- Embarcadero Dr. Interop
- FileDescription
- Embarcadero Technologies, Inc.
- CompanyName
- 040904E4
- StringFileInfo
- VS_VERSION_INFO
- KERNEL32.dll
- signal
- fwrite
- free
- calloc
- atexit
- abort
- _setmode
- _onexit
- _iob
- _cexit
- __set_app_type
- __p__fmode
- __p__environ
- __getmainargs
- wO!.v
- Unknown pseudo relocation bit size %d.
- Unknown pseudo relocation protocol version %d.
- Mingw runtime failure:
- _Jv_RegisterClasses
- libgcj-13.dll
- extw
- W7#t
- W7St
- 7CsF
- %$a@
- % a@
- %,a@
- %4a@
- %(a@
- %0a@
- $8P@
- $8P@
- $8P@
- $8P@
- $8P@
- $8P@
- $8P@
- $8P@

- $8P@
- $t0@
- $@0@
- $(0@
- =0P@
- .idata
- .rdata
- P`.data
- .text
- !This program cannot be run in DOS mode.
- msvcrt.dll
- vfprintf
- =.vF
- yfxv
- @F\tF
- S#xj
- D$$t
- Y[^_]
- WVSQ
- $,&@
- .rsrc
- .tls
- .CRT
- 0@.bss

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e5300000000000000000000000097883000400000009789300070000000000010005000000 1b9daf00470000001b9d9b00010000001b9d9a00010000001b9d9d00

• Module 2 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- vmdetect (Possibly employs anti-virtualization techniques)
- escalate_priv (Escalade priviledges)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)

• Module 2 strings

- **Module 2 most interesting strings**

• url | http tag | valid domain | tlds: http://answers.microsoft.com/en-us/windows/forum/windows_vista-windows_programs/corrupted-documents-folder/e2a7660f-8eea-4f27-b2e6-e77a0f0c1535
• url | valid domains | tlds: <a href=".ms">%s</a>
• url | valid domains | tlds: 3.v&<.vA
• url | valid domains | tlds: g.vl"-v
• url | valid domains | tlds: .net
• url | valid domains | tlds: .com
• url | valid domains | tlds: .org
• url | valid domains | tlds: .info
• url | valid domains | tlds: google.com
• url | valid domains | tlds: windowsupdate.microsoft.com
• url | valid domains | tlds: microsoft.com
• url | valid domains | tlds: update.microsoft.com
• url | valid domains | tlds: Mozilla/5.0 (compatible; MSIE 7.0; Windows NT 5.2; WOW64; .NET CLR 2.0.50726)
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322)
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; WOW64; SLCC1; .NET CLR 2.0.50727; .NET CLR 3.0.04506; Media Center PC 5.0; .NET CLR 1.1.4322; Windows-Media-Player/10.00.00.3990; InfoPath.2
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; NeosBrowser; .NET CLR 1.1.4322; .NET CLR 2.0.50727)
• url | valid domains | tlds: |$D.tC
• path | frequently modified by malware: APPDATA
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
• registry | frequently modified by malware: SOFTWARE\\Wow6432Node\\Microsoft\\Windows\\CurrentVersion\\Run
• registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\RunOnce
• registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\%s
• registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run
• registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\services\\%s
• registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
• registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
• registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\Services\\DragonUpdater
• path | path unit | wellknown extension: %c:\\%s.lnk
• path | path unit | wellknown extension: %c:*p.exe
• api | frequently used by malware: Accept-Encoding: %s
• api | frequently used by malware: Accept-Charset: %s
• api | frequently used by malware: Accept-Language: %s
• api | frequently used by malware: Accept: %s
• api | frequently used by malware: ObtainUserAgentString
• registry: SYSTEM\\CurrentControlSet\\Control\\Session Manager
• registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows
• registry: SOFTWARE\\Microsoft\\CurrentVersion\\Run
• registry: Software\\Classes\\CLSID\\%S
• path | path unit: C:\\Users\\Dvx\\Documents\\USB - Projects\\Development\\vNeuter\\vNeuter\\Release\\vBetaLib.pdb
• url | http tag: http://
• registry: Software\\Microsoft\\Internet Explorer\\Media\\MimeTypes
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
• registry: Software\\Microsoft\\VisualStudio
• registry: SOFTWARE\\Classes\\origin
• registry: Software\\Microsoft\\Terminal Server Client\\Default
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\WindowsBackup
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
• registry: Software\\Microsoft
• registry: SOFTWARE\\Microsoft\\NET Framework Setup\\NDP
• registry: Software\\Microsoft\\Internet Explorer\\Main
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\%u
• registry: Software\\Classes\\CLSID\\%s\\%08X\\%s
• registry: Software\\Classes\\CLSID\\%s\\%08X

• api | ws2_32: You denied the proper privileges to the Windows file restoration utility. Please select YES on the following UAC prompt to allow Windows to restore the corrupted files.
• api | ws2_32: GetAddrInfoW
• api | ntdll: RtlQueryElevationFlags
• api | dnsapi: DnsFlushResolverCache
• api | ntdll: RtlFreeHeap
• api | ntdll: ZwContinue
• api | ntdll: ZwDelayExecution
• api | ntdll: ZwCreatePagingFile
• api | netapi: NetUserGetInfo
• api | advapi32: CreateProcessWithTokenW
• api | user32: ChangeWindowMessageFilter
• api | kernel32: CreateProcessInternalW
• api | psapi: GetMappedFileNameW
• api | kernel32: K32GetMappedFileNameW
• api | advapi32: GetSecurityInfo

• Module 2 other strings

• %s\\%08X.pif
• %s:Zone.Identifier
• EVERYONE
• Windows NT Update Service
• &EXIT;
• &ECHO; Fixing disk errors ...&ECHO; Errors fixed!
• runas
• comctl32.dll
• Corrupted file count: %d
• Corrupted folder: %s
• Error details:
• Restore files and check disk for errors
• Restore files
• More details about this error
• Show details
• Multiple corrupted files have been found in the folder 'My Documents'. To prevent serious loss of data, please allow Windows to restore these files.
• Windows has encountered a corrupted folder on your hard drive
• file: %d
• Chi ti
• Privilege Error
• c file b
• i ph
• p Windows
• n YES sau UAC nh
• c ti
• i th
• i quy
• i ph
• p tin
• i ph
• m chi ti
• chi ti
• i nh
• i ph
• p Windows
• u nghi
• Windows

• Critical Disk Error
• folder: %s
• Windows
• Windows file restoration utility
• Disk
• Windows
• Data
• folder
• 'My Documents'
• folder
• hard drive
• Windows
• plik
• Uszkodzone Ilo
• Uszkodzony Folder: %s
• du:
• d przywileju
• cenia uszkodzonych plik
• dzia przywracania systemu Windows. Wybierz YES na nast
• do pliku narz
• ciwych uprawnie
• e odm
• nie mo
• w i sprawdzanie dysku na bledy.
• przywracanie plik
• Przywracanie plik
• Wiecej danych na temat bledu
• Pokaz wiecej informacji
• Duza ilosc zepsutych plikow zostala znaleziona w swoim folderze 'My Documents'. Zeby zachowac pamiec, prosze zastosowac Windowsa zeby zachowac pliki.
• Windows znalazl korupcyjny folder w twoim twardym dysku.
• Korruptoituneiden tiedostojen m
• Korruptoitunut kansio: %s
• Virheen tiedot:
• oikeusvirhe
• seuraavasta UAC ikkunasta sallimaan Windowsin palauttaa tiedostot.
• ja valitse KYLL
• Et sallinut oikeuksia Windowsin tiedostojen palautus ohjelmistolle. Ole hyv
• kovalevyst
• Palauta tiedostot ja etsi virheit
• Palauta tiedostot
• tietoja virheest
• tiedot
• ja salli Windowsin palauttaa tiedostot.
• ksesi tietojen menetyksen, ole hyv
• ytynyt kansiosta 'Omat Tiedostot'. Est
• Useita korruptoituneita tiedostoja on l
• nnyt korruptoituneeseen kansioon kovalevyll
• Windows on t
• Kriittinen Levy Virhe
• Numero di file corrotti: %d
• Cartelle corrotte: %s
• Dettagli dell'errore:
• Errore nei privilegi
• Hai negato i privilegi necessari a Windows per riparare i file. Selezione "Si" nella seguente finestra per permettere a Windows di riparare i file corrotti.
• Ripristina i file e controlla il disco per errori.
• Ripristina i file

• Maggiori dettagli su quest'errore
• Mostra dettagli
• Sono stati trovati numerosi file corrotti nella cartella "Documenti". Per prevenire una seria perdita di dati, consenti Windows di ripristinare questi file.
• Windows ha trovato una cartella corrotta nel vostro hard disk.
• Errore critico dell'hard disk
• Rusak file count: %d
• Rusak folder: %s
• Kesalahan rincian:
• Privilege Kesalahan
• Anda menyangkal hak-hak istimewa yang tepat untuk utilitas restorasi file Windows. Silakan pilih YES pada prompt UAC berikut untuk memungkinkan Windows untuk mengembalikan file yang rusak.
• Kembalikan file dan memeriksa disk untuk kesalahan
• mengembalikan file
• Lebih rinci tentang kesalahan ini
• Tampilkan detail
• Beberapa file rusak telah ditemukan di folder 'My Documents'. Untuk mencegah kerugian serius data, perkenankan Windows untuk mengembalikan file-file ini.
• Windows telah mengalami rusak folder pada hard drive Anda
• Kritis Disk Kesalahan
• Bozuk dosya say
• Bozuk klas
• Hata ayr
• Izin hatas
• iniz.
• daki UAC EVET se
• in lutfen a
• in izin vermek i
• klemek i
• geri y
• in uygun izin verilmedi. Windows'a bozuk dosyalar
• Windows dosya restorasyon program
• in diski kontrol et
• kle ve hatalar i
• geri y
• Dosyalar
• geri y
• Dosyalar
• nda daha fazla ayr
• Bu hata hakk
• ster
• Detay
• tfen
• in Windows'a izin veriniz l
• klemek i
• geri y
• in, bu dosyalar
• nlemek i
• tur. Ve ciddi kayb
• r bulunmu
• 'Belgelerim' dosyasinda fazla bozuk klas
• r ile kar
• Windows sabit diskinizde bozuk bir klas
• Kritik disk hatas
• Windows
• UAC
• Windows
• Windows

• Windows
• UAC
• 'My Documents'
• Aantal beschadigde mappen: %d
• Corrupte map: %s
• Details van foutmelding:
• Toestemming error
• U heeft de nodige rechten afgewezen voor de Windows herstelprocedure. Selecteer JA op de volgende UAC prompt om Windows toelating the geven voor het herstel van beschadigde bestanden.
• Herstel bestanden en controleer de harde schijf voor errors
• Herstel bestanden
• Meer details over deze foutmelding
• Toon details
• Meerdere beschadigde bestanden zijn in de map 'Mijn Documenten' gevonden. Om dataverlies te voorkomen raden we aan om Windows toelating te geven voor het uitvoeren van een herstelprocedure.
• Windows heeft een beschadigde map gevonden
• Kritieke foutmelding
• Nombre de dossiers corrompus: %d
• Dossier corrompu: %s
• tails d'erreur:
• Erreur de privil
• paration de fichiers corrompus
• cuter une r
• Windows d'ex
• lectionnez OUI sur la prochaine prompt de UAC pour permettre
• paration de Windows. S
• dure de r
• cessaires pour la proc
• ges n
• les privil
• Vous avez rejet
• le le disque dur
• pare fichiers et contr
• parer les fichiers
• tails sur cette erreur
• Plus de d
• tails
• Montre d
• venir la perte des donn
• parer les fichiers et pour pr
• s dans la dossier 'Mes Documents'. Donnez Windows la permission pour r
• Plusieurs fichiers corrompu sont trouv
• un dossier corrompu
• Windows a trouv
• Erreur Critique
• Anzahl fehlerhafter Dateien: %d
• Fehlerhafter Ordner: %s
• Fehlerinformationen:
• Privilegfehler
• hlen Sie, bei dem folgendem Benutzerkontensteuerungsdialog, 'JA', um Windows die Wiederherstellung, der Dateien, zu erlauben.
• Sie verweigerten Windows die Privilegien, das Dateiwiederherstellungswerkzeug zu nutzen. Bitte w
• berpr
• Dateien wiederherstellen und Festplatte auf Fehler
• Dateien wiederherstellen
• Mehr Details zu diesem Fehler
• Details anzeigen

• Mehrere fehlerhafte Dateien wurden in dem Ordner 'Eigene Dokumente' gefunden. Um Datenverlust zu verhindern, erlaube Windows diese wiederherzustellen.
• Windows hat einen fehlerhaften Ordner auf deiner Festplatte vorgefunden.
• Kritischer Festplattenfehler
• mero de arquivo corrompido: %d
• Pasta corrompida: %s
• Detalhes do erro:
• Erro de privil
• ximo prompt UAC para permitir que o Windows restaure os arquivos corrompidos.
• o de arquivos do Windows. Por favor selecione SIM no pr
• o de restaura
• gios adequados ao servi
• negou os privil
• Restaurar os arquivos e verificar erros no disco
• Restaurar os arquivos
• Mais detalhes sobre esse erro
• Mostrar detalhes
• ria, por favor deixe o Windows restaura-las
• ltiplas pastas corrompidas foram encontradas na pasta "Meus Documentos". Para prevenir uma perda de dados mais s
• gido
• O Windows encontrou uma pasta corrompida no seu disco r
• tico
• Erro de Disco Cr
• Cantidad de archivos corruptos: %d
• Carpeta corrupta: %s
• Detalles del error:
• Error en los privilegios
• ados.
• n. Por favor seleccione SI en la siguiente ventana UAC para permitir que Windows restaure los archivos da
• Has denegado los privilegios de Windows para la utilidad de restauraci
• Restaurar archivos y chequear el disco en busca de errores
• Restaurar archivos
• n sobre este error
• Mas informaci
• Mostrar Detalles
• Multiples archivos corruptos han sido encontrados en la carpeta "Mis Documentos". Para evitar perder datos deje que Windows restaure los archivos
• ada en el disco duro
• Windows ha detectado una carpeta da
• tico del disco
• Error cr
• UAC
• YES
• Windows,
• My documents,
• CurrentVersion\\Windows
• Policies\\Explorer\\Run
• ShellServiceObjectDelayLoad
• CurrentVersion\\Winlogon
• Active Setup\\Installed Components
• CurrentVersion\\Run
• %s\\%08X
• echo123
• MESSAGE %s %s
• SEARCH FRIENDS
• SkypeControlAPIAttach
• SkypeControlAPIDiscover
• open

- Software\\Skype\\Phone
- SkypePath
- PendingFileRenameOperations
- TEMP
- PUBLIC
- ProgramData
- ALLUSERSPROFILE
- eUSERPROFILE
- Low_%08X
- windowsupdate
- NAVENG
- /Delete /TN "Windows Update Check - 0x%08X" /F
- schtasks.exe
- /Create /SC ONLOGON /TN "Windows Update Check - 0x%08X" /TR "%s /task" /RL HIGHEST
- Windows Update Service
- ctfmon.exe
- DisableExceptionChainValidation
- Common Files
- %08x.txt
- shell32.dll
- tapi3.dll
- -k NetworkService
- WerFault.exe
- skype.exe
- chrome.exe
- firefox.exe
- iexplore.exe
- winlogon.exe
- spoolsv.exe
- services.exe
- Host:
- POST
- Quick.dat
- Sites.dat
- pass
- user
- port
- SmartFTP\\Client 2.0\\Favorites
- redefined
- FileZilla\\sitemanager.xml
- Applications\\iexplore.exe\\shell\\open\\command
- explorer.exe
- Load
- desktop.ini
- _.exe
- .ini
- kernel32.dll
- %ALLUSERSPROFILE%
- smss.exe
- lsass.exe
- csrss.exe
- wuauclt.exe
- svchost.exe
- %s%s\\%08X
- tavast
- Bdagent
- housecalllauncher.exe

- spybotsd.exe
- hijackthis.exe
- drstrui.exe
- League of Legends
- t.minecraft
- njagexcache
- %WinDir%\\system32\\shell32.dll
- %COMSPEC%
- %WinDir%\\explorer.exe
- p.exe
- ImagePath
- .exe
- Image File Execution Options\\%s
- Debugger
- mcshield.exe
- mcupdate.exe
- mcupdmgr.exe
- mcshell.exe
- Install Dir32
- Install Dir
- mcpltui_exe
- mcui_exe
- SOFTWARE\\McAfee\\MSC
- McPvTray.exe
- McUICnt.exe
- McSvHost.exe
- mcagent.exe
- coreFrameworkHost.exe
- Trend Micro Client Framework
- SOFTWARE\\TrendMicro\\AMSP
- InstallDir
- UiFrmwrk\\uiUpdateTray.exe
- plugins\\plugUpdater.dll
- Trend Micro\\UniClient\\
- uiWatchDog.exe
- uiSeAgnt.exe
- coreServiceShell.exe
- uWinMgr.exe
- Trend Micro Titanium
- %s.manifest
- ekrn.exe
- egui.exe
- egui
- G Data AntiVirus Tray Application
- GDFirewallTray.exe
- AVK.exe
- GDSC.exe
- AVKTray.exe
- a2service.exe
- a2start.exe
- a2guard.exe
- emsisoft anti-malware
- caupdate.dll
- ccupdate\\
- ccupdate.exe
- sguardxup.exe
- K7TSUpdT.exe

- K7TSStart
- niu.exe
- op_mon.exe
- OutpostMonitor
- rcfp.exe
- DragonUpdater
- arcaclean.exe
- update_tmp.exe
- SOFTWARE\\ArcaBit
- RootPath
- ALUpdate.exe
- SOFTWARE\\Sophos\\AutoUpdate
- Data Path
- Sophos AutoUpdate Monitor
- FPWin.exe
- FProtTray.exe
- updater_client_mod.dll
- F-PROT Antivirus Tray application
- SBAMTray.exe
- sbamui.exe
- Definitions\\vcore.dll
- SBAMTray
- UpdateHlpr.dll
- Update.exe
- ISTray
- pctsAuxs.exe
- pctsGui.exe
- mbam.exe
- mbamgui.exe
- SOFTWARE\\rising\\RAV
- installpath
- rsmain.exe
- RavMonD.exe
- RsTray.exe
- Backup\\RSD\\RSSetup\\updater.exe
- updater.exe
- .manifest
- BgScanEngine.dll
- BgScan.exe
- BullGuardUpdate2.exe
- BullGuardBhvScanner.exe
- BullGuardScanner.exe
- BullGuard.exe
- BullGuardUpdate.exe
- BullGuard.exe.manifest
- BullGuard
- adaware.exe
- Ad-Aware Service
- Upgrader.exe
- AVENGINE.exe
- epavjobs.exe
- PSUAMain
- PSANHost.exe
- PSUAService.exe
- PSUNMain.exe
- fsaua.dll
- fshoster

- fshoster32.exe
- updating.dll
- ZoneAlarm
- ForceField.exe
- zatray.exe
- WRSA.exe
- Setup\\setiface.
- avast! Antivirus
- avastsvc.exe
- avastui.exe
- lue.dll
- symerr.exe
- starter_avp.exe
- filecategorizer.dll
- updater_pdk.esm
- usrreq.exe
- updaterc.dll
- update.dll
- avgnt
- avcenter.exe
- avshadow.exe
- avguard.exe
- avgnt.exe
- avgcfgex.exe
- avgupd.exe
- avgmfapx.exe
- avgdiagex.exe
- avgwdsvc.exe
- avgidsagent.exe
- avgui.exe
- avgwd
- AVG_UI
- MSASCui.exe
- MsMpEng.exe
- msseces.exe
- Windows Defender
- avcuf32.dll
- SharedAccess
- BITS
- wuauserv
- NT AUTHORITY
- cmd.exe
- %s\\winsxs\\x86_microsoft.windows.common-controls_*6.0.*_*
- cookies.sqlite
- :Mozilla\\Firefox\\Profiles
- omscoree.dll
- OPEN
- nuac
- puac
- suac
- task
- 9$909<9H9T9`9l9x9
- 8(848@8L8X8d8p8|8
- 7 7,787D7P7\\7h7t7
- 6$606<6H6T6`6l6x6
- 5(545@5L5X5d5p5|5
- 4 4,484D4P4\\4h4t4

- 3$303<3H3T3`3l3x3
- 2(242@2L2X2d2p2|2
- 1 1,181D1P1\\1h1t1
- 0$000<0H0T0`0l0x0
- 9(949@9L9X9d9p9|9
- 8 8,888D8P8\\8h8t8
- 7$707<7H7T7`7l7x7
- 6(646@6L6X6d6p6|6
- 5 5,585D5P5\\5h5t5
- 4$404<4H4T4`4l4x4
- 3(343@3L3X3d3p3|3
- d0h0l0p0t0x0|0
- 8 8$8(8,808
- 7 7$7(7\\7`7d7h7l7p7t7x7|7
- 6P6T6X6\\6`6d6h6l6p6t6
- 4`5d5h5l5p5t5x5|5
- 4 4,484
- 3<3H3T3`3l3x3
- 2 2$2(2,202d2h2l2p2t2x2|2
- 1 1$1,1\\1`1d1h1l1p1t1x1|1
- 0L0P0T0X0\\0`0d0h0l0p0
- 9 9$9(9|9
- 8 8T8X8\\8`8d8h8l8p8t8x8
- 7L7P7T7X7\\7`7d7h7l7p7
- 6 6$6(6,6064686
- 5 5$5(5,505d5h5l5p5t5x5|5
- 4 4(4X4\\4`4d4h4l4p4t4x4|4
- 3H3L3P3T3X3\\3`3d3h3l3t3
- 1,2024282<2@2D2H2L2P2
- 1 1$1(1,101d1h1l1p1t1x1|1
- 0 0$0,0\\0`0d0h0l0p0t0x0|0
- ;C<e<
- 9W:y:
- 9;9L9
- 8!8'8U8l8
- 7#747b7
- 5B6u6
- 5O5V5d5i5r5
- 4'4Q4i4y4
- 2b3p3u3
- 162C2W2\\2i2r2
- 1%1E1S1[1
- B0M0R0]0p0
- <2<y<
- 8'9.9M9
- 8,848F8S8f8}8
- 637j7p7
- 5!5.535@5E5R5W5d5i5v5{5
- 4_4d4t4y4
- 3+30363=3
- 2(2/2:2A2X2b2t2
- 0/1W1u1
- O0y0
- > >(>0>8>@>P>U>]>e>m>u>}>
- 9+:B:U:]:c:i:
- 8#8.8b8t9
- 6$6*656:6@6K6V6

- 2#363=3V3d3}3
- O0[0h0
- 8c9v9|9
- 7L8j8
- 6%616
- 4R4_4e4n4~4
- 242'3Z3`3
- ;&;0;=;l;O;Y;o;u;};
- 90:6:=:J:f:n:
- 9'9-979<9A9G9L9Q9W9`9f9
- 8 8Q8V8}8
- 7#7y7
- 6)666>6C6O6Z6g6l6
- 5.535d5
- 4F4L4S4X4
- 3"3-333>3N3f3m3
- 2=2\\2a2{2
- 0m1s1y1
- 819;9Z9v9
- 6S7]7r7
- 686a6l6
- 4^4j4q4x4z5
- 2,2i2
- 989D9W9_9j9t9
- 8"8(8-888>8C8N8T8Y8d8j8o8z8
- 73787Z7{7
- 6$6+616>6D6M6V6_6
- 515r5
- 354G4N4a4l4
- 3 3-343:3F3
- 2#2*292?2D2W2d2r2
- 1Q1c1
- 060<0J0
- 92989e9m9
- 8;8A8p8x8
- 7%7+7U7]7z7
- 4#5)52585=5c5
- 6A6}6
- 5)5K5e5n5
- 4'454O4
- 3A3w3
- 1K2`2
- 0+1>1q1
- ?9?}?
- 8:8O8T8_8d8n8s8}8
- 7-7;7_7k7
- 6$6G6W6_6e6p6v6
- 4*4F4
- 2%2@2V2[2g2l2v2{2
- 1Q1c1l1
- ?9?@?
- 9%9;9K9Y9
- 7'8-8~8
- 6)727v7
- 5N6Y6h6
- 515;5J5u5
- 2G3L3]3

- 1E2M2T2a2h2w2
- 1I1\\1s1
- ,050w0
- 9Q9i9r9
- 738c8x8
- 6>6W6\\6p6
- 565Q5
- 4,434?4L4_4j4~4
- 3 3%393w3
- 1)292E2L2j2y2
- 1M1]1e1
- 0*0E0M0[0g0|0
- <1<6<L<
- ;?;a;
- 8'9E9m9
- 5q6T7c7}7
- 3O4]4b4
- 3E3Y3
- 0$1V1k1z1
- A0P0e0
- 6g7{7
- 5 5A5O5
- 4"4>4n4
- 1R1(2E2_2
-)0/0
- 839I9
- 7:8A8O8
- 7;7w7
- 4u5|5
- 4'4-4S4c4v4
- 3,3<3i3
- 2"232n2
- 1'1.171>1G1N1W1^1q1x1
- J0`0
- 3=4N4b4t4.5
- 1B2I2\\2r2$363L3
- 171K1R1W1d1
- <I=O=[=
- 9J9X9
- 60686N6U6]6
- 3e4r4
- 2<2f2n2{2
- 0B1j1
- $0T0p0}0
- >u>}>
- 8O9U9
- 7=8K8
- 7&7-7B7Y7n7
- 626=6c6p6
- 4A5M5T5p5y5
- 3B4G4P4r4
- 2M3X3w3
- 1s2~2
- 1 101>1h1
- 0`0p0
- 8#9+9A9F9Z9u9
- 8 8B8P8W8j8x8}8

- 7!757A7
- 3(6/6X6
- 1.1B1H1\\1
- 030A0J0S0_0e0s0
- 9K9Y9I9r9
- 7#7+7B7H7p7
- 526W6
- 455f5
- 4)4?4
- 1>2\\2i2{2
- 1)101q1
- M0{0
- ;7<i<
- 9&9u9
- 5-696
- 1@1L1Z1
- 0.0;0H0M0Z0_0m0r0
- 9'92999U9r9
- 686a6{6
- 52575D5
- 3=4[4}4
- 2)2i243B3G3U3h3
- 1=1g1
- %0:0?0L0i0}0
- 979=9B9G9L9R9^9
- 6-7D7c7x7
- 5!6G6^6z6
- 444B4
- 393G3
- 2V2^2g2
- $0M0`0k0w0
- 8&939_9k9
- <7<><
- 8!9>9S9
- 7(8D8Q8a8q8
- 7+7Y7u7
- 6)6/6]6
- 5I5q5
- 4F4_4
- 2Y3|3
- 1R2|2
- 1&181V1
- 0/0=0C0
- 989]9h9s9z9
- 7F8_8I8s8
- 7.7B7M7\\7j7
- 5]5y5
- 3"4:4S4
- 0J1{1
- >?>I>
- 9+:1:8:S:v:
- 9@9E9
- 7-8>8P8u8|8
- 727j7u7
- 6'656B6N6x6
- 5!5*595F5T5`5{5
- 4-4;4T4_4n4

- 3C3`3e3s3
- 2 2E2N2`2v2
- 30<0G0U0_0l0|0
- 9&9-9Q9[9g9|9
- 838>8]8s8~8
- 7#797D7Z7t7
- 6*656K6e6p6
- 5#595@5c5y5
- 4 4/4<4R4]4s4~4
- 3K3d3i3o3w3
- 2(252?2e2j2z2
- 1-1C1O1T1^1h1x1
- 050;0M0[0
- 8 8%8+80858;8@8E8K8P8U8a8p8z8
- 7 7,737K7P7W7`7
- 6"6+6=6M6W6^6g6x6~6
- 4!5,5P5Z5g5n5
- 444>4E4X4d4p4
- 313<3h3t3
- 262?2\\2c2k2r2
- 1=1H1
- 0%0=0c0p0
- =1>I>n>
- 8/868
- 7%7k7{7
- 54696G6N6u6
- 4!5(5@5[5f5v5
- 192>2
- ,090G0N0i0p0
- 9"919G9O9U9
- 8$82878E8R8m8{8
- 6F6M6i6
- 4S5e5r5
- 4X4|4
- 3D3_3
- 2A2N2[2`2m2
- 1K1`1
- 0,0C0Y0
- 9H:y:
- 9)9>9J9
- 8 8E8S8X8f8p8
- 7B7P7^7q7
- 6+686Y6^6k6
- 5=5J5W5\\5i5
- 3+484E4J4W4z4
- 3B3O3\\3a3n3
- 2#202M2|2
- 181m1
- 0R0a0p0{0
- >Z>o>
- 8"919H9O9^9e9
- 8$818E8Y8^8l8q8~8
- 6%7,7
- 6.6C6
- 4+4;4U4[4c4z465L5
- 2'3@3E3W3a3n3
- 2'2;2O2c2

- 1)10171>1E1L1r1
- 0 0$0(0,00040=0L0X0
- 8"8_9g9n9t9{9
- 6G6}6
- 555E5
- 4G4[4w4
- 3.3;3G3T3Z3h3q3v3
- 2 2^2h2n2w2}2
- 1!1(1>1d1k1}1
- 0 0&010
- 7&8D8
- 7A7G7
- 5'6J6P6_6f6{6
- 4]4w4
- 3,333:3A3V3
- 252;2O2
- 1#1g1z1
- ;2<<<S<e<
- 8*838K8
- 4V5k5
- 4#4-4K4W4l4v4
- 3)303I3k3t3
- 0"1B1P1
- 829A9h9
- 8F8T8
- 7$7;7I7u7
- 5\\6q6y6
- 5)5b5
- 30474q4
- 2D3K3
- 1(2:2A2Z2l2
- 1$1=1E1l1r1
- 060>0\\0b0
- 9E9[9m9
- J0q0
- 4)4?4O4V4r4
- 3"3-3C3P3`3k3}3
- 2,262X2b2l2w2
- 1(1>1K1[1f1
- 0'010S0]0g0r0
- 9*919;9F9\\9c9s9}9
- 8*868I8Z8u8|8
- 7;7H7U7`7p7
- 4-575F5P5g5q5
- 4*4<4J4Y4
- 2O2V2h2
- 1,1W1a1w1
- 0)0C0K0
- </dependency>
- </dependentAssembly>
- <assemblyIdentity type="win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" processorArchitecture="x86" publicKeyToken="6595b64144ccf1df" language="*"></assemblyIdentity>
- <dependentAssembly>
- <dependency>
- </trustInfo>
- </security>
- </requestedPrivileges>

- <requestedExecutionLevel level="asInvoker" uiAccess="false"></requestedExecutionLevel>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- q,Wlu
- =vEG>vy;Av
- eAvcg>v<
- 2=vS
- gTv5
- ONvs
- .Uv>
- 0Pv\\
- INvI
- 3.v1
- -v99.v
- e.v!
- 1v3g.v
- ,va8.v
- .v57.vCE.v
- ,vej/v3
- -vO!.v1#-v
- E.v+E.v
- 2\t,t
- d\to}X
- `\twu
- ;\t8u
- +\t'up
- m\t>~0
- =\t'u
- s\t7t
- ws2_32.dll
- dnsapi.dll
- version.dll
- ole32.dll
- shell32.dll
- wininet.dll
- advapi32.dll
- user32.dll
- secur32.dll
- kernel32.dll
- &7a_B
- [RnA
- KRnA
- SRnA
- KRnA
- k0RnA
- g>GH6
- _ClientInitializeEx@8
- vBetaLib.exe
- %d0x%08X
- OPEN
- TaskDialogIndirect
- 0n0pe
- dW0_0
- Tn0f
- 0n0s

- SW0~0Y0
- 0S0h0
- Tn0B0
- 0!kn0U
- OW0~0[0
- 0yr)j
- 0L0j0D0K0
- _h0D
- [n0s
- D0W0~0Y0
- 0J0X
- P0_0
- 0~0Y0
- 0L0B0
- pen0
- n0-Nk0
- W0~0W0_0
- Tn0f
- n0-Nk0
- en0h
- 'Yj0
- _cOW
- N9Y:
- _cOW
- S_cOW
- egAQ
- vpenc"N1Y
- ech'
- 2
- -\tM\t0\t7\tM
- -\tM\t0\t7\tM
- 5\t?\t5\t0\t#\t:
- $\tM\t0\tA
- $\tM\t0\tA
- >\t0
- 5\t?\t6\tG\t7\t>\t'\t?
- 2\t?
- 0\t(\tG
- 2\tK
- -\tM\t0\t7\tM
- 5\t?
- 9\t>
- *\t0
- 9\tH\t.
- >\t0
- 8\tG
- >\t0
- 5\t?\t6\tG\t7\t>\t'\t?
- 2\t?
- ,\t9\t>\t2\t@
- 2
- 5\t?
- 2\t?
- $\tM\t0\tA
- 0
- 2\tK
- 2\tK

- >\t0\t@
- $\tM\t0\tA
- 8
- 5\t?\t5\t0\t#
- 0\t(\tG
- ,\t9\t>\t2
- 2\tK
- 5\t?
- 2\t?
- 0\tK
- 8\t>\t(
- (\tA
- -\t@\t0
- 9\tH
- 2\tG
- -\tM\t0\t7\tM
- 9\tH
- 0\t(\t>
- -\tM\t0\t7\tM
- *\t0
- 5
- 9\t>\t0\tM\t!
- 5\t?
- $\tM\t0\tA
- 9\t>\t0\tM\t!
- -\t@\t0
- blah
- text
- TCommunicatorForm
- TZapCommunicator
- tSkMainForm
- USERS
- TLoginForm
- SeChangeNotifyPrivilege
- SeBackupPrivilege
- SeLoadDriverPrivilege
- SeIncreaseQuotaPrivilege
- SSH2_MSG_USERAUTH_SUCCESS
- SSH2_MSG_DISCONNECT
- SSH2_MSG_KEXINIT
- PuTTY Private
- windowsupdate
- h3333
- ahUUUU
- 3333
- hUUUU
- 3333
- ahUUUU
- 3333
- chrome.dll
- PR_Write
- firefox.exe
- iexplore.exe
- visited:
- Connection: %s
- Close
- Keep-Alive

- Referer: %s
- User-Agent: %s
- utf-16
- utf-8
- en-US
- Cache-Control: no-cache
- rudy
- slowloris
- condis
- audio/mpeg
- audio/wav
- text/plain
- image/bmp
- image/gif
- image/jpeg
- image/png
- compress, gzip
- gzip, deflate
- compress;q=0.5, gzip;q=1.0
- POST
- Content-Type: application/x-www-form-urlencoded
- .exe
- User=
- Password=
- Port=
- %s\\FTP Commander Deluxe
- UninstallString
- Password
- UserName
- PortNumber
- HostName
- Software\\Martin Prikryl\\WinSCP 2\\Sessions
- yA36zA48dEhfrvghGRg57h5UlDv3
- User
- Software\\FTPWare\\CoreFTP\\Sites
- <Password>
- <User>
- <Server>
- FileZi
- Options
- NumberOfAttempts
- Key2
- Key1
- Path
- Port
- Host
- BackupUrl=
- Server=
- cmd_option.%s
- SeRestorePrivilege
- SeTcbPrivilege
- USER
- JOIN
- %02X
- ArcaBit
- ESET
- Avira

- Symantec
- SOFTWARE\\%s
- ShowSuperHidden
- comctl32.dll
- Software\\VMware, Inc.
- Software\\Skype
- SOFTWARE\\Blizzard Entertainment
- MRU0
- Software\\Valve\\Steam
- tooltips_class32
- UUUU
- 3333
- h3333h"""""j
- hUUUUhDDDDj
- SeCreatePagefilePrivilege
- SOFTWARE\\Ikarus
- SOFTWARE\\Norman Data Defense Systems
- Start
- SOFTWARE\\Panda Software
- WDEnable
- WDStatus
- SeDebugPrivilege
- DisableMonitoring
- TaskbarNoNotification
- HideSCAHealth
- Netapi32.dll
- Urlmon.dll
- h33333
- jarfile\\shell\\open\\command
- Software\\%s
- .5vw
- Perl
- Nmap
- PrestoSoft
- 7-Zip
- CodeBlocks
- Immunity Inc
- Hex-Rays
- mIRC
- Sysinternals
- HARDWARE\\DESCRIPTION\\System\\CentralProcessor\\%u
- JJ8J^QPE
- Psapi.dll
- cookie:
- Start Page
- HTTP\\shell\\open\\command
- 2500
- SB:0x%08X
- 0x%08X
- EVERYONE
- i\tF(!
- C.2P
- m0L4
- A['!Z
- P\\#7
- 4b&C;
- <x|u

- Z:oTT
- X5p]
- (9*e
- o59
- d2G]d
- M2Wq
- K4AQ
- o\t/x4
- =ayk
- XU082
- D*ig
- Jp5P4
- r\\6b
- D*qE"
- XQ{i
- n=2r1a`
- +Ui{\\
- a*6GF$D{b
- LEzh
- ;wIS
- o3pb
- &Ew;
- `5HWj
- qV!6oA
- UuFJ
- &c;*{I
- (S>5*
- !=8P
- pExi-
- p9nG
- J=v E
- yto.b
- a\\b|
- UKNU
- :C8rv
- xooM
- s,If
- l"IX4
- Oc+h
- a9\\x
- &CH;!U
- j;@I
- 8;\t"2
- ntuJ
- XU8D@
- 5s+'V
- Ijh*
- q;h9
- CWf6
- uLF0
- 2"3Zk_+
- 36+/_+:
- !k49K
- s\\a@d
- hE*o
- 4I\\H
- E~X22"

- R\\4\td
- OIuEHX
- FyH4j
- 9'UF]R
- OAHx
- L8uZ
- QAsMT
- 1%W(
- XOd/a2
- eknY
- h%T8
- 3}nd)
-]GGiW
- l\tgL
- 5/jof
- :@5]*I
- h1%
- 6eHE]at
- p$"u
- yieJ
- OyA1&{/
- quR,
- K?M1
- 49<W
- #xye
- ?`)9
- Vu@,C
- Ha#*
- <ME&
- >v(8
- |2\\h
- 4uzps
- CW;i
- J`5|
- fU8#
- tlVs~
- '2w@
- 2"$i
-)\tU2
- U<!$\\
- OnuJJ
- A9sR
- xB3e
- AA`.
- copl
- yAKc
- 9=/+
- HOd)
- Microsoft Enhanced Cryptographic Provider v1.0
- Microsoft Base Cryptographic Provider v1.0
- Mozilla/5.0 (Windows; U; Windows NT 6.0; en-GB; rv:1.8.1.11) Gecko/20071127 Firefox/2.0.0.11
- Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.13) Gecko/20060410 Firefox/1.0.8
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1)
- Opera 9.4 (Windows NT 6.1; U; en)
- Mozilla/5.0 (Windows; U; MSIE 7.0; Windows NT 5.2)
- Mozilla/4.0 (compatible; MSIE 6.01; Windows NT 6.0)
- Mozilla/5.0 (Windows; U; MSIE 9.0; Windows NT 9.0; en-US)

- Opera/9.00 (Windows NT 5.1; U; en)
- BK32
- CF01
- CF02
- CF03
- Uuid
- FSoftware\\Win7zip
- jdX3
- SVW3
- tv9u
- t{9u
- ta9u
- VW9]
- VW9]
- SVW3
- QQS3
- Rh@OC
- htOC
- _[^3
- h OC
- D$0P
- L$,3
- u*h8
- QQW3
- t8;Y
- t7WV
- ><u[
- 8<u\tP
- u$9]
- C$j4
- uYj4
- uLj\\j
- 8\\$9u8
- D$8P
- tM9x
- tK9u
- t&W3;
- t+9u
- f90ue
- tEj;
- SVW3
- ,SVW3
- 9xPu
- s#8E
- u]8]
- HHu{
- t'9U
- t,9U
- t19U
- QQS3
- Xf9T
- t-f9S
- t99S
- ;@u>9S
- 8j@V
- ?9L$
- QQSV3

- t9@;
- ?XVu8
- >huD
- u>Pj
- tl9M
- tsf9P
- tx9P
- u<9u
- x5j1
- tXj0
- QQSV3
- (SV3
- (SV3
- tP9u
- tpf9u
- t0Pj
- t6f9E
- t2f9u
- VVhI
- PWWV3
- 0SVW3
- tC9E
- 9z|u
- 4SVW3
- t>9~
- vk+t94
- uT9x|tO
- u_hP
- t$0PW
- t^f98uY
- |$8J
- D$8P
- 9t$8
- 9t$4
- DSV3
- u 9E
- t7Vj
- u59]
- tM9u
- tR9u
- SVW3
- t7j
- uW9]
- t7j
- uW9]
- t2hV
- u?j@
- u_9]
- u?j@
- u_9]
- u$9]
- Ph3333j
- VuWh
- SVW3
- u$9\\$ t8
- D$0P
- &u5h;

- +A4P
- +A4P
- t0WV
- t*9N
- u69N
- xR9}
- xh9}
- ShUUUU
- h3333
- hSV3
- t0j:
- ShUUUU
- h3333
- XSV3
- <1A;
- <1;}
- hUUUU
- h3333
- u$9u
- ~j9u
- D$0Pt
- D$0P
- D$0P
- u{VS
- D$0P
- SVW3
- 0j!X
- tS9E
- tX9E
- VW9E
- u89u
- tv95
- t{9u
- t|9M
- @s'3
- uC9]
- uLh0
- uLh0
- uLh0
- uLh0
- uLh0
- uLh0
- X f9
- ;<uW
- PVh8
- t3VW
- t&W3;
- t+9u
- u\t9u
- t]9]
- f9Gd
- wA;]
- A>9]
- 9X2ux
- f9Gd
- tV9E
- VW9E

- f9Fdt
- f9Fdt
- tg9]
- t 9M
- tc9}
- SVW3
- w\tA;
- ~2;U
- @unV
- t;9}
- SVW3
- VW9]
- VW9]
- ;Puv
- w\tA;
- 9< |
- D$0P
- ;<u`
- ~8h@
- ~0h,
- u.9E
- u$9E
- jdY3
- jxY3
- f97u
- f91u
- ;<uv
- SVW3
- f90u/
- ;HPs9
- t-9E
- t29E
- t79E
- VW9E
- fCf9]
- fCf9]
- fCf9]
- ?-u/V3
- %wIh
- jAX;C
- D$8P
- D$0P
- D$4P
- D$4P
- SVW3
- SVW3
- u 9\\$
- t#;5
- uMSh
- D$0h
- uMSh
- t$0h
- \\$$3
- D$0P
- t/S2
- QQSW3
- SVW2

- tlWS
- uN9]
- t/9}
- 9D$Pt
- 9D$Tu69D$Pt6
- D$H3
- D$4P2
- u0PP
- \\$$i
- D$0;
- D$0;
- D$0;
- u\t_^3
- t$(3
- D$0P
- u=9]
- te95t
- f98u$WP
- t$j2
- uIV3
- uWhC
- @*HuC
- @*0uC
- t!V3
- t!Iu
- VW9]
- x\t9u
- j8Sh
- j2Sh
- t8j@j
- TSVWj03
- ~4Wj
- f9|$
- hUUUU
- h3333
- PhUUUU
- Ph3333
- tIh$
- SVW3
- tUhX
- |$@"u
- PsUh
- VWSh0
- PSSh8
- SVW3
- D$8P
- D$8P
- D$8P
- D$8P
- tAj
- QQSV3
- ;HPs3
- h1{@
- 0Vj(j
- Sj(3
- t6j\\
- t+9}

- t09}
- t39}
- t89}
- t&9U
- vtW3
- t3W3
- uG9u
- QQV3
- t$9E
- 9\\$$t
- tUh{
- t$ 3
- 9\\$(t
- D$0P
- D$8Pj
- |$ #s99\\$
- t$ 3
- D$4Pj
- D$$3
- D$03
- 3D$@j
- u 9\\$,u
- 9\\$,u
- D$4Pj
- 9D$x
- \\$$3
- VW9]
- E @t
- VW9]
- QQS3
- f9>t
- t9Wj
- t6Wj
- u\t9u
- SVW3
- SVW3
- u@;
- QQV3
- VW9]
- t=9u
- u\tV2
- r7Vj
- uU9u
- VW9U
- u 9}
- SVW3
- tD9U
- t.9]
- u79]
- u59u
- tX9u
- tE9u
- tI9u
- tV9u
- td9]
- ^[9E
- r 9E

- t+9U
- t29u
- t79u
- f94Bt
- SVW3
- t,9E
- t39E
- ti9u
- tr9u
- QQV3
- x\\8|
- H\\~7
- q,3q
- H\\u
- 8Xau.
- QSVW3
- QQSV3
- jc[3
- SVW3
- QVW3
- @.reloc
- @.data
- `.rdata
- .text
- 5RichS
- 5HhE5R
- 5HhB5R
- 5HhC5R
- 5Hhw5
- !This program cannot be run in DOS mode.
- SSDPSRV
- &CLS;
- /c start "" "%s" /%s
- /c start "" "%s" /%s&EXIT;
- ng s
- c: %s
- ng th
- cho ph
- p tin ch
- ch Windows ph
- ch h
- m tra l
- p tin v
- n th
- p tin n
- ng t
- y cho ph
- ng, h
- m tr
- n ng
- c "My Documents"
- y trong th
- m th
- p tin b
- ng c
- ng tr
- t th

- p ph
- w: %d
- Szczeg
- cym UAC, aby system Windows w celu przywr
- Problem, krytyczny stan dysku
- : %d
- : %d
- r: %s
- : %d
- : %s
- : %d
- : %s
- : %d
- : %s
- : %d
- : %s
- : %d
- : %s
- /%s %S
- putty.
- "%s" /%s
- "%s"
- /%s
- /C copy "%s" "%s"
- ntdll.dll
- "%s" %s
- eFtplist.txt
- %s\\4\\%s
- %s\\3\\%s
- FlashFXP
- SmartFTP
- %s__%08x.lnk
- .sys
- APVXDWIN
- /C start /d. %s&"%s"
- .lnk
- %c:\\
- %c:\\%s
- %c:\\ntusbdriver.sys
- \\??\\
- cctray
- CLPSLA.exe
- scf.dat
- pctsSvc.exe
- RsTray.dll
- RsScan.dll
- RsMgrSvc.exe
- RsMgrSvc
- PSUNScan.dll
- WRSVC
- ccsvchst.exe
- MsMpLics.dll
- MpAsDesc.dll
- MpClient.dll
- MpsSvc
- wscsvc
- SYSTEM\\

- %s\\%s
- %s\\winsxs\\%s\\comctl32.dll
- jjjj
- = =$=(=\\=`=d=h=l=p=t=
- <L<P<T<X<\\<`<d<h<l<p<
- ;D;H;L;P;T;X;\\;`;d;h;
- :<:@:D:H:L:P:T:X:\\:`:
- ?(?4?@?L?X?d?p?|?
- > >,>8>D>P>\\>h>t>
- =$=0=<=H=T=`=l=x=
- <(<4<@<L<X<d<p<|<
- ; ;,;8;D;P;\\;h;t;
- :$:0:<:H:T:`:l:x:
- ?D?H?L?P?T?X?\\?`?d?h?
- >8><>@>D>H>L>P>T>X>\\>`>
- <0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<x<|<
- ; ;$;(;,;`;d;h;l;p;t;x;|;
- :0:4:8:<:@:D:H:L:P:T:\\:`:d:h:l:p:t:x:|:
- <?=k=
- :(;.;
- ?h?o?~?
- =2>Y>w>
- :h:n:
- ?$?,?4?<?D?L?T?[?c?k?s?{?
- =$=,=<=A=I=Q=Y=a=i=q=
- <(<-<5<=<E<M<U<]<m<r<z<
- ;!;);1;9;A;I;Y;^;f;n;v;~;
- >+?1?D?
- <"<H<V<5=t=
- ;#;<;L;Z;
- :!:}:
- ?%?,???X?e?
- >'>->5>;>B>o>
- <==B=O={=
- ;"<7<Q<_<h<
- ?#?V?
- <"=1=H=U=h=p=z=
- ;\t<h<
- ;T;h;
- >2?=?D?H?W?l?
- >'>]>
- =)=S=z=
- <=<c<i<
- :$;*;X;`;
- :K:S:q:
- ;[<>=F=e=
- >&>T>f>m>
- =&=0=?=V=a=f=p=
- ;+<g<
- :+;:;O;[;
- :&:+:0:5:::@:
- =(>:>o>
- =4=B=T=
- <%<6<B<H<]<~<
- :+;0;N;`;u;
- :':B:J:b:

- ?%?A?r?
- <)=?=s=
- 9-:6:=:K:X:m:z:
- ;+<u<}<
- :/;k;
- : :(:2:Q:^:
- :J:P:k:{:
- > ?&?>?D?
- =n>t>
- <'<J<P<
- ?,?6?D?p?{?
- ?K?Q?n?t?
- <^=g=
- :t;~;
- ?P?V?m?z?
- =]=c=
- ;M<U<c<
- 9H:|:.;
- ;a<!=(=B=I=[=b=t={=
- :::J:w:
- <5<<<s<
- :::D:O:Y:d:y:
- ?$?y?
- <"=D=K=X=b=
- ;+;<;Y;
- :!:':x:
- ?)?.?A?`?
- ; ;w;
- ?/?8?>?J?]?l?
- =%=-=F=N=g=o=
- <%<><F<_<g<
- ;6;>;W;_;x;
- :.:6:O:W:p:x:
- ?&?0?T?d?j?t?z?
- >%>\\>
- =*=B=H=U=w=
- <4<><J<S<Y<y<
- ;:;D;`;p;
- :*:::@:F:L:T:b:h:n:t:
- >%?*?
- =(=4=D=P=`=m=y=
- <"<(<.<4<:<F<S<`<m<z<
- ;(;.;F;L;R;X;^;d;j;p;v;|;
- :&:]:o:
- =%=g=
- <&<B<G<M<R<
- ;!;R;w;
- :9:R:p:
- ?&?7?>?J?
- >$>H>U>b>g>t>
- = =4=9=F=K=X=
- <'<<<A<L<
- ?k?v?
- =A=N=[=
- <+<0<;<S<X<]<b<
- :\t:(:3:>:Q:d:w:|:
- ?&?-?8?F?P?b?j?

- =Y>|>v>
- =,=<=L=[=`=f=v=
- :>;C;Z;
- ?$?D?U?[?
- >2>C>|>
- ; ;Z;};
- :]:r:
- ?1?8???F?M?T?[?b?i?p?w?
- <O=\\=V>m>{>
- ;:;r;
- 9\\:t:z:
- =T>m>z>
- =V=^=n=
- ;<<C<Q<
- :+:p:~:
- >??^?j?q?
- =W=v=
- ;3;<;W;
- 9':J:S:
- <)=M={=
- :g;1<D<[<k<
- ? ?0?@?P?[?
- >,>6>X>_>i>t>
- =#=3===\\=c=m=x=
- <2<<<L<V<i<v<
- ;&;<;C;S;];|;
- :):::R:\\:l:v:
- </assembly>PAPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDI
NGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDING
XXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDING
PADDINGX
- >vH2>v
- >v1S>vb\\>v
- Nv}LNvBJNv
- Mvu\\Nv
- L,v2},v
- >-v_w,v
- Y,vrU,v
- ,vL~/v
- -v\\9.v
- -vM7.v
- -v!>-v
- g.vQJ.v
- -vQ3.v$
- -v]7.v;
- /.v;
- ,v(7.v
- .v/d/v
- J-vh
- -v,S/v
- G-vb
- -vsn2v
- 1vjX,v
- h/v%9-v?
- E.v<s,v:
-)vM)v
- v.vBN,v

- ,vA#-v
- wV],v
- fwfwj
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- "\tCt<
- t\tK~
- @\t\\}
- `\tn~
- |\t{w<
- !~X
- sfc.dll
- shlwapi.dll
- crypt32.dll
- ntdll.dll
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- ->L&
- """"""
- """"""
- Dyp
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""

- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- """"""
- RSDS
- yr)jk0
- c:y
- vyrCg
- >f:y
- bk%N
- Y*N_cOW
- N*N_cOW
- ?\t(\t$\t@\t:
- +\t<\t>
- +\t<\tK\t2\tM\t!\t0\t:
- ?
- &\tG
- (\tA\t.\t$\t?
- G
- *\tA\t(\t0\tM\t8\tM\t%\t>\t*\t?\t$
- K
- +\t<\t>
- G
- <
- !\tK
- /\t(
- >
- ?\t$
- (\t?\t.\tM\t(\t2\t?
- C\t*\t/\t>
- ?\t/\t>
- ?\t$
- G

- ?\t$\t>
- *\t/\tK
- G
- +\t<\t>
- <
- !\tK
- *\t(\tG
- @
- !\t?\t8\tM
- G
- ?\t/\tK
- *\tA\t(\t0\tM\t8\tM\t%\t>\t*\t?\t$
- K
- +\t<\t>
- *\tA\t(\t0\tM\t8\tM\t%\t>\t*\t?\t$
- K
- +\t<\t>
- >\t(
- "\t?
- .\tG
- ,\t>\t0\tG
- G
- ?
- &\tG
- K
- &\tG
- (\tA\t.\t$\t?
- @
- K
- +\t<\t>
- (
- K
- <
- !\tK
- G
- (\tG
- K
- G
- >
- !\tG
- /\t>
- *\t>\t/\t>
- .\tG
- +\t<\tK\t2\tM\t!\t0
- +\t<\t>
- >\t'\t?
- *\t!\t<\t>
- 8\t>\t.\t(\t>
- >
- +\t<\tK\t2\tM\t!\t0
- !\tM\t0\t>
- K
- <
- !\tK
- !\t?\t8\tM
- DDDD
- """"

- DDDD
- PPPh""""PP
- PPPh""""PP
- ffff
- DDDD
- PPPh""""PP
- %s:%hu
- X-a: b
- Content-Length: %d
- Host: %s
- GET /%s HTTP/1.1
- text/html,
- httpget
- text/html
- x-compress; x-zip
- &sl;_%d=
- %d|%s|%s|%s
- &slc;=%d
- &fsp;=
- &fsb;=
- &fsh;=
- &cs;%hu=
- ps0=%s&ps1;=%s
- %s\\FTP Commander
- %s\\%s
- egj|pynqsygonshk
- hdfzpysvpzimorhk
- <Pass>
- <Port>
- <Host>
- PRIVMSG
- hDDDD
- hffff
- hwwwwj
- t)RQ
- nspr4.dll
- hffffPP
- .vcproj
- JJ8J@TynQcseb
- G:%s_0x%08X_%c:%s_v1$
- fwfwj
- G[]W
- mE;Y\\WBzl}4
- n:^m
- >M.dl
- YJq`
- Vc#+
- mNMDME
- \\M\tl\tlDS
- %{"g
- mL|L
- -q3LFB
- !QB^
- }hTh=!;U
- q,DX^
- @YS$
- =^Gt/

- :8)=f#
-)Dzw[
- PK>!V
- ^:-[
- abY="&
- m@*[
- "G,D
- #sf}
-]!R*=
-][CQZ'P
- F:"f,
- #xKp
- (p<?
- l _~wl?
- k"g&
- 1Hb[&Z;
- n/t["H
- ,zh
- z!cR
- w|*ljy
- @VC
- WcPY
- m>Y;
- vz+c
- Qtjy
- kBS+
- .>b)d
- x}j/Lqe
- KZlj
- *PKW
- }R"CR]M
- q<f
-]/}C!
- sr.~~\tK
- yrMl
- g#ChN
- 4qV~Jxqt
- Sf(r
- hLhr
- \\x\t$s
- Gj:W
- |{Gv
- n kX
-]ALcTrw
- p(M^
- v$b|g
- H.}(
- Ht>H
- jdXf
- SWVf
- @[^_
- t(VW
- PVVh
- _j V
- t<Vh
- PVVj(V
- PSSj

- r/Vj@
- RVWVP
- Wj@S
- VVVVVVVj
- D$LP
- D$D`
- D$HP
- D$@V
- htMC
- PVVj
- h`MC
- D$$X
- D$$hFC
- D$ (DC
- D$ (AC
- D$ h7C
- D$$T+C
- D$ H)C
- D$$l(C
- D$ X'C
- D$$,%C
- D$ #C
- D$$!C
- D$ (
- D$$|
- D$$d
- D$ (
- D$$D
- SVWj
- _^[t
- SVWh
- _^[]
- j<VW
- j<Xf
- j\\Xf
- D$ PWW
- D$(P
- D$(PW
- t$ W
- FTjZ
- D$@P
- D$@P
- @_^[
- j\\Xf
- j\\Sh
- VWSS
- 9^ttrj
- j Xf
- Pj@j
- j\\WP
- ?\\u+Sj
- tHVhD
- j\\X^
- j\\Wh
- j j\\
- Ph~f
- tH@P

- (|dj
- u!WVWWh
- t_Sj
- s?Pj
- j Wh
- j Vh
- PVVh
- VWj Xf
- QVj!WPh
- JVVj
- PWh\\
- PVWh
- rrVh
- WWWV
- Sj@_
- Pj h@
- j@Xf
- PPPj
- PPPh
- QQSVW
- QQSV
- jXWR
- :Xt#
- t'<3t#Wj
- jXXf
- Pj@WS
- Vj@h
- j@VWP
- j@VWP
- PVVj,VVVV
- jD_WV
- PSWVh
- _VVV
- QVWh
- QQVW
- @_^[
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- Ph~f
- QPPj
- VVVVf
- VVVVf
- QVWj
- j XP
- q +Q$
- trhp
- QSVW
- X_^[
- D$@P
- HHtvHH
- L$$t'

- D$ P
- s!Sj
- 9^ttmj
- Pj@j
- @_^[
- D$$PS
- WWWW
- D$$P
- 7WWWWP
- t[j<W
- t[j<W
- PVVj
- PWSV
- tcVh
- Pj@W
- hDDDDj
- h"""""j
- PWWj
- jD[SW
- X_^[
- X_^[
- D$ P
- |$(f
- D$HP
- D$HP
- D$LP
- PSSh
- PSSh
- PSSh#
- D$HPj
- D$PP
- Vj@j
- X_^[
- X_^[
- PWWW
- j@Wj
- PWWW
- PWWW
- tDjH
- Pj@S
- hDDDD
- h"""""
- Pj@S
- h"""""
- X_^[
- hffff
- hDDDD
- h"""""
- X_^[
- PVVj,VVV
- jD_WV
- SVWj
- D$,P
- j\\^f
- LT(f
- D$(P
- D$(P

- D$(P
- D$(P
- D$(Ph
- D$ P
- t'j!WV
- j!WV
- tNj!
- t&Vj;
- _@^[
- tFh@
- t h(
- t@h(
- tPh<
- t,HP
- tlSV
- Ph~f
- Ph~f
- SVW
- rSWj
- X_^[
- SVWh
- X_^[]
- Ph~f
- t)@P
- PSSSSSS
- SSSS
- j Xf
- Pj@j
- tYNVPW
- HHt<
- sc!]
- SShm
-]SVW
- D>\\PS
- ;Grt
- VVVPh
- VjTX
- VWt]
- WWWj
- ;Fzt
- PWWj(WWWW
- WWWj
- PVVh
- VtPh
- j X+
- j X+
- j X+
- PPj#P
- PSh|
- SSSS
- @PSV
- Pj S
- PWWj
- |$D{uQj-
- D$DP
- D$ P
- PSSj

- D$(P
- D$ P
- LSVW
- X_^[
- X^[_
- jPXf
- j j*
- t\tG;
- D$(Ph<
- D$#P
- D$HP
- D$@P
- D$(W
- D$,PV
- SVWj
- r/RS
- xFhT
- PSSj(S
- ~Jj.
- SSSS
- SSSS
- SSSS
- PSSj(S
- PSSj(S
- PSSj#S
- Sj@V
- t$,f
- L$(Q
- Sj@V
- t_Sj
- @[_^
- tPSS
- jdX^
- VVVV
- VVVV
- PWWj(W
- PWWj#W
- t h(
- D$ `
- D$<P
- t$(9D$
- ^jdXf
- D$@P
- ^jdP
- D$<P
- t$$S
- PWVh
- PWVh
- PWVh
- PWVh
- PWVh
- D$ P
- ,SVWh
- tgSV
- PWWW
- WWWW
- PSh`

- SWVh
- t]jDV
- @_^[
- j@_jXj
- t+j.
- VWVhT
- VWVh\\
- VWVh`
- VWVhh
- VWVhl
- VjC_WVhp
- j Xf
- j Sh
- tCj
- @$P,@
- t%hP
- PWWj(W
- PWWj
- D$ Ph
- D$(P
- j Sh
- WShX
- WSh|
- VShp
- VSh`
- VShp
- VShh
- VSh`
- VShT
- VSht
- ^VShh
- j,Sh
- j\\Sh
- _WSh
- RPVSSh
- D$ P
- D$hPS
- j*Xf
- D$$P
- D$$P
- D$$P
- D$`P
- D$dP
- D$`Pj
- D$(P
- D$hP
- D$(P
- j:Xj\\f
- PhDDDD
- Phffff
- Phwwww
- PhDDDD
- Ph''''''
- t\tVj
- D$@P
- D$TP
- D$TP

- D$TP
- D$TP
- D$$P
- D$DP
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$@Ph0
- D$@Ph
- D$HP
- D$@P
- D$@P
- PWWS
- D$$P
- D$DP
- D$@P
- D$@P
- D$@P
- D$@P
- D$@Ph$
- PSSj&S;
- D$HP
- t#h@
- t@WWWWhl
- D$TP
- PVVW
- D$TP
- PVVS
- D$TP
- PVVh
- D$TP
- PVVh
- D$$P
- D$@P
- D$@Ph
- D$HP
- SVWh
- SVWh
- SSSSV
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@Ph
- QPPS

- QPPV
- D$$P
- D$HP
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$HP
- D$$P
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$DP
- D$DP
- D$HP
- SSSS
- WWWh(
- PVVW
- [VVVV
- D$@P
- D$@P
- D$LPVW
- D$$P
- SSSh
- D$@P
- D$DP
- D$DP
- D$@P
- D$@P
- D$DP
- D$HP
- D$TPWV
- D$LP
- D$HP
- D$HP
- D$LP
- D$ P
- D$PP
- D$DPh
- D$DPW
- D$<P
- D$<P
- D$@P

- D$LPS
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$@P
- D$@P
- D$DP
- D$$P
- D$HP
- s+h(
- tNShx
- PVVWV
- t#j
- SVWj
- VVVVVVVj
- jWX_^]
- jWX_^]
- WVWWj
- jWX]
- t(VWR
- D$(!\\$
- D$DP
- D$TP
- D$4Pj@
- D$LP
- D$XP
- D$MS
- D$XP
- d$@1l$@
- D$PP
- D$PPf
- D$lP
- D$X;
- t$t9D$
- D$ Pj
- D$`Pj
- D$ Pj
- Pj\tW
- D$ Pj
- D$`P
- D$tj@
- D$lP
- D$tP
- t,Sh
- D$<Pj
- Pj@j
- PSSSSSSh
- WWWW
- SVj ^VW
- PjZh
- VVj,VVV
- VVj,VVV
- PPj(PPP
- t"Vh

- PWWj
- jWX_^[
- PWWj(WWW
- tYj\\
- _^[]
- t<j(V
- _VWj(
- Gj@V
- @VWj@3
- QSVW
- PSSj
- _^Y]
- t<Wj
- D$ P
- D$DPR
- t-Vj
- D$HP
- D$(h
- D$(,
- D$ PS
- QVVj
- PVVj(VVVV
- VWj@
- VVVRh
- Bf;M
- PWWh
- .rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000978830004000000097893000700000000000100050000001b9daf00470000001b9d9b00010000001b9d9a00010000001b9d9d00

• Module 3 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- vmdetect (Possibly employs anti-virtualization techniques)
- escalate_priv (Escalade priviledges)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)

- **Module 3 strings**

  - **Module 3 most interesting strings**

    - url | http tag | valid domain | tlds: http://answers.microsoft.com/en-us/windows/forum/windows_vista-windows_programs/corrupted-documents-folder/e2a7660f-8eea-4f27-b2e6-e77a0f0c1535
    - url | valid domains | tlds: <a href=".ms">%s</a>
    - url | valid domains | tlds: .net
    - url | valid domains | tlds: .com
    - url | valid domains | tlds: .org
    - url | valid domains | tlds: .info
    - url | valid domains | tlds: google.com
    - url | valid domains | tlds: windowsupdate.microsoft.com
    - url | valid domains | tlds: microsoft.com
    - url | valid domains | tlds: update.microsoft.com
    - url | valid domains | tlds: Mozilla/5.0 (compatible; MSIE 7.0; Windows NT 5.2; WOW64; .NET CLR 2.0.50726)
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322)
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; WOW64; SLCC1; .NET CLR 2.0.50727; .NET CLR 3.0.04506; Media Center PC 5.0; .NET CLR 1.1.4322; Windows-Media-Player/10.00.00.3990; InfoPath.2
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; NeosBrowser; .NET CLR 1.1.4322; .NET CLR 2.0.50727)
    - url | valid domains | tlds: |$D.tC
    - path | frequently modified by malware: APPDATA
    - registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce
    - registry | frequently modified by malware: SOFTWARE\\Wow6432Node\\Microsoft\\Windows\\CurrentVersion\\Run
    - registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\RunOnce
    - registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\%s
    - registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run
    - registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\services\\%s
    - registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
    - registry | frequently modified by malware: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Advanced
    - registry | frequently modified by malware: SYSTEM\\CurrentControlSet\\Services\\DragonUpdater
    - path | path unit | wellknown extension: %c:\\%s.lnk
    - path | path unit | wellknown extension: %c:*p.exe
    - api | frequently used by malware: Accept-Encoding: %s
    - api | frequently used by malware: Accept-Charset: %s
    - api | frequently used by malware: Accept-Language: %s
    - api | frequently used by malware: Accept: %s
    - api | frequently used by malware: ObtainUserAgentString
    - registry: SYSTEM\\CurrentControlSet\\Control\\Session Manager
    - registry: SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Windows
    - registry: SOFTWARE\\Microsoft\\CurrentVersion\\Run
    - registry: Software\\Classes\\CLSID\\%S
    - path | path unit: C:\\Users\\Dvx\\Documents\\USB - Projects\\Development\\vNeuter\\vNeuter\\Release\\vBetaLib.pdb
    - url | http tag: http://
    - registry: Software\\Microsoft\\Internet Explorer\\Media\\MimeTypes
    - registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall
    - registry: Software\\Microsoft\\VisualStudio
    - registry: SOFTWARE\\Classes\\origin
    - registry: Software\\Microsoft\\Terminal Server Client\\Default
    - registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\WindowsBackup
    - registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer
    - registry: Software\\Microsoft
    - registry: SOFTWARE\\Microsoft\\NET Framework Setup\\NDP
    - registry: Software\\Microsoft\\Internet Explorer\\Main
    - registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\%u
    - registry: Software\\Classes\\CLSID\\%s\\%08X\\%s

• registry: Software\\Classes\\CLSID\\%s\\%08X
• api | ws2_32: You denied the proper privileges to the Windows file restoration utility. Please select YES on the following UAC prompt to allow Windows to restore the corrupted files.
• api | ws2_32: GetAddrInfoW
• api | ntdll: RtlQueryElevationFlags
• api | dnsapi: DnsFlushResolverCache
• api | ntdll: RtlFreeHeap
• api | ntdll: ZwContinue
• api | ntdll: ZwDelayExecution
• api | ntdll: ZwCreatePagingFile
• api | netapi: NetUserGetInfo
• api | advapi32: CreateProcessWithTokenW
• api | user32: ChangeWindowMessageFilter
• api | kernel32: CreateProcessInternalW
• api | psapi: GetMappedFileNameW
• api | kernel32: K32GetMappedFileNameW
• api | advapi32: GetSecurityInfo

• Module 3 other strings

• %s\\%08X.pif
• %s:Zone.Identifier
• EVERYONE
• Windows NT Update Service
• &EXIT;
• &ECHO; Fixing disk errors ...&ECHO; Errors fixed!
• runas
• comctl32.dll
• Corrupted file count: %d
• Corrupted folder: %s
• Error details:
• Restore files and check disk for errors
• Restore files
• More details about this error
• Show details
• Multiple corrupted files have been found in the folder 'My Documents'. To prevent serious loss of data, please allow Windows to restore these files.
• Windows has encountered a corrupted folder on your hard drive
• file: %d
• Chi ti
• Privilege Error
• c file b
• i ph
• p Windows
• n YES sau UAC nh
• c ti
• i th
• i quy
• i ph
• p tin
• i ph
• m chi ti
• chi ti
• i nh
• i ph
• p Windows
• u nghi

• Windows
• Critical Disk Error
• folder: %s
• Windows
• Windows file restoration utility
• Disk
• Windows
• Data
• folder
• 'My Documents'
• folder
• hard drive
• Windows
• plik
• Uszkodzone Ilo
• Uszkodzony Folder: %s
• du:
• d przywileju
• cenia uszkodzonych plik
• dzia przywracania systemu Windows. Wybierz YES na nast
• do pliku narz
• ciwych uprawnie
• e odm
• nie mo
• w i sprawdzanie dysku na bledy.
• przywracanie plik
• Przywracanie plik
• Wiecej danych na temat bledu
• Pokaz wiecej informacji
• Duza ilosc zepsutych plikow zostala znaleziona w swoim folderze 'My Documents'. Zeby zachowac pamiec, prosze zastosowac Windowsa zeby zachowac pliki.
• Windows znalazl korupcyjny folder w twoim twardym dysku.
• Korruptoituneiden tiedostojen m
• Korruptoitunut kansio: %s
• Virheen tiedot:
• oikeusvirhe
• seuraavasta UAC ikkunasta sallimaan Windowsin palauttaa tiedostot.
• ja valitse KYLL
• Et sallinut oikeuksia Windowsin tiedostojen palautus ohjelmistolle. Ole hyv
• kovalevyst
• Palauta tiedostot ja etsi virheit
• Palauta tiedostot
• tietoja virheest
• tiedot
• ja salli Windowsin palauttaa tiedostot.
• ksesi tietojen menetyksen, ole hyv
• ytynyt kansiosta 'Omat Tiedostot'. Est
• Useita korruptoituneita tiedostoja on l
• nnyt korruptoituneeseen kansioon kovalevyll
• Windows on t
• Kriittinen Levy Virhe
• Numero di file corrotti: %d
• Cartelle corrotte: %s
• Dettagli dell'errore:
• Errore nei privilegi
• Hai negato i privilegi necessari a Windows per riparare i file. Selezione "Si" nella seguente finestra per permettere a Windows di riparare i file corrotti.
• Ripristina i file e controlla il disco per errori.

• Ripristina i file
• Maggiori dettagli su quest'errore
• Mostra dettagli
• Sono stati trovati numerosi file corrotti nella cartella "Documenti". Per prevenire una seria perdita di dati, consenti Windows di ripristinare questi file.
• Windows ha trovato una cartella corrotta nel vostro hard disk.
• Errore critico dell'hard disk
• Rusak file count: %d
• Rusak folder: %s
• Kesalahan rincian:
• Privilege Kesalahan
• Anda menyangkal hak-hak istimewa yang tepat untuk utilitas restorasi file Windows. Silakan pilih YES pada prompt UAC berikut untuk memungkinkan Windows untuk mengembalikan file yang rusak.
• Kembalikan file dan memeriksa disk untuk kesalahan
• mengembalikan file
• Lebih rinci tentang kesalahan ini
• Tampilkan detail
• Beberapa file rusak telah ditemukan di folder 'My Documents'. Untuk mencegah kerugian serius data, perkenankan Windows untuk mengembalikan file-file ini.
• Windows telah mengalami rusak folder pada hard drive Anda
• Kritis Disk Kesalahan
• Bozuk dosya say
• Bozuk klas
• Hata ayr
• Izin hatas
• iniz.
• daki UAC EVET se
• in lutfen a
• in izin vermek i
• klemek i
• geri y
• in uygun izin verilmedi. Windows'a bozuk dosyalar
• Windows dosya restorasyon program
• in diski kontrol et
• kle ve hatalar i
• geri y
• Dosyalar
• geri y
• Dosyalar
• nda daha fazla ayr
• Bu hata hakk
• ster
• Detay
• tfen
• in Windows'a izin veriniz l
• klemek i
• geri y
• in, bu dosyalar
• nlemek i
• tur. Ve ciddi kayb
• r bulunmu
• 'Belgelerim' dosyasinda fazla bozuk klas
• r ile kar
• Windows sabit diskinizde bozuk bir klas
• Kritik disk hatas
• Windows
• UAC
• Windows

• Windows
• Windows
• UAC
• 'My Documents'
• Aantal beschadigde mappen: %d
• Corrupte map: %s
• Details van foutmelding:
• Toestemming error
• U heeft de nodige rechten afgewezen voor de Windows herstelprocedure. Selecteer JA op de volgende UAC prompt om Windows toelating the geven voor het herstel van beschadigde bestanden.
• Herstel bestanden en controleer de harde schijf voor errors
• Herstel bestanden
• Meer details over deze foutmelding
• Toon details
• Meerdere beschadigde bestanden zijn in de map 'Mijn Documenten' gevonden. Om dataverlies te voorkomen raden we aan om Windows toelating te geven voor het uitvoeren van een herstelprocedure.
• Windows heeft een beschadigde map gevonden
• Kritieke foutmelding
• Nombre de dossiers corrompus: %d
• Dossier corrompu: %s
• tails d'erreur:
• Erreur de privil
• paration de fichiers corrompus
• cuter une r
• Windows d'ex
• lectionnez OUI sur la prochaine prompt de UAC pour permettre
• paration de Windows. S
• dure de r
• cessaires pour la proc
• ges n
• les privil
• Vous avez rejet
• le le disque dur
• pare fichiers et contr
• parer les fichiers
• tails sur cette erreur
• Plus de d
• tails
• Montre d
• venir la perte des donn
• parer les fichiers et pour pr
• s dans la dossier 'Mes Documents'. Donnez Windows la permission pour r
• Plusieurs fichiers corrompu sont trouv
• un dossier corrompu
• Windows a trouv
• Erreur Critique
• Anzahl fehlerhafter Dateien: %d
• Fehlerhafter Ordner: %s
• Fehlerinformationen:
• Privilegfehler
• hlen Sie, bei dem folgendem Benutzerkontensteuerungsdialog, 'JA', um Windows die Wiederherstellung, der Dateien, zu erlauben.
• Sie verweigerten Windows die Privilegien, das Dateiwiederherstellungswerkzeug zu nutzen. Bitte w
• berpr
• Dateien wiederherstellen und Festplatte auf Fehler
• Dateien wiederherstellen
• Mehr Details zu diesem Fehler
• Details anzeigen

• Mehrere fehlerhafte Dateien wurden in dem Ordner 'Eigene Dokumente' gefunden. Um Datenverlust zu verhindern, erlaube Windows diese wiederherzustellen.
• Windows hat einen fehlerhaften Ordner auf deiner Festplatte vorgefunden.
• Kritischer Festplattenfehler
• mero de arquivo corrompido: %d
• Pasta corrompida: %s
• Detalhes do erro:
• Erro de privil
• ximo prompt UAC para permitir que o Windows restaure os arquivos corrompidos.
• o de arquivos do Windows. Por favor selecione SIM no pr
• o de restaura
• gios adequados ao servi
• negou os privil
• Restaurar os arquivos e verificar erros no disco
• Restaurar os arquivos
• Mais detalhes sobre esse erro
• Mostrar detalhes
• ria, por favor deixe o Windows restaura-las
• ltiplas pastas corrompidas foram encontradas na pasta "Meus Documentos". Para prevenir uma perda de dados mais s
• gido
• O Windows encontrou uma pasta corrompida no seu disco r
• tico
• Erro de Disco Cr
• Cantidad de archivos corruptos: %d
• Carpeta corrupta: %s
• Detalles del error:
• Error en los privilegios
• ados.
• n. Por favor seleccione SI en la siguiente ventana UAC para permitir que Windows restaure los archivos da
• Has denegado los privilegios de Windows para la utilidad de restauraci
• Restaurar archivos y chequear el disco en busca de errores
• Restaurar archivos
• n sobre este error
• Mas informaci
• Mostrar Detalles
• Multiples archivos corruptos han sido encontrados en la carpeta "Mis Documentos". Para evitar perder datos deje que Windows restaure los archivos
• ada en el disco duro
• Windows ha detectado una carpeta da
• tico del disco
• Error cr
• UAC
• YES
• Windows,
• My documents,
• CurrentVersion\\Windows
• Policies\\Explorer\\Run
• ShellServiceObjectDelayLoad
• CurrentVersion\\Winlogon
• Active Setup\\Installed Components
• CurrentVersion\\Run
• %s\\%08X
• echo123
• MESSAGE %s %s
• SEARCH FRIENDS
• SkypeControlAPIAttach
• SkypeControlAPIDiscover
• open

- Software\\Skype\\Phone
- SkypePath
- PendingFileRenameOperations
- TEMP
- PUBLIC
- ProgramData
- ALLUSERSPROFILE
- eUSERPROFILE
- Low_%08X
- windowsupdate
- NAVENG
- /Delete /TN "Windows Update Check - 0x%08X" /F
- schtasks.exe
- /Create /SC ONLOGON /TN "Windows Update Check - 0x%08X" /TR "%s /task" /RL HIGHEST
- Windows Update Service
- ctfmon.exe
- DisableExceptionChainValidation
- Common Files
- %08x.txt
- shell32.dll
- tapi3.dll
- -k NetworkService
- WerFault.exe
- skype.exe
- chrome.exe
- firefox.exe
- iexplore.exe
- winlogon.exe
- spoolsv.exe
- services.exe
- Host:
- POST
- Quick.dat
- Sites.dat
- pass
- user
- port
- SmartFTP\\Client 2.0\\Favorites
- redefined
- FileZilla\\sitemanager.xml
- Applications\\iexplore.exe\\shell\\open\\command
- explorer.exe
- Load
- desktop.ini
- _.exe
- .ini
- kernel32.dll
- %ALLUSERSPROFILE%
- smss.exe
- lsass.exe
- csrss.exe
- wuauclt.exe
- svchost.exe
- %s%s\\%08X
- tavast
- Bdagent
- housecalllauncher.exe

- spybotsd.exe
- hijackthis.exe
- drstrui.exe
- League of Legends
- t.minecraft
- njagexcache
- %WinDir%\\system32\\shell32.dll
- %COMSPEC%
- %WinDir%\\explorer.exe
- p.exe
- ImagePath
- .exe
- Image File Execution Options\\%s
- Debugger
- mcshield.exe
- mcupdate.exe
- mcupdmgr.exe
- mcshell.exe
- Install Dir32
- Install Dir
- mcpltui_exe
- mcui_exe
- SOFTWARE\\McAfee\\MSC
- McPvTray.exe
- McUICnt.exe
- McSvHost.exe
- mcagent.exe
- coreFrameworkHost.exe
- Trend Micro Client Framework
- SOFTWARE\\TrendMicro\\AMSP
- InstallDir
- UiFrmwrk\\uiUpdateTray.exe
- plugins\\plugUpdater.dll
- Trend Micro\\UniClient\\
- uiWatchDog.exe
- uiSeAgnt.exe
- coreServiceShell.exe
- uWinMgr.exe
- Trend Micro Titanium
- %s.manifest
- ekrn.exe
- egui.exe
- egui
- G Data AntiVirus Tray Application
- GDFirewallTray.exe
- AVK.exe
- GDSC.exe
- AVKTray.exe
- a2service.exe
- a2start.exe
- a2guard.exe
- emsisoft anti-malware
- caupdate.dll
- ccupdate\\
- ccupdate.exe
- sguardxup.exe
- K7TSUpdT.exe

- K7TSStart
- niu.exe
- op_mon.exe
- OutpostMonitor
- rcfp.exe
- DragonUpdater
- arcaclean.exe
- update_tmp.exe
- SOFTWARE\\ArcaBit
- RootPath
- ALUpdate.exe
- SOFTWARE\\Sophos\\AutoUpdate
- Data Path
- Sophos AutoUpdate Monitor
- FPWin.exe
- FProtTray.exe
- updater_client_mod.dll
- F-PROT Antivirus Tray application
- SBAMTray.exe
- sbamui.exe
- Definitions\\vcore.dll
- SBAMTray
- UpdateHlpr.dll
- Update.exe
- ISTray
- pctsAuxs.exe
- pctsGui.exe
- mbam.exe
- mbamgui.exe
- SOFTWARE\\rising\\RAV
- installpath
- rsmain.exe
- RavMonD.exe
- RsTray.exe
- Backup\\RSD\\RSSetup\\updater.exe
- updater.exe
- .manifest
- BgScanEngine.dll
- BgScan.exe
- BullGuardUpdate2.exe
- BullGuardBhvScanner.exe
- BullGuardScanner.exe
- BullGuard.exe
- BullGuardUpdate.exe
- BullGuard.exe.manifest
- BullGuard
- adaware.exe
- Ad-Aware Service
- Upgrader.exe
- AVENGINE.exe
- epavjobs.exe
- PSUAMain
- PSANHost.exe
- PSUAService.exe
- PSUNMain.exe
- fsaua.dll
- fshoster

- fshoster32.exe
- updating.dll
- ZoneAlarm
- ForceField.exe
- zatray.exe
- WRSA.exe
- Setup\\setiface.
- avast! Antivirus
- avastsvc.exe
- avastui.exe
- lue.dll
- symerr.exe
- starter_avp.exe
- filecategorizer.dll
- updater_pdk.esm
- usrreq.exe
- updaterc.dll
- update.dll
- avgnt
- avcenter.exe
- avshadow.exe
- avguard.exe
- avgnt.exe
- avgcfgex.exe
- avgupd.exe
- avgmfapx.exe
- avgdiagex.exe
- avgwdsvc.exe
- avgidsagent.exe
- avgui.exe
- avgwd
- AVG_UI
- MSASCui.exe
- MsMpEng.exe
- msseces.exe
- Windows Defender
- avcuf32.dll
- SharedAccess
- BITS
- wuauserv
- NT AUTHORITY
- cmd.exe
- %s\\winsxs\\x86_microsoft.windows.common-controls_*6.0.*_*
- cookies.sqlite
- :Mozilla\\Firefox\\Profiles
- omscoree.dll
- OPEN
- nuac
- puac
- suac
- task
- 2\t,t
- d\to}X
- `\twu
- ;\t8u
- +\t'up
- m\t>~0

- =\t'u
- s\t7t
- ws2_32.dll
- dnsapi.dll
- version.dll
- ole32.dll
- shell32.dll
- wininet.dll
- advapi32.dll
- user32.dll
- secur32.dll
- kernel32.dll
- &7a_B
- [RnA
- KRnA
- SRnA
- KRnA
- k0RnA
- g>GH6
- _ClientInitializeEx@8
- vBetaLib.exe
- %d0x%08X
- OPEN
- TaskDialogIndirect
- 0n0pe
- dW0_0
- Tn0f
- 0n0s
- SW0~0Y0
- 0S0h0
- Tn0B0
- 0!kn0U
- OW0~0[0
- 0yr)j
- 0L0j0D0K0
- _h0D
- [n0s
- D0W0~0Y0
- 0J0X
- P0_0
- 0~0Y0
- 0L0B0
- pen0
- n0-Nk0
- W0~0W0_0
- Tn0f
- n0-Nk0
- en0h
- 'Yj0
- _cOW
- N9Y:
- _cOW
- S_cOW
- egAQ
- vpenc"N1Y
- ech'
- 2

- -\tM\t0\t7\tM
- -\tM\t0\t7\tM
- 5\t?\t5\t0\t#\t:
- $\tM\t0\tA
- $\tM\t0\tA
- >\t0
- 5\t?\t6\tG\t7\t>\t'\t?
- 2\t?
- 0\t(\tG
- 2\tK
- -\tM\t0\t7\tM
- 5\t?
- 9\t>
- *\t0
- 9\tH\t.
- >\t0
- 8\tG
- >\t0
- 5\t?\t6\tG\t7\t>\t'\t?
- 2\t?
- ,\t9\t>\t2\t@
- 2
- 5\t?
- 2\t?
- $\tM\t0\tA
- 0
- 2\tK
- 2\tK
- >\t0\t@
- $\tM\t0\tA
- 8
- 5\t?\t5\t0\t#
- 0\t(\tG
- ,\t9\t>\t2
- 2\tK
- 5\t?
- 2\t?
- 0\tK
- 8\t>\t(
- (\tA
- -\t@\t0
- 9\tH
- 2\tG
- -\tM\t0\t7\tM
- 9\tH
- 0\t(\t>
- -\tM\t0\t7\tM
- *\t0
- 5
- 9\t>\t0\tM\t!
- 5\t?
- $\tM\t0\tA
- 9\t>\t0\tM\t!
- -\t@\t0
- blah
- text
- TCommunicatorForm

- TZapCommunicator
- tSkMainForm
- USERS
- TLoginForm
- SeChangeNotifyPrivilege
- SeBackupPrivilege
- SeLoadDriverPrivilege
- SeIncreaseQuotaPrivilege
- SSH2_MSG_USERAUTH_SUCCESS
- SSH2_MSG_DISCONNECT
- SSH2_MSG_KEXINIT
- PuTTY Private
- windowsupdate
- h3333
- ahUUUU
- 3333
- hUUUU
- 3333
- ahUUUU
- 3333
- chrome.dll
- PR_Write
- firefox.exe
- iexplore.exe
- visited:
- Connection: %s
- Close
- Keep-Alive
- Referer: %s
- User-Agent: %s
- utf-16
- utf-8
- en-US
- Cache-Control: no-cache
- rudy
- slowloris
- condis
- audio/mpeg
- audio/wav
- text/plain
- image/bmp
- image/gif
- image/jpeg
- image/png
- compress, gzip
- gzip, deflate
- compress;q=0.5, gzip;q=1.0
- POST
- Content-Type: application/x-www-form-urlencoded
- .exe
- User=
- Password=
- Port=
- %s\\FTP Commander Deluxe
- UninstallString
- Password
- UserName

- PortNumber
- HostName
- Software\\Martin Prikryl\\WinSCP 2\\Sessions
- yA36zA48dEhfrvghGRg57h5UlDv3
- User
- Software\\FTPWare\\CoreFTP\\Sites
- <Password>
- <User>
- <Server>
- FileZi
- Options
- NumberOfAttempts
- Key2
- Key1
- Path
- Port
- Host
- BackupUrl=
- Server=
- cmd_option.%s
- SeRestorePrivilege
- SeTcbPrivilege
- USER
- JOIN
- %02X
- ArcaBit
- ESET
- Avira
- Symantec
- SOFTWARE\\%s
- ShowSuperHidden
- comctl32.dll
- Software\\VMware, Inc.
- Software\\Skype
- SOFTWARE\\Blizzard Entertainment
- MRU0
- Software\\Valve\\Steam
- tooltips_class32
- UUUU
- 3333
- h3333h"""""j
- hUUUUhDDDDj
- SeCreatePagefilePrivilege
- SOFTWARE\\Ikarus
- SOFTWARE\\Norman Data Defense Systems
- Start
- SOFTWARE\\Panda Software
- WDEnable
- WDStatus
- SeDebugPrivilege
- DisableMonitoring
- TaskbarNoNotification
- HideSCAHealth
- Netapi32.dll
- Urlmon.dll
- h33333
- jarfile\\shell\\open\\command

- Software\\%s
- .5vw
- Perl
- Nmap
- PrestoSoft
- 7-Zip
- CodeBlocks
- Immunity Inc
- Hex-Rays
- mIRC
- Sysinternals
- HARDWARE\\DESCRIPTION\\System\\CentralProcessor\\%u
- JJ8J^QPE
- Psapi.dll
- cookie:
- Start Page
- HTTP\\shell\\open\\command
- 2500
- SB:0x%08X
- 0x%08X
- EVERYONE
- i\tF(!
- C.2P
- m0L4
- A['!Z
- P\\#7
- 4b&C;
- <x|u
- Z:oTT
- X5p]
- (9*e
- o59
- d2G]d
- M2Wq
- K4AQ
- o\t/x4
- =ayk
- XU082
- D*ig
- Jp5P4
- r\\6b
- D*qE"
- XQ{i
- n=2r1a`
- +Ui{\\
- a*6GF$D{b
- LEzh
- ;wIS
- o3pb
- &Ew;
- `5HWj
- qV!6oA
- UuFJ
- &c;*{I
- (S>5*
- !=8P
- pExi-

- p9nG
- J=v E
- yto.b
- a\\b|
- UKNU
- :C8rv
- xooM
- s,If
- I"IX4
- Oc+h
- a9\\x
- &CH;!U
- j;@I
- 8;\t"2
- ntuJ
- XU8D@
- 5s+'V
- Ijh*
- q;h9
- CWf6
- uLF0
- 2"3Zk_+
- 36+/_+:
- !k49K
- s\\a@d
- hE*o
- 4I\\H
- E~X22"
- R\\4\td
- OIuEHX
- FyH4j
- 9'UF]R
- OAHx
- L8uZ
- QAsMT
- 1%W(
- XOd/a2
- eknY
- h%T8
- 3}nd)
-]GGiW
- I\tgL
- 5/jof
- :@5]*I
- h1%
- 6eHE]at
- p$"u
- yieJ
- OyA1&{/
- quR,
- K?M1
- 49<W
- #xye
- ?`)9
- Vu@,C
- Ha#*
- <ME&

- >v(8
- |2\\h
- 4uzps
- CW;i
- J`5|
- fU8#
- tIVs~
- '2w@
- 2"$i
-)\tU2
- U<!$\\
- OnuJJ
- A9sR
- xB3e
- AA`.
- copI
- yAKc
- 9=/+
- HOd)
- Microsoft Enhanced Cryptographic Provider v1.0
- Microsoft Base Cryptographic Provider v1.0
- Mozilla/5.0 (Windows; U; Windows NT 6.0; en-GB; rv:1.8.1.11) Gecko/20071127 Firefox/2.0.0.11
- Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.7.13) Gecko/20060410 Firefox/1.0.8
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1)
- Opera 9.4 (Windows NT 6.1; U; en)
- Mozilla/5.0 (Windows; U; MSIE 7.0; Windows NT 5.2)
- Mozilla/4.0 (compatible; MSIE 6.01; Windows NT 6.0)
- Mozilla/5.0 (Windows; U; MSIE 9.0; Windows NT 9.0; en-US)
- Opera/9.00 (Windows NT 5.1; U; en)
- BK32
- CF01
- CF02
- CF03
- Uuid
- FSoftware\\Win7zip
- jdX3
- SVW3
- tv9u
- t{9u
- ta9u
- VW9]
- VW9]
- SVW3
- QQS3
- Rh@OC
- htOC
- _[^3
- h OC
- D$0P
- L$,3
- u*h8
- QQW3
- t8;Y
- t7WV
- ><u[
- 8<u\tP
- u$9]

- C$j4
- uYj4
- uLj\\j
- 8\\$9u8
- D$8P
- tM9x
- tK9u
- t&W3;
- t+9u
- f90ue
- tEj;
- SVW3
- ,SVW3
- 9xPu
- s#8E
- u]8]
- HHu{
- t'9U
- t,9U
- t19U
- QQS3
- Xf9T
- t-f9S
- t99S
- ;@u>9S
- 8j@V
- ?9L$
- QQSV3
- t9@;
- ?XVu8
- >huD
- u>Pj
- tl9M
- tsf9P
- tx9P
- u<9u
- x5j1
- tXj0
- QQSV3
- (SV3
- (SV3
- tP9u
- tpf9u
- t0Pj
- t6f9E
- t2f9u
- VVhI
- PWWV3
- 0SVW3
- tC9E
- 9z|u
- 4SVW3
- t>9~
- vk+t94
- uT9x|tO
- u_hP
- t$0PW

- t^f98uY
- |$8J
- D$8P
- 9t$8
- 9t$4
- DSV3
- u 9E
- t7Vj
- u59]
- tM9u
- tR9u
- SVW3
- t7j
- uW9]
- t7j
- uW9]
- t2hV
- u?j@
- u_9]
- u?j@
- u_9]
- u$9]
- Ph3333j
- VuWh
- SVW3
- u$9\\$ t8
- D$0P
- &u5h;
- +A4P
- +A4P
- t0WV
- t*9N
- u69N
- xR9}
- xh9}
- ShUUUU
- h3333
- hSV3
- t0j:
- ShUUUU
- h3333
- XSV3
- <1A;
- <1;}
- hUUUU
- h3333
- u$9u
- ~j9u
- D$0Pt
- D$0P
- D$0P
- u{VS
- D$0P
- SVW3
- 0j!X
- tS9E
- tX9E

- VW9E
- u89u
- tv95
- t{9u
- t|9M
- @s'3
- uC9]
- uLh0
- uLh0
- uLh0
- uLh0
- uLh0
- uLh0
- X f9
- ;<uW
- PVh8
- t3VW
- t&W3;
- t+9u
- u\t9u
- t]9]
- f9Gd
- wA;]
- A>9]
- 9X2ux
- f9Gd
- tV9E
- VW9E
- f9Fdt
- f9Fdt
- tg9]
- t 9M
- tc9}
- SVW3
- w\tA;
- ~2;U
- @unV
- t;9}
- SVW3
- VW9]
- VW9]
- ;Puv
- w\tA;
- 9< |
- D$0P
- ;<u`
- ~8h@
- ~0h,
- u.9E
- u$9E
- jdY3
- jxY3
- f97u
- f91u
- ;<uv
- SVW3
- f90u/

- ;HPs9
- t-9E
- t29E
- t79E
- VW9E
- fCf9]
- fCf9]
- fCf9]
- ?-u/V3
- %wIh
- jAX;C
- D$8P
- D$0P
- D$4P
- D$4P
- SVW3
- SVW3
- u 9\\$
- t#;5
- uMSh
- D$0h
- uMSh
- t$0h
- \\$$3
- D$0P
- t/S2
- QQSW3
- SVW2
- tIWS
- uN9]
- t/9}
- 9D$Pt
- 9D$Tu69D$Pt6
- D$H3
- D$4P2
- u0PP
- \\$$i
- D$0;
- D$0;
- D$0;
- u\t_^3
- t$(3
- D$0P
- u=9]
- te95t
- f98u$WP
- t$j2
- uIV3
- uWhC
- @*HuC
- @*0uC
- t!V3
- t!Iu
- VW9]
- x\t9u
- j8Sh
- j2Sh

- t8j@j
- TSVWj03
- ~4Wj
- f9|$
- hUUUU
- h3333
- PhUUUU
- Ph3333
- tIh$
- SVW3
- tUhX
- |$@"u
- PsUh
- VWSh0
- PSSh8
- SVW3
- D$8P
- D$8P
- D$8P
- D$8P
- tAj
- QQSV3
- ;HPs3
- h1{@
- 0Vj(j
- Sj(3
- t6j\\
- t+9}
- t09}
- t39}
- t89}
- t&9U
- vtW3
- t3W3
- uG9u
- QQV3
- t$9E
- 9\\$$t
- tUh{
- t$ 3
- 9\\$(t
- D$0P
- D$8Pj
- |$ #s99\\$
- t$ 3
- D$4Pj
- D$$3
- D$03
- 3D$@j
- u 9\\$,u
- 9\\$,u
- D$4Pj
- 9D$x
- \\$$3
- VW9]
- E @t
- VW9]

- QQS3
- f9>t
- t9Wj
- t6Wj
- u\t9u
- SVW3
- SVW3
- u@;
- QQV3
- VW9]
- t=9u
- u\tV2
- r7Vj
- uU9u
- VW9U
- u 9}
- SVW3
- tD9U
- t.9]
- u79]
- u59u
- tX9u
- tE9u
- tI9u
- tV9u
- td9]
- ^[9E
- r 9E
- t+9U
- t29u
- t79u
- f94Bt
- SVW3
- t,9E
- t39E
- ti9u
- tr9u
- QQV3
- x\\8|
- H\\~7
- q,3q
- H\\u
- 8Xau.
- QSVW3
- QQSV3
- jc[3
- SVW3
- QVW3
- @.reloc
- @.data
- `.rdata
- .text
- 5RichS
- 5HhE5R
- 5HhB5R
- 5HhC5R
- 5Hhw5

- !This program cannot be run in DOS mode.
- SSDPSRV
- &CLS;
- /c start "" "%s" /%s
- /c start "" "%s" /%s&EXIT;
- ng s
- c: %s
- ng th
- cho ph
- p tin ch
- ch Windows ph
- ch h
- m tra l
- p tin v
- n th
- p tin n
- ng t
- y cho ph
- ng, h
- m tr
- n ng
- c "My Documents"
- y trong th
- m th
- p tin b
- ng c
- ng tr
- t th
- p ph
- w: %d
- Szczeg
- cym UAC, aby system Windows w celu przywr
- Problem, krytyczny stan dysku
- : %d
- : %d
- r: %s
- : %d
- : %s
- : %d
- : %s
- : %d
- : %s
- : %d
- : %s
- : %d
- : %s
- /%s %S
- putty.
- "%s" /%s
- "%s"
- /%s
- /C copy "%s" "%s"
- ntdll.dll
- "%s" %s
- eFtplist.txt
- %s\\4\\%s
- %s\\3\\%s

- FlashFXP
- SmartFTP
- %s__%08x.lnk
- .sys
- APVXDWIN
- /C start /d. %s&"%s"
- .lnk
- %c:\\
- %c:\\%s
- %c:\\ntusbdriver.sys
- \\??\\
- cctray
- CLPSLA.exe
- scf.dat
- pctsSvc.exe
- RsTray.dll
- RsScan.dll
- RsMgrSvc.exe
- RsMgrSvc
- PSUNScan.dll
- WRSVC
- ccsvchst.exe
- MsMpLics.dll
- MpAsDesc.dll
- MpClient.dll
- MpsSvc
- wscsvc
- SYSTEM\\
- %s\\%s
- %s\\winsxs\\%s\\comctl32.dll
- jjjj
- fwfwj
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- "\tCt<
- t\tK~
- @\t\\}
- `\tn~
- |\t{w<
- !~X
- sfc.dll
- shlwapi.dll
- crypt32.dll
- ntdll.dll
- """"
- """"
- """"
- """"
- """"

- """"
- """"
- """"
- ->L&
- """"
- """"
- Dyp
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"
- """"

- RSDS
- yr)jk0
- c:y
- vyrCg
- >f:y
- bk%N
- Y*N_cOW
- N*N_cOW
- ?\t(\t$\t@\t:
- +\t<\t>
- +\t<\tK\t2\tM\t!\t0\t:
- ?
- &\tG
- (\tA\t.\t$\t?
- G
- *\tA\t(\t0\tM\t8\tM\t%\t>\t*\t?\t$
- K
- +\t<\t>
- G
- <
- !\tK
- /\t(
- >
- ?\t$
- (\t?\t.\tM\t(\t2\t?
- C\t*\t/\t>
- ?\t/\t>
- ?\t$
- G
- ?\t$\t>
- *\t/\tK
- G
- +\t<\t>
- <
- !\tK
- *\t(\tG
- @
- !\t?\t8\tM
- G
- ?\t/\tK
- *\tA\t(\t0\tM\t8\tM\t%\t>\t*\t?\t$
- K
- +\t<\t>
- *\tA\t(\t0\tM\t8\tM\t%\t>\t*\t?\t$
- K
- +\t<\t>
- >\t(
- '\t?
- .\tG
- ,\t>\t0\tG
- G
- ?
- &\tG
- K
- &\tG
- (\tA\t.\t$\t?
- @

- K
- +\t<\t>
- (
- K
- <
- !\tK
- G
- (\tG
- K
- G
- >
- !\tG
- /\t>
- *\t>\t/\t>
- .\tG
- +\t<\tK\t2\tM\t!\t0
- +\t<\t>
- >\t'\t?
- *\t!\t<\t>
- 8\t>\t.\t(\t>
- >
- +\t<\tK\t2\tM\t!\t0
- !\tM\t0\t>
- K
- <
- !\tK
- !\t?\t8\tM
- DDDD
- """"
- DDDD
- PPPh""""PP
- PPPh""""PP
- ffff
- DDDD
- PPPh""""PP
- %s:%hu
- X-a: b
- Content-Length: %d
- Host: %s
- GET /%s HTTP/1.1
- text/html,
- httpget
- text/html
- x-compress; x-zip
- &sl;_%d=
- %d|%s|%s|%s
- &slc;=%d
- &fsp;=
- &fsb;=
- &fsh;=
- &cs;%hu=
- ps0=%s&ps1;=%s
- %s\\FTP Commander
- %s\\%s
- egj|pynqsygonshk
- hdfzpysvpzimorhk
- <Pass>

- <Port>
- <Host>
- PRIVMSG
- hDDDD
- hffff
- hwwwwj
- t)RQ
- nspr4.dll
- hffffPP
- .vcproj
- JJ8J@TynQcseb
- G:%s_0x%08X_%c:%s_v1$
- fwfwj
- G[]W
- mE;Y\\WBzl}4
- n:^m
- >M.dl
- YJq`
- Vc#+
- mNMDME
- \\M\tl\tlDS
- %{"g
- mL|L
- -q3LFB
- !QB^
- }hTh=!;U
- q,DX^
- @YS$
- =^Gt/
- :8)=f#
-)Dzw[
- PK>!V
- ^:-[
- abY="&
- m@*[
- "G,D
- #sf}
-]!R*=
-][CQZ'P
- F:"f,
- #xKp
- (p<?
- l _~wl?
- k"g&
- 1Hb[&Z;
- n/t["H
- ,zh
- z!cR
- w|*ljy
- @VC
- WcPY
- m>Y;
- vz+c
- Qtjy
- kBS+
- .>b)d
- x}j/Lqe

- KZlj
- *PKW
- }R"CR]M
- q<f
-]/}C!
- sr.~~\tK
- yrMl
- g#ChN
- 4qV~Jxqt
- Sf(r
- hLhr
- \\x\t$s
- Gj:W
- |{Gv
- n kX
-]ALcTrw
- p(M^
- v$b|g
- H.}(
- Ht>H
- jdXf
- SWVf
- @[^_
- t(VW
- PVVh
- _j V
- t<Vh
- PVVj(V
- PSSj
- r/Vj@
- RVWVP
- Wj@S
- VVVVVVVj
- D$LP
- D$D`
- D$HP
- D$@V
- htMC
- PVVj
- h`MC
- D$$X
- D$$hFC
- D$ (DC
- D$ (AC
- D$ h7C
- D$$T+C
- D$ H)C
- D$$l(C
- D$ X'C
- D$$,%C
- D$ #C
- D$$!C
- D$ (
- D$$|
- D$$d
- D$ (
- D$$D

- SVWj
- _^[t
- SVWh
- _^[]
- j<VW
- j<Xf
- j\\Xf
- D$ PWW
- D$(P
- D$(PW
- t$ W
- FTjZ
- D$@P
- D$@P
- @_^[
- j\\Xf
- j\\Sh
- VWSS
- 9^ttrj
- j Xf
- Pj@j
- j\\WP
- ?\\u+Sj
- tHVhD
- j\\X^
- j\\Wh
- j j\\
- Ph~f
- tH@P
- (|dj
- u!WVWWh
- t_Sj
- s?Pj
- j Wh
- j Vh
- PVVh
- VWj Xf
- QVj!WPh
- JVVj
- PWh\\
- PVWh
- rrVh
- WWWV
- Sj@_
- Pj h@
- j@Xf
- PPPj
- PPPh
- QQSVW
- QQSV
- jXWR
- :Xt#
- t'<3t#Wj
- jXXf
- Pj@WS
- Vj@h
- j@VWP

- j@VWP
- PVVj,VVVV
- jD_WV
- PSWVh
- _VVV
- QVWh
- QQVW
- @_^[
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- X^VP
- Ph~f
- QPPj
- VVVVf
- VVVVf
- QVWj
- j XP
- q +Q$
- trhp
- QSVW
- X_^[
- D$@P
- HHtvHH
- L$$t'
- D$ P
- s!Sj
- 9^ttmj
- Pj@j
- @_^[
- D$$PS
- WWWW
- D$$P
- 7WWWWP
- t[j<W
- t[j<W
- PVVj
- PWSV
- tcVh
- Pj@W
- hDDDDj
- h"""""j
- PWWj
- jD[SW
- X_^[
- X_^[
- D$ P
- |$(f
- D$HP
- D$HP
- D$LP
- PSSh
- PSSh

- PSSh#
- D$HPj
- D$PP
- Vj@j
- X_^[
- X_^[
- PWWW
- j@Wj
- PWWW
- PWWW
- tDjH
- Pj@S
- hDDDD
- h"""""
- Pj@S
- h"""""
- X_^[
- hffff
- hDDDD
- h"""""
- X_^[
- PVVj,VVV
- jD_WV
- SVWj
- D$,P
- j\\^f
- LT(f
- D$(P
- D$(P
- D$(P
- D$(P
- D$(Ph
- D$ P
- t'j!WV
- j!WV
- tNj!
- t&Vj;
- _@^[
- tFh@
- t h(
- t@h(
- tPh<
- t,HP
- tlSV
- Ph~f
- Ph~f
- SVW
- rSWj
- X_^[
- SVWh
- X_^[]
- Ph~f
- t)@P
- PSSSSSS
- SSSS
- j Xf
- Pj@j

- tYNVPW
- HHt<
- sc!]
- SShm
-]SVW
- D>\\PS
- ;Grt
- VVVPh
- VjTX
- VWt]
- WWWj
- ;Fzt
- PWWj(WWWW
- WWWj
- PVVh
- VtPh
- j X+
- j X+
- j X+
- PPj#P
- PSh|
- SSSS
- @PSV
- Pj S
- PWWj
- |$D{uQj-
- D$DP
- D$ P
- PSSj
- D$(P
- D$ P
- LSVW
- X_^[
- X^[_
- jPXf
- j j*
- t\tG;
- D$(Ph<
- D$#P
- D$HP
- D$@P
- D$(W
- D$,PV
- SVWj
- r/RS
- xFhT
- PSSj(S
- ~Jj.
- SSSS
- SSSS
- SSSS
- PSSj(S
- PSSj(S
- PSSj#S
- Sj@V
- t$,f
- L$(Q

- Sj@V
- t_Sj
- @[_^
- tPSS
- jdX^
- VVVV
- VVVV
- PWWj(W
- PWWj#W
- t h(
- D$ `
- D$<P
- t$(9D$
- ^jdXf
- D$@P
- ^jdP
- D$<P
- t$$S
- PWVh
- PWVh
- PWVh
- PWVh
- PWVh
- D$ P
- ,SVWh
- tgSV
- PWWW
- WWWW
- PSh`
- SWVh
- t]jDV
- @_^[
- j@_jXj
- t+j.
- VWVhT
- VWVh\\
- VWVh`
- VWVhh
- VWVhl
- VjC_WVhp
- j Xf
- j Sh
- tCj
- @$P,@
- t%hP
- PWWj(W
- PWWj
- D$ Ph
- D$(P
- j Sh
- WShX
- WSh|
- VShp
- VSh`
- VShp
- VShh
- VSh`

- VShT
- VSht
- ^VShh
- j,Sh
- j\\Sh
- _WSh
- RPVSSh
- D$ P
- D$hPS
- j*Xf
- D$$P
- D$$P
- D$$P
- D$`P
- D$dP
- D$`Pj
- D$(P
- D$hP
- D$(P
- j:Xj\\f
- PhDDDD
- Phffff
- Phwwww
- PhDDDD
- Ph"""""
- t\tVj
- D$@P
- D$TP
- D$TP
- D$TP
- D$TP
- D$$P
- D$DP
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$@Ph0
- D$@Ph
- D$HP
- D$@P
- D$@P
- PWWS
- D$$P
- D$DP
- D$@P
- D$@P
- D$@P
- D$@P
- D$@Ph$
- PSSj&S;
- D$HP
- t#h@
- t@WWWWhl
- D$TP
- PVVW

- D$TP
- PVVS
- D$TP
- PVVh
- D$TP
- PVVh
- D$$P
- D$@P
- D$@Ph
- D$HP
- SVWh
- SVWh
- SSSSV
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@Ph
- QPPS
- QPPV
- D$$P
- D$HP
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$DP
- D$@P
- D$HP
- D$$P
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$DP
- D$DP

- D$HP
- SSSS
- WWWh(
- PVVW
- [VVVV
- D$@P
- D$@P
- D$LPVW
- D$$P
- SSSh
- D$@P
- D$DP
- D$DP
- D$@P
- D$@P
- D$DP
- D$HP
- D$TPWV
- D$LP
- D$HP
- D$HP
- D$LP
- D$ P
- D$PP
- D$DPh
- D$DPW
- D$<P
- D$<P
- D$@P
- D$LPS
- D$@P
- D$@P
- D$DP
- D$@P
- D$@P
- D$@P
- D$@P
- D$@P
- D$DP
- D$$P
- D$HP
- s+h(
- tNShx
- PVVWV
- t#j
- SVWj
- VVVVVVVj
- jWX_^]
- jWX_^]
- WVWWj
- jWX]
- t(VWR
- D$(!\\$
- D$DP
- D$TP
- D$4Pj@
- D$LP

- D$XP
- D$MS
- D$XP
- d$@1l$@
- D$PP
- D$PPf
- D$lP
- D$X;
- t$t9D$
- D$ Pj
- D$`Pj
- D$ Pj
- Pj\tW
- D$ Pj
- D$`P
- D$tj@
- D$lP
- D$tP
- t,Sh
- D$<Pj
- Pj@j
- PSSSSSSh
- WWWW
- SVj ^VW
- PjZh
- VVj,VVV
- VVj,VVV
- PPj(PPP
- t"Vh
- PWWj
- jWX_^[
- PWWj(WWW
- tYj\\
- _^[]
- t<j(V
- _VWj(
- Gj@V
- @VWj@3
- QSVW
- PSSj
- _^Y]
- t<Wj
- D$ P
- D$DPR
- t-Vj
- D$HP
- D$(h
- D$(,
- D$ PS
- QVVj
- PVVj(VVVV
- VWj@
- VVVRh
- Bf;M
- PWWh
- .rsrc