Analysis report for sample: 1d38443dba80934a1162a712a469499a

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 8197 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 1d38443dba80934a1162a712a469499a

AV detections

- Microsoft: VirTool:Win32/CeeInject
- Kaspersky: HEUR:Trojan.Win32.Generic
- Symantec: Trojan.Zbot!gen52
- Malwarebytes:

Original source url

-

Virustotal url

- https://virustotal.com/es/file/cd3d6a8f972fc5834b436383859a6ddc828e5828ae5afc0cf915c71c683c5174/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- XtremeRATStrings (XtremeRAT Identifying Strings)
- XtremeRAT (XtremeRAT)
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- MinGW_1 ()
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- Advapi_Hash_API (Looks for advapi API functions)

- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name hiwoo.exe Alias P2
- Name hiwoo.exe Alias P3
- Name cmd.exe Alias P4

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name WinMail.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe PID: P2, Command line: "C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe")
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P4, Command line: "C:\\Windows\\system32\\cmd.exe" /c "C:\\Users\\javi\\AppData\\Local\\Temp\\tmpe9349ba0.bat")
- Process Create (C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe PID: P3, Command line: "C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe")
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegCreateKey (HKCU\\Software\\Microsoft\\Ynzym Desired Access: Query Value, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Ynzym Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Ynzym\\Xiyh Type: REG_BINARY, Length: 116, Data: 15 B9 6D A3 00 86 B8 7C 43 C8 16 2C E8 43 C4 14)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- url | valid domains | tlds: ".vA#-v
- url | valid domains | tlds: -vQ3.vA
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- path | frequently modified by malware: KC:\\Users\\javi\\AppData\\Roaming
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess

- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: SuspendThread
- api | frequently used by malware: LoadResource
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW

- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation

- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime

- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW

- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: GetModuleFileNameA
- api | ntdll: NtUnmapViewOfSection
- api | ntdll: strcat
- api | ntdll: memset
- api | ntdll: memcpy
- api | ntdll: atoi
- api | ntdll: _errno
- api | kernel32: VirtualQuery
- api | kernel32: TerminateThread
- api | kernel32: SizeofResource
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LockResource
- api | kernel32: GetModuleHandleA
- api | kernel32: GetCurrentProcess
- api | kernel32: GetAtomNameA
- api | kernel32: FindResourceA
- api | kernel32: FindAtomA
- api | kernel32: CopyFileA
- api | kernel32: AddAtomA
- api | kernel32: RegSetValueExA
- api | kernel32: RegOpenKeyExA
- api | kernel32: VirtualQuery (addr, &b;, sizeof(b))

Involved hosts

- 192.168.133.191:49197
- 192.168.133.191:49200
- 192.168.133.191:49203
- 192.168.133.191:49206
- 192.168.133.191:49209
- 192.168.133.191:49214
- 192.168.133.191:49217
- 192.168.133.191:49222
- 192.168.133.191:49229
- 192.168.133.191:49234
- 192.168.133.191:49241
- 192.168.133.191:49244
- 192.168.133.191:49247
- 192.168.133.191:60426
- 192.168.133.191:68
- 192.168.133.254:67
- 192.168.133.2:53
- 216.58.211.238:80 (clients1.google.com)
- 23.37.165.163:80 (crl.geotrust.com)
- 23.37.171.27:80 (sr.symcd.com)
- 23.37.43.27:80 (g.symcd.com)
- 72.247.184.32:80 (crl.microsoft.com)
- 77.209.227.26:80
- 93.184.220.20:80 (ocsp.omniroot.com)
- 93.184.220.29:80 (ocsp.digicert.com)
- 95.101.82.27:80 (crl.microsoft.com)

Dns queries

- 254.133.168.192.in-addr.arpa ---> no answers
- fcgaming.net ---> no answers
- crl.microsoft.com ---> 95.101.82.27, 95.101.82.82, 72.247.184.32, 72.247.184.33
- 27.82.101.95.in-addr.arpa ---> no answers
- 32.184.247.72.in-addr.arpa ---> no answers
- sr.symcd.com ---> 23.37.171.27
- 27.171.37.23.in-addr.arpa ---> no answers
- ss.symcd.com ---> 23.37.171.27
- ocsp.digicert.com ---> 93.184.220.29
- 29.220.184.93.in-addr.arpa ---> no answers
- ocsp.verisign.com ---> 23.37.171.27
- s2.symcb.com ---> 23.37.171.27
- 26.227.209.77.in-addr.arpa ---> no answers
- g2.symcb.com ---> 23.37.171.27
- clients1.google.com ---> 216.58.211.238
- 238.211.58.216.in-addr.arpa ---> no answers
- g.symcd.com ---> 23.37.43.27
- crl.geotrust.com ---> 23.37.165.163
- 27.43.37.23.in-addr.arpa ---> no answers
- ocsp.omniroot.com ---> 93.184.220.20
- 163.165.37.23.in-addr.arpa ---> no answers
- 20.220.184.93.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.191:49197 ---> 95.101.82.27 (crl.microsoft.com) :80

GET /pki/crl/products/CodeSignPCA.crl HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com

• tcp 95.101.82.27 (crl.microsoft.com) :80 ---> 192.168.133.191:49197

HTTP/1.1 200 OK[...]Content-Length: 558[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:44 GMT[...]ETag: 0x8D4B38793BAF333[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 260dc183-0001-0031-1a75-e51ca7000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:47:36 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1+0)[...]"Copyright (c) 2000 Microsoft Corp.1#0![...]Microsoft Code Signing PCA[...]111110211944Z[...]420416234935Z[...]7050[...]%PIu@[...]\\0KF[...]1jT,5[...]Ud);[...]0JU%[...]?&Zm;^[...]HTTP/1.1 200 OK[...]Content-Length: 558[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:44 GMT[...]ETag: 0x8D4B38793BAF333[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 260dc183-0001-0031-1a75-e51ca7000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:47:36 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1+0)[...]"Copyright (c) 2000 Microsoft Corp.1#0![...]Microsoft Code Signing PCA[...]111110211944Z[...]420416234935Z[...]7050[...]%PIu@[...]\\0KF[...]1jT,5[...]Ud);[...]0JU%[...]?&Zm;^

• tcp 192.168.133.191:49200 ---> 72.247.184.32 (crl.microsoft.com) :80

GET /pki/crl/products/MicrosoftTimeStampPCA.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Tue, 17 Jan 2017 06:01:36 GMT[...]If-None-Match: "df568298770d21:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com[...]GET /pki/crl/products/microsoftrootcert.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 05 Feb 2017 06:01:25 GMT[...]If-None-Match: "45949148757fd21:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com[...]GET /pki/crl/products/tspca.crl HTTP/1.1[...]Cache-Control: max-age = 900[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 24 May 2014 05:04:54 GMT[...]If-None-Match: "8ab194b3d77cf1:0"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.microsoft.com

• tcp 72.247.184.32 (crl.microsoft.com) :80 ---> 192.168.133.191:49200

HTTP/1.1 200 OK[...]Content-Length: 550[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:58 GMT[...]ETag: 0x8D4B3879BF55CAA[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 92764d6c-0001-001e-077c-e59d9d000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:48:09 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1!0[...]Microsoft Time-Stamp PCA[...]170402211719Z[...]170702093719Z[...]_0]0[...]170701212719Z0[...]:XDz|[...]WoYg[...]U2xm[...]HTTP/1.1 200 OK[...]Content-Length: 550[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:58 GMT[...]ETag: 0x8D4B3879BF55CAA[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 92764d6c-0001-001e-077c-e59d9d000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:48:09 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1!0[...]Microsoft Time-Stamp PCA[...]170402211719Z[...]170702093719Z[...]_0]0[...]170701212719Z0[...]:XDz|[...]WoYg[...]U2xm[...]HTTP/1.1 200 OK[...]Content-Length: 813[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:58 GMT[...]ETag: 0x8D4B3879BB907BF[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 53a99df8-0001-0081-0376-e5e527000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:48:35 GMT[...]Connection: keep-alive[...]com1[...]microsoft1-0+[...]$Microsoft Root Certificate Authority[...]170421204855Z[...]170721090855Z0[...]100208014912Z[...]_0]0[...]`@V'[...]170720205855Z0[...]L.8g[...]\\5.[zW[...]K66L[...])(ne[...]60cj[...]pD4W[...]Z*Vjz,5[...].&$t+[...]4-)o*[...]HTTP/1.1 200 OK[...]Content-Length: 813[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:43:58 GMT[...]ETag: 0x8D4B3879BB907BF[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 53a99df8-0001-0081-0376-e5e527000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status:

unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:48:35 GMT[...]Connection: keep-alive[...]com1[...]microsoft1-0+[...]$Microsoft Root Certificate Authority[...]170421204855Z[...]170721090855Z0[...]100208014912Z[...]_0]0[...]`@V'[...]170720205855Z0[...]L.8g[...]\\5.[zW[...]K66L[...])(ne[...]60cj[...]pD4W[...]Z*Vjz,5[...].&$t+[...]4-)o*[...]HTTP/1.1 200 OK[...]Content-Length: 521[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:44:03 GMT[...]ETag: 0x8D4B3879ECF250D[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 9407593e-0001-003a-407a-e504d3000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:48:40 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1#0![...]Microsoft Timestamping PCA[...]140514201017Z[...]440513202154Z[...]A0?0[...]rE/^[...][IeO![...]HTTP/1.1 200 OK[...]Content-Length: 521[...]Content-Type: application/pkix-crl[...]Last-Modified: Thu, 15 Jun 2017 00:44:03 GMT[...]ETag: 0x8D4B3879ECF250D[...]Server: Windows-Azure-Blob/1.0 Microsoft-HTTPAPI/2.0[...]x-ms-request-id: 9407593e-0001-003a-407a-e504d3000000[...]x-ms-version: 2009-09-19[...]x-ms-lease-status: unlocked[...]x-ms-blob-type: BlockBlob[...]Date: Fri, 16 Jun 2017 10:48:40 GMT[...]Connection: keep-alive[...]Washington1[...]Redmond1[...]Microsoft Corporation1#0![...]Microsoft Timestamping PCA[...]140514201017Z[...]440513202154Z[...]A0?0[...]rE/^[...][IeO!

• tcp 192.168.133.191:49203 ---> 23.37.171.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBR0JBRnBp%2F14Jg%2FXj4aa6BlKlQVdQQUAVmr5906C1mmZGPWzyAHV9WR52oCEDd6YdE47j7vbT5gAcQZSFA%3D HTTP/1.1[...]Cache-Control: max-age = 401813[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 05:45:46 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: sr.symcd.com

• tcp 23.37.171.27 (sr.symcd.com) :80 ---> 192.168.133.191:49203

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1595[...]content-transfer-encoding: binary[...]Cache-Control: max-age=510491, public, no-transform, must-revalidate[...]Last-Modified: Thu, 15 Jun 2017 08:33:19 GMT[...]Expires: Thu, 22 Jun 2017 08:33:19 GMT[...]Date: Fri, 16 Jun 2017 10:48:11 GMT[...]Connection: keep-alive[...]20170615083319Z0s0q0I0[...]20170615083319Z[...]20170622083319Z0[...]6ct'[...]<>j>[...]ot{0[...]C%A;fj[...]Symantec Corporation1[...]Symantec Trust Network1(0&[...]Symantec Class 3 EV SSL CA - G30[...]170428000000Z[...]170727235959Z091705[...].Symantec Class 3 EV SSL CA - G3 OCSP Responder0[...]F<5}[...](fcn\t>[...]TGV-E-10100[...]g0e0c[...]0T0&[...]http://www.symauth.com/cps0*[...]http://www.symauth.com/rpa0[...]O_arYS;F[...]uZ}z

• tcp 192.168.133.191:49206 ---> 23.37.171.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBTRsWSLjJ8N0Wujis0rUBfV%2Bc%2FAZAQUX2DPYZBV34RDFIpgKrL1evRDGO8CEGdEfYU2M8%2BE10sRdr%2BgwuU%3D HTTP/1.1[...]Cache-Control: max-age = 474953[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Fri, 24 Mar 2017 01:25:34 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ss.symcd.com

• tcp 23.37.171.27 (sr.symcd.com) :80 ---> 192.168.133.191:49206

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1608[...]content-transfer-encoding: binary[...]Cache-Control: max-age=320857, public, no-transform, must-revalidate[...]Last-Modified: Tue, 13 Jun 2017 03:53:47 GMT[...]Expires: Tue, 20 Jun 2017 03:53:47 GMT[...]Date: Fri, 16 Jun 2017 10:48:14 GMT[...]Connection: keep-alive[...]20170613035347Z0s0q0I0[...]20170613035347Z[...]20170620035347Z0[...](\'|>[...]"tJL[...]=QN#27[...]Symantec Corporation1[...]Symantec Trust Network1/0-[...]&Symantec; Class 3 Secure Server CA - G40[...]170426000000Z[...]170725235959Z0@1>0<[...]5Symantec Class 3 Secure Server CA - G4 OCSP Responder0[...]:,**[...]HS\t1"1[...]$NMl9[...]m0$:[...]TGV-E-9770[...]g0e0c[...]0T0&[...]http://www.symauth.com/cps0*[...]http://www.symauth.com/rpa0[...]^3N{[...]@\\r>[...]*c?zE$[...]{+R9:[...]8o4w

• tcp 192.168.133.191:49209 ---> 93.184.220.29 (ocsp.digicert.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBSAUQYBMq2awn1Rh6Doh%2FsBYgFV7gQUA95QNVbRTLtm8KPiGxvDl7I90VUCEAH9o%2BtuynXIiEOLckvPvJE%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 06:23:55 GMT[...]If-None-Match: "58d60cfb-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBQQX6Z6gAidtSefNc6DC0OInqPHDQQUD4BhHIIxYdUvKOeNRji0LOHG2eICEArSm9l2JWanyBwh%2B8dqML8%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 10:51:58 GMT[...]If-None-Match: "58d64bce-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBQQX6Z6gAidtSefNc6DC0OInqPHDQQUD4BhHIIxYdUvKOeNRji0LOHG2eICEA%2F5JtXAPNylfCcqNAWMBfI%3D HTTP/1.1[...]Cache-Control: max-age = 172800[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 08:10:19 GMT[...]If-None-Match: "58d625eb-1d7"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.digicert.com

• tcp 93.184.220.29 (ocsp.digicert.com) :80 ---> 192.168.133.191:49209

HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Fri, 16 Jun 2017 10:48:16 GMT[...]Etag: "594378a3-1d7"[...]Expires: Thu, 22 Jun 2017 22:48:16 GMT[...]Last-Modified: Fri, 16 Jun 2017 06:20:19 GMT[...]Server: ECS (fcn/4196)[...]X-Cache: HIT[...]Content-Length: 471[...]20170615220000Z0s0q0I0[...]20170615220000Z[...]20170622220000Z0[...]}},#[...]+1/f[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Fri, 16 Jun 2017 10:48:16 GMT[...]Etag: "594378a3-1d7"[...]Expires: Thu, 22 Jun 2017 22:48:16 GMT[...]Last-Modified: Fri, 16 Jun 2017 06:20:19 GMT[...]Server: ECS (fcn/4196)[...]X-Cache: HIT[...]Content-Length: 471[...]20170615220000Z0s0q0I0[...]20170615220000Z[...]20170622220000Z0[...]}},#[...]+1/f[...]HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Fri, 16 Jun 2017 10:48:19 GMT[...]Etag: "59436383-1d7"[...]Expires: Thu, 22 Jun 2017 22:48:19 GMT[...]Last-Modified: Fri, 16 Jun 2017 04:50:11 GMT[...]Server: ECS (fcn/41AF)[...]X-Cache: HIT[...]Content-Length: 471[...]20170616042400Z0s0q0I0[...]20170616042400Z[...]20170623033900Z0[...],e"cz[...]y#F4[...]|1{!XU[...]USM\'[...]7\'H:[...]n]VHTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Fri, 16 Jun 2017 10:48:19 GMT[...]Etag: "59436383-1d7"[...]Expires: Thu, 22 Jun 2017 22:48:19 GMT[...]Last-Modified: Fri, 16 Jun 2017 04:50:11 GMT[...]Server: ECS (fcn/41AF)[...]X-Cache: HIT[...]Content-Length: 471[...]20170616042400Z0s0q0I0[...]20170616042400Z[...]20170623033900Z0[...],e"cz[...]y#F4[...]|1{!XU[...]USM\'[...]7\'H:[...]n]VHTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Fri, 16 Jun 2017 10:48:27 GMT[...]Etag: "593e4eb2-1d7"[...]Expires: Thu, 22 Jun 2017 22:48:27 GMT[...]Last-Modified: Mon, 12 Jun 2017 08:20:02 GMT[...]Server: ECS (fcn/9F9E)[...]X-Cache: HIT[...]Content-Length: 471[...]20170612074600Z0s0q0I0[...]|\'*4[...]20170612074600Z[...]20170619070100Z0[...]\\yA&~[...].Ofq[...],,qs[...]?svR[...]GHTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Cache-Control: public, max-age=172800[...]Content-Type: application/ocsp-response[...]Date: Fri, 16 Jun 2017 10:48:27 GMT[...]Etag: "593e4eb2-1d7"[...]Expires: Thu, 22 Jun 2017 22:48:27 GMT[...]Last-Modified: Mon, 12 Jun 2017 08:20:02 GMT[...]Server: ECS (fcn/9F9E)[...]X-Cache: HIT[...]Content-Length: 471[...]20170612074600Z0s0q0I0[...]|\'*4[...]20170612074600Z[...]20170619070100Z0[...]\\yA&~[...].Ofq[...],,qs[...]?svR

• tcp 192.168.133.191:49214 ---> 23.37.171.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBRIt2RJ89X%2B%2BhEzqoBeQg8PymQ2UQQUANhaTCXBIuWLMe9tuvPMXynxDWECECUM6OAwYS6fK4n3BU18%2BP0%3D HTTP/1.1[...]Cache-Control: max-age = 446935[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 17:35:31 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.verisign.com

• tcp 23.37.171.27 (sr.symcd.com) :80 ---> 192.168.133.191:49214

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1454[...]content-transfer-encoding: binary[...]Cache-Control: max-age=314602, public, no-transform, must-revalidate[...]Last-Modified: Tue, 13 Jun 2017 02:08:12 GMT[...]Expires: Tue, 20 Jun 2017 02:08:12 GMT[...]Date: Fri, 16 Jun 2017 10:48:22 GMT[...]Connection: keep-alive[...]20170613020812Z0s0q0I0[...]20170613020812Z[...]20170620020812Z0[...]b>S:[...]+TC[;%[...]vK#R\t9}p[...]+AM^[...]My_e[...]VeriSign, Inc.1705[...].Class 3 Public Primary Certification Authority0[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G1 OCSP Responder Certificate 50[...]T+aH:[...]8lH^[...]K=sZf[...]T\\w\t:[...]Ca14[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-470[...]b4"8v

• tcp 192.168.133.191:49217 ---> 23.37.171.27 (sr.symcd.com) :80

GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBS56bKHAoUD%2BOyl%2B0LhPg9JxyQm4gQUf9Nlp8Ld7LvwMAnzQzn6Aq8zMTMCEH7hSm9v7%2FLTfz%2BtZU062rQ%3D HTTP/1.1[...]Cache-Control: max-age = 567347[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sat, 25 Mar 2017 03:02:48 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: s2.symcb.com[...]GET /MFEwTzBNMEswSTAJBgUrDgMCGgUABBS56bKHAoUD%2BOyl%2B0LhPg9JxyQm4gQUf9Nlp8Ld7LvwMAnzQzn6Aq8zMTMCEFE%2FuXQ4cLc0QEGNMJMGmf8%3D HTTP/1.1[...]Cache-Control: max-age = 461255[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Thu, 23 Mar 2017 21:35:48 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: s2.symcb.com

• tcp 23.37.171.27 (sr.symcd.com) :80 ---> 192.168.133.191:49217

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1763[...]content-transfer-encoding: binary[...]Cache-Control: max-age=404531, public, no-transform, must-revalidate[...]Last-Modified: Wed, 14 Jun 2017 03:08:08 GMT[...]Expires: Wed, 21 Jun

2017 03:08:08 GMT[...]Date: Fri, 16 Jun 2017 10:48:24 GMT[...]Connection: keep-alive[...]20170614030808Z0s0q0I0[...]20170614030808Z[...]20170621030808Z0[...]~hx_[...]<>J\\[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G5 OCSP Responder Certificate 50[...]1rUZN[...]+S^0<6[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-500[...]3130[...]NK&<[...];^p.D[...]VZpo[...]4q$/<[...]HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1763[...]content-transfer-encoding: binary[...]Cache-Control: max-age=315157, public, no-transform, must-revalidate[...]Last-Modified: Tue, 13 Jun 2017 02:18:26 GMT[...]Expires: Tue, 20 Jun 2017 02:18:26 GMT[...]Date: Fri, 16 Jun 2017 10:48:32 GMT[...]Connection: keep-alive[...]20170613021826Z0s0q0I0[...]20170613021826Z[...]20170620021826Z0[...]q`r=x][...]KAq-[...]x0NK[...]YG1vP[...]9B*T[...]VeriSign, Inc.1[...]VeriSign Trust Network1:08[...]1(c) 2006 VeriSign, Inc. - For authorized use only1E0C[...]<VeriSign Class 3 Public Primary Certification Authority - G50[...]161122000000Z[...]171214235959Z0[...]Symantec Corporation1[...]Symantec Trust Network1?0=[...]6Symantec Class 3 PCA - G5 OCSP Responder Certificate 50[...]1rUZN[...]+S^0<6[...]e0c0a[...]0R0&[...]http://www.symauth.com/cps0([...]http://www.symauth.com/rpa0[...]TGV-OFF-500[...]3130[...]NK&<[...];^p.D[...]VZpo[...]4q$/<

• tcp 77.209.227.26:80 ---> 192.168.133.191:49222

HTTP/1.1 200 OK[...]Cache-Control: max-age=604800[...]Content-Type: application/vnd.ms-cab-compressed[...]Last-Modified: Wed, 19 Apr 2017 22:43:31 GMT[...]Accept-Ranges: bytes[...]ETag: "80ab755e5eb9d21:0"[...]Server: Microsoft-IIS/8.5[...]X-Powered-By: ASP.NET[...]Content-Length: 52608[...]Date: Fri, 16 Jun 2017 10:48:30 GMT[...]Connection: keep-alive[...]X-CCC: ES[...]X-CID: 2[...]MSCF[...]Je}[...]authroot.stl[...]E)7k[...]~7\'M[...]{fd<[...]jW89[...]$t:$([...]OO?c/;m[...]`*Uk[...]<d:l[...]"+ z([...]n12j[...]fd_$A[...]s=Y9[...]_BB>[...]DwuM[...]\\\t,R[...]OlDp[...]|Xt/n[...]b~W_[...]#\tvS[...]|8yx[...]lm\ton[...]4\tDU[...]Lz\t"[...]&_k5[...]6saC[...]<C7/[...]s*`\tb[...]*X=8zl[...]b#5^:d[...]`?xp[...]]NM)[...]Vo[[...]9k1Z[...]o`H_[...]P3*D[...]lOh9[...]TpQv[...]X0o}[...]V1d/[...]mHr,[...]:c1}[...]gz2v[...]S7oM)[...]yIjm[...]JA a[...]Tl\tr[...]ZMy$[...]t9#k[...]Vt(p[...]gdsN0[...]%x~s[...]e\\;g[...]*;W<T[...]9J%Yc[...]\\[Qy[...]&O;,E|U[...]AZDD[...]Nnjc[...]D?W$[...]->0mp[...]Y@)O[...]~9;E[...]Ml?T[...]z_uP(:[...]~.i*[...]m,2/[...]`[{5[...]_d{7[...]C\\,h[...]Kp;o[...]LFze[...]}7w"O,sD[...]3;*~&[...]Vr-M[...]j\',ox\'[...]\')=7[...]Z6x$O[...]T@>-{W[...]PrCv[...]$+R+[...]V&="[...]B+"Su[...]~=BFu[...]^qqG[...]}oD.[...]s>P;[...]B.`gl[...]sD^>[...]N\tlq[...]hZk:[...]7mIp[...]Qh<kn[...]xf-Ms[...]Hr:[...]x-Mj[...]8G0%uM[...]9e(u[...]!)WC[...]~B[MQ[...]LMP;~bP[...]wb3)[...]a!#s[...]Zb9:[...]y8-$[[...]3yK0*[...]1;|o[...]y}4k[...]^ja,[...]Sd[5[...]g"dw[...]U7k_[...]>s79I[...]y>uR[...]"B(v[...];AQG[...](/u[...]`Wka\';[...]l~|l[...]n{x/[...]4R$yI[...](Wuz[...]L`l2Qq[...]&9~\'[...]eFED[...]\'Y%6[...]]xv&[...]5e61[...]{BBA[...]k_[Z[...]E3-\tt[...]M//f[...]jN`N[...]V6`V[...]sj7P[...].!SM[...]!h[@[...]jK*>&[...]Hv[\\[...]X,;"[...]zafCf[...]xAGk[...]n[-Y[...]vyFgmny[...]#^V)[...]QYO5[...]dIRW[...]}OL&dV;[...]w7>q{[...]mliw[...]!U7Xf[...]*Im][...]d5|;^[...];hIS[...]?!pd[...]t2}I[...]}YhjZ2[...]kQAh[...]<5>8[...]udo[...]g4*s[...]k096[...]{W>\\[...]Br0M[...]g\\W/cb[...]+76*[...]?B%![...]W:c?[...]ME:,s[...]<5-K[...]=m n[...]W8"g[...]?sZ6>[...]"UYs[...]A,fp.[...]y7//[...]x$&_S[...]~>*9sq[...]Hcw[S[...]#EtF[...]-64`|g]n[...]b6G,[...]a/NH[...](co2[...]]y<Uk[..."d8B[...]0My9[...]9]Xt[...]a\tf7-2p[...]sc8b[...]gGpYMf[...](\'<_[C[...]C\\0w[...]^ng[X[...]JS0`[...]-^yG[...]o"1B,[...]8Mh8sTWF[...]Br_8[...]%Wgoz[...]~vHed[...]vS[...]8\tCd[...]]FV5[...]K!S([...]+0F.S[...]u5n6[...]AhLd[...]N8_H[...]A!}C[...]M<my[...]#Cs\tO[...]`U$>[...]X<t;|[...]5,)n[...]p5M6HO|~[...]T>z?[...]"&gC;[...]SZz"(([...]t6kfL([...]`_Rc[...]V%L8[...]Kk#J[...]Ab{=[...]Sh|9[...]8`kc[...]z{T8j[...]qK\'=I[...]`vtM[...]<7R;;[...]o9h{[...]^AT.[...]H\'/y[...]eoVc[...]\'661[...]iC:pe[...]|9^>[...]eH:_[...]4(<R[[...]]uWB[...]6Y$[[...]PvwN[...]Ig;2[...];r:X:r[...]9r}tw[...]#(ljZ[...]+!|Jy[...]+ZCA[...]{#wN[...]^s]dZ[...]Zap4[...]JM*j[...]rBb[...]jY(c[...]{}\'Y[...]Bqr![...]^~ =6[...];>i{[...]xb{H[...]iI[V[...]s 5;R[[...]Y 2~.[...]t(5jgk[...]U|bR<[...]V++:[...]Ut1~[...]$g/`[...]qqc.[...]"w"/:-s[...]Y{R+#[...]jy}^[...]7_@L[...]0= P[...]k`aZ[...]x2\'c[...]=nZj[...]dSHl}T[...]%BCH[...]TX1Ls[...](abu}qo[...]#CIc[...]T-A4[...]c!N#[...]6g%fL^[...]tIiU~J^[...]RD0]EI[...]:<3;[...]I.z[...]9E_9_[...],~Sj8[...]akVu[...]8N%T[...]}\tQU[...]|E{fL[...]Z!=,[...]Fy_T[...]We*k[...]UxS]s[...]ghXW[...]\!`k[...]oA7m[...]49b([...];s`?[...]i:(,F[...]EL=+:[...]OM@l3[...]Hr~Hx=-[...]-fF\t%[...]Ttl}[...]R_8c[...]:OFe[...])=m:[...]<3}e[...]5/E|[...]erP"[...]wN(>[...]c?=y[...]5$ohl[...]*VeA[...]oB8Hj*R"[...]tALn[...]Nn}M=[...]#yPj[...]d}f>[...]n,q;[...]j83s"[...]PI:][...]5[#S[...]ygp`aP"[...]}7nP[...]KY:z}Z[...]}rYJq[...]vCJMU[...]yP,LI[...]!/]9[...]^HxgU[...]MNA:[...]Oo=E[...]bTt}[...]csJ}[...]HNV]b[...]98;p0[...]zn$v[...]=RB^[...]5\t<6[...]@$5[u[...]h<`;[...]Y*~12[...]mV/1[...]]y8Uk[...]XEB2T(c[...]~X]{Z[...]hX{;7[...]QKOH[...]?2%([...]s8FB[...]Fa6Z[..."l`3[...]QW+[[...]{Y_qz[...]_{:b([...]fx)([...]Nh/:[...]Ws_ka[...]0K2</d[...]Tcn($[...]&W;8wch9[...]U-?i*[...]cf1h[...]P.%:X[...]HVs&[...]){J\\[...]Y$Qh[...]t?So[...]8Cl:[...]+)-fOv[...]f7om[...]X=}\'[...]zB2r[...]C3F1"T[...]8h^$[...]H~t7[...]*%PmO[...]XFwi[...]c2KV/f[...][n9][...]j"]I[...]Pypg[...]to[[...]Gf*r&[...]<\t;^s[...]z(%[[...]TeK)[...]6(Ai[...]-n9.[...]Qmc/[...]zKMq[...]t597[...]7gZQ[...]+wTS-[...]mp]_[...]uCRy[...]S!G.[...]VggRw[...]<B#z@Z[...]-LmA[...]V{@!y[...]Z71|0xn[...]6>Oj[...]_\tK.c[...]Jx\'Sw[...]GIvQ[...]22"B[...]I+=(UdAT7[...]o)CV[...]}WIA[...]\\mkZn[...]1C)O8I[...]v,j7[...]BaIn[...]K*.=[...]k[>;0[...]++k[...]8Esd[...]mCf[...]/IVc[...]BIEA[...]jN~O[...]"!mx[...]b1NU%[...]hrh2[...]jmkb;[...]r] &[...]_|%<H[...]WlJ#Xp[...]jyuz[...]P?{i[...]Hb6:g:[...]h)0H[...]vd|]|[...]&3J6([...]FOg`[...]ASSe[...]o622J[...]"65\\c[...]IBa>][...]C,LUy[...]Vu[...]>ra\\[...]E~Z\\[...]y2Z~[...]7{vT[...]j#I@D[...]*PZ1[...]Amr:[...]XlN@\\[...]M`t4{b[...]ELe([...]P68F{-[...]1Y>g[...][H<H[...]I"Zw[...]Vxx.4[...]!cQ$[...]4|,rq:[...]%QFLe[...]lgDn[...]`;ZxSK_[...]&!{H[...]zB\to[...]oeb1[...]5V_q[...]lYde[...]$wd;[2A[...]RQ:H^[...]gk/m,[...]KYkz[...]J((([...]V-$>PV0[...]\\By[...]5=-B[...]l\\+R[...]N:C&[...]Fqe^X[...]d?6j[...]${LT[...]7=C1[...]7pN9[...]Gg5Gw[...]AWswM[...]q7H6M#[...]s<$:[...]%GhZo[...]`4JI[...]WU`Q[...]&;f7[...]SQsb[...]Eq>7[...]~*hB[...]/.^([...]@Y^![...]l9pI[...]a4=/[...]2fiCK[...]6n$d[...]Hf$iHVdo[...]eA\'K[...]G_PH[...]cK_Z[...]f?WQpl[...]he(<[...]aqic[...]}C[_[...]E;"#[...]#8$C[...],Pus*[...]j:Im[...]M(e^[...]$qoo[...]emP\t[[...]_{R=[...]BQsd[...]5(jq[...]>HD$?[...]g%)g[...]-f;G[...]]cU/[...]g\t.F!w5[...]{u0*[...]IroVS-[...]gJl8[...]6~Rf[...]OGj;[...]yA"5t[...]\'qkzU[...]|< <.c[...]i[20=[...]~+P1[...]}uM{[...]7_U8YK[...]xD([...]7Q9^[...]er,4[...]2943[...]3\\\\<[...]IR@"[...]&+]b[...]f*\t~%[...]B;Eq[...])tJ_[...]VrCq[...]RWS{[...]ILp2[...]43*}[...]3x?}[...]B$#7[...]\'v$T[...]SUy|[...]c|\tfDU[...]QQkS[...]TYJV[...]\\sakM[...]+{201[...]Rg<f[...]JhG&[...]=&V1;[...]hK/2[...]|+EG[...]cY02[...]"^7][...]{8x[[...]?np:[...]4ZRZ[...]HZ0<[...]~vD^[...]]\t8T[...]+n3T[...]Q\tN/[...]]$8-[...]8TEe[...]?Lkp?([...]^3!=@[...]Taum[...]FwQHk[...]=P^B+q[...]3GSY[...]Q+3`[...](qj&[...]n#U=[...]XTP#[..."z3w^[...]6Z~0[...]#wLp[...]P\\&<[...]&OP1;[...]r\\Bu[...]aZo[[...]?<z=[...]D1>KL.[...]1{-p[...]i)-O2;n[...]N<!#[...]]X[B[...]$Q{i[...]+?rQ[...]Kb_z[...];9I"ZbB][...]z7P[...]hxNO:[...]Aob:^H[...]7[7[[...]d*vS[...]?W$w[...]w1V5[...]CUCg[...]@hP2Q[...][{99[...]%lDbbo[...];L<aQ1[...]*k!N[...]($PK*[...]Edd$[...]dKS7YeE[...]{CfT@[...]>o`fR[...]-vpv[...]R(!=[...]k9 h[...]Jl@t[...]DgUs[...]2[XAI<[...]=!.\'[...]OcSD[...]p$`r[...]?L(F[...]zJ!}mJ[...]Lhxfh[...]quOv[...]NSd#[...]&Db;![...]?egy/[...]/ON;[...]a\'O;[...]H\\W{([...]=<y~[...]_K#g[...]J*y|[...](%_JV[...]$5!C[...]\\I21[...]s\trj[...]J<P.[...]!B\'-l[...]Iz@S[...]bmJ"[...]6L48[...]BfRu[...]p1Y>Y[...]N\t8p5[...]#

b?<[...]ofe7fS[...]7/Iz[...]drQW[...]gVAi[...]H{uc.[...]I$F:[...]JLZV[...]esi+[...]|(Dk[...]Y\\Vs[...]f&\'[...]6L48[...]BfRu[...]p1Y>Y[...]N\t8p5[...]#
b?<[...]ofe7fS[...]7/Iz[...]drQW[...]gVAi[...]H{uc.[...]I$F:[...]JLZV[...]esi+[...]|(Dk[...]Y\\Vs[...]f&\'

• tcp 192.168.133.191:49229 ---> 23.37.171.27 (sr.symcd.com) :80

GET /MEQwQjBAMD4wPDAJBgUrDgMCGgUABBSxtDkXkBa3l3lQEfFgudSiPNvt7gQUAPkqw0GRtsnCuD5V8sCXEROgByACAwI6bw%3D%3D
HTTP/1.1[...]Cache-Control: max-age = 332546[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Wed, 22 Mar 2017 09:49:26
GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: g2.symcb.com

• tcp 23.37.171.27 (sr.symcd.com) :80 ---> 192.168.133.191:49229

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1377[...]content-transfer-encoding:
binary[...]Cache-Control: max-age=480754, public, no-transform, must-revalidate[...]Last-Modified: Thu, 15 Jun 2017 00:18:34 GMT[...]Expires: Thu, 22 Jun
2017 00:18:34 GMT[...]Date: Fri, 16 Jun 2017 10:48:38 GMT[...]Connection:
keep-alive[...]20170615001834Z0f0d0<0[...]20170615001834Z[...]20170622001834Z0[...]GeoTrust Inc.1[...]GeoTrust Global
CA0[...]161208112535Z[...]171214112535Z02100.[...]'GeoTrust Global CA TGV OCSP Responder
50[...]{/rD[...]TGV-OFF-570[...]N*Au[...]PO47[...]<;IA[...]K@7z

• tcp 192.168.133.191:49234 ---> 216.58.211.238 (clients1.google.com) :80

GET /ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCD6el2oOVZgt
HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host:
clients1.google.com[...]GET
/ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCE2eldOiK%2FSH
HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host:
clients1.google.com[...]GET
/ocsp/MEkwRzBFMEMwQTAJBgUrDgMCGgUABBTy4Gr5hYodjXCbSRkjeqm1Gih%2BZAQUSt0GFhu89mi1dvWBtrtiGrpagS8CCCheIn0e3sL1
HTTP/1.1[...]Cache-Control: max-age = 345600[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host:
clients1.google.com

• tcp 216.58.211.238 (clients1.google.com) :80 ---> 192.168.133.191:49234

HTTP/1.1 200 OK[...]Content-Type: application/ocsp-response[...]Date: Tue, 13 Jun 2017 09:49:27 GMT[...]Expires: Sat, 17 Jun 2017 09:49:27
GMT[...]Server: ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public,
max-age=345600[...]Age: 262756[...]20170613012235Z0k0i0A0[...]20170613012235Z[...]20170620012235Z0[...]@b)R[...]!5777[...]aHc^[...]HTTP/1.1 200
OK[...]Content-Type: application/ocsp-response[...]Date: Tue, 13 Jun 2017 09:49:27 GMT[...]Expires: Sat, 17 Jun 2017 09:49:27 GMT[...]Server:
ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public,
max-age=345600[...]Age: 262756[...]20170613012235Z0k0i0A0[...]20170613012235Z[...]20170620012235Z0[...]@b)R[...]!5777[...]aHc^[...]HTTP/1.1 200
OK[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 17:21:56 GMT[...]Expires: Fri, 16 Jun 2017 17:21:56 GMT[...]Server:
ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public,
max-age=345600[...]Age:
322009[...]20170612131103Z0k0i0A0[...]20170612131103Z[...]20170619131103Z0[...]$w!7b[...]w`jk0[...]&{,H}[...]{$`hK1[...]HTTP/1.1 200
OK[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 17:21:56 GMT[...]Expires: Fri, 16 Jun 2017 17:21:56 GMT[...]Server:
ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public,
max-age=345600[...]Age:
322009[...]20170612131103Z0k0i0A0[...]20170612131103Z[...]20170619131103Z0[...]$w!7b[...]w`jk0[...]&{,H}[...]{$`hK1[...]HTTP/1.1 200
OK[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 17:51:13 GMT[...]Expires: Fri, 16 Jun 2017 17:51:13 GMT[...]Server:
ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public,
max-age=345600[...]Age: 320255[...]20170612130441Z0k0i0A0[...](^"}[...]20170612130441Z[...]20170619130441Z0[...]c\'i]_[...]Ui-<o[...]\'WD#[...]HTTP/1.1
200 OK[...]Content-Type: application/ocsp-response[...]Date: Mon, 12 Jun 2017 17:51:13 GMT[...]Expires: Fri, 16 Jun 2017 17:51:13 GMT[...]Server:
ocsp_responder[...]Content-Length: 463[...]X-XSS-Protection: 1; mode=block[...]X-Frame-Options: SAMEORIGIN[...]Cache-Control: public,
max-age=345600[...]Age: 320255[...]20170612130441Z0k0i0A0[...](^"}[...]20170612130441Z[...]20170619130441Z0[...]c\'i]_[...]Ui-<o[...]\'WD#

• tcp 192.168.133.191:49241 ---> 23.37.43.27 (g.symcd.com) :80

GET /MEQwQjBAMD4wPDAJBgUrDgMCGgUABBSxtDkXkBa3l3lQEfFgudSiPNvt7gQUAPkqw0GRtsnCuD5V8sCXEROgByACAwI6kg%3D%3D HTTP/1.1[...]Cache-Control: max-age = 552307[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 14 May 2017 01:48:44 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: g.symcd.com

• tcp 23.37.43.27 (g.symcd.com) :80 ---> 192.168.133.191:49241

HTTP/1.1 200 OK[...]Server: nginx/1.10.2[...]Content-Type: application/ocsp-response[...]Content-Length: 1377[...]content-transfer-encoding: binary[...]Cache-Control: max-age=454066, public, no-transform, must-revalidate[...]Last-Modified: Wed, 14 Jun 2017 16:53:15 GMT[...]Expires: Wed, 21 Jun 2017 16:53:15 GMT[...]Date: Fri, 16 Jun 2017 10:48:51 GMT[...]Connection: keep-alive[...]20170614165315Z0f0d0<0[...]20170614165315Z[...]20170621165315Z0[...]B|8[[...]&DhDk;[...]GeoTrust Inc.1[...]GeoTrust Global CA0[...]161208112535Z[...]171214112535Z02100.[...]'GeoTrust Global CA TGV OCSP Responder 50[...]{/rD[...]TGV-OFF-570[...]N*Au[...]PO47[...]<;IA[...]K@7z

• tcp 192.168.133.191:49244 ---> 23.37.165.163 (crl.geotrust.com) :80

GET /crls/secureca.crl HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 14 May 2017 16:15:24 GMT[...]If-None-Match: "21ef18f1b96eec9a159bd5f47d18d381:1494778524"[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: crl.geotrust.com

• tcp 23.37.165.163 (crl.geotrust.com) :80 ---> 192.168.133.191:49244

HTTP/1.1 200 OK[...]Server: Apache[...]ETag: "e1b923383319a330c6146fb19a86e095:1497609052"[...]Last-Modified: Fri, 16 Jun 2017 10:30:52 GMT[...]Date: Fri, 16 Jun 2017 10:48:53 GMT[...]Content-Length: 325[...]Connection: keep-alive[...]Content-Type: application/pkix-crl[...]Equifax1-0+[...]$Equifax Secure Certificate Authority[...]170616102300Z[...]170626102300Z0,0[...]020514181157Z0[...]020515130611Z0[...]\'L3E[...]HTTP/1.1 200 OK[...]Server: Apache[...]ETag: "e1b923383319a330c6146fb19a86e095:1497609052"[...]Last-Modified: Fri, 16 Jun 2017 10:30:52 GMT[...]Date: Fri, 16 Jun 2017 10:48:53 GMT[...]Content-Length: 325[...]Connection: keep-alive[...]Content-Type: application/pkix-crl[...]Equifax1-0+[...]$Equifax Secure Certificate Authority[...]170616102300Z[...]170626102300Z0,0[...]020514181157Z0[...]020515130611Z0[...]\'L3E

• tcp 192.168.133.191:49247 ---> 93.184.220.20 (ocsp.omniroot.com) :80

GET /baltimoreroot/MEUwQzBBMD8wPTAJBgUrDgMCGgUABBTBL0V27RVZ7LBduom%2FnYB45SPUEwQU5Z1ZMIJHWMys%2BghUNoZ7OrUETfACBAcnqkc%3D HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]If-Modified-Since: Sun, 19 Mar 2017 01:20:03 GMT[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: ocsp.omniroot.com

• tcp 93.184.220.20 (ocsp.omniroot.com) :80 ---> 192.168.133.191:49247

HTTP/1.1 200 OK[...]Accept-Ranges: bytes[...]Content-Type: application/ocsp-response[...]Date: Fri, 16 Jun 2017 10:48:56 GMT[...]Last-Modified: Fri, 16 Jun 2017 07:36:24 GMT[...]Server: ECS (fcn/9F91)[...]X-Cache: HIT[...]Content-Length: 2920[...]20170616065544Z0[...]p0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0e0=0[...]20170606194027Z[...]20170901194027Z0[...]xM*f[...]Baltimore1[...]CyberTrust1"0[...]Baltimore CyberTrust Root0[...]150909174603Z[...]170909174536Z0%1#0![...]Cybertrust Validation 20150[...]h8GM[...]/D4n[...]=ZTeH[...]B=kOT[...]ZP}O[...]<nHO[...]CI/M{

• udp 192.168.133.254:67 ---> 192.168.133.191:68

localdomain[...]localdomain

• udp 192.168.133.191:60426 ---> 192.168.133.2:53

downloa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P1, cebo.exe)
    - Thread T5 (in process P2, hiwoo.exe)
    - Thread T12 (in process P4, cmd.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T4)
    - RegCreateKey (HKCU\\Software\\Microsoft\\Ynzym Desired Access: Query Value, Set Value, Disposition: REG_CREATED_NEW_KEY)
    - Process Create (C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe PID: P2, Command line: "C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe")
    - Process Create (C:\\Windows\\system32\\cmd.exe PID: P4, Command line: "C:\\Windows\\system32\\cmd.exe" /c "C:\\Users\\javi\\AppData\\Local\\Temp\\tmpe9349ba0.bat")
- **Thread T4 (in process P1, cebo.exe) description**

- **Thread's childs**
  - Thread T10 (in process P1, cebo.exe)
- **Thread' events**
  - Thread Create (Thread ID: T10)

• Thread T5 (in process P2, hiwoo.exe) description

- **Thread's childs**
  - Thread T6 (in process P2, hiwoo.exe)
- **Thread' events**
  - Thread Create (Thread ID: T6)

• Thread T6 (in process P2, hiwoo.exe) description

- **Thread's childs**
  - Thread T7 (in process P3, hiwoo.exe)
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)
  - Process Create (C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe PID: P3, Command line: "C:\\Users\\javi\\AppData\\Roaming\\Peab\\hiwoo.exe")

• Thread T7 (in process P3, hiwoo.exe) description

- **Thread's childs**
  - Thread T8 (in process P3, hiwoo.exe)
- **Thread' events**
  - Thread Create (Thread ID: T8)

• Thread T8 (in process P3, hiwoo.exe) description

- **Thread's childs**
  - Thread T9 (in process P3, hiwoo.exe)
- **Thread' events**
  - Thread Create (Thread ID: T9)

• Thread T9 (in process P3, hiwoo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T10 (in process P1, cebo.exe) description

- **Thread's childs**

  - Thread T11 (in process P1, cebo.exe)

- **Thread' events**

  - Thread Create (Thread ID: T11)

• Thread T11 (in process P1, cebo.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T12 (in process P4, cmd.exe) description

- **Thread's childs**

  - Thread T13 (in process P4, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T13)

• Thread T13 (in process P4, cmd.exe) description

- **Thread's childs**

  - Thread T14 (in process P4, cmd.exe)

- **Thread' events**

  - Thread Create (Thread ID: T14)
  - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Ynzym Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\Ynzym\\Xiyh Type: REG_BINARY, Length: 116, Data: 15 B9 6D A3 00 86 B8 7C 43 C8 16 2C E8 43 C4 14)

• Thread T14 (in process P4, cmd.exe) description

- **Thread's childs**
  - Thread T15 (in process P4, cmd.exe)
- **Thread' events**
  - Thread Create (Thread ID: T15)

• Thread T15 (in process P4, cmd.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 1 strings

• Module 1 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore

- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA

- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects

- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon

- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW

- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW

- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 1 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- OFTWARE\\Microsoft\\Ynzym
- Zevex
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4

- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2

- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj

- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- Pv u
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW

- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- t<8X
- Es_^[
- SVW3
- tz9]
- ^9=\\,
- Hu*j
- SUVW
- E|VV
- ;Ehu=

- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I
- Ph,I
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542
- 542
- 542
- 542
- 542
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2
- 502
- 5,2
- 5t-
- 5t-
- u#SSj
- D$8Ph
- tx9\\$
- 5(2
- +5|-

- f9;t|9}
- f3TE
- PhAL
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[

- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE
- PhXE
- Ph8E
- Ph(E
- Ph E
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)
- D$6P
- SVW3
- ,SV3
- 5,2
- 5,2
- |$0P
- =02
- B4A{*,
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8Knu
- t|9u
- 5,2
- t`W9]
- ta8]
- 5,2
- 5,2
- 5,2
- 5,2
- SUVWj

- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2
- 5,2
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj

- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2
- D$4P
- 5h#
- 5x#
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- "\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh

- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8

- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt

- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+

- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
-]^Nvju
- =JOvfs
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- PhDK
- PhDK
- QQW$
- vzh<K
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD
- PPPP
- VhXJ
- N(hhJ
- t"9=d*
- t*9=d-
- Vh`J
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P

- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC

- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD
- t(SW
- u|Pj<Z
- hx-
- D$;
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;

- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;

- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(
- PhbD
- Ph|(
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*

- tsh@D
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW

- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T
- D$ #S
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#
- h

- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5

- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- **Module 2 yara matches**

  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
  - Str_Win32_Internet_API (Match Windows Inet API call)
  - Str_Win32_Http_API (Match Windows Http API call)
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - HasModified_DOS_Message (DOS Message Check)
  - DebuggerCheck__QueryInfo ()
  - ThreadControl__Context ()
  - inject_thread (Code injection with CreateRemoteThread in a remote process)
  - network_http (Communications over HTTP)
  - network_dns (Communications use DNS)
  - network_dga (Communication using dga)
  - escalate_priv (Escalade priviledges)
  - screenshot (Take screenshot)
  - keylogger (Run a keylogger)
  - win_mutex (Create or check mutex)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - Advapi_Hash_API (Looks for advapi API functions)
  - CRC32_table (Look for CRC32 table)
  - CRC32_poly_Constant (Look for CRC32 [poly])

- **Module 2 strings**

  - **Module 2 most interesting strings**

    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
    - api | frequently used by malware: InternetCloseHandle
    - api | frequently used by malware: InternetReadFile
    - api | frequently used by malware: InternetQueryDataAvailable
    - api | frequently used by malware: CertDeleteCertificateFromStore
    - api | frequently used by malware: PFXImportCertStore
    - api | frequently used by malware: WSASend
    - api | frequently used by malware: CoCreateInstance
    - api | frequently used by malware: AdjustTokenPrivileges
    - api | frequently used by malware: OpenProcessToken
    - api | frequently used by malware: CryptGetHashParam
    - api | frequently used by malware: RegCloseKey
    - api | frequently used by malware: SetKeyboardState
    - api | frequently used by malware: GetMenu
    - api | frequently used by malware: PrintWindow
    - api | frequently used by malware: GetWindowThreadProcessId

- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW

- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu

- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint

- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW

- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 2 other strings

• {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
• Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
• Xiyh
• Qaokp
• Zevex
• etibu.kag
• %s%08x
• %s%08x.%s
• Local\\
• Global\\
• SeSecurityPrivilege
• ComSpec
• kernel32.dll
• e.dat
• SysShadow
• #32768
• ConsoleWindowClass
• CiceroUIWndFrame
• MDIClient
• SysListView32
• .exe
• TSeTcbPrivilege
• cGlobal\\%08X%08X%08X
• SeShutdownPrivilege
• DISPLAY
• 3$343D3T3d3t3
• 2$242D2T2d2t2
• 1$141D1T1d1t1
• 040D0T0d0t0
• 8$8+818>8E8^8f8
• 7J7S7a7r7z7
• 6T6Y6_6{6
• 4 4Y4
• 1%1%3
• 6#6K6s6
• 5E5S5
• 2'3<3A3y3
• 2$2K2o2y2
• 1E1X1
• <I<T<w=o>
• 809U9
• 3\t4-4?4T4
• 1R2n2~2
• 0o1}1
• 6V6h6{6
• 5!5'5C5W5d5
• 4>4N4o4
• 303P3[3
• 1L1f162E2
• R0r0
• B0[0
• <\t=i=
• 9\t:L:u:{:

- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <!="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9];i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9

- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=

- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vI`b
- Pv ub
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW

- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-d
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4Kb
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u

- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<Ib
- Ph,Ib
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542d
- 542d
- 542d
- 542d
- 542d
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2d
- 502d
- 5,2d
- 5t-d
- 5t-d
- u#SSj
- D$8Ph
- tx9\\$
- h4Gb
- 5(2d
- +5|-d
- f9;t|9}
- f3TE
- PhALc
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3

- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7c
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7c
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P

- 5,2d
- tl8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtEb
- hlEb
- PhXEb
- hPEb
- hHEb
- Ph8Eb
- Ph(Eb
- Ph Eb
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)d
- D$6P
- SVW3
- ,SV3
- 5,2d
- 5,2d
- |$0P
- =02d
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2d
- t`W9]
- ta8]
- 5,2d
- 5,2d
- 5,2d
- 5,2d
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;

- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2d
- 5,2d
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7lb
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak

- 2;t$
- s<9]
- D$0P
- 5,2d
- D$4P
- 5h#d
- 5x#d
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d

- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU

- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- _P_Z_d_2_n_<_
- F_(_
- =Q>w>
- =M>R>W>_>g>!??<?E?[?

- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;;;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal

- n;^
- j-WVs
- K<[p
- vp~b
- v)~b
- vq%c
- vq#c
- v+#c
- vS"c
- vc!c
- vj`b
-]^Nvjub
- =JOvfsb
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`Kb
- PhDKb
- hLKb
- PhDKb
- QQW$
- vzh<Kb
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,Kb
- h,Kb
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlDb
- PPPP
- VhXJb
- hTJb
- N(hhJb
- t"9=d*d
- t*9=d-d
- ^9=\\,d
- htJb
- hhJb
- h\\Jb

- Vh`Jb
- t$<j
- D$ P
- SSSj
- h$Jb
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(Db
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxHb
- h\\Hb
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(d
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW

- GF@;
- j"Xf
- j"Xf
- j Xf
- h Db
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlDb
- t(SW
- u|Pj<Z
- hx-d
- hhGb
- hTGb
- hDGb
- D$;
- h$Gb
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hALc
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R

- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h Gb
- h Gb
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h Gb
- Rj j
- %q#c
- t$$h
- C;\\$
- ~$VSW

- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*d
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)d
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P

- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(d
- PhbDb
- Ph|(d
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@Db
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(Db
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t

- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X

- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_Tb
- D$ #Sb
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#d
- h d
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK

- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |!{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v

- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)

- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 3 strings

• Module 3 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString

- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW

- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA

- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx

- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex

- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 3 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0

- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949

- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2

- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- l8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- Pv u
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll

- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E

- tA;]
- tE;u
- =<0s
- x< u
- t<8X
- Es_^[
- SVW3
- tz9]
- ^9=\\,
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I
- Ph,I
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- u#SSj
- D$8Ph

- tx9\\$
- +5|-
- f9;t|9}
- f3TE
- PhAL
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!

- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- tl8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE
- PhXE
- Ph8E
- Ph(E
- Ph E
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- D$6P
- SVW3
- ,SV3
- |$0P
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8anu
- t|9u
- t`W9]
- ta8]
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0

- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- D$4P
- Basic

- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV

- hozlFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x

- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- P Z d 2 n <
- F (
- =Q>w>
- =M>R>W>_>g>!??<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;.;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>

- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
-]^Nvju
- =JOvfs
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll

- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- PhDK
- PhDK
- QQW$
- vzh<K
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD
- PPPP
- VhXJ
- N(hhJ
- t"9=d*
- t*9=d-
- Vh`J
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV

- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD
- t(SW
- u|Pj<Z
- D$;
- _^[]
- WWWW
- SVWj

- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP

- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<

- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- PhbD
- Ph|(
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP

- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P

- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T
- D$ #S
- @_^[
- D$JPVh
- t%j
- QSVW
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8

- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/

- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

• Module 4 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)

- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 4 strings

• Module 4 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory

- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW

- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW

- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA

- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock

- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 4 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- Qaokp
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass

- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2I2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>

- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2I2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2

- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vp~0
- v)~0
- vq%1
- vq#1
- v+#1
- vS"1
- vc!1
- vj`0

- vI`0
-]^Nvju0
- Pv u0
- =JOvfs0
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u

- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-2
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- h`K0
- PhDK0
- hLK0
- PhDK0
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K0
- h,K0
- h,K0
- t<8X
- Es_^[
- SVW3
- VhXJ0
- tz9]
- hTJ0
- t"9=d*2
- t*9=d-2
- ^9=\\,2
- htJ0
- hhJ0
- h\\J0
- Vh`J0
- Hu*j
- SUVW
- h$J0
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E

- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- h(D0
- tBV3
- Ph<I0
- Ph,I0
- jDZ3
- t*9u
- h\\H0
- 9G;}
- AFf;
- A;L$
- =z(2
- A;L$
- h D0
- :0u
- ~iV3
- ~bV3
- 5422
- 5422
- 5422
- 5422
- 5422
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,22
- 5022
- 5,22
- 5t-2
- 5t-2
- hx-2
- u#SSj
- D$8Ph
- hhG0
- hTG0
- hDG0

- tx9\\$
- h4G0
- h$G0
- 5(22
- +5|-2
- f9;t|9}
- f3TE
- PhAL1
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- T$,hAL1
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr71
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr71
- KAF;
- ~0;u
- tBO3
- h G0
- Pj4Z
- h G0
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- h G0
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- %q#1
- tESW

- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- =h*2
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,22
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE0
- hlE0
- PhXE0
- hPE0
- hHE0
- Ph8E0
- Ph(E0
- Ph E0
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- %|)2
- 5|)2
- D$6P
- SVW3
- ,SV3
- 5,22
- 5,22
- |$0P

- h|(2
- PhbD0
- Ph|(2
- =022
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8tnu
- t|9u
- 5,22
- t`W9]
- ta8]
- 5,22
- 5,22
- 5,22
- 5,22
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- h(D0
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,22
- 5,22
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW

- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l0
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,22
- D$4P
- 5h#2
- 5x#2
- h`#2
- h 2
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close

- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07

- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown

- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- _P_Z_d_2_n_<_
- F_(_
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;.;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;l<'<<<J<l<
- ;-;K;};
- :(:l:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=

- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- QQW$
- vzh<K0
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht

- PSSj$S
- SSShlD0
- PPPP
- N(hhJ0
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH0
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;

- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD0
- t(SW
- u|Pj<Z
- D$;
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X

- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- f;GHsJ
- Pj\tX

- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- D$`P
- D$XP

- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D0
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh

- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P

- D$$_T0
- D$ #S0
- @_^[
- D$JPVh
- t%j
- QSVW
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC

- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

- **Module 5 (probably unpacked / injected by the sample)**

  - **Module 5 rich signatures**

  - **Module 5 yara matches**

    - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
    - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
    - Str_Win32_Internet_API (Match Windows Inet API call)
    - Str_Win32_Http_API (Match Windows Http API call)
    - IsPE32 ()
    - IsWindowsGUI ()
    - HasOverlay (Overlay Check)
    - HasModified_DOS_Message (DOS Message Check)
    - DebuggerCheck__QueryInfo ()
    - ThreadControl__Context ()
    - inject_thread (Code injection with CreateRemoteThread in a remote process)
    - network_http (Communications over HTTP)
    - network_dns (Communications use DNS)
    - network_dga (Communication using dga)
    - escalate_priv (Escalade priviledges)
    - screenshot (Take screenshot)
    - keylogger (Run a keylogger)
    - win_mutex (Create or check mutex)
    - win_registry (Affect system registries)
    - win_token (Affect system token)
    - win_files_operation (Affect private profile)
    - without_attachments (Rule to detect the no presence of any attachment)
    - without_images (Rule to detect the no presence of any image)
    - with_urls (Rule to detect the presence of an or several urls)
    - maldoc_find_kernel32_base_method_1 ()
    - contentis_base64 (This rule finds for base64 strings)
    - Advapi_Hash_API (Looks for advapi API functions)
    - CRC32_table (Look for CRC32 table)
    - CRC32_poly_Constant (Look for CRC32 [poly])

  - **Module 5 strings**

    - **Module 5 most interesting strings**

    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
    - path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
    - api | frequently used by malware: InternetCloseHandle
    - api | frequently used by malware: InternetReadFile
    - api | frequently used by malware: InternetQueryDataAvailable
    - api | frequently used by malware: CertDeleteCertificateFromStore
    - api | frequently used by malware: PFXImportCertStore
    - api | frequently used by malware: WSASend
    - api | frequently used by malware: CoCreateInstance
    - api | frequently used by malware: AdjustTokenPrivileges
    - api | frequently used by malware: OpenProcessToken

- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW

- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow

- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA

- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId

- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW

- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 5 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2

- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1

- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:l:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e

- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vI`*
- Pv u*
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW

- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-,
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K*
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P

- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I*
- Ph,I*
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542,
- 542,
- 542,
- 542,
- 542,
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2,
- 502,
- 5,2,
- 5t-,
- 5t-,
- u#SSj
- D$8Ph
- tx9\\$
- h4G*
- 5(2,
- +5|-,
- f9;t|9}
- f3TE
- PhAL+
- tf<0t
- D$,3

- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7+
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7+
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3

- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2,
- tl8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE*
- hlE*
- PhXE*
- hPE*
- hHE*
- Ph8E*
- Ph(E*
- Ph E*
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|),
- D$6P
- SVW3
- ,SV3
- 5,2,
- 5,2,
- |$0P
- =02,
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8nnu
- t|9u
- 5,2,
- t`W9]
- ta8]
- 5,2,
- 5,2,
- 5,2,
- 5,2,
- SUVWj
- D$8P
- |$8X

- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2,
- 5,2,
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l*
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV

- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2,
- D$4P
- 5h#,
- 5x#,
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1

- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozlFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6

- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp

- nspr4.dll
- -P-Z-d-2-n-<-
- F-(-
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j

- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vp~*
- v)~*
- vq%+
- vq#+
- v+#+
- vS"+
- vc!+
- vj`*
-]^Nvju*
- =JOvfs*
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K*
- PhDK*
- hLK*
- PhDK*
- QQW$
- vzh<K*
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K*
- h,K*
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD*
- PPPP
- VhXJ*
- hTJ*
- N(hhJ*
- t"9=d*,

- t*9=d-,
- ^9=\\,,
- htJ*
- hhJ*
- h\\J*
- Vh`J*
- t$<j
- D$ P
- SSSj
- h$J*
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D*
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH*
- h\\H*
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(,
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf

- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D*
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD*
- t(SW
- u|Pj<Z
- hx-,
- hhG*
- hTG*
- hDG*
- D$;
- h$G*
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL+
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP

- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G*
- h G*
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G*

- Rj j
- %q#+
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*,
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|),
- DDHP

- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(,
- PhbD*
- Ph|(,
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D*
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D*
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*

- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P

- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T*
- D$ #S*
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#,
- h ,
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%

- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;.0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll

- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 6 (probably unpacked / injected by the sample)

• Module 6 rich signatures

• Module 6 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)

- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 6 strings

• Module 6 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: KC:\\Users\\javi\\AppData\\Roaming
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep

- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW

- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW

- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose

- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority

- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 6 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Xiyh
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8

- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8

- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;;;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2

- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA

- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-?
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K=
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u

- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I=
- Ph,I=
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542?
- 542?
- 542?
- 542?
- 542?
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2?
- 502?
- 5,2?
- 5t-?
- 5t-?
- u#SSj
- D$8Ph
- tx9\\$
- h4G=
- 5(2?
- +5|-?
- f9;t|9}
- f3TE
- PhAL>
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;

- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7>
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7>
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2?

- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE=
- hlE=
- PhXE=
- hPE=
- hHE=
- Ph8E=
- Ph(E=
- Ph E=
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)?
- D$6P
- SVW3
- ,SV3
- 5,2?
- 5,2?
- |$0P
- =02?
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2?
- t`W9]
- ta8]
- 5,2?
- 5,2?
- 5,2?
- 5,2?
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d

- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2?
- 5,2?
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l=
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$

- s<9]
- D$0P
- 5,2?
- D$4P
- 5h#?
- 5x#?
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7

- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozlFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4

- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?

- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]

- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K=
- PhDK=
- hLK=
- PhDK=
- QQW$
- vzh<K=
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K=
- h,K=
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD=
- PPPP
- VhXJ=
- hTJ=
- N(hhJ=
- t"9=d*?
- t*9=d-?
- ^9=\\,?
- htJ=
- hhJ=
- h\\J=
- Vh`J=
- t$<j
- D$ P
- SSSj
- h$J=
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j

- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D=
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH=
- h\\H=
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(?
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D=
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj

- D$4Ph?SC
- t#SV
- t%hlD=
- t(SW
- u|Pj<Z
- hx-?
- hhG=
- hTG=
- hDG=
- D$;
- h$G=
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL>
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;

- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G=
- h G=
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G=
- Rj j
- %q#>
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*?
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf

- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)?
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(?
- PhbD=
- Ph|(?
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW

- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D=
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D=
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW

- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T=
- D$ #S=
- @_^[

- D$JPVh
- t%j
- QSVW
- h`#?
- h ?
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD

- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Pv]^Nv=JOv>
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- J-v='-v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK

- s$vP

• Module 7 (probably unpacked / injected by the sample)

• Module 7 rich signatures

• Module 7 yara matches

- XtremeRATStrings (XtremeRAT Identifying Strings)
- XtremeRAT (XtremeRAT)
- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- MinGW_1 ()
- ThreadControl__Context ()
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 7 strings

• Module 7 most interesting strings

- url | valid domains | tlds: ".vA#-v
- url | valid domains | tlds: -vQ3.vA
- registry | frequently modified by malware: SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: SuspendThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: LoadResource
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: RegCloseKey
- api | kernel32: GetModuleFileNameA
- api | ntdll: NtUnmapViewOfSection
- api | kernel32: VirtualAlloc
- api | ntdll: strcat
- api | ntdll: memset
- api | ntdll: memcpy
- api | ntdll: atoi
- api | ntdll: _errno

• api | kernel32: VirtualQuery
• api | kernel32: VirtualProtect
• api | kernel32: TerminateThread
• api | kernel32: SizeofResource
• api | kernel32: SetUnhandledExceptionFilter
• api | kernel32: SetThreadPriority
• api | kernel32: LockResource
• api | kernel32: GetModuleHandleA
• api | kernel32: GetCurrentThread
• api | kernel32: GetCurrentProcess
• api | kernel32: GetAtomNameA
• api | kernel32: FindResourceA
• api | kernel32: FindAtomA
• api | kernel32: DuplicateHandle
• api | kernel32: CopyFileA
• api | kernel32: CloseHandle
• api | kernel32: AddAtomA
• api | kernel32: RegSetValueExA
• api | kernel32: RegOpenKeyExA
• api | kernel32: VirtualQuery (addr, &b;, sizeof(b))

• Module 7 other strings

• 0.0.0.0
• Assembly Version
• 1.0.0.0
• ProductVersion
• Proxifier Stndard Edition
• ProductName
• temp.exe
• OriginalFilename
• 2003-2010 Initex Software
• Copyright
• LegalCopyright
• temp.exe
• InternalName
• 1.0.0.0
• FileVersion
• Proxifier
• FileDescription
• Initex Software
• CompanyName
• Proxifier Standard Edition v2.91
• Comments
• 000004b0
• StringFileInfo
• Translation
• VarFileInfo
• VS_VERSION_INFO
• 0000(
• EEUBT
• RT_RCDATA
• p123
• 148160
• 6336
• Kernel32

- 5PACreateProcessA
- SHELL32.DLL
- KERNEL32.dll
- ADVAPI32.DLL
- ShellExecuteA
- signal
- rewind
- perror
- malloc
- getenv
- fwrite
- ftell
- fseek
- free
- fread
- fopen
- fclose
- atexit
- abort
- _setmode
- _onexit
- _iob
- _cexit
- _assert
- __set_app_type
- __p__fmode
- __p__environ
- __getmainargs
- _write
- _open
- _close
- 0 && "Couldn\'t add GCClib shared data atom"
- ret->size == sizeof(__cygming_shared) && "GCClib shared data size mismatch"
- 0 && "Couldn\'t retrieve name of GCClib shared data atom"
- ../../../../gcc-4.4.1/libgcc/../gcc/config/i386/cygming-shared-data.c
- G../../runtime/pseudo-reloc.c
- monstartup: out of memory
- gmon.out
- _mcleanup: tos overflow
- 0000000170880
- 0000000015872
- open
- temp
- eeubT
- _Jv_RegisterClasses
- \\file.exe
- RT_RCDATA
- JtASBGE
- %0r@
- %4r@
- CH\\0@
- 8Pu#
- 5DR@
- ;5<@@
- ;5<@@
- 5@@@
- 5L@@

• $9P@
• ;P4u
• $9P@
• =4g@
• 58g@
• 5,g@
• 5 g@
• 7F9u
• .idata
• .rdata
• P`.data
• .text
• !This program cannot be run in DOS mode.
• DXSHL
• PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXX
• xwww
• ntdll
• msvcrt.dll
• msvcrt.dll
• strtok
• >-vF
• -v<n1v
• -vO!.vT
• -v,S/v]7.v
• p,v|
• -GCCLIBCYGMING-EH-TDM1-SJLJ-GTHR-MINGW32
• Qvztt
• DxshL
• libgcj_s.dll
• %lr@
• %Tr@
• %<r@
• %Dr@
• %\\r@
• %|r@
• %`r@
• %xr@
• %dr@
• %hr@
• %tr@
• %pr@
• %Pr@
• %@r@
• %,r@
• % r@
• ,[^_
• ,[^_
• ,[^_
• ,[^_
• $HQ@
• =@R@
• -@R@
• $pg@
• \\[^_]
• \\[^_]

- = @@
- $``@
- D$$@g@
- $BP@
- $@P@
- $>P@
- $``@
- $l@@
- .rsrc
- `@.bss

• Module 8 (probably unpacked / injected by the sample)

• Module 8 rich signatures

• Module 8 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 8 strings

• Module 8 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt

- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft\\Ynzym

- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW

- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor

- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap

- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA

- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 8 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- Qaokp
- Zevex
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3

- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0

- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;;;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6

- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- Pv u
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW

- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- t<8X
- Es_^[
- SVW3
- tz9]

- ^9=\\,
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I
- Ph,I
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- u#SSj
- D$8Ph
- tx9\\$
- +5|-
- f9;t|9}
- f3TE
- PhAL
- tf<0t
- D$,3
- D$8P

- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3

- D$4P
- D$4P
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE
- PhXE
- Ph8E
- Ph(E
- Ph E
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- D$6P
- SVW3
- ,SV3
- |$0P
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8Snu
- t|9u
- t`W9]
- ta8]
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak

- u ;t$
- SVWu
- f90u
- upGW
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- D$4P
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close

- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ

- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject

- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- _P_Z_d_2_n_<_
- F_(_
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>

- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
-]^Nvju
- =JOvfs
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj

- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- PhDK
- PhDK
- QQW$
- vzh<K
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD
- PPPP
- VhXJ
- N(hhJ
- t"9=d*
- t*9=d-
- Vh`J
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW

- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD
- t(SW
- u|Pj<Z
- D$;
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW

- D$dP
- L$XQ
- t$ 9t$
- T$,hAL
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- SVjG

- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf

- <H s
- [_^]
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- PhbD
- Ph|(
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;

- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj

- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T
- D$ #S
- @_^[
- D$JPVh
- t%j
- QSVW
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z

- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu

- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 9 (probably unpacked / injected by the sample)

• Module 9 rich signatures

• Module 9 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)

- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 9 strings

• Module 9 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread

- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor

- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop

- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW

- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA

- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 9 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- OFTWARE\\Microsoft\\Ynzym
- Zevex
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X

- SeShutdownPrivilege
- DISPLAY
- 3P3Z3d323n3<3
- F3(3
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2I2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:

- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1

- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vq%0
- vq#0
- v+#0
- vS"0
- vc!0
- vI`/
- Pv u/
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll

- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u

- xWuQ
- +5|-1
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K/
- t<8X
- Es_^[
- SVW3
- tz9]
- t"9=d*1
- t*9=d-1
- ^9=\\,1
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I/
- Ph,I/
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$

- =z(1
- A;L$
- :0u
- ~iV3
- ~bV3
- 5421
- 5421
- 5421
- 5421
- 5421
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,21
- 5021
- 5,21
- 5t-1
- 5t-1
- hx-1
- u#SSj
- D$8Ph
- tx9\\$
- h4G/
- 5(21
- +5|-1
- f9;t|9}
- f3TE
- PhAL0
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- T$,hAL0
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr70

- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr70
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- %q#0
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- =h*1
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,21
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u

- PhtE/
- hlE/
- PhXE/
- hPE/
- hHE/
- Ph8E/
- Ph(E/
- Ph E/
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- %|)1
- 5|)1
- D$6P
- SVW3
- ,SV3
- 5,21
- 5,21
- |$0P
- h|(1
- Ph|(1
- =021
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8snu
- t|9u
- 5,21
- t`W9]
- ta8]
- 5,21
- 5,21
- 5,21
- 5,21
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u

- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,21
- 5,21
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l/
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,21
- D$4P
- 5h#1
- 5x#1
- h`#1

- h 1
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371

- LLNI
- WOIV
- hozlFhi
- 6,.?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- .+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV

- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!??<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;.;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>

- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vp~/
- v)~/
- vj`/
-]^Nvju/
- =JOvfs/

- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K/
- PhDK/
- hLK/
- PhDK/
- QQW$
- vzh<K/
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K/
- h,K/
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD/
- PPPP
- VhXJ/
- hTJ/
- N(hhJ/
- htJ/
- hhJ/
- h\\J/
- Vh`J/
- t$<j
- D$ P
- SSSj
- h$J/
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$

- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D/
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH/
- h\\H/
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D/
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC

- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD/
- t(SW
- u|Pj<Z
- hhG/
- hTG/
- hDG/
- D$;
- h$G/
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX

- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G/
- h G/
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G/
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf

- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- PhbD/
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N

- ,*F*
- tsh@D/
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D/
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W

- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T/
- D$ #S/
- @_^[
- D$JPVh
- t%j
- QSVW

- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5

- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 10 (probably unpacked / injected by the sample)

• Module 10 rich signatures

- **Module 10 yara matches**

  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
  - Str_Win32_Internet_API (Match Windows Inet API call)
  - Str_Win32_Http_API (Match Windows Http API call)
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - HasModified_DOS_Message (DOS Message Check)
  - DebuggerCheck__QueryInfo ()
  - ThreadControl__Context ()
  - inject_thread (Code injection with CreateRemoteThread in a remote process)
  - network_http (Communications over HTTP)
  - network_dns (Communications use DNS)
  - network_dga (Communication using dga)
  - escalate_priv (Escalade priviledges)
  - screenshot (Take screenshot)
  - keylogger (Run a keylogger)
  - win_mutex (Create or check mutex)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - Advapi_Hash_API (Looks for advapi API functions)
  - CRC32_table (Look for CRC32 table)
  - CRC32_poly_Constant (Look for CRC32 [poly])

- **Module 10 strings**

  - **Module 10 most interesting strings**

    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - path | frequently modified by malware: KC:\\Users\\javi\\AppData\\Roaming
    - api | frequently used by malware: InternetCloseHandle
    - api | frequently used by malware: InternetReadFile
    - api | frequently used by malware: InternetQueryDataAvailable
    - api | frequently used by malware: CertDeleteCertificateFromStore
    - api | frequently used by malware: PFXImportCertStore
    - api | frequently used by malware: WSASend
    - api | frequently used by malware: CoCreateInstance
    - api | frequently used by malware: AdjustTokenPrivileges
    - api | frequently used by malware: OpenProcessToken
    - api | frequently used by malware: CryptGetHashParam
    - api | frequently used by malware: RegCloseKey
    - api | frequently used by malware: SetKeyboardState
    - api | frequently used by malware: GetMenu
    - api | frequently used by malware: PrintWindow
    - api | frequently used by malware: GetWindowThreadProcessId
    - api | frequently used by malware: GetUpdateRgn
    - api | frequently used by malware: SetCapture

- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA

- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW

- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW

- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc

- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 10 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Xiyh
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9

- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9];i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9

- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject

- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-B
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}

- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K@
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I@
- Ph,I@
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542B
- 542B
- 542B
- 542B
- 542B
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V

- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2B
- 502B
- 5,2B
- 5t-B
- 5t-B
- u#SSj
- D$8Ph
- tx9\\$
- h4G@
- 5(2B
- +5|-B
- f9;t|9}
- f3TE
- PhALA
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- T$,hALA
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7A
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7A
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D

- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- %q#A
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2B
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE@
- hlE@
- PhXE@
- hPE@
- hHE@
- Ph8E@
- Ph(E@
- Ph E@
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)B

- D$6P
- SVW3
- ,SV3
- 5,2B
- 5,2B
- |$0P
- =02B
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2B
- t`W9]
- ta8]
- 5,2B
- 5,2B
- 5,2B
- 5,2B
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2B
- 5,2B
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z

- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l@
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2B
- D$4P
- 5h#B
- 5x#B
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection

- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A

- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup

- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!??<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?

- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K@
- PhDK@
- hLK@
- PhDK@
- QQW$
- vzh<K@
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K@
- h,K@
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD@
- PPPP
- VhXJ@
- hTJ@

- N(hhJ@
- t"9=d*B
- t*9=d-B
- ^9=\\,B
- htJ@
- hhJ@
- h\\J@
- Vh`J@
- t$<j
- D$ P
- SSSj
- h$J@
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D@
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH@
- h\\H@
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(B
- PSSh
- tt;~

- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D@
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD@
- t(SW
- u|Pj<Z
- hx-B
- hhG@
- hTG@
- hDG@
- D$;
- h$G@
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- SVWQ
- PPPP
- WWWW
- SVWj

- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G@
- h G@
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[

- h G@
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*B
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)B
- DDHP

- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(B
- PhbD@
- Ph|(B
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D@
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D@
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*

- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P

- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T@
- D$ #S@
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#B
- h B
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%

- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;.0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll

- Pv]^Nv=JOv>
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- J-v='-v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 11 (probably unpacked / injected by the sample)

• Module 11 rich signatures

• Module 11 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)

- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 11 strings

• Module 11 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile

- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW

- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation

- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime

- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW

- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 11 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege

- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8

- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1{1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0

- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vI`,
- Pv u,
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC

- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-.
- QSV3
- @9D$
- DAVEu
- DAVEf

- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K,
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I,
- Ph,I,
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542.
- 542.
- 542.
- 542.
- 542.

- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2.
- 502.
- 5,2.
- 5t-.
- 5t-.
- u#SSj
- D$8Ph
- tx9\\$
- h4G,
- 5(2.
- +5|-.
- f9;t|9}
- f3TE
- PhAL-
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7-
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7-
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$luj

- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2.
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE,
- hIE,
- PhXE,
- hPE,
- hHE,
- Ph8E,
- Ph(E,
- Ph E,
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt

- A8MvuJ
- usSW
- t$<3
- 5|).
- D$6P
- SVW3
- ,SV3
- 5,2.
- 5,2.
- |$0P
- =02.
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8pou
- t|9u
- 5,2.
- t`W9]
- ta8]
- 5,2.
- 5,2.
- 5,2.
- 5,2.
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2.
- 5,2.
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3

- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l,
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2.
- D$4P
- 5h#.
- 5x#.
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003

- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,

- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders

- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- .P.Z.d.2.n.<.
- F.(.
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><

- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vp~,
- v)~,
- vq%-
- vq#-
- v+#-
- vS"-
- vc!-
- vj`,
-]^Nvju,
- =JOvfs,
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW

- tQWj
- QQSV
- D$HP
- SVWQ
- h`K,
- PhDK,
- hLK,
- PhDK,
- QQW$
- vzh<K,
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K,
- h,K,
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD,
- PPPP
- VhXJ,
- hTJ,
- N(hhJ,
- t"9=d*.
- t*9=d-.
- ^9=\\,.
- htJ,
- hhJ,
- h\\J,
- Vh`J,
- t$<j
- D$ P
- SSSj
- h$J,
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv

- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D,
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH,
- h\\H,
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(.
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D,
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD,
- t(SW

- u|Pj<Z
- hx-.
- hhG,
- hTG,
- hDG,
- D$;
- h$G,
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL-
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV

- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G,
- h G,
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G,
- Rj j
- %q#-
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*.
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;

- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|).
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(.
- PhbD,
- Ph|(.
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*

- tsh@D,
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D,
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P

- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T,
- D$ #S,
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#.

- h .
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":.(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB

- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 12 (probably unpacked / injected by the sample)

• Module 12 rich signatures

- **Module 12 yara matches**

  - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
  - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
  - Str_Win32_Internet_API (Match Windows Inet API call)
  - Str_Win32_Http_API (Match Windows Http API call)
  - IsPE32 ()
  - IsWindowsGUI ()
  - HasOverlay (Overlay Check)
  - HasModified_DOS_Message (DOS Message Check)
  - DebuggerCheck__QueryInfo ()
  - ThreadControl__Context ()
  - inject_thread (Code injection with CreateRemoteThread in a remote process)
  - network_http (Communications over HTTP)
  - network_dns (Communications use DNS)
  - network_dga (Communication using dga)
  - escalate_priv (Escalade priviledges)
  - screenshot (Take screenshot)
  - keylogger (Run a keylogger)
  - win_mutex (Create or check mutex)
  - win_registry (Affect system registries)
  - win_token (Affect system token)
  - win_files_operation (Affect private profile)
  - without_attachments (Rule to detect the no presence of any attachment)
  - without_images (Rule to detect the no presence of any image)
  - with_urls (Rule to detect the presence of an or several urls)
  - maldoc_find_kernel32_base_method_1 ()
  - contentis_base64 (This rule finds for base64 strings)
  - Advapi_Hash_API (Looks for advapi API functions)
  - CRC32_table (Look for CRC32 table)
  - CRC32_poly_Constant (Look for CRC32 [poly])

- **Module 12 strings**

  - **Module 12 most interesting strings**

  - url | http tag | valid domain | tlds: http://www.google.com/webhp
  - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
  - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
  - path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
  - api | frequently used by malware: InternetCloseHandle
  - api | frequently used by malware: InternetReadFile
  - api | frequently used by malware: InternetQueryDataAvailable
  - api | frequently used by malware: CertDeleteCertificateFromStore
  - api | frequently used by malware: PFXImportCertStore
  - api | frequently used by malware: WSASend
  - api | frequently used by malware: CoCreateInstance
  - api | frequently used by malware: AdjustTokenPrivileges
  - api | frequently used by malware: OpenProcessToken
  - api | frequently used by malware: CryptGetHashParam
  - api | frequently used by malware: RegCloseKey
  - api | frequently used by malware: SetKeyboardState
  - api | frequently used by malware: GetMenu

- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW

- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu

- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint

- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW

- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 12 other strings

• {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
• Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
• Xiyh
• OFTWARE\\Microsoft\\Ynzym
• Qaokp
• OFTWARE\\Microsoft\\Ynzym
• Zevex
• etibu.kag
• %s%08x
• %s%08x.%s
• Local\\
• Global\\
• SeSecurityPrivilege
• ComSpec
• kernel32.dll
• e.dat
• SysShadow
• #32768
• ConsoleWindowClass
• CiceroUIWndFrame
• MDIClient
• SysListView32
• .exe
• TSeTcbPrivilege
• cGlobal\\%08X%08X%08X
• SeShutdownPrivilege
• DISPLAY
• 3$343D3T3d3t3
• 2$242D2T2d2t2
• 1$141D1T1d1t1
• 040D0T0d0t0
• 8$8+818>8E8^8f8
• 7J7S7a7r7z7
• 6T6Y6_6{6
• 4 4Y4
• 1%1%3
• 6#6K6s6
• 5E5S5
• 2'3<3A3y3
• 2$2K2o2y2
• 1E1X1
• <I<T<w=o>
• 809U9
• 3\t4-4?4T4
• 1R2n2~2
• 0o1}1
• 6V6h6{6
• 5!5'5C5W5d5
• 4>4N4o4
• 303P3[3
• 1L1f162E2
• R0r0
• B0[0

- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;

- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4

- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vp~E
- v)~E
- vj`E
- vI`E
-]^NvjuE
- Pv uE
- =JOvfsE
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW

- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-G
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- h`KE
- PhDKE
- hLKE
- PhDKE
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4KE
- h,KE
- h,KE
- t<8X
- Es_^[
- SVW3
- VhXJE
- tz9]

- hTJE
- htJE
- hhJE
- h\\JE
- Vh`JE
- Hu*j
- SUVW
- h$JE
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- h(DE
- tBV3
- Ph<IE
- Ph,IE
- jDZ3
- t*9u
- h\\HE
- 9G;}
- AFf;
- A;L$
- A;L$
- h DE
- :0u
- ~iV3
- ~bV3
- 542G
- 542G
- 542G
- 542G
- 542G
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj

- j@[u$
- EpPV
- ElPj
- 5,2G
- 502G
- 5,2G
- 5t-G
- 5t-G
- u#SSj
- D$8Ph
- hhGE
- hTGE
- hDGE
- tx9\\$
- h4GE
- h$GE
- 5(2G
- +5|-G
- f9;t|9}
- f3TE
- PhALF
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7F
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7F
- KAF;
- ~0;u
- tBO3
- h GE
- Pj4Z
- h GE
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ

- t3jR
- t3jS
- D$0D
- u^9G
- h GE
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2G
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtEE
- hlEE
- PhXEE
- hPEE
- hHEE
- Ph8EE
- Ph(EE
- Ph EE
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ

- usSW
- t$<3
- 5|)G
- D$6P
- SVW3
- ,SV3
- 5,2G
- 5,2G
- |$0P
- PhbDE
- =02G
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2G
- t`W9]
- ta8]
- 5,2G
- 5,2G
- 5,2G
- 5,2G
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- h(DE
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2G
- 5,2G
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3

- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7lE
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2G
- D$4P
- 5h#G
- 5x#G
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003

- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,

- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders

- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- PPPZPdP2PnP<P
- FP(P
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><

- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vq%F
- vq#F
- v+#F
- vS"F
- vc!F
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- QQW$

- vzh<KE
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlDE
- PPPP
- N(hhJE
- t"9=d*G
- t*9=d-G
- ^9=\\,G
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxHE
- PSSj
- t!SSS
- Pj j

- F;t$
- v<SV
- =z(G
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlDE
- t(SW
- u|Pj<Z
- hx-G
- D$;
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hALF
- SVWQ
- PPPP
- WWWW

- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j

- %q#F
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*G
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)G
- DDHP
- tQf9:tL

- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(G
- Ph|(G
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@DE
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX

- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW

- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_TE
- D$ #SE
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#G
- h G
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+

- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP

- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 13 (probably unpacked / injected by the sample)

• Module 13 rich signatures

• Module 13 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 13 strings

• Module 13 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: KC:\\Users\\javi\\AppData\\Roaming
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString

- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW

- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA

- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx

- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex

- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 13 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Xiyh
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4

- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5

- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8

- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW

- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-&
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K$
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u

- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I$
- Ph,I$
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542&
- 542&
- 542&
- 542&
- 542&
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2&
- 502&
- 5,2&
- 5t-&
- 5t-&
- u#SSj
- D$8Ph
- tx9\\$
- h4G$
- 5(2&
- +5|-&
- f9;t|9}
- f3TE
- PhAL%
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;

- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7%
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7%
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2&
- tI8\\$
- 9t$$
- H4;H0u

- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE$
- hlE$
- PhXE$
- hPE$
- hHE$
- Ph8E$
- Ph(E$
- Ph E$
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)&
- D$6P
- SVW3
- ,SV3
- 5,2&
- 5,2&
- |$0P
- =02&
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8hnu
- t|9u
- 5,2&
- t`W9]
- ta8]
- 5,2&
- 5,2&
- 5,2&
- 5,2&
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u

- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2&
- 5,2&
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l$
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P

- 5,2&
- D$4P
- 5h#&
- 5x#&
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U

- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozlFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30

- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!??<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<

- ;.;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj

- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K$
- PhDK$
- hLK$
- PhDK$
- QQW$
- vzh<K$
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K$
- h,K$
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD$
- PPPP
- VhXJ$
- hTJ$
- N(hhJ$
- t"9=d*&
- t*9=d-&
- ^9=\\,&
- htJ$
- hhJ$
- h\\J$
- Vh`J$
- t$<j
- D$ P
- SSSj
- hJ
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj

- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D$
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH$
- h\\H$
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(&
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D$
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV

- t%hlD$
- t(SW
- u|Pj<Z
- hx-&
- hhG$
- hTG$
- hDG$
- D$;
- hG
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL%
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP

- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G$
- h G$
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G$
- Rj j
- %q#%
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*&
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt

- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)&
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(&
- PhbD$
- Ph|(&
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*

- }^@N
- ,*F*
- tsh@D$
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D$
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW

- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T$
- D$ #S$
- @_^[
- D$JPVh
- t%j

- QSVW
- h`#&
- h &
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD

- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Pv]^Nv=JOv>
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- J-v='-v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

- **Module 14 (probably unpacked / injected by the sample)**

  - **Module 14 rich signatures**

  - **Module 14 yara matches**

    - Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
    - Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
    - Str_Win32_Internet_API (Match Windows Inet API call)
    - Str_Win32_Http_API (Match Windows Http API call)
    - IsPE32 ()
    - IsWindowsGUI ()
    - HasOverlay (Overlay Check)
    - HasModified_DOS_Message (DOS Message Check)
    - DebuggerCheck__QueryInfo ()
    - ThreadControl__Context ()
    - inject_thread (Code injection with CreateRemoteThread in a remote process)
    - network_http (Communications over HTTP)
    - network_dns (Communications use DNS)
    - network_dga (Communication using dga)
    - escalate_priv (Escalade priviledges)
    - screenshot (Take screenshot)
    - keylogger (Run a keylogger)
    - win_mutex (Create or check mutex)
    - win_registry (Affect system registries)
    - win_token (Affect system token)
    - win_files_operation (Affect private profile)
    - without_attachments (Rule to detect the no presence of any attachment)
    - without_images (Rule to detect the no presence of any image)
    - with_urls (Rule to detect the presence of an or several urls)
    - maldoc_find_kernel32_base_method_1 ()
    - contentis_base64 (This rule finds for base64 strings)
    - Advapi_Hash_API (Looks for advapi API functions)
    - CRC32_table (Look for CRC32 table)
    - CRC32_poly_Constant (Look for CRC32 [poly])

  - **Module 14 strings**

    - **Module 14 most interesting strings**

    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
    - path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
    - api | frequently used by malware: InternetCloseHandle
    - api | frequently used by malware: InternetReadFile
    - api | frequently used by malware: InternetQueryDataAvailable
    - api | frequently used by malware: CertDeleteCertificateFromStore
    - api | frequently used by malware: PFXImportCertStore
    - api | frequently used by malware: WSASend
    - api | frequently used by malware: CoCreateInstance
    - api | frequently used by malware: AdjustTokenPrivileges
    - api | frequently used by malware: OpenProcessToken

- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW

- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow

- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA

- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId

- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW

- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 14 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2

- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1

- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:l:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e

- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- Pv u
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW

- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- t<8X
- Es_^[
- SVW3
- tz9]
- ^9=\\,
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u

- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I
- Ph,I
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- u#SSj
- D$8Ph
- tx9\\$
- +5|-
- f9;t|9}
- f3TE
- PhAL
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU

- D$4P
- t$0X
- t$8X
- udjj
- Phr7
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW

- tG9u
- PhtE
- PhXE
- Ph8E
- Ph(E
- Ph E
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- D$6P
- SVW3
- ,SV3
- |$0P
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8Xnu
- t|9u
- t`W9]
- ta8]
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u

- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- D$4P
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection

- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozlFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d

- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP

- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!??<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=

- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
-]^Nvju
- =JOvfs
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- PhDK
- PhDK
- QQW$
- vzh<K
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW

- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD
- PPPP
- VhXJ
- N(hhJ
- t"9=d*
- t*9=d-
- Vh`J
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- PSSh
- tt;~
- WtRj V

- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD
- t(SW
- u|Pj<Z
- D$;
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R

- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x

- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P

- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- PhbD
- Ph|(
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh

- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP

- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T
- D$ #S
- @_^[
- D$JPVh
- t%j
- QSVW
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):

- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -v!"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v

- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 15 (probably unpacked / injected by the sample)

• Module 15 rich signatures

• Module 15 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 15 strings

• Module 15 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- api | frequently used by malware: InternetCloseHandle

- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA

- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW

- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW

- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc

- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection

- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 15 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1

- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9

- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic

- Pv u
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u

- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-
- 2SVSj
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- 2_^[
- t@9u
- VWU2
- 2h`K
- 2hLK
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- t<8X
- Es_^[
- SVW3
- tz9]
- 2t"9=d*
- 2t*9=d-
- 2^9=\\,
- 2htJ
- Hu*j
- SUVW
- E|VV
- 2;Ehu=
- 2;D$
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M

- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I
- Ph,I
- jDZ3
- t*9u
- 9G;}
- AFf;
- 2A;L$
- 2t93
- A;L$
- :0u
- ~iV3
- ~bV3
- 29\\$
- 9-u,
- 29\\$
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- 2j2j
- EpPV
- ElPj
- 29\\$
- u#SSj
- D$8Ph
- 2hDG
- tx9\\$
- +5|-
- f9;t|9}
- f3TE
- PhAL
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X

- udjj
- Phr7
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- KAF;
- ~0;u
- tBO3
- Pj4Z
- 2_^[
- t9Wj
- 0t$Iuj
- SVWj6
- 2VRQ
- t3jQ
- t3jR
- t3jS
- 2RQP
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- 2_^3
- tESW
- Q0+Q(
- NuEj
- 2VW3
- 2PSSW
- 2SSS
- @u5W
- 2^[]
- tU;^
- 2^[]
- 2_^]
- u,j@j
- t1;z
- t[9]
- 2SSj
- u\t8]
- Vh7!
- f;OHr
- 2=L'
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- 2;D$
- D$4P

- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE
- PhXE
- Ph8E
- Ph(E
- Ph E
- tDj1
- t\t9}
- t/9}
- u+Ak
- 2SVW3
- 292t
- ?8Evt
- A8MvuJ
- usSW
- 2_^[
- t$<3
- 2[_^]
- 2^]_
- D$6P
- 2SP3
- SVW3
- ,SV3
- |$0P
- 2F;u
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 2_[^
- t|9u
- t`W9]
- 2PSh
- ta8]
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w

- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 2j Z
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- 2_^[
- t0-Z
- 2_^[
- 2_^]
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- 2h7l
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- 292t
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2VW3
- 2;t$

- s<9]
- D$0P
- D$4P
- 2u(j
- 2j4[
- 2h
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7

- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozlFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4

- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?

- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
-]^Nvju
- =JOvfs
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW

- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- PhDK
- PhDK
- QQW$
- vzh<K
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD
- PPPP
- VhXJ
- N(hhJ
- Vh`J
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV

- VSj"
- w(PV
- QQSVW
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD
- t(SW
- u|Pj<Z
- D$;
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj

- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP

- SVWQ
- LVjY
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- t`VS
- VWj
- jDZRW
- tT;^
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP

- t$(X
- j Zf
- <H s
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- PhbD
- Ph|(
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$

- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X

- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- 2t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T
- D$ #S
- @_^[
- D$JPVh
- t%j
- QSVW
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%

- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;.0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll

- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 16 (probably unpacked / injected by the sample)

• Module 16 rich signatures

• Module 16 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)

- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 16 strings

• Module 16 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\letibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess

- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl

- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop

- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW

- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime

- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 16 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege

- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2I2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4

- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2I2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=

- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vI`%
- Pv u%
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn

- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-'
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3

- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K%
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I%
- Ph,I%
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542'
- 542'
- 542'
- 542'
- 542'
- 9-u,
- D$0P

- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2'
- 502'
- 5,2'
- 5t-'
- 5t-'
- u#SSj
- D$8Ph
- tx9\\$
- h4G%
- 5(2'
- +5|-'
- f9;t|9}
- f3TE
- PhAL&
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7&
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7&
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ

- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2'
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE%
- hlE%
- PhXE%
- hPE%
- hHE%
- Ph8E%
- Ph(E%
- Ph E%
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW

- t$<3
- 5|)'
- D$6P
- SVW3
- ,SV3
- 5,2'
- 5,2'
- |$0P
- =02'
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- 8inu
- t|9u
- 5,2'
- t`W9]
- ta8]
- 5,2'
- 5,2'
- 5,2'
- 5,2'
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2'
- 5,2'
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3

- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l%
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2'
- D$4P
- 5h#'
- 5x#'
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity

- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79

- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage

- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;.;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=

- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vp~%
- v)~%
- vq%&
- vq#&
- v+#&
- vS"&
- vc!&
- vj`%
-]^Nvju%
- =JOvfs%
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ

- h`K%
- PhDK%
- hLK%
- PhDK%
- QQW$
- vzh<K%
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K%
- h,K%
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD%
- PPPP
- VhXJ%
- hTJ%
- N(hhJ%
- t"9=d*\'
- t*9=d-'
- ^9=\\,'
- htJ%
- hhJ%
- h\\J%
- Vh`J%
- t$<j
- D$ P
- SSSj
- h$J%
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x

- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D%
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH%
- h\\H%
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z('
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D%
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD%
- t(SW
- u|Pj<Z
- hx-'
- hhG%
- hTG%

- hDG%
- D$;
- h$G%
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL&
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX

- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G%
- h G%
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G%
- Rj j
- %q#&
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*'
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$

- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)'
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|('
- PhbD%
- Ph|('
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D%
- j.Xf
- SVWj
- t]SVj

- _^][
- p$VVS
- D$PP
- D$HP
- h(D%
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP

- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T%
- D$ #S%
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#'
- h '
- #Wj@h
- Pj@j
- nbsp;

- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`](#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm

- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 17 (probably unpacked / injected by the sample)

• Module 17 rich signatures

• Module 17 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 17 strings

• Module 17 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop

- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData

- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW

- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx

- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW

- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 17 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}

- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- OFTWARE\\Microsoft\\Ynzym
- Zevex
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7

- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;;;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2

- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7

- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vI`v
- Pv uv
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW

- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-x
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4Kv
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u

- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<Iv
- Ph,Iv
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542x
- 542x
- 542x
- 542x
- 542x
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2x
- 502x
- 5,2x
- 5t-x
- 5t-x
- u#SSj
- D$8Ph
- tx9\\$
- h4Gv
- 5(2x
- +5|-x
- f9;t|9}
- f3TE
- PhALw
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P

- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7w
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7w
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2x
- tI8\\$
- 9t$$

- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtEv
- hlEv
- PhXEv
- hPEv
- hHEv
- Ph8Ev
- Ph(Ev
- Ph Ev
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)x
- D$6P
- SVW3
- ,SV3
- 5,2x
- 5,2x
- |$0P
- =02x
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2x
- t`W9]
- ta8]
- 5,2x
- 5,2x
- 5,2x
- 5,2x
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u

- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2x
- 5,2x
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7lv
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P

- 5,2x
- D$4P
- 5h#x
- 5x#x
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U

- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozlFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30

- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- yPyZydy2yny<y
- Fy(y
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?

- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p

- vp~v
- v)~v
- vq%w
- vq#w
- v+#w
- vS"w
- vc!w
- vj`v
-]^Nvjuv
- =JOvfsv
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`Kv
- PhDKv
- hLKv
- PhDKv
- QQW$
- vzh<Kv
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,Kv
- h,Kv
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlDv
- PPPP
- VhXJv
- hTJv
- N(hhJv
- t"9=d*x
- t*9=d-x
- ^9=\\,x
- htJv
- hhJv
- h\\Jv
- Vh`Jv
- t$<j
- D$ P

- SSSj
- h$Jv
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(Dv
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxHv
- h\\Hv
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(x
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf

- j Xf
- h Dv
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlDv
- t(SW
- u|Pj<Z
- hx-x
- hhGv
- hTGv
- hDGv
- D$;
- h$Gv
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hALw
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX

- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h Gv
- h Gv
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h Gv
- Rj j
- %q#w
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj

- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*x
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)x
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P

- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(x
- PhbDv
- Ph|(x
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@Dv
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(Dv
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt

- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW

- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_Tv
- D$ #Sv
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#x
- h x
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&

- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v

- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 18 (probably unpacked / injected by the sample)

• Module 18 rich signatures

• Module 18 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

- **Module 18 strings**

  - **Module 18 most interesting strings**

    - url | http tag | valid domain | tlds: http://www.google.com/webhp
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
    - path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
    - api | frequently used by malware: InternetCloseHandle
    - api | frequently used by malware: InternetReadFile
    - api | frequently used by malware: InternetQueryDataAvailable
    - api | frequently used by malware: CertDeleteCertificateFromStore
    - api | frequently used by malware: PFXImportCertStore
    - api | frequently used by malware: WSASend
    - api | frequently used by malware: CoCreateInstance
    - api | frequently used by malware: AdjustTokenPrivileges
    - api | frequently used by malware: OpenProcessToken
    - api | frequently used by malware: CryptGetHashParam
    - api | frequently used by malware: RegCloseKey
    - api | frequently used by malware: SetKeyboardState
    - api | frequently used by malware: GetMenu
    - api | frequently used by malware: PrintWindow
    - api | frequently used by malware: GetWindowThreadProcessId
    - api | frequently used by malware: GetUpdateRgn
    - api | frequently used by malware: SetCapture
    - api | frequently used by malware: OpenInputDesktop
    - api | frequently used by malware: GetUpdateRect
    - api | frequently used by malware: GetDC
    - api | frequently used by malware: TranslateMessage
    - api | frequently used by malware: GetClipboardData
    - api | frequently used by malware: GetMessagePos
    - api | frequently used by malware: SetThreadContext
    - api | frequently used by malware: GetThreadContext
    - api | frequently used by malware: VirtualAllocEx
    - api | frequently used by malware: VirtualProtectEx
    - api | frequently used by malware: GetTimeZoneInformation
    - api | frequently used by malware: Thread32Next
    - api | frequently used by malware: ReadProcessMemory
    - api | frequently used by malware: WideCharToMultiByte
    - api | frequently used by malware: Thread32First
    - api | frequently used by malware: SetFileTime
    - api | frequently used by malware: WriteProcessMemory
    - api | frequently used by malware: MapViewOfFile
    - api | frequently used by malware: CreateToolhelp32Snapshot
    - api | frequently used by malware: OpenProcess
    - api | frequently used by malware: CreateRemoteThread
    - api | frequently used by malware: WriteFile
    - api | frequently used by malware: GetNativeSystemInfo
    - api | frequently used by malware: ExitProcess
    - api | frequently used by malware: CreateThread
    - api | frequently used by malware: Sleep
    - api | frequently used by malware: GetTickCount
    - api | frequently used by malware: GetProcAddress
    - api | frequently used by malware: ObtainUserAgentString
    - api | frequently used by malware: LdrLoadDll
    - api | frequently used by malware: NtQueryInformationProcess

- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW

- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA

- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx

- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex

- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 18 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- Qaokp
- Zevex
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0

- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949

- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2

- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- l8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vI`r
- Pv ur
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject

- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-t
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]

- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4Kr
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<Ir
- Ph,Ir
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542t
- 542t
- 542t
- 542t
- 542t
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u

- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2t
- 502t
- 5,2t
- 5t-t
- 5t-t
- u#SSj
- D$8Ph
- tx9\\$
- h4Gr
- 5(2t
- +5|-t
- f9;t|9}
- f3TE
- PhALs
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7s
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7s
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj

- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2t
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtEr
- hlEr
- PhXEr
- hPEr
- hHEr
- Ph8Er
- Ph(Er
- Ph Er
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)t
- D$6P
- SVW3
- ,SV3

- 5,2t
- 5,2t
- |$0P
- =02t
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2t
- t`W9]
- ta8]
- 5,2t
- 5,2t
- 5,2t
- 5,2t
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2t
- 5,2t
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$

- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7lr
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2t
- D$4P
- 5h#t
- 5x#t
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization

- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}

- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close

- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- _P_Z_d_2_n_<_
- F_(_
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;;;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>

- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vp~r
- v)~r
- vq%s
- vq#s
- v+#s
- vS"s
- vc!s
- vj`r
-]^Nvjur
- =JOvfsr
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`Kr
- PhDKr
- hLKr
- PhDKr

- QQW$
- vzh<Kr
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,Kr
- h,Kr
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlDr
- PPPP
- VhXJr
- hTJr
- N(hhJr
- t"9=d*t
- t*9=d-t
- ^9=\\,t
- htJr
- hhJr
- h\\Jr
- Vh`Jr
- t$<j
- D$ P
- SSSj
- h$Jr
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV

- QQSVW
- h(Dr
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxHr
- h\\Hr
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(t
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h Dr
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlDr
- t(SW
- u|Pj<Z
- hx-t
- hhGr
- hTGr
- hDGr
- D$;
- h$Gr
- _^[]

- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hALs
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj

- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h Gr
- h Gr
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h Gr
- Rj j
- %q#s
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*t
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P

- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)t
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(t
- PhbDr
- Ph|(t
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@Dr
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP

- h(Dr
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV

- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_Tr
- D$ #Sr
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#t
- h t
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"

- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo

-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 19 (probably unpacked / injected by the sample)

• Module 19 rich signatures

• Module 19 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 19 strings

• Module 19 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData

- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore

- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu

- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos

- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW

- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 19 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp

- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0

- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2I2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2I2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6

- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=

- xa Z
- i<zhe
- +r8
- nonic
- vI`<
- Pv u<
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u

- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|->
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K<
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]

- tBV3
- Ph<I<
- Ph,I<
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542>
- 542>
- 542>
- 542>
- 542>
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2>
- 502>
- 5,2>
- 5t->
- 5t->
- u#SSj
- D$8Ph
- tx9\\$
- h4G<
- 5(2>
- +5|->
- f9;t|9}
- f3TE
- PhAL=
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU

- D$4P
- t$0X
- t$8X
- udjj
- Phr7=
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7=
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2>
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h

- D$8P
- 4SVW
- tG9u
- PhtE<
- hlE<
- PhXE<
- hPE<
- hHE<
- Ph8E<
- Ph(E<
- Ph E<
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)>
- D$6P
- SVW3
- ,SV3
- 5,2>
- 5,2>
- |$0P
- =02>
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2>
- t`W9]
- ta8]
- 5,2>
- 5,2>
- 5,2>
- 5,2>
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]

- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2>
- 5,2>
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l<
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2>
- D$4P
- 5h#>
- 5x#>
- Basic
- aeiouy

- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi

- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T

- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- ?P?Z?d?2?n?<?
- F?(?
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=

- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vp~<
- v)~<
- vq%=
- vq#=
- v+#=
- vS"=

- vc!=
- vj`<
-]^Nvju<
- =JOvfs<
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K<
- PhDK<
- hLK<
- PhDK<
- QQW$
- vzh<K<
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K<
- h,K<
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD<
- PPPP
- VhXJ<
- hTJ<
- N(hhJ<
- t"9=d*>
- t*9=d->
- ^9=\\,>
- htJ<
- hhJ<
- h\\J<
- Vh`J<
- t$<j
- D$ P
- SSSj
- h$J<
- PVVS
- t!VV
- tkSW
- Q@Pj

- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D<
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH<
- h\\H<
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(>
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D<
- j\tZf;
- j\t^$
- QSVW
- _^[]

- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD<
- t(SW
- u|Pj<Z
- hx->
- hhG<
- hTG<
- hDG<
- D$;
- h$G<
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL=
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ

- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G<
- h G<
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G<
- Rj j
- %q#=
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW

- tT;^
- =h*>
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)>
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf

- SWSSS
- SVWj
- L$PP
- h|(>
- PhbD<
- Ph|(>
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D<
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D<
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW

- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt

- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T<
- D$ #S<
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#>
- h >
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht

- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd

- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 20 (probably unpacked / injected by the sample)

• Module 20 rich signatures

• Module 20 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 20 strings

• Module 20 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming

- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA

- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW

- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW

- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc

- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection

- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 20 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5

- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <!="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5

- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- <$8+
- cz7u
- 'zv8
- }M,Uq
- Uh3V.
- 'yZb4
- NkaM6
- Ec,"
- 3/RRe
- AtRL
- _;|2
- NQIS5
- ue(EV

- E>ky
- TK>o
- {ywu
- d!bHu
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW

- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-B
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K@
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u

- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I@
- Ph,I@
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542B
- 542B
- 542B
- 542B
- 542B
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2B
- 502B
- 5,2B
- 5t-B
- 5t-B
- u#SSj
- D$8Ph
- tx9\\$
- h4G@
- 5(2B
- +5|-B
- f9;t|9}
- f3TE
- PhALA
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3

- T$,hALA
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7A
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7A
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- %q#A
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3

- D$4P
- D$4P
- 5,2B
- tl8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE@
- hlE@
- PhXE@
- hPE@
- hHE@
- Ph8E@
- Ph(E@
- Ph E@
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)B
- D$6P
- SVW3
- ,SV3
- 5,2B
- 5,2B
- |$0P
- =02B
- z,OZ*
- D$(2
- t|9u
- 5,2B
- t`W9]
- ta8]
- 5,2B
- 5,2B
- 5,2B
- 5,2B
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;

- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2B
- 5,2B
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l@
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak

- 2;t$
- s<9]
- D$0P
- 5,2B
- D$4P
- 5h#B
- 5x#B
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d

- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- lJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU

- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<

- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;.;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- G<%n
- Ft|'
- W\\J~
- yTfX
- `nNv
- TzNk
- .x{>
- d!"nxT9
- RZ,M
- sNS_
- <-+c
- TPZ!

- %";@^
- `z=+
- %__Cw
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K@
- PhDK@
- hLK@
- PhDK@
- QQW$
- vzh<K@
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K@
- h,K@
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD@
- PPPP
- VhXJ@
- hTJ@
- N(hhJ@
- t"9=d*B
- t*9=d-B
- ^9=\\,B
- htJ@
- hhJ@
- h\\J@
- Vh`J@
- t$<j
- D$ P
- SSSj
- h$J@

- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D@
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH@
- h\\H@
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(B
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D@

- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD@
- t(SW
- u|Pj<Z
- hx-B
- hhG@
- hTG@
- hDG@
- D$;
- h$G@
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX

- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G@
- h G@
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G@
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS

- VWj
- jDZRW
- tT;^
- =h*B
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)B
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P

- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(B
- PhbD@
- Ph|(B
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- D$pP
- D$lPh
- D$pP
- D$lP
- D$DP
- D$HP
- D$lP
- D$pP
- D$,P
- tsh@D@
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D@
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j

- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&

- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T@
- D$ #S@
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#B
- h B
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]

- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX\|_XL^Y\|gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Pv]^Nv=JOv>
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v

- J-v='-v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 21 (probably unpacked / injected by the sample)

• Module 21 rich signatures

• Module 21 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)

- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 21 strings

• Module 21 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll

- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount

- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect

- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar

- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle

- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 21 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5

- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1

- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- <$8+
- cz7u
- 'zv8

- }M,Uq
- Uh3V.
- 'yZb4
- NkaM6
- Ec,"
- 3/RRe
- AtRL
- _;|2
- NQlS5
- ue(EV
- E>ky
- TK>o
- {ywu
- d!bHu
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW

- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-B
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- h4K@
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=

- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I@
- Ph,I@
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542B
- 542B
- 542B
- 542B
- 542B
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- 5,2B
- 502B
- 5,2B
- 5t-B
- 5t-B
- u#SSj
- D$8Ph
- tx9\\$
- h4G@
- 5(2B

- +5|-B
- f9;t|9}
- f3TE
- PhALA
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- T$,hALA
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7A
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7A
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!
- >0u!
- %q#A
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]

- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2B
- tl8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE@
- hlE@
- PhXE@
- hPE@
- hHE@
- Ph8E@
- Ph(E@
- Ph E@
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)B
- D$6P
- SVW3
- ,SV3
- 5,2B
- 5,2B
- |$0P
- =02B
- z,OZ*
- D$(2
- t|9u
- 5,2B
- t`W9]
- ta8]
- 5,2B
- 5,2B

- 5,2B
- 5,2B
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2B
- 5,2B
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7l@
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj

- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2B
- D$4P
- 5h#B
- 5x#B
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo

-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1

- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)

- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- G<%n
- Ft|'

- W\\J~
- yTfX
- `nNv
- TzNk
- .x{>
- d!"nxT9
- RZ,M
- sNS_
- <-+c
- TPZ!
- %";@^
- `z=+
- %__Cw
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`K@
- PhDK@
- hLK@
- PhDK@
- QQW$
- vzh<K@
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,K@
- h,K@
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD@
- PPPP
- VhXJ@
- hTJ@
- N(hhJ@
- t"9=d*B

- t*9=d-B
- ^9=\\,B
- htJ@
- hhJ@
- h\\J@
- Vh`J@
- t$<j
- D$ P
- SSSj
- h$J@
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(D@
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH@
- h\\H@
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- =z(B
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf

- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h D@
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlD@
- t(SW
- u|Pj<Z
- hx-B
- hhG@
- hTG@
- hDG@
- D$;
- h$G@
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV

- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h G@
- h G@
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- h G@
- Rj j

- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*B
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- %|)B
- DDHP
- tQf9:tL
- Pj>Z

- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(B
- PhbD@
- Ph|(B
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- D$pP
- D$lPh
- D$pP
- D$lP
- D$DP
- D$HP
- D$lP
- D$pP
- D$,P
- tsh@D@
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(D@
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W

- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X

- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T@
- D$ #S@
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#B
- h B
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d

- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>

- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Pv]^Nv=JOv>
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- J-v='-v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 22 (probably unpacked / injected by the sample)

• Module 22 rich signatures

• Module 22 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)

- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 22 strings

• Module 22 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming\\Ecefyt
- path | frequently modified by malware: :\\Users\\javi\\AppData\\Roaming\\Ecefyt\\etibu.kag
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile

- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo
- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl

- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW
- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation

- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture
- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle

- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects
- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW

- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 22 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- OFTWARE\\Microsoft\\Ynzym
- Qaokp
- etibu.kag
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll
- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame

- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:
- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7

- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;:;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2l2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0
- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?

- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- lJ 9
- eqnI
- P;*Ha
- 1*O6
- VzeE
- u!8``
- aAZX
- TuUo
- m6Hmj
- EMv9
- pQ+uR
-),z6
- ?sL4)
- tu^E@m
- |7nR
- I8C:n/3e
- 7?5"
- Ag4
- |x@2"
- M(E=
- ."1
- GV9$
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- Pv u
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps

- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll
- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-
- QSV3

- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E
- tA;]
- tE;u
- =<0s
- x< u
- t<8X
- Es_^[
- SVW3
- tz9]
- ^9=\\,
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<I
- Ph,I
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 9-u,
- D$0P

- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj
- j@[u$
- EpPV
- ElPj
- u#SSj
- D$8Ph
- tx9\\$
- +5|-
- f9;t|9}
- f3TE
- PhAL
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj
- uw!E
- 0Vj2
- >0u!

- >0u!
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtE
- PhXE
- Ph8E
- Ph(E
- Ph E
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- D$6P
- SVW3
- ,SV3
- |$0P
- B4AD,,
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- t`W9]

- ta8]
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E
- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj

- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- D$4P
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding
- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~

- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP
- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b

- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read
- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>

- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,;:;f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </<><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?
- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(??<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- Wz?G
- ,z?(
- RPgWm
- ZN].
- nZ>*j
- nms+
- GKL(
- #.zf
- wn>Jj

- Qkkbal
- n;^
- j-WVs
- K<[p
-]^Nvju
- =JOvfs
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- PhDK
- PhDK
- QQW$
- vzh<K
- _^[]
- j%Zf
- t@<\tt<<&u-;
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S
- SSShlD
- PPPP
- VhXJ
- N(hhJ
- t"9=d*
- t*9=d-
- Vh`J
- t$<j
- D$ P
- SSSj
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;

- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxH
- PSSj
- t!SSS
- Pj j
- F;t$
- v<SV
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj

- D$4Ph?SC
- t#SV
- t%hlD
- t(SW
- u|Pj<Z
- D$;
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$
- T$,hAL
- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW

- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- SVjG
- PSSS
- t'jD
- Pj(Z
- D$(P
- D$lP
- PH_^[
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV

- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf
- <H s
- [_^]
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- PhbD
- Ph|(
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@D
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP

- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W
- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW

- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X
- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_T
- D$ #S
- @_^[
- D$JPVh
- t%j
- QSVW
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.

- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d
- HyQ&
- :3(*4":`](#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |!{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz

- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>
- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vl"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP

• Module 23 (probably unpacked / injected by the sample)

• Module 23 rich signatures

• Module 23 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Str_Win32_Http_API (Match Windows Http API call)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)

- HasModified_DOS_Message (DOS Message Check)
- DebuggerCheck__QueryInfo ()
- ThreadControl__Context ()
- inject_thread (Code injection with CreateRemoteThread in a remote process)
- network_http (Communications over HTTP)
- network_dns (Communications use DNS)
- network_dga (Communication using dga)
- escalate_priv (Escalade priviledges)
- screenshot (Take screenshot)
- keylogger (Run a keylogger)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Advapi_Hash_API (Looks for advapi API functions)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 23 strings

• Module 23 most interesting strings

- url | http tag | valid domain | tlds: http://www.google.com/webhp
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Roaming
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: CertDeleteCertificateFromStore
- api | frequently used by malware: PFXImportCertStore
- api | frequently used by malware: WSASend
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: CryptGetHashParam
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: PrintWindow
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: GetUpdateRgn
- api | frequently used by malware: SetCapture
- api | frequently used by malware: OpenInputDesktop
- api | frequently used by malware: GetUpdateRect
- api | frequently used by malware: GetDC
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetMessagePos
- api | frequently used by malware: SetThreadContext
- api | frequently used by malware: GetThreadContext
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: VirtualProtectEx

- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: Thread32First
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: CreateRemoteThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: CreateThread
- api | frequently used by malware: Sleep
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Accept-Encoding
- api | frequently used by malware: BitBlt
- registry: SOFTWARE\\Microsoft\\Ynzym
- registry: SOFTWARE\\Microsoft
- url | http tag: https://
- url | http tag: http://
- api | wininet: InternetQueryOptionA
- api | wininet: InternetSetOptionA
- api | wininet: InternetQueryOptionW
- api | wininet: InternetOpenA
- api | wininet: HttpOpenRequestA
- api | wininet: InternetCrackUrlA
- api | wininet: InternetConnectA
- api | wininet: HttpAddRequestHeadersA
- api | wininet: HttpAddRequestHeadersW
- api | wininet: InternetSetStatusCallbackW
- api | wininet: GetUrlCacheEntryInfoW
- api | wininet: HttpSendRequestA
- api | wininet: HttpSendRequestW
- api | wininet: InternetReadFileExA
- api | wininet: HttpSendRequestExW
- api | wininet: HttpQueryInfoA
- api | wininet: HttpSendRequestExA
- api | crypt32: CryptUnprotectData
- api | crypt32: PFXExportCertStoreEx
- api | crypt32: CertDuplicateCertificateContext
- api | crypt32: CertEnumCertificatesInStore
- api | crypt32: CertCloseStore
- api | crypt32: CertOpenSystemStoreW
- api | ws2_32: WSAIoctl
- api | ws2_32: WSAAddressToStringW
- api | ws2_32: WSAEventSelect
- api | ws2_32: getaddrinfo

- api | ws2_32: freeaddrinfo
- api | netapi: NetUserEnum
- api | netapi: NetApiBufferFree
- api | netapi: NetUserGetInfo
- api | advapi32: CryptHashData
- api | kernel32: RegSetValueExW
- api | advapi32: CryptDestroyHash
- api | advapi32: SetSecurityDescriptorSacl
- api | advapi32: GetSecurityDescriptorSacl
- api | advapi32: ConvertStringSecurityDescriptorToSecurityDescriptorW
- api | advapi32: CryptCreateHash
- api | advapi32: LookupPrivilegeValueW
- api | advapi32: SetNamedSecurityInfoW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: InitializeSecurityDescriptor
- api | kernel32: CreateProcessAsUserW
- api | kernel32: RegQueryValueExW
- api | advapi32: CryptReleaseContext
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetTokenInformation
- api | advapi32: GetSidSubAuthorityCount
- api | kernel32: OpenThreadToken
- api | advapi32: CryptAcquireContextW
- api | advapi32: GetSidSubAuthority
- api | advapi32: IsWellKnownSid
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegOpenKeyExW
- api | advapi32: GetLengthSid
- api | advapi32: ConvertSidToStringSidW
- api | advapi32: EqualSid
- api | advapi32: InitiateSystemShutdownExW
- api | user32: GetTopWindow
- api | user32: LoadImageW
- api | user32: MsgWaitForMultipleObjects
- api | user32: WindowFromPoint
- api | user32: CharLowerA
- api | user32: CharUpperW
- api | user32: SetWindowLongW
- api | user32: GetWindow
- api | user32: DispatchMessageW
- api | user32: RegisterWindowMessageW
- api | user32: GetMenuItemID
- api | user32: GetSubMenu
- api | user32: MenuItemFromPoint
- api | user32: GetMenuItemRect
- api | user32: TrackPopupMenuEx
- api | user32: SystemParametersInfoW
- api | user32: GetClassNameW
- api | user32: GetMenuState
- api | user32: GetMenuItemCount
- api | user32: HiliteMenuItem
- api | user32: EndMenu
- api | user32: GetShellWindow
- api | user32: FillRect
- api | user32: DrawEdge
- api | user32: IntersectRect
- api | user32: PostThreadMessageW

- api | user32: EqualRect
- api | user32: GetSystemMetrics
- api | user32: MapVirtualKeyW
- api | user32: GetKeyboardState
- api | user32: ToUnicode
- api | user32: CharLowerW
- api | user32: CreateDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetThreadDesktop
- api | user32: CloseWindowStation
- api | user32: CreateWindowStationW
- api | user32: GetProcessWindowStation
- api | user32: OpenDesktopW
- api | user32: CloseDesktop
- api | user32: SetThreadDesktop
- api | user32: GetUserObjectInformationW
- api | user32: OpenWindowStationW
- api | user32: CharToOemW
- api | user32: CharLowerBuffA
- api | user32: ExitWindowsEx
- api | user32: GetWindowRect
- api | user32: PostMessageW
- api | user32: GetParent
- api | user32: GetWindowInfo
- api | user32: GetClassLongW
- api | user32: GetWindowLongW
- api | user32: GetAncestor
- api | user32: SetWindowPos
- api | user32: SendMessageTimeoutW
- api | user32: IsWindow
- api | user32: SendMessageW
- api | user32: MapWindowPoints
- api | user32: IsRectEmpty
- api | user32: DrawIcon
- api | user32: GetIconInfo
- api | user32: EndPaint
- api | user32: GetMessageA
- api | user32: GetMessageW
- api | user32: RegisterClassExA
- api | user32: GetWindowDC
- api | user32: DefDlgProcW
- api | user32: DefFrameProcA
- api | user32: BeginPaint
- api | user32: GetCapture
- api | user32: RegisterClassExW
- api | user32: SetCursorPos
- api | user32: PeekMessageW
- api | user32: GetDCEx
- api | user32: PeekMessageA
- api | user32: ReleaseDC
- api | user32: DefWindowProcA
- api | user32: GetCursorPos
- api | user32: DefMDIChildProcW
- api | user32: SwitchDesktop
- api | user32: DefDlgProcA
- api | user32: DefMDIChildProcA
- api | user32: ReleaseCapture

- api | user32: RegisterClassW
- api | user32: CallWindowProcA
- api | user32: CallWindowProcW
- api | user32: DefWindowProcW
- api | user32: DefFrameProcW
- api | user32: RegisterClassA
- api | kernel32: GetProcessId
- api | kernel32: GetFileInformationByHandle
- api | kernel32: DeleteFileW
- api | kernel32: GetVolumeNameForVolumeMountPointW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetFileTime
- api | kernel32: VirtualProtect
- api | kernel32: FindNextFileW
- api | kernel32: RemoveDirectoryW
- api | kernel32: FindClose
- api | kernel32: VirtualAlloc
- api | kernel32: OpenMutexW
- api | kernel32: GetFileSizeEx
- api | kernel32: GetTempPathW
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: VirtualQueryEx
- api | kernel32: IsBadReadPtr
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: SetFilePointerEx
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: CreateProcessW
- api | kernel32: SetEndOfFile
- api | kernel32: FindFirstFileW
- api | kernel32: HeapReAlloc
- api | kernel32: GetTempFileNameW
- api | kernel32: FileTimeToDosDateTime
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetCurrentProcessId
- api | kernel32: DuplicateHandle
- api | kernel32: OpenEventW
- api | kernel32: VirtualFree
- api | kernel32: GetComputerNameW
- api | kernel32: SetErrorMode
- api | kernel32: GetCommandLineW
- api | kernel32: TlsFree
- api | kernel32: TlsAlloc
- api | kernel32: CreateFileMappingW
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateMutexW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: VirtualFreeEx
- api | kernel32: TerminateProcess
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: WaitForMultipleObjects

- api | kernel32: GetPrivateProfileIntW
- api | kernel32: FlushFileBuffers
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: LocalFree
- api | kernel32: GetVersionExW
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetFileAttributesW
- api | kernel32: WTSGetActiveConsoleSessionId
- api | kernel32: CreateFileW
- api | kernel32: LoadLibraryW
- api | kernel32: CreateDirectoryW
- api | kernel32: GetSystemTime
- api | kernel32: GetLocalTime
- api | kernel32: lstrcmpiA
- api | kernel32: SetThreadPriority
- api | kernel32: GetCurrentThread
- api | kernel32: ExpandEnvironmentStringsW
- api | kernel32: ReleaseMutex
- api | kernel32: GetCurrentThreadId
- api | kernel32: CloseHandle
- api | kernel32: CreateEventW
- api | kernel32: ResetEvent
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: SetEvent
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetFileAttributesW
- api | kernel32: WaitForSingleObject
- api | kernel32: MoveFileExW
- api | kernel32: GetFileAttributesExW
- api | kernel32: lstrcmpiW
- api | kernel32: GetModuleHandleW
- api | kernel32: IsWow64Process
- api | ntdll: LdrGetDllHandle
- api | ntdll: RtlUserThreadStart
- api | kernel32: LoadLibraryA

• Module 23 other strings

- {53FA9D09-BBF7-A014-CC27-4A61E61ED79D}
- Global\\{C5812F2C-09D2-366F-CC27-4A61E61ED79D}
- Xiyh
- %s%08x
- %s%08x.%s
- Local\\
- Global\\
- SeSecurityPrivilege
- ComSpec
- kernel32.dll

- e.dat
- SysShadow
- #32768
- ConsoleWindowClass
- CiceroUIWndFrame
- MDIClient
- SysListView32
- .exe
- TSeTcbPrivilege
- cGlobal\\%08X%08X%08X
- SeShutdownPrivilege
- DISPLAY
- 3$343D3T3d3t3
- 2$242D2T2d2t2
- 1$141D1T1d1t1
- 040D0T0d0t0
- 8$8+818>8E8^8f8
- 7J7S7a7r7z7
- 6T6Y6_6{6
- 4 4Y4
- 1%1%3
- 6#6K6s6
- 5E5S5
- 2'3<3A3y3
- 2$2K2o2y2
- 1E1X1
- <I<T<w=o>
- 809U9
- 3\t4-4?4T4
- 1R2n2~2
- 0o1}1
- 6V6h6{6
- 5!5'5C5W5d5
- 4>4N4o4
- 303P3[3
- 1L1f162E2
- R0r0
- B0[0
- <\t=i=
- 9\t:L:u:{:
- 9P9[9
- 718:8L8R8Z8
- 7$7+7
- 5 656?6N6k6z6
- 4.5Z5o5
- 2(222@2F2O2T2Z2x2
- 1-1B1J1O1c1j1p1y1
- 1P2'9
- 0!0@0
- <V<i<
- 808<8B8J8o8
- 3$3:3?3d3y3
- 282@2l2r2
- 1%1+11171=1C1b1o1
- 0&0,0G0M0S0Y0f0r0
- <)<1<O<a<}<
- 9p:x:

- 0.0R1e1q6
- <I="?2?
- 041t2
- <H>e>
- 586`7
- 3F4`4m4v4!5
- 1H2j2
- 8+9(:
- 7|7`8k8x8
- 5'5h5y5
- 4@4K4R4Y4`4g4n4u4
- 2"303F3h3v3
- 2(2J2X2n2
- 1J1[1e1}1
- 0)0M0g0
- 9$9*949
- 8$888?8Y8p8
- 7?7a7
- 6,6g6y6
- 5%535C5N5Z5
- 3H3X3j3
- 2.2:2Q2W2o2y2
- 1 1/1O1U1
- 0:0M0o0
- 9]:i:
- 949;9W9
- 5*6/6I6d6q6
- 3H3V3w3V4n4{5
- 1,2x2
- <,=5=X=i=o=
- 9i9v9
- 6,6u6
- 5>5R5v5
- 4S4Y4`4s4
- 3,3@3K3_3d3j3w3~3
- 1,1R1
- 20D0O0
- :5;;;
- 9O:e:
- 9(989@9G9s9}9
- 7M8k8
- 646e6
- 2%2P2c2I2{2
- ?E?a?
- >5>U>
- ;6<w<
- 90:7:=:I:^:
- 9]9g9q9
- 5"5<6a6h6n6y6
- '0?0D1u1
- 1"142m2
- 3t447F7
- ;3;9;T;
- 5&508F8^8
- 213y3?4q4
- 0>1E1O1N2X2
- 030]0

- 7.7D7M7q7
- 5&6-6G6O6o6
- 3:3^3
- 2=2D2d2
- ?i?o?
- 777C7N7e7m7s7y7
- 6<6I6m6|6
- 1%121?1
- 0#0>0E0f0
- =D>O>
- =U=b=
- 839B9[9
- 6^7d7
- 6J6h6
- 5*525
- 1;2}2
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1$1,141<1D1L1T1\\1d1l1t1|1
- 0$0,040<0D0L0T0\\0d0l0t0|0
- p8|8
- +o*7
- MGiI
- 9a&g;
- i]Wb
- 3KH^
- %u}*
- &aw;=
- xa Z
- i<zhe
- +r8
- nonic
- vq%U
- vq#U
- v+#U
- vS"U
- vc!U
- vI`T
- Pv uT
- NETAPI32.dll
- OLEAUT32.dll
- WININET.dll
- WS2_32.dll
- GDI32.dll
- CreateDIBSection
- GetDIBits
- GetDeviceCaps
- CreateCompatibleBitmap
- SetViewportOrgEx
- DeleteDC
- GdiFlush
- SetRectRgn
- CreateCompatibleDC
- SaveDC
- RestoreDC
- DeleteObject
- SelectObject
- ole32.dll

- CoInitializeEx
- StringFromGUID2
- CLSIDFromString
- CoUninitialize
- Secur32.dll
- GetUserNameExW
- SHELL32.dll
- CommandLineToArgvW
- ShellExecuteW
- SHGetFolderPathW
- StrCmpNIA
- PathMatchSpecW
- PathUnquoteSpacesW
- PathAddExtensionW
- PathCombineW
- SHDeleteKeyW
- PathSkipRootW
- SHDeleteValueW
- PathAddBackslashW
- PathFindFileNameW
- PathIsDirectoryW
- UrlUnescapeA
- PathRemoveBackslashW
- StrStrIA
- PathQuoteSpacesW
- PathIsURLW
- PathRenameExtensionW
- PathRemoveFileSpecW
- ADVAPI32.dll
- USER32.dll
- KERNEL32.dll
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u
- }3@u#
- }3@u"
- }3@u
- E#+E/^ZY
- }3@u
- xWuQ
- +5|-V
- QSV3
- @9D$
- DAVEu
- DAVEf
- >DAVEWu1h
- $SW3
- p9L$
- t@9u
- VWU2
- tV9}
- t69]
- tB;E

- tA;]
- tE;u
- =<0s
- x< u
- h4KT
- t<8X
- Es_^[
- SVW3
- tz9]
- Hu*j
- SUVW
- E|VV
- ;Ehu=
- 0;t$
- D$\\+E
- 9|$0
- 9D$0vh=
- D$\\+E
- D$0P
- ~, u
- H4;H8s
- wA9H
- @49H4u
- @09H0u
- @,9H,u
- _90u
- F,;F8u
- F8]r
- HD9M
- 4SV3
- u#9u
- t;9]
- tBV3
- Ph<IT
- Ph,IT
- jDZ3
- t*9u
- 9G;}
- AFf;
- A;L$
- A;L$
- :0u
- ~iV3
- ~bV3
- 542V
- 542V
- 542V
- 542V
- 542V
- 9-u,
- D$0P
- D$4Ph
- D$0Pj
- D$4Ph0
- \\$6V
- \\$6u
- \\$6uDj

- j@[u$
- EpPV
- ElPj
- 5,2V
- 502V
- 5,2V
- 5t-V
- 5t-V
- u#SSj
- D$8Ph
- tx9\\$
- h4GT
- 5(2V
- +5|-V
- f9;t|9}
- f3TE
- PhALU
- tf<0t
- D$,3
- D$8P
- D$0P
- 9t$$
- D$D3
- T$,hALU
- 4WB;
- w2;E
- D$4P
- f98tz;
- T$0R
- \\$4;
- t8j{
- ufjy
- ~FjU
- D$4P
- t$0X
- t$8X
- udjj
- Phr7U
- ufjb
- ~BjU
- D$4P
- D$8P
- t$4X
- hr7U
- KAF;
- ~0;u
- tBO3
- Pj4Z
- t9Wj
- 0t$Iuj
- SVWj6
- t3jQ
- t3jR
- t3jS
- D$0D
- u^9G
- t7Wj

- uw!E
- 0Vj2
- >0u!
- >0u!
- %q#U
- tESW
- Q0+Q(
- NuEj
- @u5W
- tU;^
- u,j@j
- t1;z
- t[9]
- u\t8]
- Vh7!
- f;OHr
- f;0u[
- DSV3
- ,SVW3
- 4SA;M
- ,SVW3
- 2A;M
- 0SVW3
- D$4P
- D$4P
- 5,2V
- tI8\\$
- 9t$$
- H4;H0u
- H4VQ
- x,9u
- p0+p4
- 9D$<t
- St6h
- D$8P
- 4SVW
- tG9u
- PhtET
- hlET
- PhXET
- hPET
- hHET
- Ph8ET
- Ph(ET
- Ph ET
- tDj1
- t\t9}
- t/9}
- u+Ak
- SVW3
- ?8Evt
- A8MvuJ
- usSW
- t$<3
- 5|)V
- D$6P
- SVW3

- ,SV3
- 5,2V
- 5,2V
- |$0P
- =02V
- z,OZ*
- lF#uj
- z,`3*
- 6%@,
- t|9u
- 5,2V
- t`W9]
- ta8]
- 5,2V
- 5,2V
- 5,2V
- 5,2V
- SUVWj
- D$8P
- |$8X
- 9p v2
- |$8X
- t$8Q
- t$8P
- D$0;
- 9t$d
- D$<9D$0
- t$$u
- 9F(vB
- 9^(w
- t-f9
- t9f9
- ;w(u
- u/C;]
- N<Ak
- u ;t$
- SVWu
- f90u
- upGW
- 5,2V
- 5,2V
- D$0P
- Vh6!
- D$4V
- D$0,
- SVW3
- t"9]
- f90t
- FW9u
- QSV3
- SPPP3
- PPP3
- VVV3
- SVWtE
- t0-Z
- tAVW
- t!9E

- t$9t$
- t$9t$
- 9\\$|u&
- u&9E
- uO+C
- 9t$0t5
- h7lT
- 3u8VW
- D$0PP
- uXj'
- t6SV
- Wj\t3
- PjOZ
- EpPj
- EtPj
- t6f97t1j
- u+Ak
- uH9E
- dubj
- MIRV
- QARTu
- GE@Vt
- UYQGt
- =QARQ
- u)Ak
- 2;t$
- s<9]
- D$0P
- 5,2V
- D$4P
- 5h#V
- 5x#V
- Basic
- aeiouy
- FCIDestroy
- FCIFlushCabinet
- FCIAddFile
- FCICreate
- cabinet.dll
- urlmon.dll
- Connection: close
- Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; SV1)
- @echo off
- if exist "%s" goto d
- DestroyEnvironmentBlock
- CreateEnvironmentBlock
- userenv.dll
- 0x0659F2F4
- FIXME
- RFB 003.003
- If-Modified-Since
- identity
- Proxy-Connection
- close
- Connection
- chunked
- Transfer-Encoding

- Authorization
- Content-Type
- Referer
- NSS layer
- Content-Length
- Host
- PR_GetError
- PR_SetError
- PR_GetNameForIdentity
- POST
- HTTP/1.1
- socks
- hmA_nhk}IRSAQQHOAr
- TicptcseSCdoyezgqbICz|u
- XEO\\XO_I_Ohcuivk}nEOvpysda1^CJVaYXLF[xH^PKNN{vWK]SU]sWNHo
-)3517.4
- '\\JI
- 7A69BPS
- v6!!2>6-7<=)+,.{f27 8%)$+rnh
- tuacdf)&jbnmgee;/=$ i1
- ROLI>~iizv~e
- ?$6 39+~
- &-;'8%3
- +!26!1'
- aO5d
- 1:,0/2$7
- <6%!6&0
- (e|-U
- 7.>.3;+`
- 8<::0"
- # >6>:0'u371
- LLNI
- WOIV
- hozIFhi
- 6,,?52*i%./(+(?mbi.*&
- ^[A]K6-y5=52
- `grdN`aw{4=p|lluwo)enohkh"lafcbowQ_WGY\\@
- 72$$kn/< ?:/9
- wdUS/(!7
- 523u|qpv/
- eABUERQ
- &;1"&1!7!1
- '00<
- # 7'03
- ayv|io
- vuv{f|ek5c3s~{z{hskp
- *4$`2
- "$-\'05e
- A;9gWFGLUK\\
- Pwnxgibk7,
- Epfm
- <3 %79
- kpn~o3z~d
- 0.07
- AQ@A
- ,+>(3=2;
- iJIJGODFP

- t+3);7;42}
- IJIJGODFP
- MAA\\BH^
- !'8>
- qucwuya
- YDN]YN^H^Eas4[Tio|qwmCzibOx~ecg
- 7"52),,>
- 6+!26!1'1
- bepf}s|u
- 05"2|
- OBCBAOFFV
- znzzaama"eawiumq
- 5/+-?9/#$
- 66\t%=45-9
- *>00?1
- ,127!' ./9
- -<9)9=
- ok]sejisa
- <;.8
- 25 6
- 3><7>
- 3+~<64/2<w;4=< 4b
- :15;;|)=s<>73t9%()%n,##$*'44&0,
- nHCGII
- fY]AAU
- /;*3:0:r6*4
- ?:)%8+7a%9'
- 5+-?30
- Gn{zohiOm{W
- faho
- WH2~IV
- naY7i>
- }O^<x
- pL5T
- 3;Y)
- :mDE
- 5<(<
- u;};
- DeleteDC
- DeleteObject
- SelectObject
- GetDeviceCaps
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCW
- gdi32.dll
- CreateStreamOnHGlobal
- ole32.dll
- GdipSaveImageToStream
- GdipGetImageEncoders
- GdipGetImageEncodersSize
- GdipDisposeImage
- GdipCreateBitmapFromHBITMAP
- GdiplusShutdown
- GdiplusStartup
- PR_Write
- PR_Read

- PR_Close
- PR_OpenTCPSocket
- 3)6{
- ONve
- U>vH2>v
- 3.vM7.v
- 1v1#-v
- *-v1
- -vA#-vo
- ,v+E.v3
- .reloc
- `.data
- .text
- S:(ML;CIOI;NRNWNX;;;LW)
- S:(ML;;NRNWNX;;;LW)
- /c "%s"
- "%s" %s
- "%s"
- .txt
- .tmp
- nspr4.dll
- =Q>w>
- =M>R>W>_>g>!?7?<?E?[?
- =E=X=k=p=u=z=
- <&<,<1<8<><C<J<P<U<\\<c<k<s<
- >??X?x?
- ?X?`?l?s?
- <#<*<7<N<^<
- ;,:;:f;o;
- <Y<l?y?
- =$>E>Q>o>z>
- =6=F=L=v=
- :0;<;L;k;x;
- >(?-?;?@?H?N?S?Z?`?e?l?r?w?~?
- =.>?>R>W>i>s>
- =$=*=0=6=d=
- ;$;/;A;P;_;i;s;
- ;)>E>s>
- =&=F=_=/>6>O>
- ;!<'<<<J<t<
- ;-;K;};
- :(:I:q:
- ?F?R?\\?l?w?
- <&<,<H<o<
- ;U;^;c;
- ?N?\\?
- <S=w=
- </><
- :K;W;j;
- >!>*>3><>A>K>R>W>^>d>i>p>v>{>
- >C>V>g>
- ;?<E<)=/=_=
- <w=}=
- >">->3>?>
- >K?P?c?
- >g>q>
- ?!?7?J?S?Y?l?r?

- >%>+>E>S>l>r>
- <<<_<
- >#>,>R>
- 7M8Z;w;H<O<c<p<w<
- ? ?(?7?<?D?J?Q?W?^?d?k?s?
- > >%>*>/>4>9>>>C>H>M>R>W>\\>a>f>k>p>u>z>
- =!=&=+=0=5=:=?=D=I=N=S=X=]=b=g=l=q=v={=
- <S<[<
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >$>,>4><>D>L>T>\\>d>l>t>|>
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- #.zf
- wn>Jj
- Qkkbal
- n;^
- j-WVs
- K<[p
- vp~T
- v)~T
- vj`T
-]^NvjuT
- =JOvfsT
- ='-vt
- CRYPT32.dll
- SHLWAPI.dll
- wvnsprintfA
- wvnsprintfW
- StrStrIW
- StrCmpNIW
- _^[]
- ^$Xf
- SVSj
- SVSj
- (SVW
- tQWj
- QQSV
- D$HP
- SVWQ
- h`KT
- PhDKT
- hLKT
- PhDKT
- QQW$
- vzh<KT
- _^[]
- j%Zf
- t@<\tt<<&u-;
- h,KT
- h,KT
- <Sj<ZR3
- ^PSW
- Pj@j
- <wj(W
- t#Ht
- PSSj$S

- SSShlDT
- PPPP
- VhXJT
- hTJT
- N(hhJT
- t"9=d*V
- t*9=d-V
- ^9=\\,V
- htJT
- hhJT
- h\\JT
- Vh`JT
- t$<j
- D$ P
- SSSj
- h$JT
- PVVS
- t!VV
- tkSW
- Q@Pj
- QPPj
- |TVP
-]lVh
- QQSWf
- D$,P
- D$,P
- d;|$
- L$$;
- L$4+L$
- s(;L$<t"
- ;L$,
- D$ j
- L$|9|$
- r-Vj
- _[;H
- K@;KHv
- vwSV
- V;Q$s
- XT;<
- t&;x
- P ;x
- PXSV
- VSj"
- w(PV
- QQSVW
- h(DT
- t$(S
- w@jDZRj
- PSSSQS
- VVVQV
- jDZRV
- t hxHT
- h\\HT
- PSSj
- t!SSS
- Pj j
- F;t$

- v<SV
- =z(V
- PSSh
- tt;~
- WtRj V
- u\tj\\Xf
- t\tA;L$
- t\tA;L$
- ~$Qh
- PRWV
- PSRW
- GF@;
- j"Xf
- j"Xf
- j Xf
- h DT
- j\tZf;
- j\t^$
- QSVW
- _^[]
- VPQj
- _^[]
- VPQS
- r!+\\$
- VW;\\$
- G@;|$
- D$0PSj
- D$4Ph?SC
- D$ PSVS
- Ph`c
- t)Sj
- D$0PSj
- D$4Ph?SC
- t#SV
- t%hlDT
- t(SW
- u|Pj<Z
- hx-V
- hhGT
- hTGT
- hDGT
- D$;
- h$GT
- _^[]
- WWWW
- SVWj
- PPPWh
- EDjwXf
- PPPP
- WWWW
- SVWj
- D$;D$
- t$tX
- ~CjW
- D$dP
- L$XQ
- t$ 9t$

- SVWQ
- PPPP
- WWWW
- SVWj
- PPPP
- ~NjV
- WWWW
- t$ P
- tvf9;tq
- T$(R
- T$$R
- t$TX
- t$HX
- T$,R
- t$`X
- t$lX
- T$ h
- t$<X
- SVWQ
- SVWj
- t$ V
- t$dX
- D$<P
- D$<P
- D$PP
- D$LP
- t$(X
- t$DX
- t$PX
- VWWW
- t$;
- SVWQ
- PPVP
- SVWj
- ~BjV
- VWWW
- Vjd
- SVWj
- t$LX
- D$pPVSj
- D$Hj
- D$pPV
- D$pPj
- D$(j
- D$pP
- t$(X
- t$@X
- t$ X
- D$pPh
- D$tP
- SVWQ
- LVjY
- h GT
- h GT
- SVjG
- PSSS
- t'jD

- Pj(Z
- D$(P
- D$lP
- PH_^[
- h GT
- Rj j
- t$$h
- C;\\$
- ~$VSW
- Q,+Q$
- L$xQj
- SSSj
- Ph"(x
- SVWh
- PSSW
- t`VS
- VWj
- jDZRW
- tT;^
- =h*V
- f;GHsJ
- Pj\tX
- SVWjT
- GAHt8Ht HHt
- j`Zf;
- D$PPh~f
- D$DPWWj
- HWWV
- ,;D$$u
- D$@Pf
- D$@P
- f;t$rt
- D$@P
- D$(;
- [Sh.
- SVWj
- t4SSSS
- w\t+T$
- t$LV
- D$hV
- D$\\h
- D$ P
- \\SVW
- L$<PQV
- +D$<
- t$$V
- t$@V
- D$$Ph
- +D$<
- <SWjHj
- VWj+
- j\\Yf
- SVj*
- D$xP
- D$DVP
- t$(X
- j Zf

- <H s
- [_^]
- %|)V
- DDHP
- tQf9:tL
- Pj>Z
- D$.P
- D$&P;
- D$ P
- D$ P
- Pj>Z
- D$.P
- D$(P
- D$(P
- D$ P
- D$$P
- D$ P
- j|Yf
- SWSSS
- SVWj
- L$PP
- h|(V
- PhbDT
- Ph|(V
- D$`P
- D$XP
- D$XP
- pJ@+
- @JR*
- \\u)SPW
- SVWh
- z,gX*
- }^@N
- ,*F*
- tsh@DT
- j.Xf
- SVWj
- t]SVj
- _^][
- p$VVS
- D$PP
- D$HP
- h(DT
- VVVV
- ;D$,_
- D$`P
- D$PPj
- t$TX
- t*j
- D$H-
- D$FP
- D$FP
- D$@P
- D$PPVV
- D$XP
- j<ZRV
- D$$W

- D$(f
- +L$
- D$<;
- D$P?*
- RVQPW
- j<ZRj
- Pj\tX
- @;F(r
- G!<;t
- ~ !r-j
- Qj<ZRj
- tcHt
- G(j&j;
- $SVW
- QQSVWh
- N+t$
- SVWh
- (SVW
- QQSV
- jZVS
- PjZWS
- jZVS
- HHt:H
- HHtGH
- FVWj
- PSWh
- SVWh
- D$PN
- WWWh
- D$LPWW
- D$PP
- tajDZRW
- PWWj%W
- <Nf;P
- s+SW
- >f;H
- D$,f
- D$PP
- SVWj
- X_^[
- SVWj
- WWWV
- QQSVW
- @t#;}
- PSj!
- QSVW
- SWtMj
- t&Ht;
- HHt
- W8D$ t
- D$ P
- D$ P
- ZRVP
- D$ P
- D$ P
- ZRVP
- |$(X

- |$ X
- |$(X
- VWjHj
- D$ P
- D$,Vj
- D$ P
- dSVW
- D$0PWWj!W
- t$$X
- VWj&
- ^_][
- t%WWWW
- PSVWj
- SSSh
- t$$X
- t$$X
- D$DP
- RT@Vt
- =TSDPt
- PSh`
- TSWj
- Vh#'
- Vh"\'
- tv!\\$0j
- D$DPS
- D$@PS
- D$@P
- D$$_TT
- D$ #ST
- @_^[
- D$JPVh
- t%j
- QSVW
- h`#V
- h V
- #Wj@h
- Pj@j
- nbsp;
- script
- bcdfghklmnpqrstvwxz
- del /F "%s"
- del "%s"
- |$$$}rstuvwxyz{$$$$$$$>?@ABCDEFGHIJKLMNOPQRSTUVW$$$$$$XYZ[\\]^_`abcdefghijklmnopq
- RFB
- HTTP/1.
- RHNJLUO
- Khv~vrxU~svuGwa|
- !;=9?&<
- <YML
- 1!#$" e.*<(n)>"?ipt%]^p
- ~fb``{c
- wy{{k~
- ;=>(
- /) *=8
- ,(/(
- Oa)Hmgiggjh Ybfjs-
- N|hs 9=d

- HyQ&
- :3(*4":`j(#"%&
- ":,(4
- ,:(*+%
- NJF&1~m\\Z
- c,%udcvpdxv ~iydjGBT\\YGmTRL[ZMI_
- txds8+
- ^M|z
- 60PWBT~PQGK
- M_X]
- FBVBEGC
- ,'):&? ,;&2o%&&
- ~RQT
- {D@KG^Y
- ;1 "?&! ?
- \\$/.)Y
- |l{x*Gqt
- Jqsjnoh"Ht
- <7!="?):
- 1;(,;+=
- k"?;n&&w;$s
- .=>;,0%r
- qbe.<=4C%;N\\>I#=r
- +x}#}
-]XGLC
- 5xq}hr
- Q\\^_ST@\\UUK
- ;="$
- P@QPSJTC
- is__B\\V@qx@ZHD
- nsyjnyi
- X@ZHD
- cV@KYM
- URGQJDKB
- :pbqvshtm5
- ./.-#**:
- wj`sw`pfpKZ__HXNhVYEUWFC`NWK]J
- g}gyiJvdm
- dCV@
- <-,/6(?
- YDN]YN^H^pm`tsbqjG{uwzri2!>!Jdqa^BFN]sNLAHUQ
- myV{jo
-).&%
- !./$'(?
- j|Vkdenmbu^rforjz
- -*?)
- @GRDnX_XL^Y\\gH_Q
- FATBhSXURVZTV[SHP}FES
- Y_Ym)/~"
- YTQP_QT
- G[AFSS]
- LZKADD
- D^X\\ZCY
- <;.8("9`%,/
- g&|@
- D*MH
- w;,>

- .+q{
- V!-W
- ;7BHG-~
- gdiplus.dll
- Nv}LNvu
- =vEG>v
- F>vP
- ?vb\\>v
- >v1S>v
- d.vF
- "-v&<.v
- -v\\9.v
- F-vr
- H-vQ3.v
- -vI"-v
- ,v]7.v
- ;-vw
- .v2},vd
- -v_w,v
- Y-v%9-vO!.v;
- .vjX,v:
- Y-v-
- ,vBN,vL~/v
- #-vM)v
- m,vQ
- g.vQJ.v
- $v@f$v
- h$vK
- s$vP