Analysis report for sample: b69d2f08dc4156b643efa0f5ba193980

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 2422 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: b69d2f08dc4156b643efa0f5ba193980

AV detections

- Microsoft:
- Kaspersky: UDS:DangerousObject.Multi.Generic
- Symantec: Trojan.Gen.2
- Malwarebytes:

Original source url

- hxxp://07.super5566.com/86.exe

Virustotal url

- https://virustotal.com/es/file/53bbc105ca1ff12e7b57e6d1283bb56af1acc54238ba8d07d9c1e3438ba8fe12/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

Snapshot


C:\Users\javi\Downloads\cebo.exe
C:\Windows\s...
ing JSON-RPC 2.0
cebo.exe: no URL supplied
more information.
Start
4:47 PM
Thursday
6/1/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: # http://curl.haxx.se/docs/http-cookies.html
- url | valid domains | tlds: ~C.TT
- url | valid domains | tlds: Dm.hm
- url | valid domains | tlds: .AI-=O
- url | valid domains | tlds: ftp@example.com
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: Connection died, retrying a fresh connect
- api | frequently used by malware: we are done reading and this is set to close, stop send
- api | frequently used by malware: Failed to receive SOCKS5 connect request ack.
- api | frequently used by malware: Failed to send SOCKS5 connect request.
- api | frequently used by malware: Failed to resolve "%s" for SOCKS5 connect.
- api | frequently used by malware: Failed to send SOCKS5 sub-negotiation request.
- api | frequently used by malware: Unable to send initial SOCKS5 request.
- api | frequently used by malware: Can't complete SOCKS4 connection to %d.%d.%d.%d:%d. (%d), request rejected because SOCKS server cannot connect to identd on the client.
- api | frequently used by malware: Failed to receive SOCKS4 connect request ack.
- api | frequently used by malware: Failed to send SOCKS4 connect request.
- api | frequently used by malware: Failed to resolve "%s" for SOCKS4 connect.
- api | frequently used by malware: SOCKS4 connect to %s (locally resolved)
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Encoding:
- api | frequently used by malware: Accept:
- api | frequently used by malware: Accept: application/sdp
- api | frequently used by malware: tftp_send_first: internal error
- api | frequently used by malware: bind() failed; %s
- api | frequently used by malware: Accept-ranges: bytes
- api | frequently used by malware: LDAP local: ldap_simple_bind_s %s
- api | frequently used by malware: LDAP local: Cannot connect to %s:%ld
- api | frequently used by malware: WSAStartup failed (%d)
- api | frequently used by malware: Connect data stream actively
- api | frequently used by malware: Ready to accept data connection from server
- api | frequently used by malware: Error while waiting for server connect
- api | frequently used by malware: There is negative response in cache while serv connect
- api | frequently used by malware: Accept timeout occurred while waiting server connect
- api | frequently used by malware: Checking for server connect
- api | frequently used by malware: Error accept()ing server connect
- api | frequently used by malware: bind() failed, we ran out of ports!
- api | frequently used by malware: socket failure: %s
- api | frequently used by malware: bind(port=%hu) failed: %s
- api | frequently used by malware: bind(port=%hu) on non-local address failed: %s
- api | frequently used by malware: Connect data stream passively
- api | frequently used by malware: HTTP error before end of send, stop sending
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: NTLM send, close instead of sending %I64d bytes
- api | frequently used by malware: Rewind stream after send
- api | frequently used by malware: FTP: The server did not accept the PRET command.
- api | frequently used by malware: Socket not ready for send/recv
- api | frequently used by malware: Send failed since rewinding of the data stream failed
- api | frequently used by malware: LDAP: cannot bind
- api | frequently used by malware: SSL connect error
- api | frequently used by malware: FTP: Accepting server connect has timed out

- api | frequently used by malware: FTP: The server failed to connect to data port
- api | frequently used by malware: Couldn't connect to server
- api | frequently used by malware: Invalid socket argument
- api | frequently used by malware: Descriptor is not a socket
- api | frequently used by malware: Recv failure: %s
- api | frequently used by malware: Send failure: %s
- api | frequently used by malware: Failed to connect to %s port %ld: %s
- api | frequently used by malware: connect to %s port %ld failed: %s
- api | frequently used by malware: After %ldms connect time, move on!
- api | frequently used by malware: Couldn't bind to interface '%s'
- api | frequently used by malware: Couldn't bind to '%s'
- api | frequently used by malware: Immediate connect fail for %s: %s
- api | frequently used by malware: bind failed with errno %d: %s
- api | frequently used by malware: Bind to local port %hu failed, trying next
- api | frequently used by malware: Failed to get recent socket
- api | frequently used by malware: stratum_subscribe send failed
- api | frequently used by malware: stratum_recv_line failed to parse a newline-terminated string
- api | frequently used by malware: stratum_recv_line failed
- api | frequently used by malware: stratum_recv_line timed out
- api | frequently used by malware: submit_upstream_work stratum_send_line failed
- api | frequently used by malware: -x, --proxy=[PROTOCOL://]HOST[:PORT] connect through a proxy
- path | path unit: H:/;
- path | path unit: Y:/]
- path | path unit: q:/_
- url | http tag: ftp://%s:%s@%s
- url | http tag: ftp://
- url | http tag: http://%s
- url | http tag: https://
- url | http tag: http://
- api | ws2_32: select/poll error
- api | ws2_32: select/poll returned error
- api | ws2_32: Proxy CONNECT aborted due to select/poll error
- api | ws2_32: WSACloseEvent failed (%d)
- api | ws2_32: WSAEnumNetworkEvents failed (%d)
- api | ws2_32: WSACreateEvent failed (%d)
- api | ws2_32: failed to find WSAEnumNetworkEvents function (%d)
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: failed to find WSAEventSelect function (%d)
- api | ws2_32: WSAEventSelect
- api | ws2_32: failed to find WSACloseEvent function (%d)
- api | ws2_32: WSACloseEvent
- api | ws2_32: failed to find WSACreateEvent function (%d)
- api | ws2_32: WSACreateEvent
- api | ws2_32: FTP response aborted due to select/poll error: %d
- api | ws2_32: getsockname() failed: %s
- api | ws2_32: sa_addr inet_ntop() failed with errno %d: %s
- api | ws2_32: ssloc inet_ntop() failed with errno %d: %s
- api | ws2_32: ssrem inet_ntop() failed with errno %d: %s
- api | ws2_32: getsockname() failed with errno %d: %s
- api | ws2_32: getpeername() failed with errno %d: %s
- api | user32: LoadStringW
- api | user32: LoadStringA
- api | ntdll: LdrAccessResource
- api | ntdll: LdrFindResource_U
- api | ntdll: NtQuerySection
- api | ntdll: ZwQueryVirtualMemory
- api | ntdll: NtUnmapViewOfSection

- api | ntdll: ZwMapViewOfSection
- api | ntdll: NtQueryAttributesFile
- api | ntdll: ZwCreateSection
- api | ntdll: NtClose
- api | ntdll: NtOpenFile
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer
- api | kernel32: VirtualProtect failed with code 0x%x
- api | kernel32: VirtualQuery failed for %d bytes at address %p
- api | kernel32: FreeLibrary(wsock2) failed (%d)

Involved hosts

- 192.168.133.1:5355
- 192.168.133.220:50909
- 192.168.133.220:54396

Dns queries

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.220:54396**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.220:50909**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds: # http://curl.haxx.se/docs/http-cookies.html
• url | valid domains | tlds: ~C.TT
• url | valid domains | tlds: Dm.hm
• url | valid domains | tlds: .AI-=O
• url | valid domains | tlds: ftp@example.com
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: Connection died, retrying a fresh connect
• api | frequently used by malware: we are done reading and this is set to close, stop send
• api | frequently used by malware: Failed to receive SOCKS5 connect request ack.
• api | frequently used by malware: Failed to send SOCKS5 connect request.
• api | frequently used by malware: Failed to resolve "%s" for SOCKS5 connect.
• api | frequently used by malware: Failed to send SOCKS5 sub-negotiation request.
• api | frequently used by malware: Unable to send initial SOCKS5 request.
• api | frequently used by malware: Can't complete SOCKS4 connection to %d.%d.%d.%d:%d. (%d), request rejected because SOCKS server cannot connect to identd on the client.
• api | frequently used by malware: Failed to receive SOCKS4 connect request ack.
• api | frequently used by malware: Failed to send SOCKS4 connect request.
• api | frequently used by malware: Failed to resolve "%s" for SOCKS4 connect.
• api | frequently used by malware: SOCKS4 connect to %s (locally resolved)
• api | frequently used by malware: Accept-Encoding: %s
• api | frequently used by malware: Accept-Encoding:
• api | frequently used by malware: Accept:
• api | frequently used by malware: Accept: application/sdp
• api | frequently used by malware: tftp_send_first: internal error
• api | frequently used by malware: bind() failed; %s
• api | frequently used by malware: Accept-ranges: bytes
• api | frequently used by malware: LDAP local: ldap_simple_bind_s %s
• api | frequently used by malware: LDAP local: Cannot connect to %s:%ld
• api | frequently used by malware: WSAStartup failed (%d)
• api | frequently used by malware: Connect data stream actively
• api | frequently used by malware: Ready to accept data connection from server
• api | frequently used by malware: Error while waiting for server connect
• api | frequently used by malware: There is negative response in cache while serv connect
• api | frequently used by malware: Accept timeout occurred while waiting server connect
• api | frequently used by malware: Checking for server connect
• api | frequently used by malware: Error accept()ing server connect
• api | frequently used by malware: bind() failed, we ran out of ports!

- api | frequently used by malware: socket failure: %s
- api | frequently used by malware: bind(port=%hu) failed: %s
- api | frequently used by malware: bind(port=%hu) on non-local address failed: %s
- api | frequently used by malware: Connect data stream passively
- api | frequently used by malware: HTTP error before end of send, stop sending
- api | frequently used by malware: Accept:
- api | frequently used by malware: Accept-Encoding: %s
- api | frequently used by malware: Accept-Encoding:
- api | frequently used by malware: Accept: */*
- api | frequently used by malware: NTLM send, close instead of sending %I64d bytes
- api | frequently used by malware: Rewind stream after send
- api | frequently used by malware: FTP: The server did not accept the PRET command.
- api | frequently used by malware: Socket not ready for send/recv
- api | frequently used by malware: Send failed since rewinding of the data stream failed
- api | frequently used by malware: LDAP: cannot bind
- api | frequently used by malware: SSL connect error
- api | frequently used by malware: FTP: Accepting server connect has timed out
- api | frequently used by malware: FTP: The server failed to connect to data port
- api | frequently used by malware: Couldn't connect to server
- api | frequently used by malware: Invalid socket argument
- api | frequently used by malware: Descriptor is not a socket
- api | frequently used by malware: Recv failure: %s
- api | frequently used by malware: Send failure: %s
- api | frequently used by malware: Failed to connect to %s port %ld: %s
- api | frequently used by malware: connect to %s port %ld failed: %s
- api | frequently used by malware: After %ldms connect time, move on!
- api | frequently used by malware: Couldn't bind to interface '%s'
- api | frequently used by malware: Couldn't bind to '%s'
- api | frequently used by malware: Immediate connect fail for %s: %s
- api | frequently used by malware: bind failed with errno %d: %s
- api | frequently used by malware: Bind to local port %hu failed, trying next
- api | frequently used by malware: Failed to get recent socket
- api | frequently used by malware: stratum_subscribe send failed
- api | frequently used by malware: stratum_recv_line failed to parse a newline-terminated string
- api | frequently used by malware: stratum_recv_line failed
- api | frequently used by malware: stratum_recv_line timed out
- api | frequently used by malware: submit_upstream_work stratum_send_line failed
- api | frequently used by malware: -x, --proxy=[PROTOCOL://]HOST[:PORT] connect through a proxy
- path | path unit: H:/;
- path | path unit: Y:/]
- path | path unit: q:/_
- url | http tag: ftp://%s:%s@%s
- url | http tag: ftp://
- url | http tag: http://%s
- url | http tag: https://
- url | http tag: http://
- api | ws2_32: select/poll error
- api | ws2_32: select/poll returned error
- api | ws2_32: Proxy CONNECT aborted due to select/poll error
- api | ws2_32: WSACloseEvent failed (%d)
- api | ws2_32: WSAEnumNetworkEvents failed (%d)
- api | ws2_32: WSACreateEvent failed (%d)
- api | ws2_32: failed to find WSAEnumNetworkEvents function (%d)
- api | ws2_32: WSAEnumNetworkEvents
- api | ws2_32: failed to find WSAEventSelect function (%d)
- api | ws2_32: WSAEventSelect
- api | ws2_32: failed to find WSACloseEvent function (%d)

- api | ws2_32: WSACloseEvent
- api | ws2_32: failed to find WSACreateEvent function (%d)
- api | ws2_32: WSACreateEvent
- api | ws2_32: FTP response aborted due to select/poll error: %d
- api | ws2_32: getsockname() failed: %s
- api | ws2_32: sa_addr inet_ntop() failed with errno %d: %s
- api | ws2_32: ssloc inet_ntop() failed with errno %d: %s
- api | ws2_32: ssrem inet_ntop() failed with errno %d: %s
- api | ws2_32: getsockname() failed with errno %d: %s
- api | ws2_32: getpeername() failed with errno %d: %s
- api | user32: LoadStringW
- api | user32: LoadStringA
- api | ntdll: LdrAccessResource
- api | ntdll: LdrFindResource_U
- api | ntdll: NtQuerySection
- api | ntdll: ZwQueryVirtualMemory
- api | ntdll: NtUnmapViewOfSection
- api | ntdll: ZwMapViewOfSection
- api | ntdll: NtQueryAttributesFile
- api | ntdll: ZwCreateSection
- api | ntdll: NtClose
- api | ntdll: NtOpenFile
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer
- api | kernel32: VirtualProtect failed with code 0x%x
- api | kernel32: VirtualQuery failed for %d bytes at address %p
- api | kernel32: FreeLibrary(wsock2) failed (%d)

• Module 1 other strings

- user32
- kernelbase
- %02X
- %02X
- Error at hooking API "%S"
- Error at initialization of bundled DLL: %s
- I(null)
- mscoree.dll
- KERNEL32.DLL
- MinGW Runtime Assertion
- Expression: %ws
- File: %ws, Line %u
- Assertion failed!
- <unknown>
- |$4U
- D9.y"1
- 5+Y,6T

- A)5$P
- h!6J
- "2@i
- <0#
- x39K
- i@/]b
- Ahcz{
- M?2>
- E!7-5
- 9*>/
- e)?M
- iINY
- s%0Y:
- B06+Y}
-]!D/u
- Z`ru
- n#0B+8
- D$8f
- [8)[
- 3#Qu
- 8**?M
- M)7Ea'%p
- 3^A(Zj
- :IP%
- s=@$2@6
- 0(5G/:Hw
- 4;!
- dE..#
- %4FZ
- w6!^
- H"ga
- e&9T
- 5?/5G79(
- &8"_
- U'6&]
- KIZp
- 7^CA)
- }6<Y
- b?,+2
- `IA9
- N7$Vi
- =.-0B
- Sz;8
- 18 R
- Jb5"P
- ^&4G
- G59(1!d
- \\.1!
- 9*Xq
- A';I48
- T3>L
- k*2Q
- <$hI;
- 5"P*Y
- FE-_+2n
- + 2x
- %vu]

- sqEj
-)2@i
- 5oym
- @>7*
- C>%Wa
- 6@$
- o/;Ia
- |29Ka
- |$4f
- $3|"
- D$47oK
- 4$`hq
- pii:';7$
- be}
- I$4hW
- |2!<
- v3>Sm
-]u42
- 5+)>$
- 79(@-_
- dA*X
- I;A@%(
- 0Bk~
- &7E
- \\$DU
- 'mG6
- D$8h
- 4$`h
- 5'UJ
- K9D(
- qUL+
- zr7*
- DuZm
- 7&T;"
- t$4f
- h*9w
- F4DO
- Iv}*
- T&-4B
- @2&0
- #7<!
- h1>L
- p4"P
- A+*a<
- |$HUh6
- N(f9
- 3rCY`
- D$0^
- 07El
- (8JuUaB
- o=)[
- n5<6>
- gI]
- 8?9=
- T?'gO
- 2w;u
- 8$9/]

- [)\\8
- D$4f
- >0f
- T$$`U
- HU3#
- G.9K
- (4FV
- i6/z
- 8'4&T;
-)nJ9
- z@'U
- ZE,d
- D$4Xf
- 9'\tm
- |"6
- ;%5G
- +5GOz
- po%%3
- 0{ut
- ',>Le
- F4yg
- r2;(
- -A/]
- 5<.\\(3A;
- [6+Y
- 3'U|
- Y9)[
-):487)0
- d8 R
- hA8?
- 8&04\\
- rF8*
-)9Kb=
- a(:H
- 0YDa
- :,0B
- d.1o
- s-9K
- 3&T;}T
- 4$WA
- #5GO
- 4 B-
- 3&0#QM
- H:*7w
- 8-9K1
- n4;I
- 1>Lsx
- 4B/]t
- HaG.
- P2{t
- %6D{
- R 3u)2@
- ,tA?d
- ~3 R
- c)t6#
- oj7"P
-)NI8

- u>+S
- E-_{
- 1HUx
- N7$i
- A!8Q
- N@BU
- 1C]
- + AP,
- wv7&T;
- T$0f
- $PUU
- D$0h
- i<'U
- <A"3
- G,"u
- 9EOZ
- \\$0h
- t$<h5
- u7/H
- %C(~7
- Q#7
- m6#~
- !6DS
- (2@[
- K,=O
- }5*X|
- 6#Qn
- 7*s[
- A<'*>a
- H%:5+e
- q79(Z
- (i{&
- -7{2
- ?*9+"
- 2"P[
- D$,U
- hQpo"
- #0B"
- |5A`
- =p0"
- CjJE
- 9'U.
- 396(r
- 4$hn
- L$0U
- v!0O
- =p1&
- M=9*X
- L$0h
- EgZ-
- .:Ho
- l$4f
- A-Q
- ,*6Db
- ;(Ze3
- a%PL#4
- 0B>.

- EP>*X
- hZ0W
- vl7!S
- 3?M7
- O$5K
- $D4u"
- wQ~U
- &;Io
- ,\\A*
- 5`,"P
- O0Pq
- E'9cd
- L$0f
- t$0f
- :$0<
- 3#Qn
- D$ I(
- %0:"1#
- f]avA.
- j7$P
- 1' 6
- O?1 G
- v7&~
- HaMk
- U\'"6
- T$8f
- |$0f
- 9D(^
- #50;
- H"4F<*9h.
- ='Uj
- A-~/>
- }18}
- </]U
- h1M^
- 2d$0
- ?'U58
- G0dr
- 3;L6K
- v1"P
- "3Ae
- q+9*
-):Ha6rNv
- *0=b
- z'3Ah
- E.)?M
- *tU`
- K6%{
- ~6p>
- \\.2'9.7
- 6cCL
-)4Fy
- OdyE
- 2?Mi
- .=Of
- 0)9
- [3%W'

- l$0h,
- 4(2'\tm@+
- 3%Wv
- !1.
- }@$2!U
- 1?|F
- lce3
- V2$i
- rE,`
- a6cS
- X*!3
- @E.V
- 6&5:#Qn
- |-5:#0"
- }#7E
- #2@i{1
- ~=(u
- 9eH7`
- y(0B
- d-:H05
- s2%Ze
- ?'n4
- D$ 6
- ,9|f
- ?1<J
- !#O!
- 0=Op
- Y0?L
- E&;H
- wd\tE
- +8~DA
- @2H}
- y*7G
- [7)N
- .1CgM
- #]nO&
- D61?
- l<l)
- <$Uf
- 0B+3
- sZYCO
- t$0h
- |$ 1
- e=/z
- 6v#w
- (8<-_
- iu)2
- '8p7
- :D5$3:X
- ~p6f
- {5>Le_/
- 08;#I
- K)1 S
- fO(1C
- {g'0
- a,9K
- (2$Vr

- nG#ix9
- 4?/5<,q
- D$ 8QI
- L$8f
- u*;C
- k88H
- 8&TU;
- 8U)7r
- H]_3
- m71?M)0
- #(5G9"Py
- bK\tU
- $n9"
- ;DBU
- T6&]
- B07'
- =$7%
- 3#Qr
- 7'UC
- 6Du
-)D\\e
- \\$4f
- W%9]
- 4$.6
- `_u~>
- %0B8
- %0Bk
- u8<w
- {\t 6
- f4<A
- +6D`
- -9l1
- 8lI,
- z'3r
- 4?MF
- &4]`
- }ronh
- -96(
- .<'2Z
- y"1C
- 38=q
- D$4f
- teTq
- |Fwu
- #27+
- 9~4hS
- |$0f
- "43%
- "15GQQ
- `7Xp
- !0&0#Qu
- A(ZZ
- #i.5G
- O=$:l
- {_"`o
- u 3A
- -4Fo

- 8t%P
- $fqoz
- NC(O
- 4$hv
- U1,B_
- or6O
- C0:p
- 4$hp
- `-7E
- "9<N
- 0:Ho
- @*Xu
- l$@hi
- w6!c
- V3 R
- }TA(
- r3;M
- !0>-P
- 8s2k
- A(Zsi
- 7=(3Ae
- K'1CT
- L$4f
- O?%"4
- Q4"W
- z3$5
- oA-*<
- oD!S}
- IA-_t
- -1CDur
- #?6$V*3
- /=(3
- |-5}
- 5!+4o
- _6!S
- ,=+4o2[T
- u$7EzV
- H)66+Y
- ch/8
- $36[
-)5Gnedxb
- o)2<
- I%_=
- #3&
- u0=b
- w);l
- @'6E
- [1"
- (rE4
- I8"h
- RO_`c
- {\t9*
- g.;l
- D$4C
- fP3<
- \\.4
- \\$6J

- eF/]-
- ~3)9
- c'1C
- g@4$
- .;I`
- Y1'
- |$0f
- T$0f
- l$0]
- haEe
- D$0X
- (aT'
- D6F!
- z+4U
- v!0B
- *1&5'H
- D$D8QI
- =!#4G
- PyA+-
- 4);l
- 4"Po
- l0>k
- 0+6c
- Ms#7
- V(4K
- 74 R]
- 6&TP;
- 1'UsE
- \\A*7Eg
- 3"Py@
- `V8S
- .,4F<\ti
- u"sRe
- U;/z
- 1>LY
- ~&3s
- 0!lf
- #X9.
- aG-_
- 6}?Z*
- l$0f
- oG-_
- p4"\\
- f=$Vi
- 4!-<i
- cnZ0
-]9)[
- -RbA
- F#0H
- koCd
- 9#Q+.
- H6$`
- X*6X
- ~awMP
- h9.\\
- y,9;,
- U6+Y

- j0=$V
- rM48
- k3?`
- {9)[
- 2$Vp
- 5?MQL7j
- K9=*X
- ~#7]Us
- \\$4f
- eo]^
- D$4h
- ? k=7
- U":5+
- Eow>
- 1m/a.
- (5G>
- x.5A
- T'3A
- +5G
- R=ub
- F/]A
- o.6"
- 4Mhj|0
- 59K7>Ls
- qX*2
- 2-4
- 3#QM
- MsjuW
- .8Js
- ~)8j
- ;'U|N
- 3 Rm
- oKN^
- v2;W
- D&6E(
- t$$U
- D$8Q
- (&J9;
- S9/
- </7*
- 0oYa
- 17A+=
- \\$8f
- LJ6@
- /5GcW
- S,d5
- /LyI
- +9Kt
- a-FX
- m+5p
-)>38
- \\$8f
- '3Ah
- s7)&8
- zQ7E@-
- 1h*5
- I;6(Z

- b)9<
- KsUm
- RD0 1
- D$HsaaTf
- E-_y
- L0"P
- @21&
- 4HC_
- 07E3:
- E;)[
- A:)(
- $Xe:^
- fOc|
- AJ>.
- }a:"
- @2F/]
- -7&:w
- A(Zsu
- O=D,
- aXgv6
- ;3>Le
- RA`8
- 4$hW
- $$ha
- 4$`h#e
- wQ~U
- C6ex
- v4'z
- l,1C
- N9 V
- {"13$
- (0x-
- p9&j;
- 4b0>
- Y5#QL
- {(+7El
- %\t3<N
- <ZY+7Ez
- ,3
- 6"Pn
- I=+Y
- r[4>
- 1t>(Z
- ,4F!
- "G6{
- TEA.
- |\\E7
- O=!M
- 5 R{
- -;I9<;-
- \\%6D
- J_$1
- $I"g
- I`B/
- ^,%3Ah
- "O,?
- K69K

- #&1C
-)8Jc
- u*(4
- CaFk
- ?}P7
- O\tJ?
- I):Ho
- C1':
- =&04F
- Y6+
- TGf8
- O?-_/4F
- ^h~~O7
- h<!a
- u\\du@_
- K.5G
-)4[
- 3XVk
- e>%W
- so)0
- |5E1>
- 13<Ng
- 5<U='
- .%7El
- 2(5T
- 7$3:
- 4%'8J
- S!1j
- G4>L
- q/6_
- y9)j
- +?e+3
- }R0%
- 7gFg
- s2:]
- yZ0&T;
- 8>+Y
- w,9K
- (;4*C
- A9~4
- &05>L
- H9=S
- o6<N
- 5i6uY
- ,"Po
- KnQI
- t7'l
-)U|)
- |9&b;
- J8E)
- E,p4
- Oy1=O
- t$8h7
- 4$hG
- ~A*
- ?$1 8'
- Fe*5

- Yu4{%7
- #:k8iS
- '5Gi\\/
- :3#Q
- s-6,4
- |1"\\
- 0S;G
- KCE{
- aJh00@
- 9j3t
- b*;Im
- 39Kb
- Ufu\tn
- +U(C
- +7Ey
- 2G^b
- B02=
- 6"@/
- @-"E
- +4F<
- !7(1
- ~w2Ds
- +=Of
- 2\\=,g
- *2<)9
- :u3Q;
- e&1C:"
- |v7&
- I}/7
- [JA+Y
- 8d7)5i
- {+9s
- 74yl
- 3bG/
-)8J$
- or\\t
- ~&1C9
- iu3:
- GOh(R
- D$4f
- 2hXV
- I$0]
- q%5+7E
- N<4#
- "\\SSi
- o-=?
- v<#5&
- ^:9Q
- -5+7E
- +. zE
- +&;I
- 5/Y`
- 3$|p
- j;`3
- 9('9
- 1?M)0Bk
- <ED+

- 7?M.4Fo
- +p3#
- +3B%
- L$4f
- 4!7$
- 7"PmY
- _"1
- {.=E
- a8!&
- 3%/7E
-)9Kt
- %0"=
- tFOE
- rVed
- |UCu
- eAAm
- iv\tW
- 7 zS
- 2Tab
- T5*h
- 59*Y
- #7:.t
- +0Bf
- r,0B
- *7E?
- u= `
- 1Iy5
- }-9h
- B'3$
- &5Gc
- @2"3i
- f9(Z
- 16T{
- 075*
- \\$8U
- 8kq(
- rfY0
- *I@u
- A=6$V
- Dt9$i
- 2@w
- 5\\-+
- i2?t
- u\\vc
- M)7I
- D6,;z
- W8)[
- w1:{
- AB-_
- WI#5s
- 2$5d
-)1CE-
- A2?>!d
- D$0P
- D$0-
- RO?~
- ca]L

- {-4F<
-]/0
- w6!Sx
- 9$V|
- |U\\K
- dIjI
- 2&T;}
- b393;
- l4&0#
- z}L7$
- H8"\';I
- (2</
- 5`8\\
- 4"
- 6(Zs#
- bKL0
- Jn$2
- r.7v
- ; R/8
- -1;#I
- *6;
- yya)5
- h!6h
- UX'j
- 5<Nq
- <!SuP
- ^_2'U
- I%;C
- 9/8J(0
- &~u`)
- 09Ku
- >BIU
- E*;I
- 8!SI
-]L0d
- Y+%6
- *:H8e
- G'D;1
- K?/A
- C8+=.\\u
- =4gg
- AD):
- j6$V,O
- ##0B
- |$@U
- e)?M
- u.4`
- l&,0J
- \\$0W
- '6E(
- /6E(J
- `I:M
- G1!0
- I(3&
- 3/7(O
- Urn49Y
- W8)[

- .44>W
- q9<N
- x75C
- ,FL8
- 4B/]F
- L$Hh1
- 4 R
- M8#-1$
- D$Hh0
- iy9u/
- G.9Ko
- '-8Jn
- "<AR
- p*6D
- I;5 R
- j/8x
- P8.t
-]-5*X
- asgO
- *<;0w
- '43%
- AJl]
- eix]
- B0/9Kb
- 4&T;
- XfS0eE
- ?OH"
- h%0B
- r[A:
-]/8&N;
- n/7D
- i3?y
- Z'4G
- A)?=
- 5=2;\\
- L9=q
- 6%W-4F
- S!0>L
- 5=Of
- z,7]
- x6*9+=.)?
- Ngew@
- T$0h
- D$8f
- T$8h
- O+5Gx;
- a*7E
- .8Jm
- &8Jl
- ^5 /6
- o+=D
- &/9;,0!
- V{EO
- 6Dm
- /4XK
- `_BLu
- ,04%

- {5>Le-
- -5:#
- O]TV
- G52<O
- (2@i
- E-_3/i
- 6?-f
- 0*T_
-)27<
- GE8g
- $3RS
- ~6&T;
- '>B1
- bB%O
- I=&+0&2
- V$4!
- ?B)[38
- aB)&8J0
- J-9(
- I8<r
- oN.h0
- 4$`f
- f)4Fb
- \\eG;
- 1B-_
- k/6"
- Y!3=!
- '3A0
- (!ih
- }D&9
- hA*/#-1o
- 9"14M5a
- [NA(
- :O'1Ce
- }6+Y
- C1.8Jc
- ?*Xge
- O1#yr
- 1&T;}
- \'.O"
- $0C
- %4=-
- M?6
- z'3m
- 1C2\\
- LA,^
- fO\t9
- B08J"
- ,7Ez
- dM3lL[
- G5*7
- =6cB-
- u\\C`
- S!9$
- t$0R
- KK?Is
- .13$

- =!-<E
- KI&PI;
- F7 L
- 4$`f
- L$0f
- #1z9
- \\SAq
- b~.1"
- v=34
- $8hO
- hqU,o
- D$ a
- o)5G
- [A)s
- O{/?M
- h-1j
- 2< 3!K
- D$@6kO
- D$48QI
- 3N08
- 1t9*
- 3OF)8
- J8?)
- F'75*
- D$0h
- D$ I
- |$8h
- |$4f
- J5$Vw
- h`MI
- MJ0h
- D$0hh
- 3.5P
- !\t)4
- N9SY
- ma+'
- }#1C[no
- +zad
- {Yi{d
- 28J$
- R. R)3A
- v(3m
- GxE^[
- 3?Mu
- e)?!
- X9.\\
- x(2@
- $I.?
- 4>Le
- 3$V
- W1'U+6D
- D$8f
- t$0f
- t$0T
- hrU'
- `hp2
- |$0f

- .e^f
- \\$0f
- bKa2
- j+3D:,=O
- xAp.S
- <eX3$
- iszb
- Ofh/
-)57(
- I5/"P
- /#Qo
- $61'
- `U`S
- h\\O&h;
- I8MFm
- J&8t
- O=9&T;}2
-]\'0B"
- 4"304
- a@+3&b;
- }_?en
- #2(0\\
- hUcE/<.8+e
- :$]IL
- E7<,^z
- (09)
- gNb2K
- F0 B-
- 1EyU
- I)zg{
- '1Ce
- o.9K
- 5>L[G
- v(3g
- ."6.
- p$4n(3
- 'E_7+
- 'uo
- 7*6S
- '8Jc
- Q#-8
- 9",0
-)3;.
- 4$U`
- U1{3
- @27#Q
- uqoPr
- i14g
- o>'U
- #?"4
- 4=Opi
- +3A
- 2&0#Q
- FVAb
- R*XI
- 5p5&
- sb*3

- j2>L
- (3?Mr
- 3Mu`@
- Oi:!
- -#Qo
-)2-#
- t$0^
- t$0S
- i P?
- aD(6D
- >!L0>
- Jl3[
- >-a}
- x8=2;
- 6F-[
- Te>%
- &5Gn6
- ?SE.E]
- 9!7$
- 4NJB
- g 0.Y
- ~0;05?'H
- !6 e
- t$4f
- h^OF
- D9*X
- h8Sp
- l.[2
- k/4G
- 9!#4
- \\$0hI
- \\$,U
- 4$hb
- 29KW
- 0^,"
- o)2@2
- 9=*X
- '0B}.
- <U`cH
- \\$4f
- L$0W
- |$0f
- himE
- E:+Y
- '48)
- &.EL
- o;!Sk
- 0(:D
- $8_M
- w,6E
- r'4F
- [#1G
- \'0B"
- 2,;R
- :3r8
- k5=|
- /:Ha

- ;/2&X;
- O=9
- E,(%-
- 6%'8
- 4#25<,
- |$0R
- yF)a
- |1"P
- uQGQ
- U*;Ix
- Qa$1t
- %;I5
- 3;&T;}
- m+0z
- `o]M
- D+3Ah
- ~4'2Xi
- $4F#
- !_hI
- {0=O
- 1"\';
- 5<NgFx`U
- w<e8
- 0,1' 6
- 9<U1N
- #5Gh
- A\\:&
-)T2>
- /6Db
- H^){6~/>a
- D-5G
- _NA)
- 1>.4G
- q5+j
- a/oE
- Qha]G
- Q0F{
- ,8Fo
- GK3l
- u= R
- t 0cm
- '\\Oy
- Y14e
- e.;
- B,0!
- J\\'7S
- 5q;#
- #0/!
- y%7Ez
- o%5$V
- h<w:8
- L$8f
- D$ 5z
- qk8%9
- q9<i
- o8!S
- A.\\x

- }7!S
- 1#QxE
- oB)j
- G2!h
- [#1C_
- . $5
- c6#Q
- 9 R(3
- @5&Tm;
- z0 R
- Q,0#
- KUQ(
- gN6W
- n,I7#QK
- q9<c
- d7"k
- A5%W~ga
- C.#3
- K19c
- hH{e
- D4&T;
- M?7"P
- y7<;"
- D$0Xf
- ,) U
- D$$A
- 6H4NX
- :,0B
- W0GM
- 5'Us
- Yitj
- R9{_s
- D$4f
- O+x`
- D$(o
- 4$hh
-)H3V
- h\\G|i
- 5 Rm
- @7p<
- WB~6
- qN2R
- \\)3A~
- lw$70&
- ?05Gc&M;
- ,F-a
- (LUp
- \\f"2
- ^A(W
- 0 1=)[
- m3NU
- &O;],
- H/2&
- 5T0I
- v.1C%
- cUH3n<
- v 0B

- l-_z
- m0#t
- O=G%
- fsE>
- (OG\\
- 2D(Z#
- o19Y
- 0 8%
- ,"Po
- F4N;RU
- 6Vi]
- 6gf9
- xgEI
- WV'fA
-)3AhX
- \\8(Z
- a?&TH;
- `l;_
- ;~4`
- L$8f
- .:*0f
- l0>
- 1)4F]
- tA.=/
- '5o
- 9/>^
- OM!i
- 2+1
- &4[.
- vD,e
- 1Kn[
- e%1C
- h6Bl
- z>O*cI
- u38i
- q8f
- *65%
- x#6D
- .*;l`
- H81#Q
- D$H5
- 04%2S3d
- t$6K
- K`59PF:
- 09Kbt
- "o+=O
- #5Gn
- M$3E
- j9$8k
- 1&&;\\
- s/7E?j
- tn1M
- 9s57o4
- L>DO
- <e4=O
- &C;'1C1
- 40!'~

- +57(r
- +19O
- E70>
- hE.`
- ~C8+
- cpAw
- #08\t!
- e2?o
- !R'u
- J<fE
- D$0f
- ~+7S
- D$ i
- J=3]
- 'te\\
- 65`0
- G/2&!7S
- =Exu
- 4$^he
- maA7
- s59~
- P"X2
- I;2"P
- l,1[
- OtpG
- 0d+G
- iu3:
- db,a
- {5>a
- 6bDj
- 75'U
- UT)`A
- 2::/
- `oXv
- X4c,U
- 3?M)0B
- I*?Mw
- C8+Y
- Lyh0
- %I(9
- 5=OfY7A
- A(Z'3
- (9Kb
- I;.:
- u:=x
- ;-_o
- I+?L
- h/o\tz
- 9*;r
- f29r
- &13$V,X
- 7!I_
- h-0@
- r$4v
- A#3,"6\'
- w6>C
- OMk8#

- 2@N'g
- a~4"
- P7&I;
- K9</
- Zakj
- 3%/7
- E0A?-
- N*4I
- Neyr
- #"6\'c
- z,7I
- \\$8R
- $(QI
- $2?t
- #7E3
- j7=
- '7u+
- a1?M
- ,8z.
- 2 Rmk
- J819K
- wsA/]
- o/;9.\\?
- \\$8f
- hVeY
- 9/$
- yE\\5K
- 8 Rm
- 5%Wh
- r.7E
- L$(U
- ua{6s
- 52hU
- .0 g
- O)93;Io
- 9<Nj
- D6LKF
- 2$Ys
- M)0Bk
- 9%W~
- C/48)
- (7em*6D
- '&*A
- D$0h
- D$$U
- C3!S
- /W`o%3$
- o.6w
- :!#4
- j22.G
- bF@4
- tQ*7Ec
- 2ydt
- Rxh*I
- L$4h
- {RF8
- l'0B

- 57 R
- bFOL5
- i#</
- I;A,
- [)C+a+1
- 2?Md
- ,=Od
- E7!2
- |$8h
- L$0f
- 4;I9
- +9KY
- .?/5x
- \\.9'x
- }7+Y%
- uHjB
- 5VAO
- [7)[
- J 6D
- Oy;%
- $i~%
- I3O"
- 5",?
- }Jio
- 3 8%Y
- 4bB=
- |-5Gnlu
- !Ux1
- 4#Qxj
- Ngra
- ZeD}5
- -13&N;
- 0;I2
- E,;C
- J08J
- 7>gJ
- e3'696(
- ;~4f
- {k3?
- >)0
- um&*o
- kG_U2
- 5-pG
- 46>9B
- I\\2u
- A|V
- YE#M
- O=)D
- eLF,
- nMU8
- I6+:H
- =,;I*0
- D$4f
- a1?j
- &DH4;
- e8#Q
- 5?M38n

- `I@O!
- 0$Mc2
- rn49c
- DAo`
- 0!<(Z
- A+Yf
- e7#5&!
- =@%9~4
- V$8@/
- :!Sz4
- X1:Z
- |$0f
- l$4f
- $0?i
- .;l`
- a9+S
-)1CgA
- zJa^k
- (5Gn
- gNeLY
- ;%'8U
-]K)3
- D$0f
- 4$h6
- |$4_f
- 4=Op
- "0E>
- l+4n
- B09!S
- C1m|!
- C4=O
- xQ+0
- K3'U
- 0J-M
- 3"6\'
- .;lt
- ,0/#
- J+48)
- -6Dd
- f*4F
- 1>Ls#
- L>!uA{x0<
- N%Pri
- Q[1'
- nG^i#
- 8;=D
- %:9<
- k)7E
- zSBZA
- @(Zsu
- {=\\2
- D$(7
- J+4F`
- Y]qO
- @.5Gxu
- YcX2$
- D$88QI

- D07Ez35
- DU69
- g+xU
- '2-4L
- Zd.8
- v0<_
- }A%W
- wk48s
- z'3E
- .;ly
- R8.\\
- U\'1"
- ;D,+2
- 9*X{
- ,}(5G
- {&2-#
- pX;EE
- l$0f
- i<'i
- X3;Im
- |U8C
- U*6D`
- s3!Sw
- hU<^+
- Q}h>7
- P8~`f
- r.7X
- 8)[}
- kV4<N
- 9!Sw
- FUlc
- O5=O
- 5A.\\u}
- %27+
- D$8f
- ZORh
- $73h
- $cJ8
- `ho>!
- o$1C
- >2#Q
- H8!S
- g+2-#0"O
- T"618}
- h1;g
- t$4^
- D$,e
- l$0Vf
- 1?9=S
- ~1<N-
- \\$LUf
- 4$3A
- 7}|Y`
- L$8Vh
- 1'U|C4V
- A2?L
- ,52$

- M|C21
- a}r/
- 7(=ma
- \\$4V
- C1se?
- pjB4~HiLY
- E+?M
- z4 U
- e4=C
- 6*/!
- ($3@
- %57(
- O9L}
- t$0f
- 1::/
- #0B}
- 6'U|;$
- h3!!
- L>OX
- d7*Xqd+3&
- S!0>
- 0>Le
- Ah9Gi
- 5T0I
- |%6Db
- &-7#
- C0!T
- 9.3' 6
- {(`1
- o$1g
- I;$2Z
- ,6!S
- (7+%
- 7Fym
- %3A)
- /,I<
- >#1C
- L$0f
- 5$qf
- TJh7o
- D$4h\\
- T$0f
- %6fhg
- `3>Ln
- D6@+Y
- A3 2@.5
- D$0f
- hO1]M
- "61\'Uq
- ?OU_l
- G5->
-])2i
- od[\\
- %22'C
- qm,6J
- N<Cl06
- IV/Y

- z%8)
- E;)o
- 3>)0
- ISHv]
- k)7D
- \\.3?MiH
- }5*X
- kV/8J
- 19K]H7
- /e9z-]!
- 4%Wh
- pON&:
- g$3A(0C
- 4&T;}=
- hP90
- f9 R
- +11;
- K9]T
- 9'U|l
- &2@c
- {V6!Y
- fJza^
- QcHAs
- hl$E
- D$4OgP
- D$0f
- ^hva
- D$40
- {R7
- La;q
- O=4"\tl157(
- P"3#N
- B0~d#
- s"6|
- 1C+0
- hOc7
- D$8f
- <$2!K
- p"61\'\'
- Y6>\\
- HI&&
- 9`~8
- k5=x
- p5WA_k
- M%228|
- $IQ8
- X9.\\
- HjoR
- +11;
- T$0P
- wQ~U
- L$4f
- 4$h8
- $$he
- l*FpG
- rJ3QL
- -9Z0^

- b+1C
- <(Ze
- G*6Dm
- { 3A
- :$7Et
- V$7#
- h4<x
- 8=On
- 3/7(@-U
- m"3A
- kO)9/
-]/#5
- '(2#F
- :4v{
-]uSD
- q+;lL
- G3=Ok
- O==.
- U/8L
- l\'3,"
- :o5;
- :>'U
- ?<IP
- "l6`
- E(Ze
- pAJ#
- 3Qqy
- iWbWA={
- L2 R
- G54(
- X!\t{o
- qOlE
- sL%2@
- a}Wrj
- - I.;Im
- e)?o
- f,36*\\
- D$0W
- 2@N
- +7Ez
- XE5Z
- `AQ9(
- >HO%q
- Okvc
- 8(q_U
- nQS9R2
- t$@heo6^h
- *66+Y
- S9)[
- 6#S"
- 2zie_K
- 3$Vig
- :9DD
- uI>Qb!2@
- %31&
- 4$`h
- <i@%W

- %7E'0B
- oIq2
- ~AF.
- ~&3A#
- GCOa
- 4!2
- 7@n+
- '8Ju
- j[6!
- I|D,
- $0:"
- H86'
- T69<9
- z8(Y
- h1>z
- 3&T;~
- 5>'U
- +2@i
- i;sW
- IHsJ
- iV?Z
- 8.\\u
- u38i
- A5%W~
- 6#+>
- T$0P
- 3>dG
- T$0f
- GE1!
- f"27+
- ^R2C
- 5!2
- 1>8<J
- f%0Bu
- Rwl7
- v}-9
- f/8J">u
- 4%W~
- !0>-
- 2>Lv
- m0#e
- p6&X;
- S}(5K
- wQ~Uf
- N(8JV
- #(6z
- L(6E
- ,3Ah
- .1Cm
- ~-5G=
- '3A<,
- @D5j
- 8&Ty;
- M)9K
- mF/3
- e<'4&
- D$ U

- |$0_
- /6D{
- 41p+>Lh
- a1?=
- |$0h
- [19
- /&5G
- 2#Qx6dAY
- CV%0
- <YA+
- .9Kt;
- O1:X
- %90"PL
- 0_MK5'
- "66<
- ">2!
- u+2@
- 4&T;{
- 6 j-0
- 6"3Av
- aL+:H
- CeqLw
- 47RW
- o)2s
- .8,C
- D5"P
-);Ivk
- /5Gn4=Q
- $2@i
- E6#b
- l5"k
- rn/5G
- E(9O
- I;G.
- i@5F
- a8*X|@
- @A}w
- z8&T;
- 4*2n
- U|_G
- e(7b
- +!1C
- 8*2@d
- 48h9
- Y5#]
- `Hto
- n*3c
- &:8%
- 2#Qx
- :=Of
- P25Gn
- 9\'"
- A/]-I
- F-4$7%
- $h4j]
- -\t!6
- y(0H

- 5T0I
- |Pi!
- J+4G
- PyjO
- w6>W
- Y&7E
- M8%,<
- -0B.2f
- yTy3
- %1C|
- 25D+)>a
- 0J(
-);I9
- mBiHQ
- cJ(3
- 3#0"Py
- ?%'8
- 2'U|
- ToT0
- ;c"3
- =3Xw
- t7W*
- 8&:+B
- $(7E
- _.9O
- mE/\\
- RvT3
- '4Y(7Ea
- oT|6
- D/ue
- j7$)2
- b0>f
- {+6D
- 3'U| d
- =CJsI
- 8;&T;
- K908J
- OR(V
- I$0f
- h0)H
- L$0f
- *?*m.1A?-_
- I/;+1
- Gdde
- 0!j?
- |$0h
- u:"Pt
- *T.8
- imm5&
- /8Jvd.e
- K7%W
- 7'7(Z
- 6tj7%
- 6$9"P*
- w0=O
- tA.L
- |$0f

- 293;I
- m+0~
- y1=O
- X\to/
- &0Bu
- i7&f6;
- qO';I~
- 7&f;*)
- $ 1y
- M9TU
- 2AlB
- $QE`t
- h>?UU
- D$0T
- I$4[f
- $aW*
- 9+4o
- 4$VhQ
- 7urh
- $O\t[
- d?'15
- .u"
- 5*Xq
- U<-R
- Z'4Q
- u4#Q
- pZjA=_2'}B
-)Y2s
- hv1rv
- $39Ag
- `|,3O
- /9KCR
- z,7El
- 07
- \\.2@-
- ;$27+Y,6D
- >Ezh
- 4BwU
- g#3f
- w6!T
- I5<Ng
- v9=Ok
- `O6' 6D
- #"SE)
- e7Co
- (:Ha
- Hr7A
- m1?M
- O+5G
- 6H?G
- A+Yp
- "3B%q
- C7JT
- O=pl
- 9..#
- nWB9
- Z'4~

- qZZlle
- a*?G
- `&6c
- C3!Z
- C4=N
- p05U
- L$0f
- D0
- dQc00,
- s3!S0:
-)6D>
- D$4hd
- `UVP
- T8S$-
- BG,%a(2
- N9(Z
- g&1C
- +vyA
- n*<N8
- |$0f
- 6=Ok!f
- Q2'U!
- (8)P
- A3;&
- 8)[dU
- !*8Z
- /{!u=
- w,6h
- C,^E
- @E.e
- -8Ju
- cJ-a
- 8"6\'
- Fp$4
- Q<0/
- v-7E
- |$0f
- 1;l`
- {\t2>
- F3&I;
- P+|iJ
- 4>/ 3
- Qn7]
- =&7|
-]Y2^
- H>!0Y
- 6'Ujj
- o)5GP
- (.;l
- cATM
- #[yu
- '1. {
- 4WEg
- <9@?]
- o&3A
- :&7M
- r3;a

- n087)
- oK8L
- W8)[
- (<m4
- n8"\';
- S4_{
- %5Gn
- 7ZG6!S) |
- 2!S&1
- S!1C0:
- 4$Tf
- .8)[r
-]Pc9
-);Im
- 3'6f
- %7EaP1`@
- \\$0h?
- x1&T;
- 6"P+2@
- 2;Io03
- *:+(9
- ;,^a
- AL=]
- ~2'15
- Huz1
- `5"Py
- {4%O
- #=9h{
- h-1
- U":
- HCvE
- y8'Ur
- /A~x
- G7%W|
- BaFl
- 6@ZX
- eysG
- 8%;(
- dO09
- c"3;.
- U'=$
- NieS
- (3A-4
- 6*/#
- 7A]+
- 9%8.
- |$4f
- WhC0
- f!]X8
- sLe;
- Y+WhU
- >i6!
- H{=1a
- Q</a
- 3 ^~
- N>2!S
- A,^w

- T$0P
- H%2\\
- j>lIP
- um(`
- ~+2r
- t$<U
- D$(26H
- 1=pPf
- h+VL*9~4
- 8Xc)
- K9Clo
- U',>
- "}s3Z
- eG/]
- HUIBg
- S!5&
- mIy=FA
- F4$1
- EQ+O
- \\$(U
- J.1y
- R0F-
- h/8J
- %\t{8<N4
- w1:b
- D$0f
- 2&To;
- M"70&
- $7Ew
- 6%W~
- G)57(c
-)8[m
- m1?~
- z$6D
- >Uc1?Q
- k4=h
- |$4f
- E|fV
- I;=&T;
- c>&EP;
- 4$ho
- .6@$
- C18
- ;3>f
- &3Ahl
-],6Hu
- Imx@\\
- +4FE
-)4t
- D$0R
- hk7x'
- ;~4T
- I,16?.
- 90O2
- O=!k
- #-8J
- }eX]\\

- Y5+L
- w6>H
- s5Y#O1=O
- o<< X
- v49K
- A)bW
- d)q8
- T$4f
- z*8J
- k*2i
- 'O,?
- (6DmlU}
- 16?Md
- oL0|
- sA/n
- 4/9(6(Z
- l$0f
- l$0f
-]^Li
- #49"
- t/5_
- e=7#"
- /5Gx
- a#`"
- :&0#I
- ~6 $5
- 3tk:R
- nmSU
- D$0=
- o<)?,
- Ey:yd
-]7+G
- 1Kni
- K9PI0iv
- $Nayc
- UzZu
- 1;05
- %5G[
- UL|/1A
- [F)4
- #2PX,
- E>+
- +1C+6
- 5<,6Di
- O=%6D
- |1<-
- 2gj[
- ;T`9
- h0hU
- 4$``
- K|e$q
- e6>L
- $+2@
- ,;ly
- fSA)[
- h#0=
- |$0f

- ah6!
- Ir>d
- n-8B
- -6D{
- G.-0
- 6&T;}C
- o;!K
- u\\>k
- 6Q1G{
- "aRxh
- %6; V
- 1sJ9*X
- 1<6>38J
- H6<)
- G5#0M
- 6?49
- c8!S
- 2<Ng
- :42:
- .cl5
- !4Il
- ,7"J
- y;OO
- p9&T;
- \\$6d
- [|=1
- I;(nHe
- 6Wv,<
- R E)
- |-5&3
- f1>W
- {4#Q
- v7&T;
- 0B^
- pY#7v
- ("1C+6
-]-5*
- 0"Px
- n"4==U
- SzVDO
- ip)8
- 08-6m
- N#4g
- lp+3O
- `8"P
- {R6Dw
- +:Ha
- d77+[
- .5Gx
- E#0R
- d)4G
- G(5G
- U x0,6+Y
- *-0Bd
- @2.o
- 9"Py)2-^
- R 0B

- k^whE
- K19
- cpAs
- (2@i,
- A8+`
- M"70&+?e
- 8.\\u
- c;pe
- 4&+0H
- .?AVIGetBlock@HardwareID@@
- .?AVGetBlock_CC@HardwareID@@
- .?AVIVirtualAllocationManager@@
- .?AVIHookManager@@
- .?AVHookManager@@
- .?AV?$VirtualAllocationManager@VRealAllocationStrategy@@@@
- .?AVIDllStream@@
- .?AVEncryptedFastDllStream@@
- .?AVIUrlBuilderSource@@
- .?AVMyActivationSource@@
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- .?AVtype_info@@
- D8q)&
- fe2`
- ->aU
- :z8A[P|
- -0?o)G
- :N6#
- 6$-=
- &2dn#
- 8XCX
- HI0f
- n)I
- 6[_U
- T2X{
- :7YE
- :S7]
- q=HO
- ~:83,
- GetMemoryForDLL()
- bad allocation
- S0={
- UNKNOWN
- ERROR
- EXPIRED
- USED
- BANNED
- '$IT
- deactivation.php?hash=
- type=deactivation&hash;=
- activation.php?code=
- type=activation&code;=
- 0123456789abcdefghijklmnopqrstuvwxyz-
- CONOUT$
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- 700PP

- ('8PW
- 700WP
- (8PX
- __based(
- __pascal
- __thiscall
- __fastcall
- __ptr64
- __restrict
- __unaligned
- new
- delete
- operator
- `vftable'
- `vbtable'
- `typeof'
- `local static guard'
- `vbase destructor'
- `vector deleting destructor'
- `default constructor closure'
- `scalar deleting destructor'
- `vector constructor iterator'
- `vector destructor iterator'
- `vector vbase constructor iterator'
- `virtual displacement map'
- `eh vector constructor iterator'
- `eh vector destructor iterator'
- `eh vector vbase constructor iterator'
- `copy constructor closure'
- `udt returning'
- `RTTI
- `local vftable'
- `local vftable constructor closure'
- new[]
- delete[]
- `omni callsig'
- `placement delete closure'
- `placement delete[] closure'
- `managed vector constructor iterator'
- `managed vector destructor iterator'
- `eh vector copy constructor iterator'
- `eh vector vbase copy constructor iterator'
- `dynamic initializer for '
- `dynamic atexit destructor for '
- `vector copy constructor iterator'
- `vector vbase copy constructor iterator'
- `managed vector copy constructor iterator'
- `local static thread guard'
- Type Descriptor'
- Base Class Descriptor at (
- Base Class Array'
- Class Hierarchy Descriptor'
- Complete Object Locator'
- USER32.DLL
- Sunday
- Monday
- Tuesday

• Wednesday
• Thursday
• Friday
• Saturday
• January
• February
• March
• April
• June
• July
• August
• September
• October
• November
• December
• !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
• CorExitProcess
• Unknown exception
• Program:
• Runtime Error!
• <program name unknown>
• Microsoft Visual C++ Runtime Library
• - floating point support not loaded
• R6002
• - not enough space for arguments
• R6008
• - not enough space for environment
• R6009
• Please contact the application's support team for more information.
• This application has requested the Runtime to terminate it in an unusual way.
• - not enough space for thread data
• R6016
• - unexpected multithread lock error
• R6017
• - unexpected heap error
• R6018
• - unable to open console device
• R6019
• - not enough space for _onexit/atexit table
• R6024
• - pure virtual function call
• R6025
• - not enough space for stdio initialization
• R6026
• - not enough space for lowio initialization
• R6027
• - unable to initialize heap
• R6028
• - CRT not initialized
• R6030
• This indicates a bug in your application.
• - Attempt to initialize the CRT more than once.
• R6031
• - not enough space for locale information
• R6032
• This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
• - Attempt to use MSIL code from this assembly during native code initialization

- R6033
- Please contact the application's support team for more information.
- An application has made an attempt to load the C runtime library incorrectly.
- R6034
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- eC)y
- 1v7+/v
-)0$'
- 3g.v
- 5A"q
- 0SVW
- tfVU
- SVWU
- VC20XC00U
- h@YI
- h YI
- t/9U
- 98t^
- SVWUj
- h<KI
- hxXI
- hXXI
- h8XI
- wIVSP
- uL9=
- uaVj
- r 8^
- ~%9M
- VVhU
- UVWS
- L$,3
- $$CI
- h4CI
- h@CI
- v$;54{I
- 9] SS
- ueSj
- hXWI
- 5DzI
- 5@zI
- h@zI
- h@zI
- 9csm
- 35@zI
- S99t
- uWS3
- @@f9
- @@f9
- >"u&
- jTh8WI
- uBh>
- u,9E
- o~pf
- ov`f

- onPf
- of@f
- o^0f
- oV f
- Af#E
- WSj0
- 90tN
- j0Xf
- t&:a
- h`8I
- <v8V
- 9] u
- t)9]
- 9]$SS
- 9] u
- u8SS3
- 5xvI
- 5xvI
- 5|vI
- 5xvI
- 5|vI
- =xvI
- F\\=09I
- hpVI
- 5xvI
- 5xvI
- Fh`pI
- F\\09I
- hHVI
- 5|vI
- 5|vI
- 5|vI
- 5|vI
- 5|vI
- 5|vI
- =hvI
- h(VI
- =PzI
- =`pI
- 0A@@Ju
- u&WVS;
- u WPS
- 5xvI
- u19=
- hpvI
- hpvI
- u+9u
- AAFFf;
- SVW3
- hpvI
- u+9u
- u)jAXf;
- 7GG9]
- AAFFf;
- AAKu
- f99t
- SVW3

- t&Ku;
- hPUI
- hl#I
- ^_[3
- wQ~U
- D$0F*
- 228A
- 2!Sl
- !'6D`
- A(Z,
- iMkG
- w2!Sw
- ,.9K
- h`ki
- h2>*
- E?<^Y
- [W2K
- "3A~a
- "OD7
- [)8.
- "KA0
- 25D+
- u.?G
- 4$`f
- 4$^f
- |$4_f
- $1]ubRP
- hP}o
- 4hL3
- D$4f
- rqpo
- .7Ea
- x2;lm
- <!S7>
- Z<,I
- \\$(haOG
- i11-
- 8L|3
- AA+<:h
- ,IF/]
- {\tE.
- 9V:U%
- 2,;l
- h25<,^
- !36*X
- aH]C}
- L!6D
- "XgO<
- 48Jx
-]*;a
- |$8Q
- cJ9?
- 3<Nq
- p3oI
- G3=$
- g09KG
- @'Uj9

- E>/P
- M?OD
- E!7E
- 8!S/6r
- d&3A28Jc
- "uj3
- 4;Iv
- P7&g;
- C8%W
- <!3h
- E^aZ
- <$Vi
- 9!SJ
- zfA%h
- U6+b
- Yso^
- q8&Tp;
-)Il9
- 5%WqH
- Z&4?
- *7Ec
- 4$R``
- Oq*k
- W*9h
- s*9KoE,
- /R"0
- $2@i
- I;G.\\u
- C.=/i
- 3"6\'
- 8):(
- d9|E,D
- P#6h
- y8'U
- +W1_
- T$0h
- t$8^
- A3=(
- iz<7
- 3;.
- oN.f
- 2=:,
- l$8T
- mEhI
- Th+y5U
- ZV7h,
- D$<A
- JD(1!
- W4!S
- ?#u'j
- ;#u.j
- /^N?7
- y=|U
- 4$`Af
- l$0f
- l$8f
- C1|?

- D$8W
- F/]A1J
- U\'2"
- %3AhXNxc
- n>!07
- z1;a
- 2@)2(0z
- s~M19.\\$
- OhSg
- F/]A
- l2@N`
- E7+B
- };/A
- |$0h
- Dm0l
- 4?/]
- t5XN
- cJu]
- X*>'U
- <Gz5$
- }-9$
- .5/Lt
- T.x8V
- 907E
- c04F<
- 0@<5"x/5G14F
- &;I*0
- |$8f
- @IN*
- l$8Qf
- 4$`f
- /6a2
- xlc2
- U0;<
- %iTr
- %&72
- Zs@2
- Utpq
- <AY2
- Dsl2
- e&(j=
- |$<Uh
- D$@U
- 4$PT
- h|H1<
- '1@' 6m
- $Ie`
- ';<(E
- ?'U|
- 5=?o
- 8%Wh
- w&5+7v
- x8&&;I>&
- Q2'x
- ,L8v`
- 05:#QM
- Nx:$i

- l$0f
- D$<U
- wQ~U
- 4$hp
- T$8P
- D$0f
- hQiR
- L$4]
- D$8f
- l$8
- a``N
- L$0f
- hpAs
- GP`9
- $h0{
- <$f6
- `4V`
- 9Ou(
- 9>v!S
- t5W3
- {zae
- rpo?"
- uCx@
- 97[c
- dJwi
- X0&TH;
- z&4FZ
- N<&7*
- EIEL,G7&
- Fo@e\\
- f<mU
- [z[oC
- u+J5Z
- 6!Su
- U#7#
- _2^{
- <ZAs
- i^FD
- tns5;
- 6Ibm
- 6wF\\Y
- tN\te
- sIfRD
- iA:S.
- U\t9Z%H
- <*4'C
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2

- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.8.2
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0

- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0

- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- GCC: (GNU) 4.9.0
- qGCC: (GNU) 4.9.0
- 0123456789
- abcdef
- ABCDEF
- O8M2
- [%Co
- W4vC
- vH7B
- inity
- option requires an argument -- %c
- option requires an argument -- %s
- ambiguous option -- %.*s
- option doesn't take an argument -- %.*s
- unknown option -- %c
- unknown option -- %s
- POSIXLY_CORRECT
- Unknown pseudo relocation bit size %d.
- Unknown pseudo relocation protocol version %d.
- Address %p has no image-section
- Mingw-w64 runtime failure:
- Partial loss of significance (PLOSS)
- Total loss of significance (TLOSS)
- The result is too small to be represented (UNDERFLOW)
- Overflow range error (OVERFLOW)
- Argument singularity (SIGN)
- Argument domain error (DOMAIN)
- Unknown error
- Assertion failed: (%s), file %s, line %d
- /build/mingw-w64-winpthreads/src/mingw-w64-v3.1.0/mingw-w64-libraries/winpthreads/src/rwlock.c
- once %p is %d
- Assertion failed: (%s), file %s, line %d
- /build/mingw-w64-winpthreads/src/mingw-w64-v3.1.0/mingw-w64-libraries/winpthreads/src/mutex.c
- value
- i == size
- %.17g
- false
- true
- null
- \\u%04x\\u%04x
- \\u%04x
- unable to open %s: %s
- end of file expected
- '[' or '{' expected
- unexpected token
- invalid token
- ']' expected
- '}' expected
- ':' expected
- string or '}' expected

- null
- false
- true
- real number overflow
- too big negative integer
- too big integer
- end == saved_text + lex->saved_text.length
- \\u0000 is not allowed
- invalid Unicode '\\u%04X'
- invalid Unicode '\\u%04X\\u%04X'
- invalid escape
- control character 0x%x
- unexpected newline
- premature end of input
- stream->buffer[stream->buffer_pos] == c
- stream->buffer_pos > 0
- unable to decode byte 0x%x at position %d
- count >= 2
- load.c
- %s near end of file
- digit
- lower
- upper
- blank
- space
- graph
- print
- xdigit
- alpha
- alnum
- 0123456789abcdef
- auth=Bearer %s
- user=%s
- md5-sess
- username="%s",realm="%s",nonce="%s",cnonce="%s",nc="%s",digest-uri="%s",response=%s,qop=%s
- %02x
- auth-conf
- auth-int
- auth
- qop="
- algorithm=
- realm="
- nonce="
- %s %02x%02x%02x%02x%02x%02x%02x%02x%02x%02x%02x%02x%02x%02x%02x%02x
- <DIR>
- APM0123456789:
- 0123456789-
- total
- Excessive server response line length received, %zd bytes. Stripping
- response reading failed
- server response timeout
- Out of memory
- Bad content-encoding found
- Write error
- Malformed encoding found
- Illegal or missing hexadecimal sequence
- Too long hexadecimal number

- application/xml
- text/plain
- .jpeg
- image/jpeg
- image/gif
- .gif
- %s; boundary=%s
- couldn\'t open file "%s"
- Content-Disposition: attachment
- Content-Type: multipart/mixed; boundary=%s
- Content-Disposition: form-data; name="
- Content-Type: multipart/form-data
- application/octet-stream
- ; filename="%s"
- Sunday
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- IDLE
- EADT
- EAST
- WADT
- WAST
- MESZ
- CEST
- MEST
- MEWT
- IDLW
- AHST
- %02d:%02d
- %02d:%02d:%02d
- Server %s is blacklisted
- Server %s is not blacklisted
- Site %s:%d is pipeline blacklisted
- Conn: %ld (%p) Receive pipe weight: (%I64d/%zu), penalized: %s
- FALSE
- TRUE
- Re-used connection seems dead, get a new one
- Disables POST, goes with %s
- Violate RFC 2616/10.3.3 and switch from POST to GET
- Violate RFC 2616/10.3.2 and switch from POST to GET
- Issue another request to this URL: '%s'
- Maximum (%ld) redirects followed
- HEAD
- No URL set!
- transfer closed with outstanding read data remaining
- transfer closed with %I64d bytes remaining to read
- Operation timed out after %ld milliseconds with %I64d bytes received
- Operation timed out after %ld milliseconds with %I64d out of %I64d bytes received
- Done waiting for 100-continue
- We are completely uploaded and fine
- Failed to alloc scratch buffer!
- Excess found in a non pipelined read: excess = %zu, size = %I64d, maxdownload = %I64d, bytecount = %I64d
- Rewinding stream by : %zu bytes on url %s (size = %I64d, maxdownload = %I64d, bytecount = %I64d, nread = %zd)

• Rewinding %zu bytes
• Leftovers after chunking: %zu bytes
• %s in chunked-encoding
• Failed writing data
• Simulate a HTTP 304 response!
• HTTP server doesn't seem to support byte ranges. Cannot resume.
• Ignoring the response-body
• Excess found in a non pipelined read: excess = %zd url = %s (zero-length body)
• Rewinding stream by : %zd bytes on url %s (zero-length body)
• The requested document is not old enough
• The requested document is not new enough
• necessary data rewind wasn't possible
• ioctl callback returned error %d
• the ioctl callback returned %d
• seek callback returned error %d
• read function returned funny value
• Read callback asked for PAUSE when not supported!
• operation aborted by callback
• password
• login
• machine
• HOME
• Proxy replied OK to CONNECT request
• Received HTTP code %d from proxy after CONNECT
• TUNNEL_STATE switched to: %d
• CONNECT responded chunked
• Transfer-Encoding:
• chunked
• Connection:
• close
• Content-Length:
• Proxy-authenticate:
• WWW-Authenticate:
• Proxy CONNECT followed by %zd bytes of opaque data. Data ignored (known bug #39)
• Ignore %I64d bytes of response-body
• Read %zd bytes of chunk, continue
• chunk reading DONE
• Proxy CONNECT aborted
• Proxy CONNECT aborted due to timeout
• Failed sending CONNECT to proxy
• User-Agent:
• Proxy-Connection:
• Host:
• CONNECT
• Establish HTTP proxy tunnel to %s:%hu
• Proxy-Connection: Keep-Alive
• Can't complete SOCKS5 connection to %02x%02x:%02x%02x:%02x%02x:%02x%02x:%02x%02x:%02x%02x:%02x%02x:%02x%02x:%02x%02x:%d. (%d)
• Can't complete SOCKS5 connection to %s:%d. (%d)
• SOCKS5 reply has wrong version, version should be 5.
• Undocumented SOCKS5 mode attempted to be used by server.
• No authentication method was acceptable.
• No authentication method was acceptable. (It is quite likely that the SOCKS5 server wanted a username/password, since none was supplied to the server on this connection.)
• SOCKS5 GSSAPI per-message authentication is not supported.
• User was rejected by the SOCKS5 server (%d %d).
• Unable to receive SOCKS5 sub-negotiation response.
• Received invalid version in initial SOCKS5 response.

- Unable to receive initial SOCKS5 response.
- SOCKS5 read error occurred
- SOCKS5 read timeout
- SOCKS5 nothing to read
- SOCKS5: error occurred during connection
- SOCKS5: connection timeout
- SOCKS5: no connection here
- SOCKS5: server resolving disabled for hostnames of length > 255 [actual len=%zu]
- Can't complete SOCKS4 connection to %d.%d.%d.%d:%d. (%d), request rejected because the client program and identd report different user-ids.
- Can't complete SOCKS4 connection to %d.%d.%d.%d:%d. (%d), request rejected or failed.
- SOCKS4%s request granted.
- SOCKS4 reply has wrong version, version should be 4.
- Too long SOCKS proxy name, can't use!
- %hu.%hu.%hu.%hu
- SOCKS4 communication to %s:%d
- Connection time-out
- %sAuthorization: Digest username="%s", realm="%s", nonce="%s", uri="%.*s", cnonce="%s", nc=%08x, qop=%s, response="%s"
- %s, opaque="%s"
- %sAuthorization: Digest username="%s", realm="%s", nonce="%s", uri="%.*s", response="%s"
- d41d8cd98f00b204e9800998ecf8427e
- %08x%08x%08x%08x
- MD5-sess
- algorithm
- auth-int
- auth
- opaque
- realm
- true
- stale
- nonce
- Digest
- %02x
- %%%02X
- Operation too slow. Less than %ld bytes/sec transferred the last %ld seconds
- GOPHER
- Failed sending Gopher request
- Got a blank Session ID
- Got RTSP Session ID Line [%s], but wanted ID [%s]
- Unable to read the CSeq header: [%s]
- Got an error writing an RTP packet
- Failed writing RTP data
- Cannot pause RTP
- Failed sending RTSP request
- Content-Type: application/sdp
- Content-Type: text/parameters
- Content-Type:
- Content-Length: %I64d
- Content-Length:
- Session: %s
- Session ID cannot be set as a custom header.
- Session:
- CSeq cannot be set as a custom header.
- CSeq:
- Range: %s
- Range:
- Referer: %s
- Referer:

- User-Agent:
- Refusing to issue an RTSP SETUP without a Transport: header.
- Transport:
- Refusing to issue an RTSP request [%s] without a session ID.
- OPTIONS
- DESCRIBE
- ANNOUNCE
- SETUP
- PLAY
- PAUSE
- TEARDOWN
- GET_PARAMETER
- SET_PARAMETER
- RECORD
- Got an RTP Receive with a CSeq of %ld
- The CSeq of this request %ld did not match the response %ld
- Failed to alloc scratch buffer!
- MAIL FROM:%s SIZE=%s
- MAIL FROM:%s AUTH=%s SIZE=%s
- %I64d
- MAIL FROM:%s AUTH=%s
- MAIL FROM:%s
- AUTH
- DATA failed: %d
- DATA
- RCPT failed: %d
- MAIL failed: %d
- Command failed: %d
- Authentication cancelled
- Authentication failed: %d
- Access denied: %d
- EXTERNAL
- GSSAPI
- AUTH
- SIZE
- Remote access denied: %d
- HELO %s
- EHLO %s
- Got unexpected smtp-server response: %d
- No known authentication mechanisms supported!
- AUTH %s
- AUTH %s %s
- localhost
- PLAIN
- LOGIN
- XOAUTH2
- CRAM-MD5
- DIGEST-MD5
- QUIT
- HELP
- POP3
- Authentication cancelled
- Authentication failed: %d
- Access denied: %d
- Access denied. %c
- STLS not supported.
- EXTERNAL

- SASL
- USER
- CAPA
- Got unexpected pop3-server response
- RETR
- LIST
- AUTH
- GSSAPI
- +APOP
- No known authentication mechanisms supported!
- USER %s
- APOP %s %s
- %02x
- POP3S not supported!
- AUTH %s
- AUTH %s %s
- -ERR
- PLAIN
- LOGIN
- XOAUTH2
- CRAM-MD5
- DIGEST-MD5
- QUIT
- IMAP
- Failed to parse FETCH response.
- Written %I64u bytes, %I64u bytes are left for transfer
- Found %I64u bytes to download
- Select failed
- Mailbox UIDVALIDITY has changed
- OK [UIDVALIDITY %19[0123456789]]
- Authentication cancelled
- Authentication failed: %d
- imap
- Access denied: %d
- Access denied. %c
- EXTERNAL
- AUTH=
- SASL-IR
- LOGINDISABLED
- Got unexpected imap-server response
- No known authentication mechanisms supported!
- AUTHENTICATE %s
- AUTHENTICATE %s %s
- SELECT %s
- Cannot SELECT without a mailbox.
- APPEND %s (\\Seen) {%I64d}
- Cannot APPEND with unknown input file size
- Cannot APPEND without a mailbox.
- PARTIAL
- SECTION
- UIDVALIDITY
- AUTH
- GSSAPI
- IMAPS not supported!
- PLAIN
- LOGIN
- XOAUTH2

- CRAM-MD5
- DIGEST-MD5
- Unexpected continuation response
- NOOP
- LSUB
- EXPUNGE
- SEARCH
- EXAMINE
- SELECT
- FETCH
- STORE
- LIST
- CAPABILITY
- Bad tagged response
- Cannot FETCH without a UID.
- SEARCH %s
- Cannot SEARCH without a query string.
- LOGOUT
- %c%03d
- Internal error: Unexpected packet
- invalid tsize -:%s:- value in OACK packet
- tsize parsed from OACK
- blksize parsed from OACK
- requested
- server requested blksize larger than allocated
- blksize is smaller than min supported
- blksize is larger than max supported
- invalid blocksize value in OACK packet
- got option=(%s) value=(%s)
- Malformed ACK packet, rejecting
- Received too short packet
- TFTP response timeout
- Internal state machine error
- TFTP finished
- timeout
- blksize
- tsize
- %I64d
- netascii
- octet
- ;mode=
- Connected for transmit
- tftp_tx: internal error, event: %i
- tftp_tx: giving up waiting for block %d ack
- Received ACK for block %d, expecting %d
- Connected for receive
- set timeouts for state %d; Total %ld, retry %d maxtry %d
- Connection time-out
- tftp_rx: internal error
- Timeout waiting for block %d ACK. Retries = %d
- Received unexpected DATA packet block %d, expecting block %d
- Received last DATA packet block %d again.
- FILE
- failed to resume file:// transfer
- Can't get the size of file.
- Last-Modified: %s, %02d %s %4d %02d:%02d:%02d GMT
- Content-Length: %I64d

- Can't get the size of %s
- Can't open %s for writing
- Couldn't open file %s
- LDAPS
- encrypted
- LDAP local: trying to establish %s connection
- cleartext
- LDAP local: %s
- There are more than %d entries
- ;binary
- LDAP remote: %s
- subtree
- base
- onetree
- LDAP
- LDAP local: %s
- LDAP local: LDAP Vendor = %s ; LDAP Version = %d
- Microsoft Corporation.
- DICT
- QUIT
- CLIENT libcurl 7.37.0
- QUIT
- DEFINE %s %s
- CLIENT libcurl 7.37.0
- /LOOKUP:
- /DEFINE:
- Failed sending DICT request
- QUIT
- CLIENT libcurl 7.37.0
- lookup word is missing
- default
- NEW-ENVIRON
- AUTHENTICATION
- OLD-ENVIRON
- LINEMODE
- LFLOW
- TERM SPEED
- NAWS
- X3 PAD
- 3270 REGIME
- OUTPUT MARKING
- TACACS UID
- END OF RECORD
- TERM TYPE
- SEND LOCATION
- SUPDUP OUTPUT
- SUPDUP
- DE TERMINAL
- BYTE MACRO
- LOGOUT
- EXTEND ASCII
- NAOLFD
- NAOVTD
- NAOVTS
- NAOFFD
- NAOHTD
- NAOHTS

- NAOCRD
- NAOP
- NAOL
- RCTE
- TIMING MARK
- STATUS
- NAME
- SUPPRESS GO AHEAD
- ECHO
- DMARK
- ABORT
- SUSP
- TELNET
- WS2_32.DLL
- Time-out
- In SUBOPTION processing, RCVD
- failed to load WS2_32.DLL (%d)
- insufficient winsock version to support telnet
- Unknown telnet option %s
- BINARY
- Syntax error in telnet option: %s
- NEW_ENV
- XDISPLOC
- TTYPE
- %127[^=]%*[=]%255s
- USER,%s
- %127[^,],%127s
- %.2x
- NAME
- INFO/REPLY
- SEND
- Width: %hu ; Height: %hu
- %s (unsupported)
- (Empty suboption?)
- , not IAC SE!)
- (terminated by
- %s IAC SB
- SENT
- Sending data failed (%d)
- %s IAC %d
- %s IAC %s
- WILL
- WONT
- DONT
- EXOPL
- PORT
- EPRT
- PASV
- EPSV
- QUOT string not accepted: %s
- No data was received!
- Received only partial file: %I64d bytes
- Uploaded unaligned file size (%I64d out of %I64d bytes)
- server did not report OK, got %d
- partial download completed, closing connection
- control connection looks dead
- Failure sending ABOR command: %s

- ABOR
- Remembering we are in dir "%s"
- ftp_perform ends with SECONDARY: %d
- Wildcard - Parsing started
- Failed FTP upload: %0d
- RETR response: %03d
- Data conn was not available immediately
- Getting file with size: %I64d
- Maxdownload = %I64d
- bytes
- Failed to do PORT
- disabling EPRT usage
- PRET command not accepted: %03d
- Couldn't use REST
- Content-Length: %I64d
- Got a %03d response code instead of the assumed 200
- Couldn't set desired mode
- Skipping time comparison
- The requested document is not old enough
- The requested document is not new enough
- Given file does not exist
- unsupported MDTM reply format
- Last-Modified: %s, %02d %s %4d %02d:%02d:%02d GMT
- %04d%02d%02d %02d:%02d:%02d GMT
- %04d%02d%02d%02d%02d%02d
- Failed to MKD dir: %03d
- Server denied you to change to the given directory
- QUOT command failed with %03d
- SITE NAMEFMT 1
- OS/400
- Failed to figure out path
- Failed to clear the command channel (CCC)
- ACCT rejected by server: %03d
- AUTH %s
- Got a %03d ftp-server response when 220 was expected
- unknown proxytype option given
- Connection to proxy confirmed
- Preparing for accepting server on data port
- Ctrl conn has data while waiting for data conn
- We got a 421 - timeout!
- FTP response timeout
- LIST
- Can't resolve new host %s:%hu
- Can't resolve proxy host %s:%hu
- Bad PASV/EPSV response: %03d
- Skips %d.%d.%d.%d for data connection, uses %s instead
- Couldn't interpret the 227-response
- Weirdly formatted EPSV reply
- Illegal port number in EPSV reply
- PASV
- Failed EPSV attempt. Disabling EPSV
- Access denied: %03d
- ACCT requested but none available
- FTPS not supported!
- Request has same path as previous transfer
- Uploading to a URL without a file name!
- no memory

- Doing the SSL/TLS handshake on the data stream
- Connection accepted from server
- Failure sending PORT command: %s
- Failure sending EPRT command: %s
- failed to resolve the address provided to PORT: %s
- File already completely uploaded
- Failed to read data
- Could not seek stream
- SIZE %s
- APPE %s
- REST %I64d
- Instructs server to resume from offset %I64d
- File already completely downloaded
- Offset (%I64d) was beyond file size (%I64d)
- ftp server doesn't support SIZE
- Maximum file size exceeded
- Failure sending QUIT command: %s
- QUIT
- USER %s
- POST
- Location:
- Proxy-authenticate:
- WWW-Authenticate:
- Last-Modified:
- Set-Cookie:
- Content-Encoding:
- x-compress
- compress
- gzip
- deflate
- identity
- HTTP/1.0 connection set to keep alive!
- Connection:
- HTTP/1.1 proxy connection set close!
- close
- HTTP/1.0 proxy connection set to keep alive!
- keep-alive
- Server:
- Negative content-length: %I64d, closing after transfer
- Maximum file size exceeded
- HTTP 1.0, assume close after body
- The requested URL returned error: %s
- Keep sending data to get tossed away!
- no chunk, no close, no size. Assume close to signal end
- Received 101
- Chunky upload is not supported by HTTP 1.0
- upload completely sent off: %I64d out of %I64d bytes
- Failed sending HTTP request
- Failed sending HTTP POST request
- Content-Type: application/x-www-form-urlencoded
- Failed sending PUT request
- Could not get Content-Type header line!
- Content-Length: %I64d
- Content-Length:
- Internal HTTP POST error!
- Failed sending POST request
- Content-Length: 0

- Cookie:
- Proxy-Connection:
- Content-Range: bytes %s/%I64d
- Content-Range: bytes %s%I64d/%I64d
- Content-Range: bytes 0-%I64d/%I64d
- Range: bytes=%s
- Range:
- Content-Range:
- File already completely uploaded
- Could only read %I64d bytes from the input
- Could not seek stream
- chunked
- Transfer-Encoding:
- Cookie:
- Referer: %s
- Referer:
- User-Agent:
- Proxy-Connection: Keep-Alive
- Transfer-Encoding: chunked
- HEAD
- Last-Modified: %s
- If-Unmodified-Since: %s
- If-Modified-Since: %s
- %s, %02d %s %4d %02d:%02d:%02d GMT
- Invalid TIMEVALUE
- Connection
- Content-Length
- Content-Type:
- Host:
- Expect: 100-continue
- Expect:
- 100-continue
- Authentication problem. Ignoring this.
- Ignoring duplicate digest auth header.
- Server
- Authorization:
- %s auth using %s with user '%s'
- Proxy
- Proxy-authorization:
- Digest
- Basic
- The requested URL returned error: %d
- Failed to alloc memory for big header!
- Avoided giant realloc for header (max is %d)!
- Empty reply from server
- %sAuthorization: Basic %s
- Curl_ipv4_resolve_r failed for %s
- 0123456789abcdefghijklmnopqrstuvwxyz
- (nil)
- (nil)
- %3I64d %s %3I64d %s %3I64d %s %s %s %s %s %s %s
- Dload Upload Total Spent Left Speed
- %% Total %% Received %% Xferd Average Speed Time Time Time Current
- ** Resuming transfer from byte position %I64d
- Callback aborted
- %4I64dP
- %4I64dT

- %4I64dG
- %2I64d.%0I64dG
- %4I64dM
- %2I64d.%0I64dM
- %4I64dk
- %5I64d
- %7I64dd
- %3I64dd %02I64dh
- %2I64d:%02I64d:%02I64d
- 0123456789
- The max connection limit is reached
- Chunk callback failed
- Unable to parse FTP file list
- RTSP session error
- RTSP CSeq mismatch or invalid CSeq
- Issuer check against peer certificate failed
- Failed to load CRL file (path? access rights?, format?)
- Failed to shut down the SSL connection
- Error in the SSH layer
- Remote file not found
- Caller must register CURLOPT_CONV_ callback options
- Conversion failed
- TFTP: No such user
- Remote file already exists
- TFTP: Unknown transfer ID
- TFTP: Illegal operation
- Disk full or allocation exceeded
- TFTP: Access Violation
- TFTP: File Not Found
- Login denied
- Failed to initialise SSL crypto engine
- Requested SSL level failed
- Maximum file size exceeded
- Invalid LDAP URL
- Unrecognized or bad HTTP Content or Transfer-Encoding
- Peer certificate cannot be authenticated with given CA certificates
- Couldn't use specified SSL cipher
- Problem with the local SSL certificate
- Failure when receiving data from the peer
- Failed sending data to the peer
- Can not set SSL crypto engine as default
- SSL crypto engine not found
- Server returned nothing (no headers, no data)
- SSL peer certificate or SSH remote key was not OK
- Malformed telnet option
- An unknown option was passed in to libcurl
- Number of redirects hit maximum amount
- Failed binding local connection end
- A libcurl function was given a bad argument
- Operation was aborted by an application callback
- A required function in the library was not found
- LDAP: search failed
- Couldn't read a file:// file
- Couldn't resume download
- Internal problem setting up the POST
- Requested range was not delivered by the server
- FTP: command REST failed

- FTP: command PORT failed
- Timeout was reached
- Failed to open/read local data from file/application
- Upload failed (at start/before it took off)
- Failed writing received data to disk/application
- HTTP response code said error
- Quote command returned error
- FTP: couldn't retrieve (RETR failed) the specified file
- Transferred a partial file
- FTP: couldn't set file type
- FTP: can't figure out the host in the PASV response
- FTP: unknown 227 response format
- Access denied to remote resource
- FTP: weird server reply
- Couldn't resolve host name
- Couldn't resolve proxy name
- A requested feature, protocol or option was not found built-in in this libcurl due to a build-time decision.
- URL using bad/illegal format or missing URL
- Failed initialization
- Unsupported protocol
- The easy handle is already added to a multi handle
- Unknown option
- Internal error
- Invalid easy handle
- Invalid multi handle
- Please call curl_multi_perform() soon
- Feature not enabled in this library
- Out of memory
- Invalid share handle
- Share currently in use
- Unknown share option
- No error
- No data record of requested type
- Unrecoverable error in call to nameserver
- Host not found, try again
- Host not found
- Winsock version not supported
- Winsock library not initialised
- Winsock library is not ready
- Disconnected
- Remote error
- Something is stale
- Bad quota
- Too many users
- Process limit reached
- Not empty
- Host unreachable
- Host down
- Name too long
- Loop??
- Connection refused
- Timed out
- Too many references
- Socket has been shut down
- Socket is not connected
- Socket is already connected
- No buffer space

- Connection was reset
- Connection was aborted
- Network has been reset
- Network unreachable
- Network down
- Address not available
- Address already in use
- Protocol family not supported
- Address family not supported
- Operation not supported
- Socket is unsupported
- Protocol is unsupported
- Protocol option is unsupported
- Bad protocol
- Bad message size
- Need destination address
- Blocking call in progress
- Call would block
- Out of file descriptors
- Invalid arguments
- Bad argument
- Bad access
- Bad file
- Call interrupted
- CURLSHcode unknown
- Unknown error
- WARNING: failed to save cookies in %s
- # Fatal libcurl error
- # This file was generated by libcurl! Edit at your own risk.
- # Netscape HTTP Cookie File
- Set-Cookie:
- none
- Replaced
- %s cookie %s="%s" for domain %s, path %s, expire %I64d
- Added
- path
- expires
- max-age
- version
- skipped cookie with bad tailmatch domain: %s
- domain
- secure
- =]=%4999[^;
- %1023[^;
- unknown
- FALSE
- TRUE
- Operation timed out after %ld milliseconds with %I64d bytes received
- Operation timed out after %ld milliseconds with %I64d out of %I64d bytes received
- Connection timed out after %ld milliseconds
- Resolving timed out after %ld milliseconds
- In state %d with no easy_conn, bail out!
- Pipe broke: handle 0x%p, url = %s
- Internal error removing splay node = %d
- Internal error clearing splay node = %d
- <no protocol>
- Connection #%ld to host %s left intact

- Connection cache is full, closing the oldest one.
- Found bundle for host %s: %p
- Couldn't resolve proxy '%s'
- Couldn't resolve host '%s'
- No connections available.
- Re-using existing connection! (#%ld) with host %s
- We can reuse, but we want a new connection anyway
- Found connection %ld, with requests in the pipe (%zu)
- Connection #%ld isn't open enough, can't reuse
- Connection %ld seems to be dead!
- Server doesn't support pipelining
- anonymous
- Couldn't find host %s in the _netrc file; using defaults
- Port number out of range
- [%*45[0123456789abcdefABCDEF:.]%c
- socks
- socks4
- socks4a
- socks5
- socks5h
- ALL_PROXY
- all_proxy
- NO_PROXY
- no_proxy
- memory shortage
- Protocol %s not supported or disabled in libcurl
- Invalid IPv6 address format
- Please URL encode %% as %%25, see RFC 6874.
- Rebuilt URL to: %s
- POP3.
- IMAP.
- LDAP.
- DICT.
- <url> malformed
- %15[^
- IMAP
- pop3
- DICT
- LDAP
- file
- User-Agent: %s
- Closing connection %ld
- CURLOPT_SSL_VERIFYHOST no longer supports 1 as value!
- Set-Cookie:
- FLUSH
- SESS
- identity
- IDN support not present, can't parse Unicode domains
- %I64u-
- Resolve %s found illegal!
- %255[^:]:%d:%255s
- timeout on name lookup is not supported
- Hostname in DNS cache was stale, zapped
- NOT
- Hostname was %sfound in DNS cache
- from
- Data

- Header
- Failed writing header
- Failed writing body (%zu != %zu)
- Write callback asked for PAUSE when not supported!
- Connection failed
- Connection time-out
- Local port: %hu
- Name '%s' family %i resolved to '%s' family %i
- Local Interface %s is ip %s using address family %i
- host!
- Failed to set SIO_KEEPALIVE_VALS on fd %d: %d
- Failed to set SO_KEEPALIVE on fd %d
- TCP_NODELAY set
- Could not set TCP_NODELAY: %s
- easy handle already used in multi handle
- CONNECT_ONLY is required!
- telnet
- pop3
- ldaps
- ldap
- imap
- gopher
- file
- dict
- x86_64-w64-mingw32
- 7.37.0
- 0eZ;
- 2_{6n
- Mf3L
- 0xGNe
- 1p.D
- N^ee
- 0t*Q
- kgyA
- 5;6Q
- $1J^
- p_i7
-)5CN
- 0/*g
- E~DI
- !(Ew
- +"wU3UD3"
- :Si'it':'
- 2O}+}d+2
- .eK9K\\9.
- &y;_5_L5&
- cB pP0P@0
- %Ku>
- tX4Fr.rh.46Aw-wl-6
- $~Z6ZH6$
- 0Hx(x`(07
- Sb*kA?AT?*
- _E`%
- j55_
- J%%o\\..r8
- Cn77Y
- ;d22Vt::N

- uB!!c
- p88H
- f33U
- r99K
- X,,t4
- &N;"i
- RF##e
- sb11S*
- Oh44\\Q
- L&&jl66Z;~??A
- T`00P
- UUxP((z
- aa_j55
- Yn77
- Vd22Nt::
-]]+2
- DD9.
- cB!!0
- Hp88
- MMUf33
- Kr99
- iN"
- eF##^
- Sb11?*
- \\h44
- jL&&Zl66A;~??
- P`00
- U(xP(
- a5_j5W
- 7Yn7m
- 2Vd2:Nt:
- 8Hp8
- M3Uf3
- 9Kr9J
- 'iN'
- #eF#
- 1Sb1
- 4\\h4
- &jL;&6Zl6?A~?
- 0P`0
- 3"ii
- 55_jWW
- 77Ynmm
- 22Vd::Nt
- +2ss
- !88Hp
- 33Uf
- g99KrJJ
- -6nn
- "iN
- ##eF
- 11Sb
- 44\\h
- =&&jL66Zl;??A~
- 00P`
- 9JLX
- reject-reason

- JSON protocol response:
- Empty data received in json_rpc_call.
- HTTP request failed: %s
- X-Mining-Extensions: midstate
- User-Agent: cpuminer/2.3.3
- Content-Type: application/json
- Content-Length: %lu
- JSON protocol request:
- Stratum authentication failed
- {"id": 2, "method": "mining.authorize", "params": ["%s", "%s"]}
- {"method": "login", "params": {"login": "%s", "pass": "%s", "agent": "cpuminer-multi/0.1"}, "id": 1}
- MESSAGE FROM SERVER: %s
- client.show_message
- cpuminer/2.3.3
- client.get_version
- Server requested reconnection to %s
- Ignoring request to reconnect to %s
- client.reconnect
- Stratum difficulty set to %g
- mining.set_difficulty
- Stratum notify: invalid Merkle branch
- Stratum notify: invalid parameters
- params
- method
- Stratum session id: %s
- Failed to get extranonce2_size
- Failed to get extranonce1
- Failed to get Stratum session id
- mining.notify
- JSON-RPC call failed: %s
- (unknown reason)
- error
- result
- JSON decode failed(%d): %s
- stratum_subscribe timed out
- {"id": 1, "method": "mining.subscribe", "params": ["cpuminer/2.3.3"]}
- {"id": 1, "method": "mining.subscribe", "params": ["cpuminer/2.3.3", "%s"]}
- Stratum connection failed: %s
- CURL initialization failed
- Target: %s
- DEBUG: %s
- hash > target (false positive)
- hash <= target
- hex2bin failed on '%s'
- hex2bin str truncated
- %02x
- [%d-%02d-%02d %02d:%02d:%02d] %s
- X-Stratum
- X-Reject-Reason
- X-Long-Polling
- blake
- shavite3
- skein
- quark
- heavy
- keccak
- sha256d

- version
- userpass
- user
- timeout
- threads
- scantime
- retry-pause
- retries
- quiet
- proxy
- protocol-dump
- pass
- no-stratum
- no-redirect
- no-longpoll
- help
- debug
- cert
- benchmark
- workio thread dead, exiting.
- %d miner threads started, using '%s' algorithm.
- thread %d create failed
- stratum thread create failed
- longpoll thread create failed
- workio thread create failed
- %s: no URL supplied
- JSON option %s invalid
- config
- Using JSON-RPC 2.0
- %s: unsupported non-option argument '%s'
- algo
- DEBUG: got new work in %d ms
- getwork failed, retry after %d seconds
- json_rpc_call failed, terminating workio thread
- submit_upstream_work OOM
- submit_upstream_work json_rpc_call failed
- DEBUG: stale work detected, discarding
- DEBUG: got new work
- LONGPOLL detected new block
- submitold
- Long-polling activated for %s
- CURL initialization failed
- json_rpc2.0 error: %s
- reject-reason
- Duplicate share
- Invalid job id
- Block expired
- Low difficulty share
- Unauthenticated
- message
- params
- Tried to call rpc2 command before authentication
- Failed to call rpc command after %i tries
- DEBUG: authenticated in %d ms
- {"method": "login", "params": {"login": "%s", "pass": "%s", "agent": "cpuminer-multi/0.1"}, "id": 1}
- JSON returned status "%s"
- JSON status is not a string

- JSON inval status
- Auth id: %s
- JSON id is not a string
- JSON inval id
- JSON invalid result
- JSON inval target
- JSON inval data
- data
- Requested work before work was received
- Pool set diff to %g
- target
- JSON invalid blob length
- JSON inval blob
- blob
- JSON inval job id
- job_id
- Tried to decode job without JSON-RPC 2.0
- status
- error
- result
- JSON decode failed(%d): %s
- Stratum connection interrupted
- Stratum connection timed out
- Stratum detected new block
- ...retry after %d seconds
- ...terminating workio thread
- Starting Stratum on %s
- work retrieval failed, exiting mining thread %d
- JSON key '%s' is not a string
- JSON key '%s' not found
- features: i386 SSE2
- built on Jul 8 2014
- cpuminer 2.3.3
- socks5h://
- socks4a://
- socks5://
- socks4://
- stratum
- JSON decode of %s failed
- -V, --version display version information and exit
- -c, --config=FILE load a JSON-format configuration file
- --benchmark run in offline benchmark mode
- -P, --protocol-dump verbose dump of protocol-level activities
- -D, --debug enable debug output
- -q, --quiet disable per-thread hashmeter output
- --no-redirect ignore requests to change the URL of the mining server
- --no-stratum disable X-Stratum support
- --no-longpoll disable X-Long-Polling support
- long polling is unavailable, in seconds (default: 5)
- -s, --scantime=N upper bound on time spent scanning current work when
- -T, --timeout=N timeout for long polling, in seconds (default: none)
- -R, --retry-pause=N time to pause between retries, in seconds (default: 30)
- (default: retry indefinitely)
- -r, --retries=N number of times to retry if a network call fails
- -t, --threads=N number of miner threads (default: number of processors)
- --cert=FILE certificate for mining server using SSL
- -p, --pass=PASSWORD password for mining server

- -u, --user=USERNAME username for mining server
- -O, --userpass=U:P username:password pair for mining server
- -o, --url=URL URL of mining server
- Options:
- Usage: minerd [OPTIONS]
- Try `minerd --help' for more information.
- DEBUG: reject reason: %s
- (booooo)
- UWVS
- UWVS
- $@eG
- $DeG
- 9|$X
- 9D$X
- 9|$X
- i;l$
- UWVS
- D$$1
- D$$1
- T$$1
- L$\\1
- UWVS
- L$@1
- UWVS
- UWVS
- UWVS
- UWVS
- \\$@9
- 8WVS
- UWVS
- UWVS
- UWVS
- UWVS
- ED$x
- D$09D$,
- +T$ 9
- L$(1
- \\$0u1
- D$,1
- 9D$,
- 9|$H~
- 9D$`u:
- 9D$,
- D$|1
- D$$1
- T$01
- \\$ 1
- 9D$H
- |$,5
- +D$0
- D$8
- 0<\tw:
- \\$ 1
- t$ 1
- D$(1
- UWVS
- L$T1

- D$\\\t0
- D$\\1
- l$T1
- T$T1
- UWVS
- UWVS
- UWVS
- $ IG
- $HIG
- UWVS
- UWVS
- UWVS
- $ue;L$
- UWVS
- UWV1
- 8MZt
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- 0[^_
- UWVS
- \\$,1
- UWVS
- C 0u
- 9C(v4
- 9C(v5
- \\$09
- ED$D
- ED$D
- $:EG
- $EEG
- tiWVS
- UWVS
- X9;tX
- th9>u
- UWVS
- <uuz
- $zAG
- $CAG
- UWVS
- D$ 1
- D$8f
- T$4)
- 0[^_
- D$Fauth
- D$eCATE
- D$aENTI
- D$]AUTH
- D$X5678
- D$T1234
- D$O0001
- D$K0000
- UWVS
- D$<tA

- UWVS
- UWVS
- UWVS
- T$,9
- t$0u
- D$<9
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- T$,9
- D$8t
- UWVS
- I$<1
- O u
- 9|$<
- UWVS
- 5d`F
- D$`1
- \\$O
- T$M1
- UWVS
- UWVS
- T$8)
- D$,9
- ED$
- L$ i
- L$,9
- UWVS
- UWVS
- |$9z
- tN9J
- t^9J
- UWVS
- UWVS
- UWVS
- UWVS
- T$09T$<v
- +D$0
- KXu)
- UWVS
- UWVS
- iD$P@
- UWVS
- +D$0
- D$03
- \\$81
- ;L$0
- L$01
- T$D9
- UWVS
- taV1
- t?V1
- $i,G
- $i,G
- UWVS

- UWVS
- \\$T1
- D$(8
- 9\\$x
- $A+G
- l$@u
- 9\\$x
- \\$@1
- D$(8
- UWVS
- 8D$T
- UWVS
- 9|$Hu
- UWVS
- T$,9
- UWVS
- UWVS
- UWVS
- UWVS
- D$Du
- <Qw6
- UWVS
- UWVS
- UWVS
- =tiG
- UWVS
- L$<1
- UWVS
- UWVS
- UWVS
- T$,u
- ED$(
- D$(O
- D$(2
- D$(7
- UWVS
- Wdt(9
- UWVS
- UWVS
- UWVS1
- D$(9
- UWVS
- UWVS
- UWVS
- D$$9
- UWVS
- UWVS
- UWVS1
- UWVS
- \\$ ua
- D$(u
- 9D$<
- \\$01
- L$8u
- \\$(u
- D$(u
- UWVS

- D$d1
- UWVS
- UWVS1
- UWVS
- UWVS
- UWVS
- UWVS
- \\$ u
- T$49
- ;t$0
- T$P9
- UWVS
- UWVS
- C 9C
- UWVS
- C 9C
- ;t$8
- UWVS
- UWVS
- D$8tk
- D$8Z
- UWVS
- UWVS
- UWVS
- D$@1
- 9D$dv
- D$D1
- D$8d
- 9D$dv
- D$,1
- UWVS
- D$2tC1
- L$,9
- T$<9
- UWVS
- D$4=
- n`3Fd1
- UWVS
- E8@t
- UWVS
- +t$8
- 9D$8
- D$tange
- D$lAcce
- E`|^
- L$8t4
- 9D$D
- Ud9T$H
- UWVS
- UWVS
- 83~5
- D$P1
- UWVS
- UWVS
- D$8=
- 8D$C
- 8D$B

- L$$v0
- UWVS
- UWVS
- UWVS
- l$,u
- D$ t7
- D$ 1
- \\$*1
- D$$1
- 9D$$
- |$,1
- D$89D$(
- 9T$,
- 9t$(
- L$4)
- 9|$,
- UWVS
- UWVS
- ED$t
- T$X1
- L$l1
- t$H1
- D$Pu4
- UWVS
- UWVS
- UWVS
- UWVS
- L$<9
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- T$d1
- t$01
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- T$(1
- T$(1
- D$8@
- L$89
- |$8t
- L$09
- t$0t
- \\$4)
- \\$,1
- D$8@
- UWVS
- |$p9
- \\$Xi
- UWVS

- D$4~|
- UWVS
- UWVS
- D$01
- t4WV
- UWVS
- UWVS
- UWVS
- D$ 9
- 9D$
- 8C0v
- D$$1
- UWVS
- UWVS
- D$Dt2
- l$<9
- +|$8
- < u0
- +T$8
- UWVS
- t$@ux
- 8"tC
- 8"td
- D$4-
- |$4+
- |$4"
- D$4%
- T$$uP
- UWVS
- UWVS
- D$<1
- UWVS
- |$$:u
- |$$9u
- D$h1
- l$h1
- C4t!
- C0t@
- t4;9u0
- vi98
- D$41
- T$81
- UWVS
- UWVS
- Sd9P
- S`9P
- UWVS
- UWVS
- UWVS
- T$P9
- T$D1
- L$d9
- L$\\9
- D$duZ
- ED$P
- t$Lt1
- D$PU

- D$P8
- D$P3
- D$L1
- UWVS
- UWVS
- t$8=
- UWVS
- UWVS
- ;:u
- D$T1
- D$T1
- UWVS
- UWVS
- UWVS
- $TiG
- $TiG
- $TiG
- L$(9
- D$<9
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- T$T9
- D$,8
- UWVS
- UWVS
- D$4L'
- UWVS
- |$01
- D$<1
- UWVS
- UWVS
- UWVS
- T$Li
- D$,1
- UWVS
- T$<i
- L$ 1
- |$Dt91
- 9D$H
- UWVS
- UWVS
- 7.37
- url/f
- libc
- D$0SHA3
- 9t$
- D$$1
- D$,1
- D$0SHA3
- UWVS
- l$,1
- 3l$,
- L$,1
- 3l$,

- 3l$$
- 3T$,
- 3|$$
- t$$1
- L$,1
- 3|$,
- \\$(1
- 3|$$
- |$,1
- 3T$$
- <$3T$
- 3|$,
- 3|$$
- D$`1
- D$01
- l$l1
- l$h1
- L$h1
- 3l$|
- l$l1
- l$h1
- |$l1
- l$l1
- l$h1
- 3T$|
- 3l$l
- l$|1
- l$l1
- L$l1
- T$h1
- l$h1
- T$|1
- D$x1
- |$l1
- l$l1
- l$h1
- 3l$|
- |$|1
- 3l$l
- 3T$|
- L$|1
- 3T$l
- l$l1
- l$h1
- 3T$|
- l$l1
- l$h1
- T$|1
- D$x1
- l$l1
- 3l$|
- l$l1
- T$h1
- l$l1
- l$h1
- 3T$|
- l$l1

- l$h1
- T$|1
- D$x1
- 3T$|
- 3T$|
- 3T$l
- L$l1
- l$l1
- l$h1
- |$l1
- 3T$|
- l$l1
- l$h1
- T$|1
- D$x1
- 3T$|
- 3T$l
- L$l1
- 3l$|
- l$h1
- T$|1
- D$x1
- l$l1
- l$h1
- 3T$|
- t$h3l$l1
- l$l1
- L$l1
- T$h1
- 3l$|
- l$l1
- l$h1
- |$|1
- t$x1
- l$|1
- l$x1
- l$l1
- l$h1
- T$l1
- D$h1
- l$l1
- L$l3
- 3T$l
- l$l1
- l$h1
- l$l1
- l$h1
- |$h1
- l$l1
- D$h1
- 3T$l
- T$h1
- L$l1
- l$l1
- l$h1
- l$l1
- l$h1

- l$l1
- l$h1
- 3l$l
- T$h1
- L$l1
- l$l1
- l$h1
- |$l1
- l$h1
- T$l1
- D$h1
- 3l$l
- l$l1
- l$h1
- l$l1
- l$h1
- T$h1
- T$h1
- T$l1
- t$l1
- \\$h1
- l$l1
- l$h1
- |$h1
- l$l1
- l$h1
- l$l1
- L$l1
- T$h1
- l$l1
- l$h1
- |$h1
- l$l1
- l$h1
- L$h1
- l$l1
- L$h1
- T$l1
- 3D$l1
- \\$h1
- l$l1
- l$h1
- l$l1
- l$h1
- L$h1
- l$l1
- L$h1
- l$l1
- l$h1
- l$l1
- l$h1
- |$l1
- t$h1
- l$l1
- l$h1
- \\$l1
- l$l1

- l$h1
- l$l1
- l$h1
- T$l1
- D$h1
- l$l1
- l$h1
- l$l1
- T$l1
- l$h1
- l$l1
- l$h1
- T$l1
- D$h1
- 3l$l
- l$l1
- l$h1
- 3l$|
- l$l1
- l$h1
- T$|1
- D$x1
- l$l1
- 3l$|
- |$|1
- D$H1
- 3D$$1
- 3D$,1
- |$81
- \\$(1
- T$T1
- t$L1
- |$(1
- T$D1
- 3T$D
- |$@1
- T$D1
- l$D1
- \\$D1
- 3T$D
- T$D1
- \\$D1
- 3l$D
- D$@1
- D$@1
- 3l$D
- D$@1
- l$D1
- 3l$D
- T$D1
- D$@1
- t$@1
- 3l$D
- D$@1
- l$D1
- 3l$D
- T$D1

- D$@1
- 3l$D
- l$D1
- t$ 1
- 3l$D
- T$D1
- D$@1
- 3T$D1
- T$$1
- l$<1
- 3l$41
- l$,5
- t$,1
- UWVS
- UWVS
- |$81
- 3l$43
- 3\\$01
- 3t$
- 3\\$8#l$$3l$
- t$$1
- 3|$(
- \\$01
- 3|$4
- t$ 1
- 3l$0
- #|$4
- 3l$ 1
- #l$0
- t$8!
- #l$ 1
- t$$3h
- l$(1
- L$$3B
- 3t$
- L$03\\$
- 3\\$4
- l$(3l$0
- 3|$,
- L$$1
- 3l$$
- #L$4
- \\$01
- 3t$
- 3D$8
- 3T$$1
- T$03\\$ 1
- \\$(3
- 3L$03L$
- 3T$,
- 3\\$$#
- 3T$(
- 3t$$1
- 3T$81
- |$8#|$0
- T$ 1
- 3\\$!

- D$ #E
- |$8!
- 383p
- \\$8
- |$ 1
- 3|$8
- |$ 1
- 3\\$
- #T$,1
- 3L$03L$
- |$81
- 3L$8
- 3|$$1
- |$8#|$0
- t$(1
- 3\\$!
- D$ #E
- 383p
- t$ 1
- 3t$81
- 3|$41
- t$ 1
- 3\\$
- #|$,1
- 3L$8
- t$41
- 3L$8
- 3L$4
- 3|$$!
- t$8!
- 3\\$!
- D$ #E
- 383p
- 3333
- 3333
- 3333
- 3333
- \\$8
- 3333
- 3333
- 3333
- 3333
- |$ 1
- 3|$8
- |$ 1
- 3\\$
- #T$,1
- 3L$03L$
- |$81
- 3L$8
- 3|$$1
- |$8#|$0
- t$(1
- 3\\$!
- D$ #E
- 383p
- UUUU

- UUUU
- UUUU
- UUUU
- \\$8
- UUUU
- UUUU
- UUUU
- UUUU
- 3|$8
- |$ 1
- 3\\$
- #T$,1
- 3L$03L$
- |$81
- 3L$8
- 3|$$1
- |$8#|$0
- L$ 1
- 3\\$!
- D$ #E
- |$8!
- 383p
- \\$@1
- D$|6666
- D$x6666
- D$t6666
- D$p6666
- D$l6666
- D$h6666
- D$d6666
- D$`6666
- D$\\6666
- D$X6666
- D$T6666
- D$P6666
- D$L6666
- D$H6666
- D$D6666
- D$@6666
- UWVS
- \\$@1
- D$|6666
- D$x6666
- D$t6666
- D$p6666
- D$l6666
- D$h6666
- D$d6666
- D$`6666
- D$\\6666
- D$X6666
- D$T6666
- D$P6666
- D$L6666
- D$H6666
- D$D6666
- D$@6666

- UWVS
- D$ 1
- UWVS
- UWVS
- D$t1
- t$ 1
- L$$3
- \\$,1
- L$81
- $5Dsp
- @(5.
- D$D5
- D$x"8
- UWVS1
- UWVS
- 3\\$(1
- t$ 1
- 3\\$(1
- t$ 1
- T$$1
- 3\\$(
- t$ 1
- T$$1
- 3\\$(
- t$ 1
- 3\\$(1
- t$ 1
- 3\\$(1
- t$ 1
- 3\\$(1
- T$$1
- 3\\$(1
- P01X4
- UWVS
- 3\\$(1
- t$ 1
- 3\\$(1
- t$ 1
- 3\\$(1
- t$ 1
- T$$1
- 3\\$(
- t$ 1
- 3\\$(1
- t$ 1
- 3\\$(1
- t$ 1
- 3\\$(1
- T$$1
- 3\\$(1
- `1X0
- P1X(
- UWVS
- UWVS
- D$h1
- 1Y(1YP1iT1Yx1i|1
- 1i,1

- <$1i
- [H3Y 3i$3Yp3it3
- 3Ch3Sl3
- SD3S
- T$<3C
- 3Sd3
- \\$h3S
- t$03B
- 3W\\3GX3
- G03G
- 3_|3
- _T3_,3
- RP3W(3Wx
- UWVS
- T$83D$,3
- 3D$ 3
- T$83D$,3
- 3D$ 3
- T$83D$,3
- 3D$ 3
- 3D$,
- 3D$ 3
- T$83D$,3
- 3D$
- T$83D$,3
- 3D$ 3
- T$83D$,3
- 3D$
- T$81
- T$H1
- |$81
- t$09t$
- t$49t$
- |$T1
- |$81
- t$09t$
- t$49t$
- |$D1
- D$,1
- T$83D$,3
- 3D$ 3
- 3D$ 3
- T$83D$,3
- 3D$
- T$H3D$,3
- 3D$ 3
- T$83D$,3
- 3D$
- T$H3D$,3
- 3D$ 3
- T$83D$,3
- 3D$ 3
- T$H1
- t$,1
- UWVS
- E5DdG
- UWVS

- UWVS
- UWVS
- T$ t7
- |$ 1
- 9t$4
- T$<1
- UWVS
- T$(1
- l$(1
- C$e",
- subs
- ing.
- "min
- etho
- ": 1
- {"id
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- UWVS
- D$8P
- $<eG
- $<eG
- $<eG
- $<eG
- $<eG
- iD$@
- L$(9
- UWVS
- D$$1
- $<eG
- $<eG
- UWVS
- $<eG
- $<eG
- UWVS
- i|$L
- UWVS
- $@eG
- $@eG
- $DeG
- $DeG
- D$,9
- 5PeG
- $@eG
- UWVS
- 5TdG
- UWVS
- UUUU
- 5,wG
- D$(;E
- 5$eG
- $DeG

- $DeG
- D$01
- D$(;E
- D$$1
- UWVS
- $DeG
- nL$0
- l$8f
- $DeG
- $DeG
- .debug1
- .debug0
- .idata
- .rdata
- P`.data
- .text
- !This program cannot be run in DOS mode.
- Dumping first %d bytes:
- \\??\\UNC
- G\\??\\
- .dll
- Gntdll
- H
- h((((H
- (((((H
- jjjj
- jjjj
- jjjj
- Program: %ws
- g[],.:
- C@C0C C
- P/][
- @:%B@\\
- {=,^
- J+Wt
- D$$`h/
- h nl
- XhgKpq
- dLvmY
- |+vS"
- \\$ `
- |$ `
- G-_~
- B(>M
- RC,^a-
- SV*K|
- p:=g
- K P`
- F:Dn
- <(Zs
-]/B.\\u
- L$$hf
-]/;,^
- fB)"?
- g_wv
-]y<<
- Y+C.\\uN

- |$$`
- D$ @(H
- D$,Q
- tbD\\>
- LWCNX
- DU| J}k
- N?.[
- y\t>*
- c{4#:*
- zB.\\
- t$,^
- D$L!{J
- W%_vQJ8
- v:,?-k
- T$LV
- |$ f
- <$hG
- D$(`
- c@%W
- {`S~
- t/<f
- "@(Z
- [K+_
- =M_s
- :#Qn
- |$Pf
- l$,h
- L$,Yf
- t$ `f
- \\$ `
- T$,hY
- <'=M
- v_pF
- :H/]
- ?->,
- #N?.\\
- z>*
- .=(Z
- |<!!
- T$(Sh
- L$ `
- h@(H
- t$(h
- h#\tL
- <+."
- NxD,
- _@)b
- t$(h[Rp
- |$$f
- t$ `
- <$`S`
- `$:
- f,:HwL5
- :+%
- Q#<$
- B.)?
- D$8BkS

- _KC%L
- PQhcni
- t$ f
- L>G/]be
- b_(
- q?+X
- *&]f
- D$$~TJ
- !hDw
- D$(f
- m:+3&S;
- B/]}
- D$(h
- hK?.v
- |$,Qf
- ~ ``
- hdLd
- D$@X
- L$ R`
- Nq8!%G
- p##?
- aGzL*J
- "$%P
- ,H/]
- T$df
- b:(J
- l$(W
- \\$(]
- D$$l
- |$$f
- |GTL
- |$$f
- |$@f
-)qH;
- Tq-#
- h|mG
- Y>NVs
- Y>|`F,N
- t$0h[/
- D+YJ{]p%
- .>Ls
- |$,h
- D$$`
- P'%r
- g_-#&:
- Kv$G.\\
- h)S
- K&;R
- x(:]
- <.\\x
- (F-_v
- D$$Xf
-)^[.
- :g=-
- G=%W
- |$$P
- AbrFdFV

- sz))5>
- \\$(h
- $!(f
- l$ f
- L$@Wf
- D$LV
- \\B^\tm
- D$$`
- ;*Xqg
- PP$X
- B%Wh
- t->%
- %vvj
- L@Fr
- t$ f
- l$ hh
- L$DQ
- D$<h?
- |$@T
- l$$f
- cJKt
- D$$Tf
- D$LDQl
- t$ f
- L$(X
- C>%c
- D$<L\\
- b\\BC
- Y+,:H
- D$(h
- T$<h
- t$@f
- ~b_P{
- 2.=-_/
- T&KHX1;
- `ht#n1f
- D$ @(H
- vjFw
- =’>.
- D$$YL
- T$$T
- T$ Z
- ;hK_
- D$$h
- ~!\t{_{
- $`V`
- t$<h
- Q\\?*
- l$<SWf
- D$ ~
- L$ f
- \\$$f
- t$,f
- f*<NR
- K/Fm
- D$,~
- D$@2-_

- T$Tf
- T$Xf
- L2>= B-
- w\'2h:"P
- |$Hh
- G!\t{]
- N<F,
- y%y<
- <%Wh
- :+YM`
- -D+Y
- : RxU:
- Hw&h;
- T$,f
- D$\\f
- P");I`
- D$(h
- -H*ros
- RvGX
- D$Tf
- |$<f
- ;ld}
- $C-H
- D$$v
- M.#Q
- ;",?V
- *>`Q
- |$(h=6
- .-Bh
- _&br;
- {\t.)9
- :X$rg
- /?M=
- qX|_
- zdyl
- |$Lf
- V_pD
- L$Xf
- |$(f
- S>-P
- $:H!
- }l{t
- T$ `
- |$Tf
- t$(f
- D$@N
- +U<-*<m
- B}fT
- Q#gd
- "d/#
- T}%%
- D$@s
- t$,h
-)?Md-
- cM{M
- @.\\@
- w;%W

- kB\\k
- |,>
- mz,D
- +ff?
- hm,TH
- l$LP
- qt:f
- ">-=
- W[P^
- D$<x
- D$ `
- L$Pf
- D$ `f
- t$<f
- <$`f
- hxG.
- L$(Y
- D$ [
- |$ f
- t$Hf
- T$DQ
- ${_f
- \\.>k
- |mD)
- Ml\\
- L:*H
- T$,f
- `h`^
- .$^1&y;
- '%'(E-
- "\t=$
- FozCsx
- d\tFrXj
- ;eCj"_
- Q,-m
- :"Py
- n'F{
- =@+Y)
- t$Df
- D$Dh
- Dy/#
- L$Pf
-)`[]v
- q/=hN
- X*5#+>k
- =QJx
- D$HYL
- D$$f
- t$$f
- D$$`
- \\$<f
- D$(h
- <NQb
- yJXr
- Lh_f
- \\C\\B
- L$@f

- DW:/2&
- QH[C
- D$$X
- ?^S"
- !z<@d
- D$$`hV
- *"*r
- =+Yf
- V~W[
- `h%<
- D$$b
- l$@f
- D$HhJ
- $$`WV
- (6Dm/lQ
- Ru:%W{
- @(Zs
- gXGQC
- n"W+
- $"Mj
- t$$f
- L$Dh
- T$@P
- D$DW
-).t'
- ^,,z0@
- <J>.
- $kxN
- t$(f
- |$Lf
- l$<h
- l$<f
- D$<hR
- h*B.
- K/Fm
- d;:hY
- .F)>L
- gM\\
- |^:P"
- +?Mp
- >%@,
- +z<H
- sS/$
- R#\\y
- \"'d)
- ?hKB
- +4phm;!S
- L$Pf
- l$ `
- ~5?>!K
- (vT'
- C1%_>Q
- hq-[
- t$Lf
- G TS
- |$@T
- p8v*<N

- N ``
- |$$`
- D$@yN
- L$(Q
- L$$`
- \\$ h'
- |$,P
- pTY:
- ,V&-
- P,1"x-<N
- @P!f
- \\$$h
- ,$`f
- D$@==
- D$(f
- $>%f
- L$Pf
- D$(+
- W`TG
- >,"P
- l: Rmt
- |$Xf
- l$$`
- D$ p
- gD)[
- (Y^-
- lp{Dj
- P+.{M.
- m&;W
- $wwk`
- +C*X
- h{,Ym
- l$,W
- t$,P
- L$ ^
- L$$^^
- L$<T
- <$h#
- l$ T
- gQww
- |$ V
- `hcZn
- hl%-
- D$$B
- l$<f
- D$$X
- ^cg%
- $\t{F
- -n=&
- q:'x
- R*nt
- C=/$
- @@*W
- \\$$h
- = <g
- X:'x
- D$$f

- ?#;,^
- Y+C(
- G~| |
- >(; L
- j0B(Z%
- `hxq
- l$@f
- ``h[vt*
- D$@V
- D$LV
- L-"z
- D>.\\
- J;('9K
- @+~`
- D$D^
- D$LX
- ;+Yp8yjW
- *<;-*<
- Y+C(Z
- \\$(f
- $@(H
- l$LQ
- hNGPd
- &:Hw
- %q>)[r
- ~ZM[
- t$,h
- W%@-
- -_-#Q
- B,+=
- D$@X
- t$(S
- T$,h
- D$@V
- D$(!UN
-)?Md
- /B.\\
- |h{W
- RQ
- y-#Q
- ``h'<
- *{<!
- D$@h
- T$(h
- t$$f
- T$$f
- g:!Y
- C:)q
- Qr~yK~
- ht/7:.
- t$4hQ`P)
- |$@h
- T$$`
- t$HRR^
- \\$8h c
- $]Td!
- (Rhq

- D$<f
- F.\\%
- <&TL;
- {R'%
- l<Z=
- |>Qd
- |$@W
- `h])7|
- h-/?
- C f!
- |$Pf
- vFr,
- CVRj
- gN@$
- cd=P
- s:$Vr*4F
- J_&N;
- cvTl
- @*XN
- b~>T
- @JBD
- t):Hx
- D$@'
- T$Tf
- :.=b
- A,^wp%
- ;*X~
- R \tw
- ^:$V
- |F)[
- CbM}
- ;(Z0Tys
- ,&-gt
- M?/j?,^_s
- Rz@g
- v(Bq
- ,hC(
- G#Jm`
- t$<Q
- |$,V
- K?/]
- ?>]@
- [<%J
- P7&:+`
- f/:D
- D$(DQl
- RhW+X
- cGcct
- D$$`
- r: K
- H?c*<
- T~/>
- \\$Pf
- |$$`
- n"{M
- t$D^
- D$(f

- T$<P
- hqF_Q
- D$$f
- D$ $@N
- Sz~
- cmJ-
- ,';M
- D$$`f
- yR*?
- ?]K"
- hvwn
- Xxu"qQ
- L<:+
- *$R&
- q+;4*k
- cN&:{
- ,;%h
- >&T;}
- $h:f
- |$Lf
- D$ d
- |$$f
- m:+g
- l$,hz
- D$ jVH&`
- l$$f
- l$ Sf
- l$,f
- \\$,h
- D$$2-_
- D$<j
- |$ hq
- T$<VTh
- GZ:$V
- _wfw
- L$,f
-]z_@{
- %B,b
- r p
- D$@h
- |H-_{
- {\tE-_{
- Jlb\\qU
- F/]b
-]>+=.3\'/"1#D
- l$(f
- lK:r
- XC*X
- KJ-_{x
- }<+Y"
- *>/H-
- |.&
- yF`!
- Z()7<!S
- H=&T;
- >-/
- m&;C

- \\$<Vh(
- D$ |
- D$ (QI
- L$@h
- cF-_
-)W:/
- x"=,
- J4&&;:=
- ?.\\x
- HS}D
- {\t Z
- 5+%\tG,N
- _/!Sz
- G.\\#:
- MB-_
- n<$V
- @-f
- ;)+<N
- +=gr
- `F9tCD
- ;):(
- JFB+
- -\t}=R
- "cG)
- '5<,^x
- ^Mqv
- D$(c
- D$$h
- D$<h
- D$<ilP
- j[Fj
- _`Q-p
- \\$,[f
- '}Z)
- Ty(=
- t$$^
- $>)[dWt
- rrv-
- kD)X
- \\$]
- t>!(8d
-]*;W
- sYwf
- q?y#
-]/>)[
- s=,V
- <{Pr
- [F-x
- D$ `
- t$ f
- D$@b
- t$(f
- |$ X
- t$(f
- S``f
- T$(f
- D$@HvJ

- |$ `hyp
- D$,hQ
- \\$(f
- \\$,f
- :QtR
- s*-,
- wS|Fc
- WJxc
- |$Df
- '\\P#
- %'KK
- cJ@*w
- L$LY
- D$ @(H
- c<)9Kt*&
- q]#D
- DCrHM
- d"OB)[
- PCpB
- V_yf`
- <:!S
- G-_v
- =+Yf
- %r-Q
- =[t
- t$,T
- D$ f
- l$Pf
- D$ `
- w^=\\g
- =%ZQ
- ,D`f
- D$Xf
- C/]t
- vP\t#{
- jM=f
- '@],
- sF-_~
-]*;z
- D$$W
- 1"P#\t{
- '!\t{
- {D-_
- Yfdb
- QxBh
- ;/]t
- T$Df
- |$Xf
- R<g'
- =&YL;
- .)# /
- qPG.
- l$,f
- \\$,h
- (+Fr
- _@)q
- \\$@f

- P}-#
- +9(Z~J
- $`Vh
- |$(Q
- bL[h
- F,hX
- FYnd
- : R{
- JFp8$d
- <;(T
- l$@h
- l$ `
- h.1"h"
- T$$`
- J?,j
- ?&TD;%
- h&:q
- t$HV
- D$$h
- D$ X
- `h\tS
- ;n<&
- bFny
-)-:H
- l$(T
- D$$f
- D$DE\\P
- $V`f
- Dvh]jL
- |$ `
- D$$`
- D$$S
- D$Dz
- t$@f
- D$Tf
- D$<h
- D$ f
- q/4FZ~
- hw"d
- |$$V
- M,?M
- l$(f
- ':Hn
- $yTtj
- h}B>R
- AW+>&|
- |$DW
- t$ [
- |$ VR
- \\$,h
- D$L0Dv
- t$,f
- \\$(f
- D$ ypH
- `h<rGZT
- t$(^`
- t$ ^

- D$,f
- D$$Y
- D$DTW
- t$<f
- Fp=(
- T$Df
- D$<Rf
- *L zd
- :>!S
- rK?Z
- ><%W~t<k
- DmbD
- ~$)>L
- G=%T
- B0<+Yf
- t$ `
- #FhKh
- D$$h
- D$$f
- t$<f
- l$(W
- d<.q
- J,<}
- wZ&k;
- rl\tN-
- ~W<Y
- t \t"
- \\FQ-#7m
- `K&;
- l$(]
- "6DXSzt
- L$ f
- _</]&
- H,+=Of
- =,^z
- \\y\\x
- ,$hJ*
- y>Bt
- fY>m
- F.)?G
- D$$f
- D$@S
- |$\\f
- $why
- \\$$f
- T$,hD
- t$ S^
- |$<h
- t$(h{
- 3HMT;,^
- D$0h}+
- D$<T
- D$ `
- }<+Y
- xB.\\@
-]``h
- P"=%

- sH\\B
- D$Lh
- :%Wh
- p ?;
- Xj-:
- x<*X
- w?/z
- D$@h
- \\$$W
- D$$P
- @>,
- D$$ORH
- 4'Cj@[|
- H/4QD/]N
- |$(f
- L$ `
- L$,Q
- $H@f
- bV@S
- ytP?
- D$?
- $&*f
- \\$$`
- t$ f
- ~=(Zs
- "jN$>
- .'(R`
- ~.<N
- h}Hb
- B:G>
- Y!S:
- CH-M
- sZn,W
- :=)[rC
- D$$hq(
- h,+l,
- D$$X
- Fw_f
- P#\t3<Ng
- lk~%6D
- D."P
- w;7nB*
- C>%1 Q
- L$$Vh
- f=tf)
- D$(X
- \\$(h
- T$@h
- D$DhXmV
- l$$`
- l$,f
- %1C|Df
- t$HW
- D$ YG
- z:$V
- D,^K
- t$Lf

- Tkhq
- |$,f
- `."c
- T$HSQ
- D$ f
- |$(_
- Ckp
- d<&y;
-]R&t;&
- R \t+;.#
- :&T;}
- &="Q
- !WJ
- c)lF
- D$(h
- }; R
- M?@(
- h=rl
- Y+&0Bf
- /J>$V
- C)[r
- B0C)[r
- fF)q
- D$$hXP
- T$(f
- D$(
- D$,f
- LQ!{
- $q@/
- ; R
- B6?Mrg
- <(2@dwR{
- zk<,^
- 4$h\t\\F/
- T$,Q
- `h}v
- hs},
- l$(hK
- /;!\t{g
- K/Fm
- D<!S
- Th&*
- L$,f
- D$<e:L
- |$ f
- <$hf
- D$ Q
- $D{f
- D$Pf
- gD)[
- n$j,
- D$$f
- |$(T_
- |$,f
- D$<L
- v:,y
- k|zs

- h@Kj
- d)@j
- v_Cz
- %-._
- :\tmY
- L?.\\
- j<&]
-]/:
- VB,b
- \\$(P
- f,:`
- c@-_
- r;,v
- s Wh
- D$$W
- W;b[
- `hr"
- |$$[h
- &@H;
- |CH\\
- h_/p
- $$hr
- D$Hf
- t$$[
- {Lj\\Qw
- zgyL4Bb
- SQ`h
- L$Hh
- t$ ^^^f
- D$(X
- l$Hf
- >/]t
- `@,X
- ~*y;%
- !yy\t\\
- hxs,q
- \\$$`h
- L>>+
- ;#0"Ps
- ?N'M
- {;)[
- >(Zstk
- \\$ [`
- D$$y
- F@,Q
- jF.\\
- X4"Py?
- W%>(Z
- D+Y)
- >%{Z
- D$,P
- T1"@/(>C
- |$$`
- [`h*
- Z&;-
- //eLw^
- Rx`_

- D$@G+Q
- D$$\\
- _VV`
- |$HSh
- hlh*^
- D$Tf
- t$ f
- l$ `Uht%
- h@(H
- _=cg
- ?<w[
- Z(B+
- |$$f
- tk:[
- |<!S
- !&B;+Y&
- lR~(
- NK;+Y}E
- P?k}
- "$y^
- /<Nb
- {#&<
- T$Tf
- P:,^
- j\tm:+
- ::)[
- y>Hh
- |$ `f
- `h[m
- l$Pf
- [)@("
- >*$R~
- D$(V
- D$ `
- L$,Yf
- gD)[
- S/!m
- |Sx~
- D$Df
- T$(f
- D$ v
- |$@h
- JKCF
- P"l]
- (;~/ Rv3
- :#Qx
- "G-
- ^qWny
- t$@f
- t$$W
- H$:!
- ^.
- S=(Z
- }B,H
- S+9;,g
- ,"Pc
- G= b

- :\\Q%`
- Z(-9Kt
- @,^z
- .*;I`;@
- */vT
- D$Tf
- d,:q
- D$,h
- T$,T
- t$Df
- D$ h
- T$Pf
- 'Lyg
- D$,V
- [8)?,]
- :(Zs
- *4w,Zq
- R{|R
- t$Df
- T$LS
- T$Hf
- hq]=J
- |`@\/"
- /mQm
- # h:Q
- D$Hf
- _B\\=
- gB1<Nj
- T]]`VR
- vjc(
- |$ f
- D$ f
- #FhK
- b: R
- tYsl&!
- L<:+:q
- \\zh-
- /?:Z
- H})?
- ?;"\';
- %^Lj
- RKyw
- ?(,=
-]/=*
- MMQL_
- D.\\c~
- 'yc'
- `;%D'
- m@+Y
- |$,f
- P<*H
- \\$$`[
- \\$,f
- D$<f
- \\$$`
- |$$f
- T$(S

- l$Lf
- l$@S
- nTg
- D$$G
- T$$T
- D$H*
- t$<f
- w;"
- T$(f
- D$,f
- t$,f
- L>K)
- ZzB.\\
- yC/]
- V.<w
- h?zR
- t*XN
- :GC(
- B$k?
- t \t{
- "=p!6D`
- C)[r
- l*>L
- QVgy
- `TYW
- ;(Z`
- G<):(
- hqvG)
- l$@f
- \\$<f
- >$Vm
- (~;(
- qW~%6D
- [<-_
- jH,l
- T}Q>
- \\$Tf
- r@(W
- t=*X
- Y+?$Vr
- {\t v
- H}F"
- {+Vk
- GV*1?.J
- B"^H
- d$(h-UY
- L$ `
- t$@W
- L$LY
- ,ysN
- H-_!
- :%W
- bQ*T
- N<+;
- T$Dh
- D$<G
- %|M<

- N;Gxl))
- NDcm
- rM[[W
- D\ty
- rT)b
- ?YV%
- l$<f
- D$HW
- l$D]
- \\$ `
- t$$`
- zB%W
- R).HuG
- ;#Qx
- ?-_`
- N"wc
- "V@=et
- {qWNt~
- ?@(Zs*
- |$Tf
- h"j[
- l$<f
- D$\\f
- |$,V
- @'\tm
- RC,^
- \\$$_Tf
- t$$[
- `h+}
- \\$ R
- D$,f
- D$,&
- t$ f
- D$ f
- +Shh
- T$Hf
- T$(f
- t$Hf
- t`F`
- D$ f
- h$&-
- D$!?P
- %_\txN
- t):H
- l:&T;
-)PzJv
- w=+Q
- D$DPh
- D$D%lH
- F<hx
- \\$\\f
- D$ DQI
- |$$`
- t$ Qf
- D$@f
- h--&
- %XX+

- @?.q
- -#QxS`
- D$$`f
- $]l`
- CC)[
- T$Hf
-))Cl: *2@
- mC)[
- \\$(f
- [tvN
- M.;M
- T$$f
- D$$g
- c\\RhB\\
- M='k
- T$$ZR
- D%:H~
- j<(J
- D$ `
- $.:H
- %;P#
- ;*%;C
- T$Lh\\%Y
- |$<f
- D$Hf
- nGVk
- N<@)
- &-?Mdk?{|
- l$Df
- ^$hm
- ?:KT
- ,>L}
- |$ f
- >/]{y
- P"A-_{\\
- n%|(>Lh
- q\\. 8%
- .:5+YCl/
- |$$f
- g:.p
- Yg:.m
- {\t B
- fB+ l&
- ;/-"
- J?$-=O
- D$Df
- hNB+
- D$ Q
- PP`f
- L!+g
- t$$`
- t$ f
- |$Lf
- T$(hNR
- kxfQ
- D$@DQI
- |$$f

- \\$(h
- t$([
- L$@f
- Q#YW
- $:H$
- `.""
- L$@W
- &Z;:(
-)nQh
- Z(F-_
- ;=Hc
- q\\=l
- {\t-*G:B
- hH,^
- UYs@<j
- |&*>L
- ?ZT]
- w'2-#:*R
- D$ `
- l$(f
- |$(h
- D$Tf
-]?+
- B.\\@
- bg&=+
- L$HV
- juT;,^"
- x<*X
- /(nY
- JD(r
- r@,^
- \\$$h*
- D$Pf
- t$ f
- h[qg
- |{JP
- ?)[bL
- R(,;
- XFV%*7
-]':N
- bFr@.\\
- ^`h$
- \\$HT
- K=/]
- (`M"
- D$$`
- D$(f
- D$$R
- l$<h
- nb,)
- toM^X$
- f{`'_
- R/<N
- Ph`<
- \\.>+
- iP~}x_
- F.\\|

- VH,^W
- b[tNd
- lS>{
- r[[D~
- r(@(
- D$$j
- 't]y
- bF,y
- d>j/j
- l*>z
- Y+>*
- l$<f
- x&D;+
- n<$V
- w_GY
- l$(f
- hA}h_Z
- ~B,^g
- !WJ
- @fq`d
-)>Lh-
- &*py
-)3<N<#Qx
- ?,^w
- L$,h.
- rx]T
- [;/]
- -D,^H
- t(:H
- MzM\\L
- [?;=
- Q.?Mi,'
- t>!S
- <$V[
- t$$f
- {\t:(Z/5G
- -"\';M
- M.#Q
- k?%W~GR:
- =&TL;,S
- T$@Z
- D$Dh
- t$<f
- <$h*
- L-"f
- {RC
- G-=J
- N<#N
- G.t-5GC*
- *5GcC#
- !=HW
- ^"dT=@
- `|w^
- #;,v
- _-zN
- RQ<#QY
- q>)[

- D$:H
- T@.\\
- ~;$Vp
- (1C@)[
- KztT
- V=('
- |$(f
- D$ `
- >+Yb
- <$`f
- 8\tB<@by
- M+G&5*w
- vj:=X
- spwMDr':
- l$@f
- `=&y;
- CkPD
- r>,^
- c;!S
- h:*9+Y
- qTC,
- t/<N
- ;&TkT;
- K-VW
- db|d
- p*:H
- l$$`
- ,$`h
- |$Dh
- D$ h@
- d=/]y
- ':H8,?M
- S>-_M
- /.>Ls2
- w"1C\tl
- *?Mg
- G5F,^w
- LD/]
- D$$y
- xXWG
- |$,P
- D$$g
- ~W\tR
- @!6D>-_
- 2!Sz:l
- \\$LQ
- %*Zt<
- G/::/]t
- D$,K8N
- ?&T;}
- l$LQ
-]tRxx
- D$$>
- D$<m
- D$,f
- T\t@+:H
- D$$Z

- |$@P
- |$(h;
- #dMf
- l$$`S
- nF,t
- n.:H
- ["\'Jw
- /"@/d
- x:$Vw
- Gzvg/v]
- /"P(
- c;'9*X_
- ~<,0!Z
- l$Hh
- |$@f
- dF.g
- F.Jv
- KVD,
- ndF@v
- .";+
- GT_F
- x,"T
- t=*X
- L"!r
- M= `
- 1 .=:,^
- b+<Nqq
- ?)[rW
- gN%.
- >P~%,
- >?d~A|J
- D$ -
- D$((Q!
- D$$h
- l"gX
- nB*X
- ?%Wh
-]GK<
- =X'n
- ;)6Dm_
- L$Lh
- T$$`
- w!=]
- `<$Z
- $hrT
- ,$Qf
- D$ UlP
- l$LT
- <^Wa=%
- |$ `
- t$ f
- D$$`
- /{{~
- K*bd
- L$,S
- |$(f
- D$PufJ

- $%P#
- .]n|
- })L\\
- WW'g
- :(;)b
- V<!S)p
- HH@n
- $!V%
- Q:U.!]
- P:,^
- 8&T;#Q
- :!+3,"
- L$LQ
- H}F"R
- Gd<?
- RxGt
- D$$S{
- t$,T
- T'(:_
- kFG,
- &\t{:=O
- ~.<N
- t->Lo-
- D$Tf
- D$$`h
- `G.]
- VynB*
- .T.n
- J-_~
- X*!\\
- "`Rh
- j=[X
- |$Df
- l$Hf
- D$$W
- ?&T;}
- N<,:
- T$Df
- /=g
- 4*>/]-6Dm#&
- |$,f
-);.\\X
- ^zr@
- D$L@bL
- l$(f
- x:$
- lMb'
- C>%W~.7
- ZL:&
- t$ f
- h;K.
- .?l^B
- D)[#V
- _{;O@#
- [<-_
- |$Hf
- ?+Yp

- L-:H
- D$ c
- D$ `f
- D$$`
- '%>(
- w{;G
- h;b(
- gNvf
- L$$Th
- D$$Wf
- M#@h
- ~j[W
- }B<}Z
- ;%,<
- \\$Lf
- >Ynr=g
- yB/]
- {GMn
- >/K K
- _<,^
- >$V%
- ,3>mmq
- V$:+
- CDDb
- %P!P
- rB<.
- D$@T
- D$@=
- t$HS
- D$Dh=
- $$Zh
- $W);
- D$<Jq
- l$,f
- $lhY
- ~(1Cg.
- .#Z<_
- #%\t{1\\
- Y+C(m
- $`hJ'
- t$,f
- D$@h
- [*H c
- |$,f
- t$(f
- D$$-
- T$,f
- L$ f
- |$Tf
- |@.l
- \\$$`
- FDQf
- \\$Hh7mdS
- D$(h
- |$$f
- R[df
- t$@f

- \\$\\f
- D$(h!y
- |$(f
- KK;A,^w
- /"PyA[$l
- M?;$
- $$hX
- hrdzL
- L$ `
- yP'|
- Zd=$$
- xd:#X
- T$(P
- D$@f
- l$,f
- Ljv(
- xB.X
- ~:#:*4'
- >/<.\\
- J: j
- pG%;
- HmK:+
- W=-_z
- P,PS
- kf,P
- =%0Bk"
- [s![
- {;%T
- h\tD[
- v?(Z
- P``[
- {Rp)l
- y=+b
- r[Z
- <!Sz
- B/(>
- $F^D+
- <.^{
- x=*>/
- T&:V
- ~jbN
- jpxC
- <)?,
- qxZ%Q
- n`<$V
- f@*/#
- iB+Y;"
- (xLD
- Q,-$
- JD^*
- F@,t
- BB:H
- `T?T
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-

•
• ABCDEFGHIJKLMNOPQRSTUVWXYZ
• abcdefghijklmnopqrstuvwxyz
•
• Y*B*B
• y(gy
• xD|?
• v:,^
• _@)b
• vM|t
• =\tf<
• zvEk G
• ,&J;,
• g:HB
• <kS^
• x)ST
• L@K
• ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
• tT?r
• st{h
• @qGI
• #({}
• &hash;=
• &hwid;=
• xppwpp
• `h`hhh
• xpxxxx
• `h``
• (null)
• __cdecl
• __stdcall
• __clrcall
• `vcall'
• `string'
• MM/dd/yy
• dddd, MMMM dd, yyyy
• HH:mm:ss
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
• !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
• SD#N
• \\j-:N
• }-v4Z/v)~/v)
• G-v}
• -v+E.v
• -v(7.vM
• -vA#-v
• w&<.v
• Y_^[
• Y_^[
• Y_^[
• YY^]
• >csm
•]_^[
• tLxXj
• WWWWW
• SSSSS
• WWWWW

- _^[]
- WWWWW
- QSWVj
- j"^SSSSS
- ^SSSSS
- tVPV
- ~,WPV
- VVVVV
- _^[]
- VW|[;
- UQPXY]Y[
- ;t$,v-
-]_^[
- Y_^[
- Y_^[
- _^[]
- FVSj
- WWWWW
- v\tN+D$
- QVj
- VVVVV
- VVVVV
- WWWWW
- VVVVV
- VVVVV
- WWWWW
- WWWWW
- WWWWW
- _^[]
- SVWj
- [_^]
- URPQQh
- VVVVV
- PPPPP
- t+Ht
- j hxWI
- t+WWVPV
- t<Vj
- WWWWV
- PPPPPPPP
- PPPPPPPP
- j?^;
- VW}
- @_^[
- t h`
- Y__^[
- t!SS
- @PWSS
- SSS+
- < tK<\ttG
- Y[_^
- PPPPP
- tNVSP
- >=Yt1j
- [j@j
- j@j ^V
- j Xf

- RPSW
- VVVV
- PPPPP
- QSVW
- [_^[
- VVVVV
- VVVVV
- VVVVV
- PPPPP
- VVVVV
- t"SS9]
- Y;=hvI
- Fpt"
- _^[]
- Y_^[]
- Fh=`pI
- t\tVP
- @_^]
- <Xt
- WWWWW
- _^[]
- 0WWWWW
- SSSSS
- 0SSSSS
- _^[]
- VVVVV
- VVVVV
- HH_^[
- SSSSS
- SSSSS
- _^[]
- 0WWWWW
- @@BBf;
- @@BBf;
- 0WWWWW
- _^[]
- _^[]
- 0SSSSS
- _^[]
- 0SSSSS
- lMx[
- l$Pf
- |$(R
- D$H%
- B*/#
- Ph<F
- hjg=
- |GzS
- |#'Y
- ?,^{
- ~:#X
- hM^s
- b?$V
- dD+Y
- R/<@
- n/7F)+<
- |$Lf

- t$@h
- $Qhc
- T$Hf
- D$Lf
- ;$V^
- SVC,^
- :*;R
- ; Rv
- $[j#2@
- L$Df
- $Kss
- hFx>H
- $$hzJ
- \\$(R]^f
- MWs#
- .^\tmb
- HB*k
-]q)@
- k.=v
- ,?Mw
- nf L#4y
- r:,^
- pk@?
- /:HS
- CC)[
- >*>/
- m|H,
- ?*XS
- >)\\P
- Z[Nt
- mYC~f
-)>Ls G
- R <+?
- D$Dh
- L$$h
- mD$Qm
- ~:#QnU
- 3!-<NjJ'
- R <]
- T$DW
- :+=.8+Y}|W
- "\'^\'4Fb
- /.>Ls
- @'6D`s
- B,+=
- |$Pf
- t$@f
- D$(f
- D$<EdK
- D$DR
- hskG
- \\$@Qf
- t$Pf
- l$ h
- ,?yK^)
- >,^w>
- zfF)

- D$$H~K
- Sh'
- D$,hT
- D$,f
- D$Hf
- #FhK
- 4$hF<!
- D$(f
- T$HQf
- <$h'[
- |$ f
- D$ `
- D$$t
- t$$WW
- D$Tf
- $QVh
- L$(Y
- L$@hc
- =H,]
- l$$`
- xysV
- `h/0*\\f
- H.:H
- pCgM
- %PHMt
- hGG `
- t$$h.
- \\$ `
- ;,+=
- ?(,=
- S!^j@kf
- N;@&
- ,$W`
- |$<Q
- |$,hcs
- t$D^
- t$$`V
- `hfw
- D$LS
- D$PZ:J
- D$DM
- h}W=
- vC,^
- PQjdR
- l$@f
- T$$f
- L$@f
- \\$(f
- t$Pf
- rhm#
- t$,f
- l$$h
- \\$,h
-
-
-
- t$,f

- \\$<f
- D$$m
- PQhh
- D$$`
- t$hf
- $P``
- D$(f
- B"VF
- T$DR
- $FTWhR
- D$,h
- |$ f
- \\$ f
- \\$$h
- D$ f
- L$$f
- T$Hf
- l$Df
- $B>h
- lSVW
-)? q
- mfTX
- Z=|#r
- t)N_
- [)5(>\\
- YsGf
- Gm\tjg'
- Z`[{r
- W@z"{
-)(P?
- pm=/
- :#kL
- #!T^D
- XVwf
- =Z7q`[
- b^%_
- M';p
- VtHJ
- %s:
- _matherr(): %s in %s(%g, %g) (retval=%g)
- RWL%p %d V=%0X B=%d r=%ld w=%ld L=%p %s
- RWL%p %d %s
- (((rwlock_t *)*rwl)->valid == LIFE_RWLOCK) && (((rwlock_t *)*rwl)->busy > 0)
- C%p %d V=%0X B=%d b=%p w=%ld %s
- C%p %d %s
- T%p %d V=%0X H=%p %s
- T%p %d %s
- %p not found?!?!
- M%p %d V=%0X B=%d t=%d o=%d C=%d R=%d H=%p %s
- M%p %d %s
- (m_->valid == LIFE_MUTEX) && (m_->busy > 0)
- dump.c
- str[0] == 'u'
- c == d
- %s near '%s'
- %s/%s
- rwx-tTsS

- ->
- .xml
- text/html
- .html
- .txt
- .jpg
- --%s--
- --%s--
- Content-Type: %s
- --%s
- --%s
- ----------%08x%08x
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- %c%c%c%c
- %c%c%c=
- %c%c==
- NZDT
- NZST
- %31[ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz]
- %15[^?&/:]://%c
- %x%s
- %s%s%s
- _netrc
- /../
- HTTP/1.%d %d
- %zd bytes of chunk left
- %s%s%s%s
- CONNECT %s HTTP/%s
- Host: %s
- %s%s%s:%hu
- %s:%hu
- Can't complete SOCKS5 connection to %d.%d.%d.%d:%d. (%d)
- Can't complete SOCKS4 connection to %d.%d.%d.%d:%d. (%d), Unknown.
- %s, algorithm="%s"
- %s:%s:%08x:%s:%s:%s
- %s:%s
- %s:%.*s
- %s:%s:%s
- Proxy-
- RTSP
- : %ld
- %s%s%s%s%s%s
- CSeq: %ld
- %s %s RTSP/1.0
- Transport: %s
- Got invalid RTSP request: RTSPREQ_LAST
- Got invalid RTSP request: RTSPREQ_NONE
- SMTP
- <%s>
- smtp
- STARTTLS denied. %c
- STARTTLS not supported.
- NTLM
- STARTTLS
- SMTPS not supported!
- RCPT TO:<%s>
- RCPT TO:%s

- %s %s
- VRFY
- PASS %s
- STARTTLS denied. %c
- STLS
- %s %s
- NTLM
- STARTTLS denied. %c
- STARTTLS not supported.
- STARTTLS
- NTLM
- LOGIN %s %s
- FETCH %s BODY[%s]
- FETCH %s BODY[%s]<%s>
- LIST "%s" *
- %s%s
- %s %s
- TFTP
- %s (%ld)
- %s (%d) %s (%d)
- %s (%ld)
- %s (%d)
- %s%c%s%c
- DN:
- MATCH %s %s %s
- /FIND:
- /MATCH:
- ENCRYPT
- TTYLOC
- %hu%*[xX]%hu
- %c%c
- %c%s%c%s
- %c%c%c%c
- %c%c%c%c%s%c%c
- "%s"
- %d (unknown)
- RCVD
- %s %d %d
- %s %s %d
- %s %s %s
- Wildcard - "%s" skipped by user
- Wildcard - START of "%s"
- %s%s
- MKD %s
- Entry path is '%s'
- SYST
- PROT %c
- unsupported parameter to CURLOPT_FTPSSLAUTH: %d
- %s%s%s
- REST %d
- PRET RETR %s
- PRET STOR %s
- PRET %s
- NLST
- CWD %s
- MDTM %s
- TYPE %c

- Connecting to %s (%s) port %d
- %d.%d.%d.%d
- %d,%d,%d,%d,%d,%d
- %c%c%c%u%c
- ACCT %s
- PASS %s
- ;type=
- %s %s
- ,%d,%d
- %s |%d|%s|%hu|
- STOR %s
- RETR %s
- PBSZ %d
- x-gzip
- HTTP
- RTSP/%d.%d %3d
- HTTP %3d
- HTTP/%d.%d %3d
- %s%s
- %s%s=%s
- %s%s%s%s%s%s%s%s%s%s%s
- %s HTTP/%s
- ;type=%c
- ;type=
- Host: %s%s%s:%hu
- Host: %s%s%s
- RTSP/
- HTTP/
- %s:%s
- Proxy-
- 0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ
- .%ld
- Problem with the SSL CA cert (path? access rights?)
- FTP: unknown PASV reply
- FTP: unknown PASS reply
- Unknown error %d (%#x)
- %d.%d.%d.%d
- httponly
- %s%s%s\t%s\t%s\t%s\t%I64d\t%s\t%s
- #HttpOnly_
- Curl_poll(%d ds, %d ms)
- %s://%s%s%s:%hu%s%s%s
- ;type=%c
- http_proxy
- _proxy
- %s://%s
- SMTP.
- FTP.
- /?]%[^
- /?]%[^
- :]://%[^
- %15[^:]:%[^
- smtp
- http
- Connected to %s (%s) port %ld (#%ld)
- Added %s:%d:%s to DNS cache
- %s:%d

- [%s %s %s]
- Trying %s...
- tftp
- smtp
- rtsp
- http
- -`rM
- >$rgHba
- Fxy;*W
-)l\\^'-
- TZFx
- <$;nq
- XX&~
- k<VL
- ~\tL#'Q&
- @T z
- m,bN:NX:,
- -<Zf"fx"<
- B|q&W;
- >]c!c|!>
- Ws!R
- r\\8Tllp8W_
- k(lD<DP<(
- cw/X
- \\hQV
- Z--w
- P((x
- |>>Bq
- H$$l
- D""fT**~;
- z==G
- x<<D%
- ,@ `
- >^//q
- R)){
- v;;M
- V++}
- wZ--
- ppB|>>
- tt!>
- xxoJ%%r\\..$8
- lH$$
- fD""~T**
- ~~Gz==
- PPDx<<
- `@
- q^//
- {R))>
- RRMv;;a
- tX,,.4
- gg}V++
- -wZ-
- p>B|>
- x%oJ%.r\\.
- lH\\
- "fD"*~T*
- ~=Gz=d

- !cB!
- P<Dx<
- `@
- /q^/
-){R)
- R;Mv;
- ,tX,
- g+}V+
-)--wZ
- ((xP
- >>B|
- !>KK
- %%oJ..r\\
- $$lH\\\\
- ""fD**~T
- ==Gzdd
- !!cB
- <<Dx
- `@
- //q^
- }))){R
- ;;Mv
- ,,tX
- ++}V
- ~=d]
- c|w{
- stratum+tcp://
- stratum+tcp://%s:%d
- http%s
- < %s
- > %s
- Hash: %s
- scrypt
- a:c:Dhp:Px:qr:R:s:t:T:o:u:O:V
- cryptonight
- https:
- %s:%s
- {"method": "getwork", "params": ["%s"], "id":1}
- {"method": "mining.submit", "params": ["%s", "%s", "%s", "%s", "%s"], "id":4}
- {"method": "submit", "params": {"id": "%s", "job_id": "%s", "nonce": "%s", "result": "%s"}, "id":1}
- {"method": "getwork", "params": [], "id":0}
- {"method": "getjob", "params": {"id": "%s"}, "id":1}
- %s%s%s
- stratum+tcp://
- -h, --help display this help text and exit
- accepted: %lu/%lu (%.2f%%), %.2f H/s at diff %g %s
- (yay!!!)
-
- [^_]
- <#tL<'
- <[^_]
- ,[^_]
- <'t-<
- <'wF
- ,[^_]
- =JdG
- Y[^_]

- =JdG
- $PdG
- $<wG
- $${F
- $${F
- WVSQ
- [^_]
- +L$,
- ;l$X
- <[^_]
- |$$;l$X
- t$Tf
- |$;w
- +D$`
- [^_]
- [^_]
- [^_]
- t$ +|$$
- <[^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- T$(+T$,
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- .[^_]
- .[^_]
- .[^_]
- [^_]
- [^_]
- <[^_]
- L$(s
- .[^_]
- D$@
- [^_]
- $P(F
- D$H9D$l
- D$,)
- D$H9D$l
- +D$
- \\$,)
- D$\\
- l$
- -\\LG
- +D$\\
- D$,~*
- D$H9D$l
- \\$L)
- D$ +|$0
- +|$H
- +|$,)

- %dLG
- t$H9t$l
- D$\\
- D$,)D$l
- T$)
- t$ht
- t$ht
- +t$T
- D$
- [^_]
- <[^_]
- L$,|h
- [^_]
- [^_]
- [^_]
- \\$X<-
- <[^_]
- [^_]
- ,[^_]
- ,[^_]
- [^_]
- DD$(
- L[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- B' t
- [^_]
- [^_]
- $HmG
- $HmG
- $HmG
- $HmG
- $HmG
- $HmG
- $HmG
- [^_]
- $HmG
- =@mG
- $HmG
- [^_]
- [^_]
- $pHG
- [^_]
- -xXG
- $HHG
- [^_]
- [^_]
- D$$t
- D$$P
- <[^_]
- ,[^_]

- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_
- [^_]
- [^_]
- $fFG
- $tFG
- [^_
- [^_]
- [^_]
- [^_]
- <[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- Cht[
- <[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- ;Z(s
- [^_]
- .[^_]
- .[^_]
- [^_]
- [^_
- ;^(r
- ;^(s}
- [^_]
- [^_]
- [^_]
- [^_]
- .[^_]

- [^_]
- [^_]
- [^_
- [^_
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- L[^_]
- $tBG
- $tBG
- [^_]
- tH<
- [^_]
- [^_]
- T$<f
- [^_]
- T$$t
- D$/-
- :L$.
- [^_]
- <*t(<?u
- <*t\\<?t4
- $h@G
- [^_]
- [^_]
- $x?G
- ;=t!
- $t?G
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- [^_]
- [^_]
- \\[^_]
- L[^_]
- [^_]
- $Z=G
- [^_]
- .[^_]
- .[^_]
- [^_]
- [^_]
- <\tvn
- C(+D$
- <[^_]
- [^_]
- [^_]

- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- $%:G
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- $':G
- [^_
- L[^_]
- $%:G
- L[^_]
- [^_
- [^_]
- [^_]
- <=t!
- ,[^_]
- +T$,k
- l[^_]
- l[^_]
- D$,_
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- ,[^_]
- [^_]
- [^_]
- [^_
- [^_
- L[^_]
- T$<~k
- hT;l$4
- ,[^_]
- ,[^_]
- <$t=
- [^_]
- [^_]
- L[^_]
- ,[^_]
- ,[^_]
- [^_]
- [^_]
- D$@)
- ;D$@
- l[^_]
- [^_]

- [^_]
- L[^_]
- [^_]
- [^_]
- $`,G
- L$(t
- $w,G
- [^_]
- L$(td
- $q,G
- .[^_]
- t)+D$
- |[^_]
- |[^_]
- D$x+D$(
- D$x+D$(
- D$x+D$(
- [^_]
- [^_]
- [^_]
- $g+G
- $S+G
- [^_]
- D$(*
-)D$P
- +D$(
- L$D)
- ;|$l
- D${<
- ;|$pt
- L$yt
- ;|$p
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- ;D$p
- [^_]
- 9|$Ht!
- [^_]
- [^_]
- <[^_]
- [^_]
- <[^_]
- $m G
- $] G
- [^_]
- [^_]
- "<"t
- [^_]
- [^_]
- <[^_]
- [^_]
- .[^_]
- [^_]
- [^_]

- F tn
- [^_]
- [^_]
- L[^_]
- L[^_]
- D$<)
- [^_]
- ,[^_]
- D$ tX
- +D$(
- +D$
- D$(F
- D$(#
- D$(,
- \\[^_]
- D$(=
- [^_
- [^_]
- ,[^_]
- [^_]
- ,[^_]
- ,[^_]
- l[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- l[^_]
- T$$v?
- [^_]
- +l$<
- 9l$<tz
- L[^_]
- [^_
- [^_
- ,[^_]
- t:VS
- [^_]
- [^_]
- [^_]
- [^_]
- \\[^_]
- \\[^_]
- [^_]
- ,[^_]
- [^_
- [^_
- ,[^_]
- ,[^_]
- \\[^_]
- [^_
- [^_
- ,[^_]
- \\$(<{t/
- <{t!
- l[^_]

- [^_]
- l[^_]
- l[^_]
- D$(C
- [^_]
- D$(C
- [^_]
- l[^_]
- l[^_]
- @[^_
- [^_]
- :/tg
- [^_]
- ,[^_]
- ,[^_]
- [^_]
- [^_
- [^_]
- [^_]
- \\$H)
- ,[^_]
- ;L$H
- .[^_]
- > t/
- .[^_]
- .[^_]
- [^_]
- [^_]
- t:VS
- [^_
- !<]w
- [^_]
- [^_]
- C(+D$P
- l[^_]
- [^_]
- l[^_]
- l[^_]
- [^_]
- [^_]
- [^_]
- gfff)
- [^_]
- gfff)
- [^_
- [^_
- t`~;
- tt~"
- D$X
- T$<)
- T$D)
- L$<)
- [^_]
- ;|$<
- L$|9L$x
- [^_]
- [^_]

- tjVS
- [^_]
- [^_]
- <[^_]
- ,[^_]
- |$L(
- ;Dds
- ;D$ds
- ;D$ds
- ;l$X
- ;D$ds.
- D$@<
- L$;
- L$;
- L$;
- [^_]
- [^_]
- [^_]
- [^_]
- L[^_]
- T$,9T$(
- [^_]
- L[^_]
- L$,t
- L$,)
- |$dNw
- [^_]
- [^_]
- [^_]
- [^_]
- |$<|
- D$|ytes
- D$xs: b
- D$ppt-r
- ;D$HrV
- Ud;T$D
- D$Dy
- [^_]
- [^_]
- [^_]
- x@+D$0
- L$P9L$L
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- <[^_]
- <[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- D$A:D$@

- D$<f
- [^_]
- [^_]
- [^_]
- <Dtr
- [^_]
- <[^_]
- [^_]
- ;D$,
-)D$,
- [^_]
- [^_]
- [^_]
- D$ f
- T$ f
- [^_]
- f;\\$ v
- D$*f9D$ rd
- [^_]
- l$ f
- <[^_]
- <[^_]
- [^_]
- L[^_]
- L[^_]
- ;t$(
- L[^_]
- [^_]
- [^_]
- [^_]
- CP#CT
- L$h)
- ;T$@
- @,;D$D
- D$`r
- DT$T
- D$pt
- D$`r
- |$X)
- T$d)
- L$t)
- +D$X
- DD$@
- [^_]
- p[^_
- p[^_
- p[^_
- p[^_
- <[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- L[^_]
- [^_]
- +T$l
- [^_]

- [^_
- [^_]
- [^_]
- .[^_]
- .[^_]
- <[^_]
- [^_]
- .[^_]
- [^_]
- [^_]
- P[^_
- P[^_
- T$$;T$,t
- .[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- .[^_]
- [^_]
- [^_]
- [^_]
- D$,f
- [^_]
- [^_]
- [^_]
- ;|$D
- +T$D
- [^_]
- D$Q-
- \\$Qt
- D$P%
- |$$t
- [^_]
- [^_
- |.~'k
- |$Xk
- |W~N
- +T$X
- ;|$hs
- ;T$`
- |;;|$hr5
- l$t;l$l
- [^_]
- [^_]
- D$\\;D$d
- L[^_]
- L[^_]
- -:--
- --:-
- L[^_]
- <[^_]
- [^_]
- .[^_]
- [^_
- [^_

- [^_]
- 9T$Lv>
- .[^_]
- [^_]
- [^_]
- [^_]
- ?/t
- <[^_]
- ;T$$v
- <[^_]
- [^_]
- [^_]
- L$@t
- T$@)
- [^_]
- .[^_]
- \\[^_]
- :/t)
- .[^_]
- .[^_]
- [^_]
- [^_]
- L[^_]
- L[^_]
- D$ t
- L[^_]
- L$$!
- [^_]
- .[^_]
- [^_
- [^_
- [^_
- |$$$N
- |$$!N
- [^_]
- D$(;D$l
- L[^_]
- [^_]
- tx;N
- <[^_]
- C(tV
- C t~
- I[^_]
- TDt;T$L
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- .[^_]
- .[^_]
- L$<;H
- Ft$L
- FL$P
- L$<;H
- D$@;F

- L$<;H
- L$@;H
- D$PQ
- @@ t
- @@@t
- D$PP
- D$P=
- D$PB
- l$Lt
- [^_]
- [^_]
- [^_]
- ,[^_]
- ,[^_]
- [^_
- [^_
- [^_
- [^_
- [^_
- [^_
- [^_
- @dhGF
- [^_]
- tBWV
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- [^_]
- [^_]
- [^_]
- ,[^_]
- L[^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- <[^_]
- <[^_]
- [^_]
- [^_]
- ,[^_]
- l[^_]
- DD$(
- l[^_]
- [^_]
- T$@f
- [^_]
- [^_]

- D$(9D$,~
- D$(@
- [^_]
- [^_]
- [^_]
- [^_
- [^_]
- [^_]
- [^_]
- ;L$,
- ;D$Xt,1
- [^_]
- L$;
- [^_]
- L$ w
- .[^_]
- .[^_]
- [^_]
- tLVS
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- T$(3l$$
- [^_]
- T$L3T$T
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- [^_]
- #T$(3t$
- \\$,!
- \\$ 3\\$
- #l$$
- #|$(
- D$ #B
- #T$,
- T$$#
- #t$$
- L$ 3L$
- \\$ #
- L$$3L$
- #L$(3L$
- L$$3L$(#
- #|$$
- L$$3L$
- #L$(3L$
- L$$3L$(#
- #|$$3|$
- L$ 3L$
- \\$ #
- L$$3L$

- #L$(3L$
- L$$3L$(#
- #|$$
- l$<-
- #L$(3L$
- L$$3L$(#
- #|$$
- \\$ #
- [^_]
- D$|\\\\\\\\\t
- D$x\\\\\\\\
- D$t\\\\\\\\
- D$p\\\\\\\\
- D$l\\\\\\\\
- D$h\\\\\\\\
- D$d\\\\\\\\
- D$`\\\\\\\\
- D$\\\\\\\\\\
- D$X\\\\\\\\
- D$T\\\\\\\\
- D$P\\\\\\\\
- D$L\\\\\\\\
- D$H\\\\\\\\
- D$D\\\\\\\\
- D$@\\\\\\\\
- [^_]
- D$|\\\\\\\\t
- D$x\\\\\\\\
- D$t\\\\\\\\
- D$p\\\\\\\\
- D$l\\\\\\\\
- D$h\\\\\\\\
- D$d\\\\\\\\
- D$`\\\\\\\\
- D$\\\\\\\\\\
- D$X\\\\\\\\
- D$T\\\\\\\\
- D$P\\\\\\\\
- D$L\\\\\\\\
- D$H\\\\\\\\
- D$D\\\\\\\\
- D$@\\\\\\\\
- <[^_]
- ,[^_]
- ,[^_]
- [^_]
- [^_]
- [^_]
- ,[^_]
- ,[^_]
- [^_]
- T[^_]
- ;T$l
- (;T$
- gfff
- gfff
- [^_]

- D$L;D$X
- T$ 9T$
- ;T$$w
- T$ 9T$
- ;T$$w!
- D$\\;D$X
- T$H3D$,
- [^_]
- +D$(
- [^_]
- +D$(
- 9D$Lr/;]
- [^_]
- =JdG
- [^_]
- =LdG
- =KdG
- =LdG
- =LdG
- [^_]
- =HdG
- [^_]
- [^_]
- =HdG
- [^_]
- [^_]
- =MdG
- [^_]
- =MdG
- =MdG
- =MdG
- =MdG
- [^_]
- =MdG
- C0: []f
- C,ams"
- C("par
- C crib
- d":
- , "m
- [^_]
- [^_]
- =LdG
- [^_]
- =LdG
- |$$t
- =LdG
- [^_]
- |[^_]
- =MdG
- [^_]
- [^_]
- .[^_]
- [^_]
- [^_]
- $<wG
- $<wG

- $<wG
- $<wG
- [^_]
- [^_]
- [^_]
- [^_]
- D$<P
- [^_]
- =MdG
- =JdG
- =HdG
- D$$t
- [^_]
- =JdG
- [^_]
- =HdG
- =HdG
- =JdG
- [^_]
- [^_]
- -TdG
- $PdG
- $PdG
- $TdG
- =MdG
- T$ t
- [^_]
- =JdG
- $PdG
- $PdG
- =JdG
- =HdG
- =HdG
- =MdG
- =MdG
- [^_]
- <[^_]
- [^_]
- =MdG
- =MdG
- .[^_]
- .[^_]
- =HdG
- nD$,
- [^_]
- [^_]
- [^_]
- =HdG
- =HdG
- =<gG
- $PdG
- $TdG
- $PdG
- [^_]
- -,wG
- $PdG
- $TdG

- $PdG
- =HdG
- $PdG
- $PdG
- $PdG
- =KdG
- $PdG
- =JdG
- $PdG
- =HdG
- [^_]
- |$$f
- nD$H
- ;L$(
- =KdG
- =JdG
- $PdG
- $PdG
- =HdG
- =HdG
- =JdG
- =HdG
- [^_]
- $`pF
- L[^_]
- =MdG
- t-VS
- [^_]
- .rsrc
- .tls
- .CRT
- p@.bss