Analysis report for sample: 9325e1ecd62eea5272b56175843f8987

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 23316 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 9325e1ecd62eea5272b56175843f8987

AV detections

- Microsoft:
- Kaspersky:
- Symantec:
- Malwarebytes:

Original source url

-

Virustotal url

- https://virustotal.com/es/file/3c3d777d7dcde7273bd8b72a5dc6f55c96989948b76ff4a16a941d380c3cafcf/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- suspicious_packer_section (The packer/protector section names/keywords)
- IsPE32 ()
- IsDLL ()
- IsConsole ()
- HasDebugData (DebugData Check)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- ImportTableIsBad (ImportTable Check)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__GlobalFlags ()
- DebuggerCheck__QueryInfo ()
- DebuggerHiding__Thread ()
- DebuggerHiding__Active ()
- SEH__vectored ()
- disable_dep (Bypass DEP)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- MD5_Constants (Look for MD5 constants)
- MD5_API (Looks for MD5 API)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- CRC32_poly_Constant (Look for CRC32 [poly])

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: j.kW%9
- url | valid domains | tlds: t.Sj
- registry | frequently modified by malware: \\Registry\\Machine\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options
- registry | frequently modified by malware: \\Registry\\Machine\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\
- registry | frequently modified by malware: \\Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\
- registry | frequently modified by malware: \\Registry\\Machine\\System\\CurrentControlSet\\Services
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: LdrLoadDll
- api | frequently used by malware: ZwWriteVirtualMemory
- api | frequently used by malware: ZwSystemDebugControl
- api | frequently used by malware: ZwSetValueKey
- api | frequently used by malware: ZwSetSystemInformation
- api | frequently used by malware: ZwSetInformationThread
- api | frequently used by malware: ZwSetInformationProcess
- api | frequently used by malware: ZwSetInformationFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: ZwQueryInformationPort
- api | frequently used by malware: ZwQueryInformationFile
- api | frequently used by malware: ZwQueryDirectoryFile
- api | frequently used by malware: ZwProtectVirtualMemory
- api | frequently used by malware: ZwOpenSection
- api | frequently used by malware: ZwOpenProcess
- api | frequently used by malware: ZwOpenKey
- api | frequently used by malware: ZwOpenFile
- api | frequently used by malware: ZwLoadDriver
- api | frequently used by malware: ZwDeviceIoControlFile
- api | frequently used by malware: ZwCreateKey
- api | frequently used by malware: ZwCreateFile
- api | frequently used by malware: ZwConnectPort
- api | frequently used by malware: RtlWriteRegistryValue
- api | frequently used by malware: RtlCreateRegistryKey
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: NtVdmControl
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: NtResumeThread
- api | frequently used by malware: NtQueueApcThread
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtQueryDirectoryFile
- api | frequently used by malware: NtOpenProcess
- api | frequently used by malware: NtLoadDriver
- api | frequently used by malware: NtEnumerateValueKey
- api | frequently used by malware: NtDuplicateObject
- api | frequently used by malware: NtDeviceIoControlFile
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: NtCreateFile
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ExitProcess

- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Sleep
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: MapViewOfFile
- api | frequently used by malware: bind on a busy prepared statement: [%s]
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: bind or column index out of range
- registry: Software\\Policies\\Microsoft\\Control Panel\\Desktop
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\MUI\\Settings
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\UILanguages\\PendingDelete
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\ProductOptions
- registry: \\Registry\\MACHINE\\SYSTEM\\CurrentControlSet\\Control\\Nls\\CustomLocale
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\Settings\\LanguageConfiguration
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\NLS\\Language
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\UILanguages
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\CMF\\SQMData\\BootLanguages
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\Settings
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\AdaptiveSqm\\Throttling
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\SQMClient\\Windows
- registry: \\Registry\\Machine\\Software\\Microsoft\\Reliability Analysis\\RAC
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\DisabledSessions\\
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\CommonDatapoints\\
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\DisabledProcesses\\
- registry: \\Software\\Microsoft\\Windows
- registry: \\Registry\\Machine\\Software\\Microsoft\\Windows\\Windows Error Reporting\\Escalation
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\WMR
- registry: \\Software\\Policies\\Microsoft\\Windows\\Safer\\CodeIdentifiers
- registry: \\Registry\\MACHINE\\System\\CurrentControlSet\\Control\\SafeBoot\\Option
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\Srp\\GP\\DLL
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\Windows\\Safer\\CodeIdentifiers
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\Session Manager
- registry: \\REGISTRY\\MACHINE\\System\\CurrentControlSet\\Control\\Session Manager\\Subsystems\\CSRSS
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control
- registry: \\Registry\\Machine\\Software\\Microsoft\\Windows NT\\CurrentVersion
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\Windows\\Appcompat\\
- registry: \\Registry\\Machine\\Software\\Microsoft\\Windows nt\\currentversion\\appcompatflags\\AIT
- registry: System\\CurrentControlSet\\Control\\CMF\\Config
- registry: System\\CurrentControlSet\\Control\\CMF\\LatestIndex
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\sxsisol.cpp
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrutil.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrtls.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrsnap.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrinit.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrfind.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrapi.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\callback.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\lpc.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\cgrpmem.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\waiter.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\wait.c

- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\io.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\simple.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\cgrp.c
- api | ws2_32: Inspecting leaks at process shutdown ...
- api | ws2_32: sub-select returns %d columns - expected %d
- api | ntdll: LdrResSearchResource Enter
- api | ntdll: LdrResSearchResource Exit
- api | ntdll: LdrpResGetResourceDirectory Enter
- api | ntdll: LdrpResGetResourceDirectory Exit
- api | ntdll: LdrpResGetMappingSize Enter
- api | ntdll: LdrpResGetMappingSize Exit
- api | ntdll: LdrResRelease Enter
- api | ntdll: LdrResRelease Exit
- api | ntdll: LdrResGetRCConfig Enter
- api | ntdll: LdrResGetRCConfig Exit
- api | kernel32: VirtualAlloc
- api | ntdll: RTL: RtlNtStatusToDosError(0x%lx): No Valid Win32 Error Mapping
- api | ntdll: RtlValidateHeap
- api | ntdll: RtlUnlockHeap
- api | ntdll: RtlLockHeap
- api | kernel32: VirtualQuery Failed 0x%08x %x
- api | kernel32: VirtualProtect Failed 0x%08x %x
- api | ntdll: *** ASSERT FAILED: Input parameter pwmszLanguage for function RtlGetUILanguageInfo is not a valid multi-string!
- api | ntdll: *** ASSERT FAILED: Input parameter LanguagesBuffer for function RtlSetProcessPreferredUILanguages is not a valid multi-string!
- api | ntdll: *** ASSERT FAILED: Input parameter LanguagesBuffer for function RtlSetThreadPreferredUILanguages is not a valid multi-string!
- api | ntdll: *** ASSERT FAILED: Input parameter LanguagesBuffer for function RtlpSetPreferredUILanguages is not a valid multi-string!
- api | ntdll: RtlQueryRegistryValues: Miscomputed buffer size at line %d
- api | ntdll: ZwAllocateVirtualMemory failed %lx for heap %p (base %p, size %p)
- api | ntdll: RtlQueryInformationActivationContext
- api | ntdll: RtlFindActivationContextSectionGuid() found section at %p (length %lu) which is not a GUID section
- api | ntdll: RtlFindActivationContextSectionString() found section at %p (length %lu) which is not a string section
- api | ntdll: RtlDeactivateActivationContextUnsafeFast
- api | ntdll: RtlDeactivateActivationContext
- api | ntdll: RtlCreateActivationContext
- api | advapi32: SaferIsDllAllowed
- api | kernel32: BaseQueryModuleData
- api | ntdll: LdrShutdownProcess
- api | kernel32: BaseThreadInitThunk
- api | ntdll: LdrGetProcedureAddressEx
- api | ntdll: LdrUnlockLoaderLock
- api | ntdll: LdrLockLoaderLock
- api | ntdll: LdrVerifyImageMatchesChecksumEx
- api | ntdll: LdrGetDllHandleEx
- api | ntdll: wcstoul
- api | ntdll: wcstombs
- api | ntdll: wcstol
- api | ntdll: wcsstr
- api | ntdll: wcsspn
- api | ntdll: wcsrchr
- api | ntdll: wcspbrk
- api | ntdll: wcsnlen
- api | ntdll: wcsncpy_s
- api | ntdll: wcsncpy
- api | ntdll: wcsncmp
- api | ntdll: wcsncat_s
- api | ntdll: wcsncat
- api | ntdll: wcslen

- api | ntdll: wcscspn
- api | ntdll: wcscpy_s
- api | ntdll: wcscpy
- api | ntdll: wcscmp
- api | ntdll: wcschr
- api | ntdll: wcscat_s
- api | ntdll: wcscat
- api | ntdll: vswprintf_s
- api | ntdll: vsprintf_s
- api | ntdll: vsprintf
- api | ntdll: vDbgPrintExWithPrefix
- api | ntdll: vDbgPrintEx
- api | ntdll: towupper
- api | ntdll: towlower
- api | ntdll: toupper
- api | ntdll: tolower
- api | ntdll: swscanf_s
- api | ntdll: swprintf_s
- api | ntdll: swprintf
- api | ntdll: strtoul
- api | ntdll: strtol
- api | ntdll: strtok_s
- api | ntdll: strstr
- api | ntdll: strspn
- api | ntdll: strrchr
- api | ntdll: strpbrk
- api | ntdll: strnlen
- api | ntdll: strncpy_s
- api | ntdll: strncpy
- api | ntdll: strncmp
- api | ntdll: strncat_s
- api | ntdll: strncat
- api | ntdll: strlen
- api | ntdll: strcspn
- api | ntdll: strcpy_s
- api | ntdll: strcpy
- api | ntdll: strcmp
- api | ntdll: strchr
- api | ntdll: strcat_s
- api | ntdll: strcat
- api | ntdll: sscanf_s
- api | ntdll: sscanf
- api | ntdll: sqrt
- api | ntdll: sprintf_s
- api | ntdll: sprintf
- api | ntdll: qsort
- api | ntdll: memset
- api | ntdll: memmove_s
- api | ntdll: memmove
- api | ntdll: memcpy_s
- api | ntdll: memcpy
- api | ntdll: memcmp
- api | ntdll: memchr
- api | ntdll: mbstowcs
- api | ntdll: labs
- api | ntdll: isxdigit
- api | ntdll: iswxdigit

- api | ntdll: iswspace
- api | ntdll: iswlower
- api | ntdll: iswdigit
- api | ntdll: iswctype
- api | ntdll: iswalpha
- api | ntdll: isupper
- api | ntdll: isspace
- api | ntdll: ispunct
- api | ntdll: isprint
- api | ntdll: islower
- api | ntdll: isgraph
- api | ntdll: isdigit
- api | ntdll: iscntrl
- api | ntdll: isalpha
- api | ntdll: isalnum
- api | ntdll: floor
- api | ntdll: fabs
- api | ntdll: ceil
- api | ntdll: bsearch
- api | ntdll: atol
- api | ntdll: atoi
- api | ntdll: atan
- api | ntdll: _wtol
- api | ntdll: _wtoi64
- api | ntdll: _wtoi
- api | ntdll: _wsplitpath_s
- api | ntdll: _wmakepath_s
- api | ntdll: _wcsupr
- api | ntdll: _wcstoui64
- api | ntdll: _wcsset_s
- api | ntdll: _wcsnset_s
- api | ntdll: _wcsnicmp
- api | ntdll: _wcslwr
- api | ntdll: _wcsicmp
- api | ntdll: _vswprintf
- api | ntdll: _vsnwprintf_s
- api | ntdll: _vsnwprintf
- api | ntdll: _vsnprintf_s
- api | ntdll: _vsnprintf
- api | ntdll: _vscwprintf
- api | ntdll: _ultow_s
- api | ntdll: _ultow
- api | ntdll: _ultoa_s
- api | ntdll: _ultoa
- api | ntdll: _ui64tow_s
- api | ntdll: _ui64tow
- api | ntdll: _ui64toa_s
- api | ntdll: _ui64toa
- api | ntdll: _swprintf
- api | ntdll: _strupr
- api | ntdll: _strset_s
- api | ntdll: _strnset_s
- api | ntdll: _strnicmp
- api | ntdll: _strlwr
- api | ntdll: _stricmp
- api | ntdll: _strcmpi
- api | ntdll: _splitpath_s

- api | ntdll: _splitpath
- api | ntdll: _snwscanf_s
- api | ntdll: _snwprintf_s
- api | ntdll: _snwprintf
- api | ntdll: _snscanf_s
- api | ntdll: _snprintf_s
- api | ntdll: _snprintf
- api | ntdll: _memicmp
- api | ntdll: _memccpy
- api | ntdll: _makepath_s
- api | ntdll: _ltow_s
- api | ntdll: _ltow
- api | ntdll: _ltoa_s
- api | ntdll: _ltoa
- api | ntdll: _lfind
- api | ntdll: _itow_s
- api | ntdll: _itow
- api | ntdll: _itoa_s
- api | ntdll: _itoa
- api | ntdll: _i64tow_s
- api | ntdll: _i64tow
- api | ntdll: _i64toa_s
- api | ntdll: _i64toa
- api | ntdll: _ftol
- api | ntdll: _fltused
- api | ntdll: _chkstk
- api | ntdll: _aullshr
- api | ntdll: _aullrem
- api | ntdll: _aulldvrm
- api | ntdll: _aulldiv
- api | ntdll: _atoi64
- api | ntdll: _allshr
- api | ntdll: _allshl
- api | ntdll: _allrem
- api | ntdll: _alloca_probe_8
- api | ntdll: _alloca_probe_16
- api | ntdll: _alloca_probe
- api | ntdll: _allmul
- api | ntdll: _alldvrm
- api | ntdll: _alldiv
- api | ntdll: __toascii
- api | ntdll: __iscsymf
- api | ntdll: __iscsym
- api | ntdll: __isascii
- api | ntdll: _CIsqrt
- api | ntdll: _CIsin
- api | ntdll: _CIpow
- api | ntdll: _CIlog
- api | ntdll: _CIcos
- api | ntdll: ZwYieldExecution
- api | ntdll: ZwWriteRequestData
- api | ntdll: ZwWriteFileGather
- api | ntdll: ZwWriteFile
- api | ntdll: ZwWorkerFactoryWorkerReady
- api | ntdll: ZwWaitLowEventPair
- api | ntdll: ZwWaitHighEventPair
- api | ntdll: ZwWaitForWorkViaWorkerFactory

- api | ntdll: ZwWaitForSingleObject
- api | ntdll: ZwWaitForMultipleObjects32
- api | ntdll: ZwWaitForMultipleObjects
- api | ntdll: ZwWaitForKeyedEvent
- api | ntdll: ZwWaitForDebugEvent
- api | ntdll: ZwVdmControl
- api | ntdll: ZwUnmapViewOfSection
- api | ntdll: ZwUnlockVirtualMemory
- api | ntdll: ZwUnlockFile
- api | ntdll: ZwUnloadKeyEx
- api | ntdll: ZwUnloadKey2
- api | ntdll: ZwUnloadKey
- api | ntdll: ZwUnloadDriver
- api | ntdll: ZwUmsThreadYield
- api | ntdll: ZwTranslateFilePath
- api | ntdll: ZwTraceEvent
- api | ntdll: ZwTraceControl
- api | ntdll: ZwThawTransactions
- api | ntdll: ZwThawRegistry
- api | ntdll: ZwTestAlert
- api | ntdll: ZwTerminateThread
- api | ntdll: ZwTerminateProcess
- api | ntdll: ZwTerminateJobObject
- api | ntdll: ZwSuspendThread
- api | ntdll: ZwSuspendProcess
- api | ntdll: ZwStopProfile
- api | ntdll: ZwStartProfile
- api | ntdll: ZwSinglePhaseReject
- api | ntdll: ZwSignalAndWaitForSingleObject
- api | ntdll: ZwShutdownWorkerFactory
- api | ntdll: ZwShutdownSystem
- api | ntdll: ZwSetVolumeInformationFile
- api | ntdll: ZwSetUuidSeed
- api | ntdll: ZwSetTimerResolution
- api | ntdll: ZwSetTimerEx
- api | ntdll: ZwSetTimer
- api | ntdll: ZwSetThreadExecutionState
- api | ntdll: ZwSetSystemTime
- api | ntdll: ZwSetSystemPowerState
- api | ntdll: ZwSetSystemEnvironmentValueEx
- api | ntdll: ZwSetSystemEnvironmentValue
- api | ntdll: ZwSetSecurityObject
- api | ntdll: ZwSetQuotaInformationFile
- api | ntdll: ZwSetLowWaitHighEventPair
- api | ntdll: ZwSetLowEventPair
- api | ntdll: ZwSetLdtEntries
- api | ntdll: ZwSetIoCompletionEx
- api | ntdll: ZwSetIoCompletion
- api | ntdll: ZwSetIntervalProfile
- api | ntdll: ZwSetInformationWorkerFactory
- api | ntdll: ZwSetInformationTransactionManager
- api | ntdll: ZwSetInformationTransaction
- api | ntdll: ZwSetInformationToken
- api | ntdll: ZwSetInformationResourceManager
- api | ntdll: ZwSetInformationObject
- api | ntdll: ZwSetInformationKey
- api | ntdll: ZwSetInformationJobObject

- api | ntdll: ZwSetInformationEnlistment
- api | ntdll: ZwSetInformationDebugObject
- api | ntdll: ZwSetHighWaitLowEventPair
- api | ntdll: ZwSetHighEventPair
- api | ntdll: ZwSetEventBoostPriority
- api | ntdll: ZwSetEvent
- api | ntdll: ZwSetEaFile
- api | ntdll: ZwSetDriverEntryOrder
- api | ntdll: ZwSetDefaultUILanguage
- api | ntdll: ZwSetDefaultLocale
- api | ntdll: ZwSetDefaultHardErrorPort
- api | ntdll: ZwSetDebugFilterState
- api | ntdll: ZwSetContextThread
- api | ntdll: ZwSetBootOptions
- api | ntdll: ZwSetBootEntryOrder
- api | ntdll: ZwSerializeBoot
- api | ntdll: ZwSecureConnectPort
- api | ntdll: ZwSaveMergedKeys
- api | ntdll: ZwSaveKeyEx
- api | ntdll: ZwSaveKey
- api | ntdll: ZwRollforwardTransactionManager
- api | ntdll: ZwRollbackTransaction
- api | ntdll: ZwRollbackEnlistment
- api | ntdll: ZwRollbackComplete
- api | ntdll: ZwResumeProcess
- api | ntdll: ZwRestoreKey
- api | ntdll: ZwResetWriteWatch
- api | ntdll: ZwResetEvent
- api | ntdll: ZwRequestWaitReplyPort
- api | ntdll: ZwRequestPort
- api | ntdll: ZwReplyWaitReplyPort
- api | ntdll: ZwReplyWaitReceivePortEx
- api | ntdll: ZwReplyWaitReceivePort
- api | ntdll: ZwReplyPort
- api | ntdll: ZwReplacePartitionUnit
- api | ntdll: ZwReplaceKey
- api | ntdll: ZwRenameTransactionManager
- api | ntdll: ZwRenameKey
- api | ntdll: ZwRemoveProcessDebug
- api | ntdll: ZwRemoveIoCompletionEx
- api | ntdll: ZwRemoveIoCompletion
- api | ntdll: ZwReleaseWorkerFactoryWorker
- api | ntdll: ZwReleaseSemaphore
- api | ntdll: ZwReleaseMutant
- api | ntdll: ZwReleaseKeyedEvent
- api | ntdll: ZwRegisterThreadTerminatePort
- api | ntdll: ZwRegisterProtocolAddressInformation
- api | ntdll: ZwRecoverTransactionManager
- api | ntdll: ZwRecoverResourceManager
- api | ntdll: ZwRecoverEnlistment
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: ZwReadRequestData
- api | ntdll: ZwReadOnlyEnlistment
- api | ntdll: ZwReadFileScatter
- api | ntdll: ZwReadFile
- api | ntdll: ZwRaiseHardError
- api | ntdll: ZwRaiseException

- api | ntdll: ZwQueueApcThreadEx
- api | ntdll: ZwQueueApcThread
- api | ntdll: ZwQueryVolumeInformationFile
- api | ntdll: ZwQueryVirtualMemory
- api | ntdll: ZwQueryValueKey
- api | ntdll: ZwQueryTimerResolution
- api | ntdll: ZwQueryTimer
- api | ntdll: ZwQuerySystemTime
- api | ntdll: ZwQuerySystemInformationEx
- api | ntdll: ZwQuerySystemEnvironmentValueEx
- api | ntdll: ZwQuerySystemEnvironmentValue
- api | ntdll: ZwQuerySymbolicLinkObject
- api | ntdll: ZwQuerySemaphore
- api | ntdll: ZwQuerySecurityObject
- api | ntdll: ZwQuerySecurityAttributesToken
- api | ntdll: ZwQuerySection
- api | ntdll: ZwQueryQuotaInformationFile
- api | ntdll: ZwQueryPortInformationProcess
- api | ntdll: ZwQueryPerformanceCounter
- api | ntdll: ZwQueryOpenSubKeysEx
- api | ntdll: ZwQueryOpenSubKeys
- api | ntdll: ZwQueryObject
- api | ntdll: ZwQueryMutant
- api | ntdll: ZwQueryMultipleValueKey
- api | ntdll: ZwQueryLicenseValue
- api | ntdll: ZwQueryKey
- api | ntdll: ZwQueryIoCompletion
- api | ntdll: ZwQueryIntervalProfile
- api | ntdll: ZwQueryInstallUILanguage
- api | ntdll: ZwQueryInformationWorkerFactory
- api | ntdll: ZwQueryInformationTransactionManager
- api | ntdll: ZwQueryInformationTransaction
- api | ntdll: ZwQueryInformationToken
- api | ntdll: ZwQueryInformationThread
- api | ntdll: ZwQueryInformationResourceManager
- api | ntdll: ZwQueryInformationJobObject
- api | ntdll: ZwQueryInformationEnlistment
- api | ntdll: ZwQueryInformationAtom
- api | ntdll: ZwQueryFullAttributesFile
- api | ntdll: ZwQueryEvent
- api | ntdll: ZwQueryEaFile
- api | ntdll: ZwQueryDriverEntryOrder
- api | ntdll: ZwQueryDirectoryObject
- api | ntdll: ZwQueryDefaultUILanguage
- api | ntdll: ZwQueryDefaultLocale
- api | ntdll: ZwQueryDebugFilterState
- api | ntdll: ZwQueryBootOptions
- api | ntdll: ZwQueryBootEntryOrder
- api | ntdll: ZwQueryAttributesFile
- api | ntdll: ZwPulseEvent
- api | ntdll: ZwPropagationFailed
- api | ntdll: ZwPropagationComplete
- api | ntdll: ZwPrivilegedServiceAuditAlarm
- api | ntdll: ZwPrivilegeObjectAuditAlarm
- api | ntdll: ZwPrivilegeCheck
- api | ntdll: ZwPrepareEnlistment
- api | ntdll: ZwPrepareComplete

- api | ntdll: ZwPrePrepareEnlistment
- api | ntdll: ZwPrePrepareComplete
- api | ntdll: ZwPowerInformation
- api | ntdll: ZwPlugPlayControl
- api | ntdll: ZwOpenTransactionManager
- api | ntdll: ZwOpenTransaction
- api | ntdll: ZwOpenTimer
- api | ntdll: ZwOpenThreadTokenEx
- api | ntdll: ZwOpenThreadToken
- api | ntdll: ZwOpenThread
- api | ntdll: ZwOpenSymbolicLinkObject
- api | ntdll: ZwOpenSession
- api | ntdll: ZwOpenSemaphore
- api | ntdll: ZwOpenResourceManager
- api | ntdll: ZwOpenProcessTokenEx
- api | ntdll: ZwOpenProcessToken
- api | ntdll: ZwOpenPrivateNamespace
- api | ntdll: ZwOpenObjectAuditAlarm
- api | ntdll: ZwOpenMutant
- api | ntdll: ZwOpenKeyedEvent
- api | ntdll: ZwOpenKeyTransactedEx
- api | ntdll: ZwOpenKeyTransacted
- api | ntdll: ZwOpenKeyEx
- api | ntdll: ZwOpenJobObject
- api | ntdll: ZwOpenIoCompletion
- api | ntdll: ZwOpenEventPair
- api | ntdll: ZwOpenEvent
- api | ntdll: ZwOpenEnlistment
- api | ntdll: ZwOpenDirectoryObject
- api | ntdll: ZwNotifyChangeSession
- api | ntdll: ZwNotifyChangeMultipleKeys
- api | ntdll: ZwNotifyChangeKey
- api | ntdll: ZwNotifyChangeDirectoryFile
- api | ntdll: ZwModifyDriverEntry
- api | ntdll: ZwModifyBootEntry
- api | ntdll: ZwMapViewOfSection
- api | ntdll: ZwMapUserPhysicalPagesScatter
- api | ntdll: ZwMapUserPhysicalPages
- api | ntdll: ZwMapCMFModule
- api | ntdll: ZwMakeTemporaryObject
- api | ntdll: ZwMakePermanentObject
- api | ntdll: ZwLockVirtualMemory
- api | ntdll: ZwLockRegistryKey
- api | ntdll: ZwLockProductActivationKeys
- api | ntdll: ZwLockFile
- api | ntdll: ZwLoadKeyEx
- api | ntdll: ZwLoadKey2
- api | ntdll: ZwLoadKey
- api | ntdll: ZwListenPort
- api | ntdll: ZwIsUILanguageComitted
- api | ntdll: ZwIsSystemResumeAutomatic
- api | ntdll: ZwIsProcessInJob
- api | ntdll: ZwInitiatePowerAction
- api | ntdll: ZwInitializeRegistry
- api | ntdll: ZwInitializeNlsFiles
- api | ntdll: ZwImpersonateThread
- api | ntdll: ZwImpersonateClientOfPort

- api | ntdll: ZwImpersonateAnonymousToken
- api | ntdll: ZwGetWriteWatch
- api | ntdll: ZwGetNotificationResourceManager
- api | ntdll: ZwGetNlsSectionPtr
- api | ntdll: ZwGetNextThread
- api | ntdll: ZwGetNextProcess
- api | ntdll: ZwGetMUIRegistryInfo
- api | ntdll: ZwGetDevicePowerState
- api | ntdll: ZwGetCurrentProcessorNumber
- api | ntdll: ZwGetContextThread
- api | ntdll: ZwFsControlFile
- api | ntdll: ZwFreezeTransactions
- api | ntdll: ZwFreezeRegistry
- api | ntdll: ZwFreeVirtualMemory
- api | ntdll: ZwFreeUserPhysicalPages
- api | ntdll: ZwFlushWriteBuffer
- api | ntdll: ZwFlushVirtualMemory
- api | ntdll: ZwFlushProcessWriteBuffers
- api | ntdll: ZwFlushKey
- api | ntdll: ZwFlushInstructionCache
- api | ntdll: ZwFlushInstallUILanguage
- api | ntdll: ZwFlushBuffersFile
- api | ntdll: ZwFindAtom
- api | ntdll: ZwFilterToken
- api | ntdll: ZwExtendSection
- api | ntdll: ZwEnumerateValueKey
- api | ntdll: ZwEnumerateTransactionObject
- api | ntdll: ZwEnumerateSystemEnvironmentValuesEx
- api | ntdll: ZwEnumerateKey
- api | ntdll: ZwEnumerateDriverEntries
- api | ntdll: ZwEnumerateBootEntries
- api | ntdll: ZwEnableLastKnownGood
- api | ntdll: ZwDuplicateToken
- api | ntdll: ZwDuplicateObject
- api | ntdll: ZwDrawText
- api | ntdll: ZwDisplayString
- api | ntdll: ZwDisableLastKnownGood
- api | ntdll: ZwDeleteValueKey
- api | ntdll: ZwDeletePrivateNamespace
- api | ntdll: ZwDeleteObjectAuditAlarm
- api | ntdll: ZwDeleteKey
- api | ntdll: ZwDeleteFile
- api | ntdll: ZwDeleteDriverEntry
- api | ntdll: ZwDeleteBootEntry
- api | ntdll: ZwDeleteAtom
- api | ntdll: ZwDelayExecution
- api | ntdll: ZwDebugContinue
- api | ntdll: ZwDebugActiveProcess
- api | ntdll: ZwCreateWorkerFactory
- api | ntdll: ZwCreateWaitablePort
- api | ntdll: ZwCreateUserProcess
- api | ntdll: ZwCreateTransactionManager
- api | ntdll: ZwCreateTransaction
- api | ntdll: ZwCreateToken
- api | ntdll: ZwCreateTimer
- api | ntdll: ZwCreateThreadEx
- api | ntdll: ZwCreateThread

- api | ntdll: ZwCreateSymbolicLinkObject
- api | ntdll: ZwCreateSemaphore
- api | ntdll: ZwCreateSection
- api | ntdll: ZwCreateResourceManager
- api | ntdll: ZwCreateProfileEx
- api | ntdll: ZwCreateProfile
- api | ntdll: ZwCreateProcessEx
- api | ntdll: ZwCreateProcess
- api | ntdll: ZwCreatePrivateNamespace
- api | ntdll: ZwCreatePort
- api | ntdll: ZwCreatePagingFile
- api | ntdll: ZwCreateNamedPipeFile
- api | ntdll: ZwCreateMutant
- api | ntdll: ZwCreateMailslotFile
- api | ntdll: ZwCreateKeyedEvent
- api | ntdll: ZwCreateKeyTransacted
- api | ntdll: ZwCreateJobSet
- api | ntdll: ZwCreateJobObject
- api | ntdll: ZwCreateIoCompletion
- api | ntdll: ZwCreateEventPair
- api | ntdll: ZwCreateEvent
- api | ntdll: ZwCreateEnlistment
- api | ntdll: ZwCreateDirectoryObject
- api | ntdll: ZwCreateDebugObject
- api | ntdll: ZwContinue
- api | ntdll: ZwCompressKey
- api | ntdll: ZwCompleteConnectPort
- api | ntdll: ZwCompareTokens
- api | ntdll: ZwCompactKeys
- api | ntdll: ZwCommitTransaction
- api | ntdll: ZwCommitEnlistment
- api | ntdll: ZwCommitComplete
- api | ntdll: ZwCloseObjectAuditAlarm
- api | ntdll: ZwClose
- api | ntdll: ZwClearEvent
- api | ntdll: ZwCancelTimer
- api | ntdll: ZwCancelSynchronousIoFile
- api | ntdll: ZwCancelIoFileEx
- api | ntdll: ZwCancelIoFile
- api | ntdll: ZwCallbackReturn
- api | ntdll: ZwAssignProcessToJobObject
- api | ntdll: ZwAreMappedFilesTheSame
- api | ntdll: ZwApphelpCacheControl
- api | ntdll: ZwAlpcSetInformation
- api | ntdll: ZwAlpcSendWaitReceivePort
- api | ntdll: ZwAlpcRevokeSecurityContext
- api | ntdll: ZwAlpcQueryInformationMessage
- api | ntdll: ZwAlpcQueryInformation
- api | ntdll: ZwAlpcOpenSenderThread
- api | ntdll: ZwAlpcOpenSenderProcess
- api | ntdll: ZwAlpcImpersonateClientOfPort
- api | ntdll: ZwAlpcDisconnectPort
- api | ntdll: ZwAlpcDeleteSecurityContext
- api | ntdll: ZwAlpcDeleteSectionView
- api | ntdll: ZwAlpcDeleteResourceReserve
- api | ntdll: ZwAlpcDeletePortSection
- api | ntdll: ZwAlpcCreateSecurityContext

- api | ntdll: ZwAlpcCreateSectionView
- api | ntdll: ZwAlpcCreateResourceReserve
- api | ntdll: ZwAlpcCreatePortSection
- api | ntdll: ZwAlpcCreatePort
- api | ntdll: ZwAlpcConnectPort
- api | ntdll: ZwAlpcCancelMessage
- api | ntdll: ZwAlpcAcceptConnectPort
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: ZwAllocateUuids
- api | ntdll: ZwAllocateUserPhysicalPages
- api | ntdll: ZwAllocateReserveObject
- api | ntdll: ZwAllocateLocallyUniqueId
- api | ntdll: ZwAlertThread
- api | ntdll: ZwAlertResumeThread
- api | ntdll: ZwAdjustPrivilegesToken
- api | ntdll: ZwAdjustGroupsToken
- api | ntdll: ZwAddDriverEntry
- api | ntdll: ZwAddBootEntry
- api | ntdll: ZwAddAtom
- api | ntdll: ZwAccessCheckByTypeResultListAndAuditAlarmByHandle
- api | ntdll: ZwAccessCheckByTypeResultListAndAuditAlarm
- api | ntdll: ZwAccessCheckByTypeResultList
- api | ntdll: ZwAccessCheckByTypeAndAuditAlarm
- api | ntdll: ZwAccessCheckByType
- api | ntdll: ZwAccessCheckAndAuditAlarm
- api | ntdll: ZwAccessCheck
- api | ntdll: ZwAcceptConnectPort
- api | ntdll: WinSqmStartSession
- api | ntdll: WinSqmSetString
- api | ntdll: WinSqmSetIfMinDWORD
- api | ntdll: WinSqmSetIfMaxDWORD
- api | ntdll: WinSqmSetEscalationInfo
- api | ntdll: WinSqmSetDWORD64
- api | ntdll: WinSqmSetDWORD
- api | ntdll: WinSqmIsOptedInEx
- api | ntdll: WinSqmIsOptedIn
- api | ntdll: WinSqmIncrementDWORD
- api | ntdll: WinSqmGetInstrumentationProperty
- api | ntdll: WinSqmGetEscalationRuleStatus
- api | ntdll: WinSqmEventWrite
- api | ntdll: WinSqmEventEnabled
- api | ntdll: WinSqmEndSession
- api | ntdll: WinSqmCommonDatapointSetString
- api | ntdll: WinSqmCommonDatapointSetStreamEx
- api | ntdll: WinSqmCommonDatapointSetDWORD64
- api | ntdll: WinSqmCommonDatapointSetDWORD
- api | ntdll: WinSqmCommonDatapointDelete
- api | ntdll: WinSqmCheckEscalationSetString
- api | ntdll: WinSqmCheckEscalationSetDWORD64
- api | ntdll: WinSqmCheckEscalationSetDWORD
- api | ntdll: WinSqmCheckEscalationAddToStreamEx
- api | ntdll: WinSqmAddToStreamEx
- api | ntdll: WinSqmAddToStream
- api | ntdll: WinSqmAddToAverageDWORD
- api | ntdll: WerReportSQMEvent
- api | kernel32: VerSetConditionMask
- api | ntdll: TpWaitForWork

- api | ntdll: TpWaitForWait
- api | ntdll: TpWaitForTimer
- api | ntdll: TpWaitForIoCompletion
- api | ntdll: TpWaitForAlpcCompletion
- api | ntdll: TpStartAsyncIoOperation
- api | ntdll: TpSimpleTryPost
- api | ntdll: TpSetWait
- api | ntdll: TpSetTimer
- api | ntdll: TpSetPoolStackInformation
- api | ntdll: TpSetPoolMinThreads
- api | ntdll: TpSetPoolMaxThreads
- api | ntdll: TpSetDefaultPoolStackInformation
- api | ntdll: TpSetDefaultPoolMaxThreads
- api | ntdll: TpReleaseWork
- api | ntdll: TpReleaseWait
- api | ntdll: TpReleaseTimer
- api | ntdll: TpReleasePool
- api | ntdll: TpReleaseIoCompletion
- api | ntdll: TpReleaseCleanupGroupMembers
- api | ntdll: TpReleaseCleanupGroup
- api | ntdll: TpReleaseAlpcCompletion
- api | ntdll: TpQueryPoolStackInformation
- api | ntdll: TpPostWork
- api | ntdll: TpIsTimerSet
- api | ntdll: TpDisassociateCallback
- api | ntdll: TpDisablePoolCallbackChecks
- api | ntdll: TpDbgSetLogRoutine
- api | ntdll: TpDbgDumpHeapUsage
- api | ntdll: TpCheckTerminateWorker
- api | ntdll: TpCaptureCaller
- api | ntdll: TpCancelAsyncIoOperation
- api | ntdll: TpCallbackUnloadDllOnCompletion
- api | ntdll: TpCallbackSetEventOnCompletion
- api | ntdll: TpCallbackReleaseSemaphoreOnCompletion
- api | ntdll: TpCallbackReleaseMutexOnCompletion
- api | ntdll: TpCallbackMayRunLong
- api | ntdll: TpCallbackLeaveCriticalSectionOnCompletion
- api | ntdll: TpCallbackIndependent
- api | ntdll: TpAlpcUnregisterCompletionList
- api | ntdll: TpAlpcRegisterCompletionList
- api | ntdll: TpAllocWork
- api | ntdll: TpAllocWait
- api | ntdll: TpAllocTimer
- api | ntdll: TpAllocPool
- api | ntdll: TpAllocIoCompletion
- api | ntdll: TpAllocCleanupGroup
- api | ntdll: TpAllocAlpcCompletionEx
- api | ntdll: TpAllocAlpcCompletion
- api | ntdll: ShipAssertMsgW
- api | ntdll: ShipAssertMsgA
- api | ntdll: ShipAssertGetBufferInfo
- api | ntdll: ShipAssert
- api | ntdll: SbSelectProcedure
- api | ntdll: SbExecuteProcedure
- api | ntdll: RtlxUnicodeStringToOemSize
- api | ntdll: RtlxUnicodeStringToAnsiSize
- api | ntdll: RtlxOemStringToUnicodeSize

- api | ntdll: RtlxAnsiStringToUnicodeSize
- api | ntdll: RtlpWaitForCriticalSection
- api | ntdll: RtlpVerifyAndCommitUILanguageSettings
- api | ntdll: RtlpUnWaitCriticalSection
- api | ntdll: RtlpSetUserPreferredUILanguages
- api | ntdll: RtlpSetPreferredUILanguages
- api | ntdll: RtlpSetInstallLanguage
- api | ntdll: RtlpRefreshCachedUILanguage
- api | ntdll: RtlpQueryDefaultUILanguage
- api | ntdll: RtlpNtSetValueKey
- api | ntdll: RtlpNtQueryValueKey
- api | ntdll: RtlpNtOpenKey
- api | ntdll: RtlpNtMakeTemporaryKey
- api | ntdll: RtlpNtEnumerateSubKey
- api | ntdll: RtlpNtCreateKey
- api | ntdll: RtlpNotOwnerCriticalSection
- api | ntdll: RtlpMuiRegLoadRegistryInfo
- api | ntdll: RtlpMuiRegFreeRegistryInfo
- api | ntdll: RtlpMuiRegCreateRegistryInfo
- api | ntdll: RtlpMuiFreeLangRegistryInfo
- api | ntdll: RtlpLoadUserUIByPolicy
- api | ntdll: RtlpLoadMachineUIByPolicy
- api | ntdll: RtlpIsQualifiedLanguage
- api | ntdll: RtlpInitializeLangRegistryInfo
- api | ntdll: RtlpGetUserOrMachineUILanguage4NLS
- api | ntdll: RtlpGetSystemDefaultUILanguage
- api | ntdll: RtlpGetNameFromLangInfoNode
- api | ntdll: RtlpGetLCIDFromLangInfoNode
- api | ntdll: RtlpEnsureBufferSize
- api | ntdll: RtlpCreateProcessRegistryInfo
- api | ntdll: RtlpConvertLCIDsToCultureNames
- api | ntdll: RtlpConvertCultureNamesToLCIDs
- api | ntdll: RtlpCleanupRegistryKeys
- api | ntdll: RtlpCheckDynamicTimeZoneInformation
- api | ntdll: RtlpApplyLengthFunction
- api | ntdll: RtlZombifyActivationContext
- api | kernel32: RtlZeroMemory
- api | ntdll: RtlZeroHeap
- api | ntdll: RtlWriteMemoryStream
- api | ntdll: RtlWow64EnableFsRedirectionEx
- api | ntdll: RtlWow64EnableFsRedirection
- api | ntdll: RtlWow64CallFunction64
- api | ntdll: RtlWerpReportException
- api | ntdll: RtlWeaklyEnumerateEntryHashTable
- api | ntdll: RtlWalkHeap
- api | ntdll: RtlWalkFrameChain
- api | ntdll: RtlWakeConditionVariable
- api | ntdll: RtlWakeAllConditionVariable
- api | ntdll: RtlVerifyVersionInfo
- api | ntdll: RtlValidateUnicodeString
- api | ntdll: RtlValidateProcessHeaps
- api | ntdll: RtlValidSid
- api | ntdll: RtlValidSecurityDescriptor
- api | ntdll: RtlValidRelativeSecurityDescriptor
- api | ntdll: RtlValidAcl
- api | ntdll: RtlUshortByteSwap
- api | ntdll: RtlUserThreadStart

- api | ntdll: RtlUpperString
- api | ntdll: RtlUpperChar
- api | ntdll: RtlUpdateTimer
- api | ntdll: RtlUpdateClonedSRWLock
- api | ntdll: RtlUpdateClonedCriticalSection
- api | ntdll: RtlUpcaseUnicodeToOemN
- api | ntdll: RtlUpcaseUnicodeToMultiByteN
- api | ntdll: RtlUpcaseUnicodeToCustomCPN
- api | ntdll: RtlUpcaseUnicodeStringToOemString
- api | ntdll: RtlUpcaseUnicodeStringToCountedOemString
- api | ntdll: RtlUpcaseUnicodeStringToAnsiString
- api | ntdll: RtlUpcaseUnicodeString
- api | ntdll: RtlUpcaseUnicodeChar
- api | kernel32: RtlUnwind
- api | ntdll: RtlUnlockModuleSection
- api | ntdll: RtlUnlockMemoryZone
- api | ntdll: RtlUnlockMemoryStreamRegion
- api | ntdll: RtlUnlockMemoryBlockLookaside
- api | ntdll: RtlUnlockCurrentThread
- api | ntdll: RtlUnlockBootStatusData
- api | ntdll: RtlUniform
- api | ntdll: RtlUnicodeToUTF8N
- api | ntdll: RtlUnicodeToOemN
- api | ntdll: RtlUnicodeToMultiByteSize
- api | ntdll: RtlUnicodeToMultiByteN
- api | ntdll: RtlUnicodeToCustomCPN
- api | ntdll: RtlUnicodeStringToOemString
- api | ntdll: RtlUnicodeStringToOemSize
- api | ntdll: RtlUnicodeStringToInteger
- api | ntdll: RtlUnicodeStringToCountedOemString
- api | ntdll: RtlUnicodeStringToAnsiString
- api | ntdll: RtlUnicodeStringToAnsiSize
- api | ntdll: RtlUnhandledExceptionFilter2
- api | ntdll: RtlUnhandledExceptionFilter
- api | ntdll: RtlUlonglongByteSwap
- api | ntdll: RtlUlongByteSwap
- api | ntdll: RtlUTF8ToUnicodeN
- api | ntdll: RtlTryEnterCriticalSection
- api | ntdll: RtlTryAcquireSRWLockShared
- api | ntdll: RtlTryAcquireSRWLockExclusive
- api | ntdll: RtlTryAcquirePebLock
- api | ntdll: RtlTraceDatabaseValidate
- api | ntdll: RtlTraceDatabaseUnlock
- api | ntdll: RtlTraceDatabaseLock
- api | ntdll: RtlTraceDatabaseFind
- api | ntdll: RtlTraceDatabaseEnumerate
- api | ntdll: RtlTraceDatabaseDestroy
- api | ntdll: RtlTraceDatabaseCreate
- api | ntdll: RtlTraceDatabaseAdd
- api | ntdll: RtlTimeToTimeFields
- api | ntdll: RtlTimeToSecondsSince1980
- api | ntdll: RtlTimeToSecondsSince1970
- api | ntdll: RtlTimeToElapsedTimeFields
- api | ntdll: RtlTimeFieldsToTime
- api | ntdll: RtlTestBit
- api | ntdll: RtlSystemTimeToLocalTime
- api | ntdll: RtlSubtreeSuccessor

- api | ntdll: RtlSubtreePredecessor
- api | ntdll: RtlSubAuthoritySid
- api | ntdll: RtlSubAuthorityCountSid
- api | ntdll: RtlStringFromGUID
- api | ntdll: RtlStatMemoryStream
- api | ntdll: RtlStartRXact
- api | ntdll: RtlSplay
- api | ntdll: RtlSleepConditionVariableSRW
- api | ntdll: RtlSleepConditionVariableCS
- api | ntdll: RtlSizeHeap
- api | ntdll: RtlSidIsHigherLevel
- api | ntdll: RtlSidHashLookup
- api | ntdll: RtlSidHashInitialize
- api | ntdll: RtlSidEqualLevel
- api | ntdll: RtlSidDominates
- api | ntdll: RtlSetUserValueHeap
- api | ntdll: RtlSetUserFlagsHeap
- api | ntdll: RtlSetUnhandledExceptionFilter
- api | ntdll: RtlSetTimer
- api | ntdll: RtlSetTimeZoneInformation
- api | ntdll: RtlSetThreadPreferredUILanguages
- api | ntdll: RtlSetThreadPoolStartFunc
- api | ntdll: RtlSetThreadIsCritical
- api | ntdll: RtlSetThreadErrorMode
- api | ntdll: RtlSetSecurityObjectEx
- api | ntdll: RtlSetSecurityObject
- api | ntdll: RtlSetSecurityDescriptorRMControl
- api | ntdll: RtlSetSaclSecurityDescriptor
- api | ntdll: RtlSetProcessPreferredUILanguages
- api | ntdll: RtlSetProcessIsCritical
- api | ntdll: RtlSetProcessDebugInformation
- api | ntdll: RtlSetOwnerSecurityDescriptor
- api | ntdll: RtlSetMemoryStreamSize
- api | ntdll: RtlSetLastWin32ErrorAndNtStatusFromNtStatus
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlSetIoCompletionCallback
- api | ntdll: RtlSetInformationAcl
- api | ntdll: RtlSetHeapInformation
- api | ntdll: RtlSetGroupSecurityDescriptor
- api | ntdll: RtlSetExtendedFeaturesMask
- api | ntdll: RtlSetEnvironmentVariable
- api | ntdll: RtlSetEnvironmentVar
- api | ntdll: RtlSetEnvironmentStrings
- api | ntdll: RtlSetDynamicTimeZoneInformation
- api | ntdll: RtlSetDaclSecurityDescriptor
- api | ntdll: RtlSetCurrentTransaction
- api | ntdll: RtlSetCurrentEnvironment
- api | ntdll: RtlSetCurrentDirectory_U
- api | ntdll: RtlSetCriticalSectionSpinCount
- api | ntdll: RtlSetControlSecurityDescriptor
- api | ntdll: RtlSetBits
- api | ntdll: RtlSetAttributesSecurityDescriptor
- api | ntdll: RtlSetAllBits
- api | ntdll: RtlSendMsgToSm
- api | ntdll: RtlSelfRelativeToAbsoluteSD2
- api | ntdll: RtlSelfRelativeToAbsoluteSD
- api | ntdll: RtlSeekMemoryStream

- api | ntdll: RtlSecondsSince1980ToTime
- api | ntdll: RtlSecondsSince1970ToTime
- api | ntdll: RtlRunOnceInitialize
- api | ntdll: RtlRunOnceExecuteOnce
- api | ntdll: RtlRunOnceComplete
- api | ntdll: RtlRunOnceBeginInitialize
- api | ntdll: RtlRunEncodeUnicodeString
- api | ntdll: RtlRunDecodeUnicodeString
- api | ntdll: RtlRevertMemoryStream
- api | ntdll: RtlRetrieveNtUserPfn
- api | ntdll: RtlRestoreLastWin32Error
- api | ntdll: RtlResetRtlTranslations
- api | ntdll: RtlResetMemoryZone
- api | ntdll: RtlResetMemoryBlockLookaside
- api | ntdll: RtlReportSqmEscalation
- api | ntdll: RtlReportSilentProcessExit
- api | ntdll: RtlReportException
- api | ntdll: RtlReplaceSidInSd
- api | ntdll: RtlRemoveVectoredExceptionHandler
- api | ntdll: RtlRemoveVectoredContinueHandler
- api | ntdll: RtlRemovePrivileges
- api | ntdll: RtlRemoveEntryHashTable
- api | ntdll: RtlRemoteCall
- api | ntdll: RtlReleaseSRWLockShared
- api | ntdll: RtlReleaseSRWLockExclusive
- api | ntdll: RtlReleaseResource
- api | ntdll: RtlReleaseRelativeName
- api | ntdll: RtlReleasePrivilege
- api | ntdll: RtlReleasePebLock
- api | ntdll: RtlReleaseMemoryStream
- api | ntdll: RtlReleaseActivationContext
- api | ntdll: RtlRegisterWait
- api | ntdll: RtlRegisterThreadWithCsrss
- api | ntdll: RtlRegisterSecureMemoryCacheCallback
- api | ntdll: RtlRealSuccessor
- api | ntdll: RtlRealPredecessor
- api | ntdll: RtlReadThreadProfilingData
- api | ntdll: RtlReadOutOfProcessMemoryStream
- api | ntdll: RtlReadMemoryStream
- api | ntdll: RtlReAllocateHeap
- api | ntdll: RtlRandomEx
- api | ntdll: RtlRandom
- api | ntdll: RtlRaiseStatus
- api | ntdll: RtlRaiseException
- api | ntdll: RtlQueueWorkItem
- api | ntdll: RtlQueueApcWow64Thread
- api | ntdll: RtlQueryTimeZoneInformation
- api | ntdll: RtlQueryThreadProfiling
- api | ntdll: RtlQueryTagHeap
- api | ntdll: RtlQuerySecurityObject
- api | ntdll: RtlQueryRegistryValues
- api | ntdll: RtlQueryProcessLockInformation
- api | ntdll: RtlQueryProcessHeapInformation
- api | ntdll: RtlQueryProcessDebugInformation
- api | ntdll: RtlQueryProcessBackTraceInformation
- api | ntdll: RtlQueryPerformanceFrequency
- api | ntdll: RtlQueryPerformanceCounter

- api | ntdll: RtlQueryModuleInformation
- api | ntdll: RtlQueryInterfaceMemoryStream
- api | ntdll: RtlQueryInformationActiveActivationContext
- api | ntdll: RtlQueryInformationAcl
- api | ntdll: RtlQueryHeapInformation
- api | ntdll: RtlQueryEnvironmentVariable_U
- api | ntdll: RtlQueryEnvironmentVariable
- api | ntdll: RtlQueryElevationFlags
- api | ntdll: RtlQueryDynamicTimeZoneInformation
- api | ntdll: RtlQueryDepthSList
- api | ntdll: RtlQueryCriticalSectionOwner
- api | ntdll: RtlQueryAtomInAtomTable
- api | ntdll: RtlQueryActivationContextApplicationSettings
- api | ntdll: RtlPushFrame
- api | ntdll: RtlProtectHeap
- api | ntdll: RtlProcessFlsData
- api | ntdll: RtlPrefixUnicodeString
- api | ntdll: RtlPrefixString
- api | ntdll: RtlPopFrame
- api | ntdll: RtlPinAtomInAtomTable
- api | ntdll: RtlPcToFileHeader
- api | ntdll: RtlOwnerAcesPresent
- api | ntdll: RtlOpenCurrentUser
- api | ntdll: RtlOemToUnicodeN
- api | ntdll: RtlOemStringToUnicodeString
- api | ntdll: RtlOemStringToUnicodeSize
- api | ntdll: RtlNumberOfSetBitsUlongPtr
- api | ntdll: RtlNumberOfSetBits
- api | ntdll: RtlNumberOfClearBits
- api | ntdll: RtlNumberGenericTableElementsAvl
- api | ntdll: RtlNumberGenericTableElements
- api | ntdll: RtlNtStatusToDosErrorNoTeb
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: RtlNtPathNameToDosPathName
- api | ntdll: RtlNormalizeString
- api | ntdll: RtlNormalizeProcessParams
- api | ntdll: RtlNewSecurityObjectWithMultipleInheritance
- api | ntdll: RtlNewSecurityObjectEx
- api | ntdll: RtlNewSecurityObject
- api | ntdll: RtlNewSecurityGrantedAccess
- api | ntdll: RtlNewInstanceSecurityObject
- api | ntdll: RtlMultipleFreeHeap
- api | ntdll: RtlMultipleAllocateHeap
- api | ntdll: RtlMultiByteToUnicodeSize
- api | ntdll: RtlMultiByteToUnicodeN
- api | ntdll: RtlMultiAppendUnicodeStringBuffer
- api | kernel32: RtlMoveMemory
- api | ntdll: RtlMapSecurityErrorToNtStatus
- api | ntdll: RtlMapGenericMask
- api | ntdll: RtlMakeSelfRelativeSD
- api | ntdll: RtlLookupEntryHashTable
- api | ntdll: RtlLookupElementGenericTableFullAvl
- api | ntdll: RtlLookupElementGenericTableFull
- api | ntdll: RtlLookupElementGenericTableAvl
- api | ntdll: RtlLookupElementGenericTable
- api | ntdll: RtlLookupAtomInAtomTable
- api | ntdll: RtlLogStackBackTrace

- api | ntdll: RtlLockModuleSection
- api | ntdll: RtlLockMemoryZone
- api | ntdll: RtlLockMemoryStreamRegion
- api | ntdll: RtlLockMemoryBlockLookaside
- api | ntdll: RtlLockCurrentThread
- api | ntdll: RtlLockBootStatusData
- api | ntdll: RtlLocateLegacyContext
- api | ntdll: RtlLocateExtendedFeature
- api | ntdll: RtlLocaleNameToLcid
- api | ntdll: RtlLocalTimeToSystemTime
- api | ntdll: RtlLoadString
- api | ntdll: RtlLengthSid
- api | ntdll: RtlLengthSecurityDescriptor
- api | ntdll: RtlLengthRequiredSid
- api | ntdll: RtlLeaveCriticalSection
- api | ntdll: RtlLcidToLocaleName
- api | ntdll: RtlLargeIntegerToChar
- api | ntdll: RtlLargeIntegerSubtract
- api | ntdll: RtlLargeIntegerShiftRight
- api | ntdll: RtlLargeIntegerShiftLeft
- api | ntdll: RtlLargeIntegerNegate
- api | ntdll: RtlLargeIntegerDivide
- api | ntdll: RtlLargeIntegerArithmeticShift
- api | ntdll: RtlLargeIntegerAdd
- api | ntdll: RtlLCIDToCultureName
- api | ntdll: RtlKnownExceptionFilter
- api | ntdll: RtlIsValidLocaleName
- api | ntdll: RtlIsValidIndexHandle
- api | ntdll: RtlIsValidHandle
- api | ntdll: RtlIsThreadWithinLoaderCallout
- api | ntdll: RtlIsTextUnicode
- api | ntdll: RtlIsNormalizedString
- api | ntdll: RtlIsNameLegalDOS8Dot3
- api | ntdll: RtlIsNameInExpression
- api | ntdll: RtlIsGenericTableEmptyAvl
- api | ntdll: RtlIsGenericTableEmpty
- api | ntdll: RtlIsDosDeviceName_U
- api | ntdll: RtlIsCurrentThreadAttachExempt
- api | ntdll: RtlIsCriticalSectionLockedByThread
- api | ntdll: RtlIsCriticalSectionLocked
- api | ntdll: RtlIsActivationContextActive
- api | ntdll: RtlIpv6StringToAddressW
- api | ntdll: RtlIpv6StringToAddressExW
- api | ntdll: RtlIpv6StringToAddressExA
- api | ntdll: RtlIpv6StringToAddressA
- api | ntdll: RtlIpv6AddressToStringW
- api | ntdll: RtlIpv6AddressToStringExW
- api | ntdll: RtlIpv6AddressToStringExA
- api | ntdll: RtlIpv6AddressToStringA
- api | ntdll: RtlIpv4StringToAddressW
- api | ntdll: RtlIpv4StringToAddressExW
- api | ntdll: RtlIpv4StringToAddressExA
- api | ntdll: RtlIpv4StringToAddressA
- api | ntdll: RtlIpv4AddressToStringW
- api | ntdll: RtlIpv4AddressToStringExW
- api | ntdll: RtlIpv4AddressToStringExA
- api | ntdll: RtlIpv4AddressToStringA

- api | ntdll: RtlIoEncodeMemIoResource
- api | ntdll: RtlIoDecodeMemIoResource
- api | ntdll: RtlInterlockedSetBitRun
- api | ntdll: RtlInterlockedPushListSList
- api | ntdll: RtlInterlockedPushEntrySList
- api | ntdll: RtlInterlockedPopEntrySList
- api | ntdll: RtlInterlockedFlushSList
- api | ntdll: RtlInterlockedCompareExchange64
- api | ntdll: RtlInterlockedClearBitRun
- api | ntdll: RtlIntegerToUnicodeString
- api | ntdll: RtlIntegerToChar
- api | ntdll: RtlInt64ToUnicodeString
- api | ntdll: RtlInsertEntryHashTable
- api | ntdll: RtlInsertElementGenericTableFullAvl
- api | ntdll: RtlInsertElementGenericTableFull
- api | ntdll: RtlInsertElementGenericTableAvl
- api | ntdll: RtlInsertElementGenericTable
- api | ntdll: RtlInitializeSid
- api | ntdll: RtlInitializeSRWLock
- api | ntdll: RtlInitializeSListHead
- api | ntdll: RtlInitializeResource
- api | ntdll: RtlInitializeRXact
- api | ntdll: RtlInitializeNtUserPfn
- api | ntdll: RtlInitializeHandleTable
- api | ntdll: RtlInitializeGenericTableAvl
- api | ntdll: RtlInitializeGenericTable
- api | ntdll: RtlInitializeExtendedContext
- api | ntdll: RtlInitializeExceptionChain
- api | ntdll: RtlInitializeCriticalSectionEx
- api | ntdll: RtlInitializeCriticalSectionAndSpinCount
- api | ntdll: RtlInitializeCriticalSection
- api | ntdll: RtlInitializeContext
- api | ntdll: RtlInitializeConditionVariable
- api | ntdll: RtlInitializeBitMap
- api | ntdll: RtlInitializeAtomPackage
- api | ntdll: RtlInitWeakEnumerationHashTable
- api | ntdll: RtlInitUnicodeStringEx
- api | ntdll: RtlInitUnicodeString
- api | ntdll: RtlInitString
- api | ntdll: RtlInitOutOfProcessMemoryStream
- api | ntdll: RtlInitNlsTables
- api | ntdll: RtlInitMemoryStream
- api | ntdll: RtlInitEnumerationHashTable
- api | ntdll: RtlInitCodePageTable
- api | ntdll: RtlInitBarrier
- api | ntdll: RtlInitAnsiStringEx
- api | ntdll: RtlInitAnsiString
- api | ntdll: RtlImpersonateSelfEx
- api | ntdll: RtlImpersonateSelf
- api | ntdll: RtlImageRvaToVa
- api | ntdll: RtlImageRvaToSection
- api | ntdll: RtlImageNtHeaderEx
- api | ntdll: RtlImageNtHeader
- api | ntdll: RtlImageDirectoryEntryToData
- api | ntdll: RtlIdnToUnicode
- api | ntdll: RtlIdnToNameprepUnicode
- api | ntdll: RtlIdnToAscii

- api | ntdll: RtlIdentifierAuthoritySid
- api | ntdll: RtlHeapTrkInitialize
- api | ntdll: RtlHashUnicodeString
- api | ntdll: RtlGetVersion
- api | ntdll: RtlGetUserPreferredUILanguages
- api | ntdll: RtlGetUserInfoHeap
- api | ntdll: RtlGetUnloadEventTraceEx
- api | ntdll: RtlGetUnloadEventTrace
- api | ntdll: RtlGetUILanguageInfo
- api | ntdll: RtlGetThreadPreferredUILanguages
- api | ntdll: RtlGetThreadLangIdByIndex
- api | ntdll: RtlGetThreadErrorMode
- api | ntdll: RtlGetSystemPreferredUILanguages
- api | ntdll: RtlGetSetBootStatusData
- api | ntdll: RtlGetSecurityDescriptorRMControl
- api | ntdll: RtlGetSaclSecurityDescriptor
- api | ntdll: RtlGetProductInfo
- api | ntdll: RtlGetProcessPreferredUILanguages
- api | ntdll: RtlGetProcessHeaps
- api | ntdll: RtlGetParentLocaleName
- api | ntdll: RtlGetOwnerSecurityDescriptor
- api | ntdll: RtlGetNtVersionNumbers
- api | ntdll: RtlGetNtProductType
- api | ntdll: RtlGetNtGlobalFlags
- api | ntdll: RtlGetNextEntryHashTable
- api | ntdll: RtlGetNativeSystemInformation
- api | ntdll: RtlGetLongestNtPathLength
- api | ntdll: RtlGetLocaleFileMappingAddress
- api | ntdll: RtlGetLengthWithoutTrailingPathSeperators
- api | ntdll: RtlGetLengthWithoutLastFullDosOrNtPathElement
- api | ntdll: RtlGetLastWin32Error
- api | ntdll: RtlGetLastNtStatus
- api | ntdll: RtlGetIntegerAtom
- api | ntdll: RtlGetGroupSecurityDescriptor
- api | ntdll: RtlGetFullPathName_UstrEx
- api | ntdll: RtlGetFullPathName_UEx
- api | ntdll: RtlGetFullPathName_U
- api | ntdll: RtlGetFrame
- api | ntdll: RtlGetFileMUIPath
- api | ntdll: RtlGetExtendedFeaturesMask
- api | ntdll: RtlGetExtendedContextLength
- api | ntdll: RtlGetEnabledExtendedFeatures
- api | ntdll: RtlGetElementGenericTableAvl
- api | ntdll: RtlGetElementGenericTable
- api | ntdll: RtlGetDaclSecurityDescriptor
- api | ntdll: RtlGetCurrentTransaction
- api | ntdll: RtlGetCurrentProcessorNumberEx
- api | ntdll: RtlGetCurrentProcessorNumber
- api | ntdll: RtlGetCurrentPeb
- api | ntdll: RtlGetCurrentDirectory_U
- api | ntdll: RtlGetCriticalSectionRecursionCount
- api | ntdll: RtlGetControlSecurityDescriptor
- api | ntdll: RtlGetCompressionWorkSpaceSize
- api | ntdll: RtlGetCallersAddress
- api | ntdll: RtlGetActiveActivationContext
- api | ntdll: RtlGetAce
- api | ntdll: RtlGenerate8dot3Name

- api | ntdll: RtlGUIDFromString
- api | ntdll: RtlFreeUserStack
- api | ntdll: RtlFreeUnicodeString
- api | ntdll: RtlFreeThreadActivationContextStack
- api | ntdll: RtlFreeSid
- api | ntdll: RtlFreeOemString
- api | ntdll: RtlFreeMemoryBlockLookaside
- api | ntdll: RtlFreeHeap
- api | ntdll: RtlFreeHandle
- api | ntdll: RtlFreeAnsiString
- api | ntdll: RtlFreeActivationContextStack
- api | ntdll: RtlFormatMessageEx
- api | ntdll: RtlFormatMessage
- api | ntdll: RtlFormatCurrentUserKeyPath
- api | ntdll: RtlFlushSecureMemoryCache
- api | ntdll: RtlFlsFree
- api | ntdll: RtlFlsAlloc
- api | ntdll: RtlFirstFreeAce
- api | ntdll: RtlFirstEntrySList
- api | ntdll: RtlFindSetBitsAndClear
- api | ntdll: RtlFindSetBits
- api | ntdll: RtlFindNextForwardRunClear
- api | ntdll: RtlFindMostSignificantBit
- api | ntdll: RtlFindMessage
- api | ntdll: RtlFindLongestRunClear
- api | ntdll: RtlFindLeastSignificantBit
- api | ntdll: RtlFindLastBackwardRunClear
- api | ntdll: RtlFindClosestEncodableLength
- api | ntdll: RtlFindClearRuns
- api | ntdll: RtlFindClearBitsAndSet
- api | ntdll: RtlFindClearBits
- api | ntdll: RtlFindCharInUnicodeString
- api | ntdll: RtlFindActivationContextSectionString
- api | ntdll: RtlFindActivationContextSectionGuid
- api | ntdll: RtlFindAceByType
- api | ntdll: RtlFinalReleaseOutOfProcessMemoryStream
- api | ntdll: RtlFillMemoryUlonglong
- api | ntdll: RtlFillMemoryUlong
- api | kernel32: RtlFillMemory
- api | ntdll: RtlExtendedMagicDivide
- api | ntdll: RtlExtendedLargeIntegerDivide
- api | ntdll: RtlExtendedIntegerMultiply
- api | ntdll: RtlExtendMemoryZone
- api | ntdll: RtlExtendMemoryBlockLookaside
- api | ntdll: RtlExpandHashTable
- api | ntdll: RtlExpandEnvironmentStrings_U
- api | ntdll: RtlExpandEnvironmentStrings
- api | ntdll: RtlExitUserThread
- api | ntdll: RtlExitUserProcess
- api | ntdll: RtlEthernetStringToAddressW
- api | ntdll: RtlEthernetStringToAddressA
- api | ntdll: RtlEthernetAddressToStringW
- api | ntdll: RtlEthernetAddressToStringA
- api | ntdll: RtlEraseUnicodeString
- api | ntdll: RtlEqualUnicodeString
- api | ntdll: RtlEqualString
- api | ntdll: RtlEqualSid

- api | ntdll: RtlEqualPrefixSid
- api | ntdll: RtlEqualLuid
- api | ntdll: RtlEqualDomainName
- api | ntdll: RtlEqualComputerName
- api | ntdll: RtlEnumerateGenericTableWithoutSplayingAvl
- api | ntdll: RtlEnumerateGenericTableWithoutSplaying
- api | ntdll: RtlEnumerateGenericTableLikeADirectory
- api | ntdll: RtlEnumerateGenericTableAvl
- api | ntdll: RtlEnumerateGenericTable
- api | ntdll: RtlEnumerateEntryHashTable
- api | ntdll: RtlEnumProcessHeaps
- api | ntdll: RtlEnterCriticalSection
- api | ntdll: RtlEnlargedUnsignedMultiply
- api | ntdll: RtlEnlargedIntegerMultiply
- api | ntdll: RtlEndWeakEnumerationHashTable
- api | ntdll: RtlEndEnumerationHashTable
- api | ntdll: RtlEncodeSystemPointer
- api | ntdll: RtlEncodePointer
- api | ntdll: RtlEnableThreadProfiling
- api | ntdll: RtlEnableEarlyCriticalSectionEventCreation
- api | ntdll: RtlEmptyAtomTable
- api | ntdll: RtlDuplicateUnicodeString
- api | ntdll: RtlDumpResource
- api | ntdll: RtlDowncaseUnicodeString
- api | ntdll: RtlDowncaseUnicodeChar
- api | ntdll: RtlDosSearchPath_Ustr
- api | ntdll: RtlDosSearchPath_U
- api | ntdll: RtlDosPathNameToRelativeNtPathName_U_WithStatus
- api | ntdll: RtlDosPathNameToRelativeNtPathName_U
- api | ntdll: RtlDosPathNameToNtPathName_U_WithStatus
- api | ntdll: RtlDosPathNameToNtPathName_U
- api | ntdll: RtlDosApplyFileIsolationRedirection_Ustr
- api | ntdll: RtlDoesFileExists_U
- api | ntdll: RtlDnsHostNameToComputerName
- api | ntdll: RtlDllShutdownInProgress
- api | ntdll: RtlDisableThreadProfiling
- api | ntdll: RtlDetermineDosPathNameType_U
- api | ntdll: RtlDetectHeapLeaks
- api | ntdll: RtlDestroyQueryDebugBuffer
- api | ntdll: RtlDestroyProcessParameters
- api | ntdll: RtlDestroyMemoryZone
- api | ntdll: RtlDestroyMemoryBlockLookaside
- api | ntdll: RtlDestroyHeap
- api | ntdll: RtlDestroyHandleTable
- api | ntdll: RtlDestroyEnvironment
- api | ntdll: RtlDestroyAtomTable
- api | ntdll: RtlDeregisterWaitEx
- api | ntdll: RtlDeregisterWait
- api | ntdll: RtlDeregisterSecureMemoryCacheCallback
- api | ntdll: RtlDeleteTimerQueueEx
- api | ntdll: RtlDeleteTimerQueue
- api | ntdll: RtlDeleteTimer
- api | ntdll: RtlDeleteSecurityObject
- api | ntdll: RtlDeleteResource
- api | ntdll: RtlDeleteRegistryValue
- api | ntdll: RtlDeleteNoSplay
- api | ntdll: RtlDeleteHashTable

- api | ntdll: RtlDeleteElementGenericTableAvl
- api | ntdll: RtlDeleteElementGenericTable
- api | ntdll: RtlDeleteCriticalSection
- api | ntdll: RtlDeleteBoundaryDescriptor
- api | ntdll: RtlDeleteBarrier
- api | ntdll: RtlDeleteAtomFromAtomTable
- api | ntdll: RtlDeleteAce
- api | ntdll: RtlDelete
- api | ntdll: RtlDefaultNpAcl
- api | ntdll: RtlDecompressFragment
- api | ntdll: RtlDecompressBuffer
- api | ntdll: RtlDecodeSystemPointer
- api | ntdll: RtlDecodePointer
- api | ntdll: RtlDebugPrintTimes
- api | ntdll: RtlDeNormalizeProcessParams
- api | ntdll: RtlDeCommitDebugInfo
- api | ntdll: RtlCutoverTimeToSystemTime
- api | ntdll: RtlCustomCPToUnicodeN
- api | ntdll: RtlCultureNameToLCID
- api | ntdll: RtlCreateVirtualAccountSid
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlCreateUserStack
- api | ntdll: RtlCreateUserSecurityObject
- api | ntdll: RtlCreateUserProcess
- api | ntdll: RtlCreateUnicodeStringFromAsciiz
- api | ntdll: RtlCreateUnicodeString
- api | ntdll: RtlCreateTimerQueue
- api | ntdll: RtlCreateTimer
- api | ntdll: RtlCreateTagHeap
- api | ntdll: RtlCreateSystemVolumeInformationFolder
- api | ntdll: RtlCreateServiceSid
- api | ntdll: RtlCreateSecurityDescriptor
- api | ntdll: RtlCreateQueryDebugBuffer
- api | ntdll: RtlCreateProcessReflection
- api | ntdll: RtlCreateProcessParametersEx
- api | ntdll: RtlCreateProcessParameters
- api | ntdll: RtlCreateMemoryZone
- api | ntdll: RtlCreateMemoryBlockLookaside
- api | ntdll: RtlCreateHeap
- api | ntdll: RtlCreateHashTable
- api | ntdll: RtlCreateEnvironmentEx
- api | ntdll: RtlCreateEnvironment
- api | ntdll: RtlCreateBoundaryDescriptor
- api | ntdll: RtlCreateBootStatusDataFile
- api | ntdll: RtlCreateAtomTable
- api | ntdll: RtlCreateAndSetSD
- api | ntdll: RtlCreateAcl
- api | ntdll: RtlCopyUnicodeString
- api | ntdll: RtlCopyString
- api | ntdll: RtlCopySidAndAttributesArray
- api | ntdll: RtlCopySid
- api | ntdll: RtlCopySecurityDescriptor
- api | ntdll: RtlCopyOutOfProcessMemoryStreamTo
- api | ntdll: RtlCopyMemoryStreamTo
- api | ntdll: RtlCopyMappedMemory
- api | ntdll: RtlCopyLuidAndAttributesArray
- api | ntdll: RtlCopyLuid

- api | ntdll: RtlCopyExtendedContext
- api | ntdll: RtlCopyContext
- api | ntdll: RtlConvertUlongToLargeInteger
- api | ntdll: RtlConvertToAutoInheritSecurityObject
- api | ntdll: RtlConvertSidToUnicodeString
- api | ntdll: RtlConvertSharedToExclusive
- api | ntdll: RtlConvertLongToLargeInteger
- api | ntdll: RtlConvertLCIDToString
- api | ntdll: RtlConvertExclusiveToShared
- api | ntdll: RtlContractHashTable
- api | ntdll: RtlConsoleMultiByteToUnicodeN
- api | ntdll: RtlConnectToSm
- api | ntdll: RtlComputePrivatizedDllName_U
- api | ntdll: RtlComputeImportTableHash
- api | ntdll: RtlComputeCrc32
- api | ntdll: RtlCompressBuffer
- api | ntdll: RtlCompareUnicodeStrings
- api | ntdll: RtlCompareUnicodeString
- api | ntdll: RtlCompareString
- api | ntdll: RtlCompareMemoryUlong
- api | ntdll: RtlCompareMemory
- api | ntdll: RtlCompareAltitudes
- api | ntdll: RtlCompactHeap
- api | ntdll: RtlCommitMemoryStream
- api | ntdll: RtlCommitDebugInfo
- api | ntdll: RtlCmEncodeMemIoResource
- api | ntdll: RtlCmDecodeMemIoResource
- api | ntdll: RtlCloneUserProcess
- api | ntdll: RtlCloneMemoryStream
- api | ntdll: RtlClearBits
- api | ntdll: RtlClearAllBits
- api | ntdll: RtlCleanUpTEBLangLists
- api | ntdll: RtlCheckRegistryKey
- api | ntdll: RtlCheckForOrphanedCriticalSections
- api | ntdll: RtlCharToInteger
- api | ntdll: RtlCaptureStackContext
- api | kernel32: RtlCaptureStackBackTrace
- api | kernel32: RtlCaptureContext
- api | ntdll: RtlCancelTimer
- api | ntdll: RtlBarrierForDelete
- api | ntdll: RtlBarrier
- api | ntdll: RtlAssert
- api | ntdll: RtlAreBitsSet
- api | ntdll: RtlAreBitsClear
- api | ntdll: RtlAreAnyAccessesGranted
- api | ntdll: RtlAreAllAccessesGranted
- api | ntdll: RtlApplyRXactNoFlush
- api | ntdll: RtlApplyRXact
- api | ntdll: RtlApplicationVerifierStop
- api | ntdll: RtlAppendUnicodeToString
- api | ntdll: RtlAppendUnicodeStringToString
- api | ntdll: RtlAppendStringToString
- api | ntdll: RtlAppendPathElement
- api | ntdll: RtlAppendAsciizToString
- api | ntdll: RtlAnsiStringToUnicodeString
- api | ntdll: RtlAnsiStringToUnicodeSize
- api | ntdll: RtlAnsiCharToUnicodeChar

- api | ntdll: RtlAllocateMemoryZone
- api | ntdll: RtlAllocateMemoryBlockLookaside
- api | ntdll: RtlAllocateHeap
- api | ntdll: RtlAllocateHandle
- api | ntdll: RtlAllocateAndInitializeSid
- api | ntdll: RtlAllocateActivationContextStack
- api | ntdll: RtlAdjustPrivilege
- api | ntdll: RtlAddressInSectionTable
- api | ntdll: RtlAddVectoredExceptionHandler
- api | ntdll: RtlAddVectoredContinueHandler
- api | ntdll: RtlAddSIDToBoundaryDescriptor
- api | ntdll: RtlAddRefMemoryStream
- api | ntdll: RtlAddRefActivationContext
- api | ntdll: RtlAddMandatoryAce
- api | ntdll: RtlAddIntegrityLabelToBoundaryDescriptor
- api | ntdll: RtlAddCompoundAce
- api | ntdll: RtlAddAuditAccessObjectAce
- api | ntdll: RtlAddAuditAccessAceEx
- api | ntdll: RtlAddAuditAccessAce
- api | ntdll: RtlAddAttributeActionToRXact
- api | ntdll: RtlAddAtomToAtomTable
- api | ntdll: RtlAddActionToRXact
- api | ntdll: RtlAddAce
- api | ntdll: RtlAddAccessDeniedObjectAce
- api | ntdll: RtlAddAccessDeniedAceEx
- api | ntdll: RtlAddAccessDeniedAce
- api | ntdll: RtlAddAccessAllowedObjectAce
- api | ntdll: RtlAddAccessAllowedAceEx
- api | ntdll: RtlAddAccessAllowedAce
- api | ntdll: RtlActivateActivationContextUnsafeFast
- api | ntdll: RtlActivateActivationContextEx
- api | ntdll: RtlActivateActivationContext
- api | ntdll: RtlAcquireSRWLockShared
- api | ntdll: RtlAcquireSRWLockExclusive
- api | ntdll: RtlAcquireResourceShared
- api | ntdll: RtlAcquireResourceExclusive
- api | ntdll: RtlAcquireReleaseSRWLockExclusive
- api | ntdll: RtlAcquirePrivilege
- api | ntdll: RtlAcquirePebLock
- api | ntdll: RtlAbsoluteToSelfRelativeSD
- api | ntdll: RtlAbortRXact
- api | ntdll: PfxRemovePrefix
- api | ntdll: PfxInsertPrefix
- api | ntdll: PfxInitialize
- api | ntdll: PfxFindPrefix
- api | ntdll: NtdllDialogWndProc_W
- api | ntdll: NtdllDialogWndProc_A
- api | ntdll: NtdllDefWindowProc_W
- api | ntdll: NtdllDefWindowProc_A
- api | ntdll: NtYieldExecution
- api | ntdll: NtWriteRequestData
- api | ntdll: NtWriteFileGather
- api | ntdll: NtWriteFile
- api | ntdll: NtWorkerFactoryWorkerReady
- api | ntdll: NtWaitLowEventPair
- api | ntdll: NtWaitHighEventPair
- api | ntdll: NtWaitForWorkViaWorkerFactory

- api | ntdll: NtWaitForSingleObject
- api | ntdll: NtWaitForMultipleObjects32
- api | ntdll: NtWaitForMultipleObjects
- api | ntdll: NtWaitForKeyedEvent
- api | ntdll: NtWaitForDebugEvent
- api | ntdll: NtUnmapViewOfSection
- api | ntdll: NtUnlockVirtualMemory
- api | ntdll: NtUnlockFile
- api | ntdll: NtUnloadKeyEx
- api | ntdll: NtUnloadKey2
- api | ntdll: NtUnloadKey
- api | ntdll: NtUnloadDriver
- api | ntdll: NtUmsThreadYield
- api | ntdll: NtTranslateFilePath
- api | ntdll: NtTraceEvent
- api | ntdll: NtTraceControl
- api | ntdll: NtThawTransactions
- api | ntdll: NtThawRegistry
- api | ntdll: NtTestAlert
- api | ntdll: NtTerminateThread
- api | ntdll: NtTerminateProcess
- api | ntdll: NtTerminateJobObject
- api | ntdll: NtSystemDebugControl
- api | ntdll: NtSuspendThread
- api | ntdll: NtSuspendProcess
- api | ntdll: NtStopProfile
- api | ntdll: NtStartProfile
- api | ntdll: NtSinglePhaseReject
- api | ntdll: NtSignalAndWaitForSingleObject
- api | ntdll: NtShutdownWorkerFactory
- api | ntdll: NtShutdownSystem
- api | ntdll: NtSetVolumeInformationFile
- api | ntdll: NtSetValueKey
- api | ntdll: NtSetUuidSeed
- api | ntdll: NtSetTimerResolution
- api | ntdll: NtSetTimerEx
- api | ntdll: NtSetTimer
- api | ntdll: NtSetThreadExecutionState
- api | ntdll: NtSetSystemTime
- api | ntdll: NtSetSystemPowerState
- api | ntdll: NtSetSystemInformation
- api | ntdll: NtSetSystemEnvironmentValueEx
- api | ntdll: NtSetSystemEnvironmentValue
- api | ntdll: NtSetSecurityObject
- api | ntdll: NtSetQuotaInformationFile
- api | ntdll: NtSetLowWaitHighEventPair
- api | ntdll: NtSetLowEventPair
- api | ntdll: NtSetLdtEntries
- api | ntdll: NtSetIoCompletionEx
- api | ntdll: NtSetIoCompletion
- api | ntdll: NtSetIntervalProfile
- api | ntdll: NtSetInformationWorkerFactory
- api | ntdll: NtSetInformationTransactionManager
- api | ntdll: NtSetInformationTransaction
- api | ntdll: NtSetInformationToken
- api | ntdll: NtSetInformationThread
- api | ntdll: NtSetInformationResourceManager

- api | ntdll: NtSetInformationObject
- api | ntdll: NtSetInformationKey
- api | ntdll: NtSetInformationJobObject
- api | ntdll: NtSetInformationFile
- api | ntdll: NtSetInformationEnlistment
- api | ntdll: NtSetInformationDebugObject
- api | ntdll: NtSetHighWaitLowEventPair
- api | ntdll: NtSetHighEventPair
- api | ntdll: NtSetEventBoostPriority
- api | ntdll: NtSetEvent
- api | ntdll: NtSetEaFile
- api | ntdll: NtSetDriverEntryOrder
- api | ntdll: NtSetDefaultUILanguage
- api | ntdll: NtSetDefaultLocale
- api | ntdll: NtSetDefaultHardErrorPort
- api | ntdll: NtSetDebugFilterState
- api | ntdll: NtSetContextThread
- api | ntdll: NtSetBootOptions
- api | ntdll: NtSetBootEntryOrder
- api | ntdll: NtSerializeBoot
- api | ntdll: NtSecureConnectPort
- api | ntdll: NtSaveMergedKeys
- api | ntdll: NtSaveKeyEx
- api | ntdll: NtSaveKey
- api | ntdll: NtRollforwardTransactionManager
- api | ntdll: NtRollbackTransaction
- api | ntdll: NtRollbackEnlistment
- api | ntdll: NtRollbackComplete
- api | ntdll: NtResumeProcess
- api | ntdll: NtRestoreKey
- api | ntdll: NtResetWriteWatch
- api | ntdll: NtResetEvent
- api | ntdll: NtRequestWaitReplyPort
- api | ntdll: NtRequestPort
- api | ntdll: NtReplyWaitReplyPort
- api | ntdll: NtReplyWaitReceivePortEx
- api | ntdll: NtReplyWaitReceivePort
- api | ntdll: NtReplyPort
- api | ntdll: NtReplacePartitionUnit
- api | ntdll: NtReplaceKey
- api | ntdll: NtRenameTransactionManager
- api | ntdll: NtRenameKey
- api | ntdll: NtRemoveProcessDebug
- api | ntdll: NtRemoveIoCompletionEx
- api | ntdll: NtRemoveIoCompletion
- api | ntdll: NtReleaseWorkerFactoryWorker
- api | ntdll: NtReleaseSemaphore
- api | ntdll: NtReleaseMutant
- api | ntdll: NtReleaseKeyedEvent
- api | ntdll: NtRegisterThreadTerminatePort
- api | ntdll: NtRegisterProtocolAddressInformation
- api | ntdll: NtRecoverTransactionManager
- api | ntdll: NtRecoverResourceManager
- api | ntdll: NtRecoverEnlistment
- api | ntdll: NtReadVirtualMemory
- api | ntdll: NtReadRequestData
- api | ntdll: NtReadOnlyEnlistment

- api | ntdll: NtReadFileScatter
- api | ntdll: NtReadFile
- api | ntdll: NtRaiseHardError
- api | ntdll: NtRaiseException
- api | ntdll: NtQueueApcThreadEx
- api | ntdll: NtQueryVolumeInformationFile
- api | ntdll: NtQueryVirtualMemory
- api | ntdll: NtQueryValueKey
- api | ntdll: NtQueryTimerResolution
- api | ntdll: NtQueryTimer
- api | ntdll: NtQuerySystemTime
- api | ntdll: NtQuerySystemInformationEx
- api | ntdll: NtQuerySystemEnvironmentValueEx
- api | ntdll: NtQuerySystemEnvironmentValue
- api | ntdll: NtQuerySymbolicLinkObject
- api | ntdll: NtQuerySemaphore
- api | ntdll: NtQuerySecurityObject
- api | ntdll: NtQuerySecurityAttributesToken
- api | ntdll: NtQuerySection
- api | ntdll: NtQueryQuotaInformationFile
- api | ntdll: NtQueryPortInformationProcess
- api | ntdll: NtQueryPerformanceCounter
- api | ntdll: NtQueryOpenSubKeysEx
- api | ntdll: NtQueryOpenSubKeys
- api | ntdll: NtQueryObject
- api | ntdll: NtQueryMutant
- api | ntdll: NtQueryMultipleValueKey
- api | ntdll: NtQueryLicenseValue
- api | ntdll: NtQueryKey
- api | ntdll: NtQueryIoCompletion
- api | ntdll: NtQueryIntervalProfile
- api | ntdll: NtQueryInstallUILanguage
- api | ntdll: NtQueryInformationWorkerFactory
- api | ntdll: NtQueryInformationTransactionManager
- api | ntdll: NtQueryInformationTransaction
- api | ntdll: NtQueryInformationToken
- api | ntdll: NtQueryInformationThread
- api | ntdll: NtQueryInformationResourceManager
- api | ntdll: NtQueryInformationPort
- api | ntdll: NtQueryInformationJobObject
- api | ntdll: NtQueryInformationFile
- api | ntdll: NtQueryInformationEnlistment
- api | ntdll: NtQueryInformationAtom
- api | ntdll: NtQueryFullAttributesFile
- api | ntdll: NtQueryEvent
- api | ntdll: NtQueryEaFile
- api | ntdll: NtQueryDriverEntryOrder
- api | ntdll: NtQueryDirectoryObject
- api | ntdll: NtQueryDefaultUILanguage
- api | ntdll: NtQueryDefaultLocale
- api | ntdll: NtQueryDebugFilterState
- api | ntdll: NtQueryBootOptions
- api | ntdll: NtQueryBootEntryOrder
- api | ntdll: NtQueryAttributesFile
- api | ntdll: NtPulseEvent
- api | ntdll: NtProtectVirtualMemory
- api | ntdll: NtPropagationFailed

- api | ntdll: NtPropagationComplete
- api | ntdll: NtPrivilegedServiceAuditAlarm
- api | ntdll: NtPrivilegeObjectAuditAlarm
- api | ntdll: NtPrivilegeCheck
- api | ntdll: NtPrepareEnlistment
- api | ntdll: NtPrepareComplete
- api | ntdll: NtPrePrepareEnlistment
- api | ntdll: NtPrePrepareComplete
- api | ntdll: NtPowerInformation
- api | ntdll: NtPlugPlayControl
- api | ntdll: NtOpenTransactionManager
- api | ntdll: NtOpenTransaction
- api | ntdll: NtOpenTimer
- api | ntdll: NtOpenThreadTokenEx
- api | ntdll: NtOpenThreadToken
- api | ntdll: NtOpenThread
- api | ntdll: NtOpenSymbolicLinkObject
- api | ntdll: NtOpenSession
- api | ntdll: NtOpenSemaphore
- api | ntdll: NtOpenSection
- api | ntdll: NtOpenResourceManager
- api | ntdll: NtOpenProcessTokenEx
- api | ntdll: NtOpenProcessToken
- api | ntdll: NtOpenPrivateNamespace
- api | ntdll: NtOpenObjectAuditAlarm
- api | ntdll: NtOpenMutant
- api | ntdll: NtOpenKeyedEvent
- api | ntdll: NtOpenKeyTransactedEx
- api | ntdll: NtOpenKeyTransacted
- api | ntdll: NtOpenKeyEx
- api | ntdll: NtOpenKey
- api | ntdll: NtOpenJobObject
- api | ntdll: NtOpenIoCompletion
- api | ntdll: NtOpenFile
- api | ntdll: NtOpenEventPair
- api | ntdll: NtOpenEvent
- api | ntdll: NtOpenEnlistment
- api | ntdll: NtOpenDirectoryObject
- api | ntdll: NtNotifyChangeSession
- api | ntdll: NtNotifyChangeMultipleKeys
- api | ntdll: NtNotifyChangeKey
- api | ntdll: NtNotifyChangeDirectoryFile
- api | ntdll: NtModifyDriverEntry
- api | ntdll: NtModifyBootEntry
- api | ntdll: NtMapViewOfSection
- api | ntdll: NtMapUserPhysicalPagesScatter
- api | ntdll: NtMapUserPhysicalPages
- api | ntdll: NtMapCMFModule
- api | ntdll: NtMakeTemporaryObject
- api | ntdll: NtMakePermanentObject
- api | ntdll: NtLockVirtualMemory
- api | ntdll: NtLockRegistryKey
- api | ntdll: NtLockProductActivationKeys
- api | ntdll: NtLockFile
- api | ntdll: NtLoadKeyEx
- api | ntdll: NtLoadKey2
- api | ntdll: NtLoadKey

- api | ntdll: NtListenPort
- api | ntdll: NtIsUILanguageComitted
- api | ntdll: NtIsSystemResumeAutomatic
- api | ntdll: NtIsProcessInJob
- api | ntdll: NtInitiatePowerAction
- api | ntdll: NtInitializeRegistry
- api | ntdll: NtInitializeNlsFiles
- api | ntdll: NtImpersonateThread
- api | ntdll: NtImpersonateClientOfPort
- api | ntdll: NtImpersonateAnonymousToken
- api | ntdll: NtGetWriteWatch
- api | ntdll: NtGetTickCount
- api | ntdll: NtGetNotificationResourceManager
- api | ntdll: NtGetNlsSectionPtr
- api | ntdll: NtGetNextThread
- api | ntdll: NtGetNextProcess
- api | ntdll: NtGetMUIRegistryInfo
- api | ntdll: NtGetDevicePowerState
- api | ntdll: NtGetCurrentProcessorNumber
- api | ntdll: NtGetContextThread
- api | ntdll: NtFsControlFile
- api | ntdll: NtFreezeTransactions
- api | ntdll: NtFreezeRegistry
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: NtFreeUserPhysicalPages
- api | ntdll: NtFlushWriteBuffer
- api | ntdll: NtFlushVirtualMemory
- api | ntdll: NtFlushProcessWriteBuffers
- api | ntdll: NtFlushKey
- api | ntdll: NtFlushInstructionCache
- api | ntdll: NtFlushInstallUILanguage
- api | ntdll: NtFlushBuffersFile
- api | ntdll: NtFindAtom
- api | ntdll: NtFilterToken
- api | ntdll: NtExtendSection
- api | ntdll: NtEnumerateTransactionObject
- api | ntdll: NtEnumerateSystemEnvironmentValuesEx
- api | ntdll: NtEnumerateKey
- api | ntdll: NtEnumerateDriverEntries
- api | ntdll: NtEnumerateBootEntries
- api | ntdll: NtEnableLastKnownGood
- api | ntdll: NtDuplicateToken
- api | ntdll: NtDrawText
- api | ntdll: NtDisplayString
- api | ntdll: NtDisableLastKnownGood
- api | ntdll: NtDeleteValueKey
- api | ntdll: NtDeletePrivateNamespace
- api | ntdll: NtDeleteObjectAuditAlarm
- api | ntdll: NtDeleteKey
- api | ntdll: NtDeleteFile
- api | ntdll: NtDeleteDriverEntry
- api | ntdll: NtDeleteBootEntry
- api | ntdll: NtDeleteAtom
- api | ntdll: NtDelayExecution
- api | ntdll: NtDebugContinue
- api | ntdll: NtDebugActiveProcess
- api | ntdll: NtCurrentTeb

- api | ntdll: NtCreateWorkerFactory
- api | ntdll: NtCreateWaitablePort
- api | ntdll: NtCreateTransactionManager
- api | ntdll: NtCreateTransaction
- api | ntdll: NtCreateToken
- api | ntdll: NtCreateTimer
- api | ntdll: NtCreateThreadEx
- api | ntdll: NtCreateSymbolicLinkObject
- api | ntdll: NtCreateSemaphore
- api | ntdll: NtCreateSection
- api | ntdll: NtCreateResourceManager
- api | ntdll: NtCreateProfileEx
- api | ntdll: NtCreateProfile
- api | ntdll: NtCreateProcessEx
- api | ntdll: NtCreateProcess
- api | ntdll: NtCreatePrivateNamespace
- api | ntdll: NtCreatePort
- api | ntdll: NtCreatePagingFile
- api | ntdll: NtCreateNamedPipeFile
- api | ntdll: NtCreateMutant
- api | ntdll: NtCreateMailslotFile
- api | ntdll: NtCreateKeyedEvent
- api | ntdll: NtCreateKeyTransacted
- api | ntdll: NtCreateKey
- api | ntdll: NtCreateJobSet
- api | ntdll: NtCreateJobObject
- api | ntdll: NtCreateIoCompletion
- api | ntdll: NtCreateEventPair
- api | ntdll: NtCreateEvent
- api | ntdll: NtCreateEnlistment
- api | ntdll: NtCreateDirectoryObject
- api | ntdll: NtCreateDebugObject
- api | ntdll: NtContinue
- api | ntdll: NtConnectPort
- api | ntdll: NtCompressKey
- api | ntdll: NtCompleteConnectPort
- api | ntdll: NtCompareTokens
- api | ntdll: NtCompactKeys
- api | ntdll: NtCommitTransaction
- api | ntdll: NtCommitEnlistment
- api | ntdll: NtCommitComplete
- api | ntdll: NtCloseObjectAuditAlarm
- api | ntdll: NtClose
- api | ntdll: NtClearEvent
- api | ntdll: NtCancelTimer
- api | ntdll: NtCancelSynchronousIoFile
- api | ntdll: NtCancelIoFileEx
- api | ntdll: NtCancelIoFile
- api | ntdll: NtCallbackReturn
- api | ntdll: NtAssignProcessToJobObject
- api | ntdll: NtAreMappedFilesTheSame
- api | ntdll: NtApphelpCacheControl
- api | ntdll: NtAlpcSetInformation
- api | ntdll: NtAlpcSendWaitReceivePort
- api | ntdll: NtAlpcRevokeSecurityContext
- api | ntdll: NtAlpcQueryInformationMessage
- api | ntdll: NtAlpcQueryInformation

- api | ntdll: NtAlpcOpenSenderThread
- api | ntdll: NtAlpcOpenSenderProcess
- api | ntdll: NtAlpcImpersonateClientOfPort
- api | ntdll: NtAlpcDisconnectPort
- api | ntdll: NtAlpcDeleteSecurityContext
- api | ntdll: NtAlpcDeleteSectionView
- api | ntdll: NtAlpcDeleteResourceReserve
- api | ntdll: NtAlpcDeletePortSection
- api | ntdll: NtAlpcCreateSecurityContext
- api | ntdll: NtAlpcCreateSectionView
- api | ntdll: NtAlpcCreateResourceReserve
- api | ntdll: NtAlpcCreatePortSection
- api | ntdll: NtAlpcCreatePort
- api | ntdll: NtAlpcConnectPort
- api | ntdll: NtAlpcCancelMessage
- api | ntdll: NtAlpcAcceptConnectPort
- api | ntdll: NtAllocateVirtualMemory
- api | ntdll: NtAllocateUuids
- api | ntdll: NtAllocateUserPhysicalPages
- api | ntdll: NtAllocateReserveObject
- api | ntdll: NtAllocateLocallyUniqueId
- api | ntdll: NtAlertThread
- api | ntdll: NtAlertResumeThread
- api | ntdll: NtAdjustPrivilegesToken
- api | ntdll: NtAdjustGroupsToken
- api | ntdll: NtAddDriverEntry
- api | ntdll: NtAddBootEntry
- api | ntdll: NtAddAtom
- api | ntdll: NtAccessCheckByTypeResultListAndAuditAlarmByHandle
- api | ntdll: NtAccessCheckByTypeResultListAndAuditAlarm
- api | ntdll: NtAccessCheckByTypeResultList
- api | ntdll: NtAccessCheckByTypeAndAuditAlarm
- api | ntdll: NtAccessCheckByType
- api | ntdll: NtAccessCheckAndAuditAlarm
- api | ntdll: NtAccessCheck
- api | ntdll: NtAcceptConnectPort
- api | ntdll: NlsMbOemCodePageTag
- api | ntdll: NlsMbCodePageTag
- api | ntdll: NlsAnsiCodePage
- api | advapi32: MD5Update
- api | advapi32: MD5Init
- api | advapi32: MD5Final
- api | advapi32: MD4Update
- api | advapi32: MD4Init
- api | advapi32: MD4Final
- api | ntdll: LdrpResGetResourceDirectory
- api | ntdll: LdrpResGetMappingSize
- api | ntdll: LdrVerifyImageMatchesChecksum
- api | ntdll: LdrUnregisterDllNotification
- api | ntdll: LdrUnloadDll
- api | ntdll: LdrUnloadAlternateResourceModuleEx
- api | ntdll: LdrUnloadAlternateResourceModule
- api | ntdll: LdrShutdownThread
- api | ntdll: LdrSetMUICacheType
- api | ntdll: LdrSetDllManifestProber
- api | ntdll: LdrSetAppCompatDllRedirectionCallback
- api | ntdll: LdrRscIsTypeExist

- api | ntdll: LdrResSearchResource
- api | ntdll: LdrResRelease
- api | ntdll: LdrResGetRCConfig
- api | ntdll: LdrResFindResourceDirectory
- api | ntdll: LdrResFindResource
- api | ntdll: LdrRemoveLoadAsDataTable
- api | ntdll: LdrRegisterDllNotification
- api | ntdll: LdrQueryProcessModuleInformation
- api | ntdll: LdrQueryModuleServiceTags
- api | ntdll: LdrQueryImageFileKeyOption
- api | ntdll: LdrQueryImageFileExecutionOptionsEx
- api | ntdll: LdrQueryImageFileExecutionOptions
- api | ntdll: LdrProcessRelocationBlock
- api | ntdll: LdrOpenImageFileOptionsKey
- api | ntdll: LdrLoadAlternateResourceModuleEx
- api | ntdll: LdrLoadAlternateResourceModule
- api | ntdll: LdrInitializeThunk
- api | ntdll: LdrInitShimEngineDynamic
- api | ntdll: LdrGetProcedureAddress
- api | ntdll: LdrGetFileNameFromLoadAsDataTable
- api | ntdll: LdrGetFailureData
- api | ntdll: LdrGetDllHandleByName
- api | ntdll: LdrGetDllHandleByMapping
- api | ntdll: LdrGetDllHandle
- api | ntdll: LdrFlushAlternateResourceModules
- api | ntdll: LdrFindResource_U
- api | ntdll: LdrFindResourceEx_U
- api | ntdll: LdrFindResourceDirectory_U
- api | ntdll: LdrFindEntryForAddress
- api | ntdll: LdrEnumerateLoadedModules
- api | ntdll: LdrEnumResources
- api | ntdll: LdrDisableThreadCalloutsForDll
- api | ntdll: LdrAddRefDll
- api | ntdll: LdrAddLoadAsDataTable
- api | ntdll: LdrAccessResource
- api | ntdll: KiUserExceptionDispatcher
- api | ntdll: KiUserCallbackDispatcher
- api | ntdll: KiUserApcDispatcher
- api | ntdll: KiRaiseUserExceptionDispatcher
- api | ntdll: KiIntSystemCall
- api | ntdll: KiFastSystemCallRet
- api | ntdll: KiFastSystemCall
- api | ntdll: ExpInterlockedPopEntrySListResume
- api | ntdll: ExpInterlockedPopEntrySListFault
- api | ntdll: ExpInterlockedPopEntrySListEnd
- api | ntdll: EvtIntReportEventAndSourceAsync
- api | ntdll: EvtIntReportAuthzEventAndSourceAsync
- api | ntdll: EtwpGetCpuSpeed
- api | ntdll: EtwpCreateEtwThread
- api | ntdll: EtwWriteUMSecurityEvent
- api | ntdll: EtwUnregisterTraceGuids
- api | ntdll: EtwTraceMessageVa
- api | ntdll: EtwTraceMessage
- api | ntdll: EtwTraceEventInstance
- api | ntdll: EtwSetMark
- api | ntdll: EtwSendNotification
- api | ntdll: EtwReplyNotification

- api | ntdll: EtwRegisterTraceGuidsW
- api | ntdll: EtwRegisterTraceGuidsA
- api | ntdll: EtwRegisterSecurityProvider
- api | ntdll: EtwProcessPrivateLoggerRequest
- api | ntdll: EtwNotificationUnregister
- api | ntdll: EtwNotificationRegister
- api | ntdll: EtwLogTraceEvent
- api | ntdll: EtwGetTraceLoggerHandle
- api | ntdll: EtwGetTraceEnableLevel
- api | ntdll: EtwGetTraceEnableFlags
- api | ntdll: EtwEventWriteTransfer
- api | ntdll: EtwEventWriteString
- api | ntdll: EtwEventWriteStartScenario
- api | ntdll: EtwEventWriteNoRegistration
- api | ntdll: EtwEventWriteFull
- api | ntdll: EtwEventWriteEx
- api | ntdll: EtwEventWriteEndScenario
- api | ntdll: EtwEventWrite
- api | ntdll: EtwEventUnregister
- api | ntdll: EtwEventRegister
- api | ntdll: EtwEventProviderEnabled
- api | ntdll: EtwEventEnabled
- api | ntdll: EtwEventActivityIdControl
- api | ntdll: EtwEnumerateProcessRegGuids
- api | ntdll: EtwDeliverDataBlock
- api | ntdll: EtwCreateTraceInstanceId
- api | ntdll: DbgUserBreakPoint
- api | ntdll: DbgUiWaitStateChange
- api | ntdll: DbgUiStopDebugging
- api | ntdll: DbgUiSetThreadDebugObject
- api | ntdll: DbgUiRemoteBreakin
- api | ntdll: DbgUiIssueRemoteBreakin
- api | ntdll: DbgUiGetThreadDebugObject
- api | ntdll: DbgUiDebugActiveProcess
- api | ntdll: DbgUiConvertStateChangeStructure
- api | ntdll: DbgUiContinue
- api | ntdll: DbgUiConnectToDbg
- api | ntdll: DbgSetDebugFilterState
- api | ntdll: DbgQueryDebugFilterState
- api | ntdll: DbgPrompt
- api | ntdll: DbgPrintReturnControlC
- api | ntdll: DbgPrintEx
- api | ntdll: DbgPrint
- api | ntdll: DbgBreakPoint
- api | ntdll: CsrVerifyRegion
- api | ntdll: CsrSetPriorityClass
- api | ntdll: CsrIdentifyAlertableThread
- api | ntdll: CsrGetProcessId
- api | ntdll: CsrFreeCaptureBuffer
- api | ntdll: CsrClientConnectToServer
- api | ntdll: CsrClientCallServer
- api | ntdll: CsrCaptureTimeout
- api | ntdll: CsrCaptureMessageString
- api | ntdll: CsrCaptureMessageMultiUnicodeStringsInPlace
- api | ntdll: CsrCaptureMessageBuffer
- api | ntdll: CsrAllocateMessagePointer
- api | ntdll: CsrAllocateCaptureBuffer

- api | ntdll: AlpcUnregisterCompletionListWorkerThread
- api | ntdll: AlpcUnregisterCompletionList
- api | ntdll: AlpcRundownCompletionList
- api | ntdll: AlpcRegisterCompletionListWorkerThread
- api | ntdll: AlpcRegisterCompletionList
- api | ntdll: AlpcMaxAllowedMessageLength
- api | ntdll: AlpcInitializeMessageAttribute
- api | ntdll: AlpcGetOutstandingCompletionListMessageCount
- api | ntdll: AlpcGetMessageFromCompletionList
- api | ntdll: AlpcGetMessageAttribute
- api | ntdll: AlpcGetHeaderSize
- api | ntdll: AlpcGetCompletionListMessageAttributes
- api | ntdll: AlpcGetCompletionListLastMessageInformation
- api | ntdll: AlpcFreeCompletionListMessage
- api | ntdll: AlpcAdjustCompletionListConcurrencyCount
- api | advapi32: A_SHAUpdate
- api | advapi32: A_SHAInit
- api | advapi32: A_SHAFinal
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: GetStringTypeW
- api | kernel32: LCMapStringW
- api | kernel32: IsValidCodePage
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: InterlockedDecrement
- api | kernel32: SetLastError
- api | kernel32: InterlockedIncrement
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: GetFileType
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetStdHandle
- api | kernel32: GetModuleHandleW
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer
- api | kernel32: InterlockedExchange
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineW
- api | kernel32: DeleteFileA
- api | kernel32: AreFileApisANSI
- api | kernel32: GetSystemTime
- api | kernel32: LocalFree
- api | kernel32: GetTempPathA

- api | kernel32: GetCurrentProcessId
- api | kernel32: DeleteFileW
- api | kernel32: CloseHandle
- api | kernel32: GetVersionExA
- api | kernel32: OutputDebugStringA
- api | kernel32: GetCurrentThreadId
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetSystemInfo
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: CreateFileMappingW
- api | kernel32: CreateFileMappingA
- api | kernel32: LoadLibraryA
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: EnterCriticalSection
- api | kernel32: LockFileEx
- api | kernel32: HeapSize
- api | kernel32: GetLastError
- api | kernel32: GetTempPathW
- api | kernel32: FlushFileBuffers
- api | kernel32: MultiByteToWideChar
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: GetFileAttributesW
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: GetFileAttributesA
- api | kernel32: LeaveCriticalSection
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExW
- api | kernel32: FormatMessageW
- api | kernel32: LoadLibraryW
- api | kernel32: InitializeCriticalSection
- api | kernel32: FormatMessageA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetProcessHeap
- api | kernel32: UnlockFileEx
- api | kernel32: OutputDebugStringW
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: LockFile
- api | kernel32: FlushViewOfFile
- api | kernel32: UnlockFile
- api | kernel32: InterlockedCompareExchange
- api | kernel32: WaitForSingleObject
- api | kernel32: HeapFree
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: FreeLibrary
- api | kernel32: SetEndOfFile
- api | kernel32: UnmapViewOfFile
- api | kernel32: TryEnterCriticalSection
- api | kernel32: SetFilePointer
- api | kernel32: HeapCompact
- api | kernel32: CreateMutexW
- api | kernel32: GetFileSize
- api | kernel32: CreateFileA
- api | kernel32: HeapReAlloc

- api | kernel32: GetFullPathNameA
- api | kernel32: GetFullPathNameW
- api | user32: CharLowerW
- api | user32: CharUpperW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: CreateEventExW
- api | kernel32: SetFilePointerEx
- api | kernel32: GetFileInformationByHandleEx
- api | kernel32: MapViewOfFileFromApp
- api | kernel32: CreateFile2
- api | kernel32: LoadPackagedLibrary
- api | kernel32: GetTickCount64
- api | kernel32: CreateFileMappingFromApp
- api | rpcrt4: UuidCreate
- api | rpcrt4: UuidCreateSequential
- api | ntdll: sqlite_log
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | advapi32: SystemFunction036

Involved hosts

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000978920001000000097895004100000009788400320000000978830035010000097894000100000009789100

• Module 1 yara matches

• suspicious_packer_section (The packer/protector section names/keywords)
• IsPE32 ()
• IsDLL ()
• IsConsole ()
• HasDebugData (DebugData Check)
• IsBeyondImageSize (Data Beyond ImageSize Check)
• ImportTableIsBad (ImportTable Check)
• HasRichSignature (Rich Signature Check)
• DebuggerCheck__GlobalFlags ()
• DebuggerCheck__QueryInfo ()
• DebuggerHiding__Thread ()
• DebuggerHiding__Active ()
• SEH__vectored ()
• disable_dep (Bypass DEP)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)
• CRC32_table (Look for CRC32 table)
• MD5_Constants (Look for MD5 constants)
• MD5_API (Looks for MD5 API)
• RIPEMD160_Constants (Look for RIPEMD-160 constants)
• SHA1_Constants (Look for SHA1 constants)
• CRC32_poly_Constant (Look for CRC32 [poly])

• Module 1 strings

• Module 1 most interesting strings

• registry | frequently modified by malware: \\Registry\\Machine\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options
• registry | frequently modified by malware: \\Registry\\Machine\\Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\
• registry | frequently modified by malware: \\Software\\Microsoft\\Windows NT\\CurrentVersion\\Image File Execution Options\\
• registry | frequently modified by malware: \\Registry\\Machine\\System\\CurrentControlSet\\Services
• api | frequently used by malware: LdrLoadDll
• api | frequently used by malware: ZwWriteVirtualMemory
• api | frequently used by malware: ZwSystemDebugControl
• api | frequently used by malware: ZwSetValueKey
• api | frequently used by malware: ZwSetSystemInformation
• api | frequently used by malware: ZwSetInformationThread
• api | frequently used by malware: ZwSetInformationProcess

- api | frequently used by malware: ZwSetInformationFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQueryInformationProcess
- api | frequently used by malware: ZwQueryInformationPort
- api | frequently used by malware: ZwQueryInformationFile
- api | frequently used by malware: ZwQueryDirectoryFile
- api | frequently used by malware: ZwProtectVirtualMemory
- api | frequently used by malware: ZwOpenSection
- api | frequently used by malware: ZwOpenProcess
- api | frequently used by malware: ZwOpenKey
- api | frequently used by malware: ZwOpenFile
- api | frequently used by malware: ZwLoadDriver
- api | frequently used by malware: ZwDeviceIoControlFile
- api | frequently used by malware: ZwCreateKey
- api | frequently used by malware: ZwCreateFile
- api | frequently used by malware: ZwConnectPort
- api | frequently used by malware: RtlWriteRegistryValue
- api | frequently used by malware: RtlCreateRegistryKey
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: NtVdmControl
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: NtResumeThread
- api | frequently used by malware: NtQueueApcThread
- api | frequently used by malware: NtQuerySystemInformation
- api | frequently used by malware: NtQueryInformationProcess
- api | frequently used by malware: NtQueryDirectoryFile
- api | frequently used by malware: NtOpenProcess
- api | frequently used by malware: NtLoadDriver
- api | frequently used by malware: NtEnumerateValueKey
- api | frequently used by malware: NtDuplicateObject
- api | frequently used by malware: NtDeviceIoControlFile
- api | frequently used by malware: NtCreateUserProcess
- api | frequently used by malware: NtCreateThread
- api | frequently used by malware: NtCreateFile
- api | frequently used by malware: LdrLoadDll
- registry: Software\\Policies\\Microsoft\\Control Panel\\Desktop
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\MUI\\Settings
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\UILanguages\\PendingDelete
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\ProductOptions
- registry: \\Registry\\MACHINE\\SYSTEM\\CurrentControlSet\\Control\\Nls\\CustomLocale
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\Settings\\LanguageConfiguration
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\NLS\\Language
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\UILanguages
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\CMF\\SQMData\\BootLanguages
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\MUI\\Settings
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\AdaptiveSqm\\Throttling
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\SQMClient\\Windows
- registry: \\Registry\\Machine\\Software\\Microsoft\\Reliability Analysis\\RAC
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\DisabledSessions\\
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\CommonDatapoints\\
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\DisabledProcesses\\
- registry: \\Software\\Microsoft\\Windows
- registry: \\Registry\\Machine\\Software\\Microsoft\\Windows\\Windows Error Reporting\\Escalation
- registry: \\Registry\\Machine\\Software\\Microsoft\\SQMClient\\Windows\\WMR
- registry: \\Software\\Policies\\Microsoft\\Windows\\Safer\\CodeIdentifiers

- registry: \\Registry\\MACHINE\\System\\CurrentControlSet\\Control\\SafeBoot\\Option
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\Srp\\GP\\DLL
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\Windows\\Safer\\CodeIdentifiers
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control\\Session Manager
- registry: \\REGISTRY\\MACHINE\\System\\CurrentControlSet\\Control\\Session Manager\\Subsystems\\CSRSS
- registry: \\Registry\\Machine\\System\\CurrentControlSet\\Control
- registry: \\Registry\\Machine\\Software\\Microsoft\\Windows NT\\CurrentVersion
- registry: \\Registry\\Machine\\Software\\Policies\\Microsoft\\Windows\\Appcompat\\
- registry: \\Registry\\Machine\\Software\\Microsoft\\Windows nt\\currentversion\\appcompatflags\\AIT
- registry: System\\CurrentControlSet\\Control\\CMF\\Config
- registry: System\\CurrentControlSet\\Control\\CMF\\LatestIndex
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\sxsisol.cpp
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrutil.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrtls.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrsnap.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrinit.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrfind.c
- path | path unit: d:\\w7rtm\\minkernel\\ntdll\\ldrapi.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\callback.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\lpc.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\cgrpmem.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\waiter.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\wait.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\io.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\simple.c
- path | path unit: d:\\w7rtm\\minkernel\\threadpool\\ntdll\\cgrp.c
- api | ws2_32: Inspecting leaks at process shutdown ...
- api | ntdll: LdrResSearchResource Enter
- api | ntdll: LdrResSearchResource Exit
- api | ntdll: LdrpResGetResourceDirectory Enter
- api | ntdll: LdrpResGetResourceDirectory Exit
- api | ntdll: LdrpResGetMappingSize Enter
- api | ntdll: LdrpResGetMappingSize Exit
- api | ntdll: LdrResRelease Enter
- api | ntdll: LdrResRelease Exit
- api | ntdll: LdrResGetRCConfig Enter
- api | ntdll: LdrResGetRCConfig Exit
- api | kernel32: VirtualAlloc
- api | ntdll: RTL: RtlNtStatusToDosError(0x%lx): No Valid Win32 Error Mapping
- api | ntdll: RtlValidateHeap
- api | ntdll: RtlUnlockHeap
- api | ntdll: RtlLockHeap
- api | kernel32: VirtualQuery Failed 0x%08x %x
- api | kernel32: VirtualProtect Failed 0x%08x %x
- api | ntdll: *** ASSERT FAILED: Input parameter pwmszLanguage for function RtlGetUILanguageInfo is not a valid multi-string!
- api | ntdll: *** ASSERT FAILED: Input parameter LanguagesBuffer for function RtlSetProcessPreferredUILanguages is not a valid multi-string!
- api | ntdll: *** ASSERT FAILED: Input parameter LanguagesBuffer for function RtlSetThreadPreferredUILanguages is not a valid multi-string!
- api | ntdll: *** ASSERT FAILED: Input parameter LanguagesBuffer for function RtlpSetPreferredUILanguages is not a valid multi-string!
- api | ntdll: RtlQueryRegistryValues: Miscomputed buffer size at line %d
- api | ntdll: ZwAllocateVirtualMemory failed %lx for heap %p (base %p, size %p)
- api | ntdll: RtlQueryInformationActivationContext
- api | ntdll: RtlFindActivationContextSectionGuid() found section at %p (length %lu) which is not a GUID section
- api | ntdll: RtlFindActivationContextSectionString() found section at %p (length %lu) which is not a string section
- api | ntdll: RtlDeactivateActivationContextUnsafeFast
- api | ntdll: RtlDeactivateActivationContext
- api | ntdll: RtlCreateActivationContext
- api | advapi32: SaferIsDllAllowed

- api | kernel32: BaseQueryModuleData
- api | ntdll: LdrShutdownProcess
- api | kernel32: BaseThreadInitThunk
- api | ntdll: LdrGetProcedureAddressEx
- api | ntdll: LdrUnlockLoaderLock
- api | ntdll: LdrLockLoaderLock
- api | ntdll: LdrVerifyImageMatchesChecksumEx
- api | ntdll: LdrGetDllHandleEx
- api | ntdll: wcstoul
- api | ntdll: wcstombs
- api | ntdll: wcstol
- api | ntdll: wcsstr
- api | ntdll: wcsspn
- api | ntdll: wcsrchr
- api | ntdll: wcspbrk
- api | ntdll: wcsnlen
- api | ntdll: wcsncpy_s
- api | ntdll: wcsncpy
- api | ntdll: wcsncmp
- api | ntdll: wcsncat_s
- api | ntdll: wcsncat
- api | ntdll: wcslen
- api | ntdll: wcscspn
- api | ntdll: wcscpy_s
- api | ntdll: wcscpy
- api | ntdll: wcscmp
- api | ntdll: wcschr
- api | ntdll: wcscat_s
- api | ntdll: wcscat
- api | ntdll: vswprintf_s
- api | ntdll: vsprintf_s
- api | ntdll: vsprintf
- api | ntdll: vDbgPrintExWithPrefix
- api | ntdll: vDbgPrintEx
- api | ntdll: towupper
- api | ntdll: towlower
- api | ntdll: toupper
- api | ntdll: tolower
- api | ntdll: swscanf_s
- api | ntdll: swprintf_s
- api | ntdll: swprintf
- api | ntdll: strtoul
- api | ntdll: strtol
- api | ntdll: strtok_s
- api | ntdll: strstr
- api | ntdll: strspn
- api | ntdll: strrchr
- api | ntdll: strpbrk
- api | ntdll: strnlen
- api | ntdll: strncpy_s
- api | ntdll: strncpy
- api | ntdll: strncmp
- api | ntdll: strncat_s
- api | ntdll: strncat
- api | ntdll: strlen
- api | ntdll: strcspn
- api | ntdll: strcpy_s

- api | ntdll: strcpy
- api | ntdll: strcmp
- api | ntdll: strchr
- api | ntdll: strcat_s
- api | ntdll: strcat
- api | ntdll: sscanf_s
- api | ntdll: sscanf
- api | ntdll: sqrt
- api | ntdll: sprintf_s
- api | ntdll: sprintf
- api | ntdll: qsort
- api | ntdll: memset
- api | ntdll: memmove_s
- api | ntdll: memmove
- api | ntdll: memcpy_s
- api | ntdll: memcpy
- api | ntdll: memcmp
- api | ntdll: memchr
- api | ntdll: mbstowcs
- api | ntdll: labs
- api | ntdll: isxdigit
- api | ntdll: iswxdigit
- api | ntdll: iswspace
- api | ntdll: iswlower
- api | ntdll: iswdigit
- api | ntdll: iswctype
- api | ntdll: iswalpha
- api | ntdll: isupper
- api | ntdll: isspace
- api | ntdll: ispunct
- api | ntdll: isprint
- api | ntdll: islower
- api | ntdll: isgraph
- api | ntdll: isdigit
- api | ntdll: iscntrl
- api | ntdll: isalpha
- api | ntdll: isalnum
- api | ntdll: floor
- api | ntdll: fabs
- api | ntdll: ceil
- api | ntdll: bsearch
- api | ntdll: atol
- api | ntdll: atoi
- api | ntdll: atan
- api | ntdll: _wtol
- api | ntdll: _wtoi64
- api | ntdll: _wtoi
- api | ntdll: _wsplitpath_s
- api | ntdll: _wmakepath_s
- api | ntdll: _wcsupr
- api | ntdll: _wcstoui64
- api | ntdll: _wcsset_s
- api | ntdll: _wcsnset_s
- api | ntdll: _wcsnicmp
- api | ntdll: _wcslwr
- api | ntdll: _wcsicmp
- api | ntdll: _vswprintf

- api | ntdll: _vsnwprintf_s
- api | ntdll: _vsnwprintf
- api | ntdll: _vsnprintf_s
- api | ntdll: _vsnprintf
- api | ntdll: _vscwprintf
- api | ntdll: _ultow_s
- api | ntdll: _ultow
- api | ntdll: _ultoa_s
- api | ntdll: _ultoa
- api | ntdll: _ui64tow_s
- api | ntdll: _ui64tow
- api | ntdll: _ui64toa_s
- api | ntdll: _ui64toa
- api | ntdll: _swprintf
- api | ntdll: _strupr
- api | ntdll: _strset_s
- api | ntdll: _strnset_s
- api | ntdll: _strnicmp
- api | ntdll: _strlwr
- api | ntdll: _stricmp
- api | ntdll: _strcmpi
- api | ntdll: _splitpath_s
- api | ntdll: _splitpath
- api | ntdll: _snwscanf_s
- api | ntdll: _snwprintf_s
- api | ntdll: _snwprintf
- api | ntdll: _snscanf_s
- api | ntdll: _snprintf_s
- api | ntdll: _snprintf
- api | ntdll: _memicmp
- api | ntdll: _memccpy
- api | ntdll: _makepath_s
- api | ntdll: _ltow_s
- api | ntdll: _ltow
- api | ntdll: _ltoa_s
- api | ntdll: _ltoa
- api | ntdll: _lfind
- api | ntdll: _itow_s
- api | ntdll: _itow
- api | ntdll: _itoa_s
- api | ntdll: _itoa
- api | ntdll: _i64tow_s
- api | ntdll: _i64tow
- api | ntdll: _i64toa_s
- api | ntdll: _i64toa
- api | ntdll: _ftol
- api | ntdll: _fltused
- api | ntdll: _chkstk
- api | ntdll: _aullshr
- api | ntdll: _aullrem
- api | ntdll: _aulldvrm
- api | ntdll: _aulldiv
- api | ntdll: _atoi64
- api | ntdll: _allshr
- api | ntdll: _allshl
- api | ntdll: _allrem
- api | ntdll: _alloca_probe_8

- api | ntdll: _alloca_probe_16
- api | ntdll: _alloca_probe
- api | ntdll: _allmul
- api | ntdll: _alldvrm
- api | ntdll: _alldiv
- api | ntdll: __toascii
- api | ntdll: __iscsymf
- api | ntdll: __iscsym
- api | ntdll: __isascii
- api | ntdll: _CIsqrt
- api | ntdll: _CIsin
- api | ntdll: _CIpow
- api | ntdll: _CIlog
- api | ntdll: _CIcos
- api | ntdll: ZwYieldExecution
- api | ntdll: ZwWriteRequestData
- api | ntdll: ZwWriteFileGather
- api | ntdll: ZwWriteFile
- api | ntdll: ZwWorkerFactoryWorkerReady
- api | ntdll: ZwWaitLowEventPair
- api | ntdll: ZwWaitHighEventPair
- api | ntdll: ZwWaitForWorkViaWorkerFactory
- api | ntdll: ZwWaitForSingleObject
- api | ntdll: ZwWaitForMultipleObjects32
- api | ntdll: ZwWaitForMultipleObjects
- api | ntdll: ZwWaitForKeyedEvent
- api | ntdll: ZwWaitForDebugEvent
- api | ntdll: ZwVdmControl
- api | ntdll: ZwUnmapViewOfSection
- api | ntdll: ZwUnlockVirtualMemory
- api | ntdll: ZwUnlockFile
- api | ntdll: ZwUnloadKeyEx
- api | ntdll: ZwUnloadKey2
- api | ntdll: ZwUnloadKey
- api | ntdll: ZwUnloadDriver
- api | ntdll: ZwUmsThreadYield
- api | ntdll: ZwTranslateFilePath
- api | ntdll: ZwTraceEvent
- api | ntdll: ZwTraceControl
- api | ntdll: ZwThawTransactions
- api | ntdll: ZwThawRegistry
- api | ntdll: ZwTestAlert
- api | ntdll: ZwTerminateThread
- api | ntdll: ZwTerminateProcess
- api | ntdll: ZwTerminateJobObject
- api | ntdll: ZwSuspendThread
- api | ntdll: ZwSuspendProcess
- api | ntdll: ZwStopProfile
- api | ntdll: ZwStartProfile
- api | ntdll: ZwSinglePhaseReject
- api | ntdll: ZwSignalAndWaitForSingleObject
- api | ntdll: ZwShutdownWorkerFactory
- api | ntdll: ZwShutdownSystem
- api | ntdll: ZwSetVolumeInformationFile
- api | ntdll: ZwSetUuidSeed
- api | ntdll: ZwSetTimerResolution
- api | ntdll: ZwSetTimerEx

- api | ntdll: ZwSetTimer
- api | ntdll: ZwSetThreadExecutionState
- api | ntdll: ZwSetSystemTime
- api | ntdll: ZwSetSystemPowerState
- api | ntdll: ZwSetSystemEnvironmentValueEx
- api | ntdll: ZwSetSystemEnvironmentValue
- api | ntdll: ZwSetSecurityObject
- api | ntdll: ZwSetQuotaInformationFile
- api | ntdll: ZwSetLowWaitHighEventPair
- api | ntdll: ZwSetLowEventPair
- api | ntdll: ZwSetLdtEntries
- api | ntdll: ZwSetIoCompletionEx
- api | ntdll: ZwSetIoCompletion
- api | ntdll: ZwSetIntervalProfile
- api | ntdll: ZwSetInformationWorkerFactory
- api | ntdll: ZwSetInformationTransactionManager
- api | ntdll: ZwSetInformationTransaction
- api | ntdll: ZwSetInformationToken
- api | ntdll: ZwSetInformationResourceManager
- api | ntdll: ZwSetInformationObject
- api | ntdll: ZwSetInformationKey
- api | ntdll: ZwSetInformationJobObject
- api | ntdll: ZwSetInformationEnlistment
- api | ntdll: ZwSetInformationDebugObject
- api | ntdll: ZwSetHighWaitLowEventPair
- api | ntdll: ZwSetHighEventPair
- api | ntdll: ZwSetEventBoostPriority
- api | ntdll: ZwSetEvent
- api | ntdll: ZwSetEaFile
- api | ntdll: ZwSetDriverEntryOrder
- api | ntdll: ZwSetDefaultUILanguage
- api | ntdll: ZwSetDefaultLocale
- api | ntdll: ZwSetDefaultHardErrorPort
- api | ntdll: ZwSetDebugFilterState
- api | ntdll: ZwSetContextThread
- api | ntdll: ZwSetBootOptions
- api | ntdll: ZwSetBootEntryOrder
- api | ntdll: ZwSerializeBoot
- api | ntdll: ZwSecureConnectPort
- api | ntdll: ZwSaveMergedKeys
- api | ntdll: ZwSaveKeyEx
- api | ntdll: ZwSaveKey
- api | ntdll: ZwRollforwardTransactionManager
- api | ntdll: ZwRollbackTransaction
- api | ntdll: ZwRollbackEnlistment
- api | ntdll: ZwRollbackComplete
- api | ntdll: ZwResumeProcess
- api | ntdll: ZwRestoreKey
- api | ntdll: ZwResetWriteWatch
- api | ntdll: ZwResetEvent
- api | ntdll: ZwRequestWaitReplyPort
- api | ntdll: ZwRequestPort
- api | ntdll: ZwReplyWaitReplyPort
- api | ntdll: ZwReplyWaitReceivePortEx
- api | ntdll: ZwReplyWaitReceivePort
- api | ntdll: ZwReplyPort
- api | ntdll: ZwReplacePartitionUnit

- api | ntdll: ZwReplaceKey
- api | ntdll: ZwRenameTransactionManager
- api | ntdll: ZwRenameKey
- api | ntdll: ZwRemoveProcessDebug
- api | ntdll: ZwRemoveIoCompletionEx
- api | ntdll: ZwRemoveIoCompletion
- api | ntdll: ZwReleaseWorkerFactoryWorker
- api | ntdll: ZwReleaseSemaphore
- api | ntdll: ZwReleaseMutant
- api | ntdll: ZwReleaseKeyedEvent
- api | ntdll: ZwRegisterThreadTerminatePort
- api | ntdll: ZwRegisterProtocolAddressInformation
- api | ntdll: ZwRecoverTransactionManager
- api | ntdll: ZwRecoverResourceManager
- api | ntdll: ZwRecoverEnlistment
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: ZwReadRequestData
- api | ntdll: ZwReadOnlyEnlistment
- api | ntdll: ZwReadFileScatter
- api | ntdll: ZwReadFile
- api | ntdll: ZwRaiseHardError
- api | ntdll: ZwRaiseException
- api | ntdll: ZwQueueApcThreadEx
- api | ntdll: ZwQueueApcThread
- api | ntdll: ZwQueryVolumeInformationFile
- api | ntdll: ZwQueryVirtualMemory
- api | ntdll: ZwQueryValueKey
- api | ntdll: ZwQueryTimerResolution
- api | ntdll: ZwQueryTimer
- api | ntdll: ZwQuerySystemTime
- api | ntdll: ZwQuerySystemInformationEx
- api | ntdll: ZwQuerySystemEnvironmentValueEx
- api | ntdll: ZwQuerySystemEnvironmentValue
- api | ntdll: ZwQuerySymbolicLinkObject
- api | ntdll: ZwQuerySemaphore
- api | ntdll: ZwQuerySecurityObject
- api | ntdll: ZwQuerySecurityAttributesToken
- api | ntdll: ZwQuerySection
- api | ntdll: ZwQueryQuotaInformationFile
- api | ntdll: ZwQueryPortInformationProcess
- api | ntdll: ZwQueryPerformanceCounter
- api | ntdll: ZwQueryOpenSubKeysEx
- api | ntdll: ZwQueryOpenSubKeys
- api | ntdll: ZwQueryObject
- api | ntdll: ZwQueryMutant
- api | ntdll: ZwQueryMultipleValueKey
- api | ntdll: ZwQueryLicenseValue
- api | ntdll: ZwQueryKey
- api | ntdll: ZwQueryIoCompletion
- api | ntdll: ZwQueryIntervalProfile
- api | ntdll: ZwQueryInstallUILanguage
- api | ntdll: ZwQueryInformationWorkerFactory
- api | ntdll: ZwQueryInformationTransactionManager
- api | ntdll: ZwQueryInformationTransaction
- api | ntdll: ZwQueryInformationToken
- api | ntdll: ZwQueryInformationThread
- api | ntdll: ZwQueryInformationResourceManager

- api | ntdll: ZwQueryInformationJobObject
- api | ntdll: ZwQueryInformationEnlistment
- api | ntdll: ZwQueryInformationAtom
- api | ntdll: ZwQueryFullAttributesFile
- api | ntdll: ZwQueryEvent
- api | ntdll: ZwQueryEaFile
- api | ntdll: ZwQueryDriverEntryOrder
- api | ntdll: ZwQueryDirectoryObject
- api | ntdll: ZwQueryDefaultUILanguage
- api | ntdll: ZwQueryDefaultLocale
- api | ntdll: ZwQueryDebugFilterState
- api | ntdll: ZwQueryBootOptions
- api | ntdll: ZwQueryBootEntryOrder
- api | ntdll: ZwQueryAttributesFile
- api | ntdll: ZwPulseEvent
- api | ntdll: ZwPropagationFailed
- api | ntdll: ZwPropagationComplete
- api | ntdll: ZwPrivilegedServiceAuditAlarm
- api | ntdll: ZwPrivilegeObjectAuditAlarm
- api | ntdll: ZwPrivilegeCheck
- api | ntdll: ZwPrepareEnlistment
- api | ntdll: ZwPrepareComplete
- api | ntdll: ZwPrePrepareEnlistment
- api | ntdll: ZwPrePrepareComplete
- api | ntdll: ZwPowerInformation
- api | ntdll: ZwPlugPlayControl
- api | ntdll: ZwOpenTransactionManager
- api | ntdll: ZwOpenTransaction
- api | ntdll: ZwOpenTimer
- api | ntdll: ZwOpenThreadTokenEx
- api | ntdll: ZwOpenThreadToken
- api | ntdll: ZwOpenThread
- api | ntdll: ZwOpenSymbolicLinkObject
- api | ntdll: ZwOpenSession
- api | ntdll: ZwOpenSemaphore
- api | ntdll: ZwOpenResourceManager
- api | ntdll: ZwOpenProcessTokenEx
- api | ntdll: ZwOpenProcessToken
- api | ntdll: ZwOpenPrivateNamespace
- api | ntdll: ZwOpenObjectAuditAlarm
- api | ntdll: ZwOpenMutant
- api | ntdll: ZwOpenKeyedEvent
- api | ntdll: ZwOpenKeyTransactedEx
- api | ntdll: ZwOpenKeyTransacted
- api | ntdll: ZwOpenKeyEx
- api | ntdll: ZwOpenJobObject
- api | ntdll: ZwOpenIoCompletion
- api | ntdll: ZwOpenEventPair
- api | ntdll: ZwOpenEvent
- api | ntdll: ZwOpenEnlistment
- api | ntdll: ZwOpenDirectoryObject
- api | ntdll: ZwNotifyChangeSession
- api | ntdll: ZwNotifyChangeMultipleKeys
- api | ntdll: ZwNotifyChangeKey
- api | ntdll: ZwNotifyChangeDirectoryFile
- api | ntdll: ZwModifyDriverEntry
- api | ntdll: ZwModifyBootEntry

- api | ntdll: ZwMapViewOfSection
- api | ntdll: ZwMapUserPhysicalPagesScatter
- api | ntdll: ZwMapUserPhysicalPages
- api | ntdll: ZwMapCMFModule
- api | ntdll: ZwMakeTemporaryObject
- api | ntdll: ZwMakePermanentObject
- api | ntdll: ZwLockVirtualMemory
- api | ntdll: ZwLockRegistryKey
- api | ntdll: ZwLockProductActivationKeys
- api | ntdll: ZwLockFile
- api | ntdll: ZwLoadKeyEx
- api | ntdll: ZwLoadKey2
- api | ntdll: ZwLoadKey
- api | ntdll: ZwListenPort
- api | ntdll: ZwIsUILanguageComitted
- api | ntdll: ZwIsSystemResumeAutomatic
- api | ntdll: ZwIsProcessInJob
- api | ntdll: ZwInitiatePowerAction
- api | ntdll: ZwInitializeRegistry
- api | ntdll: ZwInitializeNlsFiles
- api | ntdll: ZwImpersonateThread
- api | ntdll: ZwImpersonateClientOfPort
- api | ntdll: ZwImpersonateAnonymousToken
- api | ntdll: ZwGetWriteWatch
- api | ntdll: ZwGetNotificationResourceManager
- api | ntdll: ZwGetNlsSectionPtr
- api | ntdll: ZwGetNextThread
- api | ntdll: ZwGetNextProcess
- api | ntdll: ZwGetMUIRegistryInfo
- api | ntdll: ZwGetDevicePowerState
- api | ntdll: ZwGetCurrentProcessorNumber
- api | ntdll: ZwGetContextThread
- api | ntdll: ZwFsControlFile
- api | ntdll: ZwFreezeTransactions
- api | ntdll: ZwFreezeRegistry
- api | ntdll: ZwFreeVirtualMemory
- api | ntdll: ZwFreeUserPhysicalPages
- api | ntdll: ZwFlushWriteBuffer
- api | ntdll: ZwFlushVirtualMemory
- api | ntdll: ZwFlushProcessWriteBuffers
- api | ntdll: ZwFlushKey
- api | ntdll: ZwFlushInstructionCache
- api | ntdll: ZwFlushInstallUILanguage
- api | ntdll: ZwFlushBuffersFile
- api | ntdll: ZwFindAtom
- api | ntdll: ZwFilterToken
- api | ntdll: ZwExtendSection
- api | ntdll: ZwEnumerateValueKey
- api | ntdll: ZwEnumerateTransactionObject
- api | ntdll: ZwEnumerateSystemEnvironmentValuesEx
- api | ntdll: ZwEnumerateKey
- api | ntdll: ZwEnumerateDriverEntries
- api | ntdll: ZwEnumerateBootEntries
- api | ntdll: ZwEnableLastKnownGood
- api | ntdll: ZwDuplicateToken
- api | ntdll: ZwDuplicateObject
- api | ntdll: ZwDrawText

- api | ntdll: ZwDisplayString
- api | ntdll: ZwDisableLastKnownGood
- api | ntdll: ZwDeleteValueKey
- api | ntdll: ZwDeletePrivateNamespace
- api | ntdll: ZwDeleteObjectAuditAlarm
- api | ntdll: ZwDeleteKey
- api | ntdll: ZwDeleteFile
- api | ntdll: ZwDeleteDriverEntry
- api | ntdll: ZwDeleteBootEntry
- api | ntdll: ZwDeleteAtom
- api | ntdll: ZwDelayExecution
- api | ntdll: ZwDebugContinue
- api | ntdll: ZwDebugActiveProcess
- api | ntdll: ZwCreateWorkerFactory
- api | ntdll: ZwCreateWaitablePort
- api | ntdll: ZwCreateUserProcess
- api | ntdll: ZwCreateTransactionManager
- api | ntdll: ZwCreateTransaction
- api | ntdll: ZwCreateToken
- api | ntdll: ZwCreateTimer
- api | ntdll: ZwCreateThreadEx
- api | ntdll: ZwCreateThread
- api | ntdll: ZwCreateSymbolicLinkObject
- api | ntdll: ZwCreateSemaphore
- api | ntdll: ZwCreateSection
- api | ntdll: ZwCreateResourceManager
- api | ntdll: ZwCreateProfileEx
- api | ntdll: ZwCreateProfile
- api | ntdll: ZwCreateProcessEx
- api | ntdll: ZwCreateProcess
- api | ntdll: ZwCreatePrivateNamespace
- api | ntdll: ZwCreatePort
- api | ntdll: ZwCreatePagingFile
- api | ntdll: ZwCreateNamedPipeFile
- api | ntdll: ZwCreateMutant
- api | ntdll: ZwCreateMailslotFile
- api | ntdll: ZwCreateKeyedEvent
- api | ntdll: ZwCreateKeyTransacted
- api | ntdll: ZwCreateJobSet
- api | ntdll: ZwCreateJobObject
- api | ntdll: ZwCreateIoCompletion
- api | ntdll: ZwCreateEventPair
- api | ntdll: ZwCreateEvent
- api | ntdll: ZwCreateEnlistment
- api | ntdll: ZwCreateDirectoryObject
- api | ntdll: ZwCreateDebugObject
- api | ntdll: ZwContinue
- api | ntdll: ZwCompressKey
- api | ntdll: ZwCompleteConnectPort
- api | ntdll: ZwCompareTokens
- api | ntdll: ZwCompactKeys
- api | ntdll: ZwCommitTransaction
- api | ntdll: ZwCommitEnlistment
- api | ntdll: ZwCommitComplete
- api | ntdll: ZwCloseObjectAuditAlarm
- api | ntdll: ZwClose
- api | ntdll: ZwClearEvent

- api | ntdll: ZwCancelTimer
- api | ntdll: ZwCancelSynchronousIoFile
- api | ntdll: ZwCancelIoFileEx
- api | ntdll: ZwCancelIoFile
- api | ntdll: ZwCallbackReturn
- api | ntdll: ZwAssignProcessToJobObject
- api | ntdll: ZwAreMappedFilesTheSame
- api | ntdll: ZwApphelpCacheControl
- api | ntdll: ZwAlpcSetInformation
- api | ntdll: ZwAlpcSendWaitReceivePort
- api | ntdll: ZwAlpcRevokeSecurityContext
- api | ntdll: ZwAlpcQueryInformationMessage
- api | ntdll: ZwAlpcQueryInformation
- api | ntdll: ZwAlpcOpenSenderThread
- api | ntdll: ZwAlpcOpenSenderProcess
- api | ntdll: ZwAlpcImpersonateClientOfPort
- api | ntdll: ZwAlpcDisconnectPort
- api | ntdll: ZwAlpcDeleteSecurityContext
- api | ntdll: ZwAlpcDeleteSectionView
- api | ntdll: ZwAlpcDeleteResourceReserve
- api | ntdll: ZwAlpcDeletePortSection
- api | ntdll: ZwAlpcCreateSecurityContext
- api | ntdll: ZwAlpcCreateSectionView
- api | ntdll: ZwAlpcCreateResourceReserve
- api | ntdll: ZwAlpcCreatePortSection
- api | ntdll: ZwAlpcCreatePort
- api | ntdll: ZwAlpcConnectPort
- api | ntdll: ZwAlpcCancelMessage
- api | ntdll: ZwAlpcAcceptConnectPort
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: ZwAllocateUuids
- api | ntdll: ZwAllocateUserPhysicalPages
- api | ntdll: ZwAllocateReserveObject
- api | ntdll: ZwAllocateLocallyUniqueId
- api | ntdll: ZwAlertThread
- api | ntdll: ZwAlertResumeThread
- api | ntdll: ZwAdjustPrivilegesToken
- api | ntdll: ZwAdjustGroupsToken
- api | ntdll: ZwAddDriverEntry
- api | ntdll: ZwAddBootEntry
- api | ntdll: ZwAddAtom
- api | ntdll: ZwAccessCheckByTypeResultListAndAuditAlarmByHandle
- api | ntdll: ZwAccessCheckByTypeResultListAndAuditAlarm
- api | ntdll: ZwAccessCheckByTypeResultList
- api | ntdll: ZwAccessCheckByTypeAndAuditAlarm
- api | ntdll: ZwAccessCheckByType
- api | ntdll: ZwAccessCheckAndAuditAlarm
- api | ntdll: ZwAccessCheck
- api | ntdll: ZwAcceptConnectPort
- api | ntdll: WinSqmStartSession
- api | ntdll: WinSqmSetString
- api | ntdll: WinSqmSetIfMinDWORD
- api | ntdll: WinSqmSetIfMaxDWORD
- api | ntdll: WinSqmSetEscalationInfo
- api | ntdll: WinSqmSetDWORD64
- api | ntdll: WinSqmSetDWORD
- api | ntdll: WinSqmIsOptedInEx

- api | ntdll: WinSqmIsOptedIn
- api | ntdll: WinSqmIncrementDWORD
- api | ntdll: WinSqmGetInstrumentationProperty
- api | ntdll: WinSqmGetEscalationRuleStatus
- api | ntdll: WinSqmEventWrite
- api | ntdll: WinSqmEventEnabled
- api | ntdll: WinSqmEndSession
- api | ntdll: WinSqmCommonDatapointSetString
- api | ntdll: WinSqmCommonDatapointSetStreamEx
- api | ntdll: WinSqmCommonDatapointSetDWORD64
- api | ntdll: WinSqmCommonDatapointSetDWORD
- api | ntdll: WinSqmCommonDatapointDelete
- api | ntdll: WinSqmCheckEscalationSetString
- api | ntdll: WinSqmCheckEscalationSetDWORD64
- api | ntdll: WinSqmCheckEscalationSetDWORD
- api | ntdll: WinSqmCheckEscalationAddToStreamEx
- api | ntdll: WinSqmAddToStreamEx
- api | ntdll: WinSqmAddToStream
- api | ntdll: WinSqmAddToAverageDWORD
- api | ntdll: WerReportSQMEvent
- api | kernel32: VerSetConditionMask
- api | ntdll: TpWaitForWork
- api | ntdll: TpWaitForWait
- api | ntdll: TpWaitForTimer
- api | ntdll: TpWaitForIoCompletion
- api | ntdll: TpWaitForAlpcCompletion
- api | ntdll: TpStartAsyncIoOperation
- api | ntdll: TpSimpleTryPost
- api | ntdll: TpSetWait
- api | ntdll: TpSetTimer
- api | ntdll: TpSetPoolStackInformation
- api | ntdll: TpSetPoolMinThreads
- api | ntdll: TpSetPoolMaxThreads
- api | ntdll: TpSetDefaultPoolStackInformation
- api | ntdll: TpSetDefaultPoolMaxThreads
- api | ntdll: TpReleaseWork
- api | ntdll: TpReleaseWait
- api | ntdll: TpReleaseTimer
- api | ntdll: TpReleasePool
- api | ntdll: TpReleaseIoCompletion
- api | ntdll: TpReleaseCleanupGroupMembers
- api | ntdll: TpReleaseCleanupGroup
- api | ntdll: TpReleaseAlpcCompletion
- api | ntdll: TpQueryPoolStackInformation
- api | ntdll: TpPostWork
- api | ntdll: TpIsTimerSet
- api | ntdll: TpDisassociateCallback
- api | ntdll: TpDisablePoolCallbackChecks
- api | ntdll: TpDbgSetLogRoutine
- api | ntdll: TpDbgDumpHeapUsage
- api | ntdll: TpCheckTerminateWorker
- api | ntdll: TpCaptureCaller
- api | ntdll: TpCancelAsyncIoOperation
- api | ntdll: TpCallbackUnloadDllOnCompletion
- api | ntdll: TpCallbackSetEventOnCompletion
- api | ntdll: TpCallbackReleaseSemaphoreOnCompletion
- api | ntdll: TpCallbackReleaseMutexOnCompletion

- api | ntdll: TpCallbackMayRunLong
- api | ntdll: TpCallbackLeaveCriticalSectionOnCompletion
- api | ntdll: TpCallbackIndependent
- api | ntdll: TpAlpcUnregisterCompletionList
- api | ntdll: TpAlpcRegisterCompletionList
- api | ntdll: TpAllocWork
- api | ntdll: TpAllocWait
- api | ntdll: TpAllocTimer
- api | ntdll: TpAllocPool
- api | ntdll: TpAllocIoCompletion
- api | ntdll: TpAllocCleanupGroup
- api | ntdll: TpAllocAlpcCompletionEx
- api | ntdll: TpAllocAlpcCompletion
- api | ntdll: ShipAssertMsgW
- api | ntdll: ShipAssertMsgA
- api | ntdll: ShipAssertGetBufferInfo
- api | ntdll: ShipAssert
- api | ntdll: SbSelectProcedure
- api | ntdll: SbExecuteProcedure
- api | ntdll: RtlxUnicodeStringToOemSize
- api | ntdll: RtlxUnicodeStringToAnsiSize
- api | ntdll: RtlxOemStringToUnicodeSize
- api | ntdll: RtlxAnsiStringToUnicodeSize
- api | ntdll: RtlpWaitForCriticalSection
- api | ntdll: RtlpVerifyAndCommitUILanguageSettings
- api | ntdll: RtlpUnWaitCriticalSection
- api | ntdll: RtlpSetUserPreferredUILanguages
- api | ntdll: RtlpSetPreferredUILanguages
- api | ntdll: RtlpSetInstallLanguage
- api | ntdll: RtlpRefreshCachedUILanguage
- api | ntdll: RtlpQueryDefaultUILanguage
- api | ntdll: RtlpNtSetValueKey
- api | ntdll: RtlpNtQueryValueKey
- api | ntdll: RtlpNtOpenKey
- api | ntdll: RtlpNtMakeTemporaryKey
- api | ntdll: RtlpNtEnumerateSubKey
- api | ntdll: RtlpNtCreateKey
- api | ntdll: RtlpNotOwnerCriticalSection
- api | ntdll: RtlpMuiRegLoadRegistryInfo
- api | ntdll: RtlpMuiRegFreeRegistryInfo
- api | ntdll: RtlpMuiRegCreateRegistryInfo
- api | ntdll: RtlpMuiFreeLangRegistryInfo
- api | ntdll: RtlpLoadUserUIByPolicy
- api | ntdll: RtlpLoadMachineUIByPolicy
- api | ntdll: RtlpIsQualifiedLanguage
- api | ntdll: RtlpInitializeLangRegistryInfo
- api | ntdll: RtlpGetUserOrMachineUILanguage4NLS
- api | ntdll: RtlpGetSystemDefaultUILanguage
- api | ntdll: RtlpGetNameFromLangInfoNode
- api | ntdll: RtlpGetLCIDFromLangInfoNode
- api | ntdll: RtlpEnsureBufferSize
- api | ntdll: RtlpCreateProcessRegistryInfo
- api | ntdll: RtlpConvertLCIDsToCultureNames
- api | ntdll: RtlpConvertCultureNamesToLCIDs
- api | ntdll: RtlpCleanupRegistryKeys
- api | ntdll: RtlpCheckDynamicTimeZoneInformation
- api | ntdll: RtlpApplyLengthFunction

- api | ntdll: RtlZombifyActivationContext
- api | kernel32: RtlZeroMemory
- api | ntdll: RtlZeroHeap
- api | ntdll: RtlWriteMemoryStream
- api | ntdll: RtlWow64EnableFsRedirectionEx
- api | ntdll: RtlWow64EnableFsRedirection
- api | ntdll: RtlWow64CallFunction64
- api | ntdll: RtlWerpReportException
- api | ntdll: RtlWeaklyEnumerateEntryHashTable
- api | ntdll: RtlWalkHeap
- api | ntdll: RtlWalkFrameChain
- api | ntdll: RtlWakeConditionVariable
- api | ntdll: RtlWakeAllConditionVariable
- api | ntdll: RtlVerifyVersionInfo
- api | ntdll: RtlValidateUnicodeString
- api | ntdll: RtlValidateProcessHeaps
- api | ntdll: RtlValidateHeap
- api | ntdll: RtlValidSid
- api | ntdll: RtlValidSecurityDescriptor
- api | ntdll: RtlValidRelativeSecurityDescriptor
- api | ntdll: RtlValidAcl
- api | ntdll: RtlUshortByteSwap
- api | ntdll: RtlUserThreadStart
- api | ntdll: RtlUpperString
- api | ntdll: RtlUpperChar
- api | ntdll: RtlUpdateTimer
- api | ntdll: RtlUpdateClonedSRWLock
- api | ntdll: RtlUpdateClonedCriticalSection
- api | ntdll: RtlUpcaseUnicodeToOemN
- api | ntdll: RtlUpcaseUnicodeToMultiByteN
- api | ntdll: RtlUpcaseUnicodeToCustomCPN
- api | ntdll: RtlUpcaseUnicodeStringToOemString
- api | ntdll: RtlUpcaseUnicodeStringToCountedOemString
- api | ntdll: RtlUpcaseUnicodeStringToAnsiString
- api | ntdll: RtlUpcaseUnicodeString
- api | ntdll: RtlUpcaseUnicodeChar
- api | kernel32: RtlUnwind
- api | ntdll: RtlUnlockModuleSection
- api | ntdll: RtlUnlockMemoryZone
- api | ntdll: RtlUnlockMemoryStreamRegion
- api | ntdll: RtlUnlockMemoryBlockLookaside
- api | ntdll: RtlUnlockHeap
- api | ntdll: RtlUnlockCurrentThread
- api | ntdll: RtlUnlockBootStatusData
- api | ntdll: RtlUniform
- api | ntdll: RtlUnicodeToUTF8N
- api | ntdll: RtlUnicodeToOemN
- api | ntdll: RtlUnicodeToMultiByteSize
- api | ntdll: RtlUnicodeToMultiByteN
- api | ntdll: RtlUnicodeToCustomCPN
- api | ntdll: RtlUnicodeStringToOemString
- api | ntdll: RtlUnicodeStringToOemSize
- api | ntdll: RtlUnicodeStringToInteger
- api | ntdll: RtlUnicodeStringToCountedOemString
- api | ntdll: RtlUnicodeStringToAnsiString
- api | ntdll: RtlUnicodeStringToAnsiSize
- api | ntdll: RtlUnhandledExceptionFilter2

- api | ntdll: RtlUnhandledExceptionFilter
- api | ntdll: RtlUlonglongByteSwap
- api | ntdll: RtlUlongByteSwap
- api | ntdll: RtlUTF8ToUnicodeN
- api | ntdll: RtlTryEnterCriticalSection
- api | ntdll: RtlTryAcquireSRWLockShared
- api | ntdll: RtlTryAcquireSRWLockExclusive
- api | ntdll: RtlTryAcquirePebLock
- api | ntdll: RtlTraceDatabaseValidate
- api | ntdll: RtlTraceDatabaseUnlock
- api | ntdll: RtlTraceDatabaseLock
- api | ntdll: RtlTraceDatabaseFind
- api | ntdll: RtlTraceDatabaseEnumerate
- api | ntdll: RtlTraceDatabaseDestroy
- api | ntdll: RtlTraceDatabaseCreate
- api | ntdll: RtlTraceDatabaseAdd
- api | ntdll: RtlTimeToTimeFields
- api | ntdll: RtlTimeToSecondsSince1980
- api | ntdll: RtlTimeToSecondsSince1970
- api | ntdll: RtlTimeToElapsedTimeFields
- api | ntdll: RtlTimeFieldsToTime
- api | ntdll: RtlTestBit
- api | ntdll: RtlSystemTimeToLocalTime
- api | ntdll: RtlSubtreeSuccessor
- api | ntdll: RtlSubtreePredecessor
- api | ntdll: RtlSubAuthoritySid
- api | ntdll: RtlSubAuthorityCountSid
- api | ntdll: RtlStringFromGUID
- api | ntdll: RtlStatMemoryStream
- api | ntdll: RtlStartRXact
- api | ntdll: RtlSplay
- api | ntdll: RtlSleepConditionVariableSRW
- api | ntdll: RtlSleepConditionVariableCS
- api | ntdll: RtlSizeHeap
- api | ntdll: RtlSidIsHigherLevel
- api | ntdll: RtlSidHashLookup
- api | ntdll: RtlSidHashInitialize
- api | ntdll: RtlSidEqualLevel
- api | ntdll: RtlSidDominates
- api | ntdll: RtlSetUserValueHeap
- api | ntdll: RtlSetUserFlagsHeap
- api | ntdll: RtlSetUnhandledExceptionFilter
- api | ntdll: RtlSetTimer
- api | ntdll: RtlSetTimeZoneInformation
- api | ntdll: RtlSetThreadPreferredUILanguages
- api | ntdll: RtlSetThreadPoolStartFunc
- api | ntdll: RtlSetThreadIsCritical
- api | ntdll: RtlSetThreadErrorMode
- api | ntdll: RtlSetSecurityObjectEx
- api | ntdll: RtlSetSecurityObject
- api | ntdll: RtlSetSecurityDescriptorRMControl
- api | ntdll: RtlSetSaclSecurityDescriptor
- api | ntdll: RtlSetProcessPreferredUILanguages
- api | ntdll: RtlSetProcessIsCritical
- api | ntdll: RtlSetProcessDebugInformation
- api | ntdll: RtlSetOwnerSecurityDescriptor
- api | ntdll: RtlSetMemoryStreamSize

- api | ntdll: RtlSetLastWin32ErrorAndNtStatusFromNtStatus
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlSetIoCompletionCallback
- api | ntdll: RtlSetInformationAcl
- api | ntdll: RtlSetHeapInformation
- api | ntdll: RtlSetGroupSecurityDescriptor
- api | ntdll: RtlSetExtendedFeaturesMask
- api | ntdll: RtlSetEnvironmentVariable
- api | ntdll: RtlSetEnvironmentVar
- api | ntdll: RtlSetEnvironmentStrings
- api | ntdll: RtlSetDynamicTimeZoneInformation
- api | ntdll: RtlSetDaclSecurityDescriptor
- api | ntdll: RtlSetCurrentTransaction
- api | ntdll: RtlSetCurrentEnvironment
- api | ntdll: RtlSetCurrentDirectory_U
- api | ntdll: RtlSetCriticalSectionSpinCount
- api | ntdll: RtlSetControlSecurityDescriptor
- api | ntdll: RtlSetBits
- api | ntdll: RtlSetAttributesSecurityDescriptor
- api | ntdll: RtlSetAllBits
- api | ntdll: RtlSendMsgToSm
- api | ntdll: RtlSelfRelativeToAbsoluteSD2
- api | ntdll: RtlSelfRelativeToAbsoluteSD
- api | ntdll: RtlSeekMemoryStream
- api | ntdll: RtlSecondsSince1980ToTime
- api | ntdll: RtlSecondsSince1970ToTime
- api | ntdll: RtlRunOnceInitialize
- api | ntdll: RtlRunOnceExecuteOnce
- api | ntdll: RtlRunOnceComplete
- api | ntdll: RtlRunOnceBeginInitialize
- api | ntdll: RtlRunEncodeUnicodeString
- api | ntdll: RtlRunDecodeUnicodeString
- api | ntdll: RtlRevertMemoryStream
- api | ntdll: RtlRetrieveNtUserPfn
- api | ntdll: RtlRestoreLastWin32Error
- api | ntdll: RtlResetRtlTranslations
- api | ntdll: RtlResetMemoryZone
- api | ntdll: RtlResetMemoryBlockLookaside
- api | ntdll: RtlReportSqmEscalation
- api | ntdll: RtlReportSilentProcessExit
- api | ntdll: RtlReportException
- api | ntdll: RtlReplaceSidInSd
- api | ntdll: RtlRemoveVectoredExceptionHandler
- api | ntdll: RtlRemoveVectoredContinueHandler
- api | ntdll: RtlRemovePrivileges
- api | ntdll: RtlRemoveEntryHashTable
- api | ntdll: RtlRemoteCall
- api | ntdll: RtlReleaseSRWLockShared
- api | ntdll: RtlReleaseSRWLockExclusive
- api | ntdll: RtlReleaseResource
- api | ntdll: RtlReleaseRelativeName
- api | ntdll: RtlReleasePrivilege
- api | ntdll: RtlReleasePebLock
- api | ntdll: RtlReleaseMemoryStream
- api | ntdll: RtlReleaseActivationContext
- api | ntdll: RtlRegisterWait
- api | ntdll: RtlRegisterThreadWithCsrss

- api | ntdll: RtlRegisterSecureMemoryCacheCallback
- api | ntdll: RtlRealSuccessor
- api | ntdll: RtlRealPredecessor
- api | ntdll: RtlReadThreadProfilingData
- api | ntdll: RtlReadOutOfProcessMemoryStream
- api | ntdll: RtlReadMemoryStream
- api | ntdll: RtlReAllocateHeap
- api | ntdll: RtlRandomEx
- api | ntdll: RtlRandom
- api | ntdll: RtlRaiseStatus
- api | ntdll: RtlRaiseException
- api | ntdll: RtlQueueWorkItem
- api | ntdll: RtlQueueApcWow64Thread
- api | ntdll: RtlQueryTimeZoneInformation
- api | ntdll: RtlQueryThreadProfiling
- api | ntdll: RtlQueryTagHeap
- api | ntdll: RtlQuerySecurityObject
- api | ntdll: RtlQueryRegistryValues
- api | ntdll: RtlQueryProcessLockInformation
- api | ntdll: RtlQueryProcessHeapInformation
- api | ntdll: RtlQueryProcessDebugInformation
- api | ntdll: RtlQueryProcessBackTraceInformation
- api | ntdll: RtlQueryPerformanceFrequency
- api | ntdll: RtlQueryPerformanceCounter
- api | ntdll: RtlQueryModuleInformation
- api | ntdll: RtlQueryInterfaceMemoryStream
- api | ntdll: RtlQueryInformationActiveActivationContext
- api | ntdll: RtlQueryInformationActivationContext
- api | ntdll: RtlQueryInformationAcl
- api | ntdll: RtlQueryHeapInformation
- api | ntdll: RtlQueryEnvironmentVariable_U
- api | ntdll: RtlQueryEnvironmentVariable
- api | ntdll: RtlQueryElevationFlags
- api | ntdll: RtlQueryDynamicTimeZoneInformation
- api | ntdll: RtlQueryDepthSList
- api | ntdll: RtlQueryCriticalSectionOwner
- api | ntdll: RtlQueryAtomInAtomTable
- api | ntdll: RtlQueryActivationContextApplicationSettings
- api | ntdll: RtlPushFrame
- api | ntdll: RtlProtectHeap
- api | ntdll: RtlProcessFlsData
- api | ntdll: RtlPrefixUnicodeString
- api | ntdll: RtlPrefixString
- api | ntdll: RtlPopFrame
- api | ntdll: RtlPinAtomInAtomTable
- api | ntdll: RtlPcToFileHeader
- api | ntdll: RtlOwnerAcesPresent
- api | ntdll: RtlOpenCurrentUser
- api | ntdll: RtlOemToUnicodeN
- api | ntdll: RtlOemStringToUnicodeString
- api | ntdll: RtlOemStringToUnicodeSize
- api | ntdll: RtlNumberOfSetBitsUlongPtr
- api | ntdll: RtlNumberOfSetBits
- api | ntdll: RtlNumberOfClearBits
- api | ntdll: RtlNumberGenericTableElementsAvl
- api | ntdll: RtlNumberGenericTableElements
- api | ntdll: RtlNtStatusToDosErrorNoTeb

- api | ntdll: RtlNtStatusToDosError
- api | ntdll: RtlNtPathNameToDosPathName
- api | ntdll: RtlNormalizeString
- api | ntdll: RtlNormalizeProcessParams
- api | ntdll: RtlNewSecurityObjectWithMultipleInheritance
- api | ntdll: RtlNewSecurityObjectEx
- api | ntdll: RtlNewSecurityObject
- api | ntdll: RtlNewSecurityGrantedAccess
- api | ntdll: RtlNewInstanceSecurityObject
- api | ntdll: RtlMultipleFreeHeap
- api | ntdll: RtlMultipleAllocateHeap
- api | ntdll: RtlMultiByteToUnicodeSize
- api | ntdll: RtlMultiByteToUnicodeN
- api | ntdll: RtlMultiAppendUnicodeStringBuffer
- api | kernel32: RtlMoveMemory
- api | ntdll: RtlMapSecurityErrorToNtStatus
- api | ntdll: RtlMapGenericMask
- api | ntdll: RtlMakeSelfRelativeSD
- api | ntdll: RtlLookupEntryHashTable
- api | ntdll: RtlLookupElementGenericTableFullAvl
- api | ntdll: RtlLookupElementGenericTableFull
- api | ntdll: RtlLookupElementGenericTableAvl
- api | ntdll: RtlLookupElementGenericTable
- api | ntdll: RtlLookupAtomInAtomTable
- api | ntdll: RtlLogStackBackTrace
- api | ntdll: RtlLockModuleSection
- api | ntdll: RtlLockMemoryZone
- api | ntdll: RtlLockMemoryStreamRegion
- api | ntdll: RtlLockMemoryBlockLookaside
- api | ntdll: RtlLockHeap
- api | ntdll: RtlLockCurrentThread
- api | ntdll: RtlLockBootStatusData
- api | ntdll: RtlLocateLegacyContext
- api | ntdll: RtlLocateExtendedFeature
- api | ntdll: RtlLocaleNameToLcid
- api | ntdll: RtlLocalTimeToSystemTime
- api | ntdll: RtlLoadString
- api | ntdll: RtlLengthSid
- api | ntdll: RtlLengthSecurityDescriptor
- api | ntdll: RtlLengthRequiredSid
- api | ntdll: RtlLeaveCriticalSection
- api | ntdll: RtlLcidToLocaleName
- api | ntdll: RtlLargeIntegerToChar
- api | ntdll: RtlLargeIntegerSubtract
- api | ntdll: RtlLargeIntegerShiftRight
- api | ntdll: RtlLargeIntegerShiftLeft
- api | ntdll: RtlLargeIntegerNegate
- api | ntdll: RtlLargeIntegerDivide
- api | ntdll: RtlLargeIntegerArithmeticShift
- api | ntdll: RtlLargeIntegerAdd
- api | ntdll: RtlLCIDToCultureName
- api | ntdll: RtlKnownExceptionFilter
- api | ntdll: RtlIsValidLocaleName
- api | ntdll: RtlIsValidIndexHandle
- api | ntdll: RtlIsValidHandle
- api | ntdll: RtlIsThreadWithinLoaderCallout
- api | ntdll: RtlIsTextUnicode

- api | ntdll: RtlIsNormalizedString
- api | ntdll: RtlIsNameLegalDOS8Dot3
- api | ntdll: RtlIsNameInExpression
- api | ntdll: RtlIsGenericTableEmptyAvl
- api | ntdll: RtlIsGenericTableEmpty
- api | ntdll: RtlIsDosDeviceName_U
- api | ntdll: RtlIsCurrentThreadAttachExempt
- api | ntdll: RtlIsCriticalSectionLockedByThread
- api | ntdll: RtlIsCriticalSectionLocked
- api | ntdll: RtlIsActivationContextActive
- api | ntdll: RtlIpv6StringToAddressW
- api | ntdll: RtlIpv6StringToAddressExW
- api | ntdll: RtlIpv6StringToAddressExA
- api | ntdll: RtlIpv6StringToAddressA
- api | ntdll: RtlIpv6AddressToStringW
- api | ntdll: RtlIpv6AddressToStringExW
- api | ntdll: RtlIpv6AddressToStringExA
- api | ntdll: RtlIpv6AddressToStringA
- api | ntdll: RtlIpv4StringToAddressW
- api | ntdll: RtlIpv4StringToAddressExW
- api | ntdll: RtlIpv4StringToAddressExA
- api | ntdll: RtlIpv4StringToAddressA
- api | ntdll: RtlIpv4AddressToStringW
- api | ntdll: RtlIpv4AddressToStringExW
- api | ntdll: RtlIpv4AddressToStringExA
- api | ntdll: RtlIpv4AddressToStringA
- api | ntdll: RtlIoEncodeMemIoResource
- api | ntdll: RtlIoDecodeMemIoResource
- api | ntdll: RtlInterlockedSetBitRun
- api | ntdll: RtlInterlockedPushListSList
- api | ntdll: RtlInterlockedPushEntrySList
- api | ntdll: RtlInterlockedPopEntrySList
- api | ntdll: RtlInterlockedFlushSList
- api | ntdll: RtlInterlockedCompareExchange64
- api | ntdll: RtlInterlockedClearBitRun
- api | ntdll: RtlIntegerToUnicodeString
- api | ntdll: RtlIntegerToChar
- api | ntdll: RtlInt64ToUnicodeString
- api | ntdll: RtlInsertEntryHashTable
- api | ntdll: RtlInsertElementGenericTableFullAvl
- api | ntdll: RtlInsertElementGenericTableFull
- api | ntdll: RtlInsertElementGenericTableAvl
- api | ntdll: RtlInsertElementGenericTable
- api | ntdll: RtlInitializeSid
- api | ntdll: RtlInitializeSRWLock
- api | ntdll: RtlInitializeSListHead
- api | ntdll: RtlInitializeResource
- api | ntdll: RtlInitializeRXact
- api | ntdll: RtlInitializeNtUserPfn
- api | ntdll: RtlInitializeHandleTable
- api | ntdll: RtlInitializeGenericTableAvl
- api | ntdll: RtlInitializeGenericTable
- api | ntdll: RtlInitializeExtendedContext
- api | ntdll: RtlInitializeExceptionChain
- api | ntdll: RtlInitializeCriticalSectionEx
- api | ntdll: RtlInitializeCriticalSectionAndSpinCount
- api | ntdll: RtlInitializeCriticalSection

- api | ntdll: RtlInitializeContext
- api | ntdll: RtlInitializeConditionVariable
- api | ntdll: RtlInitializeBitMap
- api | ntdll: RtlInitializeAtomPackage
- api | ntdll: RtlInitWeakEnumerationHashTable
- api | ntdll: RtlInitUnicodeStringEx
- api | ntdll: RtlInitUnicodeString
- api | ntdll: RtlInitString
- api | ntdll: RtlInitOutOfProcessMemoryStream
- api | ntdll: RtlInitNlsTables
- api | ntdll: RtlInitMemoryStream
- api | ntdll: RtlInitEnumerationHashTable
- api | ntdll: RtlInitCodePageTable
- api | ntdll: RtlInitBarrier
- api | ntdll: RtlInitAnsiStringEx
- api | ntdll: RtlInitAnsiString
- api | ntdll: RtlImpersonateSelfEx
- api | ntdll: RtlImpersonateSelf
- api | ntdll: RtlImageRvaToVa
- api | ntdll: RtlImageRvaToSection
- api | ntdll: RtlImageNtHeaderEx
- api | ntdll: RtlImageNtHeader
- api | ntdll: RtlImageDirectoryEntryToData
- api | ntdll: RtlIdnToUnicode
- api | ntdll: RtlIdnToNameprepUnicode
- api | ntdll: RtlIdnToAscii
- api | ntdll: RtlIdentifierAuthoritySid
- api | ntdll: RtlHeapTrkInitialize
- api | ntdll: RtlHashUnicodeString
- api | ntdll: RtlGetVersion
- api | ntdll: RtlGetUserPreferredUILanguages
- api | ntdll: RtlGetUserInfoHeap
- api | ntdll: RtlGetUnloadEventTraceEx
- api | ntdll: RtlGetUnloadEventTrace
- api | ntdll: RtlGetUILanguageInfo
- api | ntdll: RtlGetThreadPreferredUILanguages
- api | ntdll: RtlGetThreadLangIdByIndex
- api | ntdll: RtlGetThreadErrorMode
- api | ntdll: RtlGetSystemPreferredUILanguages
- api | ntdll: RtlGetSetBootStatusData
- api | ntdll: RtlGetSecurityDescriptorRMControl
- api | ntdll: RtlGetSaclSecurityDescriptor
- api | ntdll: RtlGetProductInfo
- api | ntdll: RtlGetProcessPreferredUILanguages
- api | ntdll: RtlGetProcessHeaps
- api | ntdll: RtlGetParentLocaleName
- api | ntdll: RtlGetOwnerSecurityDescriptor
- api | ntdll: RtlGetNtVersionNumbers
- api | ntdll: RtlGetNtProductType
- api | ntdll: RtlGetNtGlobalFlags
- api | ntdll: RtlGetNextEntryHashTable
- api | ntdll: RtlGetNativeSystemInformation
- api | ntdll: RtlGetLongestNtPathLength
- api | ntdll: RtlGetLocaleFileMappingAddress
- api | ntdll: RtlGetLengthWithoutTrailingPathSeperators
- api | ntdll: RtlGetLengthWithoutLastFullDosOrNtPathElement
- api | ntdll: RtlGetLastWin32Error

- api | ntdll: RtlGetLastNtStatus
- api | ntdll: RtlGetIntegerAtom
- api | ntdll: RtlGetGroupSecurityDescriptor
- api | ntdll: RtlGetFullPathName_UstrEx
- api | ntdll: RtlGetFullPathName_UEx
- api | ntdll: RtlGetFullPathName_U
- api | ntdll: RtlGetFrame
- api | ntdll: RtlGetFileMUIPath
- api | ntdll: RtlGetExtendedFeaturesMask
- api | ntdll: RtlGetExtendedContextLength
- api | ntdll: RtlGetEnabledExtendedFeatures
- api | ntdll: RtlGetElementGenericTableAvl
- api | ntdll: RtlGetElementGenericTable
- api | ntdll: RtlGetDaclSecurityDescriptor
- api | ntdll: RtlGetCurrentTransaction
- api | ntdll: RtlGetCurrentProcessorNumberEx
- api | ntdll: RtlGetCurrentProcessorNumber
- api | ntdll: RtlGetCurrentPeb
- api | ntdll: RtlGetCurrentDirectory_U
- api | ntdll: RtlGetCriticalSectionRecursionCount
- api | ntdll: RtlGetControlSecurityDescriptor
- api | ntdll: RtlGetCompressionWorkSpaceSize
- api | ntdll: RtlGetCallersAddress
- api | ntdll: RtlGetActiveActivationContext
- api | ntdll: RtlGetAce
- api | ntdll: RtlGenerate8dot3Name
- api | ntdll: RtlGUIDFromString
- api | ntdll: RtlFreeUserStack
- api | ntdll: RtlFreeUnicodeString
- api | ntdll: RtlFreeThreadActivationContextStack
- api | ntdll: RtlFreeSid
- api | ntdll: RtlFreeOemString
- api | ntdll: RtlFreeMemoryBlockLookaside
- api | ntdll: RtlFreeHeap
- api | ntdll: RtlFreeHandle
- api | ntdll: RtlFreeAnsiString
- api | ntdll: RtlFreeActivationContextStack
- api | ntdll: RtlFormatMessageEx
- api | ntdll: RtlFormatMessage
- api | ntdll: RtlFormatCurrentUserKeyPath
- api | ntdll: RtlFlushSecureMemoryCache
- api | ntdll: RtlFlsFree
- api | ntdll: RtlFlsAlloc
- api | ntdll: RtlFirstFreeAce
- api | ntdll: RtlFirstEntrySList
- api | ntdll: RtlFindSetBitsAndClear
- api | ntdll: RtlFindSetBits
- api | ntdll: RtlFindNextForwardRunClear
- api | ntdll: RtlFindMostSignificantBit
- api | ntdll: RtlFindMessage
- api | ntdll: RtlFindLongestRunClear
- api | ntdll: RtlFindLeastSignificantBit
- api | ntdll: RtlFindLastBackwardRunClear
- api | ntdll: RtlFindClosestEncodableLength
- api | ntdll: RtlFindClearRuns
- api | ntdll: RtlFindClearBitsAndSet
- api | ntdll: RtlFindClearBits

- api | ntdll: RtlFindCharInUnicodeString
- api | ntdll: RtlFindActivationContextSectionString
- api | ntdll: RtlFindActivationContextSectionGuid
- api | ntdll: RtlFindAceByType
- api | ntdll: RtlFinalReleaseOutOfProcessMemoryStream
- api | ntdll: RtlFillMemoryUlonglong
- api | ntdll: RtlFillMemoryUlong
- api | kernel32: RtlFillMemory
- api | ntdll: RtlExtendedMagicDivide
- api | ntdll: RtlExtendedLargeIntegerDivide
- api | ntdll: RtlExtendedIntegerMultiply
- api | ntdll: RtlExtendMemoryZone
- api | ntdll: RtlExtendMemoryBlockLookaside
- api | ntdll: RtlExpandHashTable
- api | ntdll: RtlExpandEnvironmentStrings_U
- api | ntdll: RtlExpandEnvironmentStrings
- api | ntdll: RtlExitUserThread
- api | ntdll: RtlExitUserProcess
- api | ntdll: RtlEthernetStringToAddressW
- api | ntdll: RtlEthernetStringToAddressA
- api | ntdll: RtlEthernetAddressToStringW
- api | ntdll: RtlEthernetAddressToStringA
- api | ntdll: RtlEraseUnicodeString
- api | ntdll: RtlEqualUnicodeString
- api | ntdll: RtlEqualString
- api | ntdll: RtlEqualSid
- api | ntdll: RtlEqualPrefixSid
- api | ntdll: RtlEqualLuid
- api | ntdll: RtlEqualDomainName
- api | ntdll: RtlEqualComputerName
- api | ntdll: RtlEnumerateGenericTableWithoutSplayingAvl
- api | ntdll: RtlEnumerateGenericTableWithoutSplaying
- api | ntdll: RtlEnumerateGenericTableLikeADirectory
- api | ntdll: RtlEnumerateGenericTableAvl
- api | ntdll: RtlEnumerateGenericTable
- api | ntdll: RtlEnumerateEntryHashTable
- api | ntdll: RtlEnumProcessHeaps
- api | ntdll: RtlEnterCriticalSection
- api | ntdll: RtlEnlargedUnsignedMultiply
- api | ntdll: RtlEnlargedIntegerMultiply
- api | ntdll: RtlEndWeakEnumerationHashTable
- api | ntdll: RtlEndEnumerationHashTable
- api | ntdll: RtlEncodeSystemPointer
- api | ntdll: RtlEncodePointer
- api | ntdll: RtlEnableThreadProfiling
- api | ntdll: RtlEnableEarlyCriticalSectionEventCreation
- api | ntdll: RtlEmptyAtomTable
- api | ntdll: RtlDuplicateUnicodeString
- api | ntdll: RtlDumpResource
- api | ntdll: RtlDowncaseUnicodeString
- api | ntdll: RtlDowncaseUnicodeChar
- api | ntdll: RtlDosSearchPath_Ustr
- api | ntdll: RtlDosSearchPath_U
- api | ntdll: RtlDosPathNameToRelativeNtPathName_U_WithStatus
- api | ntdll: RtlDosPathNameToRelativeNtPathName_U
- api | ntdll: RtlDosPathNameToNtPathName_U_WithStatus
- api | ntdll: RtlDosPathNameToNtPathName_U

- api | ntdll: RtlDosApplyFileIsolationRedirection_Ustr
- api | ntdll: RtlDoesFileExists_U
- api | ntdll: RtlDnsHostNameToComputerName
- api | ntdll: RtlDllShutdownInProgress
- api | ntdll: RtlDisableThreadProfiling
- api | ntdll: RtlDetermineDosPathNameType_U
- api | ntdll: RtlDetectHeapLeaks
- api | ntdll: RtlDestroyQueryDebugBuffer
- api | ntdll: RtlDestroyProcessParameters
- api | ntdll: RtlDestroyMemoryZone
- api | ntdll: RtlDestroyMemoryBlockLookaside
- api | ntdll: RtlDestroyHeap
- api | ntdll: RtlDestroyHandleTable
- api | ntdll: RtlDestroyEnvironment
- api | ntdll: RtlDestroyAtomTable
- api | ntdll: RtlDeregisterWaitEx
- api | ntdll: RtlDeregisterWait
- api | ntdll: RtlDeregisterSecureMemoryCacheCallback
- api | ntdll: RtlDeleteTimerQueueEx
- api | ntdll: RtlDeleteTimerQueue
- api | ntdll: RtlDeleteTimer
- api | ntdll: RtlDeleteSecurityObject
- api | ntdll: RtlDeleteResource
- api | ntdll: RtlDeleteRegistryValue
- api | ntdll: RtlDeleteNoSplay
- api | ntdll: RtlDeleteHashTable
- api | ntdll: RtlDeleteElementGenericTableAvl
- api | ntdll: RtlDeleteElementGenericTable
- api | ntdll: RtlDeleteCriticalSection
- api | ntdll: RtlDeleteBoundaryDescriptor
- api | ntdll: RtlDeleteBarrier
- api | ntdll: RtlDeleteAtomFromAtomTable
- api | ntdll: RtlDeleteAce
- api | ntdll: RtlDelete
- api | ntdll: RtlDefaultNpAcl
- api | ntdll: RtlDecompressFragment
- api | ntdll: RtlDecompressBuffer
- api | ntdll: RtlDecodeSystemPointer
- api | ntdll: RtlDecodePointer
- api | ntdll: RtlDebugPrintTimes
- api | ntdll: RtlDeactivateActivationContextUnsafeFast
- api | ntdll: RtlDeactivateActivationContext
- api | ntdll: RtlDeNormalizeProcessParams
- api | ntdll: RtlDeCommitDebugInfo
- api | ntdll: RtlCutoverTimeToSystemTime
- api | ntdll: RtlCustomCPToUnicodeN
- api | ntdll: RtlCultureNameToLCID
- api | ntdll: RtlCreateVirtualAccountSid
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlCreateUserStack
- api | ntdll: RtlCreateUserSecurityObject
- api | ntdll: RtlCreateUserProcess
- api | ntdll: RtlCreateUnicodeStringFromAsciiz
- api | ntdll: RtlCreateUnicodeString
- api | ntdll: RtlCreateTimerQueue
- api | ntdll: RtlCreateTimer
- api | ntdll: RtlCreateTagHeap

- api | ntdll: RtlCreateSystemVolumeInformationFolder
- api | ntdll: RtlCreateServiceSid
- api | ntdll: RtlCreateSecurityDescriptor
- api | ntdll: RtlCreateQueryDebugBuffer
- api | ntdll: RtlCreateProcessReflection
- api | ntdll: RtlCreateProcessParametersEx
- api | ntdll: RtlCreateProcessParameters
- api | ntdll: RtlCreateMemoryZone
- api | ntdll: RtlCreateMemoryBlockLookaside
- api | ntdll: RtlCreateHeap
- api | ntdll: RtlCreateHashTable
- api | ntdll: RtlCreateEnvironmentEx
- api | ntdll: RtlCreateEnvironment
- api | ntdll: RtlCreateBoundaryDescriptor
- api | ntdll: RtlCreateBootStatusDataFile
- api | ntdll: RtlCreateAtomTable
- api | ntdll: RtlCreateAndSetSD
- api | ntdll: RtlCreateActivationContext
- api | ntdll: RtlCreateAcl
- api | ntdll: RtlCopyUnicodeString
- api | ntdll: RtlCopyString
- api | ntdll: RtlCopySidAndAttributesArray
- api | ntdll: RtlCopySid
- api | ntdll: RtlCopySecurityDescriptor
- api | ntdll: RtlCopyOutOfProcessMemoryStreamTo
- api | ntdll: RtlCopyMemoryStreamTo
- api | ntdll: RtlCopyMappedMemory
- api | ntdll: RtlCopyLuidAndAttributesArray
- api | ntdll: RtlCopyLuid
- api | ntdll: RtlCopyExtendedContext
- api | ntdll: RtlCopyContext
- api | ntdll: RtlConvertUlongToLargeInteger
- api | ntdll: RtlConvertToAutoInheritSecurityObject
- api | ntdll: RtlConvertSidToUnicodeString
- api | ntdll: RtlConvertSharedToExclusive
- api | ntdll: RtlConvertLongToLargeInteger
- api | ntdll: RtlConvertLCIDToString
- api | ntdll: RtlConvertExclusiveToShared
- api | ntdll: RtlContractHashTable
- api | ntdll: RtlConsoleMultiByteToUnicodeN
- api | ntdll: RtlConnectToSm
- api | ntdll: RtlComputePrivatizedDllName_U
- api | ntdll: RtlComputeImportTableHash
- api | ntdll: RtlComputeCrc32
- api | ntdll: RtlCompressBuffer
- api | ntdll: RtlCompareUnicodeStrings
- api | ntdll: RtlCompareUnicodeString
- api | ntdll: RtlCompareString
- api | ntdll: RtlCompareMemoryUlong
- api | ntdll: RtlCompareMemory
- api | ntdll: RtlCompareAltitudes
- api | ntdll: RtlCompactHeap
- api | ntdll: RtlCommitMemoryStream
- api | ntdll: RtlCommitDebugInfo
- api | ntdll: RtlCmEncodeMemIoResource
- api | ntdll: RtlCmDecodeMemIoResource
- api | ntdll: RtlCloneUserProcess

- api | ntdll: RtlCloneMemoryStream
- api | ntdll: RtlClearBits
- api | ntdll: RtlClearAllBits
- api | ntdll: RtlCleanUpTEBLangLists
- api | ntdll: RtlCheckRegistryKey
- api | ntdll: RtlCheckForOrphanedCriticalSections
- api | ntdll: RtlCharToInteger
- api | ntdll: RtlCaptureStackContext
- api | kernel32: RtlCaptureStackBackTrace
- api | kernel32: RtlCaptureContext
- api | ntdll: RtlCancelTimer
- api | ntdll: RtlBarrierForDelete
- api | ntdll: RtlBarrier
- api | ntdll: RtlAssert
- api | ntdll: RtlAreBitsSet
- api | ntdll: RtlAreBitsClear
- api | ntdll: RtlAreAnyAccessesGranted
- api | ntdll: RtlAreAllAccessesGranted
- api | ntdll: RtlApplyRXactNoFlush
- api | ntdll: RtlApplyRXact
- api | ntdll: RtlApplicationVerifierStop
- api | ntdll: RtlAppendUnicodeToString
- api | ntdll: RtlAppendUnicodeStringToString
- api | ntdll: RtlAppendStringToString
- api | ntdll: RtlAppendPathElement
- api | ntdll: RtlAppendAsciizToString
- api | ntdll: RtlAnsiStringToUnicodeString
- api | ntdll: RtlAnsiStringToUnicodeSize
- api | ntdll: RtlAnsiCharToUnicodeChar
- api | ntdll: RtlAllocateMemoryZone
- api | ntdll: RtlAllocateMemoryBlockLookaside
- api | ntdll: RtlAllocateHeap
- api | ntdll: RtlAllocateHandle
- api | ntdll: RtlAllocateAndInitializeSid
- api | ntdll: RtlAllocateActivationContextStack
- api | ntdll: RtlAdjustPrivilege
- api | ntdll: RtlAddressInSectionTable
- api | ntdll: RtlAddVectoredExceptionHandler
- api | ntdll: RtlAddVectoredContinueHandler
- api | ntdll: RtlAddSIDToBoundaryDescriptor
- api | ntdll: RtlAddRefMemoryStream
- api | ntdll: RtlAddRefActivationContext
- api | ntdll: RtlAddMandatoryAce
- api | ntdll: RtlAddIntegrityLabelToBoundaryDescriptor
- api | ntdll: RtlAddCompoundAce
- api | ntdll: RtlAddAuditAccessObjectAce
- api | ntdll: RtlAddAuditAccessAceEx
- api | ntdll: RtlAddAuditAccessAce
- api | ntdll: RtlAddAttributeActionToRXact
- api | ntdll: RtlAddAtomToAtomTable
- api | ntdll: RtlAddActionToRXact
- api | ntdll: RtlAddAce
- api | ntdll: RtlAddAccessDeniedObjectAce
- api | ntdll: RtlAddAccessDeniedAceEx
- api | ntdll: RtlAddAccessDeniedAce
- api | ntdll: RtlAddAccessAllowedObjectAce
- api | ntdll: RtlAddAccessAllowedAceEx

- api | ntdll: RtlAddAccessAllowedAce
- api | ntdll: RtlActivateActivationContextUnsafeFast
- api | ntdll: RtlActivateActivationContextEx
- api | ntdll: RtlActivateActivationContext
- api | ntdll: RtlAcquireSRWLockShared
- api | ntdll: RtlAcquireSRWLockExclusive
- api | ntdll: RtlAcquireResourceShared
- api | ntdll: RtlAcquireResourceExclusive
- api | ntdll: RtlAcquireReleaseSRWLockExclusive
- api | ntdll: RtlAcquirePrivilege
- api | ntdll: RtlAcquirePebLock
- api | ntdll: RtlAbsoluteToSelfRelativeSD
- api | ntdll: RtlAbortRXact
- api | ntdll: PfxRemovePrefix
- api | ntdll: PfxInsertPrefix
- api | ntdll: PfxInitialize
- api | ntdll: PfxFindPrefix
- api | ntdll: NtdllDialogWndProc_W
- api | ntdll: NtdllDialogWndProc_A
- api | ntdll: NtdllDefWindowProc_W
- api | ntdll: NtdllDefWindowProc_A
- api | ntdll: NtYieldExecution
- api | ntdll: NtWriteRequestData
- api | ntdll: NtWriteFileGather
- api | ntdll: NtWriteFile
- api | ntdll: NtWorkerFactoryWorkerReady
- api | ntdll: NtWaitLowEventPair
- api | ntdll: NtWaitHighEventPair
- api | ntdll: NtWaitForWorkViaWorkerFactory
- api | ntdll: NtWaitForSingleObject
- api | ntdll: NtWaitForMultipleObjects32
- api | ntdll: NtWaitForMultipleObjects
- api | ntdll: NtWaitForKeyedEvent
- api | ntdll: NtWaitForDebugEvent
- api | ntdll: NtUnmapViewOfSection
- api | ntdll: NtUnlockVirtualMemory
- api | ntdll: NtUnlockFile
- api | ntdll: NtUnloadKeyEx
- api | ntdll: NtUnloadKey2
- api | ntdll: NtUnloadKey
- api | ntdll: NtUnloadDriver
- api | ntdll: NtUmsThreadYield
- api | ntdll: NtTranslateFilePath
- api | ntdll: NtTraceEvent
- api | ntdll: NtTraceControl
- api | ntdll: NtThawTransactions
- api | ntdll: NtThawRegistry
- api | ntdll: NtTestAlert
- api | ntdll: NtTerminateThread
- api | ntdll: NtTerminateProcess
- api | ntdll: NtTerminateJobObject
- api | ntdll: NtSystemDebugControl
- api | ntdll: NtSuspendThread
- api | ntdll: NtSuspendProcess
- api | ntdll: NtStopProfile
- api | ntdll: NtStartProfile
- api | ntdll: NtSinglePhaseReject

- api | ntdll: NtSignalAndWaitForSingleObject
- api | ntdll: NtShutdownWorkerFactory
- api | ntdll: NtShutdownSystem
- api | ntdll: NtSetVolumeInformationFile
- api | ntdll: NtSetValueKey
- api | ntdll: NtSetUuidSeed
- api | ntdll: NtSetTimerResolution
- api | ntdll: NtSetTimerEx
- api | ntdll: NtSetTimer
- api | ntdll: NtSetThreadExecutionState
- api | ntdll: NtSetSystemTime
- api | ntdll: NtSetSystemPowerState
- api | ntdll: NtSetSystemInformation
- api | ntdll: NtSetSystemEnvironmentValueEx
- api | ntdll: NtSetSystemEnvironmentValue
- api | ntdll: NtSetSecurityObject
- api | ntdll: NtSetQuotaInformationFile
- api | ntdll: NtSetLowWaitHighEventPair
- api | ntdll: NtSetLowEventPair
- api | ntdll: NtSetLdtEntries
- api | ntdll: NtSetIoCompletionEx
- api | ntdll: NtSetIoCompletion
- api | ntdll: NtSetIntervalProfile
- api | ntdll: NtSetInformationWorkerFactory
- api | ntdll: NtSetInformationTransactionManager
- api | ntdll: NtSetInformationTransaction
- api | ntdll: NtSetInformationToken
- api | ntdll: NtSetInformationThread
- api | ntdll: NtSetInformationResourceManager
- api | ntdll: NtSetInformationObject
- api | ntdll: NtSetInformationKey
- api | ntdll: NtSetInformationJobObject
- api | ntdll: NtSetInformationFile
- api | ntdll: NtSetInformationEnlistment
- api | ntdll: NtSetInformationDebugObject
- api | ntdll: NtSetHighWaitLowEventPair
- api | ntdll: NtSetHighEventPair
- api | ntdll: NtSetEventBoostPriority
- api | ntdll: NtSetEvent
- api | ntdll: NtSetEaFile
- api | ntdll: NtSetDriverEntryOrder
- api | ntdll: NtSetDefaultUILanguage
- api | ntdll: NtSetDefaultLocale
- api | ntdll: NtSetDefaultHardErrorPort
- api | ntdll: NtSetDebugFilterState
- api | ntdll: NtSetContextThread
- api | ntdll: NtSetBootOptions
- api | ntdll: NtSetBootEntryOrder
- api | ntdll: NtSerializeBoot
- api | ntdll: NtSecureConnectPort
- api | ntdll: NtSaveMergedKeys
- api | ntdll: NtSaveKeyEx
- api | ntdll: NtSaveKey
- api | ntdll: NtRollforwardTransactionManager
- api | ntdll: NtRollbackTransaction
- api | ntdll: NtRollbackEnlistment
- api | ntdll: NtRollbackComplete

- api | ntdll: NtResumeProcess
- api | ntdll: NtRestoreKey
- api | ntdll: NtResetWriteWatch
- api | ntdll: NtResetEvent
- api | ntdll: NtRequestWaitReplyPort
- api | ntdll: NtRequestPort
- api | ntdll: NtReplyWaitReplyPort
- api | ntdll: NtReplyWaitReceivePortEx
- api | ntdll: NtReplyWaitReceivePort
- api | ntdll: NtReplyPort
- api | ntdll: NtReplacePartitionUnit
- api | ntdll: NtReplaceKey
- api | ntdll: NtRenameTransactionManager
- api | ntdll: NtRenameKey
- api | ntdll: NtRemoveProcessDebug
- api | ntdll: NtRemoveIoCompletionEx
- api | ntdll: NtRemoveIoCompletion
- api | ntdll: NtReleaseWorkerFactoryWorker
- api | ntdll: NtReleaseSemaphore
- api | ntdll: NtReleaseMutant
- api | ntdll: NtReleaseKeyedEvent
- api | ntdll: NtRegisterThreadTerminatePort
- api | ntdll: NtRegisterProtocolAddressInformation
- api | ntdll: NtRecoverTransactionManager
- api | ntdll: NtRecoverResourceManager
- api | ntdll: NtRecoverEnlistment
- api | ntdll: NtReadVirtualMemory
- api | ntdll: NtReadRequestData
- api | ntdll: NtReadOnlyEnlistment
- api | ntdll: NtReadFileScatter
- api | ntdll: NtReadFile
- api | ntdll: NtRaiseHardError
- api | ntdll: NtRaiseException
- api | ntdll: NtQueueApcThreadEx
- api | ntdll: NtQueryVolumeInformationFile
- api | ntdll: NtQueryVirtualMemory
- api | ntdll: NtQueryValueKey
- api | ntdll: NtQueryTimerResolution
- api | ntdll: NtQueryTimer
- api | ntdll: NtQuerySystemTime
- api | ntdll: NtQuerySystemInformationEx
- api | ntdll: NtQuerySystemEnvironmentValueEx
- api | ntdll: NtQuerySystemEnvironmentValue
- api | ntdll: NtQuerySymbolicLinkObject
- api | ntdll: NtQuerySemaphore
- api | ntdll: NtQuerySecurityObject
- api | ntdll: NtQuerySecurityAttributesToken
- api | ntdll: NtQuerySection
- api | ntdll: NtQueryQuotaInformationFile
- api | ntdll: NtQueryPortInformationProcess
- api | ntdll: NtQueryPerformanceCounter
- api | ntdll: NtQueryOpenSubKeysEx
- api | ntdll: NtQueryOpenSubKeys
- api | ntdll: NtQueryObject
- api | ntdll: NtQueryMutant
- api | ntdll: NtQueryMultipleValueKey
- api | ntdll: NtQueryLicenseValue

- api | ntdll: NtQueryKey
- api | ntdll: NtQueryIoCompletion
- api | ntdll: NtQueryIntervalProfile
- api | ntdll: NtQueryInstallUILanguage
- api | ntdll: NtQueryInformationWorkerFactory
- api | ntdll: NtQueryInformationTransactionManager
- api | ntdll: NtQueryInformationTransaction
- api | ntdll: NtQueryInformationToken
- api | ntdll: NtQueryInformationThread
- api | ntdll: NtQueryInformationResourceManager
- api | ntdll: NtQueryInformationPort
- api | ntdll: NtQueryInformationJobObject
- api | ntdll: NtQueryInformationFile
- api | ntdll: NtQueryInformationEnlistment
- api | ntdll: NtQueryInformationAtom
- api | ntdll: NtQueryFullAttributesFile
- api | ntdll: NtQueryEvent
- api | ntdll: NtQueryEaFile
- api | ntdll: NtQueryDriverEntryOrder
- api | ntdll: NtQueryDirectoryObject
- api | ntdll: NtQueryDefaultUILanguage
- api | ntdll: NtQueryDefaultLocale
- api | ntdll: NtQueryDebugFilterState
- api | ntdll: NtQueryBootOptions
- api | ntdll: NtQueryBootEntryOrder
- api | ntdll: NtQueryAttributesFile
- api | ntdll: NtPulseEvent
- api | ntdll: NtProtectVirtualMemory
- api | ntdll: NtPropagationFailed
- api | ntdll: NtPropagationComplete
- api | ntdll: NtPrivilegedServiceAuditAlarm
- api | ntdll: NtPrivilegeObjectAuditAlarm
- api | ntdll: NtPrivilegeCheck
- api | ntdll: NtPrepareEnlistment
- api | ntdll: NtPrepareComplete
- api | ntdll: NtPrePrepareEnlistment
- api | ntdll: NtPrePrepareComplete
- api | ntdll: NtPowerInformation
- api | ntdll: NtPlugPlayControl
- api | ntdll: NtOpenTransactionManager
- api | ntdll: NtOpenTransaction
- api | ntdll: NtOpenTimer
- api | ntdll: NtOpenThreadTokenEx
- api | ntdll: NtOpenThreadToken
- api | ntdll: NtOpenThread
- api | ntdll: NtOpenSymbolicLinkObject
- api | ntdll: NtOpenSession
- api | ntdll: NtOpenSemaphore
- api | ntdll: NtOpenSection
- api | ntdll: NtOpenResourceManager
- api | ntdll: NtOpenProcessTokenEx
- api | ntdll: NtOpenProcessToken
- api | ntdll: NtOpenPrivateNamespace
- api | ntdll: NtOpenObjectAuditAlarm
- api | ntdll: NtOpenMutant
- api | ntdll: NtOpenKeyedEvent
- api | ntdll: NtOpenKeyTransactedEx

- api | ntdll: NtOpenKeyTransacted
- api | ntdll: NtOpenKeyEx
- api | ntdll: NtOpenKey
- api | ntdll: NtOpenJobObject
- api | ntdll: NtOpenIoCompletion
- api | ntdll: NtOpenFile
- api | ntdll: NtOpenEventPair
- api | ntdll: NtOpenEvent
- api | ntdll: NtOpenEnlistment
- api | ntdll: NtOpenDirectoryObject
- api | ntdll: NtNotifyChangeSession
- api | ntdll: NtNotifyChangeMultipleKeys
- api | ntdll: NtNotifyChangeKey
- api | ntdll: NtNotifyChangeDirectoryFile
- api | ntdll: NtModifyDriverEntry
- api | ntdll: NtModifyBootEntry
- api | ntdll: NtMapViewOfSection
- api | ntdll: NtMapUserPhysicalPagesScatter
- api | ntdll: NtMapUserPhysicalPages
- api | ntdll: NtMapCMFModule
- api | ntdll: NtMakeTemporaryObject
- api | ntdll: NtMakePermanentObject
- api | ntdll: NtLockVirtualMemory
- api | ntdll: NtLockRegistryKey
- api | ntdll: NtLockProductActivationKeys
- api | ntdll: NtLockFile
- api | ntdll: NtLoadKeyEx
- api | ntdll: NtLoadKey2
- api | ntdll: NtLoadKey
- api | ntdll: NtListenPort
- api | ntdll: NtIsUILanguageComitted
- api | ntdll: NtIsSystemResumeAutomatic
- api | ntdll: NtIsProcessInJob
- api | ntdll: NtInitiatePowerAction
- api | ntdll: NtInitializeRegistry
- api | ntdll: NtInitializeNlsFiles
- api | ntdll: NtImpersonateThread
- api | ntdll: NtImpersonateClientOfPort
- api | ntdll: NtImpersonateAnonymousToken
- api | ntdll: NtGetWriteWatch
- api | ntdll: NtGetTickCount
- api | ntdll: NtGetNotificationResourceManager
- api | ntdll: NtGetNlsSectionPtr
- api | ntdll: NtGetNextThread
- api | ntdll: NtGetNextProcess
- api | ntdll: NtGetMUIRegistryInfo
- api | ntdll: NtGetDevicePowerState
- api | ntdll: NtGetCurrentProcessorNumber
- api | ntdll: NtGetContextThread
- api | ntdll: NtFsControlFile
- api | ntdll: NtFreezeTransactions
- api | ntdll: NtFreezeRegistry
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: NtFreeUserPhysicalPages
- api | ntdll: NtFlushWriteBuffer
- api | ntdll: NtFlushVirtualMemory
- api | ntdll: NtFlushProcessWriteBuffers

- api | ntdll: NtFlushKey
- api | ntdll: NtFlushInstructionCache
- api | ntdll: NtFlushInstallUILanguage
- api | ntdll: NtFlushBuffersFile
- api | ntdll: NtFindAtom
- api | ntdll: NtFilterToken
- api | ntdll: NtExtendSection
- api | ntdll: NtEnumerateTransactionObject
- api | ntdll: NtEnumerateSystemEnvironmentValuesEx
- api | ntdll: NtEnumerateKey
- api | ntdll: NtEnumerateDriverEntries
- api | ntdll: NtEnumerateBootEntries
- api | ntdll: NtEnableLastKnownGood
- api | ntdll: NtDuplicateToken
- api | ntdll: NtDrawText
- api | ntdll: NtDisplayString
- api | ntdll: NtDisableLastKnownGood
- api | ntdll: NtDeleteValueKey
- api | ntdll: NtDeletePrivateNamespace
- api | ntdll: NtDeleteObjectAuditAlarm
- api | ntdll: NtDeleteKey
- api | ntdll: NtDeleteFile
- api | ntdll: NtDeleteDriverEntry
- api | ntdll: NtDeleteBootEntry
- api | ntdll: NtDeleteAtom
- api | ntdll: NtDelayExecution
- api | ntdll: NtDebugContinue
- api | ntdll: NtDebugActiveProcess
- api | ntdll: NtCurrentTeb
- api | ntdll: NtCreateWorkerFactory
- api | ntdll: NtCreateWaitablePort
- api | ntdll: NtCreateTransactionManager
- api | ntdll: NtCreateTransaction
- api | ntdll: NtCreateToken
- api | ntdll: NtCreateTimer
- api | ntdll: NtCreateThreadEx
- api | ntdll: NtCreateSymbolicLinkObject
- api | ntdll: NtCreateSemaphore
- api | ntdll: NtCreateSection
- api | ntdll: NtCreateResourceManager
- api | ntdll: NtCreateProfileEx
- api | ntdll: NtCreateProfile
- api | ntdll: NtCreateProcessEx
- api | ntdll: NtCreateProcess
- api | ntdll: NtCreatePrivateNamespace
- api | ntdll: NtCreatePort
- api | ntdll: NtCreatePagingFile
- api | ntdll: NtCreateNamedPipeFile
- api | ntdll: NtCreateMutant
- api | ntdll: NtCreateMailslotFile
- api | ntdll: NtCreateKeyedEvent
- api | ntdll: NtCreateKeyTransacted
- api | ntdll: NtCreateKey
- api | ntdll: NtCreateJobSet
- api | ntdll: NtCreateJobObject
- api | ntdll: NtCreateIoCompletion
- api | ntdll: NtCreateEventPair

- api | ntdll: NtCreateEvent
- api | ntdll: NtCreateEnlistment
- api | ntdll: NtCreateDirectoryObject
- api | ntdll: NtCreateDebugObject
- api | ntdll: NtContinue
- api | ntdll: NtConnectPort
- api | ntdll: NtCompressKey
- api | ntdll: NtCompleteConnectPort
- api | ntdll: NtCompareTokens
- api | ntdll: NtCompactKeys
- api | ntdll: NtCommitTransaction
- api | ntdll: NtCommitEnlistment
- api | ntdll: NtCommitComplete
- api | ntdll: NtCloseObjectAuditAlarm
- api | ntdll: NtClose
- api | ntdll: NtClearEvent
- api | ntdll: NtCancelTimer
- api | ntdll: NtCancelSynchronousIoFile
- api | ntdll: NtCancelIoFileEx
- api | ntdll: NtCancelIoFile
- api | ntdll: NtCallbackReturn
- api | ntdll: NtAssignProcessToJobObject
- api | ntdll: NtAreMappedFilesTheSame
- api | ntdll: NtApphelpCacheControl
- api | ntdll: NtAlpcSetInformation
- api | ntdll: NtAlpcSendWaitReceivePort
- api | ntdll: NtAlpcRevokeSecurityContext
- api | ntdll: NtAlpcQueryInformationMessage
- api | ntdll: NtAlpcQueryInformation
- api | ntdll: NtAlpcOpenSenderThread
- api | ntdll: NtAlpcOpenSenderProcess
- api | ntdll: NtAlpcImpersonateClientOfPort
- api | ntdll: NtAlpcDisconnectPort
- api | ntdll: NtAlpcDeleteSecurityContext
- api | ntdll: NtAlpcDeleteSectionView
- api | ntdll: NtAlpcDeleteResourceReserve
- api | ntdll: NtAlpcDeletePortSection
- api | ntdll: NtAlpcCreateSecurityContext
- api | ntdll: NtAlpcCreateSectionView
- api | ntdll: NtAlpcCreateResourceReserve
- api | ntdll: NtAlpcCreatePortSection
- api | ntdll: NtAlpcCreatePort
- api | ntdll: NtAlpcConnectPort
- api | ntdll: NtAlpcCancelMessage
- api | ntdll: NtAlpcAcceptConnectPort
- api | ntdll: NtAllocateVirtualMemory
- api | ntdll: NtAllocateUuids
- api | ntdll: NtAllocateUserPhysicalPages
- api | ntdll: NtAllocateReserveObject
- api | ntdll: NtAllocateLocallyUniqueId
- api | ntdll: NtAlertThread
- api | ntdll: NtAlertResumeThread
- api | ntdll: NtAdjustPrivilegesToken
- api | ntdll: NtAdjustGroupsToken
- api | ntdll: NtAddDriverEntry
- api | ntdll: NtAddBootEntry
- api | ntdll: NtAddAtom

- api | ntdll: NtAccessCheckByTypeResultListAndAuditAlarmByHandle
- api | ntdll: NtAccessCheckByTypeResultListAndAuditAlarm
- api | ntdll: NtAccessCheckByTypeResultList
- api | ntdll: NtAccessCheckByTypeAndAuditAlarm
- api | ntdll: NtAccessCheckByType
- api | ntdll: NtAccessCheckAndAuditAlarm
- api | ntdll: NtAccessCheck
- api | ntdll: NtAcceptConnectPort
- api | ntdll: NlsMbOemCodePageTag
- api | ntdll: NlsMbCodePageTag
- api | ntdll: NlsAnsiCodePage
- api | advapi32: MD5Update
- api | advapi32: MD5Init
- api | advapi32: MD5Final
- api | advapi32: MD4Update
- api | advapi32: MD4Init
- api | advapi32: MD4Final
- api | ntdll: LdrpResGetResourceDirectory
- api | ntdll: LdrpResGetMappingSize
- api | ntdll: LdrVerifyImageMatchesChecksumEx
- api | ntdll: LdrVerifyImageMatchesChecksum
- api | ntdll: LdrUnregisterDllNotification
- api | ntdll: LdrUnlockLoaderLock
- api | ntdll: LdrUnloadDll
- api | ntdll: LdrUnloadAlternateResourceModuleEx
- api | ntdll: LdrUnloadAlternateResourceModule
- api | ntdll: LdrShutdownThread
- api | ntdll: LdrShutdownProcess
- api | ntdll: LdrSetMUICacheType
- api | ntdll: LdrSetDllManifestProber
- api | ntdll: LdrSetAppCompatDllRedirectionCallback
- api | ntdll: LdrRscIsTypeExist
- api | ntdll: LdrResSearchResource
- api | ntdll: LdrResRelease
- api | ntdll: LdrResGetRCConfig
- api | ntdll: LdrResFindResourceDirectory
- api | ntdll: LdrResFindResource
- api | ntdll: LdrRemoveLoadAsDataTable
- api | ntdll: LdrRegisterDllNotification
- api | ntdll: LdrQueryProcessModuleInformation
- api | ntdll: LdrQueryModuleServiceTags
- api | ntdll: LdrQueryImageFileKeyOption
- api | ntdll: LdrQueryImageFileExecutionOptionsEx
- api | ntdll: LdrQueryImageFileExecutionOptions
- api | ntdll: LdrProcessRelocationBlock
- api | ntdll: LdrOpenImageFileOptionsKey
- api | ntdll: LdrLockLoaderLock
- api | ntdll: LdrLoadAlternateResourceModuleEx
- api | ntdll: LdrLoadAlternateResourceModule
- api | ntdll: LdrInitializeThunk
- api | ntdll: LdrInitShimEngineDynamic
- api | ntdll: LdrGetProcedureAddressEx
- api | ntdll: LdrGetProcedureAddress
- api | ntdll: LdrGetFileNameFromLoadAsDataTable
- api | ntdll: LdrGetFailureData
- api | ntdll: LdrGetDllHandleEx
- api | ntdll: LdrGetDllHandleByName

- api | ntdll: LdrGetDllHandleByMapping
- api | ntdll: LdrGetDllHandle
- api | ntdll: LdrFlushAlternateResourceModules
- api | ntdll: LdrFindResource_U
- api | ntdll: LdrFindResourceEx_U
- api | ntdll: LdrFindResourceDirectory_U
- api | ntdll: LdrFindEntryForAddress
- api | ntdll: LdrEnumerateLoadedModules
- api | ntdll: LdrEnumResources
- api | ntdll: LdrDisableThreadCalloutsForDll
- api | ntdll: LdrAddRefDll
- api | ntdll: LdrAddLoadAsDataTable
- api | ntdll: LdrAccessResource
- api | ntdll: KiUserExceptionDispatcher
- api | ntdll: KiUserCallbackDispatcher
- api | ntdll: KiUserApcDispatcher
- api | ntdll: KiRaiseUserExceptionDispatcher
- api | ntdll: KiIntSystemCall
- api | ntdll: KiFastSystemCallRet
- api | ntdll: KiFastSystemCall
- api | ntdll: ExpInterlockedPopEntrySListResume
- api | ntdll: ExpInterlockedPopEntrySListFault
- api | ntdll: ExpInterlockedPopEntrySListEnd
- api | ntdll: EvtIntReportEventAndSourceAsync
- api | ntdll: EvtIntReportAuthzEventAndSourceAsync
- api | ntdll: EtwpGetCpuSpeed
- api | ntdll: EtwpCreateEtwThread
- api | ntdll: EtwWriteUMSecurityEvent
- api | ntdll: EtwUnregisterTraceGuids
- api | ntdll: EtwTraceMessageVa
- api | ntdll: EtwTraceMessage
- api | ntdll: EtwTraceEventInstance
- api | ntdll: EtwSetMark
- api | ntdll: EtwSendNotification
- api | ntdll: EtwReplyNotification
- api | ntdll: EtwRegisterTraceGuidsW
- api | ntdll: EtwRegisterTraceGuidsA
- api | ntdll: EtwRegisterSecurityProvider
- api | ntdll: EtwProcessPrivateLoggerRequest
- api | ntdll: EtwNotificationUnregister
- api | ntdll: EtwNotificationRegister
- api | ntdll: EtwLogTraceEvent
- api | ntdll: EtwGetTraceLoggerHandle
- api | ntdll: EtwGetTraceEnableLevel
- api | ntdll: EtwGetTraceEnableFlags
- api | ntdll: EtwEventWriteTransfer
- api | ntdll: EtwEventWriteString
- api | ntdll: EtwEventWriteStartScenario
- api | ntdll: EtwEventWriteNoRegistration
- api | ntdll: EtwEventWriteFull
- api | ntdll: EtwEventWriteEx
- api | ntdll: EtwEventWriteEndScenario
- api | ntdll: EtwEventWrite
- api | ntdll: EtwEventUnregister
- api | ntdll: EtwEventRegister
- api | ntdll: EtwEventProviderEnabled
- api | ntdll: EtwEventEnabled

- api | ntdll: EtwEventActivityIdControl
- api | ntdll: EtwEnumerateProcessRegGuids
- api | ntdll: EtwDeliverDataBlock
- api | ntdll: EtwCreateTraceInstanceId
- api | ntdll: DbgUserBreakPoint
- api | ntdll: DbgUiWaitStateChange
- api | ntdll: DbgUiStopDebugging
- api | ntdll: DbgUiSetThreadDebugObject
- api | ntdll: DbgUiRemoteBreakin
- api | ntdll: DbgUiIssueRemoteBreakin
- api | ntdll: DbgUiGetThreadDebugObject
- api | ntdll: DbgUiDebugActiveProcess
- api | ntdll: DbgUiConvertStateChangeStructure
- api | ntdll: DbgUiContinue
- api | ntdll: DbgUiConnectToDbg
- api | ntdll: DbgSetDebugFilterState
- api | ntdll: DbgQueryDebugFilterState
- api | ntdll: DbgPrompt
- api | ntdll: DbgPrintReturnControlC
- api | ntdll: DbgPrintEx
- api | ntdll: DbgPrint
- api | ntdll: DbgBreakPoint
- api | ntdll: CsrVerifyRegion
- api | ntdll: CsrSetPriorityClass
- api | ntdll: CsrIdentifyAlertableThread
- api | ntdll: CsrGetProcessId
- api | ntdll: CsrFreeCaptureBuffer
- api | ntdll: CsrClientConnectToServer
- api | ntdll: CsrClientCallServer
- api | ntdll: CsrCaptureTimeout
- api | ntdll: CsrCaptureMessageString
- api | ntdll: CsrCaptureMessageMultiUnicodeStringsInPlace
- api | ntdll: CsrCaptureMessageBuffer
- api | ntdll: CsrAllocateMessagePointer
- api | ntdll: CsrAllocateCaptureBuffer
- api | ntdll: AlpcUnregisterCompletionListWorkerThread
- api | ntdll: AlpcUnregisterCompletionList
- api | ntdll: AlpcRundownCompletionList
- api | ntdll: AlpcRegisterCompletionListWorkerThread
- api | ntdll: AlpcRegisterCompletionList
- api | ntdll: AlpcMaxAllowedMessageLength
- api | ntdll: AlpcInitializeMessageAttribute
- api | ntdll: AlpcGetOutstandingCompletionListMessageCount
- api | ntdll: AlpcGetMessageFromCompletionList
- api | ntdll: AlpcGetMessageAttribute
- api | ntdll: AlpcGetHeaderSize
- api | ntdll: AlpcGetCompletionListMessageAttributes
- api | ntdll: AlpcGetCompletionListLastMessageInformation
- api | ntdll: AlpcFreeCompletionListMessage
- api | ntdll: AlpcAdjustCompletionListConcurrencyCount
- api | advapi32: A_SHAUpdate
- api | advapi32: A_SHAInit
- api | advapi32: A_SHAFinal
- api | ntdll: TpCallbackIndependent
- api | ntdll: TpIsTimerSet
- api | ntdll: TpSetTimer
- api | ntdll: TpCallbackMayRunLong

- api | ntdll: TpAllocWait
- api | ntdll: TpSetPoolMinThreads
- api | ntdll: TpSetPoolMaxThreads
- api | ntdll: TpPostWork
- api | ntdll: TpCallbackUnloadDllOnCompletion
- api | ntdll: TpReleaseCleanupGroup

• Module 1 other strings

- Control Panel\\Desktop\\LanguageConfiguration
- Control Panel\\Desktop\\MuiCached\\MachineLanguageConfiguration
- Type
- WindowsExcludedProcs
- Kernel-MUI-Number-Allowed
- Kernel-MUI-Language-Allowed
- Kernel-MUI-Language-Disallowed
- Kernel-MUI-Language-SKU
- DefaultFallback
- AlternateCodePage
- MachineUILock
- ProductType
- WinNt
- LanmanNt
- ServerNt
- en-US
- \\SystemRoot\\Globalization\\
- LocaleName
- Control Panel\\International
- %02X-%02X-%02X-%02X-%02X-%02X
- %u.%u.%u.%u
- %%%u
-]:%u
- ::%hs%u.%u.%u.%u
- ::ffff:0:%u.%u.%u.%u
- X:%u.%u.%u.%u
- System Volume Information
- \\SystemRoot\\bootstat.dat
- \\SmApiPort
- pGlobalTags
- MachineLanguageConfiguration
- InstallLanguageFallback
- Control Panel\\Desktop
- PreferredUILanguagesPending
- LanguageConfigurationPending
- LanguageConfiguration
- PreferredUILanguages
- Control Panel\\Desktop\\MuiCached
- MachinePreferredUILanguages
- TimeZoneInformation
- S-1-
- RXACT
- LdrpResSearchResourceHandle Enter
- LdrpResSearchResourceHandle Exit
- LdrpResSearchResourceMappedFile Enter
- LdrpResSearchResourceMappedFile Exit
- LdrResFallbackLangList Enter

- LdrResFallbackLangList Exit
- RtlpResUltimateFallbackInfo Enter
- LdrpResSearchResourceInsideDirectory Enter
- LdrpResSearchResourceInsideDirectory Exit
- LdrpResMapFile Enter
- LdrpResMapFile Exit
- LdrpResValidateFilePath Enter
- LdrpResValidateFilePath Exit
- UseFilter
- FilterFullPath
- eMUI
- .mui
- Type:
- Name:
- Language:
- Item:
- ASqmManifestVersion
- ASqmManifest_%x
- CEIPEnable
- CEIPSampledIn
- RacSampleNumber
- CEIPSamplingRangeLow
- CEIPSamplingRangeHigh
- WSqmConsLastRunTime
- AdaptiveSqmNameSpaceBoundary
- GlobalSession
- MachineThrottling
- svchost.exe
- WinShipAssert
- WindowsMessageReportingB1
- VS_VERSION_INFO
- DisableEscalation
- WMRSendMessageString
- \\WindowsErrorReportingServicePort
- \\KernelObjects\\SystemErrorPortReady
- VerifierFlags
- HandleTraces
- VerifierDebug
- VerifierDlls
- \\SystemRoot
- \\System32\\
- \\REGISTRY\\USER\\
- verifier.dll
- Objects>%4u
- Objects=%4u
- .Local
- BreakOnDllLoad
- OptionValue
- TransparentEnabled
- ADVAPI32.DLL
- StackTraceDatabaseSizeInMb
- ForwarderTag
- ServiceTag
- LocalAtom
- Temporary
- SE Temporary
- TLS Storage

- Current Directory
- LDR Database
- !Process
- DebugProcessHeapOnly
- DisableExceptionChainValidation
- DisableHeapLookaside
- ShutdownFlags
- MinimumStackCommitInBytes
- GlobalFlag
- MaxDeadActivationContexts
- UnloadEventTraceDepth
- TracingFlags
- DisableUserModeCallbackFilter
- CWDIllegalInDLLSearch
- SPPsvc.exe
- PageHeapFlags
- kernel32.dll
- kernelbase.dll
- LargePageDLLs
- ShowRecursiveDllLoads
- BreakOnRecursiveDllLoads
- BreakOnInitializeProcessFailure
- KeepActivationContextsAlive
- TrackActivationContextReleases
- _NO_DEBUG_HEAP
- PCATESTDEPRECATION.DLL
- NULL
- ExecuteOptions
- Execute=1
- \\DllNXOptions
- CsrSrvSharedSectionBase
- \\Sessions\\%ld\\Windows\\SharedSection
- CAPTURE
- SharedSection
- ApiPort
- ~MSCOREE.DLL
- COMPLUS_InstallRoot
- ~Kernel-ProductInfo
- DaylightStart
- DaylightBias
- DaylightName
- StandardStart
- StandardBias
- StandardName
- Bias
- \\Registry\\Machine\\HARDWARE\\DESCRIPTION\\System\\CentralProcessor
- \\Registry\\Machine\\Hardware\\DeviceMap
- }\\Registry\\User\\.Default
- FirstEntry
- LastEntry
- Time Zones\\
- AITEnable
- %s\\%s%04d
- \\Registry\\Machine\\
- Heap %p - headers modified (%p is %lx
- This is located in the %s field of the heap header.
- Heap error detected at %p (heap handle %p)

- heap_failure_internal
- heap_failure_unknown
- heap_failure_generic
- heap_failure_entry_corruption
- heap_failure_multiple_entries_corruption
- heap_failure_virtual_block_corruption
- heap_failure_buffer_overrun
- heap_failure_buffer_underrun
- heap_failure_block_not_busy
- heap_failure_invalid_argument
- heap_failure_usage_after_free
- heap_failure_cross_heap_operation
- heap_failure_freelists_corruption
- heap_failure_listentry_corruption
- Error code: %d - %s
- Parameter1: %p
- Parameter2: %p
- Parameter3: %p
- Last known valid blocks: before - %p, after - %p
- Stack trace available at %p
- Critical error detected %lx
- Unrecognized
- HOTP_ID_PeDebugSignature
- HOTP_ID_PeHeaderHash2
- HOTP_ID_PeHeaderHash1
- HOTP_ID_None
- PE header hash ID comparsion failure (PE2)
- Failed to normalize PE header for validation
- Header too large (%u>%u) for copy/normalize/validate
- No hooks defined in hotpatch
- Inserting %u hooks into target image
- Invalid hotpatch hook array pointer
- Invalid hotpatch base address
- Invalid target base address
- Invalid hotpatch hook pointer
- Hotpatch loaded > 2GB from target image
- Invalid hook type specified
- Unsupported template type
- Invalid hotpatch relative address
- %08I64X: jmp %08X (PC+%08X) {
- %02X
- Invalid hotpatch validation pointer in hook record
- Hook type not yet implemented
- Skipping hook-specific validation range during global validation
- Validation failed for global range %u of %u
- Invalid hotpatch validation array pointer
- Validation failure. Source = %p, Target = %p, Size = %x
- Invalid target validation range
- Invalid source hotpatch validation range
- (no change)
- %08I64X: VA64 %016I64X -> %016I64X %s
- %08I64X: PC32 %08X -> %08X (target %p) %s
- %08I64X: VA32 %08X -> %08X %s
- (padding)
- None%s
- %08I64X: Unknown
- Invalid fixup information

- .hotp1
- *** RtlpMuiRegLoadLicInformation failed with status %x
- Trace database: failing attempt to save biiiiig trace (size %u)
- Trace database: failed to release segment %p
- *** Unhandled exception 0x%08lx, hit in %ws:%s
- *** A stack buffer overrun occurred in %ws:%s
- This is usually the result of a memory copy to a local buffer or structure where the size is not properly calculated/checked.
- If this bug ends up in the shipping product, it could be a severe security hole.
- The stack trace should show the guilty function (the function directly above __report_gsfailure).
- *** Resource timeout (%p) in %ws:%s
- The resource is owned exclusively by thread %x
- The resource is owned shared by %d threads
- The resource is unowned. This usually implies a slow-moving machine due to memory pressure
- *** Critical Section Timeout (%p) in %ws:%s
- The critical section is owned by thread %x.
- Go determine why that thread has not released the critical section.
- The critical section is unowned. This usually implies a slow-moving machine due to memory pressure
- *** Inpage error in %ws:%s
- The instruction at %p referenced memory at %p.
- This failed because of error %x.
- This means that the I/O device reported an I/O error. Check your hardware.
- This means the data could not be read, typically because of a bad block on the disk. Check your hardware.
- This means the machine is out of memory. Use !vm to see where all the memory is being used.
- *** An Access Violation occurred in %ws:%s
- write to
- read from
- The instruction at %p tried to %s
- an invalid address, %p
- a NULL pointer
- *** enter .exr %p for the exception record
- *** then kb to get the faulting stack
- *** Restarting wait on critsec or resource at %p (in %ws:%s)
- Leaked Block 0x%p size 0x%p (stack %p depth %u)
- RTL: Edit ntos\\rtl\\generr.c to correct the problem
- RTL: ERROR_MR_MID_NOT_FOUND is being returned
- %02X-%02X-%02X-%02X-%02X-%02X
- %u.%u.%u.%u
- %%%u
-]:%u
- ::%hs%u.%u.%u.%u
- ::ffff:0:%u.%u.%u.%u
- :%u.%u.%u.%u
- %ld leaks detected.
- No leaks detected.
- busy
- virtual
- UCR
- free
- extra
- fill
- user_flag
- Conflicting descriptors %08lx
- Unable to allocate page descriptor
- Error
- Not enough memory to complete
- Unable to release memory at %p for %p bytes - Status == %x
- Invalid heap signature for heap at %x

- , passed to %s
- *** Source File: %s, line %ld
- *** Assertion failed: %s%s
- Break repeatedly, break Once, Ignore, terminate Process, or terminate Thread (boipt)?
- !(Flags & ~HEAP_CREATE_VALID_MASK)
- ((LONG)FreeEntry->Size > 1)
- (LONG)FreeEntry->Size > 1
- (!TrailingUCR)
- (HeapHandle != NULL)
- RtlpHeapFreeVirtualMemory failed %lx for heap %p (base %p, size %x)
- Heap block at %p modified at %p past requested size of %lx
- ((FreeBlock->Flags & HEAP_ENTRY_DECOMMITTED) || (ROUND_UP_TO_POWER2(FreeBlock, PAGE_SIZE) == (ULONG_PTR)FreeBlock))
- ROUND_UP_TO_POWER2(FreeBlock, PAGE_SIZE) == (ULONG_PTR)FreeBlock
- (UCRBlock->Size >= *Size)
- HEAP[%wZ]:
- HEAP:
- HEAP: Free Heap block %lx modified at %lx after it was freed
- LdrpLoadResourceFromAlternativeModule
- 'LDR: %s(), invalid image format of MUI file
- RtlGetAssemblyStorageRoot
- SXS: RtlGetAssemblyStorageRoot() unable to get activation context data, storage map and assembly roster header. Status = 0x%08lx
- SXS: %s() bad parameters AssemblyRosterIndex 0x%lx >= AssemblyRosterHeader->EntryCount: 0x%lx
- SXS: RtlGetAssemblyStorageRoot() unable to resolve storage map entry. Status = 0x%08lx
- SXS: AssemblyStorageRoot: %p
- SXS: AssemblyRosterIndex: 0x%lx
- SXS: %s() bad parameters:
- SXS: Assembly directory name stored in assembly information too long (%lu bytes) - ACTIVATION_CONTEXT_DATA at %p
- SXS: Attempt to probe known root of assembly storage ("%wZ") failed; Status = 0x%08lx
- SXS: Attempt to insert well known storage root into assembly storage map assembly roster index %lu failed; Status = 0x%08lx
- SXS: Unable to resolve storage root for assembly directory %wZ in %lu tries
- SXS: Attempt to probe assembly storage root %wZ for assembly directory %wZ failed with status = 0x%08lx
- SXS: Storage resolution failed to insert entry to storage map; Status = 0x%08lx
- RtlpResolveAssemblyStorageMapEntry
- SXS: AssemblyRosterIndex: 0x%lx
- SXS: %s() bad parameters
- RtlpGetActivationContextDataStorageMapAndRosterHeader
- SXS: %s() passed the empty activation context
- SXS: ActivationContextData: %p
- SXS: %s() bad parameters:
- SXS: Assembly storage resolution failing probe because combined path length does not fit in an UNICODE_STRING.
- SXS: Assembly storage resolution failing probe because attempt to allocate %u bytes failed.
- SXS: Attempt to translate DOS path name "%S" to NT format failed
- SXS: Unable to open assembly directory under storage root "%S"; Status = 0x%08lx
- RtlpProbeAssemblyStorageRootForAssembly
- SXS: OpenDirectoryHandle: %p
- SXS: PreAllocatedString: %p
- SXS: %s() bad parameters
- RtlpInsertAssemblyStorageMapEntry
- SXS: OpenDirectoryHandle : %p
- SXS: StorageLocation->Buffer: %p
- SXS: StorageLocation->Length: 0x%x
- SXS: StorageLocation : %p
- SXS: %s() bad parameters
- RtlpInitializeAssemblyStorageMap
- SXS: %s() bad parameters:
- SXS: Unable to enumerate assembly storage subkey #%lu Status = 0x%08lx
- SXS: Attempt to get storage location from subkey %wZ failed; Status = 0x%08lx

- SXS: Unable to open registry key %wZ Status = 0x%08lx
- SXS: Unable to open storage root subkey %wZ; Status = 0x%08lx
- SXS: Unabel to query location from storage root subkey %wZ; Status = 0x%08lx
- SXS: Assembly storage root location value type is not REG_SZ
- SXS: Assembly storage root location value has non-even size
- SXS: Assembly storage root location for %wZ does not fit in a UNICODE STRING
- RtlpLocateActivationContextSection() found section at %p (length %lu) which is not a string section
- SXS: %s() - Caller passed invalid flags (0x%08lx)
- SXS: %s() - Caller passed meaningless flags/class combination (0x%08lx/0x%08lx)
- SXS: %s() - caller asked for unknown information class %lu
- SXS: %s() - caller passed nonzero buffer length but NULL buffer pointer
- SXS: %s() - caller supplied no buffer to populate and no place to return required byte count
- SXS: %s() - Caller asked to use activation context from address in .dll but passed NULL
- SXS: %s() - Caller asked to use activation context from hmodule but passed NULL
- SXS: %s() - Caller passed invalid hmodule (%p)
- SXS: %s() - caller asked to use active activation context but passed %p
- SXS: %s() - internal coding error; missing switch statement branch for InfoClass == %lu
- RtlpQueryRunLevel
- SXS: %s() found activation context data at %p with wrong format
- RtlpQueryFilesInAssemblyInformationActivationContextDetailedInformation
- SXS: %s() received invalid file index (%d) in Assembly (%d)
- RtlpQueryAssemblyInformationActivationContextDetailedInformation
- SXS: %s() received invalid sub-instance index %lu out of %lu Assemblies in the Acitvation Context
- RtlpQueryInformationActivationContextDetailedInformation
- SXS: %s() found activation context data at %p with assembly roster that has no root
- RtlpQueryInformationActivationContextBasicInformation
- SXS: %s() received invalid non-zero sub-instance index %lu
- RtlpCrackActivationContextStringSectionHeader
- SXS: %s() passed string section at %p only %lu bytes long; that's not even enough for the 4-byte magic and 4-byte header length!
- Expected %lu; got %lu
- SXS: %s() found assembly information section with wrong magic value
- SXS: %s() passed string section at %p claims %lu byte header size; that doesn't even include the HeaderSize member!
- Required: %lu
- HeaderSize: %lu
- SXS: %s() passed string section at %p with too small of a header
- ElementListOffset: %lu
- Header Size: %lu
- Section header: %p
- SXS: %s() found assembly information section with element list overlapping section header
- SearchStructureOffset: %lu
- Header Size: %lu
- Section header: %p
- SXS: %s() found assembly information section with search structure overlapping section header
- User Data Offset: %lu
- Header Size: %lu
- Section header: %p
- SXS: %s() found assembly information section with user data overlapping section header
- UserDataSize: %lu; needed: %lu
- Section header: %p
- SXS: %s() found assembly information section with user data too small
- Section size: %lu
- UserDataOffset: %lu
- UserDataSize: %lu
- Section header: %p
- SXS: %s() found assembly information section with user data extending beyond section data
- SXS/RTL: Extended TOC offset (%ld) is outside bounds of activation context data (%lu bytes)
- SXS/RTL: Extended TOC entry array (starting at offset %ld; count = %lu; entry size = %u) is outside bounds of activation context data (%lu bytes)

- SXS/RTL: Extended TOC section TOC %d (offset: %ld, size: %u) is outside activation context data bounds (%lu bytes)
- SXS/RTL: TOC entry array (offset: %ld; count = %lu; entry size = %u) is outside bounds of activation context data (%lu bytes)
- SXS/RTL: Section found (offset %ld; length %lu) extends past end of activation context data (%lu bytes)
- SXS/RTL: Activation context data at %p too small; TotalSize = %lu; HeaderSize = %lu
- RtlpFindUnicodeStringInSection: Unsupported hash algorithm %lu found in string section.
- SXS: String hash collision chain offset at %p (= %ld) out of bounds
- Header = %p; Index = %lu; Bucket = %p; Chain = %p
- SXS: String hash table entry at %p has invalid key offset (= %ld)
- RtlpFindActivationContextSection_CheckParameters
- SXS: %s() flags contains return_flags but they don't fit in size, return invalid_parameter 0x%08lx.
- SXS: %s() flags contains return_assembly_metadata but they don't fit in size, return invalid_parameter 0x%08lx.
- SXS: %s() Active frame is not the frame being deactivated %p != %p
- SXS: %s() called with invalid flags 0x%08lx
- SXS: %s() called with invalid cookie type 0x%08I64x
- SXS: %s() called with invalid cookie tid 0x%08I64x - should be %08lx
- SXS: %s() passed the empty activation context data
- SXS: Activation context data at %p has TOC header too small (%lu)
- SXS: Activation context data at %p has invalid TOC entry array offset
- SXS: Activation context data at %p has invalid TOC header offset
- SXS: Activation context data at %p has assembly roster header too small (%lu)
- SXS: Activation context data at %p has invalid assembly roster offset
- SXS: Warning: Activation context data at %p lacks assembly roster
- SXS: Warning: Activation context data at %p missing default TOC
- Status != STATUS_SXS_SECTION_NOT_FOUND
- sxsisol_SearchActCtxForDllName
- [%x.%x] SXS: %s - Relative redirection plus env var expansion.
- !(askd.Flags & ACTIVATION_CONTEXT_SECTION_KEYED_DATA_FLAG_FOUND_IN_SYSTEM_DEFAULT)
- Status != STATUS_NOT_FOUND
- Internal error check failed
- (This->PrivateDynamicallyAllocatedString == NULL) || (This->PrivateDynamicallyAllocatedString->Buffer == NULL)
- rUS.Length <= This->PrivatePreallocatedString->MaximumLength
- AVRF: %ws: pid 0x%X: flags 0x%X: application verifier enabled
- AVRF: %ws: pid 0x%X: application verifier will be disabled due to an initialization error.
- AVRF: -*- final list of providers -*-
- AVRF: AVrfDllUnloadNotification called for a provider (%p)
- AVRF: skipped resnapping provider %ws ...
- AVRF: pid 0x%X: found dll descriptor for `%ws' with verified exports
- AVRF: verifier dll `%ws'
- AVRF: %ws: failed to load provider `%ws' (status %08X) from %ws
- AVRF: provider %ws is not a DLL image
- AVRF: cannot find an entry point for provider %ws
- AVRF: provider %ws passed an invalid descriptor @ %p
- AVRF: initialized provider %ws (descriptor @ %p)
- AVRF: provider %ws did not initialize correctly
- AVRF: exception raised in provider %ws initialization routine
- AVRF: exception raised while probing provider %ws
- VERIFIER STOP %p: pid 0x%X: %s
- AVRF: Failed to find verifier.dll among loaded providers!
- VerifierStopMessage
- AVRF: Failed to find `VerifierStopMessage()' export in verifier.dll!
- AVRF: failed to enable handle checking (status %X)
- AVRF: Unable to unprotect IAT to modify thunks (status %08X).
- AVRF: internal error: New thunk for %s is null.
- AVRF: chain: searching in %ws
- AVRF: Found duplicate for (%ws: %s) in %ws
- AVRF: provider %ws
- AVRF: provider %ws was not found in the initialization list

- User32 init not called
- Initialization stack trace. Use dps to dump it if non-NULL.
- Critical section debug info address
- Critical section address
- undeleted critical section in freed memory
- Address of the debug info found in the active list.
- Invalid debug info address of this critical section
- corrupted critical section
- Second initialization stack trace. Use dps to dump it if non-NULL.
- First initialization stack trace. Use dps to dump it if non-NULL.
- Critical section address.
- double initialized or corrupted critical section
- Thread identifier
- Thread is in a state in which it cannot own a critical section
- RTL: Enter Critical Section Timeout (%I64u secs) %d
- RTL: Pid.Tid %x.%x, owner tid %x Critical Section %p - ContentionCount == %lu
- Resource @ %lx
- NumberOfWaitingShared = %lx
- NumberOfWaitingExclusive = %lx
- NumberOfActive = %lx
- RTL: Acquire Exclusive Sem Timeout %d (%I64u secs)
- RTL: Acquire Shared Sem Timeout %d(%I64u secs)
- RTL: Resource at %p
- RTL: Re-Waiting
- Exception record: .exr %p
- Function %s raised exception 0x%08lx
- LdrpGenericExceptionFilter
- ***Exception thrown within loader***
- Break repeatedly, break Once, Ignore, terminate Process or terminate Thread (boipt)?
- Execute '.cxr %p' to dump context
- DLL "%wZ" has TLS information at %p
- LdrpInitializeTls
- LdrpHandleTlsData
- LdrpAllocateTlsEntry
- LdrpCallTlsInitializers
- LdrpAllocateTls
- Probing for the manifest of DLL "%wZ" failed with status 0x%08lx
- LdrpProcessStaticImports
- Querying the active activation context failed with status 0x%08lx
- LdrpHandleOneOldFormatImportDescriptor
- Loading "%ws" from the import table of DLL "%wZ" failed with status 0x%08lx
- Snapping the imports from DLL "%wZ" to DLL "%wZ" failed with status 0x%08lx
- LdrpHandleOneNewFormatImportDescriptor
- Loading "%ws" from the bound import table of DLL "%wZ" failed with status 0x%08lx
- Recording a static link from DLL "%wZ" to DLL "%wZ" failed with status 0x%08lx
- DLL "%wZ" is bound via forwarders to "%s"
- Recording a static forwarder link from DLL "%wZ" to DLL "%wZ" failed with status 0x%08lx
- Snapping the invalid bindings from DLL "%wZ" to DLL "%wZ" failed with status 0x%08lx
- DLL "%wZ" does not contain an export table
- LdrpSnapIAT
- LdrpFixupIATForRelocatedImport
- Pinning
- Dereferencing
- Referencing
- %s loaded DLL "%wZ" (new reference count: 0x%lx)
- LdrpUpdateLoadCount2
- Hint index 0x%lx for procedure "%s" in DLL "%s" is invalid

- Unknown
- Ordinal 0x%lx could not be located in DLL "%s"
- Procedure "%s" could not be located in DLL "%s"
- Calling the Windows subsystem post-import routine %p failed with status 0x%08lx
- LdrpRunInitializeRoutines
- Calling init routine %p for DLL "%wZ"
- Init routine %p for DLL "%wZ" failed during DLL_PROCESS_ATTACH
- LdrpLoadImportModule
- Loading DLL %wZ from path %wZ failed with status 0x%08lx
- _LdrpInitialize
- Delaying execution failed with status 0x%08lx
- Initializing the execution options for the process %lx failed with status 0x%08lx
- LdrpInitializeProcess
- Initializing process 0x%lx
- Stack trace database size is %ld Mb
- Creating the process heap failed
- Querying the known DLL directory link object failed with status 0x%08lx
- Opening the known DLL directory link object failed with status 0x%08lx
- Allocating a buffer to hold the current working directory failed
- Allocating a data table entry for the executable failed
- Allocating a data table entry for the system DLL failed
- Current directory: %wZ
- Beginning execution of %wZ (%wZ)
- Initializing the current directory to "%wZ" failed with status 0x%08lx
- Allocating a data table entry for the application verifier DLL failed
- Initializing TLS slots failed with status 0x%08lx
- Locating procedure "%Z" in Windows subsystem DLL "%wZ" failed with status 0x%08lx
- Walking the import tables of the executable and its static imports failed with status 0x%08lx
- Loading Windows subsystem DLL "%wZ" failed with status 0x%08lx
- Running the init routines of the executable's static imports failed with status 0x%08lx
- Initializing the app verifier package failed with status 0x%08lx
- LdrpInitializeExecutionOptions
- Initializing the application verifier package failed with status 0x%08lx
- Loading the shim engine DLL "%wZ" failed with status 0x%08lx
- LdrpLoadShimEngine
- The init routine for the shim engine DLL "%wZ" failed
- SE_InstallBeforeInit
- SE_InstallAfterInit
- SE_DllLoaded
- SE_DllUnloaded
- SE_LdrEntryRemoved
- SE_GetProcAddressLoad
- SE_ProcessDying
- Could not locate procedure "%s" in the shim engine DLL
- LdrpGetShimEngineInterface
- LdrpTouchThreadStack
- Per-DLL page heap is disabled since fast fill heap is enabled
- LdrpInitializeApplicationVerifierPackage
- Process 0x%x (%wZ) exiting
- Could not locate the init routine for the shim engine DLL
- LdrpRunShimEngineInitRoutine
- Exception record: .exr %p
- Process initialization raised exception 0x%08lx
- LdrpInitializeProcessWrapperFilter
- Process initialization failed with status 0x%08lx
- LdrpInitializationFailure
- BoG_ *90.0&!! Yy>

- stxt371
- LdrpFindLoadedDll
- LdrpSearchPath
- LdrpRelocateImage
- Querying large page info failed with status 0x%08lx
- LdrpProtectAndRelocateImage
- Changing the protection of the executable at %p failed with status 0x%08lx
- LdrpMapViewOfSection
- LdrpResolveDllName
- LdrpResolveFileName
- Could not validate the crypto signature for DLL %wZ
- Locating procedure "%Z" by name
- Loading procedure 0x%lx by ordinal
- LdrpUnloadDll
- Uninitializing DLL "%wZ" (Init routine: %p)
- LdrReadMemory
- SxS redirection of DLL %wZ failed with status 0x%08lx
- Status: 0x%08lx
- %04x:%04x @ %08d - %s - %s:
- CLIENT(ntdll): Found CheckAppHelp = %d for %wZ in ImageFileExecutionOptions
- CLIENT(ntdll): Found ExecuteOptions = %ws for %wZ in application compatibility database
- CLIENT(ntdll): Found Execute=1, turning off execution protection for the process because of %wZ
- CLIENT(ntdll): Processing %ws for patching section protection for %wZ
- CLIENT(ntdll): Processing section info %ws...
- CLIENT(ntdll): Tyring to fix protection for %ws section in %wZ module to 0x%X
- Set 0x%X protection for %p section for %d bytes, old protection 0x%X
- .aspack
- .pcle
- .sforce
- .txt2
- u#SW
- ^_[3
- ^[_3
- SVW3
- ZwGetPlugPlayEvent
- TpPoolFreeUnusedNodes
- TpDbgGetFreeInfo
- RtlEnlargedUnsignedDivide
- RtlConvertUiListToApiList
- NtGetPlugPlayEvent
- LdrHotPatchRoutine
- EtwpNotificationThread
- t&:a
- |!=2
- |%=2
- <$t6f
- WVU3
- WVS3
- 0;1t|
- AAf9
- PL#U
- HU8K
- TppCallbackMayRunLongProlog
- TppAlpcpCallbackEpilog
- TppAlpcpExecuteCallback
- A ;U
- TppCleanupGroupMemberAddCallback

- TppCleanupGroupMemberCompleteCallbacks
- TppTimerpUpdate
- TppTimerpExecuteCallback
- TppWaitComplete
- TppWaitpExecuteCallback
- F`@u
- F` u
- t.h0
- f9~:
- @0Wj
- t2SV
- 9_Lt
- @0VS
- VW8]
- 9CLt
- OTf3N
- Pj0h
- TpUnreserveTaskPost
- @0VS
- NL#E
- FU8E
- @0Vj
- @0VS
- QQSV3
- 9_^[]
- AACCN
- t69E
- tuf
- 3GXu}
- H;1r
- @0Sj
- }'=4
- _f90t
- 8Actx
- SVW3
- AcMg
- 8_^[
- Atom
- hAtmT
- f9;t/
- 8Atomu
- KTf3
- 0^_[
- t49X
- tpW3
- f9H@
- f9H8
- ,VW3
- `SVW3
- TpBindFileToDirect
- j0Xf
- u,9]
- j0[Sj
- TppTimerpValidateTimer
- C@9M
- @0SV
- TppWaiterAllocWaitSlot

- TppWaiterEnqueueTransition
- TppWaitpValidateWait
- u2_[
- f9~8u
- f9~8u
- H8If
- t#9M
- j0Xf
- 700PP
- 0PW
- PHS3
- @f9}
- u0WjD3
- 8M u9!H,
- AAFFf;
- AAOu
- 8;^0
- <09W8
- WVj0
- 9If9
- <*u&
- t%f9p
- j8hP
- _CorExeMain
- _CorImageUnloading
- _CorValidateImage
- ^09O
- WSj0P
- @0Vj
- u\t;~
- 8_[]
- 9u$w
- @0;p
- 8SVWj
- 9sLt
- hAtmA
- f9H8
- t%9E
- j8X3
- Xj6f
- t39X|t.9
- jDX3
- 3Fx#
- TpBindAlpcToDirect
- FFJu
- t$f9
- VW9]
- \\rij\\
- O,j@X
- f9~:
- pP96
- f9x:
- @0VS
- H8Af
- ArBf
- tK9}
- SVWt2

- VjeY3
- uT9u
- AAf;
- j\tX9E
- SVW3
- f3FT
- t\t3GP
- t\t3GP
- t\t9]
- @0SV
- r\t;E
- u/;]
- @0VS
- TppAlpcpValidateAlpc
- TppTimerpDequeueTimer
- TppCleanupGroupMemberRelease
- ar f
- ar#f
- u=9]
- r\t;E
- $0<
- SVWUj
- UVWS
- L$,3
- 7_^;
- <a}i]
- u&F;
- 9A t\t9]
- 9A tU
- |\t9}
- TppIopValidateIo
- @0VS
- tSW3
- TppSimplepFree
- TppSimplepExecuteCallback
- @0Vh(
- @0Vj
- TppCleanupGroupMemberWait
- 8Y(uv
- @0Vj
- TppWaiterpWaitTimerExpired
- up9E
- E(SV
- |L8]
- tn8]
- uDWj
- u+9]
- |\t9}
- @@Nu
- @0Sj
- @0Wj
- @0SV
- w];E
- t\t;E
- IGG;
- |9WV
- teh(

- v$+u
- s4WS
- VjeY3
- @0Sj
- @0Vj
- l$|3
- l$x3
- l$t3
- l$p3
- l$l3
- l$h3
- l$|3
- l$d3
- l$x3
- l$`3
- l$t3
- l$\\3
- l$p3
- l$X3
- l$l3
- l$T3
- l$|3
- l$h3
- l$P3
- l$x3
- l$d3
- l$L3
- l$t3
- l$`3
- l$H3
- l$p3
- l$\\3
- l$D3
- l$l3
- l$X3
- l$@3
- l$h3
- l$T3
- l$<3
- l$d3
- l$P3
- l$83
- l$`3
- l$L3
- l$43
- l$\\3
- l$H3
- l$03
- l$X3
- l$D3
- l$,3
- l$T3
- l$@3
- l$(3
- l$P3
- l$<3
- l$$3

- l$L3
- l$83
- l$ 3
- l$H3
- l$43
- l$D3
- l$03
- l$@3
- l$,3
- l$<3
- l$(3
- l$83
- l$$3
- l$43
- l$ 3
- VWSU
- VWSU
- ineI
- ntel
- Genu
- PSQR3
- 7S95d
- @0SQj
- j Y9
- @LvT2
- AA;M
- WVj0
- <*u%
- <*u+
- t-9]
- t29]
- t79]
- 4x+}
- u\t9E
- u\t;M
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- H8Af
- f9H8
- FF;u
- Ju7d
- JVWt7JuId
- TppWorkpExecuteCallback
- TppWorkpValidateWork
- j,h0
- @0Vj
- u\t9E
- jAXf;
- u\t9]
- t,;E
- @0j8S
- @WuXd
- lSV3
- 9~Lt
- 9sLt
- @0VS
- A:hH
- @SVW3

- @0Wj
- tc9u
- j@h0+
- @@Nu
- uG9}
- j@X9E
- TppTimerpDestroyTimerQueueQueue
- FALSE
- ~_9}
- TppIopCallbackEpilog
- t$9}
- SVW3
- 4A+E
- ~_9]
- QPh0
- +o*7
- MGiI
- 9a&g;
- i]Wb
- HU8M
- 96t#
- 8^,tf9]
- 0_^[]
- tz9\tuR
- 8@@f;
- E(9E
- 9],t
- _9]$
- f9](t\t9]0
- 9],t\t9]4
- v\t9]
- tzh2
- f90t
- |4SW
- @0Vj
- QQSW3
- TppCleanupGrouppFree
- SVW3
- AABB
- 8@@f;
- _^9]
- Pj0j
- @0VS
- 8SsHd
- N8;H$
- F4^]
- @0Vj
- TppWaitpStopCallbackGeneration
- Gf99r
- tx9]
- QQS3
- QSV3
- u\t9M
- @@AA
- wPtU
- 0f;u
- @0j$R

- Wj\t3
- 9sLts
- t.9]
- @0VS
- @0VS
- @0VW
- 98u;C;]
- @0VS
- PSSj0
- uOVW
- If90t
- CsrCallServerFromServer
- ShD3|
- Ph<3|
- AABBf
- j Y9
- <Of;=
- @0Wj
- w?9E
- ||9]
- tp9u
- tu9u
- @0Vj
- WWWh8
- @0WV
- SVW3
- @0WS
- @0Qj
- @0Vj
- @0Vj
- @0VW
- @.reloc
- `.data
- .text
- !This program cannot be run in DOS mode.
- .nlp
- %%%u!%s!
- ntdll.dll
- \\??\\
- tSR -
- \\WinSxS\\
- %d.%d.%d.%d
- "/\\[]:|<>+=;,?*
- .DLL
- DBGSS Client
- CSRSS Client
- NTDLL!
- \\KnownDlls
- KnownDllPath
- D3DRM.DLL
- MSVCP50.DLL
- MSVBVM50.DLL
- CSRPORT!
- ijklmnopqrstuvwxyz{|}~
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefgh
- H
- h((((H

- ~\\??\\UNC\\
- %ws\\%u
- ~MHz
- \\Dynamic DST
- (((((H
- (null)
- csrsrv.dll
- |\\\\?\\UNC\\
- \\\\?\\UNC
- jjjj
- SYSTEM
- *** enter .cxr %p for the context
- ffff:
- %p %p %p %8lx %p
- Entry User Heap Size Req.Size Flags
- ----------
- (UCRBlock != NULL)
- ((PHEAP_ENTRY)LastKnownEntry <= Entry)
- SXS: Callback : %p
- SXS: Flags : 0x%lx
- SXS: Map->AssemblyCount : 0x%lx
- SXS: Data : %p
- SXS: Map : %p
- SXS: AssemblyStorageMap : %p
- SXS: Peb : %p
- SXS: Flags : 0x%lx
- SXS: StringUsed: %p
- SXS: DynamicString: %p
- SXS: AssemblyDirectory: %p
- SXS: Root: %p
- SXS: Flags: 0x%lx
- SXS: Map->AssemblyCount : 0x%lx
- SXS: AssemblyRosterIndex : 0x%lx
- SXS: Map : %p
- SXS: EntryCount : 0x%lx
- SXS: Map : 0x%lx
- SXS: %s() - Caller passed invalid address, not in any .dll (%p)
- This != NULL
- AVRF: resnapping %ws ...
- ==========
- %p : %s
- %p : %s
- %p : %s
- %p : %s
- ==========
- AVRF: warning: did not find `%s' export in %ws .
- AVRF: (%ws) %s export found.
- AVRF: Snapped (%ws: %s) with (%ws: %p).
- AVRF: Checking %ws for duplicate (%ws: %s)
- AVRF: Chaining (%ws: %s) to %ws
- AVRF: chain: dll: %ws
- AVRF: chain: thunk: %s == %s ?
- NTDLL: Calling thread (%X) not owner of CritSect: %p Owner ThreadId: %X
- Context record: .cxr %p
- Calling TLS callback %p for DLL "%wZ" at %p
- TlsVector %p Index %d : %d bytes copied from %p to %p
- DLL "%wZ" imports "%s"

- DLL "%wZ" is bound to "%s"
- LdrpSnapThunk
- DLL name: %s DLL path: %wZ
- DLL name %wZ was redirected to %wZ by SxS.
- Search path: %wZ
- Context record: .cxr %p
- LdrpFindOrMapDll
- DLL name: %ws
- DLL name: %wZ
- LdrpFindKnownDll
- DLL name: %wZ DLL path: %wZ
- LdrpLoadDll
- DLL %wZ was redirected to %wZ by SxS
- Loading DLL %wZ from path %wZ
- Unmapping DLL "%wZ"
- DLL name: %wZ DLL path: %ws
- DLL name %wZ was redirected to %wZ by SxS
- Locating DLL %wZ in path %wZ
- secserv.dll
- .txt
- <$tN
- <$tPf
- ntdll.dll
- [_^]
- N+t$
- <$tTf
- PPPPPPPP
- PPPPPPPP
- PPPPPPPP
- v\tN+D$
- v\tN+D$
- <$tPf
- GGBBf
- BBFF
- [_^]
- Sj Z;
- _^[]
- ^[_]
- _^[]
- _^[]
- _^[]
- t`SVW
- Qj\tP
- _^[]
- _^[]
- @_^[
- _^[]
- SSSSS
- QQSVd
- ^[_]
- Pj"V
- PPPj
- SPVW
- PQQS
- ;GsHd
- ?GsHd
- F@Sj

- jPhh*
- VWj%
- _^[]
- jHhH*
- PPPPPP
- QSSPW
- j\\Zf
- @Ph"
- QQSVW
- Pj@j
- QSVW
- Pj"j
- t-9y|v(
- WWVj
- _^[]
-
- RQPWj
- _^[]
- _^[]
- j%[VW
- >Flst
- PSVW
- Flst
- >Flst
- SSh`
- QQSVW3
- j\\Yf;
- j.Xf
- j,Xf
- j.Xf
- j SP
- SVWh
- H$_^
- SSSSj
- SVh}
- F@PS
- F PW
- jLh(
- PSVW
- G@VP
- _^[]
- tVWVj
- QPhk
- j<hH
- _^[]
- ;H$t
- WRPh
- RPSW
- PPPPP
- j+Yf
- PPPPP
- xppwpp
- ```hh`
- FFCC
- ^_[]
- t,h$
- SSSSS

- WVj
- <ItO<ht?<lt
- SSSSS
- SSSSS
- _^[f
- j<Yj<[
- QSVW
- r\t;X
- PShxW~
- PShpW~
- PShhW~
- h@W~
- PSSj
- PWWWWW
- tbSW
- [_^]
- VRVW
- [_^]
- Xj.f
- Xj,f
- t\t+M
- VW;]
- ^_[]
- ^_[]
- @s<f
- HSVj8Xj:f
- SVWjBXf
- vTVS
- _^[]
- _^[]
- j=Xf
- [_^]
- SsHd;
- _[^]
- @t^j
- PQSV
- Y_^[
- WLt\t3WP
- PWVSSj
- QSVW
- _^[]
- @_^[
- VVVh
- $VWh
- _@^]
- UQPXY]Y[
- ;t$,v-
-]_^[
- _^[]
- SVWj
- [_^]
- URPQQh
- t#j@Y
- SVWt*
- _^[]
- _^[]
- PSSS

- ~$_^]
- v4;~,s=
- GhSP
- j,h(
- _^[]
- FTh<
- !t(f
- j%Xf
- QS@P
- PPPS
- _^[]
- jLXjNf
- jPh@)
- _^[t
- PjHV
- PPPS
- _^[]
- @@BBf;
- _^[]
- ^$Sh
- SVW<
- PSSj
- PSSj
- PSSj
- j@Yf
- j@Yf
- |/SVW
- PWVj
- PWVj
- _^[]
- |CVWj+Y
- j$[j
- SWjpP
- |'h@
- $$SV
- _^[]
- WWWh
- |/SVW
-][_^
-][_^
- ZY[X
- PWWWh
- Jt*J
- _^[]
- N@QR
- |/SVW
- RPSW
- PSVW
- t =`
- QPht
- RPSW
- PPPPP
- t$HHt
- VVVVV
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- PSVW
- jhhp&

- s,;q$
- s,;r$
- QSVW
- t\t;Fp
- SVWh
- xtZf
- PSSj
- PWj#j
- QSVW
- j:Xf
- j=Xf
- PSSh|
- Pj%j
- @@f;
- @@f;
- _^[]
- _^[]
- PSVW
- _^[]
- _^[]
- #.zf
- wn>Jj
- Qkkbal
- n;^
- _^[]
- t=;H
- _^[]
- F$WV
- G@VP
- Pjph
- <P.tmB;
- tFj X
- N,^]
- H$_[
- _^[]
- sP;^
- SSRP
- @@f;
- SSSP
- Pj)j
- jXhP
- $ <
- HtLHtmH
- _^[]
- QPPP
- QQVW
- |Ij*SS
- QZ^&
- _^[]
- j`h`"
- VhPp
- th!}
- WSSS
- @@f;
- FFGG
- PSWj
- H_^]

- _^[]
- H QP
- s$jzZ
- @@f;
- >WVR
- jL^jHj
- SVWf
- j\\Xf
- j:Xf
- j:Xf
- j=Xf
- j:Xf
- j=Xf
- j\\Xf
- j:Xf
- jhhp
- @$VV
- <qf;}
- j\\Yf
- PSSj
- H +H,
- Wjx_W
- w WPV
- @^[]
- @^[]
- @^[]
- j\\Xf
- _^[]
- VVVVV
- SVhp1|
- PSSj
- WHt,H
- PVWj
- PSSS
- PSSS
- TSVj
- QPPP
- PSSS
- |/SVW
- SVWj\tY
- [_^]
- ;yDs`
- @_^[
- @^_]
- .rsrc
- /nRich

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000001b9dab00180000001b9daa005b0000000978930003000000000001007700000001b9daf00020000001b9d9e001a0000001b9d9d00

• Module 2 yara matches

- **Module 2 strings**

  - **Module 2 most interesting strings**

    - url | valid domains | tlds: j.kW%9
    - url | valid domains | tlds: t.Sj
    - path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
    - api | frequently used by malware: GetTimeZoneInformation
    - api | frequently used by malware: ExitProcess
    - api | frequently used by malware: IsDebuggerPresent
    - api | frequently used by malware: CreateThread
    - api | frequently used by malware: ExitThread
    - api | frequently used by malware: GetProcAddress
    - api | frequently used by malware: Sleep
    - api | frequently used by malware: WideCharToMultiByte
    - api | frequently used by malware: WriteFile
    - api | frequently used by malware: GetTickCount
    - api | frequently used by malware: QueryPerformanceCounter
    - api | frequently used by malware: MapViewOfFile
    - api | frequently used by malware: bind on a busy prepared statement: [%s]
    - api | frequently used by malware: GetTickCount
    - api | frequently used by malware: MapViewOfFile
    - api | frequently used by malware: QueryPerformanceCounter
    - api | frequently used by malware: Sleep
    - api | frequently used by malware: WideCharToMultiByte
    - api | frequently used by malware: WriteFile
    - api | frequently used by malware: GetNativeSystemInfo
    - api | frequently used by malware: bind or column index out of range
    - api | ws2_32: sub-select returns %d columns - expected %d
    - api | kernel32: SetEnvironmentVariableA
    - api | kernel32: CompareStringW
    - api | kernel32: GetStringTypeW
    - api | kernel32: LCMapStringW
    - api | kernel32: RtlUnwind
    - api | kernel32: IsValidCodePage
    - api | kernel32: GetOEMCP
    - api | kernel32: GetACP
    - api | kernel32: GetCPInfo
    - api | kernel32: IsProcessorFeaturePresent
    - api | kernel32: InterlockedDecrement
    - api | kernel32: SetLastError
    - api | kernel32: InterlockedIncrement
    - api | kernel32: TlsFree
    - api | kernel32: TlsSetValue
    - api | kernel32: TlsGetValue
    - api | kernel32: TlsAlloc
    - api | kernel32: GetFileType
    - api | kernel32: InitializeCriticalSectionAndSpinCount
    - api | kernel32: SetHandleCount
    - api | kernel32: GetEnvironmentStringsW
    - api | kernel32: FreeEnvironmentStringsW
    - api | kernel32: GetModuleFileNameW
    - api | kernel32: GetStdHandle
    - api | kernel32: GetModuleHandleW
    - api | kernel32: SetUnhandledExceptionFilter

- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: DecodePointer
- api | kernel32: EncodePointer
- api | kernel32: InterlockedExchange
- api | kernel32: GetStartupInfoW
- api | kernel32: HeapSetInformation
- api | kernel32: GetCommandLineW
- api | kernel32: DeleteFileA
- api | kernel32: AreFileApisANSI
- api | kernel32: GetSystemTime
- api | kernel32: LocalFree
- api | kernel32: GetTempPathA
- api | kernel32: GetCurrentProcessId
- api | kernel32: DeleteFileW
- api | kernel32: CloseHandle
- api | kernel32: GetVersionExA
- api | kernel32: OutputDebugStringA
- api | kernel32: GetCurrentThreadId
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetSystemInfo
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: CreateFileMappingW
- api | kernel32: CreateFileMappingA
- api | kernel32: LoadLibraryA
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: EnterCriticalSection
- api | kernel32: LockFileEx
- api | kernel32: HeapSize
- api | kernel32: GetLastError
- api | kernel32: GetTempPathW
- api | kernel32: FlushFileBuffers
- api | kernel32: MultiByteToWideChar
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: GetFileAttributesW
- api | kernel32: HeapValidate
- api | kernel32: HeapCreate
- api | kernel32: GetFileAttributesA
- api | kernel32: LeaveCriticalSection
- api | kernel32: HeapDestroy
- api | kernel32: GetVersionExW
- api | kernel32: FormatMessageW
- api | kernel32: LoadLibraryW
- api | kernel32: InitializeCriticalSection
- api | kernel32: FormatMessageA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetProcessHeap
- api | kernel32: UnlockFileEx
- api | kernel32: OutputDebugStringW
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: LockFile
- api | kernel32: FlushViewOfFile
- api | kernel32: UnlockFile
- api | kernel32: InterlockedCompareExchange

- api | kernel32: WaitForSingleObject
- api | kernel32: HeapFree
- api | kernel32: SystemTimeToFileTime
- api | kernel32: HeapAlloc
- api | kernel32: FreeLibrary
- api | kernel32: SetEndOfFile
- api | kernel32: UnmapViewOfFile
- api | kernel32: TryEnterCriticalSection
- api | kernel32: SetFilePointer
- api | kernel32: HeapCompact
- api | kernel32: CreateMutexW
- api | kernel32: GetFileSize
- api | kernel32: CreateFileA
- api | kernel32: HeapReAlloc
- api | kernel32: GetFullPathNameA
- api | kernel32: GetFullPathNameW
- api | kernel32: AreFileApisANSI
- api | user32: CharLowerW
- api | user32: CharUpperW
- api | kernel32: CloseHandle
- api | kernel32: CreateFileA
- api | kernel32: CreateFileW
- api | kernel32: CreateFileMappingA
- api | kernel32: CreateFileMappingW
- api | kernel32: CreateMutexW
- api | kernel32: DeleteFileA
- api | kernel32: DeleteFileW
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FlushFileBuffers
- api | kernel32: FormatMessageA
- api | kernel32: FormatMessageW
- api | kernel32: FreeLibrary
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetFileAttributesA
- api | kernel32: GetFileAttributesW
- api | kernel32: GetFileAttributesExW
- api | kernel32: GetFileSize
- api | kernel32: GetFullPathNameA
- api | kernel32: GetFullPathNameW
- api | kernel32: GetLastError
- api | kernel32: GetSystemInfo
- api | kernel32: GetSystemTime
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetTempPathA
- api | kernel32: GetTempPathW
- api | kernel32: GetVersionExA
- api | kernel32: GetVersionExW
- api | kernel32: HeapAlloc
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: HeapFree
- api | kernel32: HeapReAlloc
- api | kernel32: HeapSize
- api | kernel32: HeapValidate

- api | kernel32: HeapCompact
- api | kernel32: LoadLibraryA
- api | kernel32: LoadLibraryW
- api | kernel32: LocalFree
- api | kernel32: LockFile
- api | kernel32: LockFileEx
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: SystemTimeToFileTime
- api | kernel32: UnlockFile
- api | kernel32: UnlockFileEx
- api | kernel32: UnmapViewOfFile
- api | kernel32: CreateEventExW
- api | kernel32: WaitForSingleObject
- api | kernel32: WaitForSingleObjectEx
- api | kernel32: SetFilePointerEx
- api | kernel32: GetFileInformationByHandleEx
- api | kernel32: MapViewOfFileFromApp
- api | kernel32: CreateFile2
- api | kernel32: LoadPackagedLibrary
- api | kernel32: GetTickCount64
- api | kernel32: OutputDebugStringA
- api | kernel32: OutputDebugStringW
- api | kernel32: GetProcessHeap
- api | kernel32: CreateFileMappingFromApp
- api | kernel32: InterlockedCompareExchange
- api | rpcrt4: UuidCreate
- api | rpcrt4: UuidCreateSequential
- api | kernel32: FlushViewOfFile
- api | ntdll: sqlite_log
- api | user32: MessageBoxW
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationW
- api | user32: GetProcessWindowStation
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | advapi32: SystemFunction036

• Module 2 other strings

- ?0w2{
- >0w2|
- >0w1y3}
- >0w2|
- 0w1y3}5
- 0w2|
- 0w2{
- library routine called out of sequence
- !$).056;>ACENQV[_`eimuz
- out of memory
- 7799

- 22""
- 4433
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- aabbbb
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- WUSER32.DLL
- KERNEL32.DLL
- Program:
- Runtime Error!
- <program name unknown>
- Microsoft Visual C++ Runtime Library
- - floating point support not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- - abort() has been called
- R6010
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019

- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- - CRT not initialized
- R6030
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - not enough space for locale information
- R6032
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- ADVAPI32.DLL
- h4R4L
- P6`I\\!
- L54M>
- *'h2
- "e5(~
- ,5@5
- 7[(tY
- 0d\tq
- .u*
- IAL{H&
- 2u\tK5
- RID
-)yN]9
- FC'E
- @Ac#
- ^>f>45
- yeYPJ
- HA}F)
- abK$^
- IDATx
- IHDR
- HF==;720utsVUC
- 45r53
- 710.,(
- Aiiggiggggg\\
- ~~y~6o
- AA>><;;;:
- ./13336uu~
- ./113336uu~
- n644
- P666]

- IIK44
- ?4444//,Y
- jiiwuuttsttt
- ;;:::8888111111101010
- 333330
- IIII33
- 333333333330
- pOOEEEE
- pOOE
- pOIIIIII
- pIIIIIIII
- lU>)lU>
- lU>)lU>
- lU>)lU>
- lU>)lU>
- lU>)lU>
- lU>)lU>
- lU>)
- lEND
- -miK[
- -miK[
- -miK[
- -miK[
- -miK[
- liK[
- 9Hx]G
- "m]7{
- d8jB
- Fg2.
- frx5
- o;Hs
- o/!&
- *P:5
- 8s&&i;=[2(
- kJ4=
- oQs$
- YY@SU
- ((ME
- 4M/8
- kus'
- OhE`
- =c{E
- ^CuP
- $F1U
- $q5<
- U~P'{
- J;5Kz
- my5
- m$1mA
- 7p{2F
- 6g\\"
-)V7Q
- H&i;,M
- <IDAT
- $W@U
- 6IgMi
- | ik~

- 0jn^
- SzhI"
- T)O_
-]2
-]56^
- va\t-
- 5iU\\S
- JuDbr
- d%8L
- HE.AK
-)xG$U
- 7dc+
- @eiS
- 33v<
- 0#D,ALrc~
- EPiJ
- l7xo
- -q8h
- X>/1
- IMPJ
- e&pY;
- j>3Z,
- bK0yi
- _TuM
- sOf
- c^0S
- 8gc%(
- f3t]
- P0@(
- gGGGO
- ;%(iL
- r{A\t:
- *@R6
- nLE
- JuE=T
- va0F
- *2~y
- 5y8t7-o
- vy+i
- 8ua2
- 4`u+
- x0h5+XC
- @u)4
- Nc@25
- g>|e
- jxYoe
- :/iX
-)N<1
- IDAT
- LF3C
- 3h<i$
- +A*u
- 5 (^P
- J|B7
- fg 0
- p"EaXy
- = UC

- {rZ4
- /7_n
- cGow
- 1x"S
- zuUu
- V2 r
- /E__
- 0fg:1
- O\'PX0"3
- Oo@iqWR
- hozN
- 0y<z
- x5`@^
- Z2 X
- PN79
- koH)
- Q:5F
- ntBU
- c:se
- #an(
- /w0~
- >|o5
- Gwlo`
- h>,uV
- X3+I
- v]E!
- 5#0U
- FM8ub
- *p8(B5;T
- gH|U:
- ?Y2k
- t-2@
- ;$Fe
- @QWi
- UKU-b
- sx4``
- E HG
- 9*x2*
- "9hnF
- 0#'
- q1z1
- lE F
- k4Ss
- \\\tN7
- QI{y
- -OEJR
- C#(4
- "s6W
- 5\t&:
- c5@H
- {boC2
- R0OeA
- 440j
- s $a
- IDAT
- 1^Gm`
- \\,3vo

- T%3?
- 2S`@
- j'GEJ
- ge@y
- F?1&
- ;1$[
- ;/1%
- 88v:
- t_e:
- MO'
- IP_!?
- _AVx
- eK'#
- foFr
- @yq7
- iyAV
- Ulc"c
- BaF<
- tn8}
- /9fe
- |d7`
- GP?6
- 1vh0
- 5\t~BL
- :Iu-
- NI3r*
- ~,;o
- a\taK
- U#>k
- #84r
- 4}O"
- 9XcA
- \\EwWW
- g@>8
- E(W<
- \\Wk3
- Br0\tT
- aFJ:
- Aub|#
- wJ0&
- nt2H
- qL2F
- IsEqQdk`d
- IA9"
- ||2l
- eL?d
- Z($l
- v#?0
- G4C+
- 3r(X
- c0OZ
- WN+2
- ZE[{;
- p@i#&
- _r1L
- O:nq
- IDAT

- FlO
- j^K2*
- 4=nFj
- N:-9
- ?uH.
- ikz6o
- \\)!3
- Booo
- KCS70m
- 0ZJS8
- 1AC0
- 9R[?l'
- Etww
- OwDqm
- #2<5
- p208
- AL>u0aj
- RVE)
- yKn20W
- d`_I
- 'NoU
- 0(Kz
- X7?sP
- d~gE
- mq830`
- 2u/J
- Oc9h<W
- hooo
- c9h4
- oXc?-
- 5YB!
- "0bH
- A1J?%m
- (U?g`
- Jna3
- xO}Z
- dRSAG
- 8eB4p
- y{@a
- Wk1<
- [U$0
- -8>6&
- :#qO
- 73c~
- [[0
- EojR
- i.{si
- ,Lfa2q
- #*&5
- 30\V1
- 2Z 0c
- t/z#ES0
- ,Qe)
- Z 0C
- |Mtu
- RY3:
- j9)u=p

- 6&01
- ab>f,
- E-jQ
- E-jQ
- E-jQ
- E-jQ
- E-jQ
- E-jQ
- E-jQ
- x 6h
- IDATx
- IHDR
- LLKIIIICCC
- nh3M
- NRio
- 0Rol\\
- 6hfEE
- -il_1)(k
- 6hfbE
- 6feZ7
- 666ZA
- 666Y@
- eb6W@
- bZ6W;
- 4ff6ebbZW6V9
- 3bb6666666V
- 2W7A@@;;9
- OCB;;996400,,
- L9E4I
- da```
- a``]]
- j]]WWIIIFFEEDBA?
- p843
- S984_
- LLN83
- D343--,)[
- PVRVrdduu
- gwsuuuuuv
- lmkywwuuvuvw
- ??>>><<666000///././.
- IIII
- OOEEEE
- OIIIIII
- IIIIIIII
- IEND
- cvUi
- hi00
-]4LX
- .1nJ
- 7r;
- 2d%*B
- %]iM2
- u&p;@
- 5G.7
- F2BD
- D]d2
- CUXY

- 'mID
- Y=<GA=T25
- >QU9+
- RU)q
- .}66"o
- o:&L;
- [y]&2
- 8%(U
- C@56
- (i.df
- AN#T<4Y
- ?tX0
- JD5[sA+FK=
- ! 6)
- D"1X1
- _jE
- E=[9
- P|5q
- P9!OU
- [u#p
- B MiC 46
- T[0K
- ~ax
- aeNM1
- K4S,
- F6`[s
- @h#i1m
- IEUa
- EN`F$
- (=8!![
- :WE@
- UM\\=
- Sy-8w
- d"a-
- DQUioG
- IDATNX
- {rIc
- RE o&
- 8~:A
- li/t
- 04@<
- /5x5
- u#u.
- &0F|k
- 8XV^
- :.up
- $pY1
- C6j0R2
- 7Z5hj
- +D1U
- ,V I
- 5B1IR
- $e=;S
- -!E$1BC
- 5\\
- }6IH
- ,6Y-

- vlXaJ
- 6-6
- 34MBRV=
- O5$
- 3{Jjo
- lUM\\
- se[l{z
- Tg'e
- xac
- 3b@k
- ^a~$
- `ua~
- cXwI
- 830u
- n3&1g
- <H+A
- 7v=?
- WJE^
- W;D4
- 7`i[
- bPO
- tQonz
- MV>0r
- w~zE
- g4rE
- YzA'
- qO8j
- HH<3<w\\WA
- +JX:1
- ^5<z
- zQB`2
- DIraT~
- d=G"O
- V4d.g
- c_|x9
- BLc6
- 4bQGr
- IDAT
- MQ4X
- b\t'{9H9?
- 3-=w4
- [IB#
- (6]{
- 27@E~r3
- Kel+
- up\tzJ
- Hdz6p
- Ka]|
-]7P
- VB&BE;
- 60FB
- GaP#`
- 9 S-v
- WnIO
- qIUV
- 8S0u
- PVoW

- o?NL
- Tcip
- &7n*
- $y!>i7I"y
-]iA.[
- B3t#
- 2""*2
- 86\\{
- gEAJ
- &r3f;
- F@5X
- _:RI
- ?EeE
- XXa9
- hyD9Z
- 3_ !
- te+6{
- /e5`
- lOur
- E-K*
- li2K
- fOBEt
- {]0/
- 4<;j
- <Bit
- %\\s1
- 4g9t
- `l,j
- %!u+
- oF0/
- dT+\\i
- n8%c
- [eAGZ
- U,{6
- @4;,
- sJA3tf
- o5Ic
- Z)"Oli
- 0R'G
- Um5h
- `!2m
- EfKZ
- IDATn
- O$I.
- Kr:^I
- d7$\tT
- R3`I
- v_UwQ
- '6eS+7
- Y2-J
- q'aR
- _E7]
- gIZ|
- 4Nb}W
- 9n_N
- ~!W4
- qnen

- 4zHOr)
- %y.5
- }F97
- 9fJ-
- p`E,>
- y9%]
- Ca5ws
- 2^%_qUq
- 84|,-
- c3FH
- "X 3
- 7g0~
- Ecp3
- E^RR2
- 1F{r-o
- n)pI
- ?Jii
- 8x^L
- OxM4
- v6MQ
- 86VVa
- SXT3`
- eL\\t
- e{13
- 6&Mra;`
- U|wm
- uN%om
- GW"^8{E
- $UGL
- P.3b
- Yobz
- b_6n
- =KhO
- IDATB
- r]8#
- [6V9
- r0g[
- "Ez\';5K
- m`DI
- ?v}a
- 8sCQ
- Jy4)
- 9M0(
- ~%Iq
- Ij/e
- cmI9c"
- pH9+
- U#p){
- !oj[H
- 2fo9
- Q\t3
- paK'
- ^1HMU
- ikmh7&
- gmU
- U>f\\
- p\\5Yh

- .kXu
- qi/a
- cX1A
- ND9z
- L:'3OI
- PBda
- 'dg5X
- :5NM
- S56uw
- $'6g
- 8-H-
- 2S-yA:'
- /4j#
- l/\tOK
- oNn*F
- be<>
- oRMk
- b^.$5
- nTX&bAK7;
- >u`,5
- b-OTQ
- MD53
- FE<H
- u>Z
-)er
- I::g$
- [b>E
- <9mA
- 3,b_
- :J@>A
- IDAT
- IUv^
- 2VAq
- I=OuK
- 7Is#7
- k 31(
- 0(L2)
- BXI4F
- 3J01
- #0f$
- 3t3C
- Mi\tE
- 28mB
- tOO]
- 1=].S
- S,My7
- ,H52
- TSZ-4
- ~LFa
- FGF1
- 2'cd
- f+8I
- #}yI
- /6](
- \\^>ci
- g3'V
- TfKe

- zIW\tL
- r1u8
- q%Le9
- giK"
- ~N-U
- Z!fe
- Og&H;
- N9cd
- !9^q
- lOs?
- TIcj
- 6*b6[
-]O<[
- o@3?3
- 7%~H
- G9Kw&SU;
- c~7L.
- UUq
- ;_G2
- tqi*
- IHI0{
- 25\t3;
- M"2dU,
- yvO?
- >%bEF
- Z|9AD
- 2*e2
- 5Ju^h;
- -3 F
- "7&`
- SJHmi
- /(13
- $EuYO
- !p0\t.
- azlvl
- eGu'
- IDATx
- IHDR
- 3aa\\]]XXWWWWW
- 7Ba]]]!
- C`MMO
-]WU&
- WSOLG><:989:
- miic]\\E]EEEEE====;;;44
- ONNNN
- ONNNKIG
- OKIw
- tIG#
- H7FQ7:QUn
- 222..-,,,
- PPLLO
- VU1=;+*
- OOEEEE
- OIIIIII
- IIIIIIII
- UUU_
- U_U_

- IIIIO@
- U_UO
- UUUU
- OIOEEEEEO
- I_UEO
- OOEE
- UUU_@
- IIIIIO@
- OIII__
- UYIIIIIO@
- OII_
- 9$9,9@9H9\\9`9d9x9|9
- 8(808D8L8`8h8|8
- 7,747H7P7d7l7
- 686L6P6T6h6p6
- 5 545<5P5X5l5t5
- 4 444<4D4T4\\4p4x4
- 3 3$3(3,3034383<3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2$2(282D2
- 1 1(1,14181@1D1L1P1X1d1h1p1t1|1
- 0 0$0,00080<0D0H0P0T0\\0`0h0l0t0x0
- 6 6P:
- 5 5$5(5,5054585
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- x2|2
- 9(9D9H9
- 8(8D8H8h8
- 64787T7X7x7
- 5 5$5(5,5054585<5@5
- 384@4H4P4X4`4h4p4
- 3$303<3H3T3`3l3x3
- 2(242@2L2X2d2p2|2
- 1 1,181D1P1\\1h1t1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6
- 5 5$5
- 4<4T4l4
- X3`3
- 1 2$2
- 8=<A<E<I<M<Q<U<Y<]<a<e<i<v<8=`=p=
- 4l5`5
- 1y2Z3
- 4%717U7
- 9 >v>
- 0.1:1I1U1
- 9#:2:><
- 2(2A2
- 1*1P1b1t1
- 8o:w:
- 797J7u7
- 6!646F6a6i6q6
- 3)4<4
- 3N3Y3c3|3
- 2!2[2h2r2

- 9%9+9z9
- 6(6-6>6F6L6V6\\6f6l6v6
- 3$3-3<3_3d3i3
- 0.131m1r1y1~1
- 0[0{0
- ;l=u=
- 8*8L82:9:
- 6U6]6i6v6}6
- 4/5:5v5
- 1\t2(292>2D2U2Z2g2o2~2
- 8 90969B9H9X9^9d9s9
- 7]7c7
- 6 6,626;6A6V6\\6g6s6y6
- 505^5
- 4_4i4
- 2;3a3
- 0\\2h2n2s2y2
- 0\\0k0
- 949;9
- 8*8G8M8S8Y8_8e8l8s8z8
- 7B7O7W7e7
- 5Z6f6p6
- 5$5D5L5
- 2"212
- 0 0$0(0,0004080<0
- 7!8F8w8L9{9
- 6$626
- 4.4R4X4]4
- 2K2r2
-)0/0I0Y0n0
- 7_7q7
- 4o5y5~5
- 2C3H3T3^3c3
- 2.2;2
- 1#1(1M1e1r1
- ;2;g;
- 6V7`7e7
- 6<6L6i6
- 3$3.343:3D3I3W3h3
- 1%2-282B2H2N2X2]2k2t2
- ;E<b<
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3\t3 363<3Q3W3h3z3
- 2)2A2R2Y2p2
- 1'1/151>1I1R1a1
- 0 010<0L0W0`0m0}0
- 7 7$7(7z7
- 5(686
- 5E5|5
- 4<4S4c4x4
- 000~0
- 8,8B9G9Q9V9
- 5/6C6{6
- 5;5J5U5
- 3X4\\4`4d4h4l4p4t4x4|4
- T1\\1W;
- #3*3

- 3*3A3z6y9
- >5?b?
- 3M4d4
- 2v2y3
- 2}5e7m7U81:=:H:]:h:
- q1{1
- 1&363
- 3#3.3;3
- 3^7?8
- 9':?:a:y:
- 9&9D9|9
- 888P8
- 4B6J6U6j6u6
- =3>=?
- 9<:r:
- 8-9C9
- 017V9x95:Z:
- 0080C0M0S0Y0c0h0v0
- 7&7R7
- 5>6L6
- R5\\5|5
- 6(6>6L68;@;K;a;l;v;
- 222L2Z2
- 9+9D9
- 7A7j7S8
- 5l6x6
- 3Z3A4Q4_4i4o4u4|4
- 0080C0M0S0Y0c0h0v0
- 7?;F;
- 0*030
- 809:9\\9j9
- 9&919;9A9G9Q9V9d9m9
- ;g=7>
- 3 3'303_3f3m3t3}3S:+;J;P;`;f;v;|;
- 0A2V2
- 0'0{0
- 1 1$1(1,10141
- 7$727[:{:
- 546J6g6r6
- 4)4>4I4S4A5X5p5
- 0i2q2|2
- 0*0K0%1
- 8A9K9V9`9f9l9s9x9
- 8L8t8
- 424"5
- 3A3j3x3
- 2 2$2(2,2024282M2x2
- 0+0@0
- 558X8
- 435G5Q5\\5
- 0X0
- ;0<1=
- 5)606:6F6\\6j6s6
- 4/5?5T5_5t5
- 4c4n4t4
- 3&363?3L3Z3n3
- 2(212>2S2j2

- 1C1S1e1n1t1
- <1<9<L<U<
- 9"90999
- 8 8$8(8,8084888<8
- 9);C;
- 1>294c4
- 0%6[7w7
- 96>t?
- 2o5U7
- 1e2L3k3
- 1"1\'101D1a1
- >0W0
- 8-8:8
- 8<8Z8
- 0(1@1
- 5:8U8
- 3p4t4x4|4
- 3$3+32393@3g3
- 9)9/959<9A9O9X9]9f9t9~9
- 4&5[5h5p6
- 2Y3w4
- 2l3)434L4Z4
- =1>y?
- 5G5Q5
- T1M2T2_2
- 9N<X<
- 7J8V8n8|8
- 6)737J7X7z7
- ;I;O;
- 9'9,9
- 2t3>5L7
- :'=@=*>1>8>A>H>O>
- 99:T:
- 6c7k7
- 0y1:3e3|3
- 8*929=9G9M9S9]9b9p9y9
- 0 0[0
- 6p7D:
- 475R5
- ;1I1i1t1
- =#=6=
- 7-7J7f7t7
- 3>5T5w5
- 0I3O3h3n3
- 4e5k5{7
- Y1w1+3
- <A=*>
- 5G668<8f8l8
- 021F1&2
- 020N0w0
- ;2B2
- 9!:6:
- %252
- 6-6B6T6b6
- 4f5m5
- 2u3|3
- 1e2I2

- 1!1/181
- 90A0L0V0\\0b0i0n0|0
- 7@8^8
- 90@0
- ;9<t<
- :7;a;
- 8M9T9y9H:
- 6i8r8}8
- 6G6j6
- 385B5]5k5
- 3 3.3I3
- 0,0=1I1l1z1
- 0&1.191O1Z1d1P2?6F6V6`6f6l6s6x6
- 7)8B8N8Y8n8y8
- 5(5_7g7r7|7
- 132;2F2P2V2\\2c2h2v2
- 90*1
- 8&8`8
- 6A6K6P6w6h7
- 5'5-535=5B5P5Y5
- 3Q4Y4d4n4t4z4
- 3%313D3
- 0I1Q1Y1
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 5 6-636G6M6
- 1&2,2H2_2~2d4
- 11}1
- 001r1
- 8&;3;
- 6J7i7j8<9
- 4B4^4x4
- 393\\3
- 849r9U:I:
- 6E6T6c6m6r6N7
- 5*575F5^5
- 1(2z2
- 0/1g1
- 10]0
- =)=a=
- 7.787=7a7
- 8[9g9q9v9
- 1$3(3,3034383<3@3D3H3
- 344@4D4H4L4P4T4X4\\4`4d4h4l4
- <1D1O1Y1_1e1o1t1
- 2'2h3r3
- 5&6x6.858
- 5 5$5(5,5
- 394B4N4
- 0,3y3
- 2\t373:4_4
- *0<0
- 626=6|6
- 8Q8<9s9S;
- 2#3R3
- 1\t2$2
- 5n8x8}8

- 5#5(5|5
- 3 4*4/4
- 8:9D9I99;Q;
- 5"8,818
- 3J4p4
- 9r:|:
- 9^9h9s9}9
- 1@2J2O2O4Y4^4
- 3k4u4z487@7K7U7[7a7k7p7~7
- 1I2S2X2M3i3
- =S?o?
- 176l8t8}8
- 0'030_0r0
- 8a9l9w9
- 7)7.7
- 5s6}6
- 2"2\'2
- 0h0r0w0-1E1j1q1
- <6=@=E=
- 6=6G6L6
- 3C4~4
- 5#5)53585F5O5w5
- [0e0j0'3
- 24:4E4O4U4[4e4j4x4
- 8a8i8t8~8
- 9p?x?
- 1\t4:5
- 9&9V9`9e9
- 0M1%242R2j2}3
- 6-767q7
- 5!5&545=5B5v5=6
- I1Y1e1
- 8$8/8y8
- 0&0,040x0
- 9*92999D9L9R9Y9b9g9l9u9{9
- 8!8,828:8G8L8U8Z8c8i8q8v8|8
- 7*707C7Z7f7
- 5'555V5`5k5
- 4!4)454>4D4O4]4o4}4
- 2%363e3j3o3t3y3~3
- 60K0e0
- 829O9c9q9w9
- 708Q8
- 7"7M7
- 5!6T6
- 4'4Y4c4i4
- 3k3z3
- 242@2j2
- 121G1|1
- >#>5>
- <a<q<
- :A:d:
- 9-9W9
- 8'858T8_8m8
- 7+7;7T7
- 5,6:6O6p6
- 4-5N5

- 4/484B4
- 3(333>3S3^3
- 1!2;2V2^2i2s2y2
- 1,1H1v1
- 80<0@0D0H0L0P0T0X0\\0`0d0
- =2=8=V=
- ;E;v;
- 81979F9L9g9|9
- 8J8V8u8
- 6/757X7
- 566T6j6
- 4&525<5P5
- 374J4c4
- 1*141[1h1;2I2T2]2
- !040R0}0
- 8H9Q9W9f9n9
- 4!4*4/4f4\t5%5K5
- 758w8A9]9
- 535@5X5|5
- 1"1,1
- 5'5[5
- 4%434?4
- 373G3r3
- 1D2L2u2
- 8\\8m9
- 344Y6a7k7
- L0T0
- 1;2J2c2o2z2
- 1 1&1-121@1M1
- 0%0-080?0M0V0\\0b0i0r0}0
- >$>6>A>R>
- 8#949N9v9
- 8!8/8:8@8U8[8f8p8u8
- 6+7M7m7
- 5.5:5U5e5u5
- 0$1(1,1014181
- 8*808
- 5'5Z5
- 2Y3~3
- 1&1+1p1
- 8+999w9
- 4W5{5
- 373E3O3T3
- 112O2[2
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- KERNEL32.dll
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN

- e+000
- AaTR'
- no such table column: %s.%s
- cannot open file
- misuse
- database corruption
- %s at line %d of [%.10s]
- RTRIM
- %s mode not allowed: %s
- no such %s mode: %s
- access
- cache
- invalid uri authority: %.*s
- localhost
- unable to delete/modify collation sequence due to active statements
- unknown database: %s
- unable to delete/modify user-function due to active statements
- abort due to ROLLBACK
- unknown error
- unable to close due to unfinalized statements or unfinished backups
- 2017-01-06 16:32:41 a65a62893ca8319e89e48b8a38cf8a59c69a8209
- explain
- temporary
- temp
- create
- unrecognized token: "%T"
- the NOT INDEXED clause is not allowed on UPDATE or DELETE statements within triggers
- the INDEXED BY clause is not allowed on UPDATE or DELETE statements within triggers
- qualified table names are not allowed on INSERT, UPDATE, and DELETE statements within triggers
- too many arguments on function %T
- near "%T": syntax error
- set list
- unknown table option: %.*s
- parser stack overflow
- syntax error after column name "%.*s"
- too many terms in compound SELECT
- at most %d tables in a join
- no query solution
- %s.xBestIndex malfunction
- auto-index
- automatic index on %s(%s)
- too many arguments on %s() - max %d
- NOCASE
- VIRTUAL TABLE INDEX %d:%s
- USING INTEGER PRIMARY KEY (rowid%s?)
- >? AND rowid<
- USING
- INDEX %s
- COVERING INDEX %s
- AUTOMATIC COVERING INDEX
- AUTOMATIC PARTIAL COVERING INDEX
- PRIMARY KEY
- AS %s
- TABLE %s
- SUBQUERY %d
- SCAN
- SEARCH

• AND
• no such module: %s
• hidden
• vtable constructor did not declare schema: %s
• vtable constructor failed: %s
• vtable constructor called recursively: %s
• name='%q' AND type='table'
• UPDATE %Q.%s SET type='table', name=%Q, tbl_name=%Q, rootpage=0, sql=%Q WHERE rowid=#%d
• CREATE VIRTUAL TABLE %T
• INSERT INTO vacuum_db.sqlite_master SELECT*FROM "%w".sqlite_master WHERE type IN(\'view\',\'trigger\') OR(type=\'table\'AND rootpage=0)
• SELECT\'INSERT INTO vacuum_db.\'||quote(name)||\' SELECT*FROM"%w".\'|quote(name)FROM vacuum_db.sqlite_master WHERE type=\'table\'AND coalesce(rootpage,1)>0
• SELECT sql FROM "%w".sqlite_master WHERE type=\'index\' AND length(sql)>10
• SELECT sql FROM "%w".sqlite_master WHERE type=\'table\'AND name<>\'sqlite_sequence\' AND coalesce(rootpage,1)>0
• ATTACH"AS vacuum_db
• cannot VACUUM - SQL statements in progress
• cannot VACUUM from within a transaction
• rows updated
• no such column: %s
• DELETE FROM %Q.%s WHERE name=%Q AND type='trigger'
• no such trigger: %S
• type='trigger' AND name='%q'
• INSERT INTO %Q.%s VALUES('trigger',%Q,%Q,0,'CREATE TRIGGER %q')
• cannot create INSTEAD OF trigger on table: %S
• cannot create %s trigger on view: %S
• AFTER
• BEFORE
• cannot create trigger on system table
• trigger %T already exists
• cannot create triggers on virtual tables
• trigger
• temporary trigger may not have qualified name
• sqlite3_get_table() called with two or more incompatible queries
• ORDER BY
• RIGHT PART OF ORDER BY
• GROUP BY
• DISTINCT
• expected %d columns for '%s' but got %d
• USING COVERING INDEX
• DISTINCT aggregates must have exactly one argument
• too many columns in result set
• no tables specified
• no such table: %s
• too many references to "%s": max 65535
• recursive reference in a subquery: %s
• multiple recursive references: %s
• table %s has %d values for %d columns
• circular reference: %s
• multiple references to recursive table: %s
• '%s' is not a function
• no such index: %s
• SELECTs to the left and right of %s do not have the same number of result columns
• all VALUES must have the same number of terms
• LIMIT clause should come after %s not before
• ORDER BY clause should come after %s not before
• recursive aggregate queries not supported
• column%d

- COMPOUND SUBQUERIES %d AND %d %s(%s)
- USING TEMP B-TREE
- USE TEMP B-TREE FOR %s
- UNION
- EXCEPT
- INTERSECT
- UNION ALL
- cannot join using column %s - column not present in both tables
- cannot have both ON and USING clauses in the same join
- a NATURAL join may not have an ON or USING clause
- RIGHT and FULL OUTER JOINs are not currently supported
- unknown or unsupported join type: %T %T%s%T
- statement too long
- database schema is locked: %s
- SELECT name, rootpage, sql FROM "%w".%s ORDER BY rowid
- unsupported file format
- CREATE TABLE x(type text,name text,tbl_name text,rootpage integer,sql text)
- invalid rootpage
- create
- malformed database schema (%s)
- PRAGMA
- ,schema HIDDEN
- ,arg HIDDEN
- CREATE TABLE x
- restart
- unsupported encoding: %s
- wrong # of entries in index
- non-unique entry in index
- missing from index
- row
- NULL value in %s.%s
- *** in database %s ***
- iissssss
- NONE
- isisi
- ssii
- issisi
- Safety level may not be changed inside a transaction
- not a writable directory
- NO ACTION
- RESTRICT
- CASCADE
- SET DEFAULT
- SET NULL
- temporary storage cannot be changed from within a transaction
- memory
- incremental
- full
- none
- normal
- exclusive
- automatic extension loading failed: %s
- error during initialization: %s
- no entry point [%s] in shared library [%s]
- _init
- sqlite3_
- unable to open shared library [%s]

- sqlite3_extension_init
- rows inserted
- %d values for %d columns
- table %S has %d columns but %d values were supplied
- table %S has no column named %s
- foreign key mismatch - "%w" referencing "%w"
- glob
- like
- MATCH
- %!.20e
- ESCAPE expression must be a single character
- LIKE or GLOB pattern too complex
- integer overflow
- blob
- text
- rows deleted
- cannot modify %s because it is a view
- table %s may not be modified
- no such collation sequence: %s
- duplicate WITH table name: %s
- unable to identify the object to be reindexed
- %s.rowid
- index '%q'
- unable to open a temporary database file for storing temporary tables
- ROLLBACK
- COMMIT
- BEGIN
- a JOIN clause is required before %s
- USING
- DELETE FROM %Q.%s WHERE name=%Q AND type='index'
- index associated with UNIQUE or PRIMARY KEY constraint cannot be dropped
- no such index: %S
- name='%q' AND type='index'
- CREATE%s INDEX %.*s
- UNIQUE
- conflicting ON CONFLICT clauses specified
- expressions prohibited in PRIMARY KEY and UNIQUE constraints
- sqlite_autoindex_%s_%d
- index %s already exists
- there is already a table named %s
- virtual tables may not be indexed
- views may not be indexed
- table %s may not be indexed
- altertab_
- cannot create a TEMP index on non-TEMP table "%s"
- index
- unknown column "%s" in foreign key definition
- number of columns in foreign key does not match the number of columns in the referenced table
- foreign key on %s should reference only one column of table %T
- use DROP VIEW to delete view %s
- use DROP TABLE to delete table %s
- table %s may not be dropped
- sqlite_stat
- DELETE FROM %Q.%s WHERE tbl_name=%Q and type!='trigger'
- DELETE FROM %Q.sqlite_sequence WHERE name=%Q
- sqlite_stat%d
- UPDATE %Q.%s SET rootpage=%d WHERE #%d AND rootpage=#%d

- view %s is circularly defined
- parameters are not allowed in views
- CREATE TABLE %Q.sqlite_sequence(name,seq)
- CREATE %s %.*s
- VIEW
- view
- TABLE
- table
- PRIMARY KEY missing on table %s
- AUTOINCREMENT not allowed on WITHOUT ROWID tables
- CREATE TABLE
- AUTOINCREMENT is only allowed on an INTEGER PRIMARY KEY
- INTEGER
- table "%s" has more than one primary key
- default value of column [%s] is not constant
- duplicate column name: %s
- too many columns on %s
- there is already an index named %s
- table %T already exists
- temporary table name must be unqualified
- object name reserved for internal use: %s
- unknown database %T
- corrupt database
- main
- pragma_
- no such table
- no such view
- sqlite_temp_master
- not authorized
- access to %s.%s is prohibited
- access to %s.%s.%s is prohibited
- authorizer malfunction
- %s cannot use variables
- %s %T cannot reference objects in database %s
- database %s is locked
- cannot DETACH database within transaction
- cannot detach database %s
- no such database: %s
- unable to open database: %s
- attached databases must use the same text encoding as main database
- database is already attached
- database %s is already in use
- cannot ATTACH database within transaction
- too many attached databases - max %d
- SELECT tbl,idx,stat FROM %Q.sqlite_stat1
- noskipscan*
- sz=[0-9]*
- unordered*
- sqlite_%
- %llu
- %llu
- DELETE FROM %Q.%s WHERE %s=%Q
- CREATE TABLE %Q.%s(%s)
- sqlite_altertab_%s
- Cannot add a column to a view
- virtual tables may not be altered
- Cannot add a column with non-constant default

• Cannot add a NOT NULL column with default value NULL
• Cannot add a REFERENCES column with non-NULL default value
• Cannot add a UNIQUE column
• Cannot add a PRIMARY KEY column
• UPDATE sqlite_temp_master SET sql = sqlite_rename_trigger(sql, %Q), tbl_name = %Q WHERE %s;
• UPDATE "%w".sqlite_sequence set name = %Q WHERE name = %Q
• sqlite_sequence
• UPDATE %Q.%s SET sql = CASE WHEN type = 'trigger' THEN sqlite_rename_trigger(sql, %Q)ELSE sqlite_rename_table(sql, %Q) END, tbl_name = %Q, name = CASE WHEN type='table' THEN %Q WHEN name LIKE 'sqlite_autoindex%%' AND type='index' THEN 'sqlite_autoindex_' || %Q || substr(name,%d+18) ELSE name END WHERE tbl_name=%Q COLLATE nocase AND (type='table' OR type='index' OR type='trigger');
• view %s may not be altered
• there is already another table or index with this name: %s
• table %s may not be altered
• sqlite_
• %s OR name=%Q
• name=%Q
• RAISE() may only be used within a trigger-program
• unknown function: %s()
• misuse of aggregate: %s()
• hex literal too big: %s%s
• EXECUTE %s%s SUBQUERY %d
• CORRELATED
• SCALAR
• LIST
• USING INDEX %s FOR IN-OPERATOR
• ROWID
• _ROWID_
• too many columns in %s
• %d columns assigned %d values
• too many SQL variables
• variable number must be between ?1 and ?%d
• Expression tree is too large (maximum depth %d)
• aggregate functions are not allowed in the GROUP BY clause
• GROUP
• a GROUP BY clause is required before HAVING
• too many terms in %s BY clause
• %r ORDER BY term does not match any column in the result set
• ORDER
• too many terms in ORDER BY clause
• %r %s BY term out of range - should be between 1 and %d
• parameters
• subqueries
• wrong number of arguments to function %.*s()
• no such function: %.*s
• misuse of aggregate function %.*s()
• non-deterministic functions
• not authorized to use function: %s
• second argument to likelihood() must be a constant between 0.0 and 1.0
• the "." operator
• %s prohibited in %s
• CHECK constraints
• index expressions
• partial index WHERE clauses
• ambiguous column name
• no such column
• row value misused
• misuse of aliased aggregate %s

- cannot open %s column for writing
- indexed
- foreign key
- no such column: "%s"
- cannot open view: %s
- cannot open table without rowid: %s
- cannot open virtual table: %s
- no such rowid: %lld
- cannot open value of type %s
- integer
- real
- null
- out of memory
- database table is locked: %s
- cannot change %s wal mode from within a transaction
- out of
- into
- too many levels of trigger recursion
- SELECT name, rootpage, sql FROM '%q'.%s WHERE %s ORDER BY rowid
- sqlite_master
- database schema has changed
- cannot commit - no transaction is active
- cannot rollback - no transaction is active
- cannot start a transaction within a transaction
- cannot commit transaction - SQL statements in progress
- cannot release savepoint - SQL statements in progress
- no such savepoint: %s
- cannot open savepoint - SQL statements in progress
- %s constraint failed
- %02x
- zeroblob(%d)
- unable to use function %s in the requested context
- string or blob too big
- API called with NULL prepared statement
- API called with finalized prepared statement
- FOREIGN KEY constraint failed
- -mj%06X9%02X
- MJ collide: %s
- MJ delete: %s
- %.2x
- program
- (%.20s)
- BINARY
- %!.15g
- source and destination must be distinct
- destination database is in use
- unknown database %s
- Pointer map page %d is referenced
- Page %d is never used
- Main freelist:
- Fragmentation of %d bytes reported as %d on page %d
- Multiple uses for byte %u of page %d
- Child page depth differs
- Rowid %lld out of order
- Extends off end of page
- Offset %d out of range %d..%d
- On page %d at right child:

- On tree page %d cell %d:
- btreeInitPage() returns error code %d
- unable to get the page. error code=%d
- Page %d:
- free-page count in header is too small
- freelist leaf count too big on page %d
- failed to get page %d
- %d of %d pages missing from overflow list starting at %d
- Failed to read ptrmap key=%d
- 2nd reference to page %d
- invalid page number %d
- :memory:
- cannot limit WAL size: %s
- recovered %d frames from WAL file %s
- immutable
- nolock
- -wal
- -journal
- recovered %d pages from %s
- winFullPathname4
- winFullPathname3
- winFullPathname2
- winFullPathname1
- winAccess
- winDelete
- psow
- winOpen
- winGetTempname5
- winGetTempname4
- winGetTempname3
- winGetTempname2
- winGetTempname1
- etilqs_
- winMapfile2
- winMapfile1
- winUnmapfile2
- winUnmapfile1
- winShmMap3
- winShmMap2
- winShmMap1
- winOpenShm
- winUnlock
- winUnlockReadLock
- winFileSize
- winSync2
- winSync1
- winTruncate2
- winTruncate1
- winWrite2
- winWrite1
- winRead
- winClose
- winSeekFile
- delayed %dms for lock/sharing conflict at line %d
- OsError 0x%lx (%lu)
- invalid
- unopened

- API call with %s database connection pointer
- 922337203685477580
- NULL
- failed memory resize %u to %u bytes
- failed to allocate %u bytes of memory
- %04d
- %.16g
- %03d
- %06.3f
- %02d
- %04d-%02d-%02d
- %02d:%02d:%02d
- %04d-%02d-%02d %02d:%02d:%02d
- start of
- weekday
- unixepoch
- localtime
- local time unavailable
- 40f-21a-21d
- 20c:20e
- 20b:20e
- SQLITE_
- rI{b
- <R9x[
- vXic
- _\\aXm
- |j<{9
- tU6p
- LiuJ
- !5Ng
- 7777777777777777777777777777777777777777
- 7777
- 7777
- }{o8@%%
- %ade7
- XIZK
- &'()*+,-./012345
- abGd78
- _Fab
- B/0ab
- ab/0
- lmn78tI
- ab78eab
- S+,-./012345_
- 678\\1
- e/0aU\\
- o&'()S+,-./012345_
- V678
- NT/01b
- _Sab
- B678
- /0wx
- lmn678
- cdefghi
- +,-./012345
- +,-./012345
- +,-./012345

- +,-./012345
- 8787
- +,-./012345
- +,-./012345
- +,-./012345
- +,-./012345
- +,-./012345
- +,-./012345
- +,-./012345
- +,-./012345
- !"#$%&\'()O+,-./012345
- !"#$%&\'()Q+,-./01234578
- +,-./012345
- 12345F
- +,-./012345/012345=aa
- +,-./012345
- naturaleftouterightfullinnercross
- onoffalseyestruextrafull
- 0123456789ABCDEF
- !!""##$$%%&&\'\'(())**++,,--..//00112233445566778899
- SQLite format 3
- 0123456789ABCDEF0123456789abcdef
- @wKA
- BINARY
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- 3.16.2
- COMPILER=msvc-1600
- SYSTEM_MALLOC
- THREADSAFE=1
- second
- minute
- hour
- month
- year
- julianday
- date
- time
- datetime
- strftime
- current_time
- current_timestamp
- current_date
- Savepoint
- AutoCommit
- Transaction
- SorterNext
- PrevIfOpen
- NextIfOpen
- Prev
- Next
- Checkpoint
- JournalMode
- Vacuum
- VFilter
- VUpdate
- Goto
- Gosub

- InitCoroutine
- Yield
- MustBeInt
- Jump
- Once
- IfNot
- SeekLT
- SeekLE
- SeekGE
- SeekGT
- NoConflict
- NotFound
- Found
- SeekRowid
- NotExists
- IsNull
- NotNull
- ElseNotEq
- BitAnd
- BitOr
- ShiftLeft
- ShiftRight
- Subtract
- Multiply
- Divide
- Remainder
- Concat
- Last
- BitNot
- SorterSort
- Sort
- Rewind
- IdxLE
- IdxGT
- IdxLT
- IdxGE
- RowSetRead
- RowSetTest
- Program
- FkIfZero
- IfPos
- IfNotZero
- DecrJumpZero
- IncrVacuum
- VNext
- Init
- Return
- EndCoroutine
- HaltIfNull
- Halt
- Integer
- Int64
- Null
- SoftNull
- Blob
- Variable
- Move

- Copy
- SCopy
- IntCopy
- ResultRow
- CollSeq
- Function0
- Function
- AddImm
- RealAffinity
- Cast
- Permutation
- Compare
- Column
- String8
- Affinity
- MakeRecord
- Count
- ReadCookie
- SetCookie
- ReopenIdx
- OpenRead
- OpenWrite
- OpenAutoindex
- OpenEphemeral
- SorterOpen
- SequenceTest
- OpenPseudo
- Close
- ColumnsUsed
- Sequence
- NewRowid
- Insert
- InsertInt
- Delete
- ResetCount
- SorterCompare
- SorterData
- RowData
- Rowid
- NullRow
- SorterInsert
- IdxInsert
- IdxDelete
- Seek
- IdxRowid
- Destroy
- Clear
- ResetSorter
- Real
- CreateIndex
- CreateTable
- ParseSchema
- LoadAnalysis
- DropTable
- DropIndex
- DropTrigger
- IntegrityCk

- RowSetAdd
- Param
- FkCounter
- MemMax
- OffsetLimit
- AggStep0
- AggStep
- AggFinal
- Expire
- TableLock
- VBegin
- VCreate
- VDestroy
- VOpen
- VColumn
- VRename
- Pagecount
- CursorHint
- Noop
- Explain
- GetProcAddressA
- win32
- win32-longpath
- win32-none
- win32-longpath-none
- NOT NULL
- UNIQUE
- CHECK
- FOREIGN KEY
- sqlite_rename_table
- sqlite_rename_trigger
- sqlite_rename_parent
- sqlite_stat1
- sqlite_stat3
- sqlite_stat4
- stat_init
- stat_push
- stat_get
- sqlite_detach
- sqlite_attach
- TEXT
- NUM
- INT
- REAL
- RELEASE
- load_extension
- sqlite_compileoption_used
- sqlite_compileoption_get
- unlikely
- likelihood
- likely
- ltrim
- rtrim
- trim
- typeof
- instr
- unicode

- char
- round
- upper
- lower
- ifnull
- random
- randomblob
- nullif
- sqlite_version
- sqlite_source_id
- quote
- last_insert_rowid
- changes
- total_changes
- replace
- zeroblob
- total
- count
- group_concat
- coalesce
- cache_size
- name
- type
- notnull
- dflt_value
- width
- height
- seqno
- desc
- coll
- unique
- origin
- partial
- file
- from
- on_update
- on_delete
- match
- rowid
- parent
- fkid
- busy
- checkpointed
- timeout
- database
- status
- application_id
- auto_vacuum
- automatic_index
- busy_timeout
- cache_spill
- case_sensitive_like
- cell_size_check
- checkpoint_fullfsync
- collation_list
- compile_options
- count_changes

- data_store_directory
- data_version
- database_list
- default_cache_size
- defer_foreign_keys
- empty_result_callbacks
- encoding
- foreign_key_check
- foreign_key_list
- foreign_keys
- freelist_count
- full_column_names
- ignore_check_constraints
- incremental_vacuum
- index_info
- index_list
- index_xinfo
- integrity_check
- journal_mode
- journal_size_limit
- legacy_file_format
- locking_mode
- max_page_count
- mmap_size
- page_count
- page_size
- query_only
- quick_check
- read_uncommitted
- recursive_triggers
- reverse_unordered_selects
- schema_version
- secure_delete
- short_column_names
- shrink_memory
- soft_heap_limit
- stats
- synchronous
- table_info
- temp_store
- temp_store_directory
- threads
- user_version
- wal_autocheckpoint
- wal_checkpoint
- writable_schema
- delete
- persist
- truncate
- UTF8
- UTF-8
- UTF-16le
- UTF-16be
- UTF16le
- UTF16be
- UTF-16
- UTF16

- addr
- opcode
- comment
- selectid
- order
- detail
- regexp
- not an error
- SQL logic error or missing database
- access permission denied
- callback requested query abort
- database is locked
- database table is locked
- attempt to write a readonly database
- interrupted
- disk I/O error
- database disk image is malformed
- unknown operation
- database or disk is full
- unable to open database file
- locking protocol
- table contains no data
- constraint failed
- datatype mismatch
- library routine called out of sequence
- large file support is disabled
- authorization denied
- auxiliary database format error
- file is encrypted or is not a database
- shared
- private
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- CorExitProcess
- 5.vp
- .v99.v
- w1#-v
- w]7.v

- ,va8.v|
- w05,v\\9.v
- w/i/v
- |,v6
- CE.v57.vQ
- @tH9
- 0K;]
- ;9u
- u\t9E
- u\t9p
- u"9U
- 9M$u
- r"9U
- r"9U
- |-;E
- Wj0S
- 80t/
- WVU3
- ^_[3
- u`9]
- t1SW
- QQSV3
- u+9u
- SVWUj
- 9] SS
- t"SS9] u
- 9](SS
- 9]$u
- vL;5
- v4;5
- <8=u
- t&:a
- t"Ou
- VW9]
- UVWS
- L$,3
- t'Ou
- u,9E
- u,9E
- WVS3
- Pf95$
- Pf95x
- >:u8FV
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- 9csm
- SWf9M
- t$9U
- 8"u8
- tAVWP
- "u\t3

- uTVWh
- hAIC
- 8csm
- woVW
- @FA;
- +3\t,
- *:Cig
- snZir
- iTa
- 'xZe
- hX0a
- E~'en
- N65~
- I
- cqgU
- y1%$
- EG@E
- 6Ud
- ^M9=
- 7@H7
- z>Do
- dq/1
- kFb8
- 0cEa3
- t%U.
- HGV9
- buD/
- M%VI
- 4EyX9Kf
- fxL$O
- Yvru
- eaorU
- `3j#
- EH8k
- UU"B~g
- *?nIr
- 5%H:
- `)1%
- HGV3
- =3!W_8
- _s4g
- AbNQ
- 1JpaS[
- qt2Q
- JNi
- eD('
- 0xtrT
- jA["
- ^h\\7
- F:Av'
- ND2-]
- 'O2(T
- f-IO
- 1ah<
- 5-Gey
- A0p{'.
- AR-%

- 2(Eb_X
- eWC"
- OEAb
- A` 3
- /a7%
- 4Ox>
- x<5m
- 4Tk-
- u/O:
- El%Z
- C.v3,
- K#~8Z
- 79r|
- E:0B
- m1)'n
- i=(b/
- qYej
- ?l1o
- utHE
- ze)?
- Jk83LO
- &Q;{i
- {N2ce
- e8J#`|
- Az`.
-)?W4
- @4QA
- Is0mpLMQwcgAoIeU7ArY
- H9yxy
- t\t]O
- Ko<Z5
- >1N8
- >U<]I
- .F6"uh
- Lfgi
- iIe_
- w9?_
- sO'7
- A#X>%3
- H#$I
- koyQ
- 7\\&'
- 5C43:
- n&}UF
- iB~=
- };e4'R
- 8ElH
- 6M3S
- 3B-F
- A#)[@
- 7;39
- 5emLE
- 7Pyk
- vQH7
- t\t5~
- O4!j+)
- 7gx\\

- 9l6+
- AHaD
- }u1s
- 5s(+
- P@i+
- A-]o
- iSAf
- uCHKA
- bA9`
- Iyf9
- <Yu-
- U6Fd
- :6(z
- /C5_
- w<-aa
- S]U7
- ^IPF,7-
- R*3Q
- Io%PH
- MBei
- A8'B
- I>@O
- vz3Bt
- 2'q(
- V&9+
- k#\\2
- w]]O
-)T*.E
-]Mc(O
- Zk.A
- APOT,
- E?\\[
-]oy([
- UEP6
- ?#a{
- {b8Xi
- fMe'`
- phW[5
- F!/OS
- 8*jl
- N+ih
-)[z6
- BA"Fd
- [Q6,
- s-NI`
- 6>0~92
- @Y\t5
- 3u'Jf;
- 4gl;
- j^C7@
- P)ow
- ISAn
- l/ja
- d6I,
- owc
- k*=M3
- &2RS

- 3RC_
- bK{X54
- IE8R+
- }@I[
- f3@u92
- O"fg
- e*!.
- ~"M1M
- 'Gd6
- B3P)
- 7I k
- @Shpa
- $c4(HA
- .dpJO
- ceD>B
- FdPz6
- i(yj
- cXa:v1
- R[0~
- k\tre
- .wT3
- [U('
- 4)Au
- e-~R
- |{iN
- b0/n|
- _Ghi
- s>UI
- vs*2x
- 1QGN
- 3OX_Sh
- UL2se
- -ATTB
- 47s\tp
- HbuQn
- D3wG
- PD o
- p[7i
- rd'on:i
- 7'Ae
- ;IP3
- E:9%
-]{9h4J
- I~91
- 1;yLL
-]=0b
- =6]<&6:
- d30)
- @2/<
- v&3-3x.
- uDh2
- ;CEa
- L_OCo
- %W6E
- a|T|
- He t9
- Y4R^

- 9*ex
- I_1s
-]Kv{w>UU
- uU%x
- I GL
- eV}KI
- CJ!Im
- Jek/
- N*0+
- +43(DUbw
- v"PU
- %9}j
- TOq}P
- H@vu
- k6>$)
- UN*IQ
- Xq(1
- ?5W.
- i8<)UQ<5
- $:u
- 7>U{
- K9[B\\
- 3X&O;
- IJ<}
- :7A]
- 3QtG
- aHuBX
- :!El;
- *A]4
- #C9c%
- 1,n~aR
- j9_]
- XUMp
- ^u-n
- 7$PV
- Sk{I
- C"g9
- 9?JN
- u{P
- 7|Q}
- Fyw|8
- + 2z
- 37@Sbq
- `Heg
- Il^2
- 0n3s3;
- pj31
- RoIMo
- M9K$
- _)E]}
- Myo$
- HGeLf
- ca]t
- i60P
- ,Bn6
- 2mh"
- i#A6

- dTAg
- ~4v-
- 8,CZK
- n|Uv
- {iA[%
- _(H6
- v3Mx
- \\Ze3
- (+4u
- ,5 :s
- <k9s
- %>5B
- d{@bTaI
- =wEE
- YElp(
- o=;7=J
- W|w4
- 0\t%x
- aXrX
- F5Gh
-]S7Z2}
- 0i;p
- Jwea
- :O)8
- }5a3
- P\\W[e
- e%Rm
- 1Ng0+
- fWa[P
- (Bg5f
- cgA
- 3WG1
- C4v_
- Z~?A:
- mcBa
- a,ht
- ;@E^)
- ETm&
- ndPWu
- &6@`
- 9\\L<
- Iu49
- f3`W
- 0[%9
- |3-O
- GyQ5\\
- nfv1
- aLt[
- A\txY
- 8H1!
- *vi8
- 1o\t)
- u:iwN
- PxB4
- 1*Z!L
- ,UCi
- @ZuuT

- f&runE;
- }Y8Y!
- ZU,=
- _6T&T;
- o)~)
- tUP;&
- 2_\t1
- nN2S
- M(AO
- ?:G4
- vE^&6
- N`yU
- 5&%]
- Q!mA/
- |w2u
- u5_j"
- DT5w&
- psAO
- JIl~
- 4j3b
- B#0z6
- &1>c
- We@K
- 7JhHs"1n
- /)eA
- 02b:|c@
- }n3&
- 3YQJ8{
- 3[Il7
- ulZ+l
- O4-c
- ~/gT5
- YDfru
- dqU6
- UX:d
- eH'Y
- 9z{q<
- da7Q
- $}eO
- 4Pd`
- D1Of
- [/(3H
- $RbF4
- 79PJ~
- 49/n
- 9xok
- 4x29
- e-Vi
- =4xT
- "V2N
- /B7[S
- "cC30
- Iut
- "U2>
- V^0s6
- b1q#
- ODsB

- i-i:
- -=.u$
- 35zBH
- 8i=k]
- Si=i0h
- i=~RF
- %nUN
- -\t5St
- _9I*-
- oE1-
- _9I:
- R@P1
- +=d3x
- wU\t5
- a+%a
- i5}`s#~:
- OF.I
- 1f#%
- /U51
- %7g:
- !5;9
- YN;5
- i%kE
- %d3h
- =las
- w1#f
- 25cgz
- i%}~
- I(|J
- dtpU
- 93vP
- aI7m
- WA\tt
- T1DR
- f9tJ
- f9tJ
- D[A>
- tXV3
- f99t
- t\\S3
- <ar)
- <Ar5<zw1<Zv
- y5JU
- u\t_^3
- D3TW
- @AIH
- $Xr34
- <1@AIHu
- @AIH
- F0_^
- V0WR
- V0WR
- V0WR
- T0D@
- u\t_^3
- L0Q@
- u\t[_3

- 5H8!
- j1VW
- Hj0VW
- >wqA
- VjEj
- Vj8j
- Vj7j
- Vj6j
- Vj5j
- Vj4j
- Vj3j
- Vj2j
- Vj1j
- Vj0j
- yLBDU
- f&<iA
- V A;M
- wwwwu
- hxVu
- @j4W
- wCvU
- 0_^[
- @jUW
- 3`wL
- NA5V
- v 2o
- 8<f^.
- |:2l
- 7UUe
- Hostf
- Unkn
- 1LGR
- [yj5
- YHom
- =Sur
-]#On9
- PX1<
- *ZaM
- DBUE
- bO6W
- ?Uuy
- <kuH
- <ju@
- <iuD
- <hu-
- S<fup
- <0PE
- <0PE
- <8PE
- v!;l
- u}Vj(
- 0_^[
- v0[_3
- u\t_^3
- u"hV
- @J7<
- SVW3

-]2PT
- ZVG1
- pVW3
- Realf
- name
- host
- guid
- t\t_^3
- _^3
- um9]
- h&M4;
- y\t_^3
- _^H#E
- SVW3
- k)\\U
- ;FAb
- VF8Ia
- LjAV
- SVW3
- hYd8
- SVW3
- DESTf
- PP\tU
- @u\tV
- uKSW
- 89+/
- 4567
- 0123
- stuv
- opqr
- ghij
- cdef
- YZab
- UVWX
- MNOP
- IJKL
- EFGH
- ABCD
- 9N\\}-
- F\\~A
- H 3X
- VQR3
- F0_^
- O(Qj
- j\\joV
- O(Qj
- jcjuV
- cUPU
- uzWV
- SVW3
- <>DuG
- <>CuJ
- <>BuJ
- <>AuJ
- Ph!i
- &_^3
- SVW3

- 3333t
- a'eh
- QTc9s
- uGFG
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- u\t9H
- Hostf
- f9L>
- <>Uu2
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u 9p
- u\t9p
- u29p
- u\t9p
- uD9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- u\t9p
- <0POSTt\t@;
- @`8u
- F4PV
- Y-ksU
- 5bxw5
- ;z7
- 5{;i
- qu&yR;
- SVWA
- 0N@;
- uy<E
- uu*<#u
- I 9D
- vUW3
- 7>dr<
- open

- 8_^]
- x64
- x86
- 89u]
- Gu\tS
- GuAj
- 8FuS
- Gu$S
- 8Fu6
- GB;U
- 200
- 2008f
- 2016f
- 2012f
- .text
- Rich
- !This program cannot be run in DOS mode.
- MZER
- A, u=
- t?9=d
- Fu(h
- SVW3
- 9mode
- 9cach
- T$0*
- T$0R
- uu8_
- D$4PS
- T$4@;
- <8&u;
- T$4;
- ?file
- 4SVW
- A8#A4Y]
- t:9E
- 9u(t:j
- FT3-<
- FT0y5
- uL9E
- tO9}
- QSVW3
- SVW3
- uEWht
- 9^$~
- L$ 9
- uD8\\
- <Xu>
- v+=3
- BI9C
- t=j0j
- D$ P3
- Pj!3
- AI9C
- t?j0j
- Rj!3
- BI9F
- tYj0j

- Bl9F
- t]j0j
- Bl9F
- t_j0j
- Bl9F
- t;j0j
- T$4Rh
- L$8u
- D$8j7R
- D$,j7
- Bl9F
- t5j0j
- t'j0j
- PQja
- D$49
- RhLiD
- 0Ph iD
- L$8Q
- SSSjo
- D$<u
- MIBD
- <MIBD
- EX>D
- 2^Y]
- 1_^Y]
- 0_^Y]
- 0_^Y]
- ~3Ph
- Bl9F
- tRj0j
- tfj0j
- <zu
- <`uf
- >8_Et
- D$ 8XE
- 8X-t
- T$ 8ZEu
- 8ZEt
- 9B0
- D$,@uI
- 8ZEt
- >8_Et
- 8ZEt
- L$0RQ
- 8ZEt
- @, u^
- D$0QR
- T$0;
- T$0C
- T$H9
- @, u
- NHfA
- D$Ht3
- L$0y
- D$0x
- D$$0@
- D$|0

- L$L3
- D$ 3
- 9:tDA
- G8 u
- G2F;
- P*SV3
- A28Y6
- R0;:t
- 8ZEu
- tQ;U
- tg;U
- K0PQ
- ;P$u
- P$#U
- B, uV9C$uQ
- C8 t
- B0PSQ
- ?#u2
- 2SWV
- f;J2s93
- f;H4s
- |\t+E
- N0@R
- 8HEt
- K(Ix3
- _4tt
- u>WjH
- ~2;2u
- P(Jx9
- |\t_^3
- w,^3
- O,SV;
- V$#E
- ;K0u
- SVW3
- RPSQ3
- B9G0
- 0;|$,
- @|\t3
- At!Ht
- O$#E
- D$$3
- G$AB
- 0;\\$,
- K$#E
- D$l0
- Q$#E
- ;F0t
- C2G;
- ;_^3
- u\t;U
- 9>~)3
- L$0f
- <wu
- ;t$0|
- 9t$0~t
- @l9F

- T$4QR
- D$0P
- L$0j
- D$0t*
- L$8RP
- T$8R
- L$8Q
- L$8RP
- D$8P
- L$8Q
- D$(3
- f;N2s?3
- \\$4;
- D$0\tT$4
- @l9F
- L$09N
- T$ 9V
- 98t-A
- !\\$0!T$4
- L$0H
- L$ u
- 90thA
- SV9G
- T$8j
- D$8t
- 9\\$Lu
- 8ZEt
- D$\\0@
- T$X9Q u!
- D$09|$@
- t$43
- D$,I
- Bl9G
- tZj0j
- D$8;C
- D$8@
- |$8;
- |$T3
- @, u
- D$`3
- D$ @3
- D$,3
- D$4Wj
- @, uk
- |$0f9|$$v
- D$T3
- t8f;D$$u1
- 9L$Lt
- A2f9D$$s
- 3\\$L
- D$4W
- 9D$L
- 9T$L
- 9T$L
- D$8P
- t'j0j
- L$4PQ

- A9B0
- L$(3
- L$T9B0
- L$D3
- J4@I;
- VPjU
- f9T$
- D$D3
- 9x8u^
- D$D3
- D$4;
- <wu'
- SVW3
- _^[3
- ;9t{@
- 9BPt
- SVW3
- WRPV3
- 9Q4t
- ug9S
- tw8VEur9P
- 91t.
- B9N0
- G8^[
- O8SV
- C;_4|
- 9_4~^
- t1SV
- t*9p
- h0nD
- ,SW3
- du3j
- VVRjo
- 9t$@
- D$89\\$
- f;A&
- D$(9
- 9Hxt
- 9L$P
- N9H0
- 9T$<tp9H0
- t$(3
- 9T$lu
- 09T$Ht
- D$0Q
- 9T$<
- L$0;
- P&AG;
- WQjU
- L$8j
- D$8;
- T$8;
- L$8;
- D$duH
- WPjU
- D$8j
- D$8;

- L$8j
- D$|3
- D$l3
- WPjU
- |$\\9B0
- |$@9H0
- WPj9
- |$ 9T$<u
- L$@3
- jiPQ
- 8H6tb
- L$x9F0
- L$4Q
- D$d9J0
- T$09A0
- |$4;
- D$(u
- u=;D$<t7
- ah<fD
- T$Lte
- D$0;
- D$09
- D$tu
- ABPRQ
- 8AEu
- A|SVW
- t5jP
- A9B0
- ;BDu\\
- G4_^[
- G4_^[
- A4_^[
- SVW3
- \\$8u"
- 9Z(uU
- \\$D9J0
- f;J0}
- 49A0
- |$L9A0
- T$43
- T$43
- D$L3
- L$DA9B0
- L$$3
- L$@8W
- T$\\3
- WPRj7
- D$\\3
- |$,3
- L$0;
- SPjU
- T$,3
- T$l3
- D$4@
- Q@W3
- L$@3
- D$\\3

- 9|$8
- T$$3
- T$|9H0
- D$0;
- L$4f
- C$ u
- D$09
- L$H3
- D$89_0
- 8YEt
- 9x$~!
- D$(3
- 9P$t
- 8YEt
- h0yD
- L$4@
- T$0~X
- \\$<8PE
- |$4u/
- tNj0j
- tQj0j
- t$(9t$Lu7
- tNj0j
- T$@3
- 91t\t@
- D$,92
- |$4;
- tN<zu
- |$L3
- D$Du)
- 8YEt
- H<_^3
- t'j0j
- yL_^3
- D$$0
- L$,u
- T$ 3
- D$(3
- 9^$_^
- 8YEt
- L$0QR
- 8YEtL
- 8ZEt
- G9B0
- |$$9A0
- |$,9H0
- L$8R
- 8ZEt
- SSRjI
- T$4B
- 9Y0u
- ;9}
- L$L9B0
- A,u
- |$03
- j0SW
- @9V0

- h4wD
- D$0@
- L$$3
- <\tu&
- D$83
- L$4QP
- \\$ 3
- ^<u*
- |$8
- D$ @3
- 9N,t
- L$8QR
- T$83
- 9O8tH
- 9O,tH
- ~0PVQ
- O<_^[
- SSPju
- A9B0
- SQRj9
- VX8\\
- 8YEt
- D$09Q0
- ;1}
- I<WQV
- 9_|u
- f;O&
- <0:u
- 9;~O
- 59A0
- tJ9A0
- G9|$
- L$4u
- L$43
- L$0j
- PWj8
- L$0j
- QWj7
- FX8\\
- 8YEt
- \\$09B0
- L$8u
- SQjU
- D$83
- B9H0
- T$89H0
- L$8R
- I9B0
- 89A0
- }<9A0
- 9D$0
- T$4Q
- |$4;
- L$$3
- 8ZEt
- SSQju
- SSQj5

- \\$09J0
- L$09B0
- hluD
- f;B&}aC3
- 98~#3
- F$u0
- A&SVW;
- h4uD
- t'j0j
- QMW3
- 8YLv#
- L$`3
- f\tYN3
- D$8V
- hHUD
- T$0R
- T$,3
- T$8RP
- T$D8_
- u+9D$t|%
- @8xsD
- L$0;H
- 9L$T
- Z29H0
- D$<3
- 8QEu
- \\$$3
- D$X3
- D$4Q
- D$ 3
- \\$43
- D$h3
- @, u
- @, u
- @, u
- D$T3
- L$09J
- D$8PQ
- L$lu
- |$\\3
- |$`3
- t$0P
- D$H;A
- |$43
- D$8jh
- L$0QRPW3
- D$D;A
- D$D;A
- 8RQh
- T$<u
- 9D$`
- 9D$`u
- D$`3
- \\$Xu
- D$X9G
- T$$3
- ~\t_^3

- 8YEt
- QSVW3
- 8XEu[
- uYV9
- P4QP
- P0WQ
- P0SQP
- ~1VS
- D$$P3
- A, t
- Pj5V
- Qj5V
- t\t8C
- f9G$|
- K6:O6u
- G2f9C2t
- O,9B0
- G, u"
- 8YEt
- 9](t
- 9]$t
- I&9B0
- 9](t
- 8YEu
- 9X$tJ
- D$T3
- t$$9q
- D$8j
- D$Pu
- Q2@G
- f;1t1@
- f;B2
- +D$8
- D$P9J0
- 9|$
- t49|$ u.
- W49F0
- U9F0
- WPjU
- f;P4
- D$T3
- 9T$
- D$l2
- t\t94
- D$83
- L$Pu
- t$4R
- QQWjo
- |$09A0
- ;T$4t
- IQVj
- jiVS
- \\$l3
- T$<3
- T$<u
- T$48BE
- D$l3

- 9p0u
- <8At
- f;N4s\\3
- 8GFu
- u)8GEu
- F, u@
- Al9F
- tfj0j
- t?j0j
- tFj0j
- t>j0j
- tNj0j
- tNj0j
- QWVR3
- L$8Q
- T$4RP
- D$(;A
- L$ 3
- Bl9F
- t8j0j
- f;P2
- t7j0j
- t1j0j
- D$;A
- tNj0j
- t$ 9q
- VVRjA
- 9u$}U
- t}j0j
- D$$9r0
- f;F$u
- I,9B0
- D$$3
- WQjU
- PQjA
- u1_^[
- H(W3
- hHUD
- u.RP
- hHUD
- hHUD
- ;D$4
- \\$8;
- 4SVW
- hHUD
- hHUD
- hHUD
- hHUD
- L$p3
- hHUD
- L$p3
- hHUD
- hHUD
- hHUD
- ue_^
- u&_^3
- hHUD

- ShHUD
- ShHUD
- hHUD
- hHUD
- 9L$$
- hHUD
- hHUD
- 9H$t
- ;U u
- SSQju
- 8],t
- QSju
- D$$9J0
- $9L$
- E(PWj
- htoD
- L$0Q
- D$0P
- jiPQ
- L$8Q
- T$0R
- T$0R
- T$0u(
- F, u
- \\$H3
- QhLoD
- Ph,oD
- 790t
- 791t
- 8XLu4
- 8YEus8YFun
- 8^\tt
- 9Y0u*SjT
- 8^\tt
- L$$W3
- u%VW
- Z4VW
- H4SV
- 9{(t
- SVW3
- h8nD
- 8Z\tt
- h0nD
- SVW3
- 1N(^]
- uL9E
- tFS3
- u6PjX
- O,VQ
- u49E
- V2@;
- 8Q6t
- t)8P6t$
- K2f;
- O&F;
- K8 3
- H2G;

- f;J2
- 95u.
- u&PSV;
- WPj5V
- D$49J0
- WWSj7
- \\$0G
- D$(3
- D$0@
- u(Vh
- A9B0
- ?9H0
- u%+}
- 9q,u
- QhLiD
- Rh iD
- L$8Q
- T$8VR
- L$<3
- hpiD
- F0_^[
- PhLiD
- Rh iD
- A9V0
- D$8P
- T$8WR
- T$03
- OhPQj
- QQQjo
- A4_^[
- f;A2s?
- O-QVj
- tMj0j
- C0_^
- P(w7r
- P(w3r
- h0hD
- X&V3;
- <_u
- A9G0
- D$ 0
- =tni
- buodu
- aolfu
- laeru
- bolbu
- txetu
- bolcu
- rahcu
- 8YEt
- WSjeV
- f;2t
- 0t3j
- u'+}
- SPjU
- 8YEt
- e_^[]

- V8RS
- W4RS
- ?7t,
- ?7tD
- ?7t\\
- hTeD
- Wh8eD
- Wh eD
- D$0Ph
- L$4Q
- T$4R
- u@j0
- q W3
- S*_^3
- 0WQV
- 8QEt
- |$ 3
- |$T3
- 8ZEt
- 8YEt
- 8YEt
- \\$D3
- D$8H
- f9x2u
- D$4SR
- L$89\\$
- |$@3
- A, t
- D$4@
- |$0G
- 8YEt
- hHUD
- hHUD
- QRWji
- T$0+
- 09C0
- D$0P
- D$43
- SWjeV
- QjAj
- t!9S
- PSWh0aD
- Rh8_D
- D$ 8^E
- 8YEt
- 8YEt
- hHUD
- hHUD
- |$ i
- hHUD
- 9;~F
- ;O |
- ;O }#
- B&9C
- 8;1t
- f;2t
- >#u$

- 1:D1
- ;at)f
- >5u>
- uo_^3
- VWj0
- D$,0
- ,9B0
- D$$0
- D$0H
- L$4QR
- D$0Q
- D$8S
- QRPj0
- O,RP
- SWPjU
- 98u
- H@V3
- 8YEt
- A9C0
- T$0RV
- <wu(
- L$ 3
- SWPj9
- D$09J0
- L$0;
- D$,9J0
- D$49J0
- H9D$
- L$4Q
- T$ 9
- D$4t
- L$0QS
- T$8R
- D$@3
- D$4t
- \\$(9H0
- <wu)
- <wu
- f9A }"
- D$d0
- D$4PQ
- 9T$L
- 9D$H
- t$8;
- t$8@
- u6\tD$H
- T$,f9
- <wu'
- D$0;
- ~\t8F6
- 9D$<t
- T$4jh
- D$<9u
- @SV3
- 8ZEt
- SSWj9
- <wu

- u0Qj
- G0RPS
- z0WVP
- Al9F
- @l9F
- Bl9F
- t7WS
- @l9F
- 91~#3
- 91~#3
- 91~ 3
- t(V3
- ut9B0
- D$$3
- T$$u
- D$ 3
- T$ u
- <)u
- <'u
- <wu
- Al9F
- tDj0j
- <wua
- IBPW
- IBPW3
- y&5uS
- QSV3
- F0QP
- t]j0j
- 9X$~
- 9\\$$t
- 9T$$
- 99~C
- D$,3
- D$8P
- PAQh
- 90~33
- t/HuJ
- 9Gt%
- RQH3
- t[Huy
- 9H0u
- K49K0t
- ;Ah~
- 9;~)3
- ttj0j
- A,@u
- @,@u
- F;7|
- 97~Q
- F,^3
- y0_^
- 9F,u
- 9N(u
- SVt3
- 9F$^
- 8F8u!9F$

- N;9L$
- 8GH;
- V;J3
- 8F;v
- F;9E
- F;W3
- t'9A
- V8u$
- O0QRVS
- h 7<
- O<;W
- 9F(t
- N;SIW3
- SWu8
- 93t,
- toVW
- 9G(u
- 8G;v&
- 8;>|
- tyW3
- I,WQP
- uH9G
- ~(uA
- Qh4YD
- L$4A
- t6jx
- +D$,u1
- u*+]
- Gh9Y
- ALRV
- F4;C
- G0HPj
- uJ8NKtE
- {09CLu
- hHUD
- <Bu#
- T$4h
- D$4h
- L$8h
- L$8h0MD
- _^[3
- 8?u!
- D$8f
- 4SIVW
- u)8E
- h UD
- uZ8X
- uZ8X
- u\t9N
- h UD
- C8_^#
- hHUD
- hHUD
- hHUD
- hHUD
- hHUD
- hHUD

- hHUD
- FD8GEu
- u8+D$
- T$4;U
- D$0(
- T$0+z
- |$@3
- |$@;U
- L$4;M
- u99E
- 9^$|j
- -t\t3
- 9D$$u
- VWP3
- SWtl3
- 8OEt
- V$;E
- Vhu3
- 9~@~Z
- h0MD
- h4TD
- ;H0~
- ;AXt
- SSQjI
- 8YEt
- 8YEt
- O9Q0
- 8YEt
- SRSja
- W9H0
- u(<Au$
- 8_Et
- uD;^
- ,90u
- `90t
- RPIj
- ;D$8s
- D$0;|$0wU
- 8N\tt
- w69^(
- t59ALt
- 8H\tt
- L$,9
- t99xLt
- tW9=`
- D$8Q
- t$8f
- D$4t
- L$0f
- D$4t)
- L$0ue
- O(PQ
- RPIj
- 9~4u
- SVW3
- 9H4t
- PQRS3

- T$0P
- L$0f
- ;T$4u
- ;T$0u
- T$4t5
- 9H4t
- G"u"
- t5QS
- K"8O
- VPW3
- te_^[
- RPIj
- u(8G
- D$0SV
- G4SV
- _^[3
- RPIj
- 9|$
- ;|$0
- RPIj
- 9|$0
- t$;t$0}o
- 1;t$0}
- D$ H3
- G;|$8
- L$,A
- 9T$L
- 9|$8
- L$0;
- t$ 3
- D$4j
- D$ 3
- ;|$0
- 9|$(
- T$,9
- ;\\$8|
- ;|$8
- ;u);|$8}!
- L$89
- u/;\\$8}'
- L$03
- ;D$0|
- D$H3
- ;D$0
- T$@3
- `uG;p
- t$0;
- ;A$v
- rW;u
- N4;Q$
- RPIj
- T$0RW
- O8PVQ
- O,@;
- THP3
- H"u\'
- RPIj

- 8FBu
- u&8FBu
- DNP3
- QSW3
- V"f9H
- RPIj
- FBS3
- ;G8~5
- +K8+
- 9H4u
- u'9E
- 8G\tt
- 6;^h~
- RPIj
- 8C\tt
- to8F\tt
- uv8F
- 9xLu
- N4Rj
- 9C,t
- 90u(
- ;w t5
- N@9~@
- SVW3
- t\t9Z
- SVW3
- :AEtFh
- O fI3
- uC;]
- VfARf
- 9F4uQ
- 9H4t
- ~0_[Y
- QSW3
- RPIj
- 9^<u
- 9CLu
- Q8j\tj
- Q8j\tj
- uq9_Dt$
- ~D9]
- 8F0t#
- L$03
- D$0SV
- Q8j\tj
- Wf9F(
- 8C,t~
- Q8j\tj
- uq9]
- 8_+t
- u-8G+u
- uu9]
- 8^+t
- u%8F+u
- t88^+u3
- SVW3
- Q8j\tj

- 8F+u
- uu;U
- ux8G+u
- H8j\tj
- ;ODs
- IQRP
- 9_^[
- 9_^[
- L$0+
- u}W3
- NXS3
- 8F+u
- ^-WC3
- 4C@=
- 8CAW
- {LuP
- ui9]
- u+8^
- uTW8F
- ~hu0
- ;O$v&
- G@90t
- RPIj
- u+9E
- u'8G
- 8F+u
- G,V3
- RPIj
- IQRP
- tV9_
- A,SP
- L$ 3
- uM9\\$
- L$ 3
- u^9E
- 8_^3
- D2\tSP
- s,Wu4
- 9jHj
- IQRP
- uI8F
- Wjd3
- G@90t
- u(9G`t#
- taf9^
- O|_^[
- O|_^[
- IQRP
- RPIj
- 9KTu
- 9CPu
- RPIj
- u%9]
- 9G$v
- uD9]
- Q8j\tj
- u\t8_

- tY9]
- _09]
- _,8_
- 9_,tu8_
- t,8_
- D$$0@
- 0;~h|
- 9~h~"S3
- VP9M
- ;~Xu
- ^T;E
- F4Pj
- V\\u$
- 0A;Nh|
- 9Nh~.
- u[8F
- u*8F
- t|SV3
- ;9w
- I$_^Y
- t9WQ
- s0;F
- u=;C
- ^8^[
- _9^(u
- H08Y
- 9G,v;
- r^;58
- 9F4_
- O,@PQ
- u09_
- I,SPQ
- 8Y t
- 8P t
- I,SPQ
- 8Y t
- tL9A
- t)H3
- 0$7G;
- 0$7G;
- t\t8O
- Ht-Hu
- L$83
- L$83
- 9\\$4t
- 9\\$,
- |$ 3
- 9D$(t
- h|OD
- 9F0r
- 9V4|
- ^<_^3
- ;~0u\t;^4
- 9F0v
- 9F4|
- ~(_3
- F,SW3

- 9NT~
- FX9VT
- O`_u
- 9~T~!
- 9F0v
- ND9F4|
- ;NDt/9F$u*
- r9;~@u
- ;V0s
- F W3
- ;A0w
- SVW3
- SVW3
- AQhX
- tGW3
- |\t9E
- <-u#
- SVW3
- <:0t
- ?0SV
- <-u
- <-u
- <Eug
- >.u{
- 0G@G
- VWtO
- Vh`d9
- _^[3
- SVQP3
- AQRP
- D$4@
- |$ 3
- D$L3
- 9t$$t
- BAOu
- |$$3
- t$@3
- L$$SI
- |$ u
- Wj0V
- \\$X3
- D4pInf
- D$,3
- t$Lu
- D$4@
- 8CEt
- 2^Y]
- W8FE
- u&8FEu!8FFu
- r;;5H
- tM95$
- u.VW
- u*VW
- uhW9
- _^[3
- hHUD
- L$(A

- 4;Vj
- h8MD
- 1RPh0MD
- T$0j
- 4;Vj
- D$(3
- D$$3
- VOWQ
- D$0P
- hHUD
- hHUD
- hHUD
- D$8j
- VWj0j
- u))3
- 8N,tA
- >.uf
- t$ 9w
- t68T0
- tI8T0
- t\\8T0
- tq8T0
- /empf
- /rac
- .reloc
- @.data
- .rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- LLLL
- LLLLLLLLL
- LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL
- xxxxx
- hhyyww
- bbbb[```__^^^]
- ```__^^^]
- ```__^^^]
- bbbb
- ```__^^^]
- ```__^^^]
- ```__^^^]
- QcXZ
- ```__^^^]
- NcdZ
- ```__^^^]
- ```__^^^]
- ```__^^^]
- ```__^^^]
- ```__^^^]
- ```__^^^]
- ```__^^^]
- ```__^^^]
- aabbbb<```__^^^]
- aabbbbe```__^^^]
- ```__^^^]
- KcdZ

- ^^^]
- __^^^]
- ```__^^^]
- ```__^^^]
- H
- h((((H
- (((((H
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- jjjj
- jjjj
- jjjj
- jjjj
- jjjjjjj
- jjjjjjj
- jjjjjjj
- jjjj
- jjjjj
- jjjjj
- jjjjjjj
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjh
- jjjh
- jjjh
- jjjj
- %$J\\
- dd@~
- ~p#J
- av\tPnNf
- pN~n
- K\\\\
- $\tRR
- ,..
- $~)s
- TTRRRPPONNLC
- .ONNNNC
- (ccc
- (ccc
- }cw'
- cccw
- }{{ww
- f\\ZYXW%$$$##_
- &'[^_bdgh_
- !!!'b
- llllllllkkkikiiiggggggg\\
- nnnm\\
- nnnm\\
- nnnm\\
- fXWQQPPMMIIGA
- cP[M`
- KAKTB>F
- <>?>?;;
- !! !!$$&&&&")

- !!$$$$&&''''
- ~~~}}}}}}}{{||{{{{{{{QF
- h[DDDDDBAA@@>=;;
- ;~~~~~}}}}}}{{{{{{{QG
-))"
- /////,,+.
- l`TS7C
- M\\OSpcbrs
- etqsrrrst
- !# #!!###!
-
- !##&&&'()
- ###$&&'((
- !!!$$$&'())
- !!!$$$&&&'((()))
-
- wwwww
- TTTT
- wwwwwwwwwwww
- wwwwwwwwwwwxp
- wwwwwwwwwww
- K?:d
- NQ:p
- tggG
- SKcRL|
- >`fd
- vf$`f
- Hky<
- +(/{
- Nd)\\F
- q-bj
- R*(|
- +B\\$
- yq()
- Vqng>[2
- '\tq$
- Z+C*
- !!VB3#
- x`FT
- lJD
- l^v,
- HQvH
- GHmSY
- Er\tWZL
- nqP/
- }-kt
- H#+$
- h=lt
- {--Q
- xrz;P*vt
- z
- -?J,
- kcY-)
- $]lH
- HkLqW
- ''}rS
- ZQyvtt

- Mr(g
- \\.%j
- VSJ(
- C;;+
- FQ_z
- !;s
- -_+r
- !8T@'C
- <=kMR
- gH"<
- CGFN
- &Lkorp;
- $Q~r
- pjt=
- H,|`
- .$wn
- k{S|"
- Gg(@
- CI>p_\t|
- ch`,I~
- QD(.S
- yhX-
- !QI:
- Qhh'K
- J){XIw
- *G]Ij]y
- (>K{
- Fy{
- d_rpJ
- M"&]
- MP %
- Y$_0s>
- ,-^:
- RPNn
- Pj[Dp<
- <Tk(
- C;)sX
- CPG@ v
- rsv{
- n/lZ
- _[G4R[
- G%?/
- S`Qc
- >z_9-YM
- yPc__^
- /dU~qz
- fxqND|q2
- 2%J"hr
- +>\\{
- Vw`J
- D\\Nr
- w(*uTq
- mT(dT
- ntvv
- jTW-
- `,@yZ
- z*q}

- !(hd
- PHKG
- W0y".]v
- (HxJ{
- LKf`
- .tvv
- *zRM
- :+hd
- RDYS
- ^iN}|Sd
- jb:C
- ,%d<
- ;w :
- RZ|Yz
- Hdk.
- `H(j
- *\t_x
- G>GrD
- v,(w
- X^y@#
- JTW.B
- &:=~
- M`~G
- Z!&J;
- D!F
- Cw~ jf
- ST=$d
- "@TLlBq
- jXNF
- QZ>/q
- RXkT
- +?*`
- !H\\W
- {TWj
- ~bLP
- r~[
- &gC;"
- "p|l$.
- ['&k;
- #{G+M
- {ZsNc
- -cx[h
- \\Fm"
- `,@.
- z\' /"
- T$-
- Pw9P.{
- *Q\\J[E
- ,&":
- .@}p
- S?s=
- gp D
- oG}hTzd
- Xq$\\
- <,'V
- r'C|
- <Y)C

- r@BF$
- T,?[
- nlb
- |^dz
- g/:::
- `^g;
- }xm@
- Z=G^
- fzR`"Pl
- Cr#6()
- ;q$%
- [`\\y
- ~d/`
- M}
- Df/:
- ^z }
- Y/C}Tw
- B})m_
- N%~-
- \\F{{;
- K}$,
- *zfb
- V&<!
- FFFDC
- hkkC
- H[y@@
- X`,
- 'U@(wlt
- D{{;
- |$/y
- QdvS<
- h/k{:Qm5s
- x^]f
- _NH/~
- '}BN
- X|C:
- :RPh
- .,$$"
- 'oj^*/
- _^*Q
- 3YYYWYWWVVT
- zzzzvzvvr
- {~{{
- 2$.>%!+
- fd]]XYV
- {db`]XYV
- $$!!
-]YYYYVYVYVYV
- ~{olllijjg
- ,---,,)(+
- nbVV;H
- &&&&$\'\'##"""!
- wwwwp
- wwwwwwwwp
- TTTT
- "&T2l;#}
- |D]Z

- FyNbZ!
- D[FY
- Xm\\!
- |~H^
- B"8$K%
- sGC
- ~Z:+
- XLNYN
- HAG$Vpy
- VdQ)7!
- 9"b`M(&
- q(%&
- Tv,,,
- &x;\\
- r& Tz2
- d\\Y
- &n;Y
- [/H)
- Q!tLay
- KK{ND
- sv`Fx
- M@zF
- ynQB+
- B_<"
- n:[`~
- K~@!
- KGql
- B;SrKn
- *:z
- ZR=n~
- :kZX
- =*TB"8
- V"/\\&
- #_}D
- z*}&
- b*$]
- Ak)bd!
- v"Ff;
- &L;<
- ,[]`
- ,Qp!R
- }}7B{z
- SsPL
- Ry(g
- 'R_D
- J>&~
- Tw_$
- VCX
- t<Vf
- ;Y&`U%
- @"+r
- ;~}Y
- d!:(
-]b(x
- z[z"
- &HHk;
- y\\D<n

- ~{}_
-)Frv
- GhQ<
- cB@*
- |$[
-]@[H
- jTSDV
- rQG}~
- QB`c
- ^Bgv
- D'JWT
- :cLX
- sSkt
- PrCf
- |}y\\
- >XkN
- Fq~
- (BJN
- !d$/
- DB<<
- wB=>
- fx$/
- #w?b
- /tMW
- Xq{m
- _VJ`
- +xNf>
- nk,[
- vsfb
- H\tX+
- m.Z/
-)LV)
- `*kBd
- h&!k
- s\t[v-b
- jl}=z
- I:~h$L
- ?>#}h
- %t\tR\\!
- -RM%f
- $@j'
- c_Gk
- wlN|M>s)
- `T[]j
- Pfrb
- fCL-
- : X];
- +rdW
- N&xb;
- B:gVWqf5
- z??;
- qGQ
- Sp=%4m
- Fdns
- F[m^f#
- Hd)=n
- X_|Q

- jjd&
- ^]%@
- jVLK
- "@jr;
- 0CqsJ$
- K=&@
- +?[z
- C)WsS
- t$?g
- g;>
- g'LM
- y(.[
- ?J{
- @txz<
- fv,v?
- #,fN
- sz^.k
- ,=N
- Cj$\\
- ~z'=
- hldPd
- .S%q
- lMZm
- f@cf
- GKD<
- H:q<!
- -P&^
- >/=D
- Z-;Z
- p(*@
- \\V*&$a
- x>^*
- x{`H
- !c~_
- Jy"_@Pq
- @$~m#
- <~`@D
- &%N@
- +%Xv
- vr}R
- [k#Z
- H*g&
- c`B
- %X)6~nY
- C^'|
- FcW'
- M%obLb
- GDsY
- Cz;Q}
- h(L
- <wVq
- kC"o{ZD
- DHqpm
- ;? "
- QX\\Lz
- (<]%jM
- ?y+f

- &CDH;
- &YXq;
-)T%>
- dK@T
- r].w
- vzD$K
- <*/|
- rb%W
- kJvq
- otj/X?
- ~<C
- ~Y /
- P.$c
- t!FTP
- N@M"f
- WCd
- D)pvJq
- N"H
- 'bzl
- 7+*$""
- SSSS
- +a]]X;
- [[W4"-
- dGGG
- PW>>
- .b:<
- NNNNN
- NNNNKx
- jplll
- J&!z
- MG#P
-
- YYYYS$"
- p{sTZqu
- gdPs
- ymjmjjjj``?j?`?????:::::998800
- K##"!
- zK###"
- LLK##""
- LLLK##"
- kPLLKK#
- RPPLMN##
- RPPL
- RPPL
- QPPLL
- ~LLLL
- MLLKJ
- JJJJ#
- |##J#[
- $##""
- XTTTTTVV5,
- YZYVVV<2}
- sxebDCG
- ZdllZY
- 00.....&&&&&&&&
- TTTT
- TTTTT_

- TTTTTT
- : :(:4:<:D:P:X:`:|:
- ?$?(?0?4?<?@?H?L?T?X?`?d?l?p?x?|?
- > >4><>P>X>p>t>|>
- < <(<,<@<
- h;l;t;x;|;
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- = =$=(=4=8=<=@=D=H=L=`=d=h=l=p=t=x=|=
- <(<,<0<4<8<<<@<D<l<
- :,;0;4;<;P;X;d;h;l;p;t;x;
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- >H?N?\\?
- :{;o<w<(=\t>
- <h=w>
- ;M<S<]<
- >Z?t?
- <V<\\<`<d<h<
- :2;=;X;_;d;h;l;
- 9\t:/:M:T:X:\\:`:d:h:l:p:
- ?$?*?M?T?m?
- >X>a>m>
- ;@;K;Q;W;];
- ?Q?^?d?
- =;=H=T=\\=d=p=
- ;l<t<
- ;!;>;
- :$:*:/:>:T:Z:b:g:o:t:|:
- =>>l>
- =2=:=@=N=
- ;+;d;n;
- 9D:L:_:j:o:
- >b?m?
- >9>_>}>
- <'<3<?<E<W<_<j<
- ;";(;.;4;:;@;F;L;R;X;^;d;j;p;v;|;
- D:J:P:V:\\:b:h:n:t:z:
- ;.;N;
- :-:;:
- =">+>:>C>R>[>j>s>
- <&=7=F=m=
- ;M<W<\\<v<
- =,=J=y=
- <B<k<
- >#>1>:>
- =T>X>\\>`>A?Q?
- =$=K=n=
- ; ;&;0;5;C;L;
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- :Z:_;P<n>
- :$:..:4:::D:I:W:m:|<
- :g;^<
- >#><>K>V>
- <R=Y=r=

- <,<H<e<
- :*;C;n;z;
- <?<g<
- '<9?Z?
- 9":,:?<
- >F?Z?
- ?#?.?D?O?Y?
- >!>/>N>
- 8D=H=L=P=T=T>
- =:>J>T>Y>
- ;G<m=
- ;);.;
- >\t?;?l?
- :];p;1>Y>
- :#:):/:5:;:@:D:H:L:z:
- >#>)>/>9>>>L>U>`>
- <.<X<\\<`<d<
- ;!<}<
- >->D>
- :5:K:d:}:
- =J>s>
- =#=6=V=m=
- =\t>W?\\?f?k?
- :(:-:;:L:m;8<B<]<k<
- ?p?|?
- ;G;^;G<f<
- >R>a>t>
- :0;8;C;M;S;Y;c;h;v;
- ='>:>T>b>-?7?O?]?
- <!<&<4<L<
- :^;k?
- >C>z?
- ;`=y=
- :/;_;
- : :$:(:{:
- -?3?X?
- =)>2?R?
- ;,<d<
- ;Y;9<q<
- <g<q<v<
- >'>,>:>C>
- >'>@>
- =%=?=`=
- ;\t<6<;<k<w<~<
- >"?)?4?>?D?J?T?Y?g?p?
- =@=[>
- :D:N:S:!>
- :t?~?
- = ?*?/?
- 7P;Z;_;
- >m>v>
- <$<_<s<
- ;&;.;
- ;%;*;D;N;S;m;w;|;w<
- ?#?.?<?B?L?V?[?i?r?
- :O<h<{<r>
- <L>T>

- >">,>2>:>D>N>e>
- ;c;k;v;
- =#=.=8=>=D=N=S=a=j=
- :.:9:O:Z:g:
- >0?Q?^?
- >]>~>
- =,=C=f=~=
- <:<M<z<
- :(:8:B:H:y:
- ?'?K?Y?f?x?
- =9=Q=n=
- ;2;=;K;T;_;m;
- ???G?V?e?
- =L>S>
- ;\t<5<C<
- >>?r?z?
- >->8>O>c>w>
- :?:R:`:r:
- < <$<(<,<0<4<8<W?
- ;!;&;4;=;
- ?#?(?.?4?;?J?_?u?
- ="=*=0=:=K=\\=b=q=v=
- <"<(<.<K<W<`<m<
- ;";\';,;1;6;;;@;F;P;X;];g;r;|;
- :$:0:6:R:f:k:{:
- >X?}?
- ='>.><>p>
- :&;Z;
- D?$?
- ?/L[
- ?Zd;
- HMXB
- abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
- v@fffff
- no such vfs: %s
- ANY(%s)
- %s=?
- <expr>
- -- TRIGGER %s
- SCAN TABLE %s%s%s
- %s.%s.%s
- sqlite_sq_%p
- %.*z:%u
- %z - %s
- ("%s"
- %c"%s"
- %.*f
- %s.%s
- INSERT INTO %Q.%s VALUES('index',%Q,%Q,#%d,%Q);

- tbl_name='%q' AND type!='trigger'
- UPDATE %Q.%s SET type='%s', name=%Q, tbl_name=%Q, rootpage=#%d, sql=%Q WHERE rowid=#%d
- UPDATE "%w".%s SET sql = substr(sql,1,%d) || \', \' || %Q || substr(sql,%d) WHERE type = \'table\' AND name = %Q
- UPDATE "%w".%s SET sql = sqlite_rename_parent(sql, %Q, %Q) WHERE %s;
- tbl_name=%Q
- type='trigger' AND (%s)
- %s%.*s"%w"
- %.*s"%w"%s
- %s: %s
- %s: %s.%s
- %s: %s.%s.%s
- statement aborts at %d: [%s] %s
- abort at %d in [%s]: %s
- %z: %s
- '%.*q'
- %s-mjXXXXXX9XXz
- vtab:%p
- (blob)
- %s(%d)
- ,%s%s
- k(%d
- %s%s
- Bad ptr map entry key=%d expected=(%d,%d) got=(%d,%d)
- %s%c%s
- %s-shm
- os_win.c:%d: (%lu) %s(%s) - %s
- (NULL)
- %lld
- Ws}YZLt
- "~Vb
- Db__f
- bT #
- F*HhO?qJK
- ^(;r
- xPq>.T
- REINDEXEDESCAPEACHECKEYBEFOREIGNOREGEXPLAINSTEADDATABASELECTABLEFTHENDEFERRABLELSEXCEPTRANSACTIONATURALTERAISEXCLUSIVEXISTSAVEPOINTERSECTRIGGEREFERENCESCONSTRAINTOFFSETEMPORARYUNIQUERYWITHOUTERELEASEATTACHAVINGROUPDATEBEGINNERECURSIVEBETWEENOTNULLLIKECASCADELETECASECOLLATECREATECURRENT_DATEDETACHIMMEDIATEJOINSERTMATCHPLANALYZEPRAGMABORTVALUESVIRTUALIMITWHENWHERENAMEAFTEREPLACEANDEFAULTAUTOINCREMENTCASTCOLUMNCOMMITCONFLICTCROSSCURRENT_TIMESTAMPRIMARYDEFERREDISTINCTDROPFAILFROMFULLGLOBYIFISNULLORDERESTRICTRIGHTROLLBACKROWUNIONUSINGVACUUMVIEWINITIALLY
- PWHk
- Blmn
- fghB
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()
- !"#$%&\'()

- !"#$%&\'()
- !"#$%&\'()
- =;:<
- thstndrd
- &&&&&&&&&&
- &&
- @@@@

- tSj=V
- tx~?j
- v\tN+D$
- tCVV
- VVVVj
- <Xt
- UQPXY]Y[
- ;t$,v-
-]_^[
- _^[]
- _^[]
- _^[]
- SVWj
- [_^]
- URPQQh
- Fh=(
- Fpt"
- Y_^[]
- _^[]
- _^[]
- Y_^[
- Y_^[
- _^[]
- t!Ht
- j hp
- VVVVV
- VVVVV
- VVVVVQRSSj
- PVVRV
- PPPPP
- jd_Fj
- PSj?
- PSj?
- SSSSS
- t!PV
- PPPPP
- X^_]
- Y__^[
- F\\=@
- j@j
- j@j ^V
- QQSVWh
- t\tj\\Yf
- PPPPP
- Y[_^
- w\tf
- ^SSSSS
- <v*V
- PPPPP
- j h`
- ^_[]
- WWWWW
- j<SW
- j<SW
- j<SW
- TSj$h
- t&:Q

- t<:Q
- tR:Q
- YQPVh
- jXh
- ::P@
- Y\\PoPc
- zmn
- S\t%F
- czB
- L-\t)!
-]XP_<
- ;tL*
- qn%f$\\
- 3G$-f+<
- s +H
- xv:$q[[
- +]bt
- vxp=
- jvL
- $?JGb
- p`VZ
- GD]Rg=
- @D-
- x$JF;
- .]|H
- .x+Md
- !=scK
- y`YR
- }. (
- |Ff<
- Xtg&
- Wsdyr
- z]f$
- sX,XL
- *[X%"
- QC|QAS
- q-[[
- ?_b$
- ,g]z\\u
- 'TTn
- =J5.JL
- }Rqk
- Sddw
- BGP
- jbXs
- jT5&k;/^
- J(wb
- BoM=[X
- k]>t
- r#FW@
- +L{2}{M
- ;D:6y*
- \\!|d
- !%|i][j
- ,SZ,
- sLw<
- @`gW

- NzmX
- *V~q
-]{[|h
- .?[q
- hK\tX
- v>Rj
- ,fK/fB
- ;vr?g[
- }ALT&x;
- NhTZ
- sv!_"i
- gz]V
- VtB%Q
- ;Ts^
- GKX^&j;
- yf#x
- &x;@)
- ~@?xl
- 'wKl
- fyV+y7
- *\\s@
- "-)H
- cXjP
- XC4;Jq
- w)Hx
- qtH
- |;jOht"\\%w
- _?CW
- ~g|s
- }{Cx
- #MNx
- {v <}
- _|LN
- , -Y
- >M^qj}
- @OkC-l
- ~:_$S2
- f^jVb"
- NND`
- =Wgk
- Ss|xJ
- zy(K3k
- {T<{
- SPGn
- ^FP#
- !Njv
- xbWd
- %FCp
- Qp+W^
- ZlD&
- 3GxqSN
- }`)yn
- s.*(
- .\\,
- .\\`Q
- +@zq:
- jhQ+"

-)\tdW
-]Zyj*
- h&RT;
- vpz=
- >qgR
- jmvk
- b{[
- xC+=
- VZsw
- s]f+
- V;ZYJR0
- hcY=
- mG`D
- Qmh_
- {bm;
- (\\Hr
-)Tlb
- F=^b
- :ZB@`
- ?cfD
- /R<y
- \\\\d}
- Y+^m)
- U|'*$>r
- 5ZsZxq
- ^=>lq
- jdR{
- m *]
- mL=[?
- mmd)B-
- J~XM
- ="|H
- rClv
- npZq
- $dY??
- QVzH
- _<!G
- s?\tH
-]/=-
- +/zK
- <gGL
- s/L$]Z
- z;_CN_#
- %.nq
- SYLZ
- #PNP_+
- Kz!J
- Js)H
- K=\tQ
- bDs;
- ^K%v
- T(*@
- "ZdjAc.,
- ,+qY
- v'zt
- -z.v
- #hd}

- cZZQ
- R$Sv
- CK/W
- f"9`]+
- ly\tY
- ;mSy
- (Jx
- @?sH
- /P?K*
- JpsL}S
- xYgc%7p}H
- />P|
- !M(
- ;kcy
- Xm{{
- '|JP
- _C^D
- $!P{>
- t')
- "9Z>mZN_
- %kgB
- Tnp&
- |S ^
- %bfP
- \\p=#
- +#;y
- *nzw
- yVB?
- ["+j
- hG*8(K
- z$*`
- zV$zsD
- ~~L)
- f!C?k
- _K=v
- ~Se'.b
- tH l
- Gt"X
- l,s_B
- H!d=l
- SP9L'<
- N:dY
- D*Xx
- bKLd
- nW"jD
- |=?L
- ~yY[
- $d-"
- .,hq4k
- C.+d
- ?PwfR
- Z>`L
- F!s*
- zVs
- ^j\t]
- w`;XA,
- Vss.

- v-v]
- d "]T
- X\t="
- DV%b
- HS{]
- dB~2QJ
- bHHr_
- ">T*
- pR%dL
- BFCN
- @'/,
- ,:-)
- x?H'
- PK|@B
- d`.c
- PDkX
- +=)j,
- Jc.B
- _B}
- Z:dB
- G+RZ
- h+fwk
- &HLL;
- h,Qg
-]~Y[gp
- G-Il
- s;qCr
- }PLn{
- -m,c,2
- ;d=T
- R+=Z
- =#tJ
- ^!=gD
- ='e.\\p
- QgA"%"
- $GNY
- R@P\t%
- Rt=\\!
- L-3V.[
- ~[_^
- ^[_^
- @PVS
- .dll
- -t(f
- _t.f
- ^[_]
- ^_[]
- G_^]
- G_^]
- y_^]
- ^_[]
- ^_[]
- STRWV
- VBRP
- FDSP
- N<Tt
- hSVW

- kv$_
- N*SV
- Wj|V
- Rj#V
- .$$k
- j/VW
- j.VW
- j-VW
- j,VW
- j*VW
- Hj)VW
- j(VW
- j'VW
- j&VW;
- j%VW
- j$VW
- Hj#VW
- j"VW
- j!VW
- j VW
- VjFj
- 'PJ+
- Vj/j
- Vj.j
- Vj-j
- Vj,j
- Vj+j
- Vj*j
- Vj)j
- Vj(j
- Vj'j
- Vj&j;
- n\tD]
- Vj%j
- Vj$j
- Vj#j
- Vj"j
- Vj!j
- Vj j
- l_M
- Vj\tj
- Pj@jdWQ
- @jHW
- @jBW
- @j*W
- VWh"
- SVWh
- LjXS
- LjPS
- WjNS
- _^[]
- RH`L
- RS%,
- hS@Abx
- (y=Q
-]&(,
- kc;~

- \\:JJR
- #,tV\\
- }.ZV
- wK/F[\\6_
- RWSP
- %,p<
- Wj|V
- VQPR
- RCSP
- PSRRRQV
- PSRRRQV
- PSRRRQV
- PSRRRQV
- PSRRRQV
- PSRRRQV
- PSQV
- QRPV
- QRPV
- QRPS
- QRPS
- QRPW
- PQRW
- _^[]
- t>hV
- Pj j
- tMjLS
- SVWj?
- PQRW
- SVWj?
- G$t@
- h2N Hj
- WhrK
- SVj?
- t:j?P
- zPSQ
- tgf9>tb
- RSSh
- SVW
- V(RS
- NHQj
- ^hSW
- F@tF
- tsSW
- (_^[]
- M$RPQVS
- @PWV
- F`PW
- DShP
- TChRW
- h+Q0$j
- PVQS
- RVPS
- FHPQS
- DFhPS
- ~hWS
- QWRP
- @PQV

- PWQR
- http
- QVRS
- @PRW
- RVPS
- @PQW
- <SVW
- FD^[
- FHPW
- FHSPR
- ttSj
- RPQS
- Qj(RV
- t1Whts
- VQRP
- ._^[
- _^[]
- &$x@
- (_^[
- PWQf
- Wj>V
- j%j
- j;j&f;
- `j;j&
- SSSPQV
- QRPV
- QSRV
- SWPQRV
- QRPV
- QRPV
- j@Sj
- QRPV
- j@Sj
- _[^]
- gfff
- _^@[
- wxyz
- klmn
- QRST
- _^[]
- ~\\9N\\|
- FDPS
- FDWP
- T.~$
- j\\jtV
- G(Pj
- W(Rj\tj\\jsV
- j\\jrV
- G(Pj\tj\\jqV
- j\\jpV
- W(Rj
- j\\jnV
- G(Pj
- SVWj
- jxj{V
- jwjzV
- jcjyV

- jxjxV
- jnjwV
- jsjvV
- Rj j
- VWj?
- t(WV
- WPQV
- QRWV
- PQWV
- QPRS
- jdVWRS
- H(WQS
- PSVWj,
- (_^[
- PSQW
- @Vj?
- WVQP
- D~$_
- QVRW
- RVPW
- t;WV
- SVWh
- NHM'
- hCP<
- :-G;
- `>R<
- dYR<
- L~g!
- 'YFJ
- cK:q
- @^[_
- RSSSSSSS
- SSRW
- tkj@
- C(WV
- _^[
- Pj@h
- ^|&V;
- jv&T;
- dTxf
- l@STXl"
- t jJV
- tWjHV
- Wj?P
- _[^]
- TSVWj?
- PSVWj?
- PPPPWPV
- QPPh
- tHSV
- j\tWV
- SSPV
- @VWj?
- PPPP
- RPPj
- ([_^]
- Pj j

- FBNGf
- @PWS
- _^[]
- QRPS
- QSVW
- t$<V
- D$(RPh(
- ;L$,
- D$(RPh
- T$<;
- `^_]
- wKtD=
- wKtH=
- wKt*=
- _^Y]
- _^Y]
- wKtZ=
- _^Y]
- _^[]
- PQRVS
- _^[]
- PPPhP
- QRPWV
- QRPW
- QSVW
- VPQS
- t h<
- VRPS
- PQRS
- PRQS
- M VP
- _[Y]
- _[Y]
- wKtJ=
- WhlzD
- ;\\$
- _^[]
- tF_^@[]
- _^[]
- _^[]
- >_^[]
- _^[]
- D$ h
- D$ h
- RQPP
- D$$QR
- T$,+
- QRPQ
- ;Bx~
- L$0Qjz
- MHBD
- PQRV
- T$ j
- D$d
- D$,j
- T$LQ
- D$(;

- RhthD
- h@hD
- _[Y]
-
-
-
-
-
- |$,f;9t"@
- T$,t
- T$$t)
- SQSj
- SQRj
- SSQj{
- tK9_$tF
- SSQj{
- SSRjB
- SRQjD
- SQSj
- D$$;
- D$$H
- L$(PQR
- ,SVW
- L$`PQSV
- D$T9\\$
- D$$P
- R,RPQW
- x&@}d
- D$(f
- D$ P
- #L$D
- #D$@
- T$D
- D$H
- D$`P
- f\tN(
- D$<P@
- L$$j
- L$xQ
- D$x@
- t$Pt
- D$<t
- j@hP
- G@ t
- C(VW
- ROWQSPV
- V(tH
- |:;M
- yP;}
- VWVWP
- VWVWP
- QRVW
- x$\t~
- x \t>
- ;B\\|
- f;P*
- #G #O$

- @, t
- <"t,<
- f;9ts@
- S(f;
- C$ f
- N$#C
- <C}
- SVW<
- _^[]
- _^[]
- H*SV
- _^Y]
- _^Y]
- ^[Y]
- G$^]
- h|XD
- PQj}
- D$$j
- D$(PQ
- RVjj
- Q&@F;
- f;A&}'
- FG;|$$|
- #D$P#T$T
- 9|$$~=
- ut\tD$H\tT$L
- #t$L
- #L$H
- tB<C}
- ;|$,
- D$Pf
- C;\\$$|
- #T$T#
- 9\\$$~&
- D$Df;
- D$T\tD$L
- D$$\tT$H
- ;D$$}b
- L$T#D$H#L$L
- D$DP
- D$h@
- T$`R
- L$L;
- RRRj
- f;S2sY
- X f;
- _^[]
- @ f;GHt
- t&<C}
- >f;y t
- SVW
- T$(f
- D$ \tT$$G
- _^[]
- T$d\tK \tS$_^[
- T$$f
- D$,VP

- #D$h#T$l
- D$,VP
- t$ t]
- L$$j
- D$$j
- D$ Q
- D$HP
- T$LR
- L$DQ
- D$Lf#D$<f
- t$$j
- f#D$<f
- T$dQ
- F #D$X
- N$#L$\\
- D$P\tT$T
- ;L$L|
- T$TtD
- T$,WR
- L$,PQ
- T$,QR
- D$,RP
- L$$\tD$(\tT$,C
- T$$PV
- D$
- H(QV
- P RV
- D$8\tT$<
- x,\tT$
- \\$,;
- x$\tT$
- D$(\tT$,
- \\$$;
- D$(@
- #T$D#
- ;|$ t7
- |$$f
- !\\$@!T$D
- T$T
- L$L!D$0!L$4
- D$H\tT$L
- QSVW
- _[Y]
- QL_^[
- L$|G
- N,#BH#JL
- T$TQ
- ;D$H
- D$$f
- Q,#FH#VL
- |$t;
- D$,;C
- B, t
- D$PSWPj}
- D$hWPSjcV
- L$PSWQj
- 9|$@tx

- ;t$h|
- D$HR
- T$PPWRj?
- WPQj
- D$HWP
- |$pQRj
- ;T$Ht
- L$(Q
- t$tj
- ;D$$tB
- L$<<
- T$Lj
- D$,RPj`Q
- f;P2sG
- L$(9L$H
- L$,P
- T$HQ
- Sj!V
- P(tF
- T$,Q
- Px%D
- D$`S
- T$`PWR
- D$hS
- T$(WQ
- Pp%D
- D$ P
- D$pQPW
- L$ PQS
- L$P;
- t#f9|$xt
- L$@QRPVS
- T$P9D$
- L$D9D$
- L$Df;T$$v
- L$<f
- WPQRV
- D$ P
- T$HWQRP
- L$(;
- L$(9T$Lt
- WQRj P
- D$PPj
- D$xP
- D$ P
- T$ j
- D$tj
- D$XVQ
- T$0QRPW
- D$HQRPj
- QPjL
- D$<j
- PQjL
- D$(j
- F;t$<|
- RVQPS
- T$LQ

- L$,9t$<~S
- D$<j
- D$Lt
- _^[]
- _^[]
- $_^[]
- JRQPjTV
- AC;\\$$
- QRj"
- D$ f
- D$;
- VQSRP
- ;\\$$
- D$$SPj`
- RRRj
- RRSQ
- +L$
- D$4_^[
- WRSj`
- WSjz
- ;L$,
- D$(j
- WWSQ
- T$Tf
- T$<R
- L$<Q
- ~&wt;
- WSPV
- WPjb
- wL#H(#p,
- t$SW
- D$4QRPh
- L$ h
- ;D$(r
- T$ R
- D$ P
- V,Rh
- D$(d
- hPTD
- WQRP
- WWRP
- _^[]
- _^[]
- hPTD
- hPTD
- HtDh
- PRSWV
- t&jLj;
- t\t;H
- @PWV
- HHWRV
- _^[]
- tqSVW3
- @, f
- RQPWV
- WRPV
- QPSW

- < txC;]
- f;H&
- Rht~D
- QRPW
- PhX}D
- QQWj
- _^[Y]
- _^[Y]
- _^[Y]
- QSVW
- T$<R
- VQPj
- D$(;
- T$(RW
- C;\\$
- PSQj`
- T$<R
- L$ PQVjs
- PQjr
- T$ RSVjc
- \\$@;
- SQPh
- SRjT
- QVPjz
- D$<;
- D$(@j
- SPjk
- D$xj
- L$Xj
- 9L$<tr
- PQVR
- D$xQj
- QVRP
- T$ P
- L$tj
- T$\\P
- QRVP
- L$DP
- L$(VR
- T$hP
- L$TR
- L$pQ
- t$(P
- P&F;
- RVQP
- f;P&}E
- RPQj!
- QRPj
- QRPWV
- T$(P
- WVRP
- WQjT
- f;F&
- D$lVj
- RPjT
- D$(j
- PWQV

- T$pj
- f;N&
- WQjT
- QPRj!
- L$TPWQj>
- WQRj
- WQjy
- L$Xj
- D$Xj
- RWQj"
- L$@QWRj
- t$ Qj
- t$ Rj
- RQRjL
- T$XPQRj}
- L$dWQPS
- L$0PWQjc
- WPjk
- D$Xj
- D$X@
- PQjz
- D$(Q
- T$TQRj
- D$T@
- T$<RWj
- D$4l]D
- D$4l]D
- t$$;t$L|
- t$$t
- |$H+
- V&@;
- f;N&}
- D$lPQjn
- D$`9s$
- QRVP
- F\ttf
- WSQRVP
- N\t;M
- QRj@
- QPSW
- QSVW
- QPRV
- ?wt,
- SSWh
- tVVj
- tlVj
- tMVj
- QSVW
- PhP{D
- htzD
- D$@lzD
- D$,P
- D$<R
- @D;B
- h<zD
- _^[]
- D$ 9D$

- T$HQRP
- T$|RPW
- D$ RP
- T$<j
- D$dP
- SPQR
- L$Pj
- QSjd
- PQSjh
- B,RW
- H0f;K*}
- @, t
- T$DB
- SSPjH
- T$LSSRjH
- GWPQ
- T$LSSRjH
- D$4SQPjB
- SSWjH
- D$lSPj
- T$\\SRSj
- T$pSRWj
- T$dR
- D$@SPQj
- 9\\$Xt^
- WRPj
- D$lWRPjB
- WRPj
- D$TSRPjS
- QRj_
- L$TR
- PSQj`
- T$0PRQjx
- D$`PWRjn
- D$dP
- D$,SRPjc
- SRVP
- ;L$@
- D$$j
- SQRW
- T$LPj
- D$4QPQjL
- D$lj
- D$l@
- SRQjl
- D$$B
- |$$j
- |$D;
- CHf;G
- D$TQ
- T$DP
- L$tf
- SRjk
- |$tj
- T$<<
- T$H@
- T$(QRP

- A,GW@j
- T$,QRP
- T$tC
- VPSQ
- D$H;
- SSRh
- Rh|yD
- G, t
- ;y$|
- D$$;B,
- D$,;
- SRQh
- SSRjk
- _[^]
- tMSW
- t$,;
- D$;
- T$0SRW
- D$ S
- D$DSP
- T$ f;O&
- ;Ph~
- D$T;
- L$D@
- D$;
- D$,P@
- D$\\;
- D$(P
- t$(V
- L$$VPQh
- \\$Ljz
- T$$WRP
- <.t
- f;J&
- D$T;
- D$;
- D$ @
- W&RP;
- Ph,xD
- <tt\t<st
- QRPS
- D$ @
- PQVS
- $SVW
- D$<S
- PQWR
- QQPV
- D$,P
- D$ jP
- T$(t
- P VWRS
- VWQS
- @VWRS
- H(VWQS
- Q,VWRS
- B$VWPS
- VWQS

- PWQS
- QWRS
- PWQS
- RVPS
- PVQS
- QVRS
- D$\\S
- L$ j
- T$4PQRj
- D$H;
- T$HRV
- D$H;
- T$tRj_
- D$T;
- T$TRV
- D$T;
- SSSj^
- T$$SRWj
- SRPj
- D$(SPSj
- D$$SPWj
- L$8SPQj
- T$(SRSj
- L$,SQWj
- D$D@
- D$(SPSj
- T$,SRWj
- L$4SPQj
- SWSj
- SRPj
- L$4SPQj
- SWSj
- SQ@Pj
- L$8SPQj
- D$<;
- D$Dt
- T$tRPQ
- D$@P
- T$PWR
- SS@PjI
- T$xRPQ
- S@Pj
- T$`RPQ
- RSQj
- L$ PQ
- D$$P
- T$,SRWjT
- SWQjT
- |$P;
- L$P;|$@|
- 9\\$@~t
- D$$;
- |$ j
- SQSjL
- D$T;
- D$Tf
- D$ Sj1

- QQPjH
- RPjW
- T$ QRPS
- WRPjsV
- PQjcS
- PRjBS
- PQjTS
- PRPj
- WWRj
- PhhwD
- PhhwD
- PhhwD
- PhhwD
- ttHHt/Ht
- C;\\$$|
- L$(9\\$$~/
- T$,Q
- SPVQ
- T$HRj
- |$<Q
- T$hR
- T$hR
- \\$(f
- T$8RVP
- SRQP
- L$PQ
- t$,RV
- D$<j
- D$8PVQ
- _^[]
- T$$SRSj
- L$@QWR
- SPQjD
- SSRPWQ
- T$ Q
- T$0RjB
- T$ 9\\$(~T
- SPQjy
- SSRj{
- L$@QP
- SSPjk
- D$$;
- SRPjk
- SPRjk
- RPQjn
- LSVW
- _^[]
- t,VPW
- WGWRh
- .WSV
- NXSQ
- tmjLj
- G*_^[
- GWVQh
- G;;|
- WWQjH
- WRPj

- WRPj
- RQjW
- |$(
- QRPj}
- VWPS
- QRPjc
- WRPjs
- WRjr
- L$,Qj`
- QPjBS
- D$4RPWjxS
- QPjBS
- D$4RPWjnS
- PQhlvD
- QSVW
- SSWh
- Ph@vD
- QSVW
- E(RPQjD
- PSQj}
- L$ SPQjc
- RPjq
- SPQjcW
- PQRWS
- D$(Q
- QRPWS
- L$(R
- PSQj}
- L$8WQPV
- SQRjc
- PQRWS
- D$(Q
- WPQjsV
- WPjr
- QRPS
- L$ PQWj}
- L$ QPWj
- PQRjcV
- RPQj~V
- PWQj}
- WPQjcV
- PQjB
- PQjT
- D$ Q
- D$0;D$
- T$,RV
- ;RPWj%
- ;RPWj$
- G;|$
- WPj`
- |$(|y3
- QPjBV
- D$,;
- SPQj}
- PQSjc
- SQRj
- QPj%V

- PQj`V
- SSPjC
- D$<@Pj
- D$4Pj_V
- T$$PRQjc
- QPjq
- D$$j
- T$$B
- R@QP
- _[^]
- t_SW
- ^[_]
- tWWh
- ;sd~dh
- t=9xLt
- L$l_^[3
- L$HQ
- T$$P
- f\tXN
- T$ R
- D$ P
- D$ P
- t<9xLt
- D$`8tD
- D$\\D
- L$<j
- D$LP
- h tD
- f!PN
- _^Y]
- SVW
- @;D$ r hPTD
- ;D$ r h
- ;D$ r(h
- \\$$f
- T$<f
- T$pR
- L$pPQ
- T$pR
- D$XP
- \\$XP
- Rh|sD
- h($D
- WRj%V
- T$Pj
- D$<Sj
- SSSjK
- hXsD
- h<sD
- D$,QRPj;
- L$X;
- L$Xf;G2sK
- h$sD
- T$,PQRj
- D$T;
- L$X;
- L$<QP

- D$Xf;Q&
- SjhRP
- L$8QSj
- T$`R
- ;L$X~
- T$lQh
- D$D@
- T$,QPj
- Rj V
- T$(Qj
- \\$4SWj
- T$0RSWP
- D$T;
- D$(9G(}
- O,PQRjhV
- T$`Q
- \\$,jhPj
- ;G,~
- T$$RSj
- D$d@
- |$<@
- D$LQRPh
- T$TP
- |$XQWh
- L$DP
- RPQh
- D$<;D$X
- D$<@
- |$<;
- D$L+D$TRPh
- D$<t
- \\$,V
- L$ W
- hlrD
- L$`Qj
- hPrD
- L$`Qj
- D$(j
- T$pR
- L$tQ
- t!;|$
- L$pQ
- D$XPS
- T$ P
- D$`PQ
- D$`S
- L$pRQ
- T$pR
- D$Xy
- Sj\tV
- D$,Pj
- t/;\\$Dt
- T$`RP
- D$D
- PSWh
- D$X;G
- QjfV

- D$,V
- T$@P
- PhLrD
- L$XS
- _^[]
- _^[]
- RhtqD
- PQRV
- RhTqD
- RNVP
- QSh(qD
- D$ RNVP
- D$$PV
- P(VP
- S(VS
- h<fD
- PWQR
- F;t$
- PQRjiV
- PQRjhV
- Pj!V
- f9y$|T
- jhRSP
- W\t:S
- W$f;P$
- O&f;H&
- p(_^
- ;p(~
- @, t
- PWQjs
- WQPjc
- B, t
- WRQj}
- SQRj"
- D$D_^
- WQWj
- D$$;D$,to
- RPVQW
- L$(R
- D$ 9D$
- E,QPQj
- T$PRS
- D$@RWP
- T$HP
- D$<%
- D$<$
- D$<WQPj`
- L$$RPQj%
- L$<j
- T$ 9T$
- T$<PQRj
- T$4Rjc
- D$TP
- WQjT
- T$,VR
- L$(j
- |$T;

- D$(PQ
- QRVPW
- L$LQR
- RWPj!
- RWPj%
- L$`Q
- D$P;
- ;T$P
- D$@QRh
- D$@;
- VdWh
- T$dj
- jlRS
- D$tQ
- D$lj
- QWRPVS
- D$`j
- D$*P
- T$|P
- WRPQVS
- L$|j
- D$hQ
- D$TPQR
- |$\\j
- T$DRV
- T$p9T$D
- D$8Pj`W
- +D$,
- D$DV
- L$T;
- f;F&
- T$XPQRjrW
- D$@R
- D$,PQjrV
- L$XR
- T$0PQRj`W
- jlRW
- SPj`Q
- tb;X
- f;V&
- QRj`P
- A;L$P|
- L$\\Qj
- D$|P
- QhtpD
- 9D$Ht(
- PhTpD
- RSPjsV
- D$@PQjcV
- #T$p
- K,GWj
- T$\\B@
- D$ P
- WRVS
- |$ P
- L$TQ
- D$?j

- TTR
- @HjiQj
- RWQh
- XxVW
- ;q,t"
- SWPV
- SPjb
- f;K&}
- PQRW
- QVRPW
- _^[]
- QVPS
- RWVS
- L$ j
- tnjP
- D$dj
- \\$LPj
- D$TV
- t$$Q
- \\$LPj%
- T$@WRP
- L$8SQP
- D$0PWQR
- D$ P
- WQRVP
- D$ P
- D$(PWVQ
- WQj"
- L$(QSRVPW
- T$ P
- t-;C u
- D$(PSQVRW
- L$ R
- D$ PSVW
- T$$;
- L$,Q
- D$,@
- L$(Q
- t$$;
- DSVW
- ^[Y]
- ^[Y]
- f;z$t:
- T$ _^
- D$ QQPjo
- D$ QRPj
- D$$PS
- PQRjc
- G;|$
- L$(QRj$
- T$$;
- WQjT
- L$(Qjh
- E WRPj%S
- RQj"
- RQh$pD
- _[^]

- _[^]
- tr_^
- QPWS
- h<fD
- L$(+
- L$<+
- \\$,%
- L$,;
- $SVW
- L$|_^[3
- L$TQj2
- D$TP
- T$HR
- L$TQj2
- $h TD
- T$<Q
- D$pS
- _^[]
- ~#Sh
- j[hP
- RPVW
- RPVQ
- WQVS
- T$@RV
- T$@RP
- +D$
- T$$t'A<
- D$@PQ
- RXSV
- t$ Rjc
- T$ RWS
- T$$j
- jmQR
- T$$RP
- jmPQ
- RSWj
- L$;
- L$ f;W&}C
- SRjT
- D$<
- L$$QR
- G,$
- \\$<G
- QRSP
- L$HR
- L$TQ
- D$lj
- T$ P
- T$l;T$4t
- D$ Pj
- Rj>V
- T$XQj
- D$$j
- L$`P
- +|$(
- D$dP
- t$$WQ

- +D$(
- D$h+D$(
- D$P;
- D$x;
- D$;A,~
- @PQj
- D$,G
- L$(P
- D$,t
- VQWS
- T$TRP
- D$@PWS
- D$ P
- C WV
- jTSV
- jTSW
- CN_^[
- D$(P
- F<WRP
- tsSj
- _=PS
- _^[Y]
- FBPVQ
- WQVR
- C$_^[
- P\\j
- hPnD
- w\\j
- f;S2r<
- QRPV
- SRQjK
- QSVW
- _^[]
- C|VW
- hPnD
- PPWP
- SSh@nD
- QSWj
- SSSj
- SQWj
- F(^]
- ^[Y]
- _^[Y]
- _^[]
- ~>VW
- tDjP
- QSVW
- PhlmD
- QhPmD
- Ph mD
- QPRh
- @, t
- f;G&}(
- FVPQ
- WQRP
- ShhlD
- ShDlD

- h lD
- F, t-
- ;NDt
- @D;B
- QRSjxV
- PWSjw
- D$$;
- T$$RV
- T$ QSRji
- RRRVSQW
- \\$0jhP
- L$(Qj
- D$ @
- PhpkD
- f;Q&
- RVSW
- VhpjD
- hdjD
- VPRQ
- Rh,jD
- QSRh
- f!HN
- f;P&
- C&PQ;
- G(QW
- D$ P
- GhPQQ
- @QPRh
- DSVW
- WhVR
- RPVh
- L$ @PQSjsV
- D$<PjcV
- D$(PQW
- D$ @
- PhthD
- h@hD
- B&F;
- f;P&}H
- f;F&}!3
- f;K4s-
- C*_^[
- f;P&
- ._^[
- f;S&
- SVW
- D$ PW
- D$$j
- VhdgD
- PhLgD
- W&B;Ph~
- SjfV
- SjfV
- Vh(gD
- _^[]
- _^[]
- f;H&

- QSVW
- _^[Y]
- >RSW
-]SPV
- SQjT
- N\\#L$ j
- F`t\\
- WPRh
- _^Y]
- _^Y]
- _^Y]
- _^Y]
- h<fD
- PQSh
- _^[]
- F<PS
- V(RS
- V RS
- h|XD
- D$<t
- PM:VBt
- D$@R
- T$,R
- L$@Q
- D$(P
- Qh|dD
- D$(;F
- +D$ u.
- hPdD
- Ph(dD
- tyVh
- LSVW
- _^[Y]
- j[hP
- dj[hP
- j[hP
- t?;}
- QSVW
- #WVj
- C$_^[
- BRSPQW
- RRQh
- QPWj
- ~(WQ
- SSVh
- RPSjsV
- L$,Pj
- RPQjsV
- SPQjr
- T$,Qj
- D$(SRPj
- T$$QRj
- QWRj`V
- C;\\$
- T$<RV
- D$(WSPj`V
- D$D;

- L$HPQj
- F,PQjhR
- L$(R
- D$$R
- L$PjhSQ
- D$\\@
- |$LG
- |$TG
- |$,G
- |$ G
- |$@G
- |$$G
- t}Wj
- _^[]
- _^[]
- L$<_^[3
- PhxcD
- D$(SP
- f;N&}6
- QhdcD
- hDcD
- h cD
- RjfV
- t$(j
- L$;
- h|bD
- hDbD
- L$ _
- WSShpaD
- ,Wh aD
- |$(PSSSSSh
- RhX_D
- T$$PSWh
- T$$j
- tkWSV
- SSQh
- SSQh
- PQW+
- QPh,TD
- D$$h
- L$(Q
- L$(QSV
- T$ R
- |$$;
- Q SV
- PQW+
- z(_^
- R f;Q t
- D$ 9T$
- ;_,|
- ;_,}.
- _(^[
- S f;V
- tK_^
- }+_^
- VQSW
- PPSW

- D$$P
- RPQW
- RPQW
- PVQW
- VQRW
- VRPW
- RQPj
- QPSW
- QRPW
- VRPW
- VPQW
- PQRW
- QPRW
- L$$SQ
- D$(@
- WQjT
- D$,Q
- D$(j
- L$$H
- D$h%
- D$tj
- hP^D
- PVh,]D
- T$(Rh8^D
- L$(jY
- T$$j
- D$ t"
- 9T$,tt9T$$t
- D$$
- |$(}#
- D$,;
- D$ P
- D$$PV
- D$$RP
- SPjQ
- G PQ
- WQRj`V
- T$$;
- !WQSjS
- SWPQR
- _[Y]
- _[Y]
- _[Y]
- WRPQ
- PQjz
- PRQWS
- ;H@~V
- RQjL
- SQSh
- ;t$8tB
- WRWj
- WQRj
- WRWj
- WRPj$
- WPQj`
- y&wt;
- SWSj

- D$$;
- SWPj
- RSjb
- SSSj
- PWQj
- PSj"
- D$$j
- x&wt;
- WPWj
- WRSj"
- \\$,;
- WPQj%
- WRQj$
- RWRj+
- RPPj+
- QSjT
- D$$S
- T$,#
- tYQPh
- D$,_^[
- SQRj}
- SRQjsV
- PRjtV
- L$$;|$
- D$<t'
- D$(;T$
- L$ <
- T$8RSW
- \\$,<wu
- DSVW
- t+<C}
- {&wt;
- RPVW
- D$`@
- D$pQ
- L$TV
- |$ P
- L$(Qjh
- T$DQhx]D
- T$L
- #\\$L
- #L$H
- F;t$
- D$$f
- y&wt;
- D$$G
- <C}
- x&wt;
- D$$9|$
- D$$W
- D$$RP
- RSWj`
- SRSjL
- RhL]D
- ;Bh~
- QSVW
- t5PRh,]D

- <wtc<
- W@RS
- G,RPS
- G$RPS
- QSVW
- \\$$_^
- L$ SQP
- T$ SRP
- _[^]
- QRVP
- w)f;
- ^[Y]
- ^[Y]
- ~#Ph
- tZSP
- ;|$<
- D$@WRS
- L$<VP
- D$$S
- L$,QR
- T$(RPS
- T$,;
- RRQS
- RRWS
- _^[]
- _^[]
- _^[]
- _^[]
- _^[]
- x&wt;
- x&wt;
- QRPV
- <C}
- QSVW
- t&<C}
- _^[]
- _^[]
- h|\\D
- hH\\D
- T$XSR
- tDht\\D
- L$XSQ
- f!L$l
- D$Dpd<
- D$HR
- @u,RSV
- RPGWh
- _^[Y]
- _^[Y]
- Ph(\\D
- ;Bh~
- PPWR
- T$$RP
- _^@[
- &tZhx;[D
- hl[D
- D$$t

- RPh$[D
- hxZD
- QRh<[D
- D$$;
- VWPRQS
- hdZD
- VWRj
- QhPZD
- _^Y]
- G@\tWD
- _^Y]
- QVWj
- G@\tWD
- RQPh
- RQPh
- <.t
- <.t
- :Gt<
- $SVW
- WjHj
- _^[]
- WQPS
- _^[]
- hP;<
- hP;<
- N@RPQS
- G PRVS
- @ QRP
- W(;W
- L$t_^[3
- B QP
- D$lP
- T$$;
- t$ PQRV
- D$hSV3
- w$_^[
- _.:_
- C QRP
- L$_^[3
- T$LR
- L$HPQSV
- \\$D;
- D$PSVW
- >_^[
- t:Sj
- $QRj
- w _^[
- G _^[
- QSVW
- _^[]
- VSRQ
- _^[]
- VQRP
- V RPV
- SQWP
- SWQP
- RPWS

- RVPQ
- [^_]
- Wh`YD
- M RQSj
- ;\\$ t
- ;\\$$
- \\$;\\$$|
- \\$ t
- Qh\\XD
- gfff
- gfff
- gfff
- gfff
- gfff
- hlVD
- h VD
- RWPj
- B QV
- Qh<XD
- gfff
- gfff
- RQP
- Rj\tP
- H,RQ
- V(QR
- N(PQ
- @tr8FCt
- QhTVD
- C RP
- h|XD
- r\t;KP
- gfff
- gfff
- gfff
- gfff
- PQVR
- _^Y]
- _^Y]
- _^Y]
- <C|-
- |$<G;|$@r
- |$<f
- ;|$@r
- D$T<
- T$8h TD
- ;|$@rxh
- T$LR@P
- L$8SPQ
- T$,R
- ;D$@r
- L$dQ
- L$<SQ
- ;L$@r
- D$,+
- L$,;|$@r
- T$Df
- D$@d

- YxPV
- _^[]
- _^[]
- L$@P
- _^[]
- _^[]
- _^[Y]
- _^[]
- _^[Y]
- _^Y]
- WPh`UD
- -t\tW
- WQSR
- _^[]
- _^Y]
- ^[Y]
- ^[Y]
- ^[Y]
- ^[Y]
- ^[Y]
- ^[Y]
- ^[Y]
- _^[]
- _^[]
- _^[]
- _^[]
- PVQj
- _^[Y]
- QSVW
- rj;}
- TSVW
- QSVW
- 9T$<}w
- D$L;D$D
- D$d+D$T
- t$T;
- D$xR
- D$d;M
- D$@(
- D$@(
- L$Ptk
- t\t_^
- `SVW
- (f;p
- G8#F(_^[
- {(tW
- ?R@P
- T$,%
- T$,R
- D$$PW
- D$$Pj
- \\$,;
- 9t$ t.
- D$ t
- _^[]
- _^[]
- t'Ht

- _[Y]
- _[Y]
- _[Y]
- _[Y]
- t-Ht
- VpQj
- ;~@|
- t'Ht
- F<SW
- h|TD
- hxTD
- hpTD
- h(MD
- hdTD
- h\\TD
- hTTD
- hPTD
- hHTD
- _^[Y]
- _^[Y]
- gfff
- +_XVP
- _^Y]
- _^Y]
- _^Y]
- QRPV
- SSRh
- QRPW
- SWQjL
- SWSP
- RWRj
- RRWS
- RRRS
- QRPV
- Fl_]
- t"PR
- RPh,TD
- RSVP
- _^[]
- _^[]
- T$<R
- D$(Q
- $h TD
- RPh0MD
- F RQ
- _^Y]
- tm8G\tt
- L$<QV
- T$@;T$8v
- L$<9L$D|
- D$@PV
- L$ QRPWV
- D$@j
- ;t$
- |$4;|$$
- T$$RWP
- q @;

- q @;
- T$ t,
- SPWV
- T$$RWP
- D$(j
- q @;
- L$ 8_\tt
- RPQVW
- s @;
- RPVW
- PQRV
- W8F\ttL
- t.9pLt
- v @;
- S @[
- D$,_^
- RQPhDSD
- D$@P
- PQVh
- ;t$,tMh
- T$PRj
- D$Ht!
- T$$+
- D$t;
- |+;M
- D$lt
- ;L$$v
- T$hRP
- T$H;
- t$L;
- Ph(RD
- t(PhPRD
- T$HR
- L$ j
- QRCShxQD
- QWh@QD
- Wh QD
- ^[Y]
- ^[Y]
- G(RP
- w(@;F
- DFP;
- TVPf;W
- VW;C,v*h
- L$ Q
- s @;
- TwP^[
- t$(;
- PQJR
- D$ Q
- SLPS
- D$ RP
- D$ P
- L$(f
- ;G<v
- PQRj
- C@ t

- C<_^[
- L$<_^
- D$,PWR
- ;|$
- SHPW
- SHPW
- 9t$ ~,
- D$tf;P
- D$\\f
- \\$Lf
- L$Hf+
- \\$8SPQR
- T$dW
- D$\\R
- PLWP
- KPPS
- ;L$ }
- L$(;
- ;D$ }1
- t$4;|$
- G;|$(
- T$ RP
- L$<Q
- T$(J
- +T$L
- ;L$H
- D$(;
- ;t$H
- FLRV
- |$H+
- D$(#
- D$(#
- D$H:
- L$hQ
- T$|+W8
- D$X+
- T$$;r,v,h
- D$X+
- T$$;
- D$$j
- Q$f+V
- L$$f
- T$ R
- G$PW
- L$$Q
- D$$u*h
- xG;]
- (SVW
- PLQP
- F\tf+
- Q$f+
- t$$)t$(+
- D$,P
- t$,t@
- w @;
- \\$4tNC
- NPWPV

- D$$@
- q,@;
- ;D$$
- ;D$$
- L$(;T$,
- ;D$$
- |$(<
- D$,;
- LNPf
- FBW<
- LHPf;J
- DHPf
- LNPf;J
- TNPf;P
- Q@PW
- K<@;
- t|;M
- (SVW
- NDfHf
- F<_[
- PDQP
- PQRV
- ;_,w;
- w @;
- _^[]
- _^[]
- QSVW
- _^[]
- w @;
- D$(PQW
- T$(RW
- L$(Q
- T$$RW
- L$,Q
- T$$R
- w @;
- ;Ch~
- tN9pLt(
- C *C$jL
- D$ 9D$
- ;r\\t
- L$(Q
- x +x$
- s VP
- C +C$
- QSVW
- _^[]
- K,PQ
- QWRP
- QSVW
- W;s,v(h
- G$f+
- @L@y:
- ;G$v
- 9Z$t*h
- _^[]
- s/_^

- _^[]
- w#+M
- C<^[
- _^Y]
- _^Y]
- _^Y]
- PQRV
- _^Y]
- KHPQ
- QSVW
- SHPW
- v<;>w
- {HtxV
- t+9NLt
- QVRP
- P|\t;
- QWRP
- FTPj
- L$<_
- D$(PWQ
- QRHj
- VSQR
- _^[Y]
- ;SDt
- N SW
- t/@%
- ;Kdr
- H_^[
- VPQj
- WlRh
- GHQRj
- PQJj
- <SVW
- QVPR
- L$,+
- T$;D$(u
- L$$Q
- J@PS
- ^_[]
- FDRPh
- Q8j\tWSV
- t#@%
- RSQP
- t$;s w
- ;Fh|
- F,SW
- G,_^[
- QSVW
- QSVW
- @(Rj
- u%;_ w
- W<QR
- GDRP
- WT^[]
- u+jHSV
- SHPW
- PQSV

- |$$WP
- :_^[
- W<SR
- ;_ w
- L$,_^[3
- T$(RP
- D$ SVW
- WQRjXP
- H$SP
- QSVW
- L$ QP
- F@[^
- F|;^$v
- V\\t-
- WXRP
- SHPV
- WWjdVP
- ;^$v
- F@WR
- ;PDs
- Q(;Ppt
- RPQW
- QPRj
- RSPVQ
- QPhTPD
- sDBRP
- ;S$v
- C@VW
- KP;KXv
- CT;C\\|
- H VWP
- sDBRW
- VWRS
- ;K$v
- ;SXwq
- ;S\\|
- Q(Sj
- QHSSSP
- G<SVP
- T$ RW
- D$(;Bh
- |sGB
- D$(9Bh
- FDQR
- FDRj
- FDRj
- NPWQ
- FDRj
- FDRj
- ;^\\tC
- NPQWSP
- [_^]
- SVWh
- ~ _^]
- ;~ w
- ~ _^]
- ;~ v

- ;~ v
- F(@;F
- ;V,r\tV
- X,_^[
- X,_^[
- ;G,r
- QSVW
- QSVW
- QVW;
- gfff
- RPVQ
- jdRP
- SWRP
- SWRP
- SWRP
- t,y'
- W,Sj
- p ;M
- B,QP
- V$PQ
- SWRP
- D$;
- D$$Pj
- _^[]
- |s%B
- ;>s}
- SVtW
- VWh\\
- L$$_^[3
- t(WV
- PPPV
- Wj\\R
- </tC<\\t?
- QSVW
- L$@^[3
- Ph<ND
- D$ Pj
- t-WV
- Ph<ND
- t(WV
- Ph<ND
- D$$PW
- ,SVW
- ?^~#
- FT9VT~
- RPSP
- PSPWQ
- QPSPj
- PSPWR
- QPSP
- PSPWR
- SVWtY
- _^[Y]
- G;~T|
- QPWP
- PWPSR
- PWPSQ

- SHVW
- BRhX
- _^[Y]
- _^[Y]
- _^[]
- SWRP
- Ph<ND
- QWRP
- Ph<ND
- _^[]
- _^[]
- PVPWQ
- PVPWQ
- SWRh
- RWPWh
- QWRWh
- VWPQ
- ^[Y]
- _^[Y]
- SVWj
- _^[Y]
- _^[Y]
- SVWj
- SVWj
- _^[]
- _^[]
- QSVW
- SVWP
- t$WPh
- w!SVh
- tFSVh
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[Y]
- _^[]
- _^[]
- C<_^Y
- C<_^Y
- D$,P
- >FA;L$X|
- D$p%
- \\$,;
- gfff
-)|$$
- .FGy
- |$ P
- D$,+
- RPVS
- |$$t
- t$<t,
- L$<$
- _^Y]
- _^Y]
- _^[Y]

- _^[Y]
- _^[Y]
- QSVW
- tQWV
- QSVW
- _^[]
- PhhMD
- Wh@MD
- _^[]
- PVQS
- tGWj
- $h(MD
- D$$FVh MD
- L$$+
- D$dj
- T$0+T$`
- <%t
- L$,Q
- L$Pj
- D$HPjd
- PQRh
- QPRV
- D$Pj
- T$HRjd
- D$$PQh
- QPRV
- T$TRjd
- RPQh
- D$$P
- QPRV
- PQRW
- Ht!Hup
- PSVW
- RhtLD
- RFhpLD
- QhhLD
- PFh`LD
- D$;G
- D$$;
- hXLD
- B.rsrc