Analysis report for sample: a8c5cb77342d03d9fdfabd4a539ce6a1

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 4491 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: a8c5cb77342d03d9fdfabd4a539ce6a1

AV detections

- Microsoft: Trojan:Win32/Dynamer!rfn
- Kaspersky: Trojan.Win32.naKocTb.cme
- Symantec: Trojan Horse
- Malwarebytes:

Original source url

- hxxp://marcdegroote.com/wp.exe

Virustotal url

- https://virustotal.com/es/file/bf39fa8c153ba82ee259b1b819a1df1916dc61a52ac478bd6eed2caf47adae7a/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe

- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: =.bg
- url | valid domains | tlds: >e.cy
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: ,va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: h.bB
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: Connection Closed Gracefully.;Could not bind socket. Address and port are already in use.
- api | frequently used by malware: Cannot allocate socket.
- api | frequently used by malware: Socket type not supported."Operation not supported on socket.
- api | frequently used by malware: Protocol wrong type for socket.
- api | frequently used by malware: Socket operation on non-socket.
- api | frequently used by malware: Socket is not connected..Cannot send or receive after socket is closed.#Too many references, cannot splice.
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: Sleep
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: IsCharAlphaA
- api | frequently used by malware: SetCapture
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: SetTimer
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: BitBlt
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: SuspendThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect

- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: Accept
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSACleanup
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetLastError
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: getservbyport
- api | ws2_32: getservbyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getprotobyname
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: ioctlsocket
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl
- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | kernel32: MulDiv
- api | user32: ActivateKeyboardLayout
- api | user32: AdjustWindowRectEx
- api | user32: CharUpperBuffA
- api | user32: CharLowerA
- api | user32: CharLowerBuffA
- api | user32: CharNextA
- api | user32: BeginPaint
- api | user32: CallWindowProcA
- api | user32: CheckMenuItem
- api | user32: ClientToScreen
- api | user32: CloseClipboard
- api | user32: CreateIcon
- api | user32: CreateMDIWindowA
- api | user32: CreateMenu
- api | user32: CreatePopupMenu
- api | user32: CreateWindowExA
- api | user32: DefFrameProcA

- api | user32: DefMDIChildProcA
- api | user32: DefWindowProcA
- api | user32: DeleteMenu
- api | user32: DestroyCursor
- api | user32: DestroyIcon
- api | user32: DestroyMenu
- api | user32: DestroyWindow
- api | user32: DispatchMessageA
- api | user32: DrawEdge
- api | user32: DrawFocusRect
- api | user32: DrawFrameControl
- api | user32: DrawIcon
- api | user32: DrawIconEx
- api | user32: DrawMenuBar
- api | user32: DrawTextA
- api | user32: EmptyClipboard
- api | user32: EnableMenuItem
- api | user32: EnableScrollBar
- api | user32: EnableWindow
- api | user32: EndPaint
- api | user32: EnumClipboardFormats
- api | user32: EnumThreadWindows
- api | user32: EqualRect
- api | user32: FillRect
- api | user32: FindWindowA
- api | user32: FrameRect
- api | user32: GetActiveWindow
- api | user32: GetCapture
- api | user32: GetCaretPos
- api | user32: GetClassInfoA
- api | user32: GetClassNameA
- api | user32: GetClientRect
- api | user32: GetCursor
- api | user32: GetCursorPos
- api | user32: GetDCEx
- api | user32: GetDesktopWindow
- api | user32: GetDoubleClickTime
- api | user32: GetFocus
- api | user32: GetIconInfo
- api | user32: GetKeyNameTextA
- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardLayoutList
- api | user32: GetKeyboardState
- api | user32: GetLastActivePopup
- api | user32: GetLastInputInfo
- api | user32: GetMenuItemCount
- api | user32: GetMenuItemID
- api | user32: GetMenuItemInfoA
- api | user32: GetMenuState
- api | user32: GetMenuStringA
- api | user32: GetMessageTime
- api | user32: GetWindow
- api | user32: GetParent
- api | user32: GetPropA
- api | user32: GetScrollInfo
- api | user32: GetScrollPos
- api | user32: GetScrollRange

- api | user32: GetSubMenu
- api | user32: GetSysColor
- api | user32: GetSystemMenu
- api | user32: GetSystemMetrics
- api | user32: GetTopWindow
- api | user32: GetWindowDC
- api | user32: GetWindowLongA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetWindowTextA
- api | user32: InflateRect
- api | user32: InsertMenuA
- api | user32: InsertMenuItemA
- api | user32: IntersectRect
- api | user32: InvalidateRect
- api | user32: IsCharAlphaNumericA
- api | user32: IsChild
- api | user32: IsDialogMessageA
- api | user32: IsIconic
- api | user32: IsRectEmpty
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: IsZoomed
- api | user32: KillTimer
- api | user32: LoadBitmapA
- api | user32: LoadCursorA
- api | user32: LoadIconA
- api | user32: LoadKeyboardLayoutA
- api | user32: LoadStringA
- api | user32: MapVirtualKeyA
- api | user32: MapWindowPoints
- api | user32: MessageBeep
- api | user32: MessageBoxA
- api | user32: MsgWaitForMultipleObjects
- api | user32: OemToCharA
- api | user32: OffsetRect
- api | user32: OpenClipboard
- api | user32: PeekMessageA
- api | user32: PostMessageA
- api | user32: PostQuitMessage
- api | user32: PtInRect
- api | user32: RedrawWindow
- api | user32: RegisterClassA
- api | user32: RegisterClipboardFormatA
- api | user32: RegisterWindowMessageA
- api | user32: ReleaseCapture
- api | user32: ReleaseDC
- api | user32: RemoveMenu
- api | user32: RemovePropA
- api | user32: ScreenToClient
- api | user32: ScrollWindow
- api | user32: ScrollWindowEx
- api | user32: SendMessageA
- api | user32: SetActiveWindow
- api | user32: SetClassLongA
- api | user32: SetClipboardData

- api | user32: SetCursor
- api | user32: SetFocus
- api | user32: SetForegroundWindow
- api | user32: SetMenu
- api | user32: SetMenuItemInfoA
- api | user32: SetPropA
- api | user32: SetRect
- api | user32: SetScrollInfo
- api | user32: SetScrollPos
- api | user32: SetScrollRange
- api | user32: SetWindowLongA
- api | user32: SetWindowPlacement
- api | user32: SetWindowPos
- api | user32: SetWindowTextA
- api | user32: SetWindowsHookExA
- api | user32: ShowCursor
- api | user32: ShowOwnedPopups
- api | user32: ShowScrollBar
- api | user32: ShowWindow
- api | user32: SystemParametersInfoA
- api | user32: TrackPopupMenu
- api | user32: TranslateMDISysAccel
- api | user32: UnhookWindowsHookEx
- api | user32: UnionRect
- api | user32: UnregisterClassA
- api | user32: UpdateWindow
- api | user32: ValidateRect
- api | user32: WaitMessage
- api | user32: WinHelpA
- api | user32: WindowFromPoint
- api | kernel32: CloseHandle
- api | kernel32: CompareStringA
- api | kernel32: CreateEventA
- api | kernel32: CreateFileA
- api | kernel32: DeleteCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: EnumCalendarInfoA
- api | kernel32: FindResourceA
- api | kernel32: FormatMessageA
- api | kernel32: FreeLibrary
- api | kernel32: FreeResource
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetComputerNameA
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFileSize
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetProfileStringA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo

- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetVersionExA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalUnlock
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | user32: GetKeyboardType
- api | kernel32: GetFileType
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: LocalFree
- api | kernel32: VirtualFree
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo

- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

Involved hosts

Dns queries

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: =.bg
- url | valid domains | tlds: >e.cy
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: ,va8.vN
- url | valid domains | tlds: -vc3.vA
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: h.bB
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: Connection Closed Gracefully.;Could not bind socket. Address and port are already in use.
- api | frequently used by malware: Cannot allocate socket.
- api | frequently used by malware: Socket type not supported."Operation not supported on socket.
- api | frequently used by malware: Protocol wrong type for socket.
- api | frequently used by malware: Socket operation on non-socket.
- api | frequently used by malware: Socket is not connected..Cannot send or receive after socket is closed.#Too many references, cannot splice.
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: Sleep
- api | frequently used by malware: CallNextHookEx
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetMenu
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: IsCharAlphaA
- api | frequently used by malware: SetCapture
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: SetTimer
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: BitBlt
- api | frequently used by malware: CreateThread
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetVersion
- api | frequently used by malware: LoadResource
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: Sleep

- api | frequently used by malware: SuspendThread
- api | frequently used by malware: WriteFile
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: WriteFile
- api | frequently used by malware: CreateThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WSAStartup
- api | frequently used by malware: gethostname
- api | frequently used by malware: gethostbyname
- api | frequently used by malware: socket
- api | frequently used by malware: sendto
- api | frequently used by malware: send
- api | frequently used by malware: recv
- api | frequently used by malware: inet_addr
- api | frequently used by malware: htons
- api | frequently used by malware: connect
- api | frequently used by malware: closesocket
- api | frequently used by malware: bind
- api | frequently used by malware: accept
- api | frequently used by malware: Accept
- api | frequently used by malware: Accept
- registry: System\\CurrentControlSet\\Control\\Keyboard Layouts\\%.8x
- api | ws2_32: __WSAFDIsSet
- api | ws2_32: WSACleanup
- api | ws2_32: WSAIsBlocking
- api | ws2_32: WSACancelBlockingCall
- api | ws2_32: WSASetLastError
- api | ws2_32: WSAGetLastError
- api | ws2_32: WSAUnhookBlockingHook
- api | ws2_32: WSASetBlockingHook
- api | ws2_32: WSACancelAsyncRequest
- api | ws2_32: WSAAsyncGetServByName
- api | ws2_32: WSAAsyncGetServByPort
- api | ws2_32: WSAAsyncGetProtoByName
- api | ws2_32: WSAAsyncGetProtoByNumber
- api | ws2_32: WSAAsyncGetHostByName
- api | ws2_32: WSAAsyncGetHostByAddr
- api | ws2_32: WSAAsyncSelect
- api | ws2_32: getservbyport
- api | ws2_32: getservbyname
- api | ws2_32: getprotobynumber
- api | ws2_32: getprotobyname
- api | ws2_32: gethostbyaddr
- api | ws2_32: shutdown
- api | ws2_32: setsockopt
- api | ws2_32: select
- api | ws2_32: recvfrom
- api | ws2_32: ntohs
- api | ws2_32: ntohl
- api | ws2_32: listen
- api | ws2_32: ioctlsocket
- api | ws2_32: inet_ntoa
- api | ws2_32: htonl

- api | ws2_32: getsockopt
- api | ws2_32: getsockname
- api | ws2_32: getpeername
- api | kernel32: MulDiv
- api | user32: ActivateKeyboardLayout
- api | user32: AdjustWindowRectEx
- api | user32: CharUpperBuffA
- api | user32: CharLowerA
- api | user32: CharLowerBuffA
- api | user32: CharNextA
- api | user32: BeginPaint
- api | user32: CallWindowProcA
- api | user32: CheckMenuItem
- api | user32: ClientToScreen
- api | user32: CloseClipboard
- api | user32: CreateIcon
- api | user32: CreateMDIWindowA
- api | user32: CreateMenu
- api | user32: CreatePopupMenu
- api | user32: CreateWindowExA
- api | user32: DefFrameProcA
- api | user32: DefMDIChildProcA
- api | user32: DefWindowProcA
- api | user32: DeleteMenu
- api | user32: DestroyCursor
- api | user32: DestroyIcon
- api | user32: DestroyMenu
- api | user32: DestroyWindow
- api | user32: DispatchMessageA
- api | user32: DrawEdge
- api | user32: DrawFocusRect
- api | user32: DrawFrameControl
- api | user32: DrawIcon
- api | user32: DrawIconEx
- api | user32: DrawMenuBar
- api | user32: DrawTextA
- api | user32: EmptyClipboard
- api | user32: EnableMenuItem
- api | user32: EnableScrollBar
- api | user32: EnableWindow
- api | user32: EndPaint
- api | user32: EnumClipboardFormats
- api | user32: EnumThreadWindows
- api | user32: EqualRect
- api | user32: FillRect
- api | user32: FindWindowA
- api | user32: FrameRect
- api | user32: GetActiveWindow
- api | user32: GetCapture
- api | user32: GetCaretPos
- api | user32: GetClassInfoA
- api | user32: GetClassNameA
- api | user32: GetClientRect
- api | user32: GetCursor
- api | user32: GetCursorPos
- api | user32: GetDCEx
- api | user32: GetDesktopWindow

- api | user32: GetDoubleClickTime
- api | user32: GetFocus
- api | user32: GetIconInfo
- api | user32: GetKeyNameTextA
- api | user32: GetKeyboardLayout
- api | user32: GetKeyboardLayoutList
- api | user32: GetKeyboardState
- api | user32: GetLastActivePopup
- api | user32: GetLastInputInfo
- api | user32: GetMenuItemCount
- api | user32: GetMenuItemID
- api | user32: GetMenuItemInfoA
- api | user32: GetMenuState
- api | user32: GetMenuStringA
- api | user32: GetMessageTime
- api | user32: GetWindow
- api | user32: GetParent
- api | user32: GetPropA
- api | user32: GetScrollInfo
- api | user32: GetScrollPos
- api | user32: GetScrollRange
- api | user32: GetSubMenu
- api | user32: GetSysColor
- api | user32: GetSystemMenu
- api | user32: GetSystemMetrics
- api | user32: GetTopWindow
- api | user32: GetWindowDC
- api | user32: GetWindowLongA
- api | user32: GetWindowPlacement
- api | user32: GetWindowRect
- api | user32: GetWindowTextA
- api | user32: InflateRect
- api | user32: InsertMenuA
- api | user32: InsertMenuItemA
- api | user32: IntersectRect
- api | user32: InvalidateRect
- api | user32: IsCharAlphaNumericA
- api | user32: IsChild
- api | user32: IsDialogMessageA
- api | user32: IsIconic
- api | user32: IsRectEmpty
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: IsZoomed
- api | user32: KillTimer
- api | user32: LoadBitmapA
- api | user32: LoadCursorA
- api | user32: LoadIconA
- api | user32: LoadKeyboardLayoutA
- api | user32: LoadStringA
- api | user32: MapVirtualKeyA
- api | user32: MapWindowPoints
- api | user32: MessageBeep
- api | user32: MessageBoxA
- api | user32: MsgWaitForMultipleObjects
- api | user32: OemToCharA

- api | user32: OffsetRect
- api | user32: OpenClipboard
- api | user32: PeekMessageA
- api | user32: PostMessageA
- api | user32: PostQuitMessage
- api | user32: PtInRect
- api | user32: RedrawWindow
- api | user32: RegisterClassA
- api | user32: RegisterClipboardFormatA
- api | user32: RegisterWindowMessageA
- api | user32: ReleaseCapture
- api | user32: ReleaseDC
- api | user32: RemoveMenu
- api | user32: RemovePropA
- api | user32: ScreenToClient
- api | user32: ScrollWindow
- api | user32: ScrollWindowEx
- api | user32: SendMessageA
- api | user32: SetActiveWindow
- api | user32: SetClassLongA
- api | user32: SetClipboardData
- api | user32: SetCursor
- api | user32: SetFocus
- api | user32: SetForegroundWindow
- api | user32: SetMenu
- api | user32: SetMenuItemInfoA
- api | user32: SetPropA
- api | user32: SetRect
- api | user32: SetScrollInfo
- api | user32: SetScrollPos
- api | user32: SetScrollRange
- api | user32: SetWindowLongA
- api | user32: SetWindowPlacement
- api | user32: SetWindowPos
- api | user32: SetWindowTextA
- api | user32: SetWindowsHookExA
- api | user32: ShowCursor
- api | user32: ShowOwnedPopups
- api | user32: ShowScrollBar
- api | user32: ShowWindow
- api | user32: SystemParametersInfoA
- api | user32: TrackPopupMenu
- api | user32: TranslateMDISysAccel
- api | user32: UnhookWindowsHookEx
- api | user32: UnionRect
- api | user32: UnregisterClassA
- api | user32: UpdateWindow
- api | user32: ValidateRect
- api | user32: WaitMessage
- api | user32: WinHelpA
- api | user32: WindowFromPoint
- api | kernel32: CloseHandle
- api | kernel32: CompareStringA
- api | kernel32: CreateEventA
- api | kernel32: CreateFileA
- api | kernel32: DeleteCriticalSection
- api | kernel32: EnterCriticalSection

- api | kernel32: EnumCalendarInfoA
- api | kernel32: FindResourceA
- api | kernel32: FormatMessageA
- api | kernel32: FreeLibrary
- api | kernel32: FreeResource
- api | kernel32: GetACP
- api | kernel32: GetCPInfo
- api | kernel32: GetComputerNameA
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetExitCodeThread
- api | kernel32: GetFileSize
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetProfileStringA
- api | kernel32: GetStdHandle
- api | kernel32: GetStringTypeExA
- api | kernel32: GetSystemInfo
- api | kernel32: GetTempPathA
- api | kernel32: GetThreadLocale
- api | kernel32: GetVersionExA
- api | kernel32: GlobalAddAtomA
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalDeleteAtom
- api | kernel32: GlobalFindAtomA
- api | kernel32: GlobalFree
- api | kernel32: GlobalLock
- api | kernel32: GlobalHandle
- api | kernel32: GlobalReAlloc
- api | kernel32: GlobalSize
- api | kernel32: GlobalUnlock
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetThreadLocale
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | kernel32: lstrcpyA
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | kernel32: GetModuleHandleA
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue

- api | kernel32: TlsSetValue
- api | kernel32: RegOpenKeyExA
- api | kernel32: RegQueryValueExA
- api | user32: CharNextA
- api | user32: MessageBoxA
- api | user32: LoadStringA
- api | user32: GetKeyboardType
- api | kernel32: CloseHandle
- api | kernel32: CreateFileA
- api | kernel32: GetFileType
- api | kernel32: GetFileSize
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: ReadFile
- api | kernel32: RtlUnwind
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointer
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileA
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineA
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoA
- api | kernel32: GetModuleFileNameA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetThreadLocale
- api | kernel32: LoadLibraryExA
- api | kernel32: lstrcpynA
- api | kernel32: lstrlenA
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: InterlockedIncrement
- api | kernel32: InterlockedDecrement
- api | kernel32: GetCurrentThreadId
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: InitializeCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | user32: SetLayeredWindowAttributes
- api | user32: AnimateWindow
- api | user32: WINNLSEnableIME
- api | user32: DragObject
- api | user32: DragObject
- api | user32: FlatSB_SetScrollRange
- api | user32: FlatSB_SetScrollInfo
- api | user32: FlatSB_SetScrollPos
- api | user32: FlatSB_GetScrollPos
- api | user32: FlatSB_GetScrollInfo
- api | user32: FlatSB_GetScrollRange
- api | user32: FlatSB_ShowScrollBar
- api | user32: FlatSB_EnableScrollBar

- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetDiskFreeSpaceExA
- api | kernel32: GetLongPathNameA

• Module 1 other strings

- Floating point overflow
- Floating point division by zero
- Integer overflow Invalid floating point operation
- Range check error
- Division by zero
- Invalid numeric input
- Read beyond end of file\tDisk full
- File access denied
- Too many open files
- Invalid filename
- File not found
- I/O error %d
- Out of memory
- !'%s' is not a valid integer value
- Write
- Read
- Invalid variant operation"Variant method calls not supported
- Invalid variant type conversion
- No argument for format '%s'
- Application Error1Format '%s' invalid or incompatible with argument
- Privileged instruction%Exception %s in module %s at %p.
- Control-C hit
- Stack overflow
- Invalid class typecast0Access violation at address %p. %s of address %p
- Invalid pointer operation
- Floating point underflow
- A call to an OS function failed
- System Error. Code: %d.
- Abstract Error?Access violation at address %p in module '%s'. %s of address %p
- Exception in safecall method
- Interface not supported
- Assertion failed
- External exception %x
- Variant is not an array!Variant array index out of bounds
- Error creating variant array
- August
- July
- June
- April
- March
- February
- January
- Thursday

• Tuesday\tWednesday
• Monday
• Sunday
• December
• November
• October
• September
• Cannot open file %s
• Cannot create file %s1Fixed column count must be less than column count+Fixed row count must be less than row count
• A class named %s already exists%List does not allow duplicates ($0%x)#A component named %s already exists%String list does not allow duplicates
• Class %s not found
• Bits index out of range*Can't write to a read-only resource streamECheckSynchronize called from thread $%x, which is NOT the main thread
• Cannot assign a %s to a %s
• Ancestor for '%s' not found
• Saturday
• Friday
• Resource %s not found
• Property is read-only
• Stream read error
• Error reading %s%s%s: %s
• List index out of bounds (%d)+Out of memory while expanding memory stream
• List count out of bounds (%d)
• Invalid property value&Cannot; insert or delete rows from grid List capacity out of bounds (%d)
• Invalid property path
• Invalid property value
• Invalid stream format$"%s" is not a valid component name
• Grid index out of range
• Grid too large for operation
• Invalid image size
• Canvas does not allow drawing
• Out of system resources
• Unsupported clipboard format
• Metafile is not valid!Cannot change the size of an icon
• Icon image is not valid
• Bitmap image is not valid
• Thread creation error: %s
• Stream write error
• Property %s does not exist
• %s.Seek not implemented$Operation not allowed on sorted list Too many rows or columns deleted$%s not in a class registration group
• Sub-menu is not in menu
• Menu inserted twice
• Menu index out of range
• Scrollbar property out of range
• Cannot hide an MDI Child Form)Cannot change Visible in OnShow or OnHide"Cannot make a visible window modal
• Error creating window class+Cannot focus a disabled or invisible window!Control '%s' has no parent window
• Invalid ImageList Index)Failed to read ImageList data from stream(Failed to write ImageList data to stream$Error creating window device context
• Unable to Replace Image
• Invalid ImageList
• &Ignore;
• &Close;
• &Help;
• &Yes;
• Cancel
• %s on %s@GroupIndex cannot be less than a previous menu item's GroupIndex5Cannot create form. No MDI forms are currently active*A control cannot have itself as its parent
• Printer selected is not valid
• Printing in progress

• Not enough timers available!Printer is not currently printing
• &Abort;
• &Help;
• Cancel
• &Yes;
• Confirm
• Information
• Error
• Warning
• Invalid input value7Invalid input value. Use escape key to abandon changes
• Cannot drag a form
• &All;
• Abort
• Right
• Left
• Home
• PgUp
• Space
• Enter
• Yes to &All;
• N&o; to All
• &All;
• &Ignore;
• - Dock zone has no control
• - Dock zone not found
• Docked control must have a name%Error removing control from dock tree
• Cannot open clipboard+Operation not supported on selected printer.There is no default printer currently selected/Menu '%s' is already being used by another form
• Invalid clipboard format Clipboard does not support Icons
• Alt+
• Down
• No data to read.
• No execute handler found.
• Thread Class Not Specified.1Only one TIdAntiFreeze can exist per application.=InterceptEnabled cannot be set to true when Intercept is nil.
• Set Size Exceeded.
• %s could not be loaded.
• Winsock Initialization Error.
• Not enough data in buffer.
• No help found for %s#No context-sensitive help installed$No topic-based help system installed
• "Unable to find a Table Of Contents
• Operation now in progress.
• Operation would block.
• Too many open files.
• Invalid argument.
• Bad address.
• Access denied.
• Bad file number.
• Interrupted system call.
• Socket Error # %d
• %s is not a valid service.
• Not connected.
• Disconnecting from %s.
• Connected.
• Connecting to %s.
• Resolving hostname %s.
• Network is unreachable. Net dropped connection or reset.
• Network is down.

• Address already in use. Cannot assign requested address.
• Protocol family not supported.0Address family not supported by protocol family.
• Protocol not supported.
• Bad protocol option.
• Message too long.
• Destination address required.
• Operation already in progress.
• OLE error %.8x
• Winsock stack
• Directory not empty
• No route to host.
• Host is down.
• File name too long.
• Connection refused."Too many levels of symbolic links.
• Connection timed out.
• Socket is already connected.
• No buffer space available.
• Connection reset by peer.
• !Software caused connection abort.
• DCOM not installedNUnable to retrieve a pointer to a running object registered with OLE for %s/%s
• .Method '%s' not supported by automation object/Variant does not reference an automation object7Dispatch methods do not support more than 64 parameters
• MAINICON
• TFORM1
• PACKAGEINFO
• BBYES
• BBOK
• BBNO
• BBIGNORE
• BBCLOSE
• BBCANCEL
• BBALL
• BBABORT
• 9-+,
• OPAD
• '11P
• Left
• Bindings
• IdQOTDServer1
• TIdQOTDServer
• Left
• PrintDialog1
• TPrintDialog
• Left
• ActionList2
• TActionList
• Left
• ActionList1
• TActionList
• Left
• TMainMenu\tMainMenu1
• Left
• PopupMenu1
• TPopupMenu
• Left
• ckRunningOrNew
• ConnectKind

- AutoConnect
- ExcelWorkbook1
- TExcelWorkbook
- Left
- ckRunningOrNew
- ConnectKind
- AutoConnect
- WordLetterContent1
- TWordLetterContent
- Left
- ckRunningOrNew
- ConnectKind
- AutoConnect
- ExcelChart1
- TExcelChart
- TabOrder
- PageSize
- Height
- Width
- Left
- ScrollBar1
- TScrollBar
- TabOrder
- Button1
- Caption
- Height
- Width
- Left
- Button1
- TButton
- TabOrder
- BitBtn1
- Caption
- Height
- Width
- Left
- BitBtn1
- MaskEdit1
- Text
- TabOrder
- Height
- Width
- Left
- TMaskEdit\tMaskEdit1
- TabOrder
- Height
- Width
- Left
- StringGrid1
- TabOrder
- Height
- Width
- Left
- TDrawGrid\tDrawGrid1
- Height
- Width
- Left

- SpeedButton1
- TSpeedButton
- TextHeight
- PixelsPerInch
- OldCreateOrder
- MainMenu1
- Menu
- Font.Style
- MS Sans Serif
- Font.Name
- Font.Height
- clWindowText
- Font.Color
- DEFAULT_CHARSET
- Font.Charset
- clBtnFace
- Color
- Form1
- Caption
- Height
- Width
- Left
- Form1
- TForm1
- TPF0
- Unit1
- IdThreadMgrDefault
- %IdThreadMgr
- IdThread
- IdIntercept
- IdTCPConnection
- mIdSocketHandle
- IdBaseComponent
- IdAntiFreezeBase
- IdComponent
- YIdWinsock
- @IdStackConsts
- "IdStackWinsock
- yIdStack
- +IdTCPServer
- IdException
- EIdURI
- |IdResourceStrings
- IniFiles
- 8Registry
- uIdGlobal
- IdQotdServer
- Buttons
- 5MaskUtils
- Mask
- Excel2000
- ;VBIDE2000
- MultiMon
- RHelpIntfs
- WinHelpViewer
- UrlMon
- ?WinInet

- 3CommDlg
- IDlgs
- Dialogs
- ImgList
- vMenus
- EActnList
- *ShellAPI
- YStrUtils
- WWinSpool
- Printers
- Math
- Forms
- &Controls;
- OleConst
- OleServer
- \\Office2000
- +Graphics
- QTypInfo
- ^Classes
- 3Messages
- sActiveX
- $VarUtils
- UTypes
- KWindows
- SysUtils
- CVariants
- SysInit
- qComConst
- FComObj
- 9Word2000
- 7Project1
- P&=O8
- ;4sVP
- euS?
- 8+dd
-]3)Q
- r<0T${W:u
- q9<y
- 5(zI
- A>"UuQ
- 3bSB1<
- m6Q
- YSV`u
- BpBA
- <xYe
- >UL+=
- le$-
- 1SY)(E
- Q}5E
- s0g1
- CsMO
- I[Z
- *dgO
- FgT3
- Or^D
- H#Hy2
- 1L>,

- JS~5Z3#
- f]F3vI
- JQJ3
- Eo_S
- DJOV
- =eEnE?
-)VHa#
- H_5}
- Wd2Zd
- DxA%
- *A[K
- "bUE
- vbD3
- ,-7w
- 9E'a
- 3LP)u
- 8`A2
- Ri1i
- #K)e,
- {6@H
- *(4!
- 4fpy
- 0\toO
- 0C:-
- 3gUu
- TCOu
- 5y(RR
- n|aM
- cH5c-
- 0r-z
- 8y[d
- 4~.I
- 8!tO
- 6HT<
- L7r=EY
- e?h,G
- }05a&
- 4";Kf
- 1ryo
- #1'bK
- A"O5
- a'(>D
- ?D+a
- m[g9
- 2!>-
- 2EUO
- @3''
- {S|9
- j^\\bG48
- d[MI
- UU{)
- \\k9B
- 5M&R;
- _oC
- 90$o
- U@hE
- pzI6

- I$S,
- 'aho
- asa=K
- Ah${
- ;9@W
- /c<2
- .AGc
- @t}1
- (67Y
- .6Wol0g
- EODq
- LD`I
- j6^$
- ;UHz
- iKP?
- dFi!
- r]c0
- <It]o
- =RvV1
- Z&?9
- kI\tE
- ipGZ
- x?co{
- iyU0*
- "E-0.h
- *E\\K
- [zWi_
- lNI{
- UJ8o
- 63*:
- 8.n#9
- C2I|
- (1xvB
- ^ZOl
- FfOX
- 3&kI;
- Z+?I
- iAWK
- beZm
- dtwIr
- ZC;E
- SB8[
- w)EM
- krsi
- t`LS9
- e2T+q
- $CD0
- tE#6y
- poI&pUf;
- Ai/f
- k!}6
- lERg)
- Q48%&J;
- q6S/52
- tx]A
- E!^:
- RCES<

-)_,%5
- 9x@G
- 34j^
- EPCX
- Sn0i_I4
- Z0Gn
- #AEh
- 9=VC
- zvma
- 8~0H
- x!Ik
- u)*;
- D5A(
- Gw!e
- 9\\[Uej
- FqE+
- 2d@$
- P"#AV
- \\chE
- pNka
- iPng
- J1.7f
- u%5IikV5
- IBlC
- nMS)a
- c9j8
- S0.7+A
- :,\\U{
- D6!d)
- `du>
- ,,`\t98o]k<O
- IC&/1,q*z
- a9 2
- Lp6pAG
- hFm3E
- !a~x
- fL"9+O
- jkw-a
- b8l1
- 1vyj
- *$jo
- 5.yB~
- .*+-4
- 1ex'
- 5v@E2/
- W0m#
- u/iB
- K~a
- Nf#A
- seT#
- 8B35
- 5^S_i
- T"OP@
- 5EV'
- `t6V
- +9}9
- a}TcE?

- @GNi
- 1=iC(
- AY)U
- 9\tD/
- XUrb
- G+6`
- rG4W'
- 8fD~
- <ob
-)m%he
- cE~5.
- x,5{
- W3A3
- ,tW6
- XC~if8
- ~S-4
- w:Ih
- TGos@
- ~y-?2(O
- DsEI
- VV3 B
- ^a$NC
- TuE1
- i'N$6e
- /W]a
- 4/5ga
- uB P
- M[uV
- K0eh<@
- (u/
- ~;z6
- cNEQ
- Asz@c
- kR0")
- -8N
- $n&E;
- [,Ui
- *aA5J
- 7FG6
- +=Uv&I;
- Ldh4
- g1ux
- vS| U
- 7jkX
- 3PU8A9{Vu
- zYi;i
- ,cBxi
- FO$qg5E8h=0W7r
- E1>m
- {7d_
- U8Q{VcE
- 622\\c
- FEoA
- #nPu
- =3i$
-)?_DO
- &mM6;

- q0+2
- j6"Z
- 1nYM
- ;/3U
- _/'a
- K0^^^
- _Ya|
- 2A\\8!
- Ww5!
- puM.%
- =oI4Yyf
- K7=r
- ?eBR
- f2I>
- aoiv
- $7@F
- OhKG
- `QZ2 4
- h'1~
- i{=A"
- b@9N|
- P2J\\
- f`[UT
- N-2r
- noU$!
- G]=O
- x4ujG
- !HA:
- lJ2U
- i?;b
- 5V\\l
- a5,?
- /<$*9
- 3`3D
- -`BE
- r]]F3
- 5lA,#
- fla
- $FOt
- VQ+w7
- s1vf
- S$}O
- hi8r1g
- <,FP09
- `|v7
- o#%|
- hH=i
- BuVkJ
- F%d0
- kg0~
- 5o~_
- PO0d}
- 0L &
- a&$QY
- U.Dw
- ?-3$
- W4=|

- l/mi
- -&4v
- RqCe
- ;e}I
- OR4o
- g68W
- 0\t]0p6
- !UuU
- nYEp
- I2u<
- O8>14
- 3DuPz
- (A8a
- uFIm
- ?6gW
- HF<E
- eiN4
- a~dE
- [hok
- S8AX
- D:$4
- {n){7
- 4}au
- apQh
- i*0iq/
- o}jx
- R5,5
- 8i<6
- Rrl)I
- u6WBIz
- Wcti
- Ym9Z
- EzI/
- Yy$/40N
- QviB
- t/5-
- 21y*
- u"-q
- TV%u
- oSsk
- [eatP
- ArKD
- #5]o`
- y$VI
- S!#oO
-]2bK
- w\\64
- 3J+1
- t7uoNP
- z44r@
- F@5r:
- Y9Hc
- >5A+
- `Febs
- A:D=
- c8F
- 3%nP

- m>Go
- >fP6
- w7l0s
- {1L|
- %8!C
- 8ew[
- _E@yp
- 42+3!;<
- 8H>+
- \\Qi\t/
- o(m E6
- 40jG
- |jX0
- `<R5
- EL}is
- 5}EU
- Ocv:
- Ys4+
- ,YvuB
- z9(/
- 3\\T4
- kc(1
- {.j9
- a_+o
- A:8t
- fO7P
- 5*\\8
- M5r5
- yWO{4
- 5pL=1;+
- "e_{p
- U-6B
- H9+h(
- _7V!
- I%2m
- oAkV
- *AYU
- QA/0
- "y/ga
- hPey
- 7\\Ps
- WiQ#
- 'K$5
- O:@[
- *1.F
- }6`
- ?UB[
- 6I+f
- 'oe1LC5
- 2^rc
- 7z6I
- 0N@#
- %od
- C3#=o
- Rh9u
- x[Ca
- AjlD^

- Dho&[
- E"$~.
- _PK~6
- Hur<=
- _U^EtL
- 1.z&
- kUom
- m/5X
- doOb
- had?Ji{/[=
- Gbi
- (K6t
- 7]cd
- IJY>P
- E[6lb
- C0%+`
- IeU6
- jH:N7U
- c!Zi
- >@=9
- nPL9
- ihs-
- UrW}
- O{I21\tr
- Aj:R4r5o5
- GQ4jX
- al:k
- gMI+
- <?6I
- h"ip
- +A2sh9
- U|3-
- qUC\\
- UN.K
- j9S M
- RPQ4P
- 0$s!
- 3(?`4
- 4{ye
- P^jI
- 6-ei
- .kMpI
- n:Imn
- 5D;W3
- B`6s#
- b5{1
- U7ob
- 9-E`
- 65Y4
- WA!iT
- /3E?]
- uB/@x
- ,A^my
- gqOi
- Ofii
- LAN|
- aw-_

- +zG0
- 4.s
- H`^o
- l/u_P{
- (06s>
- 3\t.$
- E&eh;
- 2r'R
- #)8{
- ms\\8
- U:0L
- j|1}Or
- YySy4
- /ga2
- hAvj
- GF]O
- nAm?(
- f'a!
- 7oss
- u3~c
- G^C8
- mj{5W
- d.OV1
- /Ot-V(1
- c%e4
- G0&v;
- /Lb4
- Kell
- Ik(u
- \\rd5
- \\?(u
- T,4fi
- NdKSa
- -8H\\
- >f)u
- BYS4
- _?)0
- @?2&:
- 6Qkg
- uW,9
- P2j7
- >8]st
- k7ed
- {4BA
- DY}2
- 2wQ&
- Q4S'
-)q689
- r(#U
- !,4P
- E($g
- K3(p
- J<Ud
- +O(t
- Tky5
- eh%8
- Bc*4

- EoSL
- Op\\a
- ^%b8
- EpML
- *It0
- SBUZ
- ru"o
- B2\tX
- Yz7|
- tJ68
- d74^W
- c]Aa7
- XV2iM
- (1w)
- d5Va
- Oeb%
- rFE_
- ESbL
- IUA
- O5,:
- x7aU
- /9Il4
- 5t&b;
- :%:!7WI
- NnUI
- X6/<
- g8^fY
- N.wE
- C497Z
- NUJw*o
- 56_1
- |?uW#
- %|9Od
- Qj[,O
- 9ta.^
- io!q
- sSKa7
- h%09W
- EV*;z
- g/,O
- Z21?
-]PY2
- >9U};^
- 8gII
- 2|x#
- Tu):
- *BkO
- hA62
- "\\iNu
- CdHi
- t<7r
- 4F1m
- 9nkQ
- PV0Kt
- P6Uj2
- *@]1
- "Su

- pG!6
- ,8ej_
- HVA@
- C4j>
- cUXw
- -\\)7
- }?uP
- AO@B
- !o\\Y
- pAm^
- F1g,u
- ~c$1E
- GuxjY
- B*"33
- .U;(M
- e3!DF&
- oG6o
- I4%$
- M)U4T
- juSB
- |!Uk
- 8=+]n
- 'o)G
- pE#(z
- 2n@P
- </u0
- +%8H
- 0,mu
- Ba.)
- o:QM^
- 2xn.
- i>.s
- I.EVS
- +E1y\\
- mXd6
- okyz;
- 86md
- ep$4
- I{xJ
- eNfi
- {oE#
- DE\\FA
- 8(j<R9
- rCAeg
- ?PUh
- QiSo
- O|&W;
- /2zSM
- Ytwo
- .i"q
- r"lw
- 4Nge
- SD^zu
- $D4iD
- UTN1
- :]C6
- Zl~o8U

- ;v4x
- ~Ga?
- O>c^
- n0Vm
- e^>=
- BE<xR
-)6xqi%l
- XKcde
- 4WMp
- E@|:
- su5O2
- }05b
- 4/"L
- `O9J
- UN27
- Al`n
- O`,7
- (jc48
- OC&\\2
- '<aM
- j%8g
- 4~!|
- :Vi\\l
-)U1l
- oZdQ
- ESM4
- OcrP
- 22#f
- iS0F
- L`PO
- y8(]i
- KP<e
- d4L-
- A)'}R
- y-<e
- 2/Gz\\
- ZE5^Z
- 81^_h
- |yu
- O!TC
- h1ZBx
- 3eoH
- O'8
- ({u
- 2N`d!
- 47,/M
- \\7om
- pT)EG
- ZiW2k0
- i{!Wz
- 2XG|
- 0XL7:
- 5L\\z
- (0=/
- G]~5
- <}Ew=
- IYn)?

- BV9?
- 1:,U
- wlO4
- ;Fpa
- CUTk
- ?\t2-
- 4Gkt
- 44p@
- Lf4T
- ^53<q
- *6YX
- Te_{
- (ta]
- ?uF^
- eFa]
- o6&z;
- 5u)5
- 7dqp
- !;l&n;
- O/Bo
- 80\tJ
- 2Q*e
- n\tUO
- 333333333333333333
- 3333333:3333333383
- #3333333
- 3333333
- 333333:"C3333338
- "C333333
- 333333
- 33333:"$3333338
- "C333333
- 33333
- 3333:"$3333338
- "C333
- :*3:"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 33333
- 333333333333
- 333333333333333333
- 333333333333333333
- 333333
- $334B"$3
- :"C333
- :DC33:""$8
- 333333DDD3
- 333333333333333
- 33333
- 333338

- 2""#33:DC8
- 83338
- 2""333:"C8
- "$38
- 2""*
- 2$B"""""C38
- 8333
- 2C4"""D338
- 333DDD33333?
- 333333333333333333
- 3333333:3333333383
- #3333333
- 3333333
- 333333:"C3333338
- "C333333
- 333333
- 33333:"$3333338
- "C333333
- 33333
- 3333:"$3333338
- "C333
- :*3:"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 33333
- 333333333333
- 333333333333333333
- 333333333333333333
- 333333
- 3333
- 3838
- 3333
- 33333?
- 333333333333?
- 3333fc33333338
- ?333
- C3333333
- 3336
- ?333
- C3333333
- 3336
- 3334JC33333338?333
- 3333333
- 3333"
- C33333833?33
- 3332*
- 33333
- D*C33383
- 33j$
- ?8?3

- CjC338
- ?8?3
- CjC338
- 3DDf
- "dc3333833
- 333j
- "$c33333
- F*F333383
- 33338?383
- c333
- 338?3
- c33*C333
- 333*C33
- 4DF334DC33
- 3333333333338
- 33338
- 3333
- 33833
- fff3333
- 33>ffffc338
- fDFfC338
- 33fd3>fC333
- fC333?3
- 334C3
- 3333>fd333338
- fC33333
- 3333
- 333>fd333333
- 333>fC333333
- 3336fC3333338
- 3333
- 3333Dc3333333
- 3333
- 3333333333338
- c333333
- 3333
- 333>fC333333
- 3333
- 3336Dc3333338
- 3333
- 3333f3333333?
- 333333
- 333333
- 333333?
- 33333333333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333
- 3333
- 33M]
- 3333

- 3333
- 33M]
- 3333
- 33MP
- 333333333333333333
- 3333333333333338
- 3338
- 3333339
- 333838
- 33333
- 33333833
- 333338
- 3339
- 33833
- 33333
- 3331
- 33338
- 3833
- 33?33
- 3333
- 33333333?333333
- 333333333333333333
- 33333333
- 3333333
- 333333:"33333338
- $3333333
- 333333
- 33333:"$3333338
- "J333333
- 33333
- #33338
- 3333:"$
- "J"C3333
- 3333
- "C8338
- :33:"$
- "J"$3
- 3?38
- "*"$33
- "C338
- 3?38
- :*"*"$3338
- "C3338
- 4"*""C3338
- 3B""$33333
- 3333
- 34""C33333833
- 3333
- 33B$3333333
- 33333
- 334C33333338
- 333333333333333333
- 3333333333333338
- 3338
- 3333339
- 333838
- 33333

- 33333833
- 333338
- 3339
- 33833
- 33333
- 3331
- 33338
- 3833
- 33?33
- 3333
- 33333333?333333
- 333333333333333333
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 9$9,949<9D9L9T9\\9d9l9
- 7$7,747<7@8D8H8L8T8X8\\8`8d8h8l8p8t8x8|8
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 4,545<5D5L5T5\\5d5l5t5|5
- 2L4P4T4
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- ,00040
- :':1:
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 6+676D6X6^6j6o6S7f7x7|7
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 1'232@2R2X2h2l2x2
- 1 1$191P1q1
- 0,0P0\\0`0p0x0|0
- 8=;T;
- 7;7m7
- 5-6`6
- 5'5P5{5
- 4?4d4
- 2@3L3P3`3h3l3p3t3x3|3
- >0?t?
- 8'838@8R8_8k8x8
- 2 2$2(2,20242B2X2h2l2~2
- 1 1$1(1,1014181<1{1
- 9M9{9
- 6%6u6
- 3%4Z4j4u4z4
- 3.3s3
- 9+:|:
- 2C3Q3
- /0v0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9
- 8 8$8(8,8084888P8p8x8|8
- 9<9j9
- 2 7$7(7,7074787<7@7
- 191b1r1
- $040
- 1[2q4x4e7n7|7

- /0<0t1
- 1 1$12161:1>1P1a1e1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- ;7;`;
- 9%9N9V9t9|9
- 8,848Q8Y8u8}8
- 7!7)7K7S7v7
- 6-65696O6[6r6z6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4^4b4f4j4n4r4
- 2 303<3@3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 0 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 4X4W5
- 2B3k3
- 10l0s0
- 626Q6~6
- 0T1[1|1
- ;1;U;y;
- 9 9=9E9f9n9
- 8$8(8;8]8
- 7&7.7L7T7X7l7
- 6,646Q6Y6u6}6
- 5 5$5(5,5054585<5@5D5H5X5g5k5x5
- 4(4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3v3~3
- 2(24282D2H2P2T2X2\\2`2d2h2l2p2t2x2|2
- <0=[=
- 7 7(7,74787G7S7g7z7
- 4B4Z4
- 0\\263
- 5 5?6
- 283S3u3
- 819>9M9
- 3=3b4
- 2 2$2(2,202@2P2T2d2
- 0-1?1I1U1_1r1x1
- 0"0&0A0I0c0k0o0
- 9195999Q9Y9r9z9
- 8"8.8E8M8k8s8
- 7 7F7J7N7R7V7Z7^7b7f7j7n7r7v7z7~7
- 6 6$6(6,6H6X6d6h6p6t6x6|6
- 5#5L5h5
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3x3
- 2L2o2{2
- <0x0
- 9 9(9D9h9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8
- 787X7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 4?5K5X5j5p5
- 4 4^4m4
- 3 3$3(3,3034383L3^3b3x3
- 1@2`2
- 1 1$1(1,1014181<1@1D1H1L1P1T1l1
- 9L;y;
- 8O8]8~8

- 6O7Z7r7
- >;?i?
- 95:T:
- 9(9094989<9@9D9H9L9P9l9
- 8<8\\8d8h8l8p8t8x8|8
- 7(707S7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5,5>5D5d5l5p5t5x5|5
- 4$444<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3 30383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2$2t2
- 171V1h1
- 9O:[:b:m:
- 9R9p9
- 8 8$8(8,8084888L8^8b8v8
- 6,7h7
- 606S6_6l6~6
- 5!5/5=5K5Y5j5
- 4 414B4S4d4u4
- 3!323C3T3e3v3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1?1^1u1
- 0,04080<0@0D0H0L0P0T0
- =H=a=
- ;#;A;
- 9"9.9J9p9
- 7&838D8Q8_8l8
- 7!777K7^7
- 6]6z6
- 3_4w4
- 2,3K3b3
- 292M2s2
- 191a1z1
- 0)0m0
- 9$9)969;9H9M9Z9_9l9q9~9
- 8(8-8:8?8L8Q8^8c8p8u8
- 7,717>7C7P7U7b7g7t7y7
- 6 6$6(6U6]6h6}6
- 5B5i5z5
- 484@4D4H4L4P4T4X4\\4`4
- 3 3$3(3,3D3[3_3x3
- 2 2$2(2,2D2Z2^2
- 1!1-1@1J1O1^1b1i1n1{1
- 9 989X9`9d9h9l9p9t9x9|9
- 8,84888<8@8D8H8L8P8T8p8
- 7%7/747P7p7x7|7
- 5&666A6
- 8(9>9$:n:
- 8G8t8
- 6I6X6
- 3#474
- 0f2q2
- ;2<R<
- 3 3L3u3\t4r4
- 1;2Z2w2
- 1 1/14191K1Z1k1~1
- 0F0c0

- :%:e:
- 1)2O2p2
- 0,0S0f0t0
- 8Z93;
- 6J7Y7v7
- 2)2K2
- !000p0x0
- 8 898
- 7'767M7x7
- 2m2{2
- 0*161
- 9P:y:
- 6)6L6/7
- 4D5j5u5}5
- 3 4^4m4
- 1J2l2
- 0#0M0
- =1=O=b=
- 9n:j;
- 506:6"818H8\\8}8
- 405F5r5
- 253S3
- <I=P=
- :a;~;
- 6'646?6
- 4)4N4}5
- 01161w1
- :3:N:a;p;
- 2<2m2
- 6A7|7
- 6+6Z6
- 5-545;5B5S5[5a5k5
- 4'474N4j4r4z4
- 3U3k3u3
- 2 20282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 1$1(181D1H1X1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0\\0`0d0h0l0p0t0x0|0
- 9'9+9/939H9P9T9k9s9w9
- 8A8I8M8j8
- 7%7-717I7Q7U7j7
- 6-696V6^6y6
- 5!5%5)5C5K5O5c5k5
- 4?4K4b4j4n4
- 3%3>3F3J3f3n3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1"1&1*1.12161:1>1B1F1J1N1R1V1Z1^1b1f1j1n1r1v1z1~1
- <0=N=
- 8"9G9k9
- 8!878e8
- 7 7A7I7e7m7q7
- 6'6+6?6G6K6_6g6k6~6
- 5#5+5I5Q5o5w5
- 4%4H4P4m4u4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 1<2W2d2t2
- 1*1.12161:1>1X1r1v1
- 0 0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0

- 7d8z8
- 5:6f6
- 5*5_5
- 4>4m4
- 303<3K3e3
- 0+1Z2o2
- 6_7l7
- 5j5y6
- 2;2`2t233V3
- ? ?7?
- 8'9I9-:Q:
- 445Q5
- 0M1_1
- 91<D<
- 3,4r4
- 2.3@3L3X3d3
- ;2;C;
- 9U:h:
- 869d9w9
- 6 6$6(6,6064686<6@6D6H6L6\\6|6
- 565>5Z5b5
- 4.42464T4X4\\4
- 203E3L3\\3l3t3x3|3
- 2$2H2f2
- 1!1%1C1G1K1o1w1
- 0(03070E0h0x0
- ?l?t?
- 8 8(8,8084888<8@8D8H8X8q8
- 6"7)7@7
- 6!686
- 3P4e5
- 3g3w3
- 2F2c2
- 0=0L0c0
- 909K9Z9}9
- 6J6Z6}6
- 5(5R5~5
- 1,2H2
- 000F0J0
- 809e9
- 4W5l6
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0
- 9+959?9J9O9Z9_9j9o9
- 8"8/8
- 7'707P7]7g7x7}7
- 6#626<6E6Q6Z6f6o6{6
- 4(4:5K5_5
- 3 3&323<3B3N3S3^3c3h3s3x3}3
- 1)131=1G1Q1
- 0#0;0L0d0
- 8^9n9::W:@<P<q<
- 3L4E7
- 283k3
- 1D2|2
- 5<6Z6
- <7=z=
- 515K5

- 1>2D2
- 3U5^6
- 3D3O3f3
- 1Z2e2
- m0x0.1
- 4C6K6^6-7
- J0_012
- 4<5z5
- 2 303
- 0/0m0q0u0y0}0
- 939E9y9
- 297s7~7
- 7&7i7
- 1(1.1w1
- 8?:C<
- 5'5;5l5
- 404N4
- 1(2Q2v2
- 1E1X1x1
- <?=O=
- 9$949=9f9r9
- 7.767G7e7
- 5(5O5X5a5
- 4<4I4]4g4
- 3!3:3C3K3Y3^3h3w3
- 2!2*232N2
- 1R1d1m1
- A0S0^0
- 9(9e9~9
- 6 6$6(6,6064686<6@6D6H6L6
- 3 313
- 2V2^2m2u2
- 1 1$1@1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 9$9(9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 6 6$6(6,6064686<6@6D6R6Z64787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 585D5H5T5X5`5d5h5l5p5t5x5|5
- 4H4a4
- 3 3$3(3D3[3
- 2 2$2>2F2J2d2
- 1"1&171?1V1^1t1|1
- 0"0&0*0.02060:0>0B0F0J0N0R0V0Z0^0b0f0j0n0r0v0z0~0
- 9(:t:
- 7 7$7(7,70747L7b7f7w7
- 646L6\\6v6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,404H4X4h4p4t4x4|4
- 343<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2
- 1 1$1(1,1014181<1@1D1H1L1P1T1h1
- 0%0l0
- 9.:}:
- 939n9
- 6N6Z6d6t6
- 5@5K5g5
- 484D4H4P4d4l4p4t4x4|4
- 2 2$2(2,2024282<2@2D2H2L2\\2m2q2

- 1"1*151:1E1L1
- 0&0C0j0t0~0
- 789B9G9Q9X9x9
- 5%6}6
- 4$424E4Y4u4O5
- 2F3h3
- 2,2>2N2}2
- 1P1^1m1{1
- 0(000I0l0
- 9,9>9F9S9_9l9~9
- 8&838?8L8^8k8w8
- d0|0
- =8>C>
- <W<o=
- 9%:@:
- 9(979F9U9d9l9
- 5,6\\7
- 3$4.484
- 3-3Q3v3
- 252X2}2
- 191A1\\1d1h1
- 0>0F0\\0d0z0
- <'<I<o<
- 929>9T9\\9`9s9
- 8%8<8]8a8e8i8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6"686L6P6d6t6
- 5 5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 3$4D4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3@3D3H3^3b3f3j3n3r3v3z3
- 2,282<2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 0$0)070@0E0J0X0a0f0
- ;+<u<
- : ;2;
- 9C9g9
- 4!5G5^5u5
- 253&4|4
- 2 2$2(2,2024282<2J2R2Z2
- 1 1$1(1,101@1L1`1h1l1p1t1x1|1
- K0W0_0g0y0
- 8-9y9
- 5,6B6k6
- 4 5n5}5
- 4%404O4
- 3;3H3L3T3h3p3t3x3|3
- 2 2.2
- 1<1N1t1
- 0+0P0a0
- <A=I=O=[=c=
- 9I9Q9W9c9j9
- 8'838@8R8r8
- 6+777D7V7^7f7n7v7~7
- 5,54585<5@5D5H5L5P5T5X5\\5`5t5
- 4$4.43484=4G4L4Q4s4
- 3)333>3P3b3s3}3
- 2\\2u2
- 041S2Z2o29547

- M0~0
- 5;7a7
- 3>3Y3
- 1T2d2t2|2
- :1;3<f<
- 0$0.030
- =I>h>
- 9*:k:
- 1Q2v2
- 8+8:8Q8~8
- 4$5D5U5a5p5
- 1F1p1}1
- 9'9?9P9m9
- 5`5~5
- 4'4?4P4
- 2u3z3
- 8 8$8(8,8084888<8@8
- 7,74787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,50545D5S5W5h5
- 4(4H4P4T4X4\\4`4d4h4l4p4t4
- 3 3(3,383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2|2
- 141<1
- 0\t0!0%0)0D0T0d0l0p0t0x0|0
- 9 9$9(9,9094989<9P9p9x9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5.585B5L5V5`5r5
- 4-4;4A4L4X4o4t4
- 3G3f3p3
- $0_0^1
- 6r7y7F8M8
- 5'5S6Y6i6v6|6
- 1!1&131Q1V1p1u1
- #0*0A0
- ?"?9?
- 8#9P9W9s9
- 8&868K8[8
- 6F6J6N6R6V6Z6^6b6
- 485<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 3&4Q4
- 0+1n1
- >M?u?
- 8W8|8
- 6%7W7~7
- 373/4K4f4
- 282L2|2
- 939{9
- 7<8L8
- 6j6q6
- 505^5
- 122t2
- 50f0m0
- 8\t959T9t9x9|9
- 6'7+7N7R7

- 4)5j5q5
- 2'353C3Q3n4
- 1s1M2
- 030n0
- 9u:|:
- 6-6{6I7X7
- 3@4E4l4t4
- 3:3Z3w3|3
- 2#2.2=2T2d2q2
- 0"1]1
- 8;8K8k8
- 354]5d5
- ;7;v;
- :9:S:
- 8,9>9[9
- 5$6^6y697
- 3n3w3
- 1!2>2k2
- 8R9n9~9
- 7!8<8
- 7c7j7
- 4?4[4
- $0G0a0s0
- ;3;c;
- 9.9k9p9
- 8 8x8
- 727?7N7`7e7
- 5'646C6N6`6v6{6
- 5R5m5|5
- 4@4E4
- 1N1`1w1
- 9 9$9(9,9094989<9@9D9H9L9P9T9l9|9
- 8<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8
- 64787<7@7D7H7L7d7
- 6 6$6(6,606<6\\6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5Z5l5x5
- 4<4D4H4L4P4T4X4\\4`4d4x4
- 2,24282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2<3@3D3H3L3P3T3X3\\3`3d3h3l3p3
- 141<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1
- 0(0H0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9 9$9(9,9094989<9@9L9\\9h9l9t9x9|9
- 8 8$8<8\\8d8h8l8p8t8x8|8
- 7$7D7L7P7T7X7\\7`7d7h7l7
- 646<6@6D6H6L6P6T6X6\\6l6
- 5$5,5054585<5@5D5H5L5\\5|5
- 4$4(4,4044484<4@4D4T4t4|4
- 3 3D3d3l3p3t3x3|3
- 2,2>2D2\\2
- 1$1/1A1R1X1q1|1
- 4(5=5
- 4!494C4J4
- 3$3,343<3D3L3[3g3t3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1"1*121:1B1J1R1Z1b1j1r1}1
- 0%0-090E0O0T0Y0^0c0i0n0s0z0
- 6j8s8
- 2)3p4/5

- 687c7 8H8c869}9
- 5F5g5
- 1!1%1)1-1115191=1:2
- >\t>A>
- 9"<^<
- 7D7]7t7
- 3A4E4I4M4Q4U4Y4]4a4
- 122^2
- 0!0%0)0-0105090T0f0x0
- <!=%=)=-=1=5=9===A=E=I=M=Q=U=Y=]=a=e=i=m=q=u=
- ;E<I<M<Q<U<Y<]<a<e<i<m<q<u<y<}<
- ;4;t;
- 8B9}9
- 7#8g8
- 7!7%7)7-7175797=7A7E7I7M7Q7U7
- 4J5j5n5r5v5z5~5
- 00080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 8N9g9
- 7%8W8
- 2&262A2G2O2T2|5v6
- 0&0.0C0K0h0u061L1
- >8>A>\\>o>
- =7=U=r=
- 9-9A9
- 8"8+808j8
- 7$7.73797>7D7I7O7V7\\7a7g7l7r7y7
- 5;6g6
- 383G3[3
- 2'2.2F2M2`2x2
- >a?k?
- 92979C9f9
- 335r6
- 3%3-353
- W0^0
- 2 3V3^3d3
- 2`2d2h2l2p2t2x2
- 1,14181<1@1D1H1L1P1T1l1y1
- 0$0(0,0004080<0@0D0X0x0
- 9 9$9(9,90949D9d9l9p9t9x9|9
- 8 8$888X8`8d8h8l8p8t8x8|8
- 7 7,7@7H7L7P7T7X7\\7`7d7h7v7
- 6 6(60686@6H6P6X6`6h6p6x6
- 5 5(50585@5H5P5X5`5h5p5x5
- 4'434@4R4X4`4h4p4x4
- 1&1.161>1F1N1V1^1f1n1v1~1
- 0&0.060>0F0N0V0^0f0n0v0~0
- 9&9.969>9F9N9V9^9f9n9v9~9
- 8&8.868>8F8N8V8^8f8n8v8~8
- 7-7>7J7O7T7[7b7l7
- 676@6I6Z6d6n6v6~6
- 3F4o4
- 0#0A0J0V0]0
- 2&2.262>2F2N2V2^2f2n2v2
- 2 3/3
- 1 1*1O1Y1c1k1q1
- 060:0@0D0I0P0V0^0i0
- 8:9N9V9l9

- 4/4F4[4
- 141E1O1
- 6Q7W7_7
- 4&515:5@5P5Y5
- 4&4.444:4I4
- 3&3P3V3h3
- 1.2X2r2
- 0>1D1T1]1
- <2=H=
- 8'9v:
- 798m8y8
- 6+7>7
- 4&4.464?4`4h4
- 3"3*323:3B3J3R3Z3b3j3r3z3
- 2 2$2(2,2024282P2m2z2
- 1$111D1t1
- 0(0<0T0h0|0
- kernel32.dll
- PrintDlgA
- comdlg32.dll
- ClosePrinter
- DocumentPropertiesA
- EnumPrintersA
- OpenPrinterA
- winspool.drv
- ImageList_Create
- ImageList_Destroy
- ImageList_GetImageCount
- ImageList_Add
- ImageList_ReplaceIcon
- ImageList_SetBkColor
- ImageList_GetBkColor
- ImageList_Draw
- ImageList_Replace
- ImageList_DrawEx
- ImageList_Remove
- ImageList_BeginDrag
- ImageList_EndDrag
- ImageList_DragEnter
- ImageList_DragLeave
- ImageList_DragMove
- ImageList_SetDragCursorImage
- ImageList_DragShowNolock
- ImageList_GetDragImage
- ImageList_Read
- ImageList_Write
- ImageList_GetIconSize
- ImageList_SetIconSize
- comctl32.dll
- SysFreeString
- GetActiveObject
- GetErrorInfo
- oleaut32.dll
- IsEqualGUID
- CoInitialize
- CoUninitialize
- StringFromCLSID

- ProgIDFromCLSID
- CoTaskMemFree
- ole32.dll
- VariantInit
- VariantClear
- VariantCopy
- VariantCopyInd
- VariantChangeTypeEx
- SafeArrayCreate
- SafeArrayRedim
- SafeArrayGetLBound
- SafeArrayGetUBound
- SafeArrayGetElement
- SafeArrayPutElement
- SafeArrayPtrOfIndex
- oleaut32.dll
- kernel32.dll
- user32.dll
- CopyEnhMetaFileA
- CreateBitmap
- CreateBrushIndirect
- CreateCompatibleBitmap
- CreateCompatibleDC
- CreateDCA
- CreateDIBSection
- CreateDIBitmap
- CreateFontIndirectA
- CreateHalftonePalette
- CreateICA
- CreatePalette
- CreatePenIndirect
- CreateSolidBrush
- DeleteDC
- DeleteEnhMetaFile
- DeleteObject
- EndDoc
- EndPage
- ExcludeClipRect
- ExtCreatePen
- ExtTextOutA
- GetBitmapBits
- GetBrushOrgEx
- GetClipBox
- GetCurrentPositionEx
- GetDCOrgEx
- GetDIBColorTable
- GetDIBits
- GetDeviceCaps
- GetEnhMetaFileBits
- GetEnhMetaFileHeader
- GetEnhMetaFilePaletteEntries
- GetObjectA
- GetPaletteEntries
- GetPixel
- GetStockObject
- GetSystemPaletteEntries
- GetTextExtentPoint32A

- GetTextMetricsA
- GetWinMetaFileBits
- GetWindowOrgEx
- IntersectClipRect
- LineTo
- MoveToEx
- PlayEnhMetaFile
- PolyPolyline
- RealizePalette
- RectVisible
- Rectangle
- RestoreDC
- SaveDC
- SelectObject
- SelectPalette
- SetBkColor
- SetBkMode
- SetBrushOrgEx
- SetDIBColorTable
- SetEnhMetaFileBits
- SetMapMode
- SetPixel
- SetROP2
- SetStretchBltMode
- SetTextColor
- SetViewportExtEx
- SetViewportOrgEx
- SetWinMetaFileBits
- SetWindowExtEx
- SetWindowOrgEx
- UnrealizeObject
- gdi32.dll
- kernel32.dll
- advapi32.dll
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- advapi32.dll
- user32.dll
- kernel32.dll
- kioB
- o$v;
- w]7.v
- -vej/v(7.v
- w]7.v
- E.v+E.v
- Xjef
- Zjif
- 9|$(
- Xjef
- Xjef
- user
- Zjof
- Xjif
- Xjif

- osof
- Micr
- U2jdZ
- U0jyZf
- h87>
- MMXe
- XenV
- (YY9E
- XenV
- sbie
- ware
- reVM
- VMwa
- osof
- Micr
- Qj@3
- Xjef
- XjoZ
- SVf9
- jeXf
- E"Xjx
- jsYja
- 9|$0
- shel
- f9KZ
- D$+0
- ju_f
- XenV
- Xj2f
- jeXf
- D$8P
- 9|$4
- jeXf
- MMXe
- Udjg
- UbZf
- pi32
- adva
- copy
- hype
- MMXe
- U6jg
- U4jbZf
- U^Zjd
- SVW3
- MS Sans Serif
- TPF0
- 0123456789ABCDEF
- Error
- Runtime error at 00000000
- QTBowm4BfYHo20SB
- WuY3
- Unit1
- TForm1
- TForm1
- IdQOTDServer1
- PrintDialog1,

- ActionList2(
- ActionList1$
- ScrollBar1
- Button1
- MainMenu1
- PopupMenu1
- BitBtn1
- MaskEdit1
- StringGrid1
- DrawGrid1
- SpeedButton1
- ExcelWorkbook1
- WordLetterContent1
- ExcelChart1
- Word2000
- TWordLetterContent
- TWordLetterContent
- Word2000B
- _LetterContentt
- OnSheetFollowHyperlink
- OnSheetChange
- OnSheetCalculate
- OnSheetDeactivateL
- OnSheetActivate
- OnSheetBeforeRightClick
- OnSheetBeforeDoubleClickT
- OnSheetSelectionChange
- OnWindowDeactivate
- OnWindowActivate<
- OnWindowResize
- OnAddinUninstall
- OnAddinInstall
- OnNewSheet
- OnBeforePrintt
- OnBeforeSave0
- OnBeforeClose
- OnDeactivate
- OnActivate
- OnOpen
- Excel2000
- TExcelWorkbook
- TExcelWorkbook
- OleVariant
- Target
- OleVariant
- TObject
- Sender
- "TExcelWorkbookSheetFollowHyperlink
- OleVariant
- Target
- OleVariant
- TObject
- Sender
- TExcelWorkbookSheetChange
- OleVariant
- TObject
- Sender

- TExcelWorkbookSheetCalculate
- OleVariantP
- TObject
- Sender
- TExcelWorkbookSheetDeactivate
- OleVariant
- TObject
- Sender
- TExcelWorkbookSheetActivate
- OleVariant
- Cancel
- OleVariant
- Target
- OleVariant
- TObject
- Sender
- #TExcelWorkbookSheetBeforeRightClick
- OleVariant
- Cancel
- OleVariant
- Target
- OleVariant
- TObject
- Sender
- $TExcelWorkbookSheetBeforeDoubleClick
- OleVariant
- Target
- OleVariant
- TObject
- Sender
- "TExcelWorkbookSheetSelectionChange
- OleVariant
- TObject
- Sender
- TExcelWorkbookWindowDeactivate
- OleVariant
- TObject
- Sender
- TExcelWorkbookWindowActivate
- OleVariant
- TObject
- Sender
- TExcelWorkbookWindowResize
- OleVariant
- TObject
- Sender
- TExcelWorkbookNewSheet
- OleVariantx
- Cancel
- TObject
- Sender
- TExcelWorkbookBeforePrint
- OleVariant
- Cancel
- WordBool
- SaveAsUI
- TObject

- Sender
- TExcelWorkbookBeforeSave
- OleVariant
- Cancel
- TObject
- Sender
- TExcelWorkbookBeforeClose
- OnCalculate
- OnSeriesChange
- OnSelectl
- OnBeforeDoubleClick
- OnDragOver
- OnDragPlot
- OnBeforeRightClick
- OnMouseMoveT
- OnMouseUp
- OnMouseDown
- OnResize,
- OnDeactivate
- OnActivate
- Excel2000
- TExcelChart
- TExcelChart
- Integer
- PointIndex
- Integer
- SeriesIndex
- TObject
- Sender
- TExcelChartSeriesChange
- Integerp
- Arg2
- Integer
- Arg1
- Integer
- ElementID
- TObject
- Sender
- TExcelChartSelect
- OleVariant
- Cancel
- Integer
- Arg2
- Integer
- Arg1
- Integer
- ElementID
- TObject
- Sender
- TExcelChartBeforeDoubleClick
- OleVariant
- Cancel
- TObject
- Sender
- TExcelChartBeforeRightClick
- Integer
- Integer

- Integer
- Shift
- Integer
- Button
- TObject
- Sender
- TExcelChartMouseMove
- Integer
- Integer
- Integer
- Shift
- Integer
- Button
- TObject
- Sender
- TExcelChartMouseUp
- Integer
- Integer
- Integer
- Shift
- Integer
- Button
- TObject
- Sender
- TExcelChartMouseDown
- F\tExcel2000
- _Workbookt
- F\tExcel2000
- |*F3
- |*F3
- RemoteMachineName
- ConnectKind
- AutoConnect
- OleServer
- TOleServer
- TOleServer
- TServerEventDispatch
- ckAttachToInterface\tOleServer
- ckRemote
- ckRunningInstance
- ckNewInstance
- ckRunningOrNew
- TConnectKind
- OleServer
- TVariantArray
- CoSuspendClassObjects
- CoResumeClassObjects
- CoReleaseServerProcess
- CoAddRefServerProcess
- CoInitializeEx
- CoCreateInstanceEx
- ole32.dll
- SVW3
- SVW3
- Neutral
- Both
- Free

- Apartment
- EOleException
- EOleSysError
- EOleError
- SVWUQ
- SVW3
- |@F3
- SVW3
- SVW3
- SVWUQ
- List
- SVW3
- SVWU
- SVW3
- SVWU
- SVWU
- SVWU
- SVWU
- Grids
- TStringSparseList
- TStringSparseList
- TSparseList
- TSparsePointerArray
- TStrItem
- 6;D$$~0
- SVWU
- SVW3
- }V;u
- Ou7j
- hMaF
- h0aF
- Uh)aF
- UhFaF
- ;p4~!
- ;p4}:U
- ~-)E
- u,US
- H~:3
- SVWU
- RowHeights
- ColWidths
- Ph4FF
- SVWU
- SVWU
- SVWU
- SVWU
- hoBF
- UhhBF
- SVWU
- tiHt
- 8quK
- SVWU
- hf5F
- Uh_5F
- C4_^[
- Grids
- TStringGridD0F

- Grids
- OnTopLeftChanged
- OnStartDrag
- OnStartDock
- OnSetEditText
- OnSelectCell
- OnRowMoved
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseUp
- OnMouseMove
- OnMouseDownl
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnGetEditText
- OnGetEditMask8"F
- OnExit8"F
- OnEnter
- OnEndDrag
- OnEndDock(
- OnDrawCell(
- OnDragOver(
- OnDragDrop,
- OnDblClick
- OnContextPopup
- OnColumnMoved
- OnClick
- VisibleRowCount
- VisibleColCount<
- Visible<
- TabOrder
- ShowHint4
- ScrollBars
- PopupMenu
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Options
- GridLineWidth
- Font<
- FixedRows|
- RowCount<
- FixedCols<
- FixedColor<
- Enabled
- DragMode
- DragKind
- DragCursor
- DefaultDrawing
- DefaultRowHeight
- DefaultColWidth<
- Constraints
- ColCountL
- Color<

- BorderStyle
- BiDiMode<
- AnchorsD
- Align
- TDrawGrid
- TDrawGrid
- Grids
- TCustomDrawGridl#F
- TCustomDrawGrid
- Integer
- ToIndex
- Integer
- FromIndex
- TObject
- Sender
- TMovedEvent
- Value
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender
- TSetEditEvent
- Value
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender
- TGetEditEvent
- TabStop
- Grids
- TCustomGrid
- TCustomGrid
- TGridDrawState
- State
- TRect
- Rect
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender
- TDrawCellEvent
- Boolean
- CanSelect
- Integer
- ARow
- Integer
- ACol
- TObject
- Sender
- TSelectCellEvent
- TGridOptions

- Grids
- goThumbTracking
- goAlwaysShowEditor
- goRowSelect
- goTabs
- goColMoving\tgoEditing
- goRowMoving
- goColSizing
- goRowSizing
- goDrawFocusSelected
- goRangeSelect
- goHorzLine
- goVertLine
- goFixedHorzLine
- goFixedVertLine
- TGridOption
- Grids
- TInplaceEdit\\
- TInplaceEdit
- EInvalidGridOperation
- SVWU
- SVWU
- ;0r
- ;0r
- SVWUQ
- SVW3
- SVW3
- >'u f
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseDownl
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock(
- OnDragOver(
- OnDragDrop,
- OnDblClick
- OnClick
- OnChange
- Visible
- Text
- TabStop
- TabOrder
- ShowHint4
- ReadOnly
- PopupMenu
- PasswordChar
- ParentShowHint(
- ParentFont
- ParentCtl3D
- ParentColor

- ParentBiDiMode
- MaxLength
- ImeName<
- ImeMode
- FontD
- EditMask|
- Enabled
- DragMode
- DragKind
- DragCursor
- Ctl3D
- Constraints
- ColorL
- CharCase
- BorderStyle
- BiDiMode<
- BevelWidthD
- BevelKind
- BevelOuter
- BevelInner
- BevelEdges
- AutoSize
- AutoSelect
- Anchors
- Mask5
- TMaskEditT
- TMaskEdit
- Mask
- TCustomMaskEditt
- TCustomMaskEdit
- EDBEditError
- SVW3
- SVWUQ
- SVW3
- SVWUQ
- ,<>u
- SVWUQ
- $,0t
- TEditMask
- TMaskedText
- SVW3
- E(PW
- ;k4u
- SVWUQ
- SVWU
- Buttons
- BBALL
- BBIGNORE
- BBABORT
- BBCLOSE
- BBNO
- BBYES
- BBCANCEL
- OnExitBBOK
- OnEnter
- Visible
- TabStop

- TabOrder
- Spacing4
- ShowHint
- ParentBiDiMode
- ParentShowHint
- ModalResultL
- Margin
- Layout<
- Kind
- Enabled
- Default
- Constraints
- CaptionL
- CancelL
- BiDiMode
- AnchorsD
- Action
- Buttons
- Buttons
- bkAll
- bkIgnore
- bkAbort
- bkClose
- bkNo
- bkYes
- bkCancel
- bkOK
- bkCustom
- OnMouseUp
- OnMouseMove
- OnMouseDownl
- OnDblClick
- OnClick
- Visible
- Transparent
- Spacing
- ShowHint<
- PopupMenu
- ParentBiDiMode
- ParentShowHint
- ParentFont
- MarginL
- Layout<
- Font
- Flat|
- Enabled
- Caption
- DownL
- GroupIndex
- Constraints<
- BiDiModeL
- AnchorsD
- AllowAllUp
- Action
- Buttons
- TSpeedButton
- TSpeedButton

- TSpeedButtonActionLink
- Buttons
- bsNew
- bsWin31
- bsAutoDetect
- TButtonStyle
- Buttons
- TButtonLayout
- DefaultPort
- OnCommandQOTD<
- IdQotdServer
- TIdQOTDServer
- TIdQOTDServer
- TIdPeerThread
- Thread
- TIdQOTDGetEvent
- SVW3
- Q ENu
- |MF3
- SVWUQ
- ;~pu
- EIdNoExecuteSpecified
- EIdTCPServerError
- ThreadMgr
- TerminateWaitTimeL
- OnDisconnect<
- OnExecute
- OnConnect
- Intercept
- DefaultPort
- Bindings<
- Active`{E
- IdTCPServer
- TIdTCPServer0
- TIdTCPServer
- TIdPeerThread
- AThread
- TIdServerThreadEvent
- TIdPeerThread
- Server
- IdTCPServer
- TIdTCPServerConnection8
- TIdTCPServerConnection
- TIdListenerThread
- EIdThreadClassNotSpecified
- EIdThreadMgrError
- IdThreadMgr
- TIdThreadMgr
- TIdThreadMgr
- IdThreadMgrDefault
- TIdThreadMgrDefault
- TIdThreadMgrDefaultp
- TCriticalSection
- TSynchroObject
- TIdThreadS
- f;0u
- $ZXu

- ;~|u\t3
- S4^[
- -ERR
- EIdNoDataToReadU
- EIdInterceptPropIsNil
- EIdNotEnoughDataInBuffer
- EIdTCPConnectionError
- SendBufferSize
- RecvBufferSize<
- OnWorkEnd<
- OnWorkBegin,wE
- OnWork
- OnDisconnectedhwE
- InterceptEnabled
- Intercept
- ASCIIFilter
- IdTCPConnection
- TIdTCPConnection
- TIdTCPConnection
- TIdBuffer
- IdIntercept
- TIdServerIntercept`
- TIdServerIntercept
- OnConnect`
- IdIntercept
- TIdConnectionIntercept\\
- TIdConnectionIntercept
- EIdCouldNotBindSocket
- EIdSocketHandleError
- Port
- IdSocketHandle
- TIdSocketHandle
- TIdSocketHandle
- IdSocketHandle
- TIdSocketHandles${E
- TIdSocketHandles
- S8^[
- OnStatus
- IdComponent
- TIdComponent
- TIdComponent
- Integer
- AWorkCount
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkEvent
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkEndEvent
- Integer
- AWorkCountMax
- AWorkMode\tTWorkMode
- TObject
- Sender
- TWorkBeginEvent

- asStatusText
- axStatus\tTIdStatus
- TObject
- axSender
- TIdStatusEvent
- hxvE
- UhqvE
- hDvE
- Uh=vE
- h*qE
- Uh#qE
- EIdStackSetSizeExceededj
- EIdStackInitializationFailed
- EIdStackError
- TIdStack
- TIdStackVersion
- humE
- UhnmE
- SVW3
- SVW3
- h"lE
- hUkE
- h8kE
- Uh1kE
- UhNkE
- IdStackWinsock
- Uh|gE
- SVW3
- SVW3
- TIdStackWinsockU
- TIdStackVersionWinsock
- wsock32.dll
- GetAcceptExSockaddrs
- AcceptEx
- TransmitFile
- WSARecvEx
- wsock32.dll
- hdZE
- hH]E
- h<]E
- h,]E
- hx\\E
- h`\\E
- hH\\E
- h0\\E
- hx[E
- hh[E
- hX[E
- hP[E
- hD[E
- h8[E
- h0[E
- h([E
- h [E
- hxZE
- hIZE
- Uh]ZE

- EIdStackCanNotLoadWinsock
- R0Z[
- EIdMoreThanOneTIdAntiFreezeU
- OnlyWhenIdle
- IdleTimeOut
- ApplicationHasPriority<
- Active
- IdAntiFreezeBase
- TIdAntiFreezeBase
- TIdAntiFreezeBase
- IdBaseComponent
- TIdBaseComponent
- TIdBaseComponent
- h(NE
- Uh!NE
- hwKE
- UhpKE
- Uh\tKE
- EIdClosedSocketU
- EIdConnClosedGracefullyHJE
- EIdSocketError
- EIdInvalidSocket
- EIdProtocolReplyError
- EIdInvalidServiceName
- EIdSilentException
- EIdException
- TaskbarCreated
- h@GE
- User32.dll
- hTFE
- ShHFE
- SVWU
- SVW3
- ;^`u0
- SVWU
- |RF3
- hT<E
- UhM<E
- h!;E
- SVW3
- ;{Hu
- ;{Hu
- |LF3
- h[8E
- UhT8E
- SVWU
- |<G3
- SVWUQ
- SVWU
- SVWU
- ;s0t
- RegisterAutomation
- 8TDS
- |2C3
- Uh|,E
- h\\%E
- UhU%E

- ;B0uGj
- ;Sxu
- ;Shu
- ;Sdu
- ;PDu
- hn"E
- Uhg"E
- MAINICON
- TApplication
- C[:E
- @[:E
- SL;U
- u\t+u
- SVWU
- layout text
- ;B<u
- SVWU
- SVWU
- |&G3;
- SVWU
- hn\tE
- Uhg\tE
- |-C3
- |NF3
- |NF3
- R@GNu
- YGNu
- |CF3
- @H;E
- t"GNu
- ;XDu
- @I;E
- SVW3
- ;BLu
- ;BHu
- ;XDu
- SVWU
- SVWU
- ;ADti
- SVW3
- MDICLIENT
- SVWU
- ;Cpu'
- SVW3
- WVh0
- SVWU
- |%C3
- |(C3
- SVWUQ
- |!C3
- GFKu
- SVW3
- |-G3
- |!C3
- |7C3
- SVWU
- SVWU

- IgnoreFontProperty
- TextHeight
- PixelsPerInch
- uz;~
- SVWU
- Q@j2
- SVWU
- SVWU
- |7F3
- ;P8t
- :P4t
- C0^[
- ;S0t6
- ;S$t6
- u Uf
- YFKu
- |:C3
- |#F3
- t:GNu
- |)F3
- SVWU
- SVW3
- Forms
- TApplication\\
- TApplication
- THintInfo@
- Forms
- TScreen
- TScreen
- TMonitor
- PixelsPerInch
- Forms
- TCustomDockFormX
- TCustomDockForm
- OnUnDockX
- OnStartDock@
- OnShow
- OnShortCut
- OnResize@
- OnPaint
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp0
- OnMouseMove
- OnMouseDownl
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnHelp
- OnHidet
- OnGetSiteInfo
- OnEndDock
- OnDragOver(
- OnDragDrop,
- OnDockOver
- OnDockDrop

- OnDeactivatet
- OnDestroy
- OnDblClick
- OnCreate
- OnContextPopup
- OnConstrainedResize
- OnCloseQuery
- OnClose
- OnClick
- OnCanResize
- OnActivateX
- WindowMenu
- WindowState4
- Width
- Visible<
- VertScrollBar
- ShowHint
- Scaled
- PrintScale
- Position
- PopupMenu
- PixelsPerInch
- ParentBiDiMode<
- ObjectMenuItem
- OldCreateOrder4
- Menu
- KeyPreview
- Icon
- HorzScrollBar
- HelpFile
- Height
- FormStyle<
- Font
- ParentFont|
- Enabled
- DragMode
- DragKind
- DockSite
- DefaultMonitor
- UseDockManager0
- Ctl3D
- Constraints
- TransparentColorValueL
- TransparentColor
- Color
- ClientWidth
- ClientHeight<
- Caption<
- BorderWidthL
- BorderStyle
- BorderIcons
- BiDiMode|
- AutoSizeD
- AutoScroll
- Anchors
- AlphaBlendValue
- AlphaBlendT

- Align
- ActiveControl
- Action
- TForm
- TForm
- Forms
- TCustomForm
- TCustomForm
- Boolean
- Boolean
- CallHelp
- Integer
- Data
- Word
- Command
- THelpEvent
- Boolean
- Handled
- TShortCutEvent
- Boolean
- CanClose
- TObject
- Sender
- TCloseQueryEvent
- TCloseAction
- Action
- TObject
- Sender
- TCloseEvent
- Forms
- poPrintToFit
- poProportional
- poNone
- TPrintScale
- Forms
- dmActiveForm
- dmMainForm
- dmDesktop\tdmPrimary
- TDefaultMonitor
- Forms4
- poOwnerFormCenter
- poMainFormCenter
- poDesktopCenter
- poScreenCenter
- poDefaultSizeOnly
- poDefaultPosOnly
- poDesigned\tpoDefault
- TPosition
- TBorderIcons
- Forms
- biHelp
- biMaximize
- biMinimize
- biSystemMenu
- TBorderIcon
- Forms
- fsStayOnTop

- fsMDIChild\tfsMDIForm
- fsNormal
- TFormStyle
- Forms
- IOleFormD
- Forms
- IDesignerHook
- OnUnDock
- OnStartDrag@
- OnStartDock
- OnResize
- OnMouseWheelUp
- OnMouseWheelDown
- OnMouseWheel
- OnMouseUp0
- OnMouseMove
- OnMouseDownl
- OnGetSiteInfo
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock(
- OnDragOver(
- OnDragDrop,
- OnDockOver
- OnDockDrop
- OnContextPopup
- OnConstrainedResize
- OnClick
- OnCanResize
- VisibleX
- TabStop
- TabOrder
- ShowHint4
- PopupMenu
- ParentShowHint
- ParentFont
- ParentCtl3D
- ParentColor
- ParentBiDiMode
- Font
- Color
- Enabled
- DragMode
- DragKind
- DragCursor
- DockSite
- Constraints
- BorderStyleL
- BiDiMode<
- BevelWidthD
- BevelKind
- BevelOuter
- BevelInner
- BevelEdges
- AutoSize
- AutoScroll

- Anchors
- Align
- Forms6
- TScrollBox
- TScrollBox
- Forms
- TBorderStyle
- bsSizeToolWin
- bsToolWindow
- bsDialog
- bsSizeable
- bsSingle
- bsNone
- TFormBorderStyle
- VertScrollBar
- HorzScrollBar
- Forms
- TScrollingWinControlL
- TScrollingWinControl
- Forms
- wsMaximized
- wsMinimized
- wsNormal
- TWindowState
- Visible
- Tracking
- ThumbSize
- Size }D
- Smooth<
- Range
- Position<
- ParentColor<
- Margin
- Incrementh
- Color
- ButtonSize
- Forms
- TControlScrollBar
- TControlScrollBar
- Forms
- ssHotTrack
- ssRegular
- TScrollBarStyle
- TScrollBarInc
- Forms
- sbVertical
- sbHorizontal
- TScrollBarKind
- h7|D
- Uh0|D
- h0{D
- Uh){D
- SVWU
- <&uO;
- S0_^[
- |#F3
- SVWU

- SVWU
- R4;F
- |>C3
- h1vD
- Uh{uD
- h1vD
- Uh]tD
- UhztD
- |tC3
- UhGvD
- SVW3
- Ih;J4u
- :PAt
- :P0t
- ;wHu
- ;PHu
- S0^[]
- @d;E
- SVWUQ
- |$F3
- ;C4t
- SVWU
- SpFOu
- |4G3
- SVW3
- h9[D
- 6hT[D
- Uh2[D
- SVW3
- W<CNu
- |1F3
- ;P|u
- ;~hu\t3
- ;~|u
- R@FKu
- SVWU
- |%G3
- SVWU
- :^?t1
- :^9tg
- :^8tB
- SVW3
- UhRJD
- SVW3
- Uh*=D
- SVW3
- SVW3
- ShortCutText
- X?ENu
- |@F3
- SVWUQ
- SVWU
- SVW3
- :B9t
- :B8t
- @?:E
- @?:E

- SVW3
- TMenuItemStack
- TPopupList
- OnPopup
- OnChange
- TrackButton
- ParentBiDiMode
- OwnerDraw
- MenuAnimation
- Images0#D
- HelpContext0
- BiDiMode
- AutoPopupD
- AutoLineReduction
- AutoHotkeysP
- AlignmentP
- Menus
- TPopupMenu
- TPopupMenu
- TMenuAnimation
- Menus
- maNone
- maBottomToTop
- maTopToBottom
- maRightToLeft
- maLeftToRight
- TMenuAnimations
- Menus
- tbLeftButton
- tbRightButton
- TTrackButton
- Menus
- paCenter
- paRight
- paLeft
- TPopupAlignment
- OnChange
- ParentBiDiMode
- OwnerDraw
- Images
- BiDiMode0
- AutoMergeD
- AutoLineReduction
- AutoHotkeysP
- Menus
- TMainMenu
- TMainMenu
- Items
- Menus
- TMenu
- TMenu, D
- OnMeasureItem
- OnAdvancedDrawItem
- OnDrawItem@
- OnClick
- Visible
- ShortCut

- RadioItem
- ImageIndex
- Hintp
- HelpContext
- GroupIndex
- EnabledT
- Default
- SubMenuImages
- Checked0
- Caption
- Break
- BitmapX
- AutoLineReduction
- AutoHotkeys
- AutoCheck
- Action
- Menus
- TMenuItem
- TMenuItem8
- TMenuActionLink
- Menus
- TMenuAutoFlag
- MenusT
- maParent
- maManual
- maAutomatic
- TMenuItemAutoFlag
- Integer
- Height
- Integer
- Width
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuMeasureItemEvent
- TOwnerDrawState
- State
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TAdvancedMenuDrawItemEvent
- Boolean
- Selected
- TRect
- ARect
- TCanvas
- ACanvas
- TObject
- Sender
- TMenuDrawItemEvent
- Boolean
- Rebuild
- Source\tTMenuItem

- TObject
- Sender
- TMenuChangeEvent
- Menus
- mbBarBreak
- mbBreak
- mbNone
- TMenuBreak
- EMenuError
- Bitmap
- $ZXu
- |&G3;
- SVWU
- SVWU
- |mF3
- Uh \tD
- Uh@\tD
- s8VV3
- ;V0t8
- ;V4t8
- ImgList
- TCustomImageList
- TCustomImageList
- TImageIndex
- ImgListt
- itMask
- itImage
- TImageType
- ImgList
- dsTransparent
- dsNormal
- dsSelected
- dsFocus
- TDrawingStyle
- TChangeLink
- SVWUQ
- QtFOu
- |0G3
- SVWU
- QpGNu
- |(F3
- QlGNu
- |'F3
- QhGNu
- |'F3
- Q\\GNu
- |'F3
- Q`FOu
- |1G3
- SVWU
- QTGNu
- |'F3
- ;Blu\t3
- |@G3
- QPFOu
- |)G3
- QLGNu

- |'F3
- |YF3
- SVWUQ
- |PF3
- SVWUQ
- R0GNu
- u*;~8u
- ;P8u
- |#C3
- R0^[
- TActionLinkSV
- ActnList
- TCustomAction
- TCustomAction
- ActnList
- TShortCutList
- TShortCutList
- OnUpdate
- OnExecute
- OnChange
- State
- Images
- ActnList
- TActionListl
- TActionList
- ActnList
- TCustomActionList
- TCustomActionList
- ActnList
- asSuspendedEnabled
- asSuspended
- asNormal
- TActionListState
- Boolean
- Handled
- TBasicAction
- Action
- TActionEvent
- Category
- ActnList
- TContainedAction
- TContainedAction
- USER32
- ControlOfs%.8X%.8X
- Delphi%.8X
- ImmNotifyIME
- ImmIsIME
- ImmGetCompositionStringA
- ImmSetCompositionFontA
- ImmSetCompositionWindow
- ImmSetOpenStatus
- ImmSetConversionStatus
- ImmGetConversionStatus
- ImmReleaseContext
- ImmGetContext
- IMM32.DLL
- USER32

- SVW3
- +G$;E
- +W$;U
- :FHu
- C8^[
- YFKu
- Q8FKu
- |-C3
- SVW3
- :FHu
- ;Fdu;
- t$;C8u
- ;^du
- SVW3
- ;Bh|3
- ;pdu
- ;Bdu
- ;Bdu
- ;Bdu
- ;Bdu
- t9;wlt4
- +SL+U
- +CH+E
- |!C3
- G0;E
- SVWU
- SVWU
- |dF3
- SVWU
- SVWU
- |lF3
- SVWU
- t4VS
- | C3
- SVWU
- ;CHu
- ;{Du
- ;s@u
- SVWU
- SVWU
- t&j7j;
- SVWUQ
- |tF3
- SVWUQ
- SVWUQ
- SVWUQ
- SVWU
- |TG3
- SVWU
- ;X0u
- t2HtY
- ;x0u%
- UhVrC
- DesignSize
- :Gau
- |,C3
- :GauOFKu

- |,C3
- C4Pj
- UhfkC
- SVW3
- |!C3
- SVWUQ
- SVWU
- SVWU
- C0^[
- s0^[
- |5G3
- |.G3
- Uh?fC
- hPeC
- |BC3
- UhIeC
- UhGdC
- :Pau
- :_[up
- :X[u
- RL;U
- @H;E
- Uh;`C
- |0C3
- L$$3
- SVWU
- 8]_^[
- SVWU
- UhxUC
- @P@u
- SVWU
- IsControl
- SVWU
- SVWU
- @P@u
- CP@t2
- h}7C
- Uhv7C
- hX4C
- UhQ4C
- hQ2C
- UhJ2C
- SVW3
- SVWU
- SVWU
- ;s0t
- ;CHu
- ;{Du
- u$;~|u
- $:Cat
- SVWU
- ;s0t
- u9W3
- SVW3
- SVWU
- ;S8u
- CQ tA

- ;B8t=
- SVW3
- ;B0t'
- C8^[
- tPHt8
- tMHu
- TSiteList
- ;B0u
- crSize
- crSizeAll
- crHandPoint
- crAppStart
- crNo
- crSQLWait
- crMultiDrag
- crNoDrop
- crHourGlass
- crUpArrow
- crSizeWE
- crSizeNWSE
- crSizeNS
- crSizeNESW
- crIBeam
- crArrow
- crDefault
- TMouse
- TDockTree
- TDockZone
- Width
- ShareImages<
- OnChange
- Masked
- ImageType
- Height<
- DrawingStyle<
- AllocBy
- BkColor<
- BlendColor
- Controls
- TImageList
- TImageList
- Controls
- TDragImageListD
- TDragImageList
- Controls
- THintWindow
- THintWindow
- Controls
- TCustomControlt
- TCustomControl
- Controls
- TGraphicControlT
- TGraphicControl
- Controls
- TWinControl
- TWinControl
- Controls

- IDockManagerD
- TBevelWidth
- Controls
- bkTile
- bkNone
- TBevelKind
- TBevelEdges
- Controls
- beBottom
- beRight
- beTop
- beLeft
- TBevelEdge
- Controls
- bvSpace
- bvRaised
- bvNone\tbvLowered
- TBevelCut
- TBorderWidth
- TImeName
- Controls
- imSHanguel\timHanguel
- imKata\timChinese
- imSKata
- imHira
- imAlpha
- imSAlpha
- imDontCare
- imOpen
- imClose
- imDisable
- TImeMode
- TWinControlActionLink
- HelpContext
- HelpKeyword
- HelpType
- Hint
- Cursor
- Height
- Top<
- Left<
- Controls
- TControl
- TControl
- Boolean
- Handled
- TPoint
- MousePos
- TObject
- Sender
- TContextPopupEvent
- Boolean
- Handled
- TPoint
- MousePos
- TShiftState
- Shift

- TObject
- Sender
- TMouseWheelUpDownEvent
- Boolean
- Handled
- TPoint
- MousePos
- Integer
- WheelDelta
- TShiftState
- Shift
- TObject
- Sender
- TMouseWheelEvent
- Integer
- MaxHeight
- Integer
- MaxWidth
- Integer
- MinHeight
- Integer
- MinWidth
- TObject
- Sender
- TConstrainedResizeEvent
- Boolean
- Resize
- Integer
- NewHeight
- Integer
- NewWidth
- TObject
- Sender
- TCanResizeEvent
- Boolean
- CanDock
- TPoint
- MousePos
- TRect
- InfluenceRect
- TControl
- DockClient
- TObject
- Sender
- TGetSiteInfoEvent
- TDragDockObject
- TObject
- Sender
- TStartDockEvent
- Boolean
- Allow
- TWinControl
- NewTarget
- TControl
- Client
- TObject
- Sender

- TUnDockEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockOverEvent
- Integer
- Integer
- TDragDockObject
- Source
- TObject
- Sender
- TDockDropEvent
- Integer
- Integer
- TObject
- Target
- TObject
- Sender
- TEndDragEvent
- TDragObject
- TObject
- Sender
- TStartDragEvent
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragDropEvent
- Boolean
- TDragState
- State
- Integer
- Integer
- TObject
- Source
- TObject
- Sender
- TDragOverEvent
- Char0
- TObject
- Sender
- TKeyPressEvent
- TShiftState
- Shift
- Word
- TObject
- Sender
- TKeyEvent
- Integer

- Integer
- TShiftState
- Shift
- TObject
- Sender
- TMouseMoveEvent
- Integer
- Integer
- TShiftState
- Shift
- TMouseButton
- Button
- TObject
- Sender
- TMouseEvent
- MinWidth
- MinHeight
- MaxWidth
- MaxHeight
- Controls
- TSizeConstraints$
- TSizeConstraints
- TConstraintSize
- TAnchors
- Controls
- akBottom
- akRight
- akTop
- akLeft
- TAnchorKind
- TCaption
- TTabOrder
- Controls
- TDragKind
- Controls
- dmAutomatic
- dmManual
- TDragMode
- TControlActionLink
- Controls
- TControlCanvas
- TControlCanvas
- TDragDockObjectEx
- TDragDockObject
- TDragControlObjectEx
- TDragControlObject
- TBaseDragControlObject
- TDragObjectEx
- TDragObject4
- Controls
- alCustom
- alClient
- alRight
- alLeft
- alBottom
- alTop
- alNone

- TAlign
- TCursor
- TModalResult
- #32770
- MS_WINHELP
- SVW3
- t7V3
- SVW3
- TWinHelpViewer
- Hint
- THintAction
- THintAction`
- Delphi Component
- Delphi Picture
- TClipboard\\
- TClipboard
- commdlg_FindReplace
- Help
- YesToAll
- NoToAll
- Ignore
- Retry
- Abort
- Cancel
- Ga t
- ToPage
- PrintRange<
- PrintToFiled
- Options
- MaxPage$
- MinPage<
- FromPage<
- Copies<
- Collate<
- Dialogs
- TPrintDialog
- TPrintDialog
- TPrintDialogOptions
- Dialogs(
- poDisablePrintToFile
- poHelp
- poSelection\tpoWarning
- poPageNums
- poPrintToFile
- TPrintDialogOption
- Dialogs
- prPageNums
- prSelection
- prAllPages
- TPrintRange
- OnShowh
- OnClose
- HelpContext
- Ctl3D
- Dialogs
- TCommonDialogD
- TCommonDialog

- ;P0t
- OnTimerSV
- Interval
- Enabled|
- TTimer
- TTimer
- SVW3
- SCROLLBAR
- BUTTON
- SVWU
- Z:Pit
- D$8;
- D$8PS
- EDIT
- OnStartDrag
- OnStartDock
- OnScroll
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock(
- OnDragOver(
- OnDragDrop,
- OnChange
- OnContextPopup
- Visible
- TabStop
- TabOrder
- SmallChange4
- ShowHint
- Position
- PopupMenu<
- ParentShowHint
- ParentCtl3D
- ParentBiDiMode
- PageSize
- Min<
- Max<
- LargeChange<
- Kind
- Enabled
- DragMode
- DragKind
- DragCursor
- Ctl3D
- Constraints
- BiDiModeL
- AnchorsD
- Align
- TScrollBar
- TScrollBar
- Integer
- ScrollPos
- TScrollCode

- ScrollCode
- TObject
- Sender
- TScrollEvent
- OnStartDrag
- OnStartDock
- OnMouseUp
- OnMouseMove
- OnMouseDownl
- OnKeyUp
- OnKeyPress
- OnKeyDown
- OnExit
- OnEnter
- OnEndDrag
- OnEndDock(
- OnDragOver(
- OnDragDrop,
- OnContextPopup
- OnClick
- Visible
- TabStop
- TabOrder
- ShowHint4
- PopupMenu
- ParentShowHint
- ParentFont
- ParentBiDiMode
- ModalResult
- Font
- Enabled|
- DragMode
- DragKind
- DragCursor
- Default
- Constraints
- CaptionL
- CancelL
- BiDiMode
- AnchorsD
- Action
- TButton
- TButton
- TButtonControlL
- TButtonControl
- TButtonActionLink
- ssVertical
- ssHorizontal
- ssNone
- TabStop
- TCustomEdith
- TCustomEdit
- ecLowerCase
- ecUpperCase
- ecNormal
- TEditCharCase
- FlatSB_SetScrollProp

- FlatSB_GetScrollProp
- UninitializeFlatSB
- InitializeFlatSB
- comctl32.dll
- windows
- device
- <CNu
- |kF3
- SVW3
- SVW3
- |>G3
- SVW3
- SVW3
- TPrinterDevice
- TPrinter
- EPrinter
- | F3
- | F3
- | F3
- SVWU
- |XC3
- Uh'~B
- Uh#}B
- SVW3
- |~C3
- GFKu
- |'C3
- Uh!|B
- SVW3
- Hu?3
- R(FKu
- R,GKu
- h4uB
- Uh-uB
- UhdtB
- THelpManager
- THelpViewerNode
- EHelpSystemException
- IHelpManagerD
- ISpecialWinHelpViewer
- IExtendedHelpViewer
- ICustomHelpViewerD
- IHelpSystemD
- IHelpSelectorD
- USER32.DLL
- DISPLAY
- DISPLAY
- DISPLAY
- GetMonitorInfo
- UhEhB
- UhIgB
- TOrderedList
- TObjectListXeB
- UhUcB
- Uh'bB
- TPatternManagerSV
- \\$4Vj

- Uh']B
- Uhq\\B
- SVWU
- ;V4tA
- UhcUB
- SVWU
- Uh^PB
- (u-f
- UhAQB
- SVWU
- Uh~EB
- @pPV3
- ;50
- Uh[@B
- h5>B
- @ ;E
- Uh8;B
- Uh.>B
- hm3B
- Uhf3B
- Graphics
- TBitmapCanvas
- TBitmapCanvas
- hv1B
- Uho1B
- hK0B
- UhD0B
- UhC,B
- EMFt
- 3TjdP
- 3TjdP
- SVWU
- Data
- Uh1$B
- SVW3
- Uh?"B
- TClipboardFormats
- SVW3
- $ZXu
- Data
- @DPU
- t6Tj
- Default
- OEM_CHARSET
- EASTEUROPE_CHARSET
- THAI_CHARSET
- RUSSIAN_CHARSET
- BALTIC_CHARSET
- ARABIC_CHARSET
- HEBREW_CHARSET
- TURKISH_CHARSET
- GREEK_CHARSET
- CHINESEBIG5_CHARSET
- GB2312_CHARSET
- JOHAB_CHARSET
- HANGEUL_CHARSET
- SHIFTJIS_CHARSET

- MAC_CHARSET
- SYMBOL_CHARSET
- DEFAULT_CHARSET
- ANSI_CHARSET
- clWindowText
- clWindowFrame
- clWindow
- cl3DLight
- cl3DDkShadow
- clNone
- clMenuText
- clMenu
- clInfoText
- clInfoBk
- clInactiveCaptionText
- clInactiveCaption
- clInactiveBorder
- clHighlightText
- clGrayText
- clGradientInactiveCaption
- clGradientActiveCaption
- clDefault
- clCaptionText
- clBtnFace
- clBackground
- clAppWorkSpace
- clActiveCaption
- clActiveBorder
- clMedGray
- clCream
- clSkyBlue
- clMoneyGreen
- clWhite
- clAqua
- clFuchsia
- clBlue
- clYellow
- clLime
- clRed
- clSilver
- clTeal
- clPurple
- clOlive
- clGreen
- clMaroon
- TResourceManager
- Graphics
- TIconX
- TIcon
- TIconImage
- Graphics
- TBitmap
- TBitmap
- TBitmapImage
- Graphics
- TMetafile
- TMetafile

- TMetafileImage
- TSharedImage
- Graphics
- TPictureh
- TPicture
- Graphics
- TGraphic
- TGraphic
- Font
- CopyMode|
- Graphics
- TCanvas
- TCanvas
- Style
- Color
- Graphics
- Width
- Mode
- Color
- Graphics
- TPen
- TPen
- Style
- Sizex
- Name
- Height
- Color<
- Charset
- Graphics
- TFont
- Graphics
- IChangeNotifierD
- Graphics
- TGraphicsObject|
- TGraphicsObject
- Graphics
- bsDiagCross
- bsBDiagonal
- bsFDiagonal
- bsVertical
- bsHorizontal
- bsClear
- bsSolid
- Graphics
- pmNotXor
- pmXor
- pmNotMerge
- pmMerge
- pmMaskNotPen
- pmMergeNotPen
- pmMaskPenNot
- pmMergePenNot
- pmNot
- pmNop
- pmWhite
- TPenMode
- Graphics

- psInsideFrame
- psClear
- psDashDotDot
- psDot\tpsDashDot
- psSolid
- TPenStyle
- Graphics
- fsStrikeOut
- fsUnderline
- fsItalic
- TFontStyle
- TFontCharset
- TFontName
- Graphics
- fpFixed
- fpVariable
- fpDefault
- TFontPitch
- EInvalidGraphicOperation
- EInvalidGraphic
- TColor
- TPUtilWindow
- ulj@h
- |&F3;
- SVWU
- ;C@u
- G0_^[
- ;w0u
- SVWUQ
- |"C3
- SVWUQ
- u6;_
- Left
- SVWUQ
- SVW3
- QQQQ3
- .Owner
- Owner
- |,F3
- Null
- True
- False
- R4;P
- @4;C
- |(C3
- |*C3
- SVW3
- SVW3
- SVW3
- SVW3
- Null
- True
- False
- SVW3
- UhW~A
- SVW3
- SVW3

- SVW3
- SVWU
- C0_^[
- SVW3
- hVtA
- UhOtA
- hnsA
- |*C3
- UhgsA
- Owner
- hqqA
- UhjqA
- SVW3
- SVWU
- TPropIntfFixup
- TPropFixup
- Uh{mA
- SVWU
- UhxhA
- SVWU
- SVWUQ
- h1^A
- Uh*^A
- SVW3
- h`\\A
- UhY\\A
- SVWU
- SVW3
- hoYA
- UhhYA
- SVWU
- SVW3
- hRWA
- UhKWA
- SVW3
- h8VA
- Uh1VA
- SVW3
- hXTA
- |0F3
- UhQTA
- SVW3
- hRRA
- h5RA
- W<CNu
- |-F3
- Uh.RA
- UhKRA
- SVW3
- |7G3
- SVW3
- h3MA
- Uh"MA
- Uh}KA
- SVW3
- hPHA
- h`HA

- UhIHA
- SVW3
- @< u
- SVWUQ
- hoDA
- UhhDA
- SVWU
- SVWU
- h#?A
- $ZXu
- hr=A
- Uhk=A
- hG;A
- Uh@;A
- Uhz9A
- TIntConst
- hv7A
- Uho7A
- h%7A
- h*5A
- #FKu
- |)C3
- Uh#5A
- hV4A
- |+F3
- |3F3
- UhO4A
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ
- SVWU
- | F3
- SVWUQ
- h~.A
- Uhw.A
- SVWUQ
- u%CNu
- |!F3
- SVWUQ
- |8F3
- SVWU
- TRegGroups
- TRegGroup
- TIdentMapEntry
- Classes
- TBasicAction
- TBasicAction
- TBasicActionLink
- Name<
- Classes
- TComponent
- TComponent
- FD'A
- Classes

- IDesignerNotifyD
- TComponentName
- TThread
- EThread
- TWriter
- TReader
- TFiler
- TClassFinder
- TStreamAdapter
- F<#A
- TResourceStream
- TMemoryStream
- TCustomMemoryStream
- TFileStream`!A
- THandleStream
- TStreamt A
- Classes
- TStringItem
- Classes
- Classes
- IStringsAdapterD
- Classes
- TOwnedCollection
- TOwnedCollection
- Classes
- TCollection
- TCollectionX
- Classes
- TCollectionItem<
- TCollectionItem
- Classes
- TInterfacedPersistent
- TInterfacedPersistent
- Classes
- TPersistent
- TPersistent
- TBits
- TThreadListD
- TList
- EInvalidOperation
- EOutOfResources(
- EComponentError
- EStringListError
- EBitsError
- EListError
- EResNotFound
- EClassNotFound
- EWriteError
- EReadError
- EFilerError
- EFOpenError
- EFCreateError
- EStreamError
- TObject
- Sender
- TNotifyEvent
- TShortCut

- Classes
- htKeyword\thtContext
- THelpType
- THelpContext
- Classes
- bdRightToLeftReadingOnly
- bdRightToLeftNoAlign
- bdRightToLeft
- bdLeftToRight
- TBiDiMode
- tagEXCEPINFO
- tagMULTI_QI
- SVW3
- h[\tA
- UhT\tA
- SVW1
- True
- False
- |PF3
- SVW3
- SVWUQ
- Variants
- |&G3;
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWUQ
- t~f;u
- VarOp
- Int64Op
- IntOp
- RealOp
- tIf;]
- tVf;u
- D$ 3
- SVWUQ
- SVWUQ
- |wC3
- Variants
- TCustomVariantType\\
- TCustomVariantType
- @$;E
- SVWU
- SVWUQ
- SVWU
- kernel32.dll
- AMPM
- AMPM
- WUWSj
- SVWU
- SVWU
- SVWU
- r3t7
- SVW3
- TExceptRec
- TErrorRec

- eeee
- INFNAN
- <*t"<0r=<9w9i
- SVWU
- @w2j
- SVWU
- $TMultiReadExclusiveWriteSynchronizer
- TThreadLocalCounter
- SysUtils
- SysUtils
- ESafecallException
- EOSError
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointerh}@
- EUnderflow
- EOverflow
- EZeroDivide\\|@
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeError
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError8y@
- EOutOfMemory
- EHeapException
- EAbort
- Exception
- UhEt@
- MSH_WHEELSUPPORT_MSG
- MSWHEEL_ROLLMSG
- MouseZ
- Magellan MSWHEEL
- hNe@
- UhGe@
- UhSd@
- F@;u
- u$F;u
- @t7;u
- s\t;E
- B@;u
- Uh|`@
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8

- SVWU
- USVW
- USVW1
- USVW
- USVW1
- SVWU
- SVWU
- uAJt
- SVWUQ
- SVWU
- t1SVW
- N|*9
- It2S
- u:Jt
- uAJt
- uXJt
- SVWU
- SVWU
- r6t0
- d$,1
- SVWU
- u\t@B
- SVWU
- VWUd
- SVW1
- SVW1
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- hD4@
- Uh=4@
- hd4@
- BkU'9
- E@|o
- @aQY
- C/3@
- Sc1@
- C/3@
- Sc1@
- YZXt5
- 2_^[
- w%9
- u%Nt
- u0Nt
- uENt
- u$Jt
- u/Jt
- uDJt
- YZXu
- Uhi'@
- SVWU
- h7#@
- Uh0#@
- SVWU
- SVWU
- u:;{

- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TBoundArray
- TInterfacedObject
- IDispatchD
- IInterface
- TObject
- TObject(
- OleVariant
- Variant
- WideString
- Cardinal
- Word
- Byte
- Integer
- Char
- True
- False
- Boolean
- P.reloc
- .rdata
- .idata
- `DATA
- CODE
- This program must be run under Win32
- %s%s
- %s (%s, line %d)
- Thread Error: %s (%d)
- &Retry;
- &Retry;
- PgDn
- BkSp
- Ctrl+
- Shift+
- DVCLAL
- BBRETRY
- BBHELP
- jjjjj
- jjjj
- jjjjjjjjj
- jjjj
- jjjjj
- jjjj
- jjjjjjjj
- jjjjj
- jjjjj
- jjjjj
- jjjj
- jjjjj

• jjjj
• jjjj
• jjjj
• jjjj
• jjjjj
• jjjjj
• jjjjj
• jjjjj
• jjjj
• jjjj
• jjjjj
• jjjj
• jjjj
• jjjj
• jjjj
• jjjjj
• jjjjj
• jjjj
• C-C5C=CECRC_ClCyC
• jjjj
• jjjj
• jjjj
• jjjjjjh
• jjjj
• jjjj
• PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXX
PADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPA
DDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPA
DDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDI
NGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGX
• _Bh.
• qB(*
• TBitBtn
• TStringGrid
• SyncObjs
• XGrids
• StdVCL
• RegStr
• (ShlObj
• ExtCtrls
• dStdCtrls
• Contnrs
• Clipbrd
• StdActns
• FlatSB
• CommCtrl
• Consts
• "RTLConsts
• SysConst
• System
• sYt)
• _(tw
• M"h"
• W",Z
• JZZW
• <!=;
• D}k[Y

- wW_;
- moTqMF
- /";^
- B#ZL
- DG8_<\\
- /xh7]gf
- k-+\\
- Gp}
- igJ%+`
- &&<!
- @j,mH
- |zH=3;=
- ![}Bwqr
- \\tZ+
- d`//
- /yn&p;=~^b
- 7="^zt
- D&bdN;=
- NJpw
- tST!*
- n-*(
- xZn<
- `gh,
- <^kT
- -^K<
- ")[wp
- ?kLG
- W)?]
- %f#.
- w'$<C
- WBMk
- g">MBZ
- >%Cn
- vQ#vZ
- cE,%hB
- V-GLs
- (xDd
- Bjt]
- j&;]Md7K
- `Wqd
- BWfV
- p"<h
- xXx%-
- wv?nc
- c^/"h
- =_}N
- 'S#|E^|
- &&dC;
- }"";
- 9)nQS>
- sY{n
- SC0wy\\
- }GvX
- Y``z
- M\\(r
- /YMk|
- Q%LVv{|a

- L.]n<
- _XY!
- ~nDJ;M
- ^t.#<
- 'Y0B[B
- qJ>
- '-p^RQ
- WMVM
-)?|k
- GbX-
- x,xj
- ,:WQ
- wbwR
- c=Ph
- ;s:k
- m%:"
- Th#D
- [=Y+q!
- L'DW
- c[R)
- b`K;
- r>\tZ6.
- XJ^>
- BKN.
- }VLTh%~|
- @^LM1>
- _"C
- &Djv;/
- :\txp
- W"4s>w:$
- z^s;
- :@r;
- "l\'j
- YVkw{s
- tY^M
- W#.!Edd
- _F)C
- wDrK
-]P\\W
- d/:`H!
- gK]R
- X#FL
- >CH"
- qL_|
-]xzH*
- sz+]Jp
- N+Tj
- 5VN`l<
- "G<~W$
- "SSS
- FzX],
- zD]N@
- DFV,>y
- J kY
- #'&N;
- $^}\\
- gd*$C

- lsw$
- g*sW
- HJ{[5H/H
- (inN\\|D=
-]bu>R_
- -DMH
- C_^vp
- <\\FCf
- Y*^C>&
- K"C\'
- -,@/
- $LG
- mNn<zd
- w"\\^
- z\\-xh
- L?^_&|
- @PB|
- v)jNN
- ~\t.\t-
- T\t>W
- /#bqw
-]g+-
- ZK)w
- SQ?{
- Pt+:
- \\\\q.
- b(fZ
- z]%
- Lf}D
- J\\S=
- Pj-F
- 3!Rj<)
- "btX
- FQ;{
- ~#dM+Q
- F!=J
- ~f._
- *yx>
- Tf}n
- @b &
- 2P#+-\\
- BqN-
- PFw;
- x"byYH
- KB8Th*
- MM:
- t8s(F!
- M\"'yT2
- y(K`
- V#@g
- '!wx
- l~&[xT
- !y*o$dy{sN|
-)K\t"z
- yp&`A}%
- {_@z
- YzQM

- =j=
- FwhrG
- Hk\tYv
- CzzWG
- x<#zJ
- btNbL
- ~KGR
- Hz/=
- &KdN;:
- H^,#
- Ts?O=n
-]D&m;
- P:*qx
- 'DQ
- mM"w}_
- X:x?B;
- v-G(
- lKX.P m
- x`r
- lex:dX
- !;$+>
- =pPHZ
- qm%x
- V@\'"
- cd +
- C/NY}
- HfJ'l
- c9Bg?[
- sKpk
- {?*^PU
- `?Zv
- ~Q)#
- Ckj|
- +,fhQ
- !ys(
-)bFt
- Gq]v&
- O`Cj;*h
- .~:Ho^
- pZs|P
- v)\th
- fc~b
- p<(#H
- Q"qq
- b)bq
- :m+$
- +kr@g
-)PTC
- !]%[
- }zqC
- Z;f-
- lFx@
- "B_\tn
- xx^n\\
- S1%.![
- &D;{p
- D"x@

- "yy\t.
- fdD^w
- vK\tV
- tD]"
- xMl "
- hl(^B
- D=vq
- &C-m;
- ":TR
- y/!"
- WQm_
- w, h
- *\\#t
- GnSf
- w(C,
- (H_-
- <grQ
- L))N
- ++_
- L~vY
- TP \\;
- <_.KD
- h,w
- $Ny#
- R;n-'
- VysR
- P}Bf
- =Jtn
- s_Sr
- HRXm
- \\h?z
- ;?P,V
- qnHy
- G^{p^G'D'cv
- .?p`
- GCsr
- VzB.
- V<rb
- rn(T!
- Zm?~
- Tcmg
- nSk,
- Q\t.+Y
- }>r}
- QvB|
- B"^n?+
- Pf?z
- PN2<N"
- #*nR
- gCsbF
- H]]M=
- Yslj
- RPULwz
- hK|L
- %%~Y
-)Y\t/$
- C8r< #

- BR|t
- {IwBJDt
- W$c-
- qu/pmbC
- PTRxV
-]|)P
- -KN%
- RK\\[
- +PGWky
- L%<T
- vVS(
- %~@!
- ^w&/
- GQ-[
- gQp*-
- `YGC
- tJc
- yJjc
- w;:
- v$b!
- kG~Hmqp
- S%Wl(
- ;PCJ
- ldL$
- ,/D|'
- (*fG
- HmH,
- $-,#
- k[5jD]
- ;p h
- #zY-
- ((;Sx
- h?:V
- DS".N
- p^nJB
- $K*|
- S$P<
- LSJ~
- Dff>
- L=*Z*
- wgTgX
- d[m[
- Xj+?
- k*Z'p
- 5|PRH><;
-]%Q
- h%H<
- z)NL
- %g/j
- BrY%
- &\tR<=
- wGDp
- GfPD
- Q{sR
- "_y&
- Ftj-
- &Qxm;

- Wg>b
-]y\\
- >g~
- -*V
- ;"Lv
- #'z?
- 'FPX?
- C=RP
- >Z=|
- r`-)
- $Y@w
- -g;W
- MWNK*z
- {lhB
- G(]j
-)\tcd
- LDg
- M>#NjB(
- Vv|?
- Q<K!
-),ms
- jJ#YV
- Gnbc
- -vZ}
- uF-Y.Q
- r:<W
- .|x`
- fDMP
- DVFn
- qD[YL
- <TdP
- +k(h
- T@Ff
- r(r#
- J`k(S
- LqT)
- S\t{}]
- `{m`
- |$~o$n
-)z~Kt
- *Yz~B
- g*NL
- p\\YkP
- T`\tWzP
- pys!
- ZMZ
- @\t"|
- G:v>
- XIGP
- LSzj
- CHx!C
- _TCN
- p[|$
- v{"RH
- w!q,
- :_P3Z-
- !YZ,<

- YyKv
- G[sQ
- z2>Z.P
- ~^L|
- VK"G
- ,kQT
- f\tNT
- n]`I
- w+]$
- [dlUJL
- XSrb
- *L Mq.
- ?` Z
- !X$>x
- X|}dxTj
- wJ|>P;
- >Rsj
- ~.<W
- \\t~\tF
- TdHg
- $|xr;
- {&+P
- Tz*2Fpt?
- DR(+
- ,@HT
- zmB.
- pt#Kr
- p@m}
- RG\twt
- ^\t[j
- #v_P
- LJH^C
- B*hr
- kZfB
- by:':>;<5YI
- FJ_"
- SG*^W
- bvk;
- () >
- X[B
- wh"rJ
- cQ`+
- [{T+
- </{v
- Ngp*
- P=S>
- sbH>
- LY;[
- &;.c
- |%wR
- T\\Jf
- ki?"}-?z
- pfZ"
- pV=yw
- K}Zk
- (\\n/
- [|GJF

- DlBx`
- gn?h
- :6bQ X
- !BJ3nG
-)J-P
- ?w^r
- *QY-
- *]*D
- z)J.
- RV?q#
- .&jvG;
- d.*?
- "LCG
- FYtL
- ?rdq
- TLb-
- VKZZ
- ZyCS
- >IVJ_/
- yFd3kV
- "CN]
- L@ ^%/
- p.SGYR
- `fP/?X
- ^p`}b
- I?;;
- KZdS
- l|[&D;
- #JkD
- ~Ltt
- ^=D/
- ysgj
- g<gg
- q!{/r
- G["d
- Xe:zNb
- "r*uj,
- ?W<G\t+]
- ~Jcf
- LR;
- ^m:>
- B]Mp
- DP`q
- +G{y
- ;K}>
- &qt;$
- `T8Y:s
-]G"/
- wwww
- 3:"""""
- "DDB""$3
- 33DDDDD3333
- "*:"$
- =P>T>X>\\>
- < <$<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<|=
- >B>k>
- =0=T=z=

- < <$<(<,<0<4<8<<<@<D<H<L<P<^<t<
- ?%?,?2??=?D?N?U?Z?`?h?w?
- >#>)>2>:>C>M>R>]>f>u>
- =i=m=q=u=y=}=
- >(>0>4>8><>@>D>H>L>P>d>p>
- =+=8=J=P=X=`=h=p=
- ?.?@?O?w?
- >=>O>^>
- 9?:K:W:
- :>;t;
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- =#>J>r>
- =:=`=
- <<<^<
- :1:9:=:T:X:\\:w:
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=r=v=z=~=
- < <,<0<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- :-;d;
- <'<M<s<
- :":<:@:D:[:c:g:}:
- ;><Z<
- =H>c>u>
- ?)?C?G?K?O?g?o?
- >2>:>X>`>d>z>
- = =$=(=>=B=F=J=N=R=V=Z=h=u=y=
- < <,<0<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;&;L;r;
- :.:6:R:Z:^:u:}:
- >;>^>j>
- :$:,:0:4:8:<:@:D:H:L:d:
- ?&?,?L?T?X?\\?`?d?h?l?p?t?x?|?
- =J=Z=
- ;g<s<
- =?>{>
- :D;S;b;
- ?$?D?W?f?
- =S>w>
- =(=0=4=8=<=@=D=H=L=P=
- <8<M<Q<h<
- ; ;$;(;,;0;4;8;<;@;D;H;`;v;z;
- ? ?$?2?D?d?l?p?t?x?|?
- >*>2>:>B>\\>h>|>
- ;\t<7<X<s<
- ? ?$?(?,?0?k?
- > >(>,>0>4>8><>@>D>H>L>h>
- :*:9:P:v=~=
- >.>Z>|?
- =$=,=4=<=D=L=T=\\=d=l=t=|=
- <$<,<4<<<D<L<T<\\<d<l<t<|<
- ;;;G;N;Y;k;~;
- :$:(:,:0:4:8:<:@:D:
- <!<@<y<
- ;.;F;h;
- >]>W?
- >(>:>
- </<A<K<b<q<
- ?+?7?C?m?

- =4=C=R=a=p=
- ><?d?s?
- ;=;L;
- >+>C>U>t>
- <1<T<v<
- ? ?:?P?|?
- =\t>&>?>r>
- ?>?E?`?
- = =E=j=v=
- ;R<Z<
- ?(?,?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- >8>D>Z>f>}>
- =+=7=M=Y=s=
- </<;<T<x<
- ;-;9;P;\\;u;
- : :,:E:Q:k:w:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- >@>t>
- ;,<F<|<
- ;.;T;x;
- 9 :F:j:
- ?,?4?L?T?p?
- >&>>>J>b>
- = =>=d=t=
- <+<><F<P<Z<e<j<u<z<
- ;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- :>:k:
- <"<1<s<
- :!<8<i<"=l=
- >G>{>
- =G=w=
- >(>4>G>O>S>l>t>
- =-=5=9=O=W=[=q=y=
- <"<&<4<C<G<U<Y<]<v<
- ; ;$;(;,;0;4;8;<;P;\\;`;l;p;x;|;
- :(:P:l:x:
- >:>W>
- =.=W=g=
- ?<?U?p?
- =3>?>L>^>g>l>w>|>
- ? ?$?(?,?0?4?8?<?J?R?Z?h?l?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>x>
- =:=^=
- < <0<@<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ;D;T;`;d;l;p;t;x;|;
- : :.:@:D:H:L:d:z:~:
- <==\\=y=
- ;&<E<c<
- :0:G:X:
- =%=<>i>
- <H<h<
- ;#;Y;
- >^?b?f?j?n?r?v?z?
- ;W<[<_<c<g<k<o<s<
- <(<P<@>K>Y>
- :,;5;V;
- :*:B:Z:v:

- ?B?G?
- >B>]>
- <.<?<
- ;3;=;G;P;c;h;t;z;
- :,:I:X:{:
- >N?i?|?
- ?&?J?k?
- > >$>(>,>0>4>8><>@>P>`>d>u>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;@;T;h;l;
- :(:8:D:H:P:T:X:\\:`:d:h:l:p:t:x:|:
- ? ?$?(?6?>?
- >T>`>d>p>t>|>
- ?)?4?<?F?P?b?w?
- <;=d=
- >,?|?
- =+>_>
- =H=c=
- ;><P<o<v<
- ; ;0;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;
- : :(:,:4:8:@:D:L:P:X:\\:d:h:p:t:|:
- >$?>?D?T?d?l?p?t?x?|?
- =!>C>d>~>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- ::;`;
- : :1:9:S:[:v:~:
- ?&?.?L?T?X?l?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>v>z>~>
- =X=h=t=x=
- :\t;.;S;w;
- :4:<:@:W:[:_:z:
- ?#?.?3?>?C?N?S?^?c?q?z?
- =N>X>b>g>s>
- <P<v<}<
- >#>/>?>d>o>5???E?l?O?S?Y?]?c?g?m?q?w?{?
- <"<m<u<{<
- ;";@;R;
- :':h:p:v:
- ?"?1?7?P?p?x?|?
- >@>T>w>
- <`=p=
- <$=->F>
- 9+;`;n;
- <N=>>
- ;\t< <0<
- >=?w?
- <n={=
- <#<4<F<c<
- :^:k:
- <&<8<[<
- ;?;q;
- ?'?>?B?F?^?b?f?
- >">&>>>B>F>]>a>e>
- = =$=,=0=4=8=<=@=D=H=L=P=T=X=f=r=|=
- ;0<@<L<P<X<\\<`<d<h<l<p<t<x<|<
- :(:A:x:

- >!>[>
- =,=8=@=^=m=z=
- ;(<5<A<J<T<^<d<q<v<
- ;@;p;
- =2=P=n=j>
- >V?[?u?
- ?0?P?X?\\?`?d?h?l?p?t?x?|?
- :&<:<R<Y<'=H=W=n=.>5>
- 8<:C:}:
- ;B;p;
- =R>b>{>
- =+=[={=
- ;J<X<
- : :*:3:C:R:\\:q:z:
- =B>I>j>
- ; ;$;(;,;0;4;8;H;h;p;t;x;|;
- :*:.:@:\\:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- > >$>(>,>0>4>8>F>X>f>j>|>
- ="=&=8=M=p=|=
- <&<8<<<@<D<T<e<i<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;b;f;|;
- :-:<:@:H:L:\\:d:h:l:p:t:x:|:
- >#>'>+>}>
- ?"?j?o?
- =.=4=H=M=+>8>J>t>
- 9-;>;\\;p;
- <$>h>
- ?#?'?+?/?3?7???
- ?*?2?:?B?J?R?Z?b?j?r?z?
- >">,>6>@>J>T>^>h>r>|>
- = =/=;=F=Z=e=o=z=
- < <$<,<0<8<<<D<H<P<T<\\<`<h<l<t<x<
- ; ;$;(;,;0;4;8;<;@;H;L;T;X;`;d;l;p;x;|;
- :8:\\:`:d:h:l:p:t:x:|:
- ?&?/?C?Q?e?
- <1<=<V<`<j<|<
- >[>`>h>
- :/;>;X;j;
- 9\t:C:M:s:
- ? ?$?(?,?0?@?`?h?l?p?t?x?|?
- >4>T>\\>`>d>h>l>p>t>x>|>
- =<=D=H=L=P=T=X=\\=`=d=x=
- <0<8<<<@<D<H<L<P<T<X<h<
- ;(;0;4;8;<;@;D;H;L;P;`;
- :$:(:,:0:4:8:<:@:D:T:t:|:
- ?&?.?6?>?F?N?V?^?f?n?v?~?
- >&>.>6>>>F>N>V>^>f>n>v>~>
- =&=.=6=>=F=N=V=^=f=n=v=~=
- <&<.<6<><F<N<V<^<f<n<v<~<
- ;&;.;6;>;F;N;V;^;f;n;v;~;
- :&:.:6:>:F:N:V:^:f:n:v:~:
- =;?E?P?`?g?
- ?<?D?O?{?
- =K=W=
- <$<-<V<_<
- : :3:c:

- =Y?a?j?
- ???E?^?g?p?{?
- <$</<@<F<N<X<o<z<
- ;!;';5;H;R;X;f;l;t;
- MaskBlt
- PatBlt
- StretchBlt
- vykvF
- s$v<
- nvIkvMt%v
- b$v!
- $voj'v
- $v@f$vK
- i$v<j$v
- $vl:%v
- k,v.
- .v\\x,v
- h,vF
- -vKj/vl
- -v\\9.v`w
- -v+E.v
- -vQJ.v
- #-vp
- .vO!.v
- -.vb
- G-v<
- -vc3.v
- /.vd
- v\\lB
- vXjB
- h|QgjW
- QSVW
-]Djr[
- Xj.f
- Yjgf
- PPPPS
- D$>X
- Xjff
- Xj.Yjyf
- h&cj;
- /b
- _jBf
- Zjcf
- j\\Xjd
- KVMK
- WP_^
- Xjnf
- Yjwf
- Yjdf
- Xjpf
- Zjxf
- t Hv
- VMKVf
- D$(h
- jlZf
- D$ P
- Xjrf

- Xjcf
- MKVM
- nVMM
- MKVM
- VMKV
- KVMK
- Xjvf
- QSSj
- Zjlf
- D$<WP
- D$@X
- nVMM
- jbXjd
- dll.
- jsXf
- t Hv
- Xj%f
- h'Ah[W
- SVWjp_jr
- Zjsf
- Yjxf
- Yj.f
- Xjnf
- KVMK
- Xj.^
- VMKV
-]Pjr
- {=#W
- D$ P
- jh_f
- jm_f
- VP;T
- PSSj
- SSS
- _jxZ
- XYYYf;
- Yj.f
- Yjgf
- [jcf
- Zjwf
- Yjtf
- D$LPWWj WWW
- WP_^
- " "%
- "%ls
- D$Lj
- rv
- prl
- nVMM
- @v:k
- ZYYd
- 8FmlwZWQvHCYcvqNWbNnp5zmXX
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- tQJt~
- ZYYd
- _Chartt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- PPPP
- PQRhX
- ZYYd
- PVSj
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[]
- [YY]
- YZ^[
- YZ^[
- ZYYd
- YZ^[
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[]
- Z]_^[
- [YY]
- _^[YY]
- ZYYd

- ^[Y]
- _^[Y]
- ZYYd
-]_^[
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
-]_^[
-]_^[
- |<;S
-]_^[
-]_^[
- $Z^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- x_^[
- ;D$T~
- ;D$D}
- +t$$
- $;D$
- D$DPj
- ZYYd
- R|^[
- p]_^[
- D$ P
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- R|^[
- D$@+
- _^[YY]
- W J;
- G H;
- ZYYd
- ^[YY]
- ZYYd
- R|_^[
- Ht<Ht
- _^[Y]
- QSVW
- ZYYd
- _^[Y]
- QSVW
- [YY]
- _^[]
- `_^[

- p_^[
- \\$ j
- YZ_^[
- ZYYd
- _^[]
- _^[
- ^[YY]
- C H;
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ;D$P~
- ;D$ ~
- ;T$P
- ;D$
- ZYYd
- Y^[YY]
- W J+
- _^[]
- Y[Y]
- C,_^[YY]
- ^[Y]
- C H+
- G8;G<}@
- Y_^[Y]
- QSVW
- p_^[
- D$ P
-]_^[
- [YY]
- PhtFF
-]_^[
-]_^[
-]_^[
-]_^[
- _^[]
- ZYYd
- ^[Y]
- _^[YY]
- ZYYd
-]_^[
- YZ_^[
- [YY]
- ^[YY]
-]_^[
- ZYYd
- _^[Y]
- QSVW
- $;D$
- TStringGrid
- TStringGridStrings8/F
- TStringGridStrings
- Ctl3D<
- Grids=
- String

- String
- ZYYd
-]_^[
- ZYYd
- sQCG
- r\tH,
-]_^[
- ZYYd
- ^[YY]
- ZYYd
- _.?r
- Z]_^[
- ZYYd
- _^[Y]
- QSVW
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- @;D$
- @;D$
- ZYYd
- ZYYd
- H~"f
- $;D$
- ZYYd
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ZYYd
- QQQQSV
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- YZ^[
- $;D$
- ZYYd
- ZYYd
- @P+}
- ZYYd
- Z]_^[
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- $Z]_^[
- ZYYd
- Z]_^[
- ;,$}
- ;,$}
- Z_^[
- $,#t

- $,!t
- $,/t
- SVWQ
- ZYYd
- Y^[Y]
- :P t
- [YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- Y^[Y]
- _^Y]
- ZYYd
- :P t
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- ^[Y]
- YZ^[
- ZYYd
- ^[Y]
- C ^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- PVWj
- PVWj
- PVWj
- PVWj
- PVWj
- :X |
- :^ t
- S(^[
- ^[Y]
- Z]_^[
- tN
-]_^[
- TButtonGlyph
- TGlyphCache
- TGlyphList
- TGlyphList
- ^[Y]
- ZYYd
- BBRETRY
- BBHELP
- Style<
- NumGlyphs
- Glyph
- TBitBtn\\
- TBitBtn
- bkRetry
- bkHelp
- TBitBtnKind
- NumGlyphs

- Glyph
- TNumGlyphs
- blGlyphBottom
- blGlyphTop
- blGlyphRight
- blGlyphLeft
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ClZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- _^YY]
- _^[Y]
- ZYYd
- XZRP
- ZX~!
- $ZXv'
- ZX~$j
- $ZXv*
- R<YZ^[
- ZYYd
- ZYYd
- ZYYd
- _^Y]
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- ZYYd
- ZYYd
- Sd_^[Y]
- QSVW
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd

- _^[Y]
- ZYYd
- ZX~!
- $ZXv'
- S`_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- SpZ[
- StZ[
- C _^[
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- SL[]
- ^[Y]
- ST[]
- SH[]
- ZYYd
- X_^[
- S@^[
- _^[Y]
- ZYYd
- String
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- SxZ_^[
- SVWQ
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- SVWj
-]_^[
- Y_^[Y]
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ;sHtK
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
-]_^[
- ZYYd
- ZYYd
- !SWV
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ~D_^[Y]
- ZYYd
- QSVW
- _^[]
- Z_^[
- SVWQ
- $Z]_^[
-]_^[
-]_^[
- @_^[

- @_^[
- t<j@j
- vcltest3.dll
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- YZ^[
- _^[]
- sx;P`u
- XD;PHu
- ZYYd
- C@Pj
- _^[]
- [YY]
- _^[]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- R@;P@
- RD;PD
- ZYYd
- Pj<j
- CHYZ]_^[
- PWj W
- f;sDtsf
- ZYYd
- ZYYd
- C_^[
-]_^[
- Cd;Cpt
- Ch;Ctt
-]_^[
- ^[Y]
- C@Vj
- (_^[
- ^[Y]
- ZYYd
- _^[YY]
-]_^[
- ZYYd
- ^[Y]
- _^[]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- Y_^[]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]

- ZYYd
- $Z_^[
- SVWQ
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- Ph<m@
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- f#CTf
-]_^[
- ^[Y]
- ZYYd
- ZYYd
-]_^[
- _^[Y]
- f#PT
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- ZYYd
- YZ^[
- F(Z_^[
- SVWQ
-]_^[
- $;D$
- ZYYd
-]_^[
- $Z]_^[
- ZYYd
- Z_^[
- SVWQ
- QWRj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- S,_^[]
- ZYYd
- :^Wt
- :S`t
-]_^[
- _^[YY]
- CH+F
- CL+F
-]_^[
- ^[Y]
- ZYYd

- ;B@t/
-]_^[
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- t\tJt
-]_^[
-]_^[
- ZYYd
- ZYYd
- +WH+W@
- :P,t
- ;P(t
- C$^[
- _^[]
- _^[]
- ZYYd
- ^[YY]
- ZYYd
-]_^[
- ;X0t@S
- ZYYd
- ZYYd
- FormsS
- TWMKey
- OnDblClickt
- Ctl3D|
- Forms@
- Style<
- ssFlat
- ZYYd
- ^[YY]
- ZYYd
-]_^[
-]_^[
- YZ]_^[
- hNvD
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hdtD
- ZYYd
- _^[Y]
- ZYYd

- QSVW
- _^[Y]
- QSVW
- :P\\t
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- :P@t
- D$(P
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- :P<t
- $YZ]_^[
- :P;t
- ZYYd
- ZYYd
- ZYYd
- hl[D
- h`[D
- hH[D
- hl[D
- h`[D
- hT[D
- _^[]
- :S=t
- Q<^[
- Q<_^[
- Q<]_^[
- @?:F?v
- C\\;h
- Q<]_^[
- :]:tJ
- ^[Y]
- ;P@t
- :P>t
- f;P`t
- Q<_^[
- P?:S?u
- Q<^[
- :PHt
- ZYYd
- Y_^[
- _^[Y]
- hYJD
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- h;>D

- ZYYd
- ZYYd
- Z]_^[
- :X?v
- :X?s&
- ;,$}
- Q<]_^[
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- CPPVj
- ^[Y]
- pT^[
- ;B@t
- :B>t
- f;B`t
- ;B@t
- ;BTt
- _^[YY]
- ZYYd
- ZYYd
- 1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ
- ZYYd
- ZYYd
- $;D$
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
-]_^[
- S`]_^[
- :V@t
- ^[Y]
- ZYYd
- R,;C4}!
- R ;C0|
- ZYYd
- ZYYd
- ZYYd
- S0_^[]
- ^[Y]
- ZYYd
- ZYYd
- hh\tD
- ZYYd
- h'\tD
- ZYYd
- ZYYd
- RdPS
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- _^[Y]
- ZYYd
- Rd_^[
- ZYYd
- ZYYd
- _^[]
- ZYYd
- $Z]_^[
- R0]_^[
- R0Z_^[
- SVWQf
- R0Z_^[
- SVWQ
- R0Z_^[
- SVWQ
- R0Z_^[
- $;Ctt?
- SVWQ
- R0]_^[
- R0Z_^[
- $:Cjt_
- SVWQ
- _^[Y]
- ZYYd
- QSVW
- R0Z_^[
- SVWQ
- Z]_^[
- Z]_^[
- t,f;
- F\\^[
- ^[YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- C Z[
- ZYYd
- ty--
- BP_^[]
- ;BP|
- ;BT|
- _^[Y]
- ;pdt
- QSVW
- ^[YY]
- Y_^[]
- YZ_^[
- t#;^dt
- R|Y]
- Y^[]
- ;Xdt>
- ZYYd
- ZYYd
- ^[YY]

- ZYYd
- [YY]
- ZYYd
- ZYYd
- QQQQSVW
- R|^[
- ZYYd
- ZYYd
- ZYYd
- Y[YY]
- @[H,
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- Y_^[]
- _^[Y]
- FLVh
- ^dVh,
- ^dVh,
- QSVW
- R|_^[
- Y^[]
- @[H,
- ZYYd
- Rd:B
- Rd:B
- ;Bdt*
- ZYYd
- Pd:J
- pd;s
- ;Xdt
- ZYYd
- ZYYd
- ^[Y]
- YZ_^[
- _^[Y]
- QSVW
- f;Pht
- _^[]
- ZYYd
- _^[Y]
- QSVW
- ZYYd
- ^YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- HD+M
- QH^[
- _^[]
- ZYYd

- S8_^[]
- ^[YY]
- ZYYd
- YZ]_^[
- <_^[
- @t&j;
- ^[Y]
- ZYYd
-]_^[
- CHPj
-]_^[
- PL;S
- PH;S
- ;PD~
- ;P@~
- $Z^[
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ]_^[
- PWVj
- YZ]_^[
- YZ]_^[
- Z]_^[
- ^[Y]
- ;XDt#
- _^[YY]
- Z]_^[
- Z]_^[
- Z]_^[
- ^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- $Z_^[
- SVWQ
- _^[Y]
- QSVW
- _^[]
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- CHPj
- CHPj
-]_^[
- CL@P
- G;<$
- CHPj
- $;<$
- ZYYd
- @@PS

- @P@t%
-]_^[
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- [YY]
- PhPmC
- _^[Y]
- QSVW
- ZYYd
- hmkC
- ZYYd
- C$_^[
- C$PV
- C$PV
- C$PVj
- C$PV
- Z]_^[
-]_^[
-]_^[
- hFfC
- ZYYd
- ZYYd
- +WH+W@
- hNdC
- ZYYd
- ZYYd
- _^[]
- hB`C
- ZYYd
- ZYYd
- R@;P@
- RD;PD
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- C ^[
- YZ_^[
- ,]_^[
- ^[Y]
- _^[Y]
- ZYYd
- _^[YY]
- ZYYd
- [YY]
- +BLP
- YZ_^[
- ;SL~
- ;SL}
- ;SH~
- ;SH}
- YZ^[

-]_^[
- _^[YY]
- [YY]
- C^^[
- tJHt
- Ht:Ht
- @[H,
- YZ^[
- Z_^[
- SVWQ
- _^[
- ZYYd
-]_^[
- D$\tP
- D$\tP
- D$\tP
- D$\tP
- ZYYd
- PSWV
-]_^[
- @_H,
- [YY]
- ZYYd
- KHQRP
- ZYYd
- CHPj
- C@PV
- f;Pxt
- :P`t
- :PZt
- ;Ppt
- :PYt
- :P_t
- ^[Y]
- ZYYd
- :PXt
- :_Wt+
- ;s0t=;
- CL+D$
- CH+D$
- _^[YY]
- ZYYd
- GP t;
- V:P\\t
-]_^[
- YZ_^[
- YZ_^[
- ZYYd
- YZ^[
- YZ^[
-]_^[
- Qh_^[
- ZYYd
- FHPR
- _^[]
- ;CLtX3
- tr;s@u

- Z_^[
- SVWQ
- YZ]_^[
- Qh^[
- ^[Y]
- Qd^[
- ;B@t
- :BWt
- Z:Pjt
- ZYYd
- %s (%s)
- ZYYd
- t%Jt?Jt[
- sX^[
- ;sXt
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ_^[
- ^[Y]
- S$_^[]
- _^Y]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- SPhp\tC
- Z_^[
- SVWQ
- _^[YY]
- crHelp
- crVSplit
- crHSplit
- crDrag
- crCross
- bkFlat
- bkSoft
- Width<
- dkDock
- dkDrag
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd

- _^[YY]
- ZYYd
- JumpID("","%s")
- ZYYd
- _^[Y]
- ZYYd
- IE(AL("%s",4),"AL(\\"%0:s\\",3)","JK(\\"%1:s\\",\\"%0:s\\")")
- ZYYd
- [YY]
- ZYYd
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- StdActns
- ZYYd
- s'hT
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- [YY]
- ZYYd
- ZYYd
- Clipbrd
- ZYYd
- WndProcPtr%.8X%.8X
- commdlg_help
- H_^[
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- @@Pj
- ZYYd
- ZYYd
- :P@t

- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ExtCtrls
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
-]_^[
- ZYYd
- C(^[
- p_^[
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- YZ^[
- $YZ[
- ZYYd
- StdCtrls&
- StdCtrls%
- StdCtrls
- StdCtrls
- ssBoth
- TScrollStyle
- StdCtrls
- StdCtrls
- ZYYd
- SVhp
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- C,Pj
- C,Pj
- _^[Y]
- QSVW
- ZYYd
- _^[YY]

- ZYYd
- ^[YY]
- ZYYd
- _^[]
- ZYYd
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- h.~B
- ZYYd
- h*}B
- ZYYd
- h(|B
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- :SVW
- ZYYd
- ^[Y]
- ZYYd
- hktB
- ZYYd
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- :\tHelpIntfs
- ZYYd
- ZYYd
- PVhB
- >(r[j
- h(mB
- >(r[j
- hTlB
- >(r[j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- hLhB
- ZYYd
- hPgB
- ZYYd
- TStack
- ZYYd
- h\\cB
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd

- SVWjH
- C(_^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
-]_^[
- T$$f
- T$"f
- D$*Ph
- T_^[
- s(;~
- ZYYd
- FpPj
- C(;x
- T_^[
- D$&f;
- D$$f
- T_^[
- |$ T
- s(;~ t8
- T]_^[
- WpRj
- WpRj
- t\t;G
- ZYYd
- PjTW
- s(;~
- d_^[
- <$BMt
- hHQB
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hvPB
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- PjTS
-]_^[
- ZYYd
- R HP
- C,^[
- C,^[
- t%;C
- ZYYd
- ZYYd
- T_^[
- ZYYd
- @pPj

- ZYYd
- ZYYd
- hb@B
- ZYYd
- PjTS
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h?;B
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- d_^[
- |$(EMFt
- D$HPkD$TdPV
- ?TjdR
- P ;p
- D$LPkD$XdPV
- ?TjdR
- .wmf
- _^[YY]
- ZYYd
- hJ,B
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- D$LP
- kD$PdP
- D$PP
- kD$TdP
-]_^[
- [YY]
- ZYYd
- ZYYd
- S []
- QX_^
- QT^[
- S`_^[Y]
- QSVW
- _^[YY]
- ZYYd

- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- :P!t
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- T_^[
- C ;C$s
- TjTP
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ~\t;]
- ZYYd
- ZYYd
- ZYYd
- $Z_^[
- SVWQ
- [YY]
- ZYYd
- ZYYd
- YZ_^[
- ZYYd
- E$PVSj
- PVSj
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YZ^[
- _^[]
- YZ_^
- KPhd
- ZYYd
- YZ^[
- $YZ^[
- YZ^[
- _^[]
- CPhd
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- [YY]
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- `_^[
- Tj<V
- clScrollBar
- clHighlight
- clBtnText
- clBtnShadow
- clBtnHighlight
- clGray
- clNavy
- clBlack
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- Brush<
- TBrush
- TBrush
- Style<
- Pitch<
- TFontP
- bsCross
- TBrushStyle
- pmMask\tpmNotMask
- pmCopy\tpmNotCopy
- pmBlack
- psDash
- TFontStyles
- fsBold
- ZYYd
- ZYYd
- S\t_^[]
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[]
-]_^[
- R0_^[]
- ;CDt:
- _^[]
- Z]_^[
- YZ_^[
- Z]_^[
- S _^[
- _^[Y]
- QSVW
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- Z_^[
- SVWQ
- ^[Y]
- ZYYd
- B^*L
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQ3

- [YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQQ3
- @(;C
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ;B t
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- QQQQQQQSV
- B^*L
- ZYYd
- ZYYd
- ZYYd
- $Z^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- %s_%d
- ZYYd
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- $YZ[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YF;w
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]
-]_^[
- ~.,;{
- ^[Y]
- ZYYd

- [YY]
- ZYYd
- ZYYd
- ^[YY]
- _^[]
- _^[]
- Sd^[
- $Z^[
-]_^[
- $Z]_^[
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- _^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- ZYYd
- Strings
- [YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- %s[%d]
- ZYYd
- _^[Y]

- ZYYd
- _^[]
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- PRQB
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- tMWj
- QSVW
- _^[YY]
- _^[Y]
- QSVW
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
- ZYYd
- $Z]_^[
- Z]_^[
- _^[Y]

- QSVW
- _^[Y]
- QSVW
- YZ]_^[
- _^[]
- _^[]
- TStringList
- TStringList
- TStrings
- TStrings
- ZYYd
- ZYYd
- $YZ^[
- _^[YY]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- _^[YY]
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
-]_^[
- Z]_^[
- $YZ]_^[
-]_^[]
- CSRP
- ZYYd
- ZYYd
- $Z^[
- $Z^[
- $YZ[
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- FSVQ
- $Z]_^[
- [YY]
- ZYYd

- ZYYd
- txf;]
- ZYYd
- Ht3Ht[
- ZYYd
- ZYYd
- ZYYd
- sBf;
- tLf;]
- ZYYd
- QQQQSV
- Z_^[
- SVWQ
- Z_^[
- SVWQ
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- FSVQ
- <-\t@
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- SVWf
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- Z]_^[
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ;B$t
- [YY]
- ZYYd
- ;B$t&
- ZYYd
- ZYYd
- YZ]_^[
- ;VLv

- (Z]_^[
-]_^[
- ZYYd
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- ZYYd
- YZ]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[]
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- D$LPj
- D$PPj
- yyyy
- ZYYd
- QQQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- QS<$t
- _^[]
- _^[]
- _^[[
- (_^[
- WVS
-]_^[
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
-]_^[
- SWSVj

- ZYYd
- hLt@
- ZYYd
- ZYYd
- MSH_SCROLL_LINES_MSG
- _^[Y]
- QSVW
-]$SQRPj
- h h@
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- hZd@
- ZYYd
- ^[YY]
- FFF;M
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- _^[]
- _^[]
- _^[]
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- _^[]
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z_^[X
- SVWRP
- t f;J
- t-Rf;
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]

- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPRTj
-]_^[
- SPRQ
- YZXtm1
-]_^[
- T$(j
- SPRQ
- YZXtp
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- @v:k
-
- YX_^
- ~ExC[)
- w)f%
- r/f=
- F L*@
- F$H*@
- F H*@
- Ht Ht.
- _^[Y]
- hp'@
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
-]_^[
- ZYYd
- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System

- System
- System
- String
- P.rsrc
- .tls