# Analysis report for sample: 495e9010a58034e88cb9c60b876a4750

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 1649 (indicates the level of interest of the report, based on the amount of information collected about the sample).

## Index


- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

## Sample

•md5: 495e9010a58034e88cb9c60b876a4750

## AV detections

- Microsoft: Trojan:Win32/Swrort!rfn
- Kaspersky: Trojan.Win32.Yakes.thje
- Symantec: Trojan.Gen
- Malwarebytes: Backdoor.Bot

## Original source url

- hxxp://sa-turn.com.ua/1111.exe

## Virustotal url

- https://virustotal.com/es/file/2fc93e30f8823f82a598cfcb4997bfc897d0d7d30e49d329dcb4338a73a86771/analysis

## Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- VC8_Microsoft_Corporation ()
- Obsidium_v10059_Final ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- anti_dbg (Checks if being debugged)
- screenshot (Take screenshot)
- rat_webcam (Remote Administration toolkit using webcam)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- VC8_Random (Look for Random function)
- Microsoft_Visual_Cpp_8_additional ()
- HasOverlay (Overlay Check)
- MinGW_1 ()

## Snapshot



## Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



# Running processes

Here it is the list of running processes after sample execution.

## Processes with sample' threads

- Name services.exe Alias P11
- Name svchost.exe Alias P15
- Name svchost.exe Alias P7
- Name dllhost.exe Alias P9
- Name msdtc.exe Alias P10
- Name cebo.exe Alias P0
- Name conhost.exe Alias P12
- Name conhost.exe Alias P13
- Name conhost.exe Alias P14
- Name explorer.exe Alias P1
- Name explorer.exe Alias P2
- Name cmd.exe Alias P3
- Name conhost.exe Alias P4
- Name taskkill.exe Alias P5
- Name mode.com Alias P16
- Name conhost.exe Alias P6
- Name WmiPrvSE.exe Alias P8

## Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe

- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name cmd.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

## Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")
- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\wbem\\wmiprvse.exe PID: P8, Command line: C:\\Windows\\system32\\wbem\\wmiprvse.exe -secured -Embedding)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)

• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: /.vA#-v
- api | frequently used by malware: Sleep
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | ntdll: strncmp
- api | ntdll: strlen
- api | ntdll: memcpy
- api | kernel32: VirtualQuery
- api | kernel32: VirtualProtect
- api | kernel32: VirtualAlloc
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TlsGetValue
- api | kernel32: TerminateProcess
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LoadLibraryW
- api | kernel32: LoadLibraryA
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetStartupInfoA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetLastError
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess
- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: VirtualProtect failed with code 0x%x
- api | kernel32: VirtualQuery failed for %d bytes at address %p

## Involved hosts

- javi-PC:http
- terminaltest.com:https
- 192.168.133.242:68
- 192.168.133.254:67

## Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- 134.99.9.176.in-addr.arpa ---> no answers

## Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.254:67 ---> 192.168.133.242:68**

  localdomain

## Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

### • Thread T0 (in process P0, cebo.exe) description

#### • Thread's childs

- Thread T1 (in process P0, cebo.exe)

#### • Thread' events

- Thread Create ( Thread ID: T1)

### • Thread T1 (in process P0, cebo.exe) description

#### • Thread's childs

- Thread T2 (in process P0, cebo.exe)
- Thread T3 (in process P1, explorer.exe)
- Thread T4 (in process P2, explorer.exe)
- Thread T5 (in process P2, explorer.exe)
- Thread T6 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)
- Thread T8 (in process P3, cmd.exe)
- Thread T9 (in process P4, conhost.exe)
- Thread T10 (in process P4, conhost.exe)
- Thread T11 (in process P5, taskkill.exe)
- Thread T12 (in process P6, conhost.exe)
- Thread T13 (in process P6, conhost.exe)
- Thread T14 (in process P5, taskkill.exe)
- Thread T15 (in process P7, svchost.exe)
- Thread T16 (in process P8, wmiprvse.exe)
- Thread T17 (in process P8, wmiprvse.exe)
- Thread T18 (in process P0, cebo.exe)
- Thread T19 (in process P0, cebo.exe)
- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)
- Thread T22 (in process P9, dllhost.exe)
- Thread T23 (in process P10, msdtc.exe)
- Thread T24 (in process P11, services.exe)
- Thread T25 (in process P7, svchost.exe)
- Thread T26 (in process P12, conhost.exe)
- Thread T27 (in process P12, conhost.exe)
- Thread T28 (in process P13, conhost.exe)
- Thread T29 (in process P13, conhost.exe)
- Thread T30 (in process P14, conhost.exe)
- Thread T31 (in process P14, conhost.exe)
- Thread T32 (in process P1, explorer.exe)
- Thread T33 (in process P1, explorer.exe)
- Thread T34 (in process P15, svchost.exe)
- Thread T3 (in process P1, explorer.exe)
- Thread T4 (in process P2, explorer.exe)
- Thread T5 (in process P2, explorer.exe)
- Thread T6 (in process P2, explorer.exe)

- Thread T7 (in process P2, explorer.exe)
- Thread T8 (in process P3, cmd.exe)
- Thread T9 (in process P4, conhost.exe)
- Thread T10 (in process P4, conhost.exe)
- Thread T11 (in process P5, taskkill.exe)
- Thread T12 (in process P6, conhost.exe)
- Thread T13 (in process P6, conhost.exe)
- Thread T14 (in process P5, taskkill.exe)
- Thread T15 (in process P7, svchost.exe)
- Thread T16 (in process P8, wmiprvse.exe)
- Thread T17 (in process P8, wmiprvse.exe)
- Thread T18 (in process P0, cebo.exe)
- Thread T19 (in process P0, cebo.exe)
- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)
- Thread T22 (in process P9, dllhost.exe)
- Thread T23 (in process P10, msdtc.exe)
- Thread T24 (in process P11, services.exe)
- Thread T25 (in process P7, svchost.exe)
- Thread T26 (in process P12, conhost.exe)
- Thread T27 (in process P12, conhost.exe)
- Thread T28 (in process P13, conhost.exe)
- Thread T29 (in process P13, conhost.exe)
- Thread T30 (in process P14, conhost.exe)
- Thread T31 (in process P14, conhost.exe)
- Thread T32 (in process P1, explorer.exe)
- Thread T33 (in process P1, explorer.exe)
- Thread T34 (in process P15, svchost.exe)
- Thread T3 (in process P1, explorer.exe)
- Thread T4 (in process P2, explorer.exe)
- Thread T5 (in process P2, explorer.exe)
- Thread T6 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)
- Thread T8 (in process P3, cmd.exe)
- Thread T9 (in process P4, conhost.exe)
- Thread T10 (in process P4, conhost.exe)
- Thread T11 (in process P5, taskkill.exe)
- Thread T12 (in process P6, conhost.exe)
- Thread T13 (in process P6, conhost.exe)
- Thread T14 (in process P5, taskkill.exe)
- Thread T15 (in process P7, svchost.exe)
- Thread T16 (in process P8, wmiprvse.exe)
- Thread T17 (in process P8, wmiprvse.exe)
- Thread T18 (in process P0, cebo.exe)
- Thread T19 (in process P0, cebo.exe)
- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)
- Thread T22 (in process P9, dllhost.exe)
- Thread T23 (in process P10, msdtc.exe)
- Thread T24 (in process P11, services.exe)
- Thread T25 (in process P7, svchost.exe)
- Thread T26 (in process P12, conhost.exe)
- Thread T27 (in process P12, conhost.exe)
- Thread T28 (in process P13, conhost.exe)
- Thread T29 (in process P13, conhost.exe)
- Thread T30 (in process P14, conhost.exe)
- Thread T31 (in process P14, conhost.exe)

- Thread T32 (in process P1, explorer.exe)
- Thread T33 (in process P1, explorer.exe)
- Thread T34 (in process P15, svchost.exe)
- Thread T3 (in process P1, explorer.exe)
- Thread T4 (in process P2, explorer.exe)
- Thread T5 (in process P2, explorer.exe)
- Thread T6 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)
- Thread T8 (in process P3, cmd.exe)
- Thread T9 (in process P4, conhost.exe)
- Thread T10 (in process P4, conhost.exe)
- Thread T11 (in process P5, taskkill.exe)
- Thread T12 (in process P6, conhost.exe)
- Thread T13 (in process P6, conhost.exe)
- Thread T14 (in process P5, taskkill.exe)
- Thread T15 (in process P7, svchost.exe)
- Thread T16 (in process P8, wmiprvse.exe)
- Thread T17 (in process P8, wmiprvse.exe)
- Thread T18 (in process P0, cebo.exe)
- Thread T19 (in process P0, cebo.exe)
- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)
- Thread T22 (in process P9, dllhost.exe)
- Thread T23 (in process P10, msdtc.exe)
- Thread T24 (in process P11, services.exe)
- Thread T25 (in process P7, svchost.exe)
- Thread T26 (in process P12, conhost.exe)
- Thread T27 (in process P12, conhost.exe)
- Thread T28 (in process P13, conhost.exe)
- Thread T29 (in process P13, conhost.exe)
- Thread T30 (in process P14, conhost.exe)
- Thread T31 (in process P14, conhost.exe)
- Thread T32 (in process P1, explorer.exe)
- Thread T33 (in process P1, explorer.exe)
- Thread T34 (in process P15, svchost.exe)
- Thread T3 (in process P1, explorer.exe)
- Thread T4 (in process P2, explorer.exe)
- Thread T5 (in process P2, explorer.exe)
- Thread T6 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)
- Thread T8 (in process P3, cmd.exe)
- Thread T9 (in process P4, conhost.exe)
- Thread T10 (in process P4, conhost.exe)
- Thread T11 (in process P5, taskkill.exe)
- Thread T12 (in process P6, conhost.exe)
- Thread T13 (in process P6, conhost.exe)
- Thread T14 (in process P5, taskkill.exe)
- Thread T15 (in process P7, svchost.exe)
- Thread T16 (in process P8, wmiprvse.exe)
- Thread T17 (in process P8, wmiprvse.exe)
- Thread T18 (in process P0, cebo.exe)
- Thread T19 (in process P0, cebo.exe)
- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)
- Thread T22 (in process P9, dllhost.exe)
- Thread T23 (in process P10, msdtc.exe)
- Thread T24 (in process P11, services.exe)

- Thread T25 (in process P7, svchost.exe)
- Thread T26 (in process P12, conhost.exe)
- Thread T27 (in process P12, conhost.exe)
- Thread T28 (in process P13, conhost.exe)
- Thread T29 (in process P13, conhost.exe)
- Thread T30 (in process P14, conhost.exe)
- Thread T31 (in process P14, conhost.exe)
- Thread T32 (in process P1, explorer.exe)
- Thread T33 (in process P1, explorer.exe)
- Thread T34 (in process P15, svchost.exe)
- Thread T3 (in process P1, explorer.exe)
- Thread T4 (in process P2, explorer.exe)
- Thread T5 (in process P2, explorer.exe)
- Thread T6 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)
- Thread T8 (in process P3, cmd.exe)
- Thread T9 (in process P4, conhost.exe)
- Thread T10 (in process P4, conhost.exe)
- Thread T11 (in process P5, taskkill.exe)
- Thread T12 (in process P6, conhost.exe)
- Thread T13 (in process P6, conhost.exe)
- Thread T14 (in process P5, taskkill.exe)
- Thread T15 (in process P7, svchost.exe)
- Thread T16 (in process P8, wmiprvse.exe)
- Thread T17 (in process P8, wmiprvse.exe)
- Thread T18 (in process P0, cebo.exe)
- Thread T19 (in process P0, cebo.exe)
- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)
- Thread T22 (in process P9, dllhost.exe)
- Thread T23 (in process P10, msdtc.exe)
- Thread T24 (in process P11, services.exe)
- Thread T25 (in process P7, svchost.exe)
- Thread T26 (in process P12, conhost.exe)
- Thread T27 (in process P12, conhost.exe)
- Thread T28 (in process P13, conhost.exe)
- Thread T29 (in process P13, conhost.exe)
- Thread T30 (in process P14, conhost.exe)
- Thread T31 (in process P14, conhost.exe)
- Thread T32 (in process P1, explorer.exe)
- Thread T33 (in process P1, explorer.exe)
- Thread T34 (in process P15, svchost.exe)
- Thread T3 (in process P1, explorer.exe)
- Thread T4 (in process P2, explorer.exe)
- Thread T5 (in process P2, explorer.exe)
- Thread T6 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)
- Thread T8 (in process P3, cmd.exe)
- Thread T9 (in process P4, conhost.exe)
- Thread T10 (in process P4, conhost.exe)
- Thread T11 (in process P5, taskkill.exe)
- Thread T12 (in process P6, conhost.exe)
- Thread T13 (in process P6, conhost.exe)
- Thread T14 (in process P5, taskkill.exe)
- Thread T15 (in process P7, svchost.exe)
- Thread T16 (in process P8, wmiprvse.exe)
- Thread T17 (in process P8, wmiprvse.exe)

- Thread T19 (in process P0, cebo.exe)

## • Thread' events

- Thread Create ( Thread ID: T2)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T3)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T4)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: T6)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T8)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T9)
- Thread Create ( Thread ID: T10)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T11)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T12)
- Thread Create ( Thread ID: T13)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T16)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T18)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T19)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T20)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T21)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T22)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T23)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T24)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T25)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T26)
- Thread Create ( Thread ID: T27)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T28)
- Thread Create ( Thread ID: T29)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T30)
- Thread Create ( Thread ID: T31)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T32)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: T34)
- Thread Create ( Thread ID: T3)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T4)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: T6)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T8)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T9)
- Thread Create ( Thread ID: T10)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T11)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T12)
- Thread Create ( Thread ID: T13)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T16)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T22)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T23)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T24)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T25)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T26)
• Thread Create ( Thread ID: T27)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T28)
• Thread Create ( Thread ID: T29)
• Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T30)
- Thread Create ( Thread ID: T31)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T32)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: T34)
- Thread Create ( Thread ID: T3)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T4)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: T6)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T8)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T9)
- Thread Create ( Thread ID: T10)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T11)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T12)
- Thread Create ( Thread ID: T13)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T16)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T22)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T23)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T24)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T25)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T26)
- Thread Create ( Thread ID: T27)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T28)

- Thread Create ( Thread ID: T29)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T30)
- Thread Create ( Thread ID: T31)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T32)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: T34)
- Thread Create ( Thread ID: T3)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T4)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: T6)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T8)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T9)
- Thread Create ( Thread ID: T10)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T11)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T12)
- Thread Create ( Thread ID: T13)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T16)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T22)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T23)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T24)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T25)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T26)
- Thread Create ( Thread ID: T27)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T28)
- Thread Create ( Thread ID: T29)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T30)
- Thread Create ( Thread ID: T31)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T32)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: T34)
- Thread Create ( Thread ID: T3)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T4)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: T6)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T8)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T9)
- Thread Create ( Thread ID: T10)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T11)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T12)
- Thread Create ( Thread ID: T13)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T16)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T18)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T19)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T20)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T21)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T22)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T23)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T24)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T25)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T26)
- Thread Create ( Thread ID: T27)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T28)
- Thread Create ( Thread ID: T29)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T30)
- Thread Create ( Thread ID: T31)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T32)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: T34)
- Thread Create ( Thread ID: T3)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T4)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: T6)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T8)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T9)
- Thread Create ( Thread ID: T10)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T11)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T12)
- Thread Create ( Thread ID: T13)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T16)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T18)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T19)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T20)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: T21)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T22)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T23)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T24)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T25)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T26)
- Thread Create ( Thread ID: T27)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T28)
- Thread Create ( Thread ID: T29)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T30)
- Thread Create ( Thread ID: T31)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T32)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: T34)
- Thread Create ( Thread ID: T3)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T4)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: T6)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T8)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T9)
- Thread Create ( Thread ID: T10)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T11)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T12)
- Thread Create ( Thread ID: T13)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T16)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)
• Thread Create ( Thread ID: TUNKALIAS)

- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T19)

## • Thread T2 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T18 (in process P0, cebo.exe)

### • Thread' events

- Thread Create ( Thread ID: T18)

## • Thread T3 (in process P1, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

- **Thread T4 (in process P2, explorer.exe) description**

  - **Thread's childs**

    - Thread T5 (in process P2, explorer.exe)
    - Thread T7 (in process P2, explorer.exe)

  - **Thread' events**

    - Thread Create ( Thread ID: TUNKALIAS)
    - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
    - Thread Create ( Thread ID: T5)
    - Thread Create ( Thread ID: TUNKALIAS)
    - Thread Create ( Thread ID: T7)

- **Thread T5 (in process P2, explorer.exe) description**

  - **Thread's childs**

    - Thread T6 (in process P2, explorer.exe)

  - **Thread' events**

    - Thread Create ( Thread ID: T6)

- **Thread T6 (in process P2, explorer.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create ( Thread ID: TUNKALIAS)

- **Thread T7 (in process P2, explorer.exe) description**

  - **Thread's childs**

    - Thread T222 (in process P3, cmd.exe)

  - **Thread' events**

    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
    - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
    - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
    - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )

- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

## • Thread T8 (in process P3, cmd.exe) description

### • Thread's childs

- Thread T225 (in process P5, taskkill.exe)
- Thread T227 (in process P16, mode.com)

### • Thread' events

- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )

## • Thread T9 (in process P4, conhost.exe) description

### • Thread's childs

- Thread T10 (in process P4, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T10)

## • Thread T10 (in process P4, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P5, taskkill.exe) description

### • Thread's childs

- Thread T14 (in process P5, taskkill.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T12 (in process P6, conhost.exe) description

### • Thread's childs

- Thread T13 (in process P6, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T13)

## • Thread T13 (in process P6, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T14 (in process P5, taskkill.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T15 (in process P7, svchost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T16 (in process P8, wmiprvse.exe) description

### • Thread's childs

- Thread T17 (in process P8, wmiprvse.exe)

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T17 (in process P8, wmiprvse.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## • Thread T18 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T19 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T20)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T21)

## • Thread T20 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T21 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )

- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## • Thread T22 (in process P9, dllhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T23 (in process P10, msdtc.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T24 (in process P11, services.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T25 (in process P7, svchost.exe) description

### • Thread's childs

- Thread T15 (in process P7, svchost.exe)

### • Thread' events

- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

- **Thread T26 (in process P12, conhost.exe) description**
  - **Thread's childs**
    - Thread T27 (in process P12, conhost.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T27)
- **Thread T27 (in process P12, conhost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T28 (in process P13, conhost.exe) description**
  - **Thread's childs**
    - Thread T29 (in process P13, conhost.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T29)
- **Thread T29 (in process P13, conhost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T30 (in process P14, conhost.exe) description**
  - **Thread's childs**
    - Thread T31 (in process P14, conhost.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T31)
- **Thread T31 (in process P14, conhost.exe) description**
  - **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T32 (in process P1, explorer.exe) description

- **Thread's childs**

  - Thread T33 (in process P1, explorer.exe)

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)
  - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create ( Thread ID: T33)
  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T33 (in process P1, explorer.exe) description

- **Thread's childs**

  - Thread T3 (in process P1, explorer.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T3)

## • Thread T34 (in process P15, svchost.exe) description

- **Thread's childs**

  - Thread T231 (in process P8, wmiprvse.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\wbem\\wmiprvse.exe PID: P8, Command line: C:\\Windows\\system32\\wbem\\wmiprvse.exe -secured -Embedding)

## • Thread T3 (in process P1, explorer.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T4 (in process P2, explorer.exe) description

- **Thread's childs**

  - Thread T5 (in process P2, explorer.exe)
  - Thread T7 (in process P2, explorer.exe)

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)
  - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create ( Thread ID: T5)
  - Thread Create ( Thread ID: TUNKALIAS)
  - Thread Create ( Thread ID: T7)

## • Thread T5 (in process P2, explorer.exe) description

- **Thread's childs**

  - Thread T6 (in process P2, explorer.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T6)

## • Thread T6 (in process P2, explorer.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

- **Thread's childs**

  - Thread T222 (in process P3, cmd.exe)

- **Thread' events**

  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
  - RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

## • Thread T8 (in process P3, cmd.exe) description

### • Thread's childs

- Thread T225 (in process P5, taskkill.exe)
- Thread T227 (in process P16, mode.com)

### • Thread' events

- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )

## • Thread T9 (in process P4, conhost.exe) description

### • Thread's childs

- Thread T10 (in process P4, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T10)

## • Thread T10 (in process P4, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P5, taskkill.exe) description

### • Thread's childs

- Thread T14 (in process P5, taskkill.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T12 (in process P6, conhost.exe) description

### • Thread's childs

- Thread T13 (in process P6, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T13)

## • Thread T13 (in process P6, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T14 (in process P5, taskkill.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T15 (in process P7, svchost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T16 (in process P8, wmiprvse.exe) description

### • Thread's childs

- Thread T17 (in process P8, wmiprvse.exe)

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)

- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T17 (in process P8, wmiprvse.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## • Thread T18 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T19 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T20)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T21)

## • Thread T20 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T21 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## • Thread T22 (in process P9, dllhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T23 (in process P10, msdtc.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T24 (in process P11, services.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T25 (in process P7, svchost.exe) description

### • Thread's childs

- Thread T15 (in process P7, svchost.exe)

### • Thread' events

- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T26 (in process P12, conhost.exe) description

- **Thread's childs**
  - Thread T27 (in process P12, conhost.exe)
- **Thread' events**
  - Thread Create ( Thread ID: T27)

## • Thread T27 (in process P12, conhost.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T28 (in process P13, conhost.exe) description

- **Thread's childs**
  - Thread T29 (in process P13, conhost.exe)
- **Thread' events**
  - Thread Create ( Thread ID: T29)

## • Thread T29 (in process P13, conhost.exe) description

- **Thread's childs**
- **Thread' events**
  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T30 (in process P14, conhost.exe) description

- **Thread's childs**
  - Thread T31 (in process P14, conhost.exe)
- **Thread' events**
  - Thread Create ( Thread ID: T31)

## • Thread T31 (in process P14, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T32 (in process P1, explorer.exe) description

- **Thread's childs**

  - Thread T33 (in process P1, explorer.exe)

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)
  - RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create ( Thread ID: T33)
  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T33 (in process P1, explorer.exe) description

- **Thread's childs**

  - Thread T3 (in process P1, explorer.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T3)

## • Thread T34 (in process P15, svchost.exe) description

- **Thread's childs**

  - Thread T231 (in process P8, wmiprvse.exe)

- **Thread' events**

  - Process Create (C:\\Windows\\system32\\wbem\\wmiprvse.exe PID: P8, Command line: C:\\Windows\\system32\\wbem\\wmiprvse.exe -secured -Embedding)

## • Thread T3 (in process P1, explorer.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T4 (in process P2, explorer.exe) description

- **Thread's childs**

- Thread T5 (in process P2, explorer.exe)
- Thread T7 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)

## • Thread T5 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T6 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T6)

## • Thread T6 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T222 (in process P3, cmd.exe)

### • Thread' events

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

## • Thread T8 (in process P3, cmd.exe) description

### • Thread's childs

- Thread T225 (in process P5, taskkill.exe)
- Thread T227 (in process P16, mode.com)

### • Thread' events

- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )

## • Thread T9 (in process P4, conhost.exe) description

### • Thread's childs

- Thread T10 (in process P4, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T10)

## • Thread T10 (in process P4, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P5, taskkill.exe) description

### • Thread's childs

- Thread T14 (in process P5, taskkill.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T14)

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T12 (in process P6, conhost.exe) description

### • Thread's childs

- Thread T13 (in process P6, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T13)

## • Thread T13 (in process P6, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T14 (in process P5, taskkill.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T15 (in process P7, svchost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T16 (in process P8, wmiprvse.exe) description

### • Thread's childs

- Thread T17 (in process P8, wmiprvse.exe)

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T17 (in process P8, wmiprvse.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## • Thread T18 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T19 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T20)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T21)

## • Thread T20 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T21 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## • Thread T22 (in process P9, dllhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T23 (in process P10, msdtc.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T24 (in process P11, services.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T25 (in process P7, svchost.exe) description

### • Thread's childs

- Thread T15 (in process P7, svchost.exe)

### • Thread' events

- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T26 (in process P12, conhost.exe) description

### • Thread's childs

- Thread T27 (in process P12, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T27)

## • Thread T27 (in process P12, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T28 (in process P13, conhost.exe) description

- **Thread's childs**

  - Thread T29 (in process P13, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T29)

## • Thread T29 (in process P13, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T30 (in process P14, conhost.exe) description

- **Thread's childs**

  - Thread T31 (in process P14, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T31)

## • Thread T31 (in process P14, conhost.exe) description

- **Thread's childs**

- **Thread' events**

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T32 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T33 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T33 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T3 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T3)

## • Thread T34 (in process P15, svchost.exe) description

### • Thread's childs

- Thread T231 (in process P8, wmiprvse.exe)

### • Thread' events

- Process Create (C:\\Windows\\system32\\wbem\\wmiprvse.exe PID: P8, Command line: C:\\Windows\\system32\\wbem\\wmiprvse.exe -secured -Embedding)

## • Thread T3 (in process P1, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T4 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T5 (in process P2, explorer.exe)

- Thread T7 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)

## • Thread T5 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T6 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T6)

## • Thread T6 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T222 (in process P3, cmd.exe)

### • Thread' events

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )

- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

## • Thread T8 (in process P3, cmd.exe) description

### • Thread's childs

- Thread T225 (in process P5, taskkill.exe)
- Thread T227 (in process P16, mode.com)

### • Thread' events

- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )

## • Thread T9 (in process P4, conhost.exe) description

### • Thread's childs

- Thread T10 (in process P4, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T10)

## • Thread T10 (in process P4, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P5, taskkill.exe) description

### • Thread's childs

- Thread T14 (in process P5, taskkill.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)

- **Thread T12 (in process P6, conhost.exe) description**
  - **Thread's childs**
    - Thread T13 (in process P6, conhost.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T13)
- **Thread T13 (in process P6, conhost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T14 (in process P5, taskkill.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T15 (in process P7, svchost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
    - RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T16 (in process P8, wmiprvse.exe) description**
  - **Thread's childs**
    - Thread T17 (in process P8, wmiprvse.exe)
  - **Thread' events**
    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
    - RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T17 (in process P8, wmiprvse.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## • Thread T18 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T19 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T20)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T21)

## • Thread T20 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T21 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## • Thread T22 (in process P9, dllhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T23 (in process P10, msdtc.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T24 (in process P11, services.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T25 (in process P7, svchost.exe) description

### • Thread's childs

- Thread T15 (in process P7, svchost.exe)

### • Thread' events

- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T26 (in process P12, conhost.exe) description

### • Thread's childs

- Thread T27 (in process P12, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T27)

## • Thread T27 (in process P12, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T28 (in process P13, conhost.exe) description

- **Thread's childs**

  - Thread T29 (in process P13, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T29)

## • Thread T29 (in process P13, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T30 (in process P14, conhost.exe) description

- **Thread's childs**

  - Thread T31 (in process P14, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T31)

## • Thread T31 (in process P14, conhost.exe) description

- **Thread's childs**

- **Thread' events**

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T32 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T33 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T33 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T3 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T3)

## • Thread T34 (in process P15, svchost.exe) description

### • Thread's childs

- Thread T231 (in process P8, wmiprvse.exe)

### • Thread' events

- Process Create (C:\\Windows\\system32\\wbem\\wmiprvse.exe PID: P8, Command line: C:\\Windows\\system32\\wbem\\wmiprvse.exe -secured -Embedding)

## • Thread T3 (in process P1, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T4 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T5 (in process P2, explorer.exe)

- Thread T7 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)

## • Thread T5 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T6 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T6)

## • Thread T6 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T222 (in process P3, cmd.exe)

### • Thread' events

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )

- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

## • Thread T8 (in process P3, cmd.exe) description

### • Thread's childs

- Thread T225 (in process P5, taskkill.exe)
- Thread T227 (in process P16, mode.com)

### • Thread' events

- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )

## • Thread T9 (in process P4, conhost.exe) description

### • Thread's childs

- Thread T10 (in process P4, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T10)

## • Thread T10 (in process P4, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P5, taskkill.exe) description

### • Thread's childs

- Thread T14 (in process P5, taskkill.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)

- **Thread T12 (in process P6, conhost.exe) description**
  - **Thread's childs**
    - Thread T13 (in process P6, conhost.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T13)
- **Thread T13 (in process P6, conhost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T14 (in process P5, taskkill.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T15 (in process P7, svchost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
    - RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T16 (in process P8, wmiprvse.exe) description**
  - **Thread's childs**
    - Thread T17 (in process P8, wmiprvse.exe)
  - **Thread' events**
    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
    - RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T17 (in process P8, wmiprvse.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## • Thread T18 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T19 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T20)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T21)

## • Thread T20 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T21 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## • Thread T22 (in process P9, dllhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T23 (in process P10, msdtc.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T24 (in process P11, services.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T25 (in process P7, svchost.exe) description

### • Thread's childs

- Thread T15 (in process P7, svchost.exe)

### • Thread' events

- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T26 (in process P12, conhost.exe) description

### • Thread's childs

- Thread T27 (in process P12, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T27)

## • Thread T27 (in process P12, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T28 (in process P13, conhost.exe) description

- **Thread's childs**

  - Thread T29 (in process P13, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T29)

## • Thread T29 (in process P13, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T30 (in process P14, conhost.exe) description

- **Thread's childs**

  - Thread T31 (in process P14, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T31)

## • Thread T31 (in process P14, conhost.exe) description

- **Thread's childs**

- **Thread' events**

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T32 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T33 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T33 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T3 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T3)

## • Thread T34 (in process P15, svchost.exe) description

### • Thread's childs

- Thread T231 (in process P8, wmiprvse.exe)

### • Thread' events

- Process Create (C:\\Windows\\system32\\wbem\\wmiprvse.exe PID: P8, Command line: C:\\Windows\\system32\\wbem\\wmiprvse.exe -secured -Embedding)

## • Thread T3 (in process P1, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T4 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T5 (in process P2, explorer.exe)

- Thread T7 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)

## • Thread T5 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T6 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T6)

## • Thread T6 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T222 (in process P3, cmd.exe)

### • Thread' events

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )

- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

## • Thread T8 (in process P3, cmd.exe) description

### • Thread's childs

- Thread T225 (in process P5, taskkill.exe)
- Thread T227 (in process P16, mode.com)

### • Thread' events

- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )

## • Thread T9 (in process P4, conhost.exe) description

### • Thread's childs

- Thread T10 (in process P4, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T10)

## • Thread T10 (in process P4, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P5, taskkill.exe) description

### • Thread's childs

- Thread T14 (in process P5, taskkill.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)

- **Thread T12 (in process P6, conhost.exe) description**
  - **Thread's childs**
    - Thread T13 (in process P6, conhost.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T13)
- **Thread T13 (in process P6, conhost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T14 (in process P5, taskkill.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T15 (in process P7, svchost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
    - RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T16 (in process P8, wmiprvse.exe) description**
  - **Thread's childs**
    - Thread T17 (in process P8, wmiprvse.exe)
  - **Thread' events**
    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
    - RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T17 (in process P8, wmiprvse.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## • Thread T18 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T19 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T20)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T21)

## • Thread T20 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T21 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## • Thread T22 (in process P9, dllhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T23 (in process P10, msdtc.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T24 (in process P11, services.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T25 (in process P7, svchost.exe) description

### • Thread's childs

- Thread T15 (in process P7, svchost.exe)

### • Thread' events

- Thread Create ( Thread ID: T15)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T26 (in process P12, conhost.exe) description

### • Thread's childs

- Thread T27 (in process P12, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T27)

## • Thread T27 (in process P12, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T28 (in process P13, conhost.exe) description

- **Thread's childs**

  - Thread T29 (in process P13, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T29)

## • Thread T29 (in process P13, conhost.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create ( Thread ID: TUNKALIAS)

## • Thread T30 (in process P14, conhost.exe) description

- **Thread's childs**

  - Thread T31 (in process P14, conhost.exe)

- **Thread' events**

  - Thread Create ( Thread ID: T31)

## • Thread T31 (in process P14, conhost.exe) description

- **Thread's childs**

- **Thread' events**

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T32 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T33 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T33)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T33 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T3 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T3)

## • Thread T34 (in process P15, svchost.exe) description

### • Thread's childs

- Thread T231 (in process P8, wmiprvse.exe)

### • Thread' events

- Process Create (C:\\Windows\\system32\\wbem\\wmiprvse.exe PID: P8, Command line: C:\\Windows\\system32\\wbem\\wmiprvse.exe -secured -Embedding)

## • Thread T3 (in process P1, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T4 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T5 (in process P2, explorer.exe)

- Thread T7 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T5)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T7)

## • Thread T5 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T6 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T6)

## • Thread T6 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T222 (in process P3, cmd.exe)

### • Thread' events

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )

- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

## • Thread T8 (in process P3, cmd.exe) description

### • Thread's childs

- Thread T225 (in process P5, taskkill.exe)
- Thread T227 (in process P16, mode.com)

### • Thread' events

- Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
- Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )

## • Thread T9 (in process P4, conhost.exe) description

### • Thread's childs

- Thread T10 (in process P4, conhost.exe)

### • Thread' events

- Thread Create ( Thread ID: T10)

## • Thread T10 (in process P4, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T11 (in process P5, taskkill.exe) description

### • Thread's childs

- Thread T14 (in process P5, taskkill.exe)

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)

- **Thread T12 (in process P6, conhost.exe) description**
  - **Thread's childs**
    - Thread T13 (in process P6, conhost.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T13)
- **Thread T13 (in process P6, conhost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T14 (in process P5, taskkill.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T15 (in process P7, svchost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
    - RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T16 (in process P8, wmiprvse.exe) description**
  - **Thread's childs**
    - Thread T17 (in process P8, wmiprvse.exe)
  - **Thread' events**
    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
    - RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T17)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T17 (in process P8, wmiprvse.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## • Thread T18 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T19 (in process P0, cebo.exe) description

### • Thread's childs

- Thread T20 (in process P0, cebo.exe)
- Thread T21 (in process P0, cebo.exe)

### • Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: T20)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL )
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create ( Thread ID: T21)

## • Thread T20 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create ( Thread ID: TUNKALIAS)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T21 (in process P0, cebo.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

## • Thread T27 (in process P12, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T29 (in process P13, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T31 (in process P14, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T33 (in process P1, explorer.exe) description

### • Thread's childs

- Thread T3 (in process P1, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T3)

## • Thread T3 (in process P1, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T5 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T6 (in process P2, explorer.exe)

### • Thread' events

- Thread Create ( Thread ID: T6)

## • Thread T6 (in process P2, explorer.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T7 (in process P2, explorer.exe) description

### • Thread's childs

- Thread T222 (in process P3, cmd.exe)

### • Thread' events

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass )
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName )
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\system32\\cmd.exe PID: P3, Command line: cmd /c ""C:\\Users\\javi\\Downloads\\temp2.bat" ")

- **Thread T222 (in process P3, cmd.exe) description**
  - **Thread's childs**
    - Thread T8 (in process P3, cmd.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T8)
- **Thread T8 (in process P3, cmd.exe) description**
  - **Thread's childs**
    - Thread T225 (in process P5, taskkill.exe)
    - Thread T227 (in process P16, mode.com)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\taskkill.exe PID: P5, Command line: taskkill /IM pxxx.exe )
    - Process Create (C:\\Windows\\system32\\mode.com PID: P16, Command line: mode con: cols=20 lines=1 )
- **Thread T10 (in process P4, conhost.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
- **Thread T225 (in process P5, taskkill.exe) description**
  - **Thread's childs**
    - Thread T11 (in process P5, taskkill.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: T11)
- **Thread T11 (in process P5, taskkill.exe) description**
  - **Thread's childs**
    - Thread T14 (in process P5, taskkill.exe)
  - **Thread' events**
    - Thread Create ( Thread ID: TUNKALIAS)
    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

- Thread Create ( Thread ID: T14)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T227 (in process P16, mode.com) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T13 (in process P6, conhost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T14 (in process P5, taskkill.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T15 (in process P7, svchost.exe) description

### • Thread's childs

### • Thread' events

- Thread Create ( Thread ID: TUNKALIAS)
- RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create ( Thread ID: TUNKALIAS)

## • Thread T231 (in process P8, wmiprvse.exe) description

### • Thread's childs

- Thread T16 (in process P8, wmiprvse.exe)

### • Thread' events

- Thread Create ( Thread ID: T16)

- **Thread T16 (in process P8, wmiprvse.exe) description**

  - **Thread's childs**

    - Thread T17 (in process P8, wmiprvse.exe)

  - **Thread' events**

    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
    - RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value)
    - RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
    - RegCreateKey (HKLM\\Software Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM Desired Access: Maximum Allowed, Granted Access: Read, Create Link, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write)
    - Thread Create ( Thread ID: TUNKALIAS)
    - Thread Create ( Thread ID: TUNKALIAS)
    - Thread Create ( Thread ID: T17)
    - Thread Create ( Thread ID: TUNKALIAS)
    - Thread Create ( Thread ID: TUNKALIAS)

- **Thread T17 (in process P8, wmiprvse.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - Thread Create ( Thread ID: TUNKALIAS)
    - RegCreateKey (HKCR Desired Access: Maximum Allowed, Granted Access: Read, Disposition: REG_OPENED_EXISTING_KEY)

## Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

### Process P0 (cebo.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> terminaltest.com:https (0))
- TCP Reconnect (javi-PC.localdomain:dynport-> terminaltest.com:https (0))

## Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

### • Module 1 (probably unpacked / injected by the sample)

#### • Module 1 rich signatures

#### • Module 1 yara matches

- Microsoft_Visual_Cpp_8_additional ()
- Microsoft_Visual_Cpp_8 ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- MinGW_1 ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

#### • Module 1 strings

##### • Module 1 most interesting strings

- url | valid domains | tlds: /.vA#-v
- api | frequently used by malware: Sleep
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: CreateThread
- api | ntdll: strncmp
- api | ntdll: strlen
- api | ntdll: memcpy
- api | kernel32: VirtualQuery
- api | kernel32: VirtualProtect
- api | kernel32: VirtualAlloc
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TlsGetValue
- api | kernel32: TerminateProcess
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: LoadLibraryW
- api | kernel32: LoadLibraryA
- api | kernel32: LeaveCriticalSection
- api | kernel32: InitializeCriticalSection
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetStartupInfoA
- api | kernel32: GetModuleHandleA
- api | kernel32: GetLastError
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentProcess

- api | kernel32: FreeLibrary
- api | kernel32: EnterCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: VirtualProtect failed with code 0x%x
- api | kernel32: VirtualQuery failed for %d bytes at address %p

**• Module 1 other strings**

- KERNEL32.dll
- signal
- malloc
- fwrite
- free
- exit
- calloc
- abort
- _winmajor
- _unlock
- _onexit
- _lock
- _iob
- _initterm
- _fmode
- _cexit
- _amsg_exit
- __setusermatherr
- __set_app_type
- __lconv_init
- __initenv
- __getmainargs
- __dllonexit
- w\\9.v
- ]7.v
- Unknown pseudo relocation bit size %d.
- Unknown pseudo relocation protocol version %d.
- Address %p has no image-section
- Mingw-w64 runtime failure:
- Partial loss of significance (PLOSS)
- Total loss of significance (TLOSS)
- The result is too small to be represented (UNDERFLOW)
- Overflow range error (OVERFLOW)
- Argument singularity (SIGN)
- Argument domain error (DOMAIN)
- Unknown error
- __mingwthr_remove_key_dtor
- mingwm10.dll
- _Jv_RegisterClasses
- libgcj-12.dll
- _set_invalid_parameter_handler
- O}AAAA

- Le@G
- aaaa
- =8a@
- -pa@
- UWVS
- 3l$(3l$,1
- $0%@
- UWVS1
- ;5XP@
- 5|a@
- 5TP@
- $ 6@
- 5ha@
- .idata
- .rdata
- P`.data
- .text
- !This program cannot be run in DOS mode.
- msvcrt.dll
- msvcrt.dll
- vfprintf
- fprintf
- _acmdln
- -v1#-vp
- =.vF
- /.v`
- _matherr(): %s in %s(%g, %g) (retval=%g)
- __mingwthr_key_dtor
- d#v|b
- g)m.
- W]d#v|b
- g)M.
- [^_]
- |$D=N
- B' t
- [^_]
- [^_]
- :MZt
- $PB@
- [^_]
- $(B@
- l[^_]
- l[^_]
- $D@@
- $ @@
- [^_]
- .tls
- .CRT
- 0@.bss