Analysis report for sample: 027e11e204a0f33593dabec72afb9a66

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 21906 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 027e11e204a0f33593dabec72afb9a66

AV detections

- Microsoft:
- Kaspersky:
- Symantec:
- Malwarebytes:

Original source url

- hxxp://download.suxiazai.com/for_down/2013/install1088203.exe

Virustotal url

- https://virustotal.com/es/file/25a71d4c0a8579260516be16e589ee2bba0c430faffaa766e5dabb7a1e9bc63a/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name popwndexe.exe Alias P1
- Name ravmond.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name WmiPrvSE.exe
- Name RsMgrSvc.exe
- Name ravmond.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name UI0Detect.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\URLInfoAbout Type: REG_SZ, Length: 46, Data: http://help.ikaka.com/)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\URLInfoAbout Type: REG_SZ, Length: 46, Data: http://help.ikaka.com/)
- RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\bxfix\\(Default) Type: REG_SZ, Length: 190, Data: http://rscloud.rising.net.cn/navigate_bwfix.xml)
- RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\navig\\(Default) Type: REG_SZ, Length: 166, Data: http://rscloud.rising.net.cn/navigate.xml)
- RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\oswhite\\(Default) Type: REG_SZ, Length: 198, Data: http://rscloud.rising.net.cn/navigate_oswhite.xml)
- RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\conntest\\(Default) Type: REG_SZ, Length: 158, Data: http://rscloud.rising.net.cn/cloud.html)
- RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\Description Type: REG_SZ, Length: 2, Data:)
- RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\Path Type: REG_SZ, Length: 82, Data: C:\\Program Files\\Rising\\RAV\\nprising.dll)
- RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\Vender Type: REG_SZ, Length: 14, Data: Rising)
- RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\MimeType\\(Default) Type: REG_SZ, Length: 2, Data:)
- RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\MimeType\\application/x-rs-extension\\(Default) Type: REG_SZ, Length: 2, Data:)
- RegSetValue (HKCU\\Software\\MozillaPlugins\\@rising.com.cn/nprising\\Path Type: REG_SZ, Length: 82, Data: C:\\Program Files\\Rising\\RAV\\nprising.dll)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\Rising Type: REG_SZ, Length: 22, Data: Admin Test)
- RegDeleteValue (HKLM\\System\\CurrentControlSet\\services\\Rising)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\RSDTRAY Type: REG_SZ, Length: 88, Data: "C:\\Program Files\\Rising\\RSD\\popwndexe.exe")
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\SrpProtect Type: REG_MULTI_SZ, Length: 56, Data: 11c176b2, 920e004c, 70ffc5d4)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\AppProtect Type: REG_MULTI_SZ, Length: 56, Data: 11c176b2, 920e004c, 70ffc5d4)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\DebugLevel Type: REG_DWORD, Length: 4, Data: 1)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\DependOnService Type: REG_MULTI_SZ, Length: 2, Data:)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Description Type: REG_SZ, Length: 58, Data: Rising System Monitor Driver)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Group Type: REG_SZ, Length: 36, Data: Boot Bus Extender)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Tag Type: REG_DWORD, Length: 4, Data: 4)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Start Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Type Type: REG_DWORD, Length: 4, Data: 2)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Instances\\DefaultInstance Type: REG_SZ, Length: 14, Data: sysmon)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Instances\\sysmon\\Altitude Type: REG_SZ, Length: 14, Data: 370070)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Instances\\sysmon\\Flags Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\DLibPath Type: REG_SZ, Length: 76, Data: C:\\Program Files\\Rising\\RAV\\rsdll.dll)
- RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Function Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Program Files\\Rising\\RAV\\ravmond.exe PID: P2, Command line: "C:\\Program Files\\Rising\\RAV\\ravmond.exe" -srv setup /SLIENCE)
- Process Create (C:\\Program Files\\Rising\\RSD\\popwndexe.exe PID: P1, Command line: "C:\\Program Files\\Rising\\RSD\\popwndexe.exe")
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\DisplayIcon Type: REG_SZ, Length: 76, Data: C:\\Program Files\\Rising\\RSD\\Setup.exe)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\UninstallString Type: REG_SZ, Length: 128, Data: "C:\\Program Files\\Rising\\RSD\\Setup.exe" /UNINSTALL /PRODUCT=RSD)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\AppCompatFlags\\Compatibility Assistant\\ExecutablesToExclude Type: REG_MULTI_SZ, Length: 78, Data: C:\\Program Files\\Rising\\RSD\\Setup.exe)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\DisplayIcon Type: REG_SZ, Length: 76, Data: C:\\Program Files\\Rising\\RSD\\Setup.exe)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\UninstallString Type: REG_SZ, Length: 128, Data: "C:\\Program Files\\Rising\\RSD\\Setup.exe" /UNINSTALL /PRODUCT=RAV)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: <pid>, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCR\\CLSID\\{CAA2D3B1-4BB5-4a45-A17A-122773379D99} Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCR\\CLSID\\{CAA2D3B1-4BB5-4a45-A17A-122773379D99}\\ProcID Type: REG_SZ, Length: 78, Data: {79565346-3893-5678-0000-000000000000})
• RegCreateKey (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw Desired Access: Maximum Allowed)
• RegCreateKey (HKCR\\CLSID Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828} Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw\\ProcInfo Type: REG_SZ, Length: 22, Data: 1495577909)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw\\ProcKind Type: REG_SZ, Length: 4, Data: 5)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw\\ProcDll Type: REG_SZ, Length: 22, Data: 1527200309)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\ProcKey Type: REG_SZ, Length: 74, Data: RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw)
• RegCreateKey (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C} Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\RAV Type: REG_SZ, Length: 34, Data: eTukjtOpPmgbqA==)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\Title Type: REG_SZ, Length: 58, Data: eTukjtOppNmdhtHhpIKFrN2t/w==)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\InstallPath Type: REG_SZ, Length: 82, Data: eTukjtOpSXkfDiYBLWQJCDN2MHskMgg9C3UfADcd)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\ravmonexe Type: REG_SZ, Length: 50, Data: eTukjtOpHkg7LA49CAcoOQQ0)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\monServerName Type: REG_SZ, Length: 42, Data: eTukjtOpPlofIBceA0dV)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\monShowName Type: REG_SZ, Length: 50, Data: eTukjtOpPkg7YTI2Hl8kIgRJ)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\rstrayexe Type: REG_SZ, Length: 50, Data: eTukjtOpHlo5MwAqQkw1JHQ=)

• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\regtray Type: REG_SZ, Length: 42, Data: eTukjtOpPkg7FTMSNUA=)
• RegCreateKey (HKLM\\SOFTWARE Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfgUn Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfgUn\\PreventUninstallSwitch\\PreventUninstallSwitch Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: <pid>, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\DisplayName Type: REG_SZ, Length: 68, Data: Rising Software Deployment System)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\InstallLocation Type: REG_SZ, Length: 56, Data: C:\\Program Files\\Rising\\RSD)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\DisplayVersion Type: REG_SZ, Length: 24, Data: 23.00.01.03)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\Publisher Type: REG_SZ, Length: 88, Data: Beijing Rising Information Technology, Inc.)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\AppCompatFlags\\Compatibility Assistant Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\(Default) Type: REG_SZ, Length: 68, Data: Rising Software Deployment System)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\name Type: REG_SZ, Length: 44, Data: Rising AntiVirus 2012)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\installpath Type: REG_SZ, Length: 56, Data: C:\\Program Files\\Rising\\RAV)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\type Type: REG_SZ, Length: 6, Data: 17)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\datapath Type: REG_SZ, Length: 52, Data: C:\\ProgramData\\Rising\\RAV)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\Version Type: REG_SZ, Length: 24, Data: 24.00.43.49)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\DisplayName Type: REG_SZ, Length: 68, Data: Rising Software Deployment System)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\InstallLocation Type: REG_SZ, Length: 56, Data: C:\\Program Files\\Rising\\RAV)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\DisplayVersion Type: REG_SZ, Length: 24, Data: 24.00.43.49)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\Publisher Type: REG_SZ, Length: 88, Data: Beijing Rising Information Technology, Inc.)
• RegCreateKey (HKLM\\Software\\Rising\\RAV\\cfg Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\ver Type: REG_DWORD, Length: 4, Data: 24)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\pro_path Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\pro_path\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\pro_path\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\reg_path Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\reg_path\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\reg_path\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Count Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Count\\(Default) Type: REG_DWORD, Length: 4, Data: 592)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\EngDelay Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\EngDelay\\(Default) Type: REG_DWORD, Length: 4, Data: 256)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Mode\\(Default) Type: REG_SZ, Length: 18, Data: Post)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\DelayCloud Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\DelayCloud\\(Default) Type: REG_DWORD, Length: 4, Data: 1280)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\Radio Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\Radio\\(Default) Type: REG_DWORD, Length: 4, Data: 5)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\bxfix Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\navig Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\oswhite Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\conntest Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\JoinImprovementPlan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\JoinImprovementPlan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudDefence Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudDefence\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudEngine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudEngine\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\JoinImprovementPlan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\JoinImprovementPlan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudDefence Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudDefence\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudEngine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudEngine\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\Enable Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\Enable\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\Enable\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\State Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\State\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Enable Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Enable\\(Default) Type: REG_DWORD, Length: 4, Data: 0)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingPath Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingPath\\(Default) Type: REG_SZ, Length: 4, Data: ;)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PopupInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PopupInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 600)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Baidu Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Baidu\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Baidu\\(Default) Type: REG_DWORD, Length: 4, Data: 14400)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\BaiduInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\BaiduInterval\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\BaiduInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 900)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgr Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgr\\(Default) Type: REG_DWORD, Length: 4, Data: 14400)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgrInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgrInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 900)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\GlobalCache Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\GlobalCache\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\GlobalCache\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\UninstallProtect Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\UninstallProtect\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\UninstallProtect\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\REGO Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\REGO\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\REGO\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\BRScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\BRScan\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\BRScan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoTrayIcon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoTrayIcon\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoTrayIcon\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoBacore Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoBacore\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoBacore\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowAgent Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowAgent\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowLogonIcon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowLogonIcon\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowLogonIcon\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowScanAd Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowScanAd\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ScanResultCountPerPage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ScanResultCountPerPage\\(Default) Type: REG_DWORD, Length: 4, Data: 268435455)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowAgent Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowAgent\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowLogonIcon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowLogonIcon\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowLogonIcon\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowScanAd Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowScanAd\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ScanResultCountPerPage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ScanResultCountPerPage\\(Default) Type: REG_DWORD, Length: 4, Data: 268435455)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default\\KeepDays Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default\\KeepDays\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default\\KeepDays\\(Default) Type: REG_DWORD, Length: 4, Data: 60)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\KeepDays Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\KeepDays\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\KeepDays\\(Default) Type: REG_DWORD, Length: 4, Data: 60)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\verdict_vir_found\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\sites Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\sites\\ver Type: REG_DWORD, Length: 4, Data: 16)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\sites\\(Default) Type: REG_BINARY, Length: 27.320, Data: D8 6D 9D 5B 51 7F 00 00 2A 00 2E 00 74 00 61 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\mode\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\mode\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\file_ext_filter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\file_ext_filter\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\file_ext_filter\\(Default) Type: REG_SZ, Length: 962, Data: VBS;VBE;JS;JSE;LSP;FAS;ASP;HTT;HTA;CSS;WSH;MHT;JSP;PHP;HTM;HTML;RB;LUA;PY;EXE;COM;SYS;VXD;DRV;DLL;BIN;OVL;386;FON;DOC;DOT;XLS;XLT;PPT;BAT;SCT;OCX;CPL;LNK;EML;NWS;PIF;SHS;MAI;SCR;ZIP;7Z;ARJ;BZ2;BZIP2;CAB;GZ;GZIP;HFS;ISO;LHA;LZH;LZMA;RAR;TAR;)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\port_list Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\port_list\\(Default) Type: REG_SZ, Length: 58, Data: 110=110|25=120)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\exploit_scan_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\exploit_scan_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_filters\\(Default) Type: REG_BINARY, Length: 4, Data: 00 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\attach_scan_mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\attach_scan_mode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\autorun_disable_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\autorun_disable_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\rdisk_exec_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\rdisk_exec_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\scan_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\scan_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 30000)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rs_processes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rs_processes\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_registries Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_registries\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\func Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\func\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\func\\(Default) Type: REG_DWORD, Length: 4, Data: 3)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\scriptmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\scriptmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_filters\\ver Type: REG_DWORD, Length: 4, Data: 5)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_filters\\(Default) Type: REG_BINARY, Length: 112, Data: 2D 00 2D 00 74 00 79 00 70 00 65 00 3D 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\level Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\level\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\zone Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\zone\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\whitemask Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\whitemask\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\whitemask\\(Default) Type: REG_DWORD, Length: 4, Data: 25)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\writelog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\writelog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\antipromotionmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\antipromotionmon\\intercept Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\antipromotionmon\\intercept\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\verdict_vir_found\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\sites Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\sites\\ver Type: REG_DWORD, Length: 4, Data: 16)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\sites\\(Default) Type: REG_BINARY, Length: 27.320, Data: D8 6D 9D 5B 51 7F 00 00 2A 00 2E 00 74 00 61 00)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\mode\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\mode\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\file_ext_filter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\file_ext_filter\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\file_ext_filter\\(Default) Type: REG_SZ, Length: 962, Data: VBS;VBE;JS;JSE;LSP;FAS;ASP;HTT;HTA;CSS;WSH;MHT;JSP;PHP;HTM;HTML;RB;LUA;PY;EXE;COM;SYS;VXD;DRV;DLL;BIN;OVL;386;FON;DOC;DOT;XLS;XLT;PPT;BAT;SCT;OCX;CPL;LNK;EML;NWS;PIF;SHS;MAI;SCR;ZIP;7Z;ARJ;BZ2;BZIP2;CAB;GZ;GZIP;HFS;ISO;LHA;LZH;LZMA;RAR;TAR;)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\port_list Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\port_list\\(Default) Type: REG_SZ, Length: 58, Data: 110=110|25=120)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\exploit_scan_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\exploit_scan_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_filters\\(Default) Type: REG_BINARY, Length: 4, Data: 00 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\attach_scan_mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\attach_scan_mode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\autorun_disable_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\autorun_disable_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\rdisk_exec_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\rdisk_exec_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\scan_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\scan_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 30000)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rs_processes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rs_processes\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_registries Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_registries\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\silent_competitor Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\silent_competitor\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\func Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\func\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\func\\(Default) Type: REG_DWORD, Length: 4, Data: 3)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\scriptmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\scriptmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_filters\\ver Type: REG_DWORD, Length: 4, Data: 5)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_filters\\(Default) Type: REG_BINARY, Length: 112, Data: 2D 00 2D 00 74 00 79 00 70 00 65 00 3D 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\level Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\level\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\zone Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\zone\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\whitemask Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\whitemask\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\whitemask\\(Default) Type: REG_DWORD, Length: 4, Data: 25)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\writelog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\writelog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features\\UrlLogging Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features\\UrlLogging\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features\\UrlLogging\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 4)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\UseAI\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 0)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AutoTreatInfected\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\FileNameFilter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\FileNameFilter\\(Default) Type: REG_SZ, Length: 38, Data: .exe|.dll)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\MaxScanDeep Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\MaxScanDeep\\ver Type: REG_DWORD, Length: 4, Data: 2)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\MaxScanDeep\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AutoTreatInfected\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\SmartScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\SmartScan\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\SmartScan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan\\State Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan\\State\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan\\State\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\Report Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\Report\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DenferTime Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DenferTime\\(Default) Type: REG_DWORD, Length: 4, Data: 255)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 4)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\UseAI\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 0)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\FileNameFilter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\FileNameFilter\\(Default) Type: REG_SZ, Length: 38, Data: .exe|.dll)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\MaxScanDeep Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\MaxScanDeep\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\MaxScanDeep\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AutoTreatInfected\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\SmartScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\SmartScan\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\SmartScan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan\\State Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan\\State\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan\\State\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\Report Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\Report\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DenferTime Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DenferTime\\(Default) Type: REG_DWORD, Length: 4, Data: 255)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\InsufficientSpaceHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\InsufficientSpaceHandleMethod\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\InsufficientSpaceHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\LargeFileHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\LargeFileHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\SmartRelocate Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\SmartRelocate\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\InsufficientSpaceHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\InsufficientSpaceHandleMethod\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\InsufficientSpaceHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\LargeFileHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\LargeFileHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\SmartRelocate Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\SmartRelocate\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\Password Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\Password\\(Default) Type: REG_SZ, Length: 2, Data:)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\ProtectType Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\ProtectType\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\Password Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\Password\\(Default) Type: REG_SZ, Length: 2, Data:)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\ProtectType Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\ProtectType\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WhiteList Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WhiteList\\TrustedFiles Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WhiteList\\TrustedFiles\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\AutoEnterSilenceMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\AutoEnterSilenceMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\CurrentWorkMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\CurrentWorkMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\AutoEnterSilenceMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\AutoEnterSilenceMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\CurrentWorkMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\CurrentWorkMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\rscommon\\datapath Type: REG_SZ, Length: 58, Data: C:\\ProgramData\\Rising\\common)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\LockTab Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\TabUrl Type: REG_SZ, Length: 106, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWHUgLEkobXUUIC0el)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Enable Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url Type: REG_SZ, Length: 82, Data: aqceZAduQEZGXRpFB1pTQg4YQUFbQ0dES1wdVQ==)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url1 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BV6w=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url2 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BVKM=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url3 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BVaI=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url6 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BUKc=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url8 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BXqU=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url9 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BX6Q=)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: +http://ts-crl.ws.symantec.com/tss-ca-g2.crl0(
- url | http tag | valid domain | tlds | wellknown extension: +http://ts-aia.ws.symantec.com/tss-ca-g2.cer0<
- url | http tag | valid domain | tlds: 2Terms of use at https://www.verisign.com/rpa (c)101.0,
- url | http tag | valid domain | tlds: #http://crl.verisign.com/pca3-g5.crl04
- url | http tag | valid domain | tlds: #http://logo.verisign.com/vslogo.gif04
- url | http tag | valid domain | tlds: https://www.verisign.com/rpa0
- url | http tag | valid domain | tlds: https://www.verisign.com/cps0*
- url | http tag | valid domain | tlds: http://sf.symcb.com/sf.crt0
- url | http tag | valid domain | tlds: https://d.symcb.com/rpa0
- url | http tag | valid domain | tlds: https://d.symcb.com/cps0%
- url | http tag | valid domain | tlds: http://sf.symcb.com/sf.crl0f
- url | http tag | valid domain | tlds: http://ts-ocsp.ws.symantec.com07
- url | http tag | valid domain | tlds: .http://crl.thawte.com/ThawteTimestampingCA.crl0
- url | http tag | valid domain | tlds: https://www.verisign.com/cps0
- url | http tag | valid domain | tlds: http://crl.verisign.com/pca3.crl0
- url | http tag | valid domain | tlds: http://center.rising.com.cn/urg.asp?v=%s&t;=%s&a;=%s
- url | valid domains | tlds: .Gi#O$@$
- url | valid domains | tlds: .CK/
- url | valid domains | tlds: T@M.Ng
- url | valid domains | tlds: n.gq
- url | valid domains | tlds: >.gn
- url | valid domains | tlds: K.IL
- url | valid domains | tlds: 7.IM
- url | valid domains | tlds:]>!.gB
- url | valid domains | tlds: y.SZ
- url | valid domains | tlds: ej.CC
- url | valid domains | tlds: 7.bi
- url | valid domains | tlds: ;.bd/
- url | valid domains | tlds: Dhttp://crl.microsoft.com/pki/crl/products/MicrosoftCodeVerifRoot.crl0
- url | valid domains | tlds: ~mM.Bv
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: =.vC
- api | frequently used by malware: GetAdaptersInfo
- api | frequently used by malware: @Sleep...%d
- api | frequently used by malware: OpenThread
- api | frequently used by malware: Thread32First
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: CreateToolhelp32Snapshot
- url | http tag: http://ocsp.verisign.com0
- url | http tag: http://sf.symcd.com0&
- url | http tag: http://ocsp.thawte.com0
- url | http tag: http://ocsp.verisign.com0>
- path | path unit: C:\\DistributedAutoLink\\Temp\\CompileOutputDir\\7zSfx.pdb
- path | path unit: C:\\Temp
- path | path unit: c:\\%s
- api | ntdll: .log
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation

- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | urlmon: CMy7z::Extract
- api | urlmon: Extract Error
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetDiskFreeSpaceExA
- api | ntdll: \\Rs7zSfx.log
- api | ntdll: 2.log
- api | kernel32: CreateFileA
- api | kernel32: CreateFileW

Involved hosts

- 106.2.232.100:http
- 106.2.232.99:http
- 211.103.159.106:http
- 211.103.159.73:http
- 211.103.159.78:http
- javi-PC:http
- 106.2.232.100:80 (data2.iruixing.com)
- 106.2.232.99:80 (data1.iruixing.com)
- 125.75.32.252:80 (rscloud.rising.net.cn)
- 192.168.133.1:5355
- 192.168.133.245:49195
- 192.168.133.245:49196
- 192.168.133.245:49197
- 192.168.133.245:49198
- 192.168.133.245:49199
- 192.168.133.245:49200
- 192.168.133.245:49201
- 192.168.133.245:49202
- 192.168.133.245:49203
- 192.168.133.245:49204
- 192.168.133.245:49205
- 192.168.133.245:49206
- 192.168.133.245:49208
- 192.168.133.245:49209
- 192.168.133.245:49210
- 192.168.133.245:54396
- 192.168.133.245:57603
- 192.168.133.245:68
- 192.168.133.254:67
- 211.103.159.106:80 (cloud.rising.com.cn)
- 211.103.159.73:80 (center.rising.com.cn)
- 211.103.159.78:80 (center.rising.com.cn)

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- center.rising.com.cn ---> 211.103.159.78, 211.103.159.77, 211.103.159.80, 211.103.159.83, 211.103.159.76, 211.103.159.79, 211.103.159.75, 211.103.159.81, 211.103.159.82, 211.103.159.73, 211.103.159.74
- 254.133.168.192.in-addr.arpa ---> no answers
- rsup10.rising.com.cn ---> 211.103.159.73, 211.103.159.79, 211.103.159.80, 211.103.159.78, 211.103.159.76, 211.103.159.83, 211.103.159.82, 211.103.159.75, 211.103.159.81, 211.103.159.74, 211.103.159.77
- 78.159.103.211.in-addr.arpa ---> no answers
- 73.159.103.211.in-addr.arpa ---> no answers
- data1.iruixing.com ---> 106.2.232.99
- 99.232.2.106.in-addr.arpa ---> no answers
- data2.iruixing.com ---> 106.2.232.100
- 100.232.2.106.in-addr.arpa ---> no answers
- cloud.rising.com.cn ---> 211.103.159.106
- 106.159.103.211.in-addr.arpa ---> no answers
- rscloud.rising.net.cn ---> 125.75.32.252, 59.56.26.49, 218.92.220.55, 121.14.117.132, 182.247.236.35, 222.245.77.75, 121.14.117.131, 58.222.42.9, 113.107.58.87
- 252.32.75.125.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.245:49195 ---> 211.103.159.78 (center.rising.com.cn) :80

GET /urg.asp?v=ravbase&t;=rav&a;= HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: center.rising.com.cn[...]Connection: Keep-Alive[...]GET /urg.asp?v=ravbase&t;=rav&a;= HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: center.rising.com.cn[...]Connection: Keep-Alive[...]Cookie: ASPSESSIONIDQCBSCQDD=OMDCPDOBMAPNAGKHGHNCPGNC[...]GET /LogCenter.asp?info=eTukjtOpJ0w0fDMAKHwjKA8gGEghLUclXRR6eFRlWRp5d1JrVRp4d1ZrXBl9cVFjXBl9cVFjXBl9cUclXhQoORE/A1soM0clXxR7alB4Wx99cEpiWxx8dUclWBRvAlsPOVooMxIPBkg7KD0XA14jLQ4yCFoRIgQxAwcoOQRxRw87dFxjpA== HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: center.rising.com.cn[...]Connection: Keep-Alive[...]Cookie: ASPSESSIONIDQCBSCQDD=OMDCPDOBMAPNAGKHGHNCPGNC[...]GET /urg.asp?v=ravbase&t;=rav&a;= HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: center.rising.com.cn[...]Connection: Keep-Alive[...]Cookie: ASPSESSIONIDQCBSCQDD=OMDCPDOBMAPNAGKHGHNCPGNC

• tcp 211.103.159.78 (center.rising.com.cn) :80 ---> 192.168.133.245:49195

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:35 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Content-Length: 56[...]Content-Type: text/html[...]Set-Cookie: ASPSESSIONIDQCBSCQDD=OMDCPDOBMAPNAGKHGHNCPGNC; path=/[...]Cache-control: private[...]http://rsup10.rising.com.cn/register/minicenter/e/c.aspxHTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:35 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Content-Length: 56[...]Content-Type: text/html[...]Set-Cookie: ASPSESSIONIDQCBSCQDD=OMDCPDOBMAPNAGKHGHNCPGNC; path=/[...]Cache-control: private[...]http://rsup10.rising.com.cn/register/minicenter/e/c.aspxHTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:37 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Content-Length: 56[...]Content-Type: text/html[...]Cache-control: private[...]http://rsup10.rising.com.cn/register/minicenter/e/c.aspxHTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:37 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Content-Length: 56[...]Content-Type: text/html[...]Cache-control: private[...]http://rsup10.rising.com.cn/register/minicenter/e/c.aspxHTTP/1.1 302 Object moved[...]Date: Tue, 23 May 2017 22:19:38 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Location: http://rsup10.rising.com.cn/Register/OnlineHelper/ForLog/ForLogDeve.aspx?Info=eTukjtOpJ0w0fDMAKHwjKA8gGEghLUclXRR6eFRlWRp5d1JrVRp4d1ZrXBl9cVFjXBl9cVFjXBl9cUclXhQoORE/A1soM0clXxR7alB4Wx99cEpiWxx8dUclWBRvAlsPOVooMxIPBkg7KD0XA14jLQ4yCFoRIgQxAwcoOQRxRw87dFxjpA==[...]Content-Length: 379[...]Content-Type: text/html[...]Cache-control: private[...]<head><title>Object moved</title></head>[...]<body><h1>Object Moved</h1>This object may be found <a HREF="http://rsup10.rising.com.cn/Register/OnlineHelper/ForLog/ForLogDeve.aspx?Info=eTukjtOpJ0w0fDMAKHwjKA8gGEghLUclXRR6eFRlWRp5d1JrVRp4d1ZrXBl9cVFjXBl9cVFjXBl9cUclXhQoORE/A1soM0clXxR7alB4Wx99cEpiWxx8dUclWBRvAlsPOVooMxIPBkg7KD0XA14jLQ4yCFoRIgQxAwcoOQRxRw87dFxjpA==">here</a>.</body>[...]HTTP/1.1 302 Object moved[...]Date: Tue, 23 May 2017 22:19:38 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Location: http://rsup10.rising.com.cn/Register/OnlineHelper/ForLog/ForLogDeve.aspx?Info=eTukjtOpJ0w0fDMAKHwjKA8gGEghLUclXRR6eFRlWRp5d1JrVRp4d1ZrXBl9cVFjXBl9cVFjXBl9cUclXhQoORE/A1soM0clXxR7alB4Wx99cEpiWxx8dUclWBRvAlsPOVooMxIPBkg7KD0XA14jLQ4yCFoRIgQxAwcoOQRxRw87dFxjpA==[...]Content-Length: 379[...]Content-Type: text/html[...]Cache-control: private[...]<head><title>Object moved</title></head>[...]<body><h1>Object Moved</h1>This object may be found <a HREF="http://rsup10.rising.com.cn/Register/OnlineHelper/ForLog/ForLogDeve.aspx?Info=eTukjtOpJ0w0fDMAKHwjKA8gGEghLUclXRR6eFRlWRp5d1JrVRp4d1ZrXBl9cVFjXBl9cVFjXBl9cUclXhQoORE/A1soM0clXxR7alB4Wx99cEpiWxx8dUclWBRvAlsPOVooMxIPBkg7KD0XA14jLQ4yCFoRIgQxAwcoOQRxRw87dFxjpA==">here</a>.</body>[...]HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:54 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Content-Length: 56[...]Content-Type: text/html[...]Cache-control: private[...]http://rsup10.rising.com.cn/register/minicenter/e/c.aspxHTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:54 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Content-Length: 56[...]Content-Type: text/html[...]Cache-control: private[...]http://rsup10.rising.com.cn/register/minicenter/e/c.aspx

• tcp 192.168.133.245:49196 ---> 211.103.159.73 (center.rising.com.cn) :80

POST /register/minicenter/e/c.aspx HTTP/1.1[...]Accept: */*[...]Content-Type: application/x-www-form-urlencoded[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: rsup10.rising.com.cn[...]Content-Length: 304[...]Connection: Keep-Alive[...]Cache-Control: no-cache[...]b0ZLkPSlSWcNIjo/EH9bay0nRCcaOjpkHmVZLiovVmdBaX1xC3BNfGxyBHZDcGxzBHJDeW92AnVLeW92AnVLeW92AmdXaX01VTASLX18EmdZZX9kUyYPIDAo

WyFZc39kEGlbaysnVWdBaX00VzYkPj4yUS0kIDE1RiQXJX1qEDYPLC9kCGVZeH1qO0xyQFZPEmVZOzo1RykPa2VmEDEJPDpkHmVZLC00XTcYJjsjEH
9ba31qEmcJLDInQC5Zc39kWysIPT4qXiceLjYoEGlbay8nEH9ba31qEmcLK318EmdZNC4=POST /register/minicenter/e/c.aspx HTTP/1.1[...]Accept:
/[...]Content-Type: application/x-www-form-urlencoded[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host:
rsup10.rising.com.cn[...]Content-Length: 308[...]Connection: Keep-Alive[...]Cache-Control: no-cache[...]dj/cjolSEGBaKi8YSXgMYzgAHSBNMi9DR2IOJj8ID2
AWYWhWUncadHlVXXEUeHlUXXUUcXpRW3IccXpRW3IccXpRW2AAYWgSDDdFJWhbS2AObWpDCiFYKCUPAiYOe2pDSW4MYz4ADGAWYWgTDjFzNi
sVCCpzKCQSHyNALWhNSTFYJDpDUWIOdWhNYkslSENoS2IOMy8SHi5YY3BBSTZeNC9DR2IOJDgTBDBPLi4ESXgMY2hNS2BeJCcAGSkOe2pDLjpYM
ysCHzFZIikEGDEObWpDGyMOe2pDSW4MYzoDSXgMY2gcJw==GET /Register/OnlineHelper/ForLog/ForLogDeve.aspx?Info=eTukjtOpJ0w0fDMAKHwjKA
8gGEghLUclXRR6eFRlWRp5d1JrVRp4d1ZrXBl9cVFjXBl9cVFjXBl9cUclXhQoORE/A1soM0clXxR7alB4Wx99cEpiWxx8dUclWBRvAlsPOVooMxIPBkg7KD0
XA14jLQ4yCFoRIgQxAwcoOQRxRw87dFxjpA== HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1;
Rising)[...]Connection: Keep-Alive[...]Host: rsup10.rising.com.cn[...]GET /Register/OnlineHelper/ForLog/CheckStr.aspx?info=v4 HTTP/1.1[...]Accept:
/[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Connection: Keep-Alive[...]Host: rsup10.rising.com.cn[...]GET
/register/onlinehelper/ErrorNet.htm?aspxerrorpath=/Register/OnlineHelper/ForLog/CheckStr.aspx HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0
(compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Connection: Keep-Alive[...]Host: rsup10.rising.com.cn[...]GET /rs2012/RsPcVer12.xml
HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: rsup10.rising.com.cn[...]Connection:
Keep-Alive[...]POST /register/minicenter/e/c.aspx HTTP/1.1[...]Accept: */*[...]Content-Type: application/x-www-form-urlencoded[...]User-Agent: Mozilla/4.0
(compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: rsup10.rising.com.cn[...]Content-Length: 280[...]Connection: Keep-Alive[...]Cache-Control: no-cach
e[...]qgVegzK-P08fUkYfZldJG1EHMg8ISkZEaE1LXlYPIE9TGQFRfVhfDBBScl5RABBTclpRCRNWdF1ZCRNWdF1ZCRNWdE9FGQEVIxgAXQFcZE9LFQN
EJQ4dUEwILQlLAwNEZkFJG1cHI09TGQEUJRs2SlNEaE8aTUYWZldJGxJEaGRgMCpvTU1JG1EDNxgFTQFcZE9YGw9GZggbS0wUJwINXAFcZE9YGw9
GZh8MVEIUL09TGQFXdFVRCxNVZkFJG1MHZldJGwFKZE8ZWwFcZE9LRNE=

• tcp 211.103.159.73 (center.rising.com.cn) :80 ---> 192.168.133.245:49196

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:36 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version:
2.0.50727[...]Cache-Control: private[...]Content-Type: text/plain; charset=utf-8[...]Content-Length: 1[...]0HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017
22:19:36 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Cache-Control: private[...]Content-Type:
text/plain; charset=utf-8[...]Content-Length: 1[...]0HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:37 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By:
ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Cache-Control: private[...]Content-Type: text/plain; charset=utf-8[...]Content-Length: 1[...]0HTTP/1.1 200
OK[...]Date: Tue, 23 May 2017 22:19:37 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Cache-Control:
private[...]Content-Type: text/plain; charset=utf-8[...]Content-Length: 1[...]0HTTP/1.1 302 Found[...]Date: Tue, 23 May 2017 22:19:38 GMT[...]Server:
Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Location:
/Register/OnlineHelper/ForLog/CheckStr.aspx?info=v4[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Content-Length:
180[...]<html><head><title>Object moved</title></head><body>[...]<h2>Object moved to <a
href="%2fRegister%2fOnlineHelper%2fForLog%2fCheckStr.aspx%3finfo%3dv4">here</a>.</h2>[...]</body></html>[...]HTTP/1.1 302 Found[...]Date: Tue,
23 May 2017 22:19:39 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Location:
/register/onlinehelper/ErrorNet.htm?aspxerrorpath=/Register/OnlineHelper/ForLog/CheckStr.aspx[...]Cache-Control: private[...]Content-Type: text/html;
charset=utf-8[...]Content-Length: 228[...]<html><head><title>Object moved</title></head><body>[...]<h2>Object moved to <a href="%2fregister%2fonlinehel
per%2fErrorNet.htm%3faspxerrorpath%3d%2fRegister%2fOnlineHelper%2fForLog%2fCheckStr.aspx">here</a>.</h2>[...]</body></html>[...]HTTP/1.1 200
OK[...]Content-Length: 58[...]Content-Type: text/html[...]Last-Modified: Sat, 25 Sep 2010 07:00:15 GMT[...]Accept-Ranges: bytes[...]ETag:
"94fb3c4e7f5ccb1:ecf"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:39
GMT[...]<html>[...]<body>[...]</body>[...]</html>[...]HTTP/1.1 200 OK[...]Content-Length: 58[...]Content-Type: text/html[...]Last-Modified: Sat, 25 Sep 2010
07:00:15 GMT[...]Accept-Ranges: bytes[...]ETag: "94fb3c4e7f5ccb1:ecf"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017
22:19:39 GMT[...]<html>[...]<body>[...]</body>[...]</html>[...]HTTP/1.1 200 OK[...]Content-Length: 658[...]Content-Type: text/xml[...]Last-Modified: Tue, 23
May 2017 09:11:13 GMT[...]Accept-Ranges: bytes[...]ETag: "883d9486a4d3d21:ecf"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Date: Tue,
23 May 2017 22:19:51 GMT[...]<?xml version="1.0" encoding="utf-8"?>[...]<RISING>[...]<PRODUCT NAME="Rav" VERSION="24.00.65.09"
REBOOTVER="24.00.00.00">[...]</PRODUCT>[...]<URLLIST>[...]<ITEM
KEY="Validate">http://rsup10.rising.com.cn/Register/Validate/PageInfo/RavRequest2012.aspx</ITEM>[...]<ITEM
KEY="Download">http://d53.rising.com.cn/rs2012/pcver/</ITEM>[...]<ITEM KEY="Finish">
http://rsup10.rising.com.cn/Register/Validate/PageInfo/RequestFinished2012.aspx</ITEM>[...]<ITEM KEY="Overtime">
http://rsup10.rising.com.cn/Register/Validate/PageInfo/SnGetOverTime.aspx</ITEM>[...]<ITEM
KEY="Stat">http://cloud.rising.com.cn/productstat/productStat.aspx</ITEM>[...]</URLLIST>[...]</RISING>HTTP/1.1 200 OK[...]Content-Length:
658[...]Content-Type: text/xml[...]Last-Modified: Tue, 23 May 2017 09:11:13 GMT[...]Accept-Ranges: bytes[...]ETag: "883d9486a4d3d21:ecf"[...]Server:
Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:51 GMT[...]<?xml version="1.0"
encoding="utf-8"?>[...]<RISING>[...]<PRODUCT NAME="Rav" VERSION="24.00.65.09"
REBOOTVER="24.00.00.00">[...]</PRODUCT>[...]<URLLIST>[...]<ITEM
KEY="Validate">http://rsup10.rising.com.cn/Register/Validate/PageInfo/RavRequest2012.aspx</ITEM>[...]<ITEM
KEY="Download">http://d53.rising.com.cn/rs2012/pcver/</ITEM>[...]<ITEM KEY="Finish">

http://rsup10.rising.com.cn/Register/Validate/PageInfo/RequestFinished2012.aspx</ITEM>[...]<ITEM KEY="Overtime">
http://rsup10.rising.com.cn/Register/Validate/PageInfo/SnGetOverTime.aspx</ITEM>[...]<ITEM
KEY="Stat">http://cloud.rising.com.cn/productstat/productStat.aspx</ITEM>[...]</URLLIST>[...]</RISING>HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017
22:19:54 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Cache-Control: private[...]Content-Type:
text/plain; charset=utf-8[...]Content-Length: 1[...]0HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:54 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By:
ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Cache-Control: private[...]Content-Type: text/plain; charset=utf-8[...]Content-Length: 1

• tcp 192.168.133.245:49197 ---> 106.2.232.99 (data1.iruixing.com) :80

GET /irg.ashx?d= HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host:
data1.iruixing.com[...]Connection: Keep-Alive

• tcp 106.2.232.99 (data1.iruixing.com) :80 ---> 192.168.133.245:49197

HTTP/1.1 404 Not Found[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Server: Microsoft-IIS/7.5[...]X-AspNet-Version:
2.0.50727[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:38 GMT[...]Content-Length:
1439[...]<html>[...]<head>[...]<title>[...]</title>[...]<style>[...]body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;}[...]p
{font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px}[...]b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}[...]H1 {
font-family:"Verdana";font-weight:normal;font-size:18pt;color:red }[...]H2 { font-family:"Verdana";font-weight:normal;font-size:14pt;color:maroon }[...]pre
{font-family:"Lucida Console";font-size: .9em}[...].marker {font-weight: bold; color: black;text-decoration: none;}[...].version {color: gray;}[...].error
{margin-bottom: 10px;}[...].expandable { text-decoration:underline; font-weight:bold; color:navy; cursor:hand; }[...]</style>[...]</head>[...]<body
bgcolor="white">[...]<H1>[...]<hr width=100% size=1 color=silver></H1>[...]<h2> [...] </h2>[...]<font face="Arial, Helvetica, Geneva,
SunSans-Regular, sans-serif ">[...][...]: HTTP 404[...]URL[...]

[...][...]URL: /irg.ashx

[...]</body>[...]</html>

• tcp 192.168.133.245:49198 ---> 106.2.232.99 (data1.iruixing.com) :80

GET /irg.ashx?d=UEhTaXp/FHMXDgoIWEBRZnhxEXATCAkAUUNUYH95EXATCAIBUUtcYn96GiVbSFVfExYWfioxRHsRDBcAUV1QY2F9GHsTAwIBUUp
VYn9%2BFngYanhm HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host:
data1.iruixing.com[...]Connection: Keep-Alive

• tcp 106.2.232.99 (data1.iruixing.com) :80 ---> 192.168.133.245:49198

HTTP/1.1 404 Not Found[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Server: Microsoft-IIS/7.5[...]X-AspNet-Version:
2.0.50727[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:39 GMT[...]Content-Length:
1439[...]<html>[...]<head>[...]<title>[...]</title>[...]<style>[...]body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;}[...]p
{font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px}[...]b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}[...]H1 {
font-family:"Verdana";font-weight:normal;font-size:18pt;color:red }[...]H2 { font-family:"Verdana";font-weight:normal;font-size:14pt;color:maroon }[...]pre
{font-family:"Lucida Console";font-size: .9em}[...].marker {font-weight: bold; color: black;text-decoration: none;}[...].version {color: gray;}[...].error
{margin-bottom: 10px;}[...].expandable { text-decoration:underline; font-weight:bold; color:navy; cursor:hand; }[...]</style>[...]</head>[...]<body
bgcolor="white">[...]<H1>[...]<hr width=100% size=1 color=silver></H1>[...]<h2> [...] </h2>[...]<font face="Arial, Helvetica, Geneva,
SunSans-Regular, sans-serif ">[...][...]: HTTP 404

• tcp 192.168.133.245:49199 ---> 106.2.232.99 (data1.iruixing.com) :80

GET /irg.ashx?d=UEhTaXp/FHMXDgoIWEBRZnhxEXATCAkAUUNUYH95EXATCAIBUUtcYn96GiVbSFVfExYWfioxRHsRDBcAUV1QY2F9GHsTAwIBUUp
VYn9%2BFngYanhm HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host:
data1.iruixing.com[...]Connection: Keep-Alive

• tcp 106.2.232.99 (data1.iruixing.com) :80 ---> 192.168.133.245:49199

HTTP/1.1 404 Not Found[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Server: Microsoft-IIS/7.5[...]X-AspNet-Version:
2.0.50727[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:42 GMT[...]Content-Length:
1439[...]<html>[...]<head>[...]<title>[...]</title>[...]<style>[...]body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;}[...]p
{font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px}[...]b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}[...]H1 {

font-family:"Verdana";font-weight:normal;font-size:18pt;color:red }[...]H2 { font-family:"Verdana";font-weight:normal;font-size:14pt;color:maroon }[...]pre {font-family:"Lucida Console";font-size: .9em}[...].marker {font-weight: bold; color: black;text-decoration: none;}[...].version {color: gray;}[...].error {margin-bottom: 10px;}[...].expandable { text-decoration:underline; font-weight:bold; color:navy; cursor:hand; }[...]</style>[...]</head>[...]<body bgcolor="white">[...]<H1>[...]<hr width=100% size=1 color=silver></H1>[...]<h2> [...] </h2>[...]<font face="Arial, Helvetica, Geneva, SunSans-Regular, sans-serif ">[...][...]: HTTP 404[...]URL[...]

[...][...]URL: /irg.ashx

[...]</body>[...]</html>

• tcp 192.168.133.245:49200 ---> 106.2.232.99 (data1.iruixing.com) :80

GET /irg.ashx?d=UEhTaXp/FHMXDgoIWEBRZnhxEXATCAkAUUNUYH95EXATCAIBUUtcYn96GiVbSFVfExYWfioxRHsRDBcAUV1QY2F9GHsTAwIBUUpVYn9%2BFngYanhm HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: data1.iruixing.com[...]Connection: Keep-Alive

• tcp 106.2.232.99 (data1.iruixing.com) :80 ---> 192.168.133.245:49200

HTTP/1.1 404 Not Found[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Server: Microsoft-IIS/7.5[...]X-AspNet-Version: 2.0.50727[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:42 GMT[...]Content-Length: 1439[...]<html>[...]<head>[...]<title>[...]</title>[...]<style>[...]body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;}[...]p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px}[...]b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}[...]H1 { font-family:"Verdana";font-weight:normal;font-size:18pt;color:red }[...]H2 { font-family:"Verdana";font-weight:normal;font-size:14pt;color:maroon }[...]pre {font-family:"Lucida Console";font-size: .9em}[...].marker {font-weight: bold; color: black;text-decoration: none;}[...].version {color: gray;}[...].error {margin-bottom: 10px;}[...].expandable { text-decoration:underline; font-weight:bold; color:navy; cursor:hand; }[...]</style>[...]</head>[...]<body bgcolor="white">[...]<H1>[...]<hr width=100% size=1 color=silver></H1>[...]<h2> [...] </h2>[...]<font face="Arial, Helvetica, Geneva, SunSans-Regular, sans-serif ">[...][...]: HTTP 404[...]URL[...]

[...][...]URL: /irg.ashx

[...]</body>[...]</html>

• tcp 192.168.133.245:49201 ---> 106.2.232.100 (data2.iruixing.com) :80

GET /irg.ashx?d=UEhTaXp/FHMXDgoIWEBRZnhxEXATCAkAUUNUYH95EXATCAIBUUtcYn96GiVbSFVfExYWfioxRHsRDBcAUV1QY2F9GHsTAwIBUUpVYn9%2BFngYanhm HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: data2.iruixing.com[...]Connection: Keep-Alive

• tcp 106.2.232.100 (data2.iruixing.com) :80 ---> 192.168.133.245:49201

HTTP/1.1 404 Not Found[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Server: Microsoft-IIS/7.5[...]X-AspNet-Version: 2.0.50727[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:48 GMT[...]Content-Length: 1439[...]<html>[...]<head>[...]<title>[...]</title>[...]<style>[...]body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;}[...]p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px}[...]b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}[...]H1 { font-family:"Verdana";font-weight:normal;font-size:18pt;color:red }[...]H2 { font-family:"Verdana";font-weight:normal;font-size:14pt;color:maroon }[...]pre {font-family:"Lucida Console";font-size: .9em}[...].marker {font-weight: bold; color: black;text-decoration: none;}[...].version {color: gray;}[...].error {margin-bottom: 10px;}[...].expandable { text-decoration:underline; font-weight:bold; color:navy; cursor:hand; }[...]</style>[...]</head>[...]<body bgcolor="white">[...]<H1>[...]<hr width=100% size=1 color=silver></H1>[...]<h2> [...] </h2>[...]<font face="Arial, Helvetica, Geneva, SunSans-Regular, sans-serif ">[...][...]: HTTP 404[...]URL[...]

[...][...]URL: /irg.ashx

[...]</body>[...]</html>

• tcp 192.168.133.245:49202 ---> 106.2.232.100 (data2.iruixing.com) :80

GET /irg.ashx?d=UEhTaXp/FHMXDgoIWEBRZnhxEXATCAkAUUNUYH95EXATCAIBUUtcYn96GiVbSFVfExYWfioxRHsRDBcAUV1QY2F9GHsTAwIBUUpVYn9%2BFngYanhm HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: data2.iruixing.com[...]Connection: Keep-Alive

• tcp 106.2.232.100 (data2.iruixing.com) :80 ---> 192.168.133.245:49202

HTTP/1.1 404 Not Found[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Server: Microsoft-IIS/7.5[...]X-AspNet-Version: 2.0.50727[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:48 GMT[...]Content-Length: 1439[...]<html>[...]<head>[...]<title>[...]</title>[...]<style>[...]body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;}[...]p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px}[...]b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}[...]H1 {

font-family:"Verdana";font-weight:normal;font-size:18pt;color:red }[...]H2 { font-family:"Verdana";font-weight:normal;font-size:14pt;color:maroon }[...]pre {font-family:"Lucida Console";font-size: .9em}[...].marker {font-weight: bold; color: black;text-decoration: none;}[...].version {color: gray;}[...].error {margin-bottom: 10px;}[...].expandable { text-decoration:underline; font-weight:bold; color:navy; cursor:hand; }[...]</style>[...]</head>[...]<body bgcolor="white">[...]<H1>[...]<hr width=100% size=1 color=silver></H1>[...]<h2> [...] </h2>[...]<font face="Arial, Helvetica, Geneva, SunSans-Regular, sans-serif ">[...][...]: HTTP 404[...]URL[...]

[...][...]URL: /irg.ashx

[...]</body>[...]</html>

• tcp 192.168.133.245:49203 ---> 106.2.232.100 (data2.iruixing.com) :80

GET /irg.ashx?d=UEhTaXp/FHMXDgoIWEBRZnhxEXATCAkAUUNUYH95EXATCAIBUUtcYn96GiVbSFVfExYWfioxRHsRDBcAUV1QY2F9GHsTAwIBUUpVYn9%2BFngYanhm HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: data2.iruixing.com[...]Connection: Keep-Alive

• tcp 106.2.232.100 (data2.iruixing.com) :80 ---> 192.168.133.245:49203

HTTP/1.1 404 Not Found[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Server: Microsoft-IIS/7.5[...]X-AspNet-Version: 2.0.50727[...]X-Powered-By: ASP.NET[...]Date: Tue, 23 May 2017 22:19:49 GMT[...]Content-Length: 1439[...]<html>[...]<head>[...]<title>[...]</title>[...]<style>[...]body {font-family:"Verdana";font-weight:normal;font-size: .7em;color:black;}[...]p {font-family:"Verdana";font-weight:normal;color:black;margin-top: -5px}[...]b {font-family:"Verdana";font-weight:bold;color:black;margin-top: -5px}[...]H1 { font-family:"Verdana";font-weight:normal;font-size:18pt;color:red }[...]H2 { font-family:"Verdana";font-weight:normal;font-size:14pt;color:maroon }[...]pre {font-family:"Lucida Console";font-size: .9em}[...].marker {font-weight: bold; color: black;text-decoration: none;}[...].version {color: gray;}[...].error {margin-bottom: 10px;}[...].expandable { text-decoration:underline; font-weight:bold; color:navy; cursor:hand; }[...]</style>[...]</head>[...]<body bgcolor="white">[...]<H1>[...]<hr width=100% size=1 color=silver></H1>[...]<h2> [...] </h2>[...]<font face="Arial, Helvetica, Geneva, SunSans-Regular, sans-serif ">[...][...]: HTTP 404[...]URL[...]

[...][...]URL: /irg.ashx

[...]</body>[...]</html>

• tcp 192.168.133.245:49204 ---> 211.103.159.106 (cloud.rising.com.cn) :80

GET /productstat/productStat.aspx?info=pwmWhOdnQhtAW18WA09bS0tOWw0SAx1fUw4Sc210YT1sFEhFDy4ccwl-eURkAmsbfC0CfgtudDp6H31jB1ofAh1dVxsSAA8FAlkBBggFBlAJRFJZRAxdDwkfHFkeHA8ZHF4YFFRYD1kJWlRYRlQYCw4dB1obBAgTC1oaBAwTAlkfAgsbAlkfAgsbAlkfAh1KUR1GXVVCVlQeAgMTAFkcFFdKXA4SAwkeAE9MXl9KRgwSFEhfUx1KDwsNWxkSFEhFbRldW01CXgxIVwYaBU9cXGRbQAZBU1ZOD1gfFEhFbRldXU9SQgwSAB1YXDZOQF5KD1kJQVV0UQVGV1VfXBxCDwoNQQdwXlJGWx0SBx1JWw5aQl9KRgwSApw= HTTP/1.1[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Rising)[...]Host: cloud.rising.com.cn[...]Connection: Keep-Alive

• tcp 211.103.159.106 (cloud.rising.com.cn) :80 ---> 192.168.133.245:49204

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:53 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Set-Cookie: ASP.NET_SessionId=dpghqfb0yx24xuy3a0phsp45; path=/; HttpOnly[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Content-Length: 2[...]okHTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 22:19:53 GMT[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]X-AspNet-Version: 2.0.50727[...]Set-Cookie: ASP.NET_SessionId=dpghqfb0yx24xuy3a0phsp45; path=/; HttpOnly[...]Cache-Control: private[...]Content-Type: text/html; charset=utf-8[...]Content-Length: 2

• tcp 192.168.133.245:49205 ---> 125.75.32.252 (rscloud.rising.net.cn) :80

GET /cloud.html HTTP/1.1[...]Host: rscloud.rising.net.cn[...]Accept: */*

• tcp 125.75.32.252 (rscloud.rising.net.cn) :80 ---> 192.168.133.245:49205

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 14:17:21 GMT[...]Content-Length: 1[...]Content-Type: text/html[...]Last-Modified: Tue, 19 Jul 2011 09:16:39 GMT[...]Accept-Ranges: bytes[...]ETag: "b219991f445cc1:fe8"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Age: 28967[...]X-Via: 1.1 lzhdx116:1 (Cdn Cache Server V2.0)[...]Connection: keep-alive

• tcp 192.168.133.245:49206 ---> 125.75.32.252 (rscloud.rising.net.cn) :80

GET /navigate.xml HTTP/1.1[...]Host: rscloud.rising.net.cn[...]Accept: */*

• tcp 125.75.32.252 (rscloud.rising.net.cn) :80 ---> 192.168.133.245:49206

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 18:46:25 GMT[...]Content-Length: 251[...]Content-Type: text/xml[...]Last-Modified: Fri, 07 Jun 2013 04:32:16 GMT[...]Accept-Ranges: bytes[...]ETag: "fc468bfd3763ce1:fe8"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Age: 1[...]X-Via: 1.1 lzhdx117:6 (Cdn Cache Server V2.0)[...]Connection: keep-alive[...]<?xml version="1.0" encoding="UTF-8"?>[...]<CONFIG>[...]<SWITCH DEFAULTON="100" CACHELIFE="15" CACHEKN="360" CACHEUN="8"></SWITCH>[...]<SEARCH>http://q.rising.cn/cloud/s.php</SEARCH>[...]<SEARCHSUP>http://q.rising.cn/cloud/m.php</SEARCHSUP>[...]</CONFIG>

• tcp 192.168.133.245:49208 ---> 125.75.32.252 (rscloud.rising.net.cn) :80

GET /navigate_oswhite.xml HTTP/1.1[...]Host: rscloud.rising.net.cn[...]Accept: */*

• tcp 192.168.133.245:49209 ---> 125.75.32.252 (rscloud.rising.net.cn) :80

GET /navigate_sign.xml HTTP/1.1[...]User-Agent: Mozilla/4.0[...]Host: rscloud.rising.net.cn[...]Cache-Control: no-cache[...]GET /navigate_up.xml HTTP/1.1[...]User-Agent: Mozilla/4.0[...]Host: rscloud.rising.net.cn[...]Cache-Control: no-cache

• tcp 125.75.32.252 (rscloud.rising.net.cn) :80 ---> 192.168.133.245:49208

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 18:46:35 GMT[...]Content-Length: 159[...]Content-Type: text/xml[...]Last-Modified: Mon, 24 Dec 2012 10:11:34 GMT[...]Accept-Ranges: bytes[...]ETag: "622064dbfe1cd1:fe8"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Age: 1[...]X-Via: 1.1 lzhdx115:9 (Cdn Cache Server V2.0)[...]Connection: keep-alive[...]<?xml version="1.0" encoding="UTF-8"?>[...]<CONFIG>[...]<SWITCH DEFAULTON="100"></SWITCH>[...]<UPGRADE>http://q.rising.cn/cloud/oswhite.php</UPGRADE>[...]</CONFIG>

• tcp 125.75.32.252 (rscloud.rising.net.cn) :80 ---> 192.168.133.245:49209

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 19:47:23 GMT[...]Content-Length: 200[...]Content-Type: text/xml[...]Last-Modified: Mon, 24 Dec 2012 10:11:33 GMT[...]Accept-Ranges: bytes[...]ETag: "b814b6cbfe1cd1:fe8"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Age: 1[...]X-Via: 1.1 lzhdx115:1 (Cdn Cache Server V2.0)[...]Connection: keep-alive[...]<?xml version="1.0" encoding="UTF-8"?>[...]<CONFIG>[...]<SWITCH DEFAULTON="100"></SWITCH>[...]<KEY>http://q.rising.cn/cloud/signgk.php</KEY>[...]<UP>http://q.rising.cn/cloud/signup.php</UP>[...]</CONFIG>HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 19:47:24 GMT[...]Content-Length: 235[...]Content-Type: text/xml[...]Last-Modified: Mon, 24 Dec 2012 10:11:33 GMT[...]Accept-Ranges: bytes[...]ETag: "d6991cdbfe1cd1:fe8"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Age: 1[...]X-Via: 1.1 lzhdx108:3 (Cdn Cache Server V2.0)[...]Connection: keep-alive[...]<?xml version="1.0" encoding="utf-8" ?>[...]<CONFIG>[...]<REPORT DEFAULTON="100"></REPORT>[...]<MD5SWITCH DEFAULTON="100"></MD5SWITCH>[...]<URL>[...]<WITHFILE>http://211.103.159.113/cloud11infoup/cloudinfopage.aspx</WITHFILE>[...]</URL>[...]</CONFIG>HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 19:47:24 GMT[...]Content-Length: 235[...]Content-Type: text/xml[...]Last-Modified: Mon, 24 Dec 2012 10:11:33 GMT[...]Accept-Ranges: bytes[...]ETag: "d6991cdbfe1cd1:fe8"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Age: 1[...]X-Via: 1.1 lzhdx108:3 (Cdn Cache Server V2.0)[...]Connection: keep-alive[...]<?xml version="1.0" encoding="utf-8" ?>[...]<CONFIG>[...]<REPORT DEFAULTON="100"></REPORT>[...]<MD5SWITCH DEFAULTON="100"></MD5SWITCH>[...]<URL>[...]<WITHFILE>http://211.103.159.113/cloud11infoup/cloudinfopage.aspx</WITHFILE>[...]</URL>[...]</CONFIG>

• tcp 192.168.133.245:49210 ---> 125.75.32.252 (rscloud.rising.net.cn) :80

GET /navigate_bwfix.xml HTTP/1.1[...]Host: rscloud.rising.net.cn[...]Accept: */*

• tcp 125.75.32.252 (rscloud.rising.net.cn) :80 ---> 192.168.133.245:49210

HTTP/1.1 200 OK[...]Date: Tue, 23 May 2017 20:48:55 GMT[...]Content-Length: 157[...]Content-Type: text/xml[...]Last-Modified: Mon, 24 Dec 2012 10:11:33 GMT[...]Accept-Ranges: bytes[...]ETag: "a475d7cbfe1cd1:fe8"[...]Server: Microsoft-IIS/6.0[...]X-Powered-By: ASP.NET[...]Age: 1[...]X-Via: 1.1 lzhdx114:6 (Cdn Cache Server V2.0)[...]Connection: keep-alive[...]<?xml version="1.0" encoding="UTF-8"?>[...]<CONFIG>[...]<SWITCH DEFAULTON="100"></SWITCH>[...]<UPGRADE>http://q.rising.cn/cloud/bwfix.php</UPGRADE>[...]</CONFIG>

• udp 192.168.133.1:5355 ---> 192.168.133.245:57603

in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.245:54396**

  arpa

- **udp 192.168.133.254:67 ---> 192.168.133.245:68**

  localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T4 (in process P0, cebo.exe)
• Thread T5 (in process P0, cebo.exe)
• Thread T8 (in process P2, ravmond.exe)

• Thread' events

• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: T2)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: <pid>, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• Thread Create (Thread ID: T4)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCR\\CLSID\\{CAA2D3B1-4BB5-4a45-A17A-122773379D99} Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKCR\\CLSID\\{CAA2D3B1-4BB5-4a45-A17A-122773379D99}\\ProcID Type: REG_SZ, Length: 78, Data: {79565346-3893-5678-0000-000000000000})
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\Rising Type: REG_SZ, Length: 22, Data: Admin Test)
• RegDeleteValue (HKLM\\System\\CurrentControlSet\\services\\Rising)
• RegCreateKey (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw Desired Access: Maximum Allowed)
• RegCreateKey (HKCR\\CLSID Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828} Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw\\ProcInfo Type: REG_SZ, Length: 22, Data: 1495577909)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw\\ProcKind Type: REG_SZ, Length: 4, Data: 5)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw\\ProcDll Type: REG_SZ, Length: 22, Data: 1527200309)
• RegSetValue (HKCR\\CLSID\\{F1CF8F61-AB1D-11d4-ABBD-0050BACEC828}\\ProcKey Type: REG_SZ, Length: 74, Data: RzNBMlVLLUswUDBORC1MMEVGU1UtRkg1MzAw)
• RegCreateKey (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C} Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\RAV Type: REG_SZ, Length: 34, Data: eTukjtOpPmgbqA==)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\Title Type: REG_SZ, Length: 58, Data: eTukjtOppNmdhtHhpIKFrN2t/w==)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\InstallPath Type: REG_SZ, Length: 82, Data: eTukjtOpSXkfDiYBLWQJCDN2MHskMgg9C3UfADcd)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\ravmonexe Type: REG_SZ, Length: 50, Data: eTukjtOpHkg7LA49CAcoOQQ0)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\monServerName Type: REG_SZ, Length: 42, Data: eTukjtOpPlofIBceA0dV)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\monShowName Type: REG_SZ, Length: 50, Data: eTukjtOpPkg7YTI2Hl8kIgRJ)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\rstrayexe Type: REG_SZ, Length: 50, Data: eTukjtOpHlo5MwAqQkw1JHQ=)
• RegSetValue (HKCR\\CLSID\\{AC3909C5-DC79-47e5-86CA-7FB5C041A37C}\\regtray Type: REG_SZ, Length: 42, Data: eTukjtOpPkg7FTMSNUA=)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKLM\\SOFTWARE Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfgUn Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfgUn\\PreventUninstallSwitch\\PreventUninstallSwitch Type: REG_DWORD, Length: 4, Data: 1)
• Thread Create (Thread ID: T5)
• Process Create (C:\\Program Files\\Rising\\RAV\\ravmond.exe PID: P2, Command line: "C:\\Program Files\\Rising\\RAV\\ravmond.exe" -srv setup /SLIENCE)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread T3 (in process P0, cebo.exe)

• Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T3)

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: <pid>, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

• Thread T5 (in process P0, cebo.exe) description

• Thread's childs

• Thread T6 (in process P1, popwndexe.exe)

• Thread' events

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run\\RSDTRAY Type: REG_SZ, Length: 88, Data: "C:\\Program Files\\Rising\\RSD\\popwndexe.exe")
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\DisplayName Type: REG_SZ, Length: 68, Data: Rising Software Deployment System)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\InstallLocation Type: REG_SZ, Length: 56, Data: C:\\Program Files\\Rising\\RSD)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\DisplayVersion Type: REG_SZ, Length: 24, Data: 23.00.01.03)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\DisplayIcon Type: REG_SZ, Length: 76, Data: C:\\Program Files\\Rising\\RSD\\Setup.exe)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\UninstallString Type: REG_SZ, Length: 128, Data: "C:\\Program Files\\Rising\\RSD\\Setup.exe" /UNINSTALL /PRODUCT=RSD)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\Publisher Type: REG_SZ, Length: 88, Data: Beijing Rising Information Technology, Inc.)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RSD\\URLInfoAbout Type: REG_SZ, Length: 46, Data: http://help.ikaka.com/)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\AppCompatFlags\\Compatibility Assistant Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\AppCompatFlags\\Compatibility Assistant\\ExecutablesToExclude Type: REG_MULTI_SZ, Length: 78, Data: C:\\Program Files\\Rising\\RSD\\Setup.exe)
• Process Create (C:\\Program Files\\Rising\\RSD\\popwndexe.exe PID: P1, Command line: "C:\\Program Files\\Rising\\RSD\\popwndexe.exe")
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\(Default) Type: REG_SZ, Length: 68, Data: Rising Software Deployment System)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\name Type: REG_SZ, Length: 44, Data: Rising AntiVirus 2012)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\installpath Type: REG_SZ, Length: 56, Data: C:\\Program Files\\Rising\\RAV)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\type Type: REG_SZ, Length: 6, Data: 17)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\datapath Type: REG_SZ, Length: 52, Data: C:\\ProgramData\\Rising\\RAV)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\Version Type: REG_SZ, Length: 24, Data: 24.00.43.49)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\DisplayName Type: REG_SZ, Length: 68, Data: Rising Software Deployment System)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\InstallLocation Type: REG_SZ, Length: 56, Data: C:\\Program Files\\Rising\\RAV)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\DisplayVersion Type: REG_SZ, Length: 24, Data: 24.00.43.49)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\DisplayIcon Type: REG_SZ, Length: 76, Data: C:\\Program Files\\Rising\\RSD\\Setup.exe)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\UninstallString Type: REG_SZ, Length: 128, Data: "C:\\Program Files\\Rising\\RSD\\Setup.exe" /UNINSTALL /PRODUCT=RAV)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\Publisher Type: REG_SZ, Length: 88, Data: Beijing Rising Information Technology, Inc.)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\RAV\\URLInfoAbout Type: REG_SZ, Length: 46, Data: http://help.ikaka.com/)
• RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\Description Type: REG_SZ, Length: 2, Data:)
• RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\Path Type: REG_SZ, Length: 82, Data: C:\\Program Files\\Rising\\RAV\\nprising.dll)
• RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\Vender Type: REG_SZ, Length: 14, Data: Rising)
• RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\MimeType\\(Default) Type: REG_SZ, Length: 2, Data:)
• RegSetValue (HKLM\\SOFTWARE\\MozillaPlugins\\@rising.com.cn/nprising\\MimeType\\application/x-rs-extension\\(Default) Type: REG_SZ, Length: 2, Data:)
• RegSetValue (HKCU\\Software\\MozillaPlugins\\@rising.com.cn/nprising\\Path Type: REG_SZ, Length: 82, Data: C:\\Program Files\\Rising\\RAV\\nprising.dll)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\SrpProtect Type: REG_MULTI_SZ, Length: 56, Data: 11c176b2, 920e004c, 70ffc5d4)

• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\AppProtect Type: REG_MULTI_SZ, Length: 56, Data: 11c176b2, 920e004c, 70ffc5d4)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\DebugLevel Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\DependOnService Type: REG_MULTI_SZ, Length: 2, Data:)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Description Type: REG_SZ, Length: 58, Data: Rising System Monitor Driver)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Group Type: REG_SZ, Length: 36, Data: Boot Bus Extender)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Tag Type: REG_DWORD, Length: 4, Data: 4)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Start Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Type Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Instances\\DefaultInstance Type: REG_SZ, Length: 14, Data: sysmon)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Instances\\sysmon\\Altitude Type: REG_SZ, Length: 14, Data: 370070)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Instances\\sysmon\\Flags Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\DLibPath Type: REG_SZ, Length: 76, Data: C:\\Program Files\\Rising\\RAV\\rsdll.dll)
• RegSetValue (HKLM\\System\\CurrentControlSet\\services\\sysmon\\Function Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\Software\\Rising\\RAV\\cfg Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\ver Type: REG_DWORD, Length: 4, Data: 24)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\pro_path Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\pro_path\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\pro_path\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\reg_path Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\reg_path\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\BRScan\\reg_path\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Count Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Count\\(Default) Type: REG_DWORD, Length: 4, Data: 592)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\EngDelay Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\EngDelay\\(Default) Type: REG_DWORD, Length: 4, Data: 256)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\HTTP\\Mode\\(Default) Type: REG_SZ, Length: 18, Data: Post)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\DelayCloud Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\DelayCloud\\(Default) Type: REG_DWORD, Length: 4, Data: 1280)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\Radio Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\KillTroy\\Radio\\(Default) Type: REG_DWORD, Length: 4, Data: 5)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\bxfix Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\bxfix\\(Default) Type: REG_SZ, Length: 190, Data: http://rscloud.rising.net.cn/navigate_bwfix.xml)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\navig Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\navig\\(Default) Type: REG_SZ, Length: 166, Data: http://rscloud.rising.net.cn/navigate.xml)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\oswhite Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\oswhite\\(Default) Type: REG_SZ, Length: 198, Data: http://rscloud.rising.net.cn/navigate_oswhite.xml)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\conntest Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudQuery\\NavigateXml\\conntest\\(Default) Type: REG_SZ, Length: 158, Data: http://rscloud.rising.net.cn/cloud.html)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\JoinImprovementPlan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\JoinImprovementPlan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudDefence Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudDefence\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudEngine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\Default\\UseCloudEngine\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\JoinImprovementPlan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\JoinImprovementPlan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudDefence Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudDefence\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudEngine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\CloudSafe\\UseCloudEngine\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\Enable Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\Enable\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\Enable\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\State Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\EnhancedSelfProtect\\State\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Enable Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Enable\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingPath Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PollingPath\\(Default) Type: REG_SZ, Length: 4, Data: ;)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PopupInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\PopupInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 600)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Baidu Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Baidu\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\Baidu\\(Default) Type: REG_DWORD, Length: 4, Data: 14400)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\BaiduInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\BaiduInterval\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\BaiduInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 900)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgr Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgr\\(Default) Type: REG_DWORD, Length: 4, Data: 14400)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgrInterval Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\IntegrityDetection\\QQMgrInterval\\(Default) Type: REG_DWORD, Length: 4, Data: 900)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\GlobalCache Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\GlobalCache\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\GlobalCache\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\UninstallProtect Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\UninstallProtect\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\UninstallProtect\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\REGO Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\REGO\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\REGO\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\BRScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\BRScan\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\BRScan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoTrayIcon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoTrayIcon\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoTrayIcon\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoBacore Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoBacore\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Features\\NoBacore\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowAgent Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowAgent\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowLogonIcon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowLogonIcon\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowLogonIcon\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowScanAd Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ShowScanAd\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ScanResultCountPerPage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\Default\\ScanResultCountPerPage\\(Default) Type: REG_DWORD, Length: 4, Data: 268435455)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowAgent Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowAgent\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowLogonIcon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowLogonIcon\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowLogonIcon\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowScanAd Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ShowScanAd\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ScanResultCountPerPage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\Personality\\ScanResultCountPerPage\\(Default) Type: REG_DWORD, Length: 4, Data: 268435455)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default\\KeepDays Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default\\KeepDays\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\Default\\KeepDays\\(Default) Type: REG_DWORD, Length: 4, Data: 60)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\KeepDays Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\KeepDays\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsLog\\KeepDays\\(Default) Type: REG_DWORD, Length: 4, Data: 60)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\verdict_vir_found\\ver Type: REG_DWORD, Length: 4, Data: 2)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\bamon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\sites Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\sites\\ver Type: REG_DWORD, Length: 4, Data: 16)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\eshopmon\\sites\\(Default) Type: REG_BINARY, Length: 27.320, Data: D8 6D 9D 5B 51 7F 00 00 2A 00 2E 00 74 00 61 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\mode\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\mode\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\file_ext_filter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\file_ext_filter\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\filemon\\file_ext_filter\\(Default) Type: REG_SZ, Length: 962, Data: VBS;VBE;JS;JSE;LSP;FAS;ASP;HTT;HTA;CSS;WSH;MHT;JSP;PHP;HTM;HTML;RB;LUA;PY;EXE;COM;SYS;VXD;DRV;DLL;BIN;OVL;386;FON;DOC;DOT;XLS;XLT;PPT;BAT;SCT;OCX;CPL;LNK;EML;NWS;PIF;SHS;MAI;SCR;ZIP;7Z;ARJ;BZ2;BZIP2;CAB;GZ;GZIP;HFS;ISO;LHA;LZH;LZMA;RAR;TAR;)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\homepageguard\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\port_list Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\port_list\\(Default) Type: REG_SZ, Length: 58, Data: 110=110|25=120)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\mailmon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\exploit_scan_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\exploit_scan_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\officemon\\app_filters\\(Default) Type: REG_BINARY, Length: 4, Data: 00 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\attach_scan_mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\attach_scan_mode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\autorun_disable_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\autorun_disable_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\rdisk_exec_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\rdisk_exec_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\scan_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rdskmon\\scan_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 30000)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rs_processes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\rs_processes\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_registries Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\protect_registries\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\selfdef\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\func Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\func\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\vpatchmon\\func\\(Default) Type: REG_DWORD, Length: 4, Data: 3)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\scriptmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\scriptmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_filters\\ver Type: REG_DWORD, Length: 4, Data: 5)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\webmon\\app_filters\\(Default) Type: REG_BINARY, Length: 112, Data: 2D 00 2D 00 74 00 79 00 70 00 65 00 3D 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\level Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\level\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\zone Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\zone\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\whitemask Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\whitemask\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\whitemask\\(Default) Type: REG_DWORD, Length: 4, Data: 25)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\writelog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\writelog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Default\\kernelreinforce\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\antipromotionmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\antipromotionmon\\intercept Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\antipromotionmon\\intercept\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\verdict_vir_found\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\bamon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\sites Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\sites\\ver Type: REG_DWORD, Length: 4, Data: 16)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\eshopmon\\sites\\(Default) Type: REG_BINARY, Length: 27.320, Data: D8 6D 9D 5B 51 7F 00 00 2A 00 2E 00 74 00 61 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\mode\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\mode\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\file_ext_filter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\file_ext_filter\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\filemon\\file_ext_filter\\(Default) Type: REG_SZ, Length: 962, Data: VBS;VBE;JS;JSE;LSP;FAS;ASP;HTT;HTA;CSS;WSH;MHT;JSP;PHP;HTM;HTML;RB;LUA;PY;EXE;COM;SYS;VXD;DRV;DLL;BIN;OVL;386;FON;DOC;DOT;XLS;XLT;PPT;BAT;SCT;OCX;CPL;LNK;EML;NWS;PIF;SHS;MAI;SCR;ZIP;7Z;ARJ;BZ2;BZIP2;CAB;GZ;GZIP;HFS;ISO;LHA;LZH;LZMA;RAR;TAR;)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\homepageguard\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\notify_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\notify_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 131072)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\port_list Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\port_list\\(Default) Type: REG_SZ, Length: 58, Data: 110=110|25=120)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\verdict_vir_found Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\mailmon\\verdict_vir_found\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\exploit_scan_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\exploit_scan_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\officemon\\app_filters\\(Default) Type: REG_BINARY, Length: 4, Data: 00 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\attach_scan_mode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\attach_scan_mode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\autorun_disable_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\autorun_disable_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\rdisk_exec_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\rdisk_exec_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\scan_timeout Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rdskmon\\scan_timeout\\(Default) Type: REG_DWORD, Length: 4, Data: 30000)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rs_processes Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\rs_processes\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_registries Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\protect_registries\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\silent_competitor Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\selfdef\\silent_competitor\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\func Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\func\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\vpatchmon\\func\\(Default) Type: REG_DWORD, Length: 4, Data: 3)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_pathnames Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_pathnames\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\instrmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\instrmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\scriptmon_state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\scriptmon_state\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_filters Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_filters\\ver Type: REG_DWORD, Length: 4, Data: 5)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\webmon\\app_filters\\(Default) Type: REG_BINARY, Length: 112, Data: 2D 00 2D 00 74 00 79 00 70 00 65 00 3D 00 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\state Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\state\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\state\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\level Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\level\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\zone Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\zone\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\whitemask Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\whitemask\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\whitemask\\(Default) Type: REG_DWORD, Length: 4, Data: 25)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\writelog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\writelog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\notify_user Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\kernelreinforce\\notify_user\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features\\UrlLogging Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features\\UrlLogging\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsmonService\\Features\\UrlLogging\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 4)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\UseAI\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\FileMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AutoTreatInfected\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\MailMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\FileNameFilter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\FileNameFilter\\(Default) Type: REG_SZ, Length: 38, Data: .exe|.dll)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\MaxScanDeep Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\MaxScanDeep\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanRemovableStorage\\MaxScanDeep\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AutoTreatInfected\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\SmartScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\SmartScan\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\SmartScan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\TaskRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BankProtRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan\\State Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan\\State\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\BackgroundScan\\State\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\Report Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\Report\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DenferTime Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\Default\\ScanReportRoutine\\DenferTime\\(Default) Type: REG_DWORD, Length: 4, Data: 255)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 4)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\UseAI\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\FileMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\MailMonRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\FileNameFilter Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\FileNameFilter\\(Default) Type: REG_SZ, Length: 38, Data: .exe|.dll)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\MaxScanDeep Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\MaxScanDeep\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanRemovableStorage\\MaxScanDeep\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AutoTreatInfected\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\SmartScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\SmartScan\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\SmartScan\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AlertSound Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AlertSound\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\AlertSound\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PreciseFormat Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PreciseFormat\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\TaskRoutine\\PreciseFormat\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\OnlyScanPopMalware\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)

• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\PackageSizeLimit\\ver Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\DisableLog\\ver Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BankProtRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan\\State Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan\\State\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\BackgroundScan\\State\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\AutoTreatInfected Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\AutoTreatInfected\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\OnlyScanPopMalware Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\OnlyScanPopMalware\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\PackageSizeLimit Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\PackageSizeLimit\\(Default) Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\UseAI Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\UseAI\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\Report Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\Report\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DisableLog Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DisableLog\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DenferTime Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RssService\\ScanReportRoutine\\DenferTime\\(Default) Type: REG_DWORD, Length: 4, Data: 255)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\InsufficientSpaceHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\InsufficientSpaceHandleMethod\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\InsufficientSpaceHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\LargeFileHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\LargeFileHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\SmartRelocate Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\Default\\SmartRelocate\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\InsufficientSpaceHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\InsufficientSpaceHandleMethod\\ver Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\InsufficientSpaceHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\LargeFileHandleMethod Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\LargeFileHandleMethod\\(Default) Type: REG_DWORD, Length: 4, Data: 2)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\SmartRelocate Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\RsStore\\SmartRelocate\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\Password Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\Password\\(Default) Type: REG_SZ, Length: 2, Data:)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\ProtectType Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\Default\\ProtectConfig\\ProtectType\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\Password Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\Password\\(Default) Type: REG_SZ, Length: 2, Data:)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\ProtectType Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\SoftwareSafe\\ProtectConfig\\ProtectType\\(Default) Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WhiteList Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WhiteList\\TrustedFiles Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WhiteList\\TrustedFiles\\(Default) Type: REG_BINARY, Length: 2, Data: 00 00)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\AutoEnterSilenceMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\AutoEnterSilenceMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\CurrentWorkMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\CurrentWorkMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\AutoEnterSilenceMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\AutoEnterSilenceMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\CurrentWorkMode Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\rising\\RAV\\cfg\\WorkMode\\Default\\CurrentWorkMode\\(Default) Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\rscommon\\datapath Type: REG_SZ, Length: 58, Data: C:\\ProgramData\\Rising\\common)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\LockTab Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\TabUrl Type: REG_SZ, Length: 106, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWHUgLEkobXUUIC0el)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Enable Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url Type: REG_SZ, Length: 82, Data: aqceZAduQEZGXRpFB1pTQg4YQUFbQ0dES1wdVQ==)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url1 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BV6w=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url2 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BVKM=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url3 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BVaI=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url6 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BUKc=)
• RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url8 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BXqU=)

- RegSetValue (HKLM\\SOFTWARE\\rising\\lockie\\Url9 Type: REG_SZ, Length: 90, Data: vu8Pf/HGDl8NAxdTSUMYHAMOD1gQHUpSBUVWTE9BX6Q=)

• Thread T6 (in process P1, popwndexe.exe) description

• Thread's childs

- Thread T7 (in process P1, popwndexe.exe)

• Thread' events

- Thread Create (Thread ID: T7)

• Thread T7 (in process P1, popwndexe.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T8 (in process P2, ravmond.exe) description

• Thread's childs

- Thread T9 (in process P2, ravmond.exe)

• Thread' events

- Thread Create (Thread ID: T9)

• Thread T9 (in process P2, ravmond.exe) description

• Thread's childs

- Thread T10 (in process P2, ravmond.exe)

• Thread' events

- Thread Create (Thread ID: T10)

• Thread T10 (in process P2, ravmond.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 211.103.159.78:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.78:http (181))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.78:http (298))
- TCP Connect (javi-PC.localdomain:dynport-> 211.103.159.73:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.73:http (583))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.73:http (220))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.78:http (236))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.78:http (231))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.73:http (587))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.73:http (220))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.78:http (409))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.78:http (835))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.73:http (385))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.73:http (466))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.73:http (205))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.73:http (556))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.73:http (247))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.73:http (306))
- TCP Connect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 106.2.232.99:http (164))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (1024))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (436))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (207))
- TCP Disconnect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 106.2.232.99:http (278))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (1024))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (376))
- TCP Disconnect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 106.2.232.99:http (278))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (1024))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (436))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (207))
- TCP Disconnect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 106.2.232.99:http (278))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (1024))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (436))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.99:http (207))
- TCP Disconnect (javi-PC.localdomain:dynport-> 106.2.232.99:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 106.2.232.100:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 106.2.232.100:http (278))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (1024))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (436))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (207))
- TCP Disconnect (javi-PC.localdomain:dynport-> 106.2.232.100:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 106.2.232.100:http (0))

- TCP Send (javi-PC.localdomain:dynport-> 106.2.232.100:http (278))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (1024))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (436))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (207))
- TCP Disconnect (javi-PC.localdomain:dynport-> 106.2.232.100:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 106.2.232.100:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 106.2.232.100:http (278))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (1024))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (436))
- TCP Receive (javi-PC.localdomain:dynport-> 106.2.232.100:http (207))
- TCP Disconnect (javi-PC.localdomain:dynport-> 106.2.232.100:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.73:http (175))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.73:http (906))
- TCP Connect (javi-PC.localdomain:dynport-> 211.103.159.106:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.106:http (564))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.106:http (294))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.78:http (236))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.78:http (231))
- TCP Send (javi-PC.localdomain:dynport-> 211.103.159.73:http (559))
- TCP Receive (javi-PC.localdomain:dynport-> 211.103.159.73:http (220))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000050c60000b0000001308690001000000 8e170f001d00000083085f000300000083085d001000000013085d000200 0000fa2319000500000000000100fd0000008e176000580000008e175f009c000000ec0b5e00010000008e175a00

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds | wellknown extension: +http://ts-crl.ws.symantec.com/tss-ca-g2.crl0(
• url | http tag | valid domain | tlds | wellknown extension: +http://ts-aia.ws.symantec.com/tss-ca-g2.cer0<
• url | http tag | valid domain | tlds | wellknown extension: +http://ts-crl.ws.symantec.com/tss-ca-g2.crl0(
• url | http tag | valid domain | tlds | wellknown extension: +http://ts-aia.ws.symantec.com/tss-ca-g2.cer0<
• url | http tag | valid domain | tlds: 2Terms of use at https://www.verisign.com/rpa (c)101.0,
• url | http tag | valid domain | tlds: #http://crl.verisign.com/pca3-g5.crl04
• url | http tag | valid domain | tlds: #http://logo.verisign.com/vslogo.gif04
• url | http tag | valid domain | tlds: https://www.verisign.com/rpa0
• url | http tag | valid domain | tlds: https://www.verisign.com/cps0*
• url | http tag | valid domain | tlds: 2Terms of use at https://www.verisign.com/rpa (c)101.0,
• url | http tag | valid domain | tlds: http://sf.symcb.com/sf.crt0
• url | http tag | valid domain | tlds: https://d.symcb.com/rpa0
• url | http tag | valid domain | tlds: https://d.symcb.com/cps0%
• url | http tag | valid domain | tlds: http://sf.symcb.com/sf.crl0f
• url | http tag | valid domain | tlds: 2Terms of use at https://www.verisign.com/rpa (c)101.0,
• url | http tag | valid domain | tlds: http://ts-ocsp.ws.symantec.com07
• url | http tag | valid domain | tlds: .http://crl.thawte.com/ThawteTimestampingCA.crl0
• url | http tag | valid domain | tlds: 2Terms of use at https://www.verisign.com/rpa (c)101.0,
• url | http tag | valid domain | tlds: #http://crl.verisign.com/pca3-g5.crl04
• url | http tag | valid domain | tlds: #http://logo.verisign.com/vslogo.gif04
• url | http tag | valid domain | tlds: https://www.verisign.com/rpa0
• url | http tag | valid domain | tlds: https://www.verisign.com/cps0*
• url | http tag | valid domain | tlds: 2Terms of use at https://www.verisign.com/rpa (c)101.0,
• url | http tag | valid domain | tlds: http://sf.symcb.com/sf.crt0
• url | http tag | valid domain | tlds: https://d.symcb.com/rpa0
• url | http tag | valid domain | tlds: https://d.symcb.com/cps0%
• url | http tag | valid domain | tlds: http://sf.symcb.com/sf.crl0f
• url | http tag | valid domain | tlds: 2Terms of use at https://www.verisign.com/rpa (c)101.0,
• url | http tag | valid domain | tlds: #http://logo.verisign.com/vslogo.gif04
• url | http tag | valid domain | tlds: https://www.verisign.com/cps0
• url | http tag | valid domain | tlds: http://crl.verisign.com/pca3.crl0
• url | http tag | valid domain | tlds: http://ts-ocsp.ws.symantec.com07
• url | http tag | valid domain | tlds: .http://crl.thawte.com/ThawteTimestampingCA.crl0
• url | http tag | valid domain | tlds: http://center.rising.com.cn/urg.asp?v=%s&t;=%s&a;=%s
• url | valid domains | tlds: .Gi#O$@$

- url | valid domains | tlds: .CK/
- url | valid domains | tlds: T@M.Ng
- url | valid domains | tlds: n.gq
- url | valid domains | tlds: >.gn
- url | valid domains | tlds: K.IL
- url | valid domains | tlds: 7.IM
- url | valid domains | tlds:]>!.gB
- url | valid domains | tlds: y.SZ
- url | valid domains | tlds: ej.CC
- url | valid domains | tlds: 7.bi
- url | valid domains | tlds: ;.bd/
- url | valid domains | tlds: Dhttp://crl.microsoft.com/pki/crl/products/MicrosoftCodeVerifRoot.crl0
- url | valid domains | tlds: ~mM.Bv
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: =.vC
- api | frequently used by malware: GetAdaptersInfo
- api | frequently used by malware: @Sleep...%d
- api | frequently used by malware: OpenThread
- api | frequently used by malware: Thread32First
- api | frequently used by malware: Thread32Next
- api | frequently used by malware: CreateToolhelp32Snapshot
- url | http tag: http://ocsp.verisign.com0
- url | http tag: http://sf.symcd.com0&
- url | http tag: http://ocsp.thawte.com0
- url | http tag: http://ocsp.verisign.com0
- url | http tag: http://sf.symcd.com0&
- url | http tag: http://ocsp.verisign.com0>
- url | http tag: http://ocsp.thawte.com0
- path | path unit: C:\\DistributedAutoLink\\Temp\\CompileOutputDir\\7zSfx.pdb
- path | path unit: C:\\Temp
- path | path unit: c:\\%s
- api | ntdll: .log
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: FlsAlloc
- api | kernel32: FlsGetValue
- api | kernel32: FlsSetValue
- api | kernel32: FlsFree
- api | urlmon: CMy7z::Extract
- api | urlmon: Extract Error
- api | kernel32: GetDiskFreeSpaceA
- api | kernel32: GetDiskFreeSpaceExA
- api | ntdll: \\Rs7zSfx.log
- api | ntdll: 2.log
- api | ntdll: .log
- api | kernel32: CreateFileA
- api | kernel32: CreateFileW

• Module 1 other strings

- <<<Obsolete>>
- <<<Obsolete>>

- root\\cimv2
- Select * from
- gunknown
- APPMD
- ALZMA
- ALZMA2
- Delta
- ACopy
- Swap2
- ASwap4
- IA64
- ARMT
- ASPARC
- ABCJ2
- :mem
- pass
- BreduceSize
- [Content]
- G.U"
- K@A|
- 4391
- EdV^
- a$bj
- g4xf
- j6\t3
- gGlhE
- 4lxG
-)teR
- o\t[p
- lUPqN
- `AzS
- >`CIf
- P8g
- e#!>C
- jPw6N6
-)o#o
- kW.a
- 3n;l %
- WRm3(
- obdQc
- HaPm
- Pef3y
- V47"
- JC~5
- xA%W
- 8?pi
- 3"--
- 2jjC
- Q\t%3=
- m,Vi
- i6&q;
- coLV
- :1"S
- EvN5h
- sv}%I
- E}w/g
- f9{f

- F"e}u)
- F99F
- ~6F\tI
- ({1G
- }UC|
- y~f7
- \\EnWi!s/
- 0YxI
- eb`j
- O6z[
- 6mBj
- ~mJ9
- V=Q\ti
- uG#G;
- AJil:
- >u*o
- U(TA
- 2C.j"
- m9f1~
- hNx3-
- q\\yE 9o
- IYG&
- W^26
- /M5{3
- d,LA
- ?3;z
- X5V:
- tU/7
- hJ/&a;
- K6$XvQu
- _#zA
- . rCE3
- `Um4
- #is4Okk!*
- 75&zZ;
- *m9g
- ,h5Jv
- "\\;6
- `aEA
- F90b
- 1P:-
- =1m>
- >S_V9
- G3)-
- n1r&
- \\|4"
- 7r6s
- vHzE
- 1]pF
- 1(@Z=
- 7%+1_
- e.SF
- s(1v
- i8?7Y
- (#5o
- Y(Fu#
- <:1'W

- Bw2e
- v-!9s
- |m:1'
- 10M"H
- *14*
- |5703e
- ly?0
- ,3]A
- 0a#<
- (93c
- ogqh
- 0M(\\
- n81o5
- 0${&
- 1j_V
- E/4S_aw
- KiUl
- ~I)%
- E]*\\W
- a:<]
- '=k41
- Qu?xu
- D16$MG/(
- BOi=.r
- UyQv
- !zz4
- _1)[
- $I'qf
- eux?]
- EzQSZ4K}
- A(]F
- YivT
- IF$KG
- (uVq
- 7USj
- 1z\tk
- E~kdw
- MrK21B\\
- o9%8v
- |Qu
- HHI
- i]L@
- }82=|
- 4t=A~_
- }cH7
- %$0f
- CNka
- g!|7
- 9 nm
- KPD4
- DoVP
- l9sO
- i(K3
- W'm:U
- N0Q}
- FRWA
- F3Gm{6k

- F5qa
- :ox#s
- qjoK
- aib%tcAK
- 7v4O2
- 2/L?WLx5S
- 8iRu
- 1|yB`
- 7sum
- g6i|QN
- 1XC?C
- 6}Wge
- udF7P2JM
- .i5u
- 8o^(
- keml
- PR^5s
- 0Q *
- :X;a
- <b*4*
- FBWu
- w~in
- $E<-
- xDbi
- 6_na_\\
- mGo6
-)]Ie`
- EJ^t
- SGe*%0
-]Raa
- 2T2+
- `ScO
-]3g;+
- `0&!Q
- xU4_O2
- 8\\.,e
- hTS4
- 28cP
- W:73l1
-]7p'K
- Vz7o
- u9Oyx
- Qqf5
- !Oqr
- ECvY
- y|X1
- e{yp
- zQ@9E
- Q 0.
- :)&Ce;
- wLPe&
- .S/5
- =_/e
- $=GHo
- 0Y{f
- dS0"-
- Q&N3;

- 4?x"
- B> E
- M70-1L
- #Z5<
- fmTE
- :`0T
- :P9i
- 9<Wg9e
- 2}8@
- \\n+U
- /u2Y3
- =-!4S
- a.uL
- S=t1
- l'AE
- =0!
- l8|O
- .Ibc
- f,=#O
- <x6h,
- #)0>IW
- HW(6
- V7b?;6
- Ha]n
- VtkfE
- 5xxq
- Nze0
- 1jEN
- ;.Aum
- c`Eu
- n5Wq
- (ZVi
- #,68
- 2$$^-
- |x8a
- LK1'
- a#5DC
- DQiT
-)Fb1
- j#a_
- \\+#4
- 6714
- 995@}
- g9nO
- NE5`_
- #u?D
- lRT8
- 6m11
- 0hm;
- +mab
- oEx=
- MBO0
- yX40v
- jRxM4
- 3]j.
- HMhA
- Em';p

- V@/Z8
- AUU0
- FH.00
- >-#A0
- t1G23
-)J@)u
- Dj9I
- TOa]
- :3cQ7d
- iD9
- 80\\F
- 8@(^"
- [{iZ
- 46a`
- "4TN
- H2<..
- 37q]
- S!6O
- U;x}
- R0$L
- JQa{
- J2E0
- Z`b7F
- /5l*b
- V\\a>
- +&Uf;
- 8wir
- /1d(
- QJ7u
- GSoF^
- Vo<ot
- 38W+
- b5hl
- ez6k
- Zue9
- <Q7L
- 4CK7
- }.eNk^6E
- eGQA
- lw#u
- So;K
- 08?
- a2Kt
- x-\tU
- lh?A
- p5XF
- .7;u
- qRoF
- b$LlJ5j
- F:0D<
- o~N4T
- ;Jse,3
- 1+n4
- AbBS5
- [2wS/
- EqBi
- sO7$

- 1I%m'9
- vuy`
- 9EaU
- G&E1;'
- H9tn
- e\\6Mp
- 5tRC
- (u4?~
-)M&I;
- !P`8
- r48!*
- qOb:s`u
- 5<{D
- G}i_
- sq0j
- p0{\\r
- >%k9
- :DH1
- \\:r9&
- h0-~.
- F9am
- N6S}v
- 9Dv;
- H=3`a
- ebG?
- g[K!a
- ZIt^
- c'|3
- W3i>
- xROUC
- @BAm
- aY_,
- 8cmz
- X,IO
- d~4c<e(
- XC4.
- x7os
- F4VP=9
- /LA_
- iO$UI
- |3pV
- G?9.
- i5^qj
- G2`!o
- n\\BE
- Ve*/z
- 5RVr{
- `6u|3
- bb;9
- |$H9
- C}FE
- POU<t
- v]*A:n@e
- 1GeI
- UEl$
- 6)0r
- T(eP

- v$EC
- -::9
- :T0>8
- S[L1
- o78E
- FRJOV
- $]WAz3
-]NyO
- &k-;\li
- |`L1;)^I
- NB!)U72)(1
- `uCBd
- f//1
- F5AvI
- `Nu,I
- 85_'
- L}iU+
- I_IS
- oO~4
- GuX5
- 1 \\U
- pE\tmXB\t3
- $rEW
- c;I8
- 5xJe
- %QI*
- Ir9S
- BG6[
- 5uBT
- `4BUV
- $*'i}`3
- [^4?
- ORt'E
- TUkL
- t1"d
- h_`5
- I~ckvZo
- f3IN
- rw[oB;#8
- m4Qh
- 1DY/
- itAt
- >1wV
- 7:fb
- Y6BeI
- }Aqe\\
- d$-E
- ko:t%
- Zo5-
- :e++
- *O-Dba
- i-DF
- #uMd
- 0}|z6
- x\tD5
- ;coCj
- {9iK_i

- aR>mq
- =E*[
- ZOS2
- $K1.
- \\l\tUu
- 7TP.&
- imk?
- Ae<tb(z
- K9oK
- a--}q
- {eDh
- aI[:
- k^e/
- ?#eU
- u,QU
- nr_A1
- `11O
- 7AL`
- 35yg
- !iwC
- Ih6_
- >]U/
- --Ug
- ev&}
- .+<8
- :r64
- 51*oq
- -bu+
- .5p9
- L<Ga
- 7)z6d
- Fv3!
- O aA
- i|U9D
- =DU%]
- Xi_fT
- o^Yp
- 1~yq
- !%iE
- I8L>2
- 4JsL
- 4&ix;
- ID\tw
- j|q5
- .0l=h3
- 5\tAFk`i
- ,H"0
- *66,
- 4h4S
- {+3X
- 8~R`,
- $AWf
- 2laxJJ0
- (HU+s
- M4ml
- `s=U
- #YU\\z

- Y0weyw)
- u?"8m
- Ikh{2
- ;6~05
- .0dS
- =X6>@
- '@L+U
- g^R7
- D6m
- 5>9FY}t
- L"uO
- pi>'
- 0m:2
- I3s]
- jlT5
- T8z<5I)|
- O~eP]
- 3wj
- HG3+R
- Rf&U;
- !&giY;
- ex)[U$
- '#1;E
- @O<j
- 2*ay_+
- 2U5r
- 7!#-s
- O)Kw
- <UkJ6
- "BI9
- G*/Uo\\
- "!92
- 7e7H
- :_)7
- ZK,.9
- U9~(
- fW7A1:n
- TNSo
- 4Ar=XY
- A^FK
- ?E54Y
- G3T=
- 7Pqj
- b\\&A;
- /Y<0O
- L0yC
- 6Pwb
- XyePN
- 5/)<t
- 8P1s
- &U;&1;8
- zAH$
- =oWT
- x{in0
- I7d;
- L%pI+
- %AyZ

- >N\\O$i
- 2Om<
- `^9xJ
- xQX6
- u/CQ
- Mb\\1Y
- 9cXU
- I{PY
- Va6N
- (r*&O2;
- An0^
- u0T,b
- Cw1e~d
- b0#$
- $77{
- jW4B
- o=j0[#
- +oBt
- H47hR\\
- ~i=H
- 49YzbM'
- g`0T1C
- R+VUOM|
- fK5&
- k7c[V
- rgU{>'(1j
- `AY-
- zIT:[4
-]1`v
- p8s#
- 1I`bp
- e-W]
- 4&v;/
- TSO%
- p(aD
- FoaG
- K9'2
- `osEi9X
- 320f
- 7@N:
- ;8\\u
- UGK$
- 9G[s
- U\t,!n
- 9\tB,
- yLM7
- U`O?
- J]U1
- eMxPM
- x&U;(
- ojBT
- `-4/
- ~M4[UB
- $y/cI
- ./x`4
- 5*dHf
- cP>E~

- DpT7
- 35'9
- 0yGd'
- @IeZQ
- 'V34
- P.O`\\
- 1YpM
- <on(
- wRW5O
- %f.U
- B00NF
- j~e|
- {6OT
- uGpe
- o6'g
- KFUa&3
- E~Sm
- DjUE
- Qa)d
- 1z}f
- *wOK
- NMQ&e;
- {9Uy
- W"_j1
- p\\5h
- anKD>
- qiD|
- 9j?S
- >OW4
- A.Ot=_d
- `@bramo
- xakAX
- gOw0s
- Y I$
- p4 p
- ,i=u
- If[l
- 'i2<P
- o=evg
- Zq1]a:F
- j4Pr
- ?PeA<vcN
- En\te
- $3G`A}
- 6=#a
- r%$9_
- fum|G
- j}\tWa6
- el^!A]8t
- u$Cn
- Y]0WM
- !)4<
- /Oog
- Ne5q
- sGhEu
- 3al>
- L\t~2X

- 6eHsC
- O>Rv
- +M2N
- F 8h\\
- v'5Gh
- ~)e>
- v$O'
- _k3,
- O_E/;*
- 5v?4
- !!4J]
- =!b.8
- BCBO
- b3Bt
- 1^hj
- ,K\tE
- K36Z@
- <'a\\I%
- XZ8[y
- bc%(i
- Diurl
- \\U'9
- gwIt
- 27?+
- %)A.jE
- hMf0
- ;OEQ|5j=
- d%53
- ^Z;u
- "6HKE
- aXUw
- =a}x
- };8'
- o'h
- Bf=o
- ℑ
- 44gD
- lc+o
- IwTo!C
- 0?o#
- div?k
- P>AI
- (E<8QR
- 6:j)
- *4 y
- R?3.z5
- XH08
- Z+1j
- G-3C
-)Mi;
- Z|m(8
- "Y"@E
- ZiRjp
- VU'n7O^^
- c9pi
- 7:m(
-]3v$k

- Q`B2
- VAcj2j
- i!j<
- o\\2px6>
- yN5c
- Bew_
- U9a2Z
- y1;PP
- }KiT
- ;~35
- 1Q3/
- pv8g8
- T(A$
- @6[!
- Y2nOj{
- ,1as
- L=i,
- auw`t\\
- DU'Q
- SOh\\
- 51lCh,
- P8$y
- ocD9
- !4pI
- hIC>
- |5{H
- Q!O#
- -:n2
- LIAF
- 0L2$
- _@ eC
- 7J-s
- 2:\tX
- ~~udt
- $9iS
- vUwj
- E<Op
- 7:E#
- 43rk
-]p;U
- A&q;+
- BgcO]
- j3m:
- yLO
- MXUq
- s8Pn
- ?vIyR
- 0'bT4z
- }w A
- z\\jOb0
- {\t@0
- 3n6(
- rZ_IT
- x7+#
- !r-6
- a%_=
- vV}3

- :o5%=B
- P+M5?
- U]uP
- *yII-|
- +41f
- p$iN"
- 9U|M
- %'3+
- Ca
- ;J{U
- k%E|^
- exzG
- X tO
- ,E0h
- HA4zm"
- :$0.q
- ymu(
- U5&n;
- +=AS
- \\hU4C
- ec}V
- uBS[
- cvYO)
- G6W{!
- 5;AO
- .T0w
- +npE
- @me9
- il'R^e
- `tA6?
- ;-%a
- xIi}~
- }{1`
- Qe!?zUs
- DI2`;
- o?yfB
- 79Td
- Q>2)
- rsp9
- 4!'jk
-] 3.
- er=W
- oS,k
- on0M
- x[1E
- A=q>|
- 115ZJ
- ANx4
- ;\t+_i
-]^rRo
- BL4=(
- &.,U
- 1Xuth
- 121L
- wHe!
- |zAMY
- 87v<

- 7Qj2
- hU?6
- 8,\\2i\t/
- 6yeG
- bi7^LN
- Q^1v
- uG@x
- r-N2
- sYEs
- LsA^
- ,w{IG
- V3Pa0&
- ,G3dH
- l8g9
- ULtL
- ZlT7
- n9t%
- 8T"C
- xIQ_
- gVy7
- 1kulFZW
- @ga
- 9p\tg
- 'ez&
- PA/x
- D"v8K
- u[\t{Y
- /"]\\A
- w,]~O
- gIn+
- owdW
- Rq<U
- kf5U
- [/U3
-),0lg
- ^mA{P
- Ji9
- :mJ3.
- PC8V
- g@E@]
- =i,
- d_!i
- ET*lL
- ANa|
- SUma=
- g\t6d
- %OP3
- _cov]
- ?|Y6
- 22u7
- h2W/
- Z?7d
- o'.c
- Ot6";
- u[7s3
- l~{^
- @l7rgoK19

- %`!IV
- 7 5D
- \\Y6OQ-p
- owAh
- [A|@
- F:X7x0w
- =jAR
- 8|j@
- 9W]Vf
- O7u#
- }p!}7
- 5@H3W
- _U(L
- b<oR
- 8l=H
- P4fO
- *342
- 6fR2
- Lk0b
- 8$6SqN
- *K2/
- RXhCO
- G/3GM
- /LI%
- "q=ul|e
- n<pe]
- mhlB3
- I]}v%
- Z8+)
- l38-t
- \\4=u
- qh3h
- &Pu;:
- 2a\\c
- _s5E
- _aoM
-)ik0+S
- '6WP
- 7mE/
- Q3c
- 8_;A
- $uk2
- 38Z^
- +iyCs
- }Wj5
- A+G#
-]:.5yz^8
-)-<56
- Wj&a;
- OwO(
- \\oU
- cuL&
- uSze7
- 6j_Wg
- 3\\ee
- !&0&
-))Lo

- a;Zi
- x2\tx
- XBU?
- Y1<2
- teX2
- lu7qJ-
- 2]t.?o
- ^h9l
- ~}E9H
- oYjr
- 4Ao"
- L0ys
- 1(1K
- 71uaA1P
- Z5'?
- SR3a
- wQ}l(
- uy:c(
- 9ma4G
- sW.9N
- o\t+n
-)frU
- iH:l
- d_2^
- :+il
- 79dp
- ll0)
- `u.|
-)5"r
- BO51
- 6L5k
- YeoF
- '3#d
-)0Zg
- U.LZe
- E9n*
- jh;l6
- 6P\\X
- V6}|
- $D9 *
- +iS4
- {80@
- HMO3\\
- S+?u
- 7"N
- /0K`
- !i,
- G'0V
- '*O-
- onap
- YW|9>
- MUPV
- x1w0
- u=Ad
- |{3s
- bZ7<
- oWJ(

- 0gDtA]
- 9P4SOV
- >?O7NIN/6:\\
- qph6
- eY,h
- R2OV
- X9q@
- C^V3
- 9LAx
- yiTJ
- })o<s
- E{XN
- 0%+/
- Vaue
- d6B9
- `At q
- /QN0
- Ec"k
- bk8$
- m%be
- ef>.
- f6co
- BOag:
- u 8i
- Y(Ye
- Y\tI_
- AzBJ
- X4L6
- e3*o
- \\ub"
- 1W~2j
- IBb7~b
- BaMh
- &^u`A:
- 861H
- bOA/d
- e\tR6
- -g)\\6e
- J(&U;
- 7V}j
- ~n5&e0;
-]|}E
- 4\\LJG
- $~8^
- :Op}
- #I74-
- iIg*
- 4>E|
- O--F
- 7?Uo
- esRR
- L|=O?
- 1[1
- 9"=#
- Idw&
- IwI8
- &gU;&

- Az(%
- >IF@S
- Ae&V;
- *{da
- 07xCx
- e,S=
- CK3'
- iFz3
-]X 8-
- L:85
- 8!'h
- J$6g
- <Wuc
- 7P]yG
- ?\tr9{1
- c[4I
- ab]I
- !17X
- GoU
- w4}=Q
- 93dm
- gLFA
- .z#00
- i8FIA.
- V_L0j
- F@4"
- q%QU
- K9iE
- RL:<O
- _c4Q#
- EA6:
- AKZd
- MJ,A
- [5-y
- 1(Sg
- b?%O
- -=l1
- F7 v
- _Boz
- L'zI5
- :8vf
- .021e
- d."Ve1
- 43J?MP
- FAf/
- *O3O
- 'VYw8
- e(l;
- I0#L|
- <8q_
- jr,O+
- 5=Lz%
- \\.I,
- 9n/h4V
- @!eAvg
- +sjo
- isvP\t`0

- P?A;M
- Kltu|
- L}ej\\
- tu6G.
- lE(c5
- BH0K
- =V&/i
- Pdj3
- ?FUmIZ
- =33|
- PI4'}
- i=si
- 0@ n
- =<4I
- VKesc
- &wUS;*
- T4rJ
- sf7S]
- H[+1
- I^9)^
- ej8y
- O|:U+
- Y0o:
- yIn\\
- 93LH
- E9Zh
- @p8{
- ?8vT
- S'C3
- 6z\tO
- O fwe
- 0K[b
- f'e^
- 3!89!
- uP3&vV;
- ugZs
- YSI]
- rdg$5
- O(l66
- $7,W
- O]-j
- 9fT\t2nU\tm
- OFN0
- h3HT9X
- |Yx5y
- 9]6c
- ~g5?J
- NwF6@
- FsC6
- ~Hm1d
- rg5|M
- ?Xeu
- S!o.
- s3u!P
- dT_8
- D4AJv
- :ZDO

- Zi`<
- 5m-&
- 9_pr
- >oSk9
- tl .g
- 3cyVo+
- <RPI
- aSK\tT
- H2U\\
- <$3@
- &"AZ
- `40F
- ?aCu
- }cA"
- 7A)HAo
- 0+pT
- exgl`
- F4&^
- ?#8+
- el%m
- :#9Pi
- 48gA
- 'z43
- Z3`R
- Jx8Ow
- Y"U[:
- 7`~8
- q;a%
- B)8l
- +dm0
- _`ze
- i\\A:o;
- z0=C
- Vv4{S
- 15md}
- (%UM
- UD)qt
- Z0@!a9
- ;>K1
- Wt;6
- :H3h
- ?<85
- u1O_^Vc
- 6Jo,lp
- R|hi}
- OF8L
- vvn9(
- Nz>a
- TUZD
- Nmv0
- p&<8
- N$Fo+
- "l<k
- NC&XI;
- WUd
- uPb-
- k%e2

-]]+3
- RfA
- O2k%
- G=}o
- Q`87
- 3@)m%
- Bl6C>I
- 8MiP
- lHL5
- 9jk6
- <f{4H
- s+@eel
- l{30dL
- 7@ bj
- \\,xe
- =wG2&
- PUt]i!
- Pm2Y
- gC4
-][=47
- Z8pc)
- rP3y=
- K3p\tN
- kOmA
- 4acz
-)lE%
- ^25\t/
- Oc!z
- e,nX
- Fp3:
- %o#!
- dm6y
- iXPp
- 6KYaM{-
- o\\A7
- JW.}1
- %\\}l
- -|v8t
- Bu%L
- 3(if
- 7+SNe
- VE4|
- of(A
- +oGtf
- .9B[]
- lJ?shwu
- <A!
- 7AJu
- vCUcH
- feh`
- wxV5
- ^X}o
- RVA5
- Oo1@<
- Ek\t8
- 94+[
- 4(&

- 'X4HQ
- qFAv
- UfKf
- -c2G]
- }3O7
- q)6o
- O8.N
- vS7o K
- $mEH
- =i/[
- q1p)
- ou1)|
- cvu_-
- 8%kUS
- NfBO
- 7z%o
- Gv{o
- bg0_
- O`VL
- jO/?
- PimP
- Q-$9"
- }?4u
- @>0
- +y.Di
- 8`-&
- 5bu*1Q3
- FsB5
- W[,6
- 3Hq`
- ba$E
- >R4BK
- !3!vd
- 0KMF
- RPgi
- X]`U
- f WbO
- R#M5
- u3 y,
- aZUP
- AJ|,
- 8k!:W
- UKv"~
- qvey6
- 2wlzov
- ^14}
- e!GT
- 72f=v
- UM"x|o2
-]Ec.
- 2MJ,
- "H$k8
- "1g1
- 5@{YW
- ?tec
- iHYq'
- z8!S

- Y4!X
- W9x5
- TAia6
- :|:Ex
- 1Z41h>
- xtJ8
- V8<7
- l;D(u
- -Ujr
- :K16H
- @; E
- Flk2
- M8,,3
- dT'a
- %OeL&*
- 1mp'x
- 1G6}
- [fG~5
- (F+1
- :b:9
- @O+I
- (ZI5
- 1vX+
- `ok\\
- cW2Ezlj
- Qa&
- =k{E
- ;C\\4
- EpAq
- WP#9
- l"14
- -w7~
- e{KF
- 'o>afi$:
- [c3WO
- 5reu
- _0M2N
- L-7t
- Y#x0
- A54A
- Nyg4,
- HX"fo
- I09"
- ?i)U
- 2KWn
- |rSu
- Z^0EI
- };1=
- u}Lof
- 0bjp
- Z|W]7
- #t~7[
- S1BW
- /K*7
- 0VL0
- @IT5LG
- 0H~m[

- Y!~9I
- oP:p
- "{M7
- Vm1S
- !B?Ak5
- #:X@u
- d8x1
- H*lE
- 1iD"<
- eKm.
- EZPT
- ZIfxY
- JW4;
- WZbA
- {sWi
- i0a6
- 2vkH
- o|`M
- y2 NDO
- L6Ff
- S{%~6
- '7:q
- dhyA
- KO|r}
- Im,`6
- <@D5b
- JHu'
- O-wP
- #6$o
- yQZO
- |9#A
- 6g,u
- 22CV
- 6<lZ
- Anek
- &o;\t^
- 5?rF
- a57i
-)y4U
- No4<%
- 2-GDe
-]uIVY
- &d;]i
- P>52
- |"io
-]QNR0
- `4Zz
- P9,yz
- g3LGM
- ~ PO
- :v\\HA
- X;3A@m
- -6t
- m]6V1[
- 4 QN
- Ru[`\\
- 7CwC

- 95Nr
- yO\\b
- 7)95b
- y:8M
- ft(dO
- %r9j
- F6L]
- %de
- 6Tt!
- 5?6T
- oaGY
- {/ub
- au-|V
- *o818
- 98e6
- i\\v_5
- ;PPixI
- k7zv
- H(iN7W
- T46]*
- =3^hk
- ZAAX(
- ^8uT
- T61F
- xJlA
- 3'(S
- o{5[
- u@>y
- h[4V
- Vp92
- Exl%
- TFCO
- Q9oL;GW
- K1YX
- 8S79o
- ;J0@
- "+^U
- p8\t=#
- 1{G%
- U2Gp
- b)O!
- k'y8
- jb1~
- >7V_r
- IvR8^
- nWej
- F7W00-g7
- uE>o
- 8fO;
- >8}|Z
- @u,;O
- Tw9:
- vuP"\'#I
- MuOJ'
- zQ1I}
- '@1D
- ,`IW

- D_M9
- @8h7
- ?`p4
- !iTjE
- PqNI
- q4+4
- GeQz
- (a'W
- _VA/{
- X\\` 1
- 5jyh
- u'v[
- i^ep
- mTm1V
- Xu@\\
- g\tto
- U&-B
- aSFo
- i5^Q
- MQi/Q
- &3bu
- Y\t?I_
- Fwon
- iD\tO
- 6{Kp'w(o
- 9A7dW
- Cbi-f)8
- |K{E^
- -K61
- 5I"_
- dAxo%\t8
- dEn"\\
- '&3q
- "]{I
- -E'S$O\\
- 2DA>
- o}Mws
- 5rXI
- <v0=
- 65Ah
- cok}4X
- G*CI
- tus`F
- ~MMO
- 'P`uL
- 9:@E
- WI*p~
- ^(fu>
- ~KIH
- .USV
- odx=
- ci<%
- 6-E"h
- aa[!eI
- eH#g
- mV3bn
- M]e

- H9sz
- oMh!z
- .qJ4C9.
- 1})%
- *(O:W#1jc
- 9w!Q
- <7&L;
- |<A
- I6Zf
- &O2U;
- DYo6
- *=50
- Vsa@
- z6\tS
- GT3O
- OnYe'.
- +ezaw,l
- ~2VVk
- HCEh
- F3@I
- 2/Z:
- M%\t3
- 5:j\\
- aobBe
- 5e-6
- -8ruYp
- kDUcz
- tUGP
- ,LuZ
- f_O4
- O:g+
- T~66
- qezvT
- \\'mI
- e"?]%
- ~Cu|
- 8vQw
- \\8F-0
- 3d<o[
- \\H1N
- d3d;4hB
- \\$5GG
- >Dp8
- }NIK
- E1wh
- NYu:
- M0u]
- I2O_
- xo~?c
- $O2B
- z*6}
- SH5m
- 'N]UZ
- <5:%
- tviy
- A=.A(
- $98?*

- Oyp_
- azVd
- ap=p@
- >mO$
- O(##
- +u~Q
- Xe %%
- <OX0
- u.zQ0
- (MM1
- ZGU _
- `eRk
- [{3R
- -hd.67
- ~ A@
- 9-_S
- Qb89
- 71683
- s8tL
- +!2-)
- 1%*M
- 8YhH
- \\d]O
- doK^
- gko{
- ?p)o/
- O\\ {
- FNiS
- Ka\tO
- l`sq
- K 64(
- '$5G
- ^kosz
- z0*KO
- 2YI*
- Ocrp
- jRzI
- &YOy3;
- u{*
- 5p<b
- -KDO
- We]%F
- V8cl
- Uh 1
- m;cuk
- KG?r7
- *>`A
- [ZoY
- KIK4
- a{}3
- 4\\!3n
- k'V7
- NWPo
- 6u_BD
- Wo^6
- b]uA
- Vh.6

- NF?uq
- 4)x5
- 4mKFa
- -D/e
- [y^2f1
- Ve[
- m3\tE
- -~e
- .lXa
- j8av
- Q-=4
- QuMT
- DN@3
- Yv94
- 2DMa
- gt`U
- TFq8
- D7dhK
- r?3az
- X"5ou
- +=+a
- aQ3.Y
- l".|7
- 2Z_S
- R73,A2
- 0%o%
- dtd\tA
- S,`\tU
- >2j'0
- f#I;
- ;0]s
- ^Z0;
- a\t)1
- *d!5
- TBOA
- l"{7
- y"53
- W,EV
- 8#(r
- nOlV=
- jJ67
- UAWh
- }y3@
- WJaL3[
- 9gft
- 3aEt
- 7Gzh9
- %il\tj9L
- Ort+
- I8IV
- S$ta0H+
- i'wT
- ;Pi+p
- r-(1
- 8Yh1
- HeqtX
- %`J6

- meU}
- 5QfrB
- EQjp5
- "a@N
- veG+4|
- !&g0;
- `ARG#
- #oJ9
- Ja,;
- ouC0
- i8;I
- 7@k[
- R1t;
- XruA=
- ^0b^
- J5?om
- WuWw
- Y5Q4`q
- Hi./
- kn_2
- `BK6
- uByh~
- IOQ]-
- yc2OR
- <:6J
- 8"+p
- I5}2
- {'|4
- >UJ
- 96k)
- R>7'A+I
- Lq(79
- T80SD
- !-ac
- B1'=e
-]^2*
- |Ay=
- '2rP
- ^od]0
- I8=m
- B0u)^
- usaU
- T`\t8U|
- i[#!
- oMM{
- E)%@
- =O/L
- f1Ly
- $7-A1
- i{Y
- ofSl:
- `OO6
- AyS+
- 72=&
- VOJ#{>O#
- {P:#u
- +$Um

- n70/
- 0 Vh
- l9.S
- ymU:
- .RKu
- 0`1"
- `hru9
-)8_b
- 6Z"l
- J\t?9
- a_,M&
- i7vF
- 1q5W
- GI4J0
- 7ru6
- e#LD)
- >P9I
- vJl|
- oc19
- CUR7
- {D,8
- *}j4
- UP4fBP&
- 3W#{
- ggKi
- 6W f
- G-Im
- n\t3Eq
- |3}(X
- OR~g
- XveL
- fwUg
- u6d"n
- e}b~
- 8e!{b]'
- %|,L4
- e~-y
- {A6)$0
- 1}Hr
- IV0%
- u`^w
- 6T2;
- Z%l}
- pk,e,3`j
- 3uhTY
- LR@@9
- ~\t'I
- |irz
- O9vi
- ke &
- t9p
- %2ou
- h|R3
- :Y\\<e}iC`
- FAJz
- .FjI
- cO/>%

- g}U~
- KV_5
- Z0QG
- 8BN9D
- Zu;+C
- "eqT
- R<m6
- l)I
- nUo}
- oMA)
- &Oz; 3
- 9|"<
- ,VJe
- 'Q_Uv
- {~9P
- @68M
- 9d[2*
- s,7q[
- 24im:
- n69='
- 9kl.Uw
- |"-ef
- 5)d`
- mX&6
- m2M8
- ;e>
- f>bm69f
- /#IG
- XwXu
- O/^,
- .9aOY
- 8[3I
- O9y6
- $Ut-
- .R\tbY5a
- Da?'
- ^c/E
- V8f^A
- 4[l,<
- };h6g
- +[9y
- (4"B
- AuFr
- i\#n
- {]j1f
- 5`tL
- Ox>,
- 6p%4r
- 5FwK
- 2b,}
- YJb1
- %(\\Ao
- f|A{
- B2^5E
- iZ%D
- >*$4
- O|5<Rd

- ^~9`
- 6VQ
- {x3"[
- db2.T
- l^8U!
- 5;`O
- hu7=N
- f8efR
- "\'d1?
- q!YO
- i&;C
- B_Oz
- 2/Vf
- v>cu
- Fu~!
- ql-0
- 5O?>
- IdXV
- 1l.$
- H2jw
- 7rZkw
- @3|?^
- I!J
- <?E6Zqc9
- 6c<Q~
- Tfu_5v
- j8t(~
- RUNd2
- 7`f]
- 5O,X
- Ue&l;
- 8E]<
- eu3)
- "7X\'
- /fEoE
- $j:O*D1
- Z*ARt
- m1N"`
- E-_Io
- je7-
- #XUE
- D%7}
- Ke`V
- 'u$`
- D2^I
- Ys-b30>
- 36UR&AR;
- H\tl2
- Ofc8
- 7v\ts
- i\\xur
- or.,U
- <Ya|
- fI93
- |/B2x
- 9u;^,e
- O#AAh>

- 4]v+
- R5k\t;
- iq?ls
- EM4v
- '!5t
- 6qcz
- 4x,B1_
- AYj0NP
- D35V*v
- ba(q
- Ik^3
- U$ o
- B\to*
- {Z1i
- /EP&
- 2<M3
- @GUK6
- rP&7
- Y?wO
- d^d4
- qEg&
- S]scO
- Az4b
- <JNe
- PC55
- OF0E
- O Vm
- +8Qh
- c(a+
- {$d#5
- $uZ^
- Ebb4
- Bye\\
- =}/3
- Hex\\
- &aos;\\
- AZ{q
- 9%ns
- D(d6o
- .2PU
- 9PUF_F3
- 658U
- Nk3y
- >3q(
- /EpAi
- Wa+"
- q5k-
- ifn$<
- t>O+
- (#K/U
- u$9n
- 2qrn
- @k5EQ
- UTqC
- %4:2 B!
- &pxFeKu;
- 23wn

- G\\ooC
- XTAd@v3
- Ie-&
- Ae=F
-)siY
- 10Py
- 5-[<%
- 2_^o
- I\\M9
- cvItm
- Vo$=
- EcM=e+
- d,ES
- $o|H
- 1x6OV
- ibCa
- GVOB
- +GB3
- v6fPX
- SH,egO\\
- VaL*
- '76}~
- ?;60!
- t7sI
- lu1+,
- G3[mD
- 14UR
- P\\v8C
- pJ\\#{s_Io
-))8U
- /CtE
- "1G<T
- 3cY%
- c\\Gl1A9
- ujx7
- 59Oz
- M5eG
- hf8Y
- \\,}\\O
- ciUC
- }]i[
- aaXY
- utve
- !~ c5
- URKo,B
- 3b|o
- g"4p
- Q*g#9
- \\HmAc
- U&"k
- -p4Y
- %4ft
- ~9\\9)
- &4i|b
- Ob#l
- 6s@TB
- N5x^A

- kZ8o
- |,9mY
- 1I]Af]E9~
- ef&Y;
- %UoI
- Q&e5;
- QsI%a\t"[O
- >*%$e
- ~uPI
- L4`"
- QoOU
- GL4v"
- yM0$c
- _id4Y
- a/"*\'
- <7s
- 3xTve
- U854!
- O,0Vf)
- O*3xD@
- ~2gsm
- \\T1C
- wDOH
- 2|j
- q<9O
- @8RI
- *GU@X
- 8|G\\
- i'RB
- Hv<u
- $2@t
- 'z8+
- f}o_Z
- }ha-
- ^8Ub@
- aF[a
- w|&<1
- 4*[qCE
- ;>uc
- GurG[
- F$3P
- &V3-;
- 1M3jFZZ92
- QY/0
- EU)E
- P4J%
- YoF'Y
- MO)D{
- w9fq
- L^A;
- r6b#
- oId.
- 2[g:
- ou /r
- 0\tHPE
- A<.q
- i)_&

- Ce\t\\1
- j6\\^
- `5}89fs
- <LS7
- xE|Y
- }.<e
- fqU[
- Qt6X
- ',0
- Ds:21
- WBk7,
- 'KH?01
- iSp8
- 'eC@i{
- ^`a+>
- g3:A
- HkNFo
- 'l4:
- 5j|kQ
- +_OT
- N-o:
- /-2J
- @-A;
- r_0V
- t3Ub
- iy@2
- 3\t2h7
- 1Wxfz
- 86*
- o[3NSm
- V.V9U
- mP?6
- HSU/L
- UKN'O
- ;9lt/
- Z0zF/
- "2O^f`
- `2`
- D=>9Z
- &jar;
- 3Q*6
- wb<A
- IKI]
- T8DY
- [gtUL8
- XkCu
- Y8^u
- 5--C
- O^FX
- o?H5g
- wXx2
- Cd5>
- 2e;P
- su_{
- 6=h%
- C7E(u
- 11yZ'

- [!8b
- h+rNe
- $01g
- gfRz4
- \\=z`Oa5"N
- HZh9
- |1L[
- 0<n9
- shh7
- <M^3X
- Amoih
- Y14)
- sGF5
- ?b|#I
- 1#H*
- r9(@
- L9(3
- AA.2
- 31R}
- f1u>(
- Ojp}
- 1c"7
- 8.n'T
- Uv\\^
- 1evB
- 1A_Y
- &BLe;
- 8_.[@
- ,a=R>$O4
- g.xa
- w{<4
- B1>PuVQ
- [Y/1{
- X/ay
- y[>A
- {VO3
- R/d5
- #u):
- ~Lo
- M?#u
- `b(*a
- 0}8>
- m]PE
- {+7G
- {|U{
- ReH!
- 5k@;
- v2b^
- &N;<u*
- x1bH
- "SI)
- +t3k
-]1GZ
- vE'A
- o<:-
- (3U+
- 5s8!LB

- ILp~
- 7:>"
- vAZlZt8
- ;w9&WiaP;
- 1}-m
-],se
- `L0#
- Yd9
- yMn]6
- NvnI
- S)TE.
- %3N058S
- 3}qD
- 2i?
- cxIZ
- $\tgk2
- eV$S
- ;%$E,
- z@\t1
- Ux;}
- |)e8
- 8WL~F
- &W5;*
- k@HE
- 9%>k
- Z\\j15
- Q$QA
- L}oJ
- I%g#x
- m|4D
- h85Qcy
- .8qK
- u<3R
- 6vVa
- ZSOI
-)q/i
- 2%85
- aJL0
- +U-*
- F4m(
- P%J?7
- 6M0 T
- =EDP[
- 8Kva
- NK@O1Q
- 9}&'
- I&^o
- M/J0A*
- 8nhZy
- p|Uw
- X27I
- ?est
- .)n0
- Vbyl3
- <&yH6;
- V2A2
- A$

- \\\tAV
- -of`
- oebb
-]11h
- 0)~r=
- k`2a+ZU
- z7B{l
- ,CR1\\
- kE`Z
- 4Y;p
- Ck\tO
- D{qko
- ;b3;o
- f\\mI
- euJUW
- 6] +
- HRtGI
- uJu*9
- 5wdA
- F57\\
- i`&4
- (\\EN
- u<Yu
- V9<"
- 1*%g
- |atj
- ZtXSe
- P?u0r
- @\tP4?
- N@xb$7I
-)F5-
- FV4p
- 1TU8\\
- dyoq
- ;o7*
- e.4D
- 8`"|
- UtsR
- x84yb
-]muD
- 3K1*
- umphT
- &a0b;
- gUNI
- `oN3
- 28R
- A8hh
- 34vh
- OKQ3
- 3YKE
- 2iam{
- /&iU;
- ^#:5
- o(E&
- XUE_
- zMe#)0~/QOq
- Fss5

-)!x6e
- Gi03
- e^$rW
- PkDA
- AF+h
- N0;BMqOK
-]%Y:E
- #ic;
- o'y,
- ;Z5|}U4
- `XU%
- eY[J
- _`hcU3'
- >J5.
- yA{*
- qJ7W
- ,N0ao
- 5Xgj
- t3z)
- G.!E
- E'\tc
- o&)c
- E{qVG
- L:6"_0
- (A7>
- %'\\Up
- 0wED
- hli8
- (kuv
- A]%mZ&}2B"
- 8N9a
- 9lv{
- >1E6
- 0Au
- WxeZU
- !Ajx
- O5a)
- 8!"
- KQ5(
- 0QPV
- #KE92!
- 18O4
- iG|Q
- n$8p6x
- M#Id
- '\t1w
- CHO9
- YAGS
- 4z9}
- rA+9
- !5lu
- O$IG
- >8
- q7TWHI
- 5))NJ
-]9v,2
- ::eq

- XPI\tN
- @D.6
- uK|I5
- @qQa
- ^7lHuj
- ixQEN
- ;iC(
- 3l^b
- 'anM
- E.&r;
- sT\\\tA
- F{,E
- }~C\tU
- 1Z7V
- 1%KU
- /_3\\
- l:ux
- :l;m(
- a/=|5b
- yo;d
- "3~Ss
- -6-
- >`M5
- \\KoX/
- ;JcU
- +DjEB
- 'cOs
- ?rX0
- \\Fwq1
- wICM
- IWIV
- 6\\)Yh
- SFb4
- 9+cC
- Ca/{
- 4=9V~
- 9M%j
- k7Zz
- l5p5
- 2Y/5~
- 30\\2
- _a@.
- O,u\\
- &de7;
- AQCB
- "WA|%1
- $^U.]
- }50J
- ,H?0
- IN[|
- DMPe
- kiCa
- iVz9N
- A$B[
- S3m/5
- Tfi}
- LaB

- e{Cc
- \\-5o
- N21Ce"[Uk
- Lq7;8
- R1<!
- SB30iy!
- U@3h
- IJ]k
- n.EI
- nh8y
- O0V8
- W2\\m
- + 2
- #ug^E
- i+hg
- \\-B4
- SaB~
- 0mx=
- 26bD
- %Y6V
- K4A&
- q)mAJ
- tILp
- IBsb
- 9D34
- %,A|
- Eziv
- [k81
-)[tUR5
- ;gs6T
- Pqce
- /">5O
- !M5g
- }YiZ
- b4VY
-)#0,
- uerbv2m*
- O4'E^jjV
- 3Q!A
- 9<xa
- c]2-
- T!7b
- k=Ax2
- qT8b
- v-^U
- 5xwi#kTC
- xa.+
- vhLa}
- naj/
- 1Gddl
- eRY^
- cI]
- @2Ms
- =1oXz
- q*2"
- ^I/L
- T6@!

- #d4z
- R+J-u
- =J2u
- z{sI
- nLa`
- 0{4U.a
- AQmT
- <b"o
- Y:ox
- NM8Q
- 0*t>
- QPA;
- h6U\te
- 7-G!
- #A:G
-]mwAqru
- UT6}kK
- F=0\\9
- RL4N
- Uv0D
- 4p)~
- Q4\t^_
- Og(:
- 2b?F
- Fw4v
- 1u.|
- 1?A~
- yq68T
- &)v8}
- \\Y0f
- UWwI
- C^%vI
- Dt1|;
- MQ2J
- 9H2I
- vuAY]=
- av!P
- |H7HB5
- Q~RAv
- D~r0'
- `XAx
- R=0.
- io;W
- M9PL
- i2=F:
- 3Uk!$^
- 3vii5
- v5y
- `gA4
- #7G7
- 7o:\t!
- NRlI0
- *JUR
- 2qEf
- vdo:
- de:4\\z
- YXwl0

- bddUf7
- 3r0\\
- WxUM
- A24^
- snuV
- .}ujc
- 2b?s
- 1(i{
- IZBZ&
- :DsJ1
- 5ePf@
- dCBS2
- #PIh
- #m&*9
- 4%7,Ci
- EpgG
- x[eU
- 5.I`
- -}v#7
- -_e%
- 8Pr-
- fU8R
- \\GaS
- u[{%
- t#GI1
- E;~5
- RJMda
- u?|AFR
- |cS3
- ^U|p
- L6e<
- O.]`
- <Wi\\
- lX3g
- X4"O
- V:3=
- C7b
- eQnB
- p]en
- ;P5b
- 5Z=e=l
- >orS&
- U<cLy
- 6btu
- PAuC
- h&bv1;
- Gl5peS
- v6w5
- 1]T5
- i5g(H
- Pe"l
- 6N9|?
- *W<3t
- S7*"
- f(i6
- nHik
- DXIq

- a399r 3
- IL"u;
- \\eU?
- USAb
- lac!
- d4:P_
- Z"yE
- S00R
- c5^e
- 5$^S
- thlo
- uo~,
- KF3,
- Do]N
- %>n7o
- N;)L1
- aE9/s
- BSU\\o
- \\Du%]
- "&7<
- *2$
- jm0<6Z<@?
- a!}mW
- YiVV
- _GLq5i
- ieTo^
- Yk"IFe}
- GKEr
- yiyL
- Q?x94
- oM3\\
- ;\tEh]
- >g?9
- (7:H
- ^P{8
- UzcS
- #D UeaE#
- SKo[
- 8QzX
- Xig\\m
- \\I8i
- VITa
- ^x:0
-)t&D7;
- JxOF
- (n7:p
- I\\6p
-]c;E
- XZDE
- YpU_
- .?9S
- (1?U
- pICy5
- \\`\\E
- hYm5
- iyNv
- 6*D$

- b_5s6
- 0X~cv
- rFe6-
- U]PF/ay
- q2Ps
- O^gQ
- T\tiCL
- sdb1
- 6OWd
- &9.E
- 8zoG
- ,kAhz
- {Dq9
- MeL
- "ebR%
- `3T{
- jGeH
- S%F9,
- ua*gu
- jd}U
- #U!5
- 9\thd
- HON.
- aA 3
- E<C&!
- x?6!l
- ⪚:[
- oG>`
- 00l9
- <68/sZ
- BMxi
- 398a
- _[_"l9
- 8z$+qhu
-)/a4
- 3c%:
- QA<M
- 0h]G
- }~FA
- B~$U
- #Yab
- _=]kO6q
- 7ZA2V
- ozU9
- 8(Um
- l"?`
- h1KQ
- uD,L
- D3xX
- 6[Bo
- 5Sj
- oAi7g
- Risn
- 2fMZD
- t%H1
- 1F`@
- tN3P

- #*8w3
- "5fR
- 9yK"
- 3:wX
- p#{O
- pkA8b
- AEMG
- &AAQ;
- Z6ZF/
- 3}`qy
- S,7P(
- ,MOH
- U-$1H2
- ?jzA
- Ox]
- f;6;5
- }O%}
- -=uFS
- &jU;_
- Srpo
- %E@Ux
- gIpt
- %gu4m
- b2mS
- KC]x6uQ
- Vmob
- 4G-Vq3
- R}Z4}
- i$A8h
- Yh`ae
- ~WI
- C'!0;
- LUWi
- Hs)E
- $>9pm
- k{A(
- tjip
- OQE]
- GjLS9
- QXOks
- ;x$A
- /r.6
- J5f!
- zhTE
- S/16
- '68-
- 53tG5
- id}4
- 'hZa
- 8m{#
- h3tn
- 6&'O>
- ^9A#
- s%`a+
- Ol/R
- NMUw
- ^Ry1

- F9=m
- &9L2!]
- `9h6
- u[C2
- v0@fn
- e`Qp
- 6uWi
- @r17
- 8`e~
- E\t//}iu
- hj4V
- A;#P
- u7dn8S
- ,tES-a
- Wt0 k
- _g*u
- -7WB
- 4}tk
- o@4Q
- 30THwCW}W
- (Y2v
- O@> N
- u%ip-
- kU}'r
- l`Eq2
- 0a9V
- F:NE{
- .$J"e
- ^Lo7
- >lwg
- JYiXe
- zr9`
- (8^^
- 5!bo
- 3<pQ+
- uX]f
- ^E<`
- 1^8o
- Md(8#
- s3G/
- 3IrB
- 06dr
- 0Q/"(
- PJ0j
- "E+q
- bYw)LAI
- zKSl8
- 1RdpU
- 0]*G
- TT9Uy
- M;P0!
- =U(_
- *`Gu
- 2$dV
- n]wA)
- |d:1
- .L1.

- b}SI
- ^9&@
- pI=}
- 6TpI
- I%0>
- wZaer
- 5(B\\
- 9#_.
- G`4#
- 7*yU
- 8Mxr
- e&?O
- h8Bo
- 4,nQ1foi
- J~5@
- eKZ0|
- 9Tz'4
- E0ae
- 2u6b
- 2m0]
- rdn9
- ar3t
- <B49
- Yf7|
- MhLa2
- u=l;
- z>AU
- >\t{4
- ECbIk-R
- aA8h
- 9gkm
- Y!1N|
- J]B8I
- a{4z
- .^E}
- ZRe{R
- WO$r
- IT!"
- \\=@K2
- 5*)(3N
- |GoY
- e)H"
- W`@E
- EI\tD
- $Yu6c
- ua~'
- G:Mu
- bja!
- hFaX
- s#\\u
- &/AY
- 5{H[
- KV4+
- xdLu
- CeY]
- O`77
- l0P&N;

- yCzi[
- <,;o#
- D6jB0
- tt!Ta
- uD*B
- *MktI
- [(uO
- lY'Qu
- 69g-
- *giQ
- U$`>
- "2k%]
- t7GWm
- XiNOT
- z0F72
- *0mGs
- zP2oNTJ0
- Cb>a
- `m7@
- 6AIn<
- r:8O
- 3\\a2
- EV?&
- YlquI
- i&>{cui
- {O*0
- }+(9/
- +?U"
- 3]_c
- gm#a+Gi
- 5Y8Z:
- CaM%
- ek}=
- ,h-5
- s7DO&
- aONch
- K"L8
- \\X2fN
- Qbm<u
- 7:vLI
- }kaNn
- iX_h
- p!UP
- tnw8
- EiH2
- (&y1;
- f,}7@
- P4M %
- OmEp
- +0w_
- L%RU
- 6J[i
- hno,
- k6Bc)
- xj@O
- $L5(7
- {mxLO

- aX\thA
- KF4)
- ph9GB
- J=8q.
- =6Cd
- 4#M='xx!o
- vJoN
- Ok/=
- DqU*
- L%0*
- mg2/&
- v/)8
- ad.@
- E;@}
- $T.Ia
- aVI3r
- EFO/
- A`b3B
- \\\\ZI]
- m27A
- ZSo?
- {|ap
- ^;O&/
- a/<I
- ;=8e
- I(Vn
- 0S6m
- 6Y6o
- 0siZ
- b 3-T
- &4,I
- Vc8V
- 3v 0
- Ib-7
- 3NtH
- IZUew
- \\h>U
- BWP8
- yU d
- nZ|5
- 5}T#
- 9LA+]Vo
- uDj=
- "XxA
- [ss8C
- ?HjR1
- 5hj%
- .oX
-]g`9mo
- ,lHo
- _rS6
- *)O
- NA)gi
- :&->O
- p}3L
- (7Iu
- n1S&

- KOrFj
- ,UwAB
- b#We
- +-0y
- 6"et
- OOcR
- pe?%
- 6cP\\
- iNX"
- Ah1`
- 3'y.a
- {5zPk
- eH~F
- 1r~kA
- 16V.@Q
- YizUs
- [JUa
- pV`8
- D6y/=
- Sdg43
- 9Mfs
- y*KW0
- GA-7
- A9WROd
- ;277^,
-]zm^a
- i%:&
- 1z<j
- Is4f
- rBan
- 'I1H
- |t)7
- A9h4n:
- @PNiN62
- 9cQB
- 0Dr#d
- 8+p+
- V_I\\5
- #lpPu
- BVs5
- 1`fz
- 9=E]
- o^8 [
- AdVk
- &+UIx>
- 4o\\>
- b>+i
- 'f%4W
- 0,yn
- +KV2
- tir~"
- UbLX
- oa'eL
- u;r^
- zGO*4
- Wa~T
- 128P

- {[9)
- 'L68(
- E"p>
- "Z1N
- 0t)^
- @R8OqA~
- HUqE
- #~)Y6
- >e"?b
-)~oW
- '7UR
- a#o7
- ciR}
- TBop
- ky$A
- g'a9
- A/lx%
- o0nj
- |U).
- +Ir/k
- c1\\a
- 0Q{
- K2 6
- Ca}#
- Z$Q2;
- "(2xb
- /d7/
- >O[S
- Y{9nM
- wy5On
- r6R!
- Tj 0
- I*#E
- 9"]O
- sV7~
- 62rp
- 4rvX
- D2pu
- 2@aR
- 1]VFD
- I47Q
- 2p"Da
- joC>X
- K1wV
- fkTPe
- *qcO
- ^}2_
- BH5F)
- /sa;e
- @G7{}
- r6*]
- "46#
- q8S>
- R/0OI
- KJ'9
- m\\ei
- PAF6

- mO9o
- 8CkYbu
-)P9-
- !qIz]
- .]od
- al;Hh
- SO@C
- YeWhP
- c\to}LM2owaP
- U@jVY
- ?>o1
- jun`
- MB6I
- TCr5
- Nu*u.
- /wia;
- ,{E
- E~4.
- DUS#
- *-\\a
- F\\oA
- x5[O
- y4~"
- .UtG
- "uP"
- N70.'F
- Vx2ne
- !L?i
- 4~\t8
- &]8w
- Xex[
- [sWi
- @;a'
- LF7x
-]^83am
- $*Naa
- zIW%
- =7q0
- J9.f
- h^3&
- vq12
- `m3@
- -85j
- ;8UgL
- mQ|tI
- ?Ls^A
- bQ2T
- 7^b2I
- e'SS
- O"&M;
- 4SdDk
- i.\tMy
- N50
- qe8f
- y3]?H
- c40L
- UScAtG"z7

- 7c_<
- kU,S
- 08g<pr
- iD*n
- 6bm=
- 7ECG
- hl(5
- MEg}
- _l#H
- o\t|r
- ufVI8/
- ,`72
- aa::
- 4~<Qy
- u`3+yI+B
- AlXa
- GhcU
- q 5GZ
- C3qP
- 5yM)O
- 9aiB
- QQao
- u'1_
- WBRa
- J/0>uGn^3#[0<
- xj 5
- pIQ
- +lFO7
- b5Ov]
- ^UBL
- g+ii
- MJag
- [v55
- 0t_\t|
- OExK
- dwiG[U^[
- aO.T
- awqa
- *%j9
- Pe4I
- nfFU
- '3(CS
- $J6~q
- [oMp
- `2FV
- $p2
- >ZW9
- ECmz
- BJ]O`
- N6ZC
- G6Y-
- KtN\\a
- 9Knu)tB
- jXT8
- ^]\\AIg
- Acax
- a0i)

- =7L!
- HW*i
- ?Tyq7
- &16l
- XliZ
- 0@3X~
- %S5]*
- 9`Q&
- Wlfk3
- |9)X
- uZ<1*L~
- JcoX#
- t2O}]
- }E(G
- uN2K9lOe?
- \\mOH
- ^3OGU
- `HI6
- ADz}
- iM"g5
- 9P#'
-);Z0
- FiI3
- :IP.
- >V~4
- z^OpO
- ant&
- K@98
- JEkj
- 4`Ts
- xe%x
- p$S43
- QP 2
- GC4"
- aXP$6
- xIo7\\
- iBl1
- 4!k%
- :RUr
- !Woz
- [:E|
- &6'[
- dT&gU;
- E|T&:
- sMzf8
- A8A-
- \\>;5
- ~\tto
- PcH8
- su/l*,1
- ?dT8
- -]IW
- !i*5;U
- X)GKi
- /ma7
- Wq:i
- I$$@

- Wf5Q
- _t7k>
- @G19\\
- O_~u
- K]6S
- "|d0
- 2x9b
- Bq1k
- /AJ9
- Dz|1
- Egw5
- n6kBeI
- PE(M
- ,s3}
- o$+o
- =_\txA
- KhA<
- a\t?J
- 6xzH
- D,6a
- |x/'5
- aT)W
-)8<Z
- E8lCC
- T4J\\
- 11:`
- 3L;U
- ouHhH
- uC,$
- (CY6
- &Za;(e
- %D^8
- +5TgX
- 1Fhn
- C%^u
- :)uK
- E(6p
- !ub .
- a]\\T
- J)CAK
- ~!D*U
- r!<6
- zUVa2bo
- RTN5
- "1[c
- w'QR89L
- /4$ml
- 2g`uU
- %O|jxJ0.n
- I(J,
-]iZ3.A
- U^VM
- [Ou<
- SI~@>
- c69e
- BDhf5
- 2P(Ys

- 2"3/
- a1%j\\
- 4&XfK;
- }>i~
- 0zv1
- H9t/Vx[3{k
- UuZ#
- T54b
- QhIn70
- \\3GJ
- 9 f5?
- Ce<}
- nji"
- a 51
- la's
- u~/\\
- 7hX\\
- :ct1
- O#|[i
- QJMe
- {;5xP
- /m?e
- vAbw
- _p0>Q
- _]GI
- X\t\t9jA7
- sg18
- oegQ
- iE&^rg`R
- ~B)ge
- Fg1s6
- "uH65
- #FRro
- 2A[M:
- vM~1
- jW;3
- Z}7J6
- /G9z)
- nPsWa
- /Be|&
- 0v5*
- 45R\\
- msE[
- {tTyO
- `2^m
- Bji@
- fA.#
- O\\D`
- kEi,lcEDw9;
- '%:cA
- l3rP
- \\E5-
- &O1O;v
- 2AfA
- bYvI
- ;D5*
- /wai?L

- id*ND
- Q4bj
- FyI\\
- E%v\tA
- [.8/`
- j^7(5B
- 2^HE@
- nM1vR
- K*Xe
- p"v[e
- xK&1
- o$,T
- aj8K
- N{oJ_
- adqv
- TC.3
-)HEgZ
- 5\tbJ
- ^30VKL
- p=uE
- @ZTSa
- sa,
- g)ug
- `Kua:
- =\\aB
- .uSJ
- 3KyEw
- xmi3Y
- &s7;:
- 2{lo
- LZaZ\tv%U
- a$:D}
- 6PTw
- |1Qp
- 4Al;z
- 'vEBV
- O#ZBuO
- +rK5]
- ~33G
- Ujg5
- k8&m;
- %6g-
- &buF;
- *L86
- =]61,S
- *q9c
- ,.A]
- =aQW
- n t0
- 3 y\\ji"U)
- Ou\tG
- {0z
- 3k~F
- cW4k
- 0NI:
- '6s/a
- 0-kLJ

- hUZ'
- Ye$?
- NMS7
- =p;6Y
- NOe[YTv
- ?Q5
- EKb!
- {-A1
- qT8%
- [N1(
- U7(R
- !koU
- ~0>e
- =z-o`
- w1f*<
- %1.L93x
- ^z,6
- /\tXo
- nosh
- 1h<Vm
-)=-e
- >~qe
- R#a;
- /f(2
- WU7a
- %J5p
- ;nEU
- kiF|
- 5v!(
- E)JZ
- Cimv
- \\&4M
- [*4Q
- YJ\te
- r{@]9
- }&qA;
- D3VM
- nfK6
- \\tc+2
- _sY4r
- s/A
- m8**
- aAy
- QcXO
- tIzI
- 9?3Mo
- IH{.
- t3N~K
- T0sb
- a%@=
- Z<\ta_
- Ifebn
- PeAJ
- yEiU
- eWv0
- 8=Nkw1
- rT8,

- .\t6~
- >C\t2
- jX6%
- 6'+J
- 9h~D
- ZO\\|
- H38%,/Zg
- &q7i;
- a")L,
- 7?9-
- <2sB
- =y1I
- q-7V
- UAH!
- 5mb~
- O$sH
- iI0TnR
- Z 8[
- EVA!E
- 42PjD
- O3e
- +FBAu
- <6I%
- <I7"v
- wxN0l
- 0+8h
- oH+EP
- Jna8
- DbmzE
- 9jZ7
- Q56Pk
- 5'(YO
- !u}a
- ,TE_
- q'26
- -m`6.
- MKc7
- Rm9v
- ^,HAz
- 2)rr
- DK{9~
- WeU_
- ~`EM
- a+2La"
- rOPq
- KaP6
- ony*U
- aEFd
- n9;g
- |}7(
- ^E.r
- H6~.
- fhZU
- Um5(
- &6Q@
- UG#*
- y5X[

- ;d?eP
- veTo
- M V9
- izVy
- *Ho4
- O"8)
- IP!S
- qg3p
- u7]if$
- e^Uj
- 2twiP
- O,W*e
- "D:4
- 4)$"
- U^h{
- 9>+Q
- ,Yc6
- ePc)
- Pw~2
- }7<0
- *ikF
- UJOy
- jGe6
- 6z4`
- gp#e#EF6
- ?faMq
- 0BNF
- 1P[*a
- (T\t0
- 4(z?
- O$@*X
- @uwF
- JCOq
- _*A+
- Ig|m
- _ZVO
- xacsJ
- 7PFgK
- ,/4G
- F'@on
- qy]oT
- *\\3q
- D5a`
- ilB*
- F\\tu1)
- zej_
- qa-]
- 86g/
- 63QB
- +'Oj
- po7e
- 9`XN\\
- xf5v
- T-0.'
- J0$V
- '77RX
- 0W\\I

- Li7U
- \\;1m
- }P19
- N~5[T
- YT8,
- 2,cH*
- jmte
- z`#A
- QV.A
- x}}6
- UD{M
- Blih
- =r0;
- 3~"Vm
- EB,`
- JTEi
- f}`AO6
- q}Du}
- prAx;
- ZXu#
- #2r1
- rAK_
- j|zaK3}k
-);F#OXE
- V9VK
- !kIa(
- 41+G
- ?u:y
- `s0kN
- ?9*P,=O
- C"r7
- c0$G
- 8L)x9
- ~Pro
- W*Oa
- ,{Ej3
- L9nX
- hKK7
- *e_!.sWI$`
- MA[/
- J2o&
- ikkG
- Wd:2u
-)v[e
- TP4k
- \\2C<
- S+a+c
- K@J2
- ,F+7
- c0?Y
- kQaA
- =R0b
-)c(4
- OMC7
- yzK9
- }]Z/o
- 0aCpM

- y13s
- 5mnm
- ^910,7D)cv
- |Z8V
- +Ovy
- O:_X
- /$t0
- 1':L
- c5a]
- ;+H(A
- (KUV
- +"9`>
- 2k~m
- :OzZ
- aQl"
- _qZe
- u>8%
- GaQ:;M61
- >rAo
- icfc
- ~2n9A
- b[2Zo
- ubHh
- 58sN(
- yU;&
- }>9"{
- ~abH
- <v2w
- Yk0]G
- ik6vr
- w`X5
- s7EK
- 5aQ:/"
- /W4y
- cpdzi
- ;W8&Y;
- #C7Xk
- 6/|9
- 7.Ok
- >16(
- >a-S
- N1xA(w
- 8o(t-
- 27\t(
- '8T
- 7E y
- 8EP"Db
- s#=q2E
- Ii`JY
- *V_4
- py\\a
- >35pY
- }8;m
- I^5O
- 99(s
- NU@\t5
- YaY>

- \\ %4
- C)oY
- +uh2O
- a"nU
- *S`,A
- tu~Os
- AOzvPV
- 5e&
- gPV5
- /#|U
- F=6a
- 3o#X
- Ty4h
- }{y1
- /ik8
- ;4aC
- zy7i!
- 4k@v7
- 1S#L
- {9L)2
- Fl\tY~
- c7AqU
- awr*
- f2/P.
- PNucZ
- Q\ti&XCxI;
- 2$P>
- pQ@O
- eLma&
- bu[C
- OtSV
- U8h\\
- 2eaP0
- 4>\\o
- c\ttO@
- pNuos
- qE926BD@
- co-
- iN~M
- ,P4}
- +5Lc
- Y9@u
- ?1[j
- i/;j
- X^i!
- B<56w
- j+g0
- q}Qo
- 4d`?
- CKOj
- 9jBE
- 7ofx
- .C#+5
- x^1])
- 7-ty
- TuO|
- 0VzY

- PnjU
- 0!Wf_
- @4ZV
- _V0EbF
- 0Js.
- bS2*
- qeN(
- ^5GO
- PNiC
- Ld4=
- '8)of
- I!T,
- TAQo7
- '/=2+
- 'G)3g2
- 067te
- i=IK
- `E:>-
- #BiFa
- ENo8
- slo5
- u7r*
- gt.3
- =On^
- 4&\\V
- a#t~
- X2\tF
- 3?W+
- ~53?
- \\/$O
- Q67@i
- ZtaP
- i\tl*9
- <-0|
- P",u
- K6KA2
- 3n,mV
- AE*0
- 2Et1
- {{Ol
- wjUS@
- l$Em
- *.2Z4
- F8>D
- 0@-oZ#
- NE+dT
- ()u\tc
- ._M~7
- 5Rjq
- 3e>{
- e@U{h
- PD7p~
- I4nm^|
- ~a1!9
- '+A@
- #l0M
- AS$a]

- `4o*9
- AGI9
- 6Z(W
- on0
- }h-1p
- TbUmf
- M>yh2
- Y}v6
- oN?aW
- o+ndT
- uh;#ed
- +ZF4
- nL~A
- I&)U
- 45rw
- hDG4
- @U3X
- E XO<
- yXXi
- 4h8&
- i*\tF
- u'?h
- 9Amb3
- _6(]3Y
- su>GD}u
- p_B8
- `1%'6K
- Z8WF
- AeGi
- OGvl
- #E:
- 9Gc|
- B?]6
-]?iwn
- 80-_
- ER\t@
- rtTA+
- !pw7
- j%az
- R*NO&
- s6\t0j}
- oWvQ
- 1s-^)
- &co;`-
- LAYE
- 1tGJv
- 0y9dr.
- [*b8
- .}B6
- ^P4q
- #O+|
- w.\t3
- G1d+
-)?FU
- b8=S
- HI*h@
- !0l>"

- `[VO
- 2mBa
- *08a
- V<<U
- c=mG6e
- D_lZ7o
- $18*d
- D^4&
- E)7C
- 1Wa,
- A6t1s
- C(\t4
- z\t{o
- vC7Y
- g0_D
- 3Gi$b
- m>u%?
- 1i%4
- Wj6b
- ,8)<
- 6Ti H
- R7`
- 6~3\\
- +1RH
- FGi@
- !LVu
- N,eE
- 5KHI
- 6Um9X
- XMu
- 9S^zA
- eM;9
- u)$w^
- M}Ub
- EKGcu
- gxFi
- d|5W\\
- 9q%"
- #\t(9
- hjp15y
- 9(d!l
- *lB4_
- &oOV;
- S#6T7
- aSFg
- 9;
- O"9M
- M}V8
- EyF
- ~5r4
- SI#=w
- 5ht{
- +:u.
- _2s1
- uiwM>
- LR3u
- {AC#

- DiH.
- D$o@
- V.9I/m%R
- 6{3[RIO
- C(Ee
- X8d+
- SVe0
- aE00-
- 3{!QOm
- Fy8j
- 0gJ\\
-]o)Z:
- Uo&_N
- r1\t\\
- 4EiL
- DENT4
- P#[7nE
- F8'3
- dd{U
- ;6WQ
- B|>e
- XK,_I
- HV{k0
- -ur#
- ;dOC
- E!(s:
- d1L4
- .O-[p
- -L9r
- AC`t
- 7L[S
- `t1x
- _y1G"
- 2@#G
- U|q&2p
- s3gC[oX
- (MCI+
- [o%[
- 56\\@
- U^i4uap
- 5^0p
- -k{E
- qog$
- 5y,,j
- 4UlGb3
- } 'me
- jV8<
- 6TQ_
- >gK5
- X^;0
-)J3;
- 1w$Z
- 2~e{
- 5z!*H
- Q}4o
- N-I>
- 3$0mB(X

-)9gI
- u0|I
- Ba9yc
- P*sAg
- <p,,e
- >\t2&
- pfSo
- 94"uC\\+
- 3a>t
- wAJB
- i\\D(
- b=pI4
- >A._
- tt4s
- \\]Ulg
- :y61
- e4(4
- 9Sju:9
- vw5I2
- 9- I
- 1+}=
- ^J2+
- D`bja
- E/wi
- L;&88
- &EY;!6
- 3kb.I
- #'*o
- WDXa
- Z7_K
- \\aR&
- sQte
- pe9q4A*
- %XhI
- T0_x
- ~UMBb
- ifFa|
- {&U0;
- e3%r
-]7C8
- R:1"
- G}9(
- 9*XVb
- |j*U
- [%de
- ~Iebr
- 5kmK
- W>I};6
- RF7R
- S3Ax
- U9*
- C>u3/X!
- wB:u
- p&oYF;
- 2$&k;
- @LID
- 6:NN

- 5;bKIu
- n$gdI
- @8i<
- uAw(
- 3D~zL
- w&2h56
- 2eD]
- ,R0E
- 3D}#
- C_4`
- s#5@
- #H?8
- 1C/+
- Eac1
- ;ugPl
- i2Xe
- C1#aa
- c6P{
- 0X`qf
- j;I8
- 2nQA
- $Ea"<
- 7pB(
- 6r`k
- BL#1
- ;'3ry0F
- m@3N
- aV<]
- s]1K
- AMV3{g
- dl}aK
- Rul4
- {Oar
- eB`R
- y9~j
- %o#&
- 5/um45
- R6_6**
- e~A~
- Si@7
- VmBE
- RV1
- bS5j
- .*s:8
- 8,K=
- ot|>
- 1;Z1
- 8l&\tI
- Ta}Qp
- %mm'3
- 3jnwO
- 4~91n
- #EHS
- d6#:w
- #Noue
- "2=;1
- @L10

- m[0E
-)pZe|
- Vo;u
- do>I
- -}xo
- q*)o
- TUH`
- /euQ
- 5xNO
- s"3?
- %QbOFAgW0
- ES%v
- n&@1
- SO?~C
- ihT
- >&bI6;
- "16Y^
- "8hec
- =eU9y
- 76"X,
- 13%:
- 3o%1
- 9OFT$
- 0i&:
- 96\tJG
- <4m6dO
- s@3
- uXCyY6
- u8af
- 4Fb]b
- hmES
- =<CR3
- .T!0B
- $~?.I
- 6>"^
- T7\\yB
- 0p,H7P
- YE4W
- 17&J;
- ;r0Cc
- OIsX
- {{[1
- E'5Y
- a;{]
- 6^<=
- G9cW
- U3)@
- |u;P
- r"$u
- k5mMb
- =vE@
- @aVCJ
- "8F+,
-)KA:3
- p18j
- M"a3
- doeA

- qB6Y
- 8-oS
- [co<
- o/x55h
- bof>
- j2U5h
- SB8m
- rz^I
- @"6)
- !?A`\\
- @$r8
- O5#-u~
- @#O}H
- 38:+Z
- BbO
- v3v]
- 973az
- jsaf
- fEv/
- 'C:6
- oc7WB
- [2}T_
- 08~<,
- &8GaVG\\
- !`A'J4
- jI#J
- 8X7#
- n3D4x
- ;Y*i
- fyfI*
- 9&a;/
- {B8,8
- i:|[_
- 8ROu
- L9tT
- 2w,QV2
- f28;
- A=cf
- 3]P#V
-)}q7
- 4qlt%
- >iZ?
- 6q{9
- LLu>
- ;W9Z
- U+ K
- $yPo
- \\?ay
- M<i3
- 0I5T
- cF4Cp
- 0r S
- c(17
- i$0CnPL
- dfku;
- u_l1
- wi Fw

- e4w`6d5
- pE.
- sElK
- q%W7
- AK%f
- k6mu
- 'z8k/
- [bKo
- 98(P
- :B"hEA1Q
- 75t'0
- 0^Z]h
- iztt
- -uZC
- @Z3,_
- EgRu
- H3dqA
- :\t3&
- $0Wp
- ~"8*
- Md|5
- qx`1
- If>7Gd
- $m4]I{
- 9BmA
- a%6C
- #EL/
- _4{b{
- 61ac
- >rF@i
- BNiV
- 7%G9
- zp43r
- :UD*40
- vua:
- 5HAv
- 9*Hr
- U|21
- 2}x7
- H;4z.
- I\\Q(UX<w6
- k0I4]
- OA)8
- !V^qa
- 8Gha
- uf{OsZ
- X\\KO
- }mA_
- cz2A
- {a||
- D&O7L;[
- :]L9
- \\8P?
- IdR:
- LI0I\\%
- W3z,
- 2~x>G

- 1so4
- 9{+O
- w7Cp
- \\u@I4
- ~+Oo
- A{DN
- ~9jR
- tu:=
- F5Fh
-)B8F5
- o:yH
- o6#1
- r\\}u
- :+*zJ0Qa
- 6IJ
- 5R&t;
- KElk
- n/oNU
- qDQ4
- Ol|o
- B0b}D
- Hv'u
- eQJPr
- ESERp
- aa2G
- Yg2
- \\.N8
- 6z&~
- 7n,yc
- J{E+o
- -ACb
- &<2\\O
- T`Ib
- P]2>X
- 86q#
- t?%a
- H/nI
- U P-
- ,![I
- /eOK
- hIVP
- eUM|
- uo=}4<
- Csp7I
- Ow,\\^
- 3_"k
- zI"M
- OW=s
- 1=z
- 5]E%
- 2|Q"
- Ojw4CR
- Geu1X
- :1r8\tZ,0
- 70YP
- da03R
- ~aZ-

- 1@4k
- FI&@0Z
-)1;`|
- xRiOA>>
- 3.>4
- KWU4
- 4@>m
- ,a%T
- dY<Qu
- F04
- m0sA^
- 5?Kp
- 74HkrM
- [6?k+
- E*@(
- `+I';
- ~KQE
- Ti>w
- L/GU
- c7rb
- 9]zB
- u"i5
- 58xN
- 6.)E
- O7_d
- [OmZ
- r5#L
- b7[B
- 1h(@k
- DB6D&
- Ba 0s
- t$ya
- XOmI?(\\
-]U s;
- kgE'
- 'TT7
- OvJ.
- 5E1o
- .J5C
- E";3
- \\roj=
- #U>8
- c7MI
- D38N=
- 8 ^E
- _:a}N
- 8no7
- %He$1
- *wOa
- 5]g+a
-]RQ0
- $ROT
- vG0z
- ,>9
- 9e5dDJ+
- } 9`}A.k
- .N9!

- 0")k
- IV6+
- O90!
- |5iZ
- zg\tA
- %Ov"AT
- OOu-
- hWi%
- dut@H
- bH>0
- [DrA>
- -E{[
- 5Osw:
- u*]5
- 5mK^
- (3KZ
- P}a#l$i
- Z:;2
- :3f[
- aoEA
- [&<8R
- 8}^U
- V|LeV
- ~kJuj
- Y73;^
- yR07
- fuUo
- x5zmQ
- D3Wh
- loH:\\
- zp_F6
- @%u
- [O<+
- jj\\"U
- YidUu1:
- 8&og;
- 0]v%
- <4,H
- fw1W
- 8't#
- '3VW
- 3!:oE
- wO`|
- sG*A
- .{6
- 31hw
- Tc_6]
- @aYjT
- x;UEy
- ~2WW
- Wk*8
- i!XU
- x+DA
- <o-@
- nz{2
- Be$Y
- G9A5

- ?2cB
- y6BV
- iqvM
- Z%&I;
- 6u4
- |v4f
- BL6V
- ozaKw\\q
- (/ME
- 0N$C
- rGh8
- vl2"
- i~rt
- +o;>a
- 6Ozb
- 5|FK
- HM{a
- +9&k;
- _[pU
- C|UY_
- Igo[
- wCl5h
- 1G^T
- KUGC
- `Uan
- Mj!a9B
- \\WIC
- nE=[
- a\\21v
- Tn/8
- J@iS?
- E8wN
- I1J
- <9%
- 7_ ^h
- [omO3=
- dJ9)U
- >d[6
- a)z
- /1v{
- q%-5
- 7OBA
- haNx
- Hs,5X
- Z/12
- $`;9L
- P/22C
- ?aQ|
- (84EF
- k<F3
- qo8|q
- 4**H
- @7:A
- KNk8Z
- 2I(;
- 8wE;
- j!6|

- \\q2lr
- +39g
- >uOA
- iT,6
- (6srB
- CepMl
- ^%<2p
- |l=m
- L'B5
- <O(*
- Ux}~7
- |!m98p
- P*Yi
- YZs\twU6
- 2\\5>
- de_\\
-]Dw3
- ^n6hg
- UK_p
- 5%u
- (t)4l
- <2pt
- d0f8
- 2&&]
- |a^l$S
- A(Mji
- b_\tO
- 8x%o
- p92>=
- o!X<[e
- %WIO
- Qo T
- {6Gb6u
- *}35
- }86@
- TmeP
- c9oeV
- 4k~1G
- A1D9
- W4c6_
- dtXl
- q*xV9
- ?MID
- Uf9
- ztdo
- }PjA
- 6S=l
- $&Uv;
- 7XZR*
- 9RY3'P>lv
- 939lS^tWZ
- CM`43DM
- T3;0AP>[
- ^C5H
- R=&1l^O
- A(P1
- "s3Mr

-]_R8
- (&>8
- 31Rd
- *ZU5
- O<bc
- u}Ov
- k+HA
- }FQ6B
- 9H6Z
- Ih9dhT
- X_8z
- psUU
- S.e\\
- o[Gil
- 8d`
- 5/k+?
- N28a
- w\\qe)
- 3/Uc'
- a:t1
- S13J
- (KF7
- iUXWh
- e/
- BB+E
- z'4L3s
- _coDn
- \\6[F
- o6=f
- i@EFh*
- l:|S0
- ~`qU
-)~%12
- "-U^
- 5(\ttA8
- 9s?#
- :dR<i
- <:I}w4
- xu2j
- Arm3
- }e33
- 7C#Q
- Ge?
- 8"=^
- IrzY2Q
- 2S$
- [sE/=
- Ex%N
- U\t$D
- =\\7w
- 3c63)
- 1Ble
- X7=hv
- C@_0
- riN
- ja[tT
- m#d3.

- P;9Y_
- _lp
- #v7\\j
- t:-1
- 2M*|
- yuBwW
- :U%SN
- I$?G
- FA9N
- &4?i{7
- om^L
- \\Sv0
- IIr7z
- 66dV
- aq<~
- "]3c
- k,4Im
- 2|C{
- We)'
- Poh-
- ,Af>
- Q:R0
- cIW|p
- >peo
- UOsW
- ?}U~C
- t3^nw
- 0|j>
- [%;6
- -n[VO
- 8+&.
- Na:1
- <?uq2
- oXzp
- PEB{
- r>AqP
- DEl<
- wa|(
- GAH*
- I$|j
- 8VC0&
- ezdGy
- x1;,
- vUk h
- IBqR
- Z,Mi
- 98/z
- ZZOv
- ^]04a
- &,;9
- hEl~
- g(L2
- oYbK
- m4d%
- 47/I
- WoJ(
- *o`d

- b6GON
- {0rv
-)_!\\1
- 4!R;
- c'5o
- e?bkr
- (g8#
- 2 o4
- 3\\M
- FKe7
- Vgef`
- b8Ai
- K-a[
- z2;
- 094Yw
- %wo@1Ds9v
- 5S,&
- 0pLUD
- TIcG
- E(+:
- 9&hcR;
- laXKD
- =6>2
- gf>5$
- %Abr
- Uu0o
- d9zD
- P1zf
- Ac/F7
- kzEM
- 2$ap
- Gt8y
- |Aw=
- (5KzB
- ~^e9>E
- pYIa
- pq4"
- 0H0/u*
- 7>F\tt5
- :E"%
- r?@2D
- N3@L;34t
- VCC7
- f8-{R
- W\\81PT
- >Wo1
- op]Y
- `~EK
- /7!E
- Ap~
- 4S:]
- Cyn=8I
- B8FPG
- * 7@
- NtpY9
- OP^6
- =.7Ar

- 9JR,
- U`ro
- ~eGx
-)A6}n
- 0Qp%
- `],:O
- iiI3
- ^PIF
- 4G+25
- #6dcR
- 09*ZmUD
- A>sE
- HZ4
- #*g\\0
- O~<6
-)z\\3
- %R7~
- e'&a;
- At}O
- TfH3
- t9%+t
- jKE!
- !6y5
- k.l5}
- 958V
- ?P3c
- WU_i
- 9`X}
- %o7Q
- 6^',
- 8b5m"K
- %71!
- 3M\tg
- w0?B
- E1+c~
- >7O\\
- D_kU
- Z!=1;
- 2Hr/
- |ae.
- 4\\sb~<RI
- ynK3
- PJO@
- [Ge:
- cZc5
- 1\t7\tc7
- #6P8
- 7)2Z_
- VnA|
- L3o:3
- ,K8`
- h0i/
-]YSo
- a7Jj
- UL+Df
- so*
- nwOcl

- b?6L
- FxS0
- 2oQcGx=
- >i8:
- NabI!
- 6PKr
- Nquc
- @2Z=
- v8\ts.
- a&9`
- b5jY
- |2a=,
- uACKzc
- 2wEw
- UQ{9
- 9C9N`O
- RX"3
- aM4uM
- E%}f6gS
- ZutZ
- y@eolg
- D02]
- Aqsz
-]=4|
- 1Nbw
- %&7[?
- [U \\1
- (seo
- SZ,7T
- eO'7u
- Rt#z3
- U{G{
- /?7{
- :Mwa
- .){u
- iH}}*
- Lj6Ji
- y9s@B
- I*/@
- i`lC
- uHl
- I2#m
- 5B
- svd6
- sEg(k
- o3cr
- Yh>A
- yzArB
-]luf
- #R9P
- ,I3?
- c8-~
- `LB3
- %Iij
- =X7/
- Ov9*Oy
- [CrA

- q0@&
- !-s8
- n9Cx
- n6X2O3
- 6\tjW
- GTVO
- 8[R@|1
- I&}f
- #mV0
- CO&}
- o\t^a
- E*mB(
- hI~Uv
- mAO~
- EsMQ
- U7_Qe
- kZA1C
- BYpED
- IzkJY
- }&a4;&
- L2A!N
- F0<L
- @<2N*
- {?C3
- oIM_
- v.4X
- 9eTr`wX.
- H9ZQ
- EC_e
- ;C2
- TX?6
- 8OEg
- ?4(t
- DODj
- FI+(
- P[c2@
- {l3/
- !P8N
- I<+s9
- "K~9
- s!A.
- ||>U
- ZV5h
- 7p3S
- >i]Pd
- 2dx$x
- 2`En
- 4^.k
- V%5B
- ~Ju;q
- BiIU
- (%z<E
- S1?U)
- x5[i)
- }yi(
- !R{i#
- Ocu#4

- g@{8
- *]Z2
- tz6`
- C/UI
- R_Z0|
- FaND-
- !Jlv4
- yRL4
- 1"s*
- c5U7n
- ;4cn
- +o]+Ai<
- Wx5>Co
- olMB
- UE=A5
- c,e,
- E6;9
- aJi)
- {fd!E
- o4>l
- rOR/
- X9AN\\
- G#gb5
- ,~:]1!jeC
- |lI$8
- 3T+k
- et[rj1N]
- 4-S2
- _RI,J
- IZ6D
- p6a%
- +IpM$
- 8)FY
- 4<Xg
- %9H-
- >a#7%8H
- 6d|x
- 1-k/
- I' i
- \\M7s
- 8oy"
- e%\\i
- "_)73
- SI \\
- 7-\t{
- z\\FU
- LZ3l
- tOr)5
- xOe~
- s3GYJ
- N1*m
- CcaE
- 3$1
- 1DRo
- q?xO
- Iy9"bB$
- wlHe

- t9Z.
- jFb86
- :4_R
-]kaT
- GoL"
- o*t^
- o! A
- 60.%
-)deJ
- 9F\tq
- of/`/5
- ^'TI
- 8")^
- ENI"E
- UD&o;
- ,fU_
- (ax4*
- g~6S
- U":V
- eTL<
- @G8oz
- pgv5a
- j{"O
- 0M8J
- 2IRs
- ,7DX
- U;<i
- y8[2
- 7bN9'e
- 4_S'
- 1{G5q
- V6cWI6FH
- teM@
- 6*`C
- e71to*
- 6Kf_
- :a/t
- 8#@T
- _q06
- tl7y
- >0SI1
- O5y!gc
- 4>^~
- Ztrs8
- dot3L
- MP7;
- _>Yu
- 2h]F[
- yA!m
- 2?Z+
- vj1U
- nxAQ!
- qg9g
- '4gT;
- 1hD0tj
- 4nV/
- v2QA

- B5(7
- 6Okpl*
- ?m58
- RVo`-
- * .:O
- 5D(U=u[
- ><'u
- nv!i
- \\n0v
- Kil^
- 9'JY%$2
- mtlW
- 7Rg
- *5K6
- 6(b=
- AgD4+
- @0N!
- "\t7u
- V3P)q
- qRA!
- f|PE
- &5{
- ;8gS
-)1{J
- z.oao
- 7y]*7
- 61Vg
- EArT
- p=m2{
- }\tuV
-]_A4
- 6{Mi
- lQ$X
- LKSu3x
- U r2
- _{2Y(
- |j5w
- N#/oN
- >?4_
- ;j3S
- &cYOB;
- ofJ_
- ;2am
- "H&2
- G9WCd
- A`XY
- 81,ow
- d hU
- iJY]
- h 4
- K2qP
- ~jQ41
- 4<V4
- eaTx
- ^pEM
- [C2,
- 7lH<

- Z2vw"
- V>\\1
- xr6a
- %Udv
- e"P?W
- 0*AdBx
- p\\q9@
- ^KFn35
- l&8wE
- PMus
- Bppa
- n.0W
- i)vD
- ;#dA
- $u"&
- \\$aj9t
- ?i/@
- \\eh_I
- JeY,
- 150807070045Z0#
- 'Symantec Time Stamping Services CA - G2
- Symantec Corporation100.
- 0r0^1
- pCp^u
- B5@7
- 7zchd7b5
- %VeriSign Class 3 Code Signing 2010 CA
- VeriSign Trust Network1;09
- VeriSign, Inc.1
- B=e6
- G8J-l
- 3130
- VeriSignMPKI-2-80
- (0&0$
- -0+0)
- image/gif0!0
- [0Y0W0U
- 0V0(
- i0g0e
- z;T0S
- %VeriSign Class 3 Code Signing 2010 CA0
- VeriSign Trust Network1;09
- VeriSign, Inc.1
- 200207235959Z0
- 100208000000Z
- <VeriSign Class 3 Public Primary Certification Authority - G50
- 1(c) 2006 VeriSign, Inc. - For authorized use only1E0C
- VeriSign Trust Network1:08
- VeriSign, Inc.1
- wha3
- #(2v
- :'jI
- 3BH8Q:|8
- N0L0J
- 3130
- <VeriSign Class 3 Public Primary Certification Authority - G50
- 1(c) 2006 VeriSign, Inc. - For authorized use only1E0C

- VeriSign Trust Network1:08
- VeriSign, Inc.1
- 210222193517Z0
- 110222192517Z
- Microsoft Code Verification Root0
- Microsoft Corporation1)0'
- Redmond1
- Washington1
- \\xuN|@e
- LG{4
- ekF0C
- dI~>#
- q6e-$
- K0I0
- 0L0#
- _0]0[
- $0"0
- Y7s[
- !oA2
- OIXb
- SQ}U3
- 9Beijing Rising Information Technology Corporation Limited0
- 9Beijing Rising Information Technology Corporation Limited1B0@
- Beijing1B0@
- Beijing1
- 180907235959Z0
- 150609000000Z
- %VeriSign Class 3 Code Signing 2010 CA0
- VeriSign Trust Network1;09
- VeriSign, Inc.1
- y3+.{
- EFAn
- \\vnO^
- ,&c3;
- b07x
- TimeStamp-2048-20
- 50301
- g0e0*
- a;EQ
- 2oNW
- +Symantec Time Stamping Services Signer - G40
- Symantec Corporation1402
- 201229235959Z0b1
- 121018000000Z
- 'Symantec Time Stamping Services CA - G20
- Symantec Corporation100.
- TimeStamp-2048-10
- 80604
- &0$0"
-]jxdE
- "W*o
- 'Symantec Time Stamping Services CA - G20
- Symantec Corporation100.
- 201230235959Z0^1
- 121221000000Z
- Thawte Timestamping CA0
- Thawte Certification1

- Thawte1
- Durbanville1
- Western Cape1
- >0!0
- Z0X03
- 150629094113Z0#
- 'Symantec Time Stamping Services CA - G2
- Symantec Corporation100.
- 0r0^1
- -_Y3
- %VeriSign Class 3 Code Signing 2010 CA
- VeriSign Trust Network1;09
- VeriSign, Inc.1
- B=e6
- G8J-I
- 3130
- VeriSignMPKI-2-80
- (0&0$
- -0+0)
- image/gif0!0
- [0Y0W0U
- 0V0(
- i0g0e
- z;T0S
- %VeriSign Class 3 Code Signing 2010 CA0
- VeriSign Trust Network1;09
- VeriSign, Inc.1
- 200207235959Z0
- 100208000000Z
- <VeriSign Class 3 Public Primary Certification Authority - G50
- 1(c) 2006 VeriSign, Inc. - For authorized use only1E0C
- VeriSign Trust Network1:08
- VeriSign, Inc.1
- \\xuN|@e
- LG{4
- ekF0C
- dI~>#
- q6e-$
- K0I0
- 0L0#
- _0]0[
- $0"0
- Y7s[
- !oA2
- OIXb
- SQ}U3
- 9Beijing Rising Information Technology Corporation Limited0
- 9Beijing Rising Information Technology Corporation Limited1B0@
- Beijing1B0@
- Beijing1
- 180907235959Z0
- 150609000000Z
- %VeriSign Class 3 Code Signing 2010 CA0
- VeriSign Trust Network1;09
- VeriSign, Inc.1
- (0&0$
- image/gif0!0

- [0Y0W0U
- 3130m
- 0*0(
- 60402
- *0(0&
- <VeriSign Class 3 Public Primary Certification Authority - G50
- 1(c) 2006 VeriSign, Inc. - For authorized use only1E0C
- VeriSign Trust Network1:08
- VeriSign, Inc.1
- 211107235959Z0
- 061108000000Z
- .Class 3 Public Primary Certification Authority0
- VeriSign, Inc.1705
- y3+.{
- EFAn
- \\vnO^
- ,&c3;
- b07x
- TimeStamp-2048-20
- 50301
- g0e0*
- a;EQ
- 2oNW
- +Symantec Time Stamping Services Signer - G40
- Symantec Corporation1402
- 201229235959Z0b1
- 121018000000Z
- 'Symantec Time Stamping Services CA - G20
- Symantec Corporation100.
- TimeStamp-2048-10
- 80604
- &0$0"
-]jxdE
- "W*o
- 'Symantec Time Stamping Services CA - G20
- Symantec Corporation100.
- 201230235959Z0^1
- 121221000000Z
- Thawte Timestamping CA0
- Thawte Certification1
- Thawte1
- Durbanville1
- Western Cape1
- >0!0
- Z0X03
-)=9|
- AgYh
- k#cGa
- 8^]m
- 79,o
- /,5x
- 01h>
- `Up+4
- {\ta.
- J 6c
- s_eCc37
- r}IX

- OIx
- UqyD
-]t*I
- &2C|
- IULc
- Of8E
- iN4b
- :J6a
- ofDr
- f7D.0'
- %pje6
- :P8"
- DEtX
- {ou}
- heF*
- /AX3ku
- zeI,
- FgnD4
- [0 ,e
- U|"?
- <rs5B2
- Jou$8
- G#4$0Hrnt9
- 99jQ
- Vni8
- ;Apd
- aiN1
- 7\t.-)
- (oCA
- ~1tV"
- %j\\6
- /INT
- 6TP $
- q0Y$
- j a)
- J5mr
- &qREJ;
- be,{
- wo|<
- y3Ve
- -%(NI
- MjHK5
- bt4P
- j 2S
- 4^V
- 18g r
- \\q\\0
- 6tap
- 5+zv
- ATq
- 7rYr
- !4xj
- .9:$
- ueQ:
- 5,'E
- !O<6&
- FAlf

- J&ae;
- UVK3
- imChK
- 3B%{
- 5LCo
- 1J4X
- ,A$
- /O5]
- 9{!A
- i@wA
- ![qa
- $M[t4
- _aq%
- e8&HlGr;`
- ".<o
- SQwUv
- bum0
- dY3D
- n\t1Z
- z38w
- 5d|w
- 70[a
- kR&a;
- %q7V
- aA#W
- ;2C0\\s
- sceG
- qIAJ
- Q}}4
- 3@T|
- 4P.M
- E4Faq
- EJiz
- C~6h
- Ojp
- %@YaC
- eR[I
- >Y_i/
- |"T5
- <93Z
- a l~
- u,+C
- "{`Q"6o
- 3ZNV
- Q1;8I
- i1XS
- g^O8
- +B8T
- Jv3a
-)I-E
- Cj1#
- Z#X8
- .aK(
- 8A1D
- ~}E
- E$+"F
- M(O-

- f1|^'
- B4B&
- TQ2sO
- D"S6
- \\{\tU
- 8.0)
- KlOgw
- QgAz
- zQM0w
- T\t]R5
- {ewl
- -u.y
- !UrU
- Mv13
- YS:s4
- 1Il2c
- }xE{
- a"w{
- O^OZ*
- j~\t.o
- CE-ny
- Wk\\4
- 1nz`
- /0dI
- e<EL `ci
- gp%>e
- nuy]N
- *K0%
- <o$q}Ch*I+%5
- f4}L
- 8W/(P
- Dua8
- q$=lU
- W#2#
- D1J}
- 289QG
- Uq|t
- L)*5pI
- 2i|m
- E&h;/
- 74C:
-)VK6
- bC8C
- P!~5
- i#pgD
- -OaN
- 6]%K
- \\(E%
- LF\\\te
- ~A_#
- u2\\\\
- f@-9
- ay6B
- MM&1
- 1ohh
- vO[t0
- gsxa

- `E?#YQo
- d:a+
- +<Q1
- 9}s
- UsP<>
- 1\tFx
- Eln
- oh[2
- Lco:
- 1f"j
- H31p
- R`AO
- z9D,n
- :'5y
- Q&u;#a
- 8t$=
- p$~O
- @]ULmE
- ~3&gYrAsp;
- {L/7
- L?127
- (#8$
- 82xwQ
- Q~""6
- 94C,
- 2_:#
- \\oyJ
- xcIBp
- o=`R
- 6T"`
- BH+u
- {4M
- 1~?}
- VU6(
- g:l,
- 8N}5
- 5v2l.
- =8WP
- ,-$6
- Gme6Q
- *L#4
- r1F0
- ZQ6
- eNb6
- k|ol
- 8``C
- KJ#,7
- !4$-9YP
- f0#e
- ~-)6
- M@a]
- Z.5f.
- "$ey
- :Dpi
- w6hp~
- '^t7
- C ui

- Obi
- "/UZ
- oj_?
- mUwd
- Of?1
- 1NA^
- '8`E
- vAdH
- [4~$+
- 9x1u
- .LsU
- T4yR
- Uo{z
- 7Ez
- r%a
- tam{EDUH
- A'-z
- iTF&
- R+o#
- (hAUM
- OF~0
- 9V%Y
- nb1*
- 6IsqV
- e`@R
- U7s,
- 42I
- 1;A
- Si=O
- 1XjVS
- up.yF
- 6P0E
- 6p?R)T}6L
- bi?{
- 5r& /
- u~k
- 7eTlF
- bo=4`
- ,Oh9A%i
- io?)
-)&IL;
- 6h*I
- }kTOi
- eYR6
- $27h
- IM'p`
- jO3wh
- :B[EG
- 7#Fd
- ^79'
- O<]i
- YE7&
- #V8'
- Zu@M
- ~4d(
- n]ZoV
- 1! D

- m>8I
- j1kl
- 7CS\\
- a=dgo
- 7ZVU
- ieAh
- Jz?E
- \\1pS
- 0ff1Kn
- ^dbO
- ik4a
- 0<$8r
- ne`9
- C{4++
- MRO+
- #)Oi}
-)0\t0Oz
- 91Vy
- YRas
- Sh 2
- *(a}
- +Fee
- vuES
- RJH2
- K!C9
- nPn9
- @eB]
- 7f-L
- fDA8
- &^ZwUde
- "A0>(;
- i-nv
- Y~5D
- =Q:0
- .f4>r
- IF9xvG UM
- UPWj
- =8JF
- ![ay
- drE]-
- (E%9g*
-)h8sI
- C^08
- iv3nz
- 9_%]
- NzJe
- Cb0;
- 26.Ip
- %*6I/
- Q(q8
- IK.D
- 5MFl
- Xz3\t,
- AVdE
- y@4OED
- O4l\\
- pa|E

- ICa$)1
- ,8X*
- H#vU
- ^6&s;
- @(6q
- 2iWun
- \\Qe?t
- 5omv
- XOhL
- 5u>@
- Nnp7
- s5eh>so
- TOQP
- iz-/
- qR;4r
- eJh{
- %QI=P
- #8tM
- "fE3
- j2"j
- /FUO
- 2-Fc
- ~u#$vJQ1|"
- FW,E
- 0Q4x
- AEQ5t
- o'r)
- 6]IfV
- 2<z9
- \\s05
- zk5q
- .QA3
- PVU*
- :Dt0
- noQ/,
- ;]2+3
- zU+I
- 6t;2^fS/*
- 0N;\\VA
- 3mRS
- CAMb
- 4&R0;
- 4,cD
- 5ok(
- NgV}48U
- <i*t
- \\1|!'
- }!1D
- HQo]
- 8^Pj
- \\oD?u
- c\tJ8%
- 75{'
- P\tn7
- j9Ih
- -zud
- R80h

- D2\tW~ta
- I*Wt6~N
- MVB8
- ;5.:
- R4zg)
- 9\tCW
- (_e/
- H2gM
- ebeA:l
- EBG<al`9
- j5id
- oQj+
- iA8U@f
- SkEmY
- ,;P7
- sun:
- MAVC
- G{8nz
- UD7C
- l,]3
- <IkJ
- i vpi
- [o:F
- {S6D_
- }W3NC
- ,7tY
- XZ!EU
- 2XJ{
- ?1SE
- 1sBR
- AE6r
- L1|M2;
- so"KI
- 2BnwY
- m'3b
- mS,%2
- lFjOx8
- {s 3
- t7v[u
- ?c.5
- 1'gL9
- Ez\\
- lcSxa
- Geo^
- ?2xpB
- r`sI
- G0\\%P
- +'Iv
- aCSJIP
- :0JH~
- iomZ}
- iGm0v
- 6I@A
- 1oqO]A
- Fm2I
- A0vx
- 5E(,?r

- #e#$
- \\U5*
- O6$Yq
- po6}2
- C'4%
- RZyO
- ONHc
- G7ov,
- &U; 3
- Dh}|1
- 2FV$
- GdeN)9
- eZ"yP
- k73=c
- nO&4
- TIFQ
- GX4V!
- Eg6Mul
- NOhh
- ZNdE
- oZT
- {BuA
- -~8U
- $7^
- k_O[
- ZO6v
- 3Z~l
-]x$8&
- 4uv5
- gimEc
- /ma@
- a/r~O
- 1ou<C
- V,AS
- 6#XSI+
- d72
- g_UHy
- a!gw
- i+K=/
- 4OEk
- UeHF
- 4UW+
- 'ecq
- n8nt9D
- "O7X*
- *,0
- =GEK
- usnSUc
- eE?zv
- r5i_
- iX['
- `7>'
- 2vO%]
- e08L
- s+o4
- k[pi
- q[Zra

- ZcF@8
- $ZIBR
- o80?
- u`w
- <=qU
- y^$aL
- ~HaE?M
- 7}\t2
- $Eio
- YJ>0
- '_'9
- _-as
- 45p/
- ">i/t
- WOLv
- H5:C
- '!&22L
- -E89
- 67)V8S/_
- 8on6
- {NA[
- 4X;k~
- b>4L)
- Vb,O
- gYUML
- <0+B
- ,cE5
- ,qNvA
- u*ol
- EUK~f
- i6WI
- :xEK
- 5MJev
- 294D
- 3^sk
- _D*A
- B.Yo@
- d%2i<
- u8 O7
- >uJR
- {{u}b
- nI)~
- fx5*q
- dy6(
- VogQ&
- Cadkv
- 'Et6
- "5aC
- n8zQ
- 3A-|
- l;&0
- 3U9#
- 3hA;
- $76D
- C>jI
- ln4$w
- |U>V

-]ir-
-)$OI%f
- Z1jL
-]7Ii+
- 9%uq
- 6nMZ
- Bo0#
- D'8vP
- 42e0
- jb}0f
- }7{;
- cf{-1
- f.9#p
- QiE0
- *}7Q
- N{3o
- IfP5
- M*I`
- =2iY
- h\trh7
- "!a,C2
- IHmnn
- rI%j'j3
- 4'^'
- gSa2
- Xs67
- /.a$K
- 7\\:R
- 48="
- /1uu
- +54u
- ;M|o:
- a51T<wt
- 7D&dAY;
- uD9h
- {5(*|0o
- O1Kj
- egUL>
- {X,E
- ba;g
- Ay\\Ws
- E2Py
- U<7!
- 7{ 61
- \\7?!b
- *z08
- g6Bd
- 61jWG/L/
- -[a
- n9xq<
- Pu7F
- mgAy3
- A6]"
- I/
- u2xc
- LJ{3
- Y`7E^*P

- jU(xeR
- N#ae
- ^D88B
- <3ZR
- a@I*
- ONu0
- olB*
- 9g>kO
- 7^&(
- yE1a
- j@Uo
- uJd1
- o-vW
- K.Xa
- Li^s
- O{v>I5J!
- vIJ'O~M
- Hse@
- /{65
- SAC"
- PFV9m
- EwrX`
- 7+S
- C.)0
- |9n#
- Xj5k
- ;ou
- ,OS!
- $LE(9l\\(O]
- Ot*
- <v|29;?_a
- Ve%^
- U%F
- me\\/
- ID<)
- b1k=`
- ojwpY6F
- SHtu
- b-'5
- @5vQ
- O)0%/
- 8^Qd
- Km!3
- 4/!hm
- x5r/
- q@\\7E
- v^)84
- U83p
- 3EFY
- m_A6
- Fi17
- v{@\\A
- a_wS
- NZu;P
- dttIt
- l1{:
- 2LT;

- 4/Q8
- 2]5z
- A"3~
- ocfKN
- ,oc$
- ?,~0
- uk&7
- e=gV
- <u0
- -]Mzu
- S/\\O
- 0oJv
- ^Ol0
- #D9>
- 18Y2
- Y*2T
- l01Z
- \\k:7
- EK*pf
- '9B?
- =[ad
- +EHu{
- x5f_V
- W[7+
- ldQ1
- Ci,}!Ab,
- p<4:
- T3%dU
- o1uM
- @OU.
- OsFVe
- d&{e
- a;BW
- N-\t4
- /lfu_0
- EuKY
- [|i&~
- 4|Oh
- w0}]
- 9#k@
- ^}v1
- A!8M
- Xo.U
- >uNp
- 8!1k
- >2OK:
- &O;<2
- ?Kx4
- uE_r%h
- j1g[
- wowpec
- zOk'
- -IH6U$
- ~y7WS
- H96|N
- `Qal
- x+01h!

- KoP]
- pDf3
- duv7L
- P|V 0I
-]%Fo
- 4:cG)U
- fhv9
- V!Ba
- vA{~
- C8'?
- R%za
- dK;Wu
- AT~R
- -<.x0
- q(0Y.
- gV3^
- t5dndu`
- w]7?
- udl|8j
- 0I_0l
- ouPAK:
- ap8y
- _ek8
- !l]51
- +FFO
- #4IF
- FVy`4
- UI]T
- 1`/U
- 0#u;T
- 88jL
- {eY.
- yB1'
-)5..
- OS@p
- @KAP
- >o0JO
- /fOB
- 7&H;<F
- r@3J
- xNd6
- ptXe
- v~Ov
- &oJ;=
- A-T2
- (I@>JL3LZ
- R+7*
- AxmE
- `n`6
- i5pl
- r]ePp
- _i^~>
- [SAL
- *8^58x
- &fa8;
- G=yJo
- u(Sw

- Wx3y
- FYO,
- CE'_
- dA\\,
- (>3Y
- D4K7
- UCBU
- a,SN
- zD9>>
- %1 4
- l34M
- 7~#a
- Q1*(_
- o2o#
- =E-\\
- }\to#
- ^=9m
- T1Mi
-)5S\t?
- qO,rK
-)!4rM
- ExU9
- pan_
- x\\"O\'
- .P6?UX
- eI!*
- t0&/d
- LG;10
- #l4[
-]m33
-]9i&
- 8?2FI
- ;05E
- AZ"3
- 4WhI
- }T[uq
- UBOX
- d;4q
- m4Y(
- ~C7L
- he+`
- 4YV
- a'm*IM
- Xs9m
- I~>w
- o!XV#
- 9iB|*x
- \\;4-0?
- _SqeM
- lQ9o)
- EzOy
- $.A]
- zTE!g
- %OcR
- l@Ju
-)[1Fe
- In6]

- JE[2
- l&d9;
- B~OX
- 8{/-X
- @b8~
- E=X:C
- P4J*
- ?*B7
- y}{iF
- 8.1RG
-]>Kid
- [V4 k
- ns^EX
- e,Pe
- ax1R~
- (L\\eu{$
- |\\5X
- RUCH
- _Ol6A
- ^8JE
- gduc
- i:q^
- Copyright (c) 1992-2001 by P.J. Plauger, licensed by Dinkumware, Ltd. ALL RIGHTS RESERVED.
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- .?AV_com_error@@
- restorelog.txt
- restorelog.txt
- restorelog.txt
- .?AVout_of_range@std@@
- .?AVlogic_error@std@@
- .?AVexception@@
- .?AVtype_info@@
- .?AVCInArchiveException@N7z@NArchive@@
- .PAD
- .PAX
- .?AVCNewException@@
- GenuineIntelAuthenticAMDCentaurHauls
- .?AUCOutBufferException@@
- .?AUCInBufferException@@
- .?AUCSystemException@@
- .?AVCAtlException@ATL@@
- GDI32.dll
- COMCTL32.dll
- 1#SNAN
- 1#IND
- 1#INF
- 1#QNAN
- KERNEL32
- GAIsProcessorFeaturePresent
- e+000

- Unknown exception
- C("O
- KJ2y
- y{>D1
- <5IkQ
- HTTP/1.0
- POST
- InPost=
- Content-Type: application/x-www-form-urlencoded
- Mozilla/4.0 (compatible; %s; %s; Rising)
- <local>
- proxy
- Windows 95
- Windows 98
- Windows Me
- Windows
- WININET.DLL
- MSIE %d.%d
- Win32_Processor
- Win32_NetworkAdapter
- ProcessorId
- Model
- DiskSerial
- MACAddress
- map/set<T> too long
- K.$invalid map/set<T> iterator
- SCSIDISK
- \\\\.\\PhysicalDrive%d
- vector<T> too long
- Iphlpapi.dll
- %sbase
- Label.dat
- ACTIONID=
- TITLE=
- \\NetConfig.ini
- SETTING
- {%08X-%04X-%04X-%02X%02X-%02X%02X%02X%02X%02X%02X}
- %08X%04X%04X%02X%02X%02X%02X%02X%02X%02X%02X
- ProcID
- CLSID\\{CAA2D3B2-4BB5-4a45-A17A-122773379D99}
- =L9o<
- string too long
- invalid string position
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- Unknown security failure detected!
- continue execution and must now be terminated.
- corrupted the program's internal state. The program cannot safely
- A security error of unknown cause has been detected which has
- Buffer overrun detected!
- now be terminated.
- internal state. The program cannot safely continue execution and must
- A buffer overrun has been detected which has corrupted the program's
- Program:
- user32.dll
- Sunday
- Monday

- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March
- April
- June
- July
- August
- September
- October
- November
- December
- <program name unknown>
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- Please contact the application's support team for more information.
- This application has requested the Runtime to terminate it in an unusual way.
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- Please contact the application's support team for more information.
- R6029
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- mscoree.dll
- CorExitProcess
- 700WP
- (8PX
- out of memory

- Z2fQ`
- Password is not defined
- Testing
- Extracting
- Skipping
- Unsupported Method
- CRC Failed
- Data Error
- Unknown Error
- WinMain
- installbegin
- {E5C53971-D80E-4500-BE0D-761BF3CD8457}
- IsInstalled
- SILENT
- SILENCE
- UnCompressThread
- \\Rav.7z
- CMy7z Open File Start ...
- CMy7z Open File End ...
- %08x
- Extractfailed
- true
- res_watch_install
- Extractsuccess
- %s\\auto.ini
- Setup.exe
- Param
- isForbidInstall
- /SILENCE
- %s\\CompsVer.inf
- Component
- CLSID\\{CAA2D3B1-4BB5-4a45-A17A-122773379D99}
- ForbidInstall
- UseDllInstall Start...
- \\setup.dll
- rs_setup
- Start
- UseDllInstall End...
- LEVEL
- OUTPUT
- LOGSIZE
- RS_DEBUG_VIEW
- RAV.INI
- LOGNAME
- DEBUG
- \\logfiles
- [DETAIL]
- [ACTION]
- [WAINNING]
- [ALERT]
- [FATAL]
- [0x%08X]
- [%04u]
- 0X%X
- SOFTWARE\\Rising\\%s
- datapath
- [%04d-%02d-%02d][%02d:%02d:%02d:%03d]

- SOFTWARE\\rising\\RAV
- installpath
- \\rsmain.exe
- ForceRemove
- NoRemove
- Delete
- Kernel32.dll
- %04d-%02d-%02d(%02d-%02d-%02d)
- kernel32.dll
- MiniDumpWriteDump
- \\rsdebug.ini
- IsDebug
- Debug
- INvp
- 5.vF
- 3.v\\9.v
- -va8.v
- .v1#-vO!.v
- tAVW
- u\t9}
- HHu&
- j\tYO
- 9~EO
- h41C
- |#;E
- Wj0S
- 80t.
- p`;5
- p`;5
- <SUV
- L$0Q
- l$hu
- 9l$t
- |$ u
- t$8;
- L$4W
- t$(U
- uIh0
- NWh0
- u5h<
- uthP
- D$4P
- T$4RWUS
- QUVW
- \\$0r
- 9|$(
- L$0Q
- 9|$D
- L$8Q
- D$8P
- u$WSj
- t$,t8
- |$,u
- ;0u8;
- 9o$]r
- 8ZDu
- 8ZDu

- 8ZDu
- 8ZDu
- 8ZDte
- 8ZDu
- L$0Q
- 9U$r
- T$0R
- SVW3
- T$D3
- _^]3
- QSUV
- SVW3
- t&9q
- T$Uj
- SUVP
- D$4P
- t9WP
- T$0;
- L$0;
- D$4RP
- T$4P
- L$4QV
- 48SVE
- D$8;
- _^]3
- \\$(UV3
- VPQUj
- t$ 3
- 8tLS
- T$4R
- D$4P
- _^]3
- SUVW3
- -_^u
- 5H&C;
- t/9U
- ;5`qS
- A#D$
- VWumh
- ;A t
- 6PWS
- ~"9E
- 9~(~
- 5`qS
- uY9E
- 95L>S
- 5dqS
- 9=dqS
- 9=dqS
- tyf9
- SUVW
- 8"u&
- t7VP
- 0<=t
- t$<"u\t3
- u(9=t<S
- u=Vj

- ~\\u
- 9P@t
- 9P0t
- 9P4t
- 9P,t
- F,98uX
- F<W3
- 9] u
- t-9]
- E SS
- 9] u
- u8SS3
- pt1S
- ptaS
- YYj0[
- oG<-uK
- ?]ur
- u]!]
- 5 +C
- u79=
- u,h_
- uiSj
- ^[_3
- 8csm
- u,9x
- 8csm
- 8csm
- 8csm
- YYu"
- WVj0
- 9x@t
- 9x0t
- 9x4t
- 9x,t
- t6S
- Wj@3
- 8MZu
- ^_[3
- t&:a
- tYVU
- SVWU
- VC20XC00U
- 5t<S
- u.;5
- YtE+u
- t4FA
- hH{A
- h@{A
- SVWUj
- P+c0
- ~D_3
- 8^Xt
- 8^XYYu
- t\t9]
- OWh(
- u@8E
- uW8E

- t\t9]
- OWh(
- u58E
- uG8E
- u 9F
- t:9E
- uA9E
- OYu
- OYu
- t(S3
- f9|$
- 9~|~
- 9~|~
- E ;FP
- 99Gtt
- Q|V3
- 9~P~A
- 9~<~A
- 9~`~
- 9~ v/
- 8_^]
- 8;|$
- \\9^D
- ua9]
- u\\9]
- ;P0|
- 8XTt
- SVW3
- r>+u
- 9^D~
- [u%P
- u)9}
- HAFF;
- t\tAA;
- j Y3
- B;V0|
- 9^0~)
- QQSUV
- t7;w
- 0SVW3
- !u@;
- Yj\t3
- SVW3
- tFIy
- LSV3
- QSUV
- F4u5
- ;N0s
- ;F4w
- 8Q-t
- 9A(t
- u.VP
- SVW3
- @0W3
- Hp9]
- 8^ht
- @@Nu

- 8],tC
- 8^ht
- 8^ht1
- 8^ht6h
- E(S3
- F;w0|
- 9w0~
- ~4VW
- H0;N0t
- SW~9
- 1;t$
- 1;t$
- 1;t$
- 8_^]
- t_S3
- j\\[f9
- YYtA
- r5SUf=9
- xu_V
- QQS3
- YYu+f
- tl;U
- G8;G4t
- UUUU
- t8GO+
- t8H;
- P4;P8t@f
- F0[t
- nAJu
- G(9G$u
- L0\\@
- u\t9V
- HP9T$
- A9T$
- 9FHv
- 9FHr
- 9~$s
- 9F,r
- 1AOu
- G(9G$u
- uK9NpuF!Nx
- j@Y3
- h@AS
- h@AS
- Yu-S
- YuBW
- YYu58E
- tUh\\
- N09N,
- uB!F
- 4Sh(
- jSh8
- t6j`
- 8] t:9
- u 8]
- t(h4
- j@Y3

- VWj@3
- 8_Lt
- upf9]
- 8^Mt
- 8^4t
- G@AA;
- HHf9
- AABBf
- 8@;F
- t9WS
- ;A8v
- j@Y3
- YYu)
- t7VVh8
- jAY3
- u99]
- jAY3
- toj@Y3
- Yu&;
- SVWh4
- j@Y3
- j@Y3
- j@Y3
- VWj@3
- w-9u
- Wj@3
- SVWjAY3
- jAY3
- YYuSV
- t7j\\W
- SVW3
- jAY3
- SWj@3
- VWj@3
- viSV
- SUVW
- YYte
- SVW3
- uP!E
- j@Y3
- VWjAY3
- t$9E
- eQ&8{
- O08[E*
- Y"8\'8
- pC8W
- MheS
- }S4=
- iF"
- 8T'%
- nN{E
- d4SS7K
- /I[\\O
- v<a=
- OY(h
- ^/XA
- a|}jk

- [;A^
- % AEZt
- 1SrV{
- g@3b
- TI\\1^
- Ul$j
- 8by^
- 2Z_L
- r;XO
- UPX!
- 3.07
- `UPX1
- UPX0
- Rich
- !This program cannot be run in DOS mode.
- dWQL
- H
- h((((H
- (((((H
- h((((H
- (null)
- "/:<>\\|
- jjjj
- jjjj
- jjjjjj
- jjjj
- jjjjj
- HwJ,
- @=c|
- _!"X6L$
- ZVfs
- tRCr
- ^XN?
- yJ#1W_
- Jt{H
- [D,W@P
- V]wf
- Q:Wc
- qm!<
- TTJB
- Zm\tc
- R[;w
- ~V"GW~
- /r\\M
- ?@W<
- \\`s>$
- rFxc
- .X&Y;
- pRkJK]Z
- m\\tq
- Ppy`
- $J^}
- JJxnb;n
- $wJ
- c<bn?A
- D} '
- HKP_

- {\tLW'
- {R%(
- #GVY
- K{KY
- xt`s
- YKk;]
- ^ZvL
- ?%^<
- V)\\@
- q'Vf
- ,kz
- fv~\\vg
- Z\\\tS@~
- f<.l
- jb|@=
- k<) 6c
- KkS
- ;Hn]
- spX$k
- VSDz9|
- [{mp
- DS_ST
- P)qD
- Q`FD
- k-.v
- k{TN
- WGv/
- Z;s
- _>pK.
- YQ,S'@
- Vqmm
- p$_kK
- >|-
- (^~?~E
-)w<~
- tZg-
- CyW},]
- hVmd;
- `Wh~X=B
- m_B;
- $^~^
- D?),=
- _6}"%_^&
- WP|BW
- "#Q{YW
- M|c,
- Gf!b
- VlB+n2
- ~.v/
- Y?Dj
- !'gN>g7{
- Cz#}
- C'~V
- D*S
- \\ ^?NS
- SJsq
- \\ N(

-)*WF
- $X;%
- K'>h
- pq#{
- pL&l;
- `Fwsm
- X!5DSX
- :bHc
- Zyw/
- =zW}-"R2
- "YXx
- DWlEJY
- XY?c\t-
- {;%,
- ;h%<
- +rWW+
- <q$!
- }K"G
- L`B\\
- j<!,
- lGzJ
- H>(,
- X@<Y
- B~:>
- YD>P^l
- $S./oM
- .v%=
- m|kB
- x]{F#c
- nYqq
- qs__
- />jh]
- q//#
- v{W/
- nSJm
- DPY&v;'
- ^<_ELx
- -~:\\]
- s:$|<
- CW@=
- Rk|R
- T`kxd
- ^]R,K
- T`(Z
- Q@Vp
- g#}W#
- 'bY0((
- mX-J
-]w$v
- xp-p
- ?Z%~
- T#qh
- dSz#
- nF(Ga<
- @>:n
- g<*?.
- ZtXk

- n!jQ
- Cn%
- k}!J
- D}*$*
- CVy|
- .m<b
- Tbm{>p3
- |Y ~;-)D_^;)
- t'c%
- w/()
- <j\\'
-]c[S
- :\Vqj
- xWMn
- -Dkm
- .j${
- V'>}
- <N(|
- n>wl
- &KCMY;
- >y}F
- "/hm
- PpqyV
- Fd0 :wM
- B>f)v
- |wLPH
- +!S=
- =YPC'
- /-%`
- v\t?!
- Dxx9;{[
- ?ZV]
- B>xT
- ^FxZ
- MD"\\C
- \\(;W
- j$M>
- !qMQ
- #)Vm
- ~gq%c^
- kG-y
- kj&lyD;
- QBBY
- kfp#
- @vn
- $v/'~1`
- kGx;
- (/$H
- D!j-
- +]#h
- >m/$\\
- /k]c
- +"Tp!
- mpTQ
- $h/p
- g^mmP3
- @F)0`.|

- QCPew$
- 5)PKDW
- GXtrQ
- v'{KD
- (nb
- Q*t-
- }xo^"_
- [c!.
- rd^C
- @%X;g
- ;BR)
- z<S{!
- f!MC
- yA/T<l
- `\t#:S$.
- L<)m
- 'Xsg
- -l'.
- P -Vr
- XrhM;Y
- J BB
- JbS$
-)`Wy
- JP[k
- ?n^kd
- Z*:@
- c<Zhm\\
- [x{.
- B$*NZ8
- >!/j
- ?/xB
- $[n]
- #B({C
- ;H~Jb
- BQ)$
- }HnS/
- k<RM
- ")m
- q`b}
- TC :
- OTJ\\]\\
- [OLbj%
- HVQ'
- =^\\b
- ?&&dZ;
- cJqVQ
- kLL%
- {$KF
- D?CdJ
- T<\tXNR[
- G?vH
- qOT;R'
- ""]PX
- qKF
- %'mcY
- ?Yy&
- pMT"M

- \\!^c
- Ct|L
- MhLM
- &fB;)
- Rtpw
- 0:G#}V
- $V?h
- mPJ(
- HX^F
- RC;:\tp
- +JbX
- M$0rh&
- It`v:~
- F\t)'
- nVB
- qw[@
- <'-}
- Q\tMf
- (>t%v.
- Ym@&
- [>CM
- #]Vt
- |Y~C
- F'ff_
- #L2|q/]
- DmZ~q\t,
- j."
- Mh$=
- vx)_Z'm
- nVkX(
- %arc</
- :I%$R^
- 5*hgs&
- (RRJqZ"
- Gt+\\Xj
- vcL>
- B(f?
- `$'!^Z
- =bZs
- SJcY
- MFVQ
- &Smk;
- -`JW
- @r@R*
- p)"+K
-]\\m^?h+
- [\\!d
- $*x(
- g)(l
- }cW_
- ?!wgx$
- (t*,
- |{LT
- -_YH
- t%%t
- /Q=',
- WNM`

- 2s*K"T
- D?K@g
- YDK'|A
- H)Dz
- ~LP?
- y\\ 8ds
-]sT}
- wBSy+
- '&vf;
- Q<(^
- [Cs
- dc>Vf
- (+\\V
- `_{D
- C4N_Gf
- tLgp
- t*lMs
- ,vfz
- .s:/OK
- b!)j
- h&H;_
- dM y
- C\\{d
- y'$b
- mjt{'
- +cM@
- Rx;hLw]
- '~*g
- Yfz
- vKy\\F
- ndJ@C
- b:#s]
- Xs$f
- !Tg~
- tL@'
- '& y
-]feppp-*
- *Yvf
- b*DQ
-)UZ:|/
- X:JG
- (pX4$\\N
- }}W3s"
- ?l VWO
- +#Ch
- Mr%,Br
- R@)#
- VL${>f
- ctpd
- tnpE"`
- rYwH>
- bp+<
- SZj}\t@Ac'T
- <syTxI?t
- ^kQOFm
- zz((
- ZM#c&Vl;

- >np%]iS
- S;m}
- `NGl,
- `R:p<6
- "nB*
- <S[j
- 4zrs|d Q
- smVbwr
- j!?K
- }&j;)_yT\\
- >Y$$L
- }bT[S
-]=?m\\
- *(mi)y
- n+/=?
- v}#j
- HJCv
- M=[c
- (pS{lv
- .psd x
- wF.$q
- F[^L
- (zT\\
- G,C j
- Tnq*#
- z}l+
- &z;}f{
- pdH|V)
- DH,H
- (*vcLv
- ^>nk*
- ZJb|
- '-{?*
- M,B?
- ;GZp
- [>W)
- jNJV
- @r#n
- qs{f
- cm@N{
- xg-Y
- >n.)
- <#Vm
- m'?,
- TF^H
- S!QU`-
- {*Nr
- >f'B
- NTs/
- ,vT/
-)slt
- v%!f
- <R\tz
- }#^ZL
- --Wd
- Z&JR;
- qH+OMH

- zFWz
- K:Q%
-])^S
- ?"Dc
- &Hp;_l
- cQJk|
- ,<PK
- RV=T
- {-l-
- BmN=rx
- xc$YnS
- PV^ql
- -Q=F_\\
- YHvG
- <b[?
- Q<Aj{p
- .N\tv
- PM[V
- n>VS
- X"tH[
- 0F[YN{
- zcqz
- 7F$\tB<?
- J*.M
- _<P$
- lmp_
- M-dyy
- -v"K
- CFM{w
- YMv\\
- Ccl'
- pcKtg
- ZzWttv=
- N$F5+<c
- mKT b{
- [g$%
- _",J
- ^Z&JiX;
- <qP.h
- ;xsLEH
- %S<X
- Xjq$
- QKP=
- F&?c-
- ~;}@
- lDn`
- ~qXw
- ;-jx-
- 9T]r%^j
- $&Bg;
- M:l\\$
- s^q_/.
- !4pp/=\\
- lTVx
- Gxv]
- n≫
- *]mG

- b.R;
- x`{7RQj
- byQ!
- h\\gZ
- ~dmt
- >HVM
- `T_l
- @yx=
- ?+*?3\\x
- t'$l&
- tLd(
- znXq
- rjPk
- er("W?
- "jYQ
- QX>xG
- %Ngr
- j\tG#f-
- y/"Z.Jn(
- #|qhc
-](Fj
- V;;,S
- /Mn}
- *?p)
- .^[S
- ?\tR)
- |$^!
- nD+k
- "J*}
- <+\\+
- ZVpm
- VHT:&
- j=n_S
- \\BPk
- &d;\\^b
- (?V'!~
- ?@""
- CW-j
- ~i^<(L
- ~#%[
- "HcM
- G/Nj
- r}wV
- .K*G
- j:CK
- Vh.$
- |7`-CK>xP
- `c6`Z<
- v!dh
- Jf/z
- yM#@
- G+~]
- Tt&?~
- [^\t+
- ^f%mx/
- w[P,
- j;'D

- Pys,<Bc
- fxhNtDN
- r}Yr
- ZD/R
- >G'(
- LGX{h
- dg*
- _zSd
- nHj<
- `.9Yb)
- l\tM%
- -G[\\
- f"n.P
- Nc,ut[
- #".>
- *ZRF"bd
-)="
- .+<V
- Q$Rde(
- *]w.B
- HbVy^
- qfyt
- |$=.B
- Tz{)
- g%p-
- zR-C
- !}Z-L
- !g.r
- &'VB
- fn~uH\\
- SnJs`
- ;wu>vq
- Mt!#
- tGD'L
- /^.+Ip
- FKPq
- M^s/
- MD-:
- wzq{
- |`MN
- P=W(
- 'CD(
- L\/k
- W\tH@
- dSQ|
- H!}n
- %Qsl~
- HwRk
- <@?1D G
- VM,RR];
- fm g4)pq
- >%d&
- ^JoC+;
- dycb
- ?P,)
- y+\t'
- %P<h

- ;[.]\\~
- Lc%`
- p\t\\h
- ~[@^
- <Sv!
- V)m{
- _LV_
- ?XX{
- *zW}
- sjH)>
- kFCC;
- c{.>
- =mI-#B
- $]5fRK
- j:,G.
- :QKk
- .npr =
- *,BX
- OyD=n*
- XsN
- %)T!v
- +SM?
- \\dpw
- rlYc
- \\TZ.
- yYg\tj-
- {&Vn;
- mM}c-
- \\r X!6
- M,dMx
- A)F:*R
- yo.NRL;
- s)*`=
- $tnq
- B_@m;
- (Q\'M"
- l!--B
- y4_g+r
- vk.Y
- f5=+!S
- 3\tM>gG
- ->:v
- Iv Pq,
- wT~p?h
- =;bc
- +Fr^
- GbfqK
- '[-!
- llG(!+
- k;z~
- K BZ
- dx[7]t
- YFMc
- P@1"*
- F`Ps
- S,~>
- J&KS;+/

- fcGS
- sj'(
-]QrwGs
- ~WgP
- rdc,
- <Wzp
- |\t\V
- R,n,
- oStLPj
- {C;p
- lQMrq
- $Q&=
- bq<m
- l&g;~c
- j>j^
- ;z}s
- wyrB
- #C/@
- ,hk
- vp=t
- dkm
- .\tv?
- r\tj?
- =;M|T
- |j>:
- @_z
- ~D.Hh
- yj\\)~
- N(*M
- ?Fvss
- ?ZhI
- VQy;
- w}}c
- /,dj
- |?vR
- rjsb
- t:B!T
- VYq"R
- p[$P
- GG\\P\\I
- \\V:%!
- gh\\J
- 'Ph#C
- m:K@
- jCG
- ggJ.
- qh/8=Y'K{
- Z=?K
- HXBc
- ~Q,=
- %,frq
- |Yxt
- Yh!`S
- P{{Nr
- ^dC>*&,7
- v+|Bf
- n6[$J:`K

-]MRl
- QMfV#
- MKZ6N-
- (@DT
- \'X"T
- @'wY
- DLch
- /YD(c
- [,H
- ?P-s
- `d@@
- [g/#*
- hr"?
- G!xD
- Dlb#
- l:B!?
- sm}m
- ?q:d
- br`k
- KsWHJ@?
- /L-`V
- by*/
- w}<M
- gs,x
- cvj-
- ChopfG
- y`_>
- BLd[H
- {LP;\\
- M0/H{$
- l f{
- _nz.
- ux+h$P
- cG_Y
- }DJ=
- +JGz
- =rF/
- Ybb=si
- Mz[w/
- c&$?
- Fr_|
- $WMk
- \\$c)"
- KIS
- 'xVx
- YmD.
- ?[mL
- TXTX
- f<dv
- Qak;qn
- tn_t@
- ZzVP
- tD %y"
- B*"FL
- k=(C
- y>q!
- Ky~\t9t

- lL[p
- xd!`
- c}}?
- skTm
- +m$y
- Ljp,Y
- `tp)
- D?LC
- rl$[VN<fx
- sjN+
- /`l*C
- j`$NFv
- ~y(.
- f&LPv;
- ~Kxs
- [_+!
- N=!wz
- <r$V
- kP;g
- /x&~sQ
- Xmsq
- SyKo?~
- \\myy
- q?{j
- !.n~/:
- m|r]
- svR<YE
- M"wP"f
- qO`STN
- %?pv'
- XCJD
- XL/K
- D*Ww
- b@M
- l}z/
- SfC{H
- $mwxW
- D`[qk&
- K@N%
- rcr?
- jbZ
- WCweK~
- wgd?
- l.`;=Y
- (cz%
- -(p:
- j_Rm
- pY`!
- "]fy
- l`r
- =&z;"
- _*rqUf
-]\\HJ
- <$xj
- Q\ttY
- >Q;'\\r
- xLj%

- /'~<
- kVK~
- c.f-
- Wmxp
- zFJ;[6
- .W|'
- Sg+f
-]M.r
- p"}&V;
- Z<'.G
- XnQT
- N]_`=
- '.\t'-,
- cQT`
- $nFsf
- B"fJd
- ^H#=
- ,rRk
-)'tp
- MZX)
-)E'y\t*]
- :qK%
- ?{w(
- Y/:Fz
- &Hpd;
- z'KbUs
- FX;C
- HMBsa$q
- D$%{
- Q\\5}qb
- \\#@K
- cMX}$h
- `|wNx
- p"jl
- /\\,!
- ~]).._
- %-<r
- xgns^
- zQy?X
- `Y`\tz
- hfs{9:
- H$c#
- Sm[C?
- yl#r,
- j`vb
- D(w>v
- 0>/FPZJS
- vJY.INk'1
- ~$}|U\\
- ?C_gm*@
- &Kbz;]
- ,b<[
- q >/J
- T]!(
- \\m/_
- x PK
- Z/pr_d3

- '?TLN
- b<JW
- tSch
- S<K>8{
- gyHt!
- `>qb
- V=xN
- p"6zN:
- \\M[\\
- L h^
- 6cTP{(
- &QCFk;
- `kH-
- s$Z_*>
- "C+.
- r;[j
- !),x
- cD;
- &F;/V
- 'Vydb
- H+##
- yNbVk
- ys+Xj
- .&%)T
- yGYxr
- JlQL
- $Xd*
- ~G=<
- rawF$P
- =|=~
- [:{G
- z~`]
- NG<<L
- fxs@
- '.dT
- X]twp
- fQ">QO
- nM:n
- wL<.
- sB@`t
- rWhP
- ^c#$
- D&ry;
- +t%X
- !1yb<,
- bXk_G<Mo
- ^Jv*
- D(p0 {
-]Xmh
- pG]F
- !j%M2S
- cQV[
- Q%V$
- hQ,p
- [#CHch'-
- Z-V7dK
- =;?Y2[

- +W:Tn4H*
- P]TQ,7
- cRzW
- \\$WrW
- d}$PD
- c&l;$@>
- 0_&?#Y-
- CtP@J
- bKjG
- hr>]
- VDzh
- ~Zd'
- R&'f$
- 0>;=}.
- \\D:>
- ,nJ"
- q++F
- =.":y^^v
- ' B(
- Y|wc
- GC$+
-)"|%
- <z"tp
- [#,j
- Y*[B
- '=B
- :\\ZX
- %,V&
- tS{;>1
- &!Z%l
- jfP^
- =Xz"R3
- &{GJm|N
- Qr+}
- g L]j|
- xP/`
- |F&:)?j@
- ~q.)
- &K;\\>
- +,/B$Vv
- Y\t_<to
- V)^
- w\\\t%|
- BSRcv
- Sj`t
- :{fm
- P\t,S
- z TM
- BX$v
- f(P~
- Pzn/-
- Y-;;
- Pf>P?
- lL(So){m
- lM/DB
- J[^
- @\tbT

- SK ~
- JwrJ
- lzQkm
- .!bQ
- [lzN'/
- y=Xk
- =?Pp
- VFs#
- WYv
- fBbL
- yRR;
- P{ G
- j'g{
- h@:M[q:$|
- N>yn
- @aj?Wj
-]/pH
- ~G'q%
- X|=vr
- Xn-vL
- @_~w
- .*XF+
- v@$s
- vRQ$
- >Lvk*Z
- }jF^-
- V$x!
- XQ\t^
- |_>,
- j\#Wn
- nD?p
- {p~=D
- QqmY
- _cz=
- k%WK
- yW#/
- Jb.-w
- $tvv
- wzb"
- v]Mh
- ~C-bN
- l"ZN
- tj\t%h*
- sH_
- }k8)Nl
- XfsR>
- wQ-!
- CtQ
- Rd@x
- S5&%,;
- GMgLK
- S$_5Y0ph'Yj}t
- dQ\t`cj"[#a
- fyn*t
- nl}}D
- {F`t;
- >\\L|

- Jnt_
- -EJL,'
- =\\m\\cnn
- CL);#v$
- 4\\+R%d
- cTJp
- Xf~*
- dlpG(Y
- P\\x;
- hC'$b
- .K[>-
- fcmR
- +$x[
- HJkJ>
- \\@Lm
- t^|h
- DFX`}
- ?Lg^
- |'CWQu
- TtDb
- *fhz
- ngr>qEh{&
- *YQS
- ,_B{
- lrFWF
- n{ly
- 3,/VQS~
- WG+~
-)J5|Lx?
- yN/S
- -~lx
- CX%%
- :-Bf
- #dgl
- op#,mx
- / ;QH
- <\tZC
- G[/
- X_&P;
- N>~P
- "pPW
- KXz}/n?
-))W<
- Jhf.`<
- H=R#
- Kfg'
- kyby
- h@*z
- j'TS
- !FDH
- NyLy8dR
- r*K)
- w>\tnj
- u=hWYw
- `"c[
- KP-k
- D'z+C

- _!:(
- |-J
- ~V)Z
- w2rr<l
- jg+
- Z`Ly
- Zr];
- G`Y]
- TY]Z,H
- :=~_
- #{\t/
- :xw[R3
- c>~z}
- >pb:K
- Fjt!
- d#V_
- C p
- !"k[
- #x<D*
-)"<PW
- LNSs#
- N[Z<
- ^RhR
- #HVC
- Bx#RJ
- Dz)c
- =!'/
- V?YH
- Ds"P
- QwWf
- r*g:
- :LqP
- s>\\F
- pS~=n
- p&&w;
- @_G$
-),w(/
- MStlp
- `MlS(v
- ?^*?
- f3Q\tB{'
- s|*W
- `m!^
- YDC*
- .X2_k(
- >kG-
- -Gp.
- m&!H^
- Sy,?(
- C;Pr
- ZJb>
- <s p
- &YgZ;>
-)'nY
- "Fgp?ZK
- L/C}
- fh9~B+

- >C-z
- d/W>h
- -;bj
- &Gm;!
- W&V;|
- Dkn=
- c':x!0r
- \\Tbf
- mdqN
- NvI^W;
- #~v
- +y&%
- -mWt
- &d;}_
- @gRR
- zyfk
- \\+M/n
- FN;Y
- I?:,
- <xi,)Q
- x+)L/0
- Y=D!
- [;`}
- P"SJ
- yT&J;
- yCM/V
- Yz/<R
- "k \'
- y_c^{
- C+!p
- yPB[
- Z;S)
- {%hb
- <p+s
- [kQ
- JRLqwDr
- ^H:$
- WgQ_e\\
- Fl $
-)%&-z
- jl&h;
- /-DL
- W_<c
- m=CT
- ~P^hW
-)]bR
- |~k@
- Y<\t*.
- -T;Z(]
- S~Yj
-)H)bv
- n'{n
- *`#}j
- @y*|
-]_eM%y*
- G6x\\/|
- URFjn~

- lltw
- .V~L
- .[%s
- r}Xz*
- cRGy[1
- }bvN
- jq]]
- @`rzt
- B*C-r
- KFZzG
- g]m.
- C@~r
- l[|q
- M$xB
- P[.<m)
- :J-W
- {gY(
- HBc#z|I
- !' /m
- {/GR
- Vp?}
- |&:<
- r'm(
- *RMk
- #^| ?
- ^}cX
- S^>t
- @RDg
- ?Nl$
- q]Q-<
- *bl_
- FT::
- l\\#!MB#
- Mpr@
- mBK,z
- oZ?\ts=
- D'c!
- *g#n
- pG1Mww*
- ,hCn
- mCcd
- k@$D
- P_\tQ
- J!CG
- -FMc
- l\\=[
- ;RMV
- M`?Z
- \\=P~P
- +*Aq+?
- (X,~
- 'm(&
- yzR*%*X
- H]N!
- hv \tgG
- Jd\tB
- X.\\d

- &c;{C
- c&"~
- `2Gzvt
- jV<IRl
- xVcY
- jzL}
- !DrjK
- qb(W
- >kxW
- rHZ?
- rNlx
- DD&W;
-)+>bQ
- zb-?
- R-sQ
- J*qW
- %ydy
- =-Wf
- <nN_z
- <^|'
- n}LY
- 'qH~Tnk
- `{/.7
- >-~1SP
- z<md
- yDwt
-]Y\tf
- bBBq
- r<PY
- *"]=@E
- N-`.
- ,?tV
- ';GG
- 'C%c
- tHgF{
- lRk{
- 'q*b
- jGQhx
- w\tNmm?'
- -DX~
- cVrz
- ^W$-
- CjT:
- (f;j
- /P\t'
- %+_]
- pKr_Q
- /[Lj
- Gcr%
- ?|S!
- `T]t
- 'SP&
- WS(v
- LlHf
- *X;=
- dMMz[&
-]JWoJX

- vZh(
- ?b],vG
- S=>|
- L\t+:
- BdBcvh
- !&v;<
- <RPY
- _h?N
- CZ$q
- Mj9cmW
- -vM;Na
- Z,l+
- 4z?$`%n
- hfh(=D
- ~c(R
- :~}P
- scms
- y*&s;
- _.(t
- 7W)F*V
- FX.H
- ,KzG
- \\y;}
- Tp:W
- Z)Q%:
- {XLq
- Z\tX_
- kQx#"T
- VbD
- ?\t*X
- ,*J[
- *]<H
- s%<d
- Gcws
- CNhn
- ->$2(-
- $ycq
- =RY(
- fB`]!
- |?dV
- LW?w
- *t)|
- V(:J,Gb
- {}^J
-]&K;+]nbH
- }Wj/m
- G+?r
- l:<m
- GF~Z
- |${B
- L@mDH
- +9Hc>n
- /Fbm
- j()H
- fqPSTL
- Qkn@
- HW?Q

- KCcr
- _ (-
- Hw,+&
- &@^bn
- lJ%G
- %FZM
- sQ"T
- FMc|
- V=nC
- h[S*
- =lcr
- @&z;,
- F;bB
- `vQ{
- !#fqJ
- 1h(\tL'R
- sV'T
- mD q
- 4CrC\\F,
- ?s.Y;
- j"$w
- KcfG4/j
- QFSq
- k=@l
- TJyf
- kK"_
- Gd>)Y
- [`Y
- vb)~
- xz'+
- yd*l
- TrrJ
- ~#vv
- *Hft
- |wX|wd
- H[?m)
- B*?X
- +_mB~
- \\K,pn
- 'Spc
- {hZ[
- rkcV5`
- `]@tg
- lycdc?X
- m@_{
- <]N*!
- Jr}>m9[
- g|qK(5
- N=D\\.
- H%%Q&R;
-),]&
- D_?W+
- ~@Dc
- l-Yb@
- `|`\\h
- Vr|Y
- H_+l

- J_&![|
- B/PS.%
- svM'
- cX!zh
- }=_Qkw
- m/&S;
- C%*z
- RGn\t4p
- +mF~
- !-`j
- pFx@
- (Jxm
- (lm_
- .YZV
- DuWJx=
- .f`H&
- Dzhl
- `;@`C0ZDY
- H]$+
- ~%&ZEwW;
- cKx&
- sj)
- g'7'#[
- "&h;&F;
-)j\\T
- IV.H
- -BGx
- >)y%h
- BW>I}d
- ((yC/
- xk^w
- *epj}f
- "kLS
- ,Wm}
- j+"x]
- Yv>H
- bJZ.
- BNG^
- rZm
- sjX@
- dF^B
- bS>(
- nQ>$
- ,n,W
- YsF[C
- WD,-
- `?]K
- &[&=q
- *Xq()%H
- H:yp
- fc,@
- Xc<S
- F{rx~B
- Vbn)
- nq*'
- ,qD}
- XsG?

- j<#\\tu
- zY+q
- W'*!
- GD(#4m_
- y _K
- YsG{
- G>QV
- |[~S
- =?s?
- *t/'
- "C{q
- "zZM,V8
- m.|?
- %LVF
- P%z_
- 'rmh
- /`%
- p&Yd;
- Y$D(
- Xw(b
- +TRl
-]/YV
- /s"f
- ^mX;rI
- (b+F
- h!?1+C
- :Q'*
- ZKS_
- :'SB<G
- >s\\R
- cY'N
- 'C|(
- ,*~&$:
- ukQ=-IPBHcmZDh
- v%CM
- Ju(:wSFC
- P<xr>
- ,;Dbz&
- Hr_N
- QzwG
- HCKz$7
- D(g|
- Q<,@=
- RNL$
- K':R
- Lhw(L.
- Bgm#ph
- pDsv
- b<-*
- `S<y
- Ncl:
- ckRz
- H$q^F
- @ <
- ;K[\t>
- z<X)
- ,d'P

-]HUy/!
- SJ %
- d]P\\
- ?CR>
- mcw}5LZ
- G>VHr
- T_C[
- XtHk
- s:Hh
- gxa]jl:l
- B~$\\
- `]/V
-)P$[
- %h\t|Z
- L?n#:
- Qj=R~
- vY}_
- W!L`
- n$Ny
- CZ<-
- JN+h
-)]xx
- $CV-
- kD$
- frg@
- LR>Un$
- n(h+p
- Z>\\[
- t>\\V
- zsVN
- C+x\\
- X)!+
- H*]dK
- N}f.
- :\\yk
- L,bs
- s?y;/
- gk,m
- fbKr
- !yk$
- L"Dm
- s`\trx
- +fx:J
- Q'>L
- vCntf
- v *Q
- "Bdd
- LV!>U@HN
- x*phz
- kB['~sj
- t*trAM'
- mv'?
- F&'-
- rmZ;
- d(vp
- Y*LY
- c,b+^

- Lgzh#
- }{#'
- "=V&
-)yJbs4|
- v/>C
- Kp (,f
- K@QMH
- 1M~&[[
- h`.!
- '_$b
-)SY~
- }"^m
- Ww?p
- rC@FcQ
- ;][
- <ZFz
- LTb(R
- n:]{4F
- {_Sx
- %.DT
- sLM,
- *ljPr
-)z;N
- Rb+m
- !!LhB
- F|<Y
- vS!y
- xVk\\
- h^^R
- c>MP
- XFh,;
- =ng(
- f$R\\
-]sB+
- gjmmC
- %\t !
- Hjn\t)
- s&l;'RI
- _FiWf[n
- *{(L
- #Vjh
- ,^`<L
- Lk)Bqly
-]Dg
- DvR?
- ${+#
- x!BV
- %Pb!
- Ty}Gx
- Jj.l
- S"z<#
- vLq<
- PM[-
- ^.d,
- V"_Q
- jg_m
- ,D#}

- FfJ}@
- gq"Mj
- #;`)
- zN9n|WS
- N&x;&
- j*I
- =&`J
- VPYI
- VP>L
- VKCpn
- $*h,
- cQ%YOf
- Hl[M
- Ys}
- H+gbN
- wxph
- c}NyVjK
- r*Q|
- l?B\tw@
- {yx3k(
- =.D+
- Z.lq
- vjt(
- zMt^
- /|h
- &<^.
- ?CZ)
- HL~/
- "}d&
- z,Zt
- fkkV
- /mQn
- wh@W
- "qW/H
- @}>p+v/
- y/"b
- H`O\\Dh]~
- ~^+N
- t_^c
- YrZR+
- ZfY|
- K{Hg
- fd`s
- %^_"
- v&ld;
- Y%P^
- >L!C
- QyFOPbl
- "w!t
- Jv(Z
- GSj#
- zv>=
- xPDj
- WVkwwB
- }~D;
- ;JW:(
- ~]Zk

- @/F}
- T^<z
- g:!s
- T%xYS3
- y}R[
- "\\Z
- dGp.
- ZkJR
- ?+p`GN
- NP(B
- SLc#
- |BYh
- G&F;@
- Z}>rL.
- !}Wt
- zF;y
- C]l/
- :W _
- c*^J
- -:jy
- vl5==P
- @Z0vWHR<
- X{@q
- Zl@w
- G(^V
-).H^A,
- sv%`%
- &@XR
- S(8m:.
- <{\tp-
- ,frn
- {?hv}!&
- ~OGnR_
- %yYs
- cF OF}
- J{|@ic
- x,+J
- _{}G;
- K["<
- "/)~
- ~ZV=X
- PC:"
- GC-L
- cW;q.
- m's<
- \\Dj%
- ^-tk
- iV#{JKD
- TKR.,
- .B>-
- S=>/
- Y$c-
- m(^
- jG|,
- (T>R
- r9gWlW
- L_-,-!

- d}+k
- .&"M
- =irvQ(
- e!'n/J
- $RDZ
- t\\Th
- ^L@
- ~Pv:
- /BkC
- (=yK
- -"^p
- 9NxfJ/
- Gi<*-=-`
- B\\gr
- $#ky|
- wP=H
- Ul+}!<G
- %V%`d
- wtq#
- $sqdjn
- [J_b
- k{+z
- ~%m:
-)8|:RK
- '(dZR
- WHwy
- |ZD~
- +\\l)
- T$dQ
- lqV.
-)J<3k>
- [+<!
- ,n.r+
- c,z?
-)_?z
- "dZlVO
- =JhR
- TWCR
- ^sF`J
- b#vh
- `Bl{F[z
- ;L@V
- ZBwy
- _[sF
- V#<&
- `Uh~KV
- lm:^
- (CMN
- yK)h
- %=M}
- Q"Z
- gX<n
- [9Q|:(]
-]d!F
- {&;f?F
- \\N?1:.
- }M>N

- {\\ZvqH
- jQZTF
- YnB
- *\tm|y
- KHONp^_
- -#R"
- >/hF-
- .p*Y
- [#:~
- h?Cg
- P)>Z
-]z$m
- V.jurV
- xqb}
- f&G;=+d
- Tmk)
- s!DtD,
- ~mzy
- RZ_p
- ~]NCf
- \\lk_
- pf?B"
- F/Yx
- &>}n
- zN<?
- '(:B
- ?n|s
- >k<unLs
- N'}<
- _;.s
- .b;Yr
- Y(X@
- W,!%!
- p`H*
- -)scsD
- >ZBd:
- K$g/
- :!nc^
- $}BZl
- Yx,)
- q=*\tJ7
- {b@V
- j[(l
- (p{r,
- d{n^
- &YQN;
- fTZ=+
- c^d~
- G&;~
- `|K
- /faQ^jSm
- *`%d
- /|H[
- GlK>
- =Wmnq
- %|bg
- z\\zz

- /P)
- tK\\:
- w,V
- ?t
- mW<)=+?
- #X-r
- gS*7>g
- (vplc
- B@*-F
- ?"J\\
- bG-|n^F
- myT*
- gF)X%
- sK>^>
- wMGSg
- tW:d
- MZlP
- !\t B
- k#D=
- HV+(>
- Sr\\kF
- L(Rd)
- &W;\tbQ
- ~;G}
- /FDR(
- T'Dt
- D'-sK!
- T&gc;'
- ;Y(=F8
- RW$;
- &XB;!y
- CbMs
- @'-|NF
- dSf=R
- fvl}
- Q{lB{&r;
- h(sq
- !C/m'
- r℘
- MjEzWG
- -x?_
- "wfW#5
- SLzw
- {Mjf
- YyHN
- * bw
- PBvs
- F)wv
- p>y(z5
- HFY(
- W^CP_
- hCH)
- jl Xd
- ;_nk
- g/Tw"
- r{vG8p
- c!d_?

- "gj#g
- nj$;cS~}
- *,y/P0X
- NPnh
- Nd{n
- s_|+
- _Z;j
- ,#H<
- [kp%
- nGr.}N
- c(X/`
- !/XC
- ^x@P
- P?H^.i
- `*f]
- >TW+
- FM'J
- G(-]_z
- %_?L
- =NRn
- [W"~
- #lCh
- #;$}
- gH:n;
- jW;m
- R%L-
- CsVD
- V/_=
- -%gj
- %$@l
- z"\'{
- .@Xq
- J~c}LI}
- !F[M
- W*]]
- ~bXQ
- j~w==
- j_|wUm)
- *Yh[
- F-zK
- >n#\\
- (tVz
- Y]w*
- _|Gw[IJ
- :]xM
- ZG]C
-)V k@r
- \\PhB
- cJc.
- n(c
- |,nD'
- TDB
- dr]&
- J`RJ=
- kf{;
- C:1wcH
- {~Cj

- 1P_TV\\
- Z$=v
- R}W_
- h8|ZBY
- :\tdL
- <!>l
- Q2Ks}D
- HKw>
- Zb|(
- zHQ.
- g}gl
-)hBK
- FmQ!g
- z{ZS
- tAZ/hx_
- $*-,,
-]qg)
- qZ@
- NRB`
- n#b{
- [v{'
- v=:]
- hwD_
- Y%{d
- fc\\%
- T/)y
- rq\tQ
- vNbY
- BrH7RVS
- ?mpb
- ,D\tw
- Q'n:
- k*[~
- ?&%>*b
-)=x!
- ;Z@J
-]Gzy~
- !k[
- HNq-&{
- [_`X\tKuD
- /.wG
- #Q]
- W\\GYUk
- S=,Ks
- +<m)
- (djN
- BX)'
- XTlJ
- $^ZK{
- ?x;s
- bS=TK
- j-,s
- wa=d_J
- MiV(\tP
- }vmB
- F` _
- o"[-ws

- !]~f
- p'}Q
- ~ZjB
- ff L
- 5$hbf+v
- R\\|fC
- d`$!jnz_
- (,<Y=Eh,
- QpzW
- `V+@
- *c~M
- VV|'
- swbc
- SGhC
- MFSon]
- $~/x
- w(?@
- NzL^
- mw`J
- gj^j
- s'Ng
- x4]gxX
- JFCL_
- `>;?
- gV!|7f
- _NrAS}
-)*?lp
- "\'X
- (Gw:
- 'b
- h(n`
- vs|H
- nbKN
- }zG"
- JKJ\tEn
- b+lN
- -:_T
- !Xng
-]N)I
- $#]X!
- Ljvm
- w{Gd@
- _'BjHE
- k(ry
- Y*$j
- qj k
- #{Z[
- qY'R>
- kB*~
- =DK/M
- kAt/fV
- }mqpD
- BBV'm0
- j*C[
- VR!f
- !hVM3+
- /z /

- Jq\\5|@
- &}$\\Eh
- *;tB
- ym#M
- /TV{
- *$;{
- BftA===p
- c<[{
-]t*~"
- T*h@
- Xr'k
- S#tW(
- krj\\Z
- qLs&
- T2%">d
- @bcI?b
- +Ij
- D<<y
- 'RTw
- W~|[
- fL7gbV
- f#/w(
- BODgY$
- Qh:-^
- *Z#+"
- ^Sw-
- K:-x
- &Lfl;
- =RXGh
- G=Gj
- <D>,
- Q+_"
- #_=J
- DjXJ
- h[%D}_
- (yh;
- @^e@*ml'CY8F
- P|y+
- Sw[.-
- n]mm3#
- }cvH;
- ':)
- |tzf
- xjB+
- s.g=:
- m@!
- ?xF{
- J;m
- MrMD
- r)'
- lw_P
- LHCl
- +XV-
- t!L\\
- bQ|.
- $y/e-[
- ;$)w

- ?DT@
- [HDc;e
- :~Dd
- +@n/
- .^X;
- C1p\\vJy
- ,(C"vg
- VfV/\\jV
- !\t*h
- T,GC\\
- ~=`mZ
- +MkM
- @bvm
- 8#}}qV
- y@;cX
- p]mYN
- c?YF
- G<FL
- T5={y?
- ^nt6Vp
- ./(<
- s.@~
- {V+w
- sHx&r;
- p\tkf
- %jJ?
- FD}w)
- q#<~
- f$s;G
- Rca,@Yw
- wp'R
- }<r)Cs
- ^cmb
- (@K_>^
- .fb#c$Z4
- jj|JXI
- D+v@R
- ;m[?
- [?&GF;
- ^cLJ
- ?*Vc2!
- HpA$S%
- mp]"
- TknP
- zTduFl
- J?');U
- -xs:?
- y@qsS
- <*q%
- d{Qk
- x}{)
- RJLz
- n;T'
- *Sx*
- =z~Fh
- yp[l
- !z$}

- Y-HL
- "RXS
- Y
- :mMb
- "ds/
- |]_t
- % fK_8
- WB\tF
- z>}v
- vWpL
- G\tL]
- qy.p
- PB%6%\\@
- Et(BhC
- ?M$R
- !(kJ
- t>GP
- fBn8cN
- *tv&H;
- xB>PV=
- +%+:
- !BsW
- >)ml
-)RWGc]<
- _P(J8R
- z]!$}
- Yvp+
- `ClB
- y5rM%Z
- cP+;
- >Up M]
- ^/V}
- q``)
- ,_Rth
- !6~TS[
- "%(*
- =?&f;
- s*m>
- IJPlhB
- }0Pvkf>
- =tDJ?
- J:wRs
- "$6tx\'
- +Bf,
- ``Z%
- (=:|H
- {M}B
- ,QKH
- X$%9v+
- SrLp
- v{#[
- #R+$
- {KzX
- .N}-
- RmwB
- Or^m$;
- MR.r

- HN@(
- /nh)
- H{\tj
- Crdmt
- BkW<
- x2&~P@:
- (_fn
- Z.T<
- r'[h
- |;<\\K
- v{]pm
- :!,M
- rDP}
- /Hc*
- ,`Q'j^
- T&T;}
- xt @
- 'dnf}
- Jbm)
- ({t^?<
- !&|+
- &!lbDx
- +("f
- PFS)
- X_x;
- XW|WD
- q}G=
- ';V[
- @`Q;
- LHfC
- 3d-F.#!
- t;)h
- P|,^
- G+r&ql;
- ZlH?
- sT
- Wnngh
- gkbj
- cfhz\tM
- =\tgL
- (#NP
- w|& v
- -$KlUb
- TCP_yy
- bJ=.
- [-{h
- Rr{X
- M?'Rt
- m*r-
- Yh\\z-8
- z|kx
- <PlI
- %RZn
- =_~S
- J#SDk
- }T^L
- "bLs[

- p&PF;
- ;GKr+
- rrvy"QVu
- xlWT
- {w\t}
- Gy^B
- `HS]
- fXzv
- |\\z
- s,S$
- &t.;
- kZY#
- =C^|
- [xpg
- Iq^`mQ
- >VqJ
- zhgf
- {}K'
- bpJg+
- @jYxc
- L*+D"
- ^rGs
- {(.K
- zS=J
- :yx$
- ,s]z]j
- q##
- <CK!
- Y. "
- '(wD%
- {TbK
- v.;K_F
- YI>P
- jmNH
- ^n>VR
- _L")>
- M=Vr
- `C+CY
- LYpc
- yvzw
- ~*t]
- Z,}n
-
- -m-@os
- <MmF
- L'Km
- \\n`b
- NTxyR
-]-K~D
- [,]_;wW
- NSqZc
- k'}X
- vwMRb
- [1]=Fn
- "HGLX
- w|Y-M
- P,Mt>o

- RpDRe/b
- |XH-
- <6]n.c
- H<bv
- lW&;u/
- zBrF
- h/SDv
- cRmNH
- ')KZN+]
- -+} psa
- .[&X;&o;
- q)@x
- H=]:h
- {m>s
- ;}M%
- ^BmF
- q<^c
- G[S(
- YNvc
- pV"p&
- _'mC
- (KS>P
- v,%,
- pp.(d
- "{R.
- W!"S
- `;(-f
- ?H]-
- #|vF}
- m.[
- WnXwW
- L/[+
- *(b~
- b?^D
- _*:k
- L'qg
- t-Cf7X<
- `ECrC[
- tC\tS
- :zlw,ey
- 'gjN
- X\\Cg
- HTxs
- L(gT
- nnlQ
- D~>}
- [>bw^
- A[,lCy
- <%cb
- B`&S;
- |,|%
- ZTcF
- qFQ
- #C{}
- Lw\\C
- Y(hz
-)>qX

- jRLd>a
- =J^~.
- FL,
- P*$=
- >b~ QQ
- ^<VN
- Jv:X
- !-B=n
- @}?%
-]mmk
- Qb//h!H
- qz)`
- _lB;
- JF#)
- zDq"
- >}G<p
- k.Rrt
- R)$P
- LGC L
- `\\w<
- PJxX
- ;ldn
- YQ?VB7
- xwg`
- mh;*
- BG/Ss
- ^JN,
- Jz?,
- g^zl
- !ZFR)j
- j/b|b
- /Dh{
- BGS'
- y^pf
- ;MW
- *Bl]
- $}b+:>
- z&Qd;
- CZPJ
- {gBJ
- G"b\\
- wS)N
- n]j|k
- #Xx!_k
- Q|sz
- xc_L
- {@}C
- M,kv
- l.+_ju
- b*{z
- xG>K#ly!
- 8DRlG:
- mk}JPl
- n<-`
- WL<x
-]v"Q
- dgRP!

- ^<W^
- /@B+/
- RWMV
- Jbl
- WDxl
- F|#Gn&
- kmdb
- \\>)&n;
- m*)]
- $\\~`
- .!<d)
- q# \\'
- w|Qd
- c(d/
- Z}XmN
- ~qF:
- lfT.T
- $Sg>?]
- |*DZg;
- #m)*
- x|# p<
- ;ds$
- =xf@
- F"/.
- B|_"
- $XCQN
- K(WCr
- !wz%
- Qf,Hy
- FCFs
- z(v?
- QB;;
- "B!
- ?GR`
- .WJ-
- AK>!rM:f
- YtJ$
- `|*Y
- 'Z&W;
- `\\@z
- ,wkGw
- Rrq:
- vJkf
- +tkk
- Q[*;
- J)W&
- %Hl\\
- HBA>[y
- vGdm;n
- C;>+
- ?=FW
- b>S
- j*QX
- YB[}'
- xKY,
- ql=W
- =g=Gh

- Ysf
- +TwCc
- |YhV
- h|<'@Q
- ().W
- t)[B
- ?WC]*3]
- %Ygf"a
- p-~/j\t!
- |kq'g?&:
- :bkL
- mC'R{
- G:L|
- }Sl
- VYLR>
- W V["
- UQB$YN
- >ChN
- c7L{Dw&
- KTNyJ
- /=*>ugH
- *b\tk
- ^`pc[
- vg&"
- Wp~Q
- gt_
- mbXL/
- p&"F
- yYMP
- k_&
- @VKC
- C=QM$E~
- NZsx
- -_>.
- FS
- !v;k!`
- [&,B
- X>+;
- ;yIz.y
- tQKj
- =db&
- C!(7<\\Q
- p:Qkb(
- a|f"cQ
- dJ*#
- =\\ZZ
- sf$x
- wCHn
- C!):
- dnq<
- -T^G
- +LtD
- "?dh
- q_J'@
- |Z[@
- =RVw
- vcT@?

- @}XTY[#3{
- #=TJRB
- (K^&
- nB!cl?
- w.|@~J
- (!Yh~
- tlP)n
- |/Xf
- ^ms$
- z|*"
- hRm,
- lh_J
- n"UP\\D
- {qTw2Tj
- =q^;
- Mz{%
- .;F}
- v+"@
- PsZM
- Pq)(
- xZpj
- +mGm{n
- },'(
- n<+_
- l+F!
- ss{Y7+
- CrN,0b
- T,(F
- y)Q%
- r lT
- y_rzc
- |;`/
- q(z[
- Q]jjN-~
- \\'b5=gl
- ?xh5?H
- ^_vh
- ^"#x+U
- pBW/
- pH'=3d
- (t|
- Mp"m
- MAs&$(
- C\\$
- (.l!
- >|x@
- LL\tpQ
- >Jlm
- sJp\\y
- &fpv;
- -r&w;
- [@C-
- &bS;'
- NGM|
- p+|N
- \\NpJ
- s(BY

- rR=s_
- D^zZh
- 'A((;+
- l~'f
- -*vmn
- r`W!
- sM{h
- -ctg
- +[1[XG
- ~Jvm
- .lqwD
- ?Hh/
- k(tmP
- V{`BQ
- >N*!n$
- wqJ_
- f:(y
- ;*Aq k
- p8\\T)D
- F|Hb
- 7|h-KyWN{
- @S/B*
- L>k-
- m_+t
- Sj'\tR
- r+>V
- (j*Rc
- %.ZJ
- +qVL(
- C#|P
- |tlM
- '*^:
- c+XV.
-]&vN;
- "$YH
- RypGb
- :+r@"X
- Sbn"
- VmDl
- R~br
- C+?^@
- (RKn
- @}R:G
- j`!fz
- k>xD
- GxLp7&
- "*+;
- RCSt:P
- R(";R
- (XGT
- J'X[
- d^pR.
- p"B
- Qnm:"
- \\k"
- -!pm
- v|x %j

- 'zd'&/
- yd^)
- L>
- tl?=
- @S d
- X;=#
- z-^*
- F$ V
- ^JT#
- t}i?";
- &^+L\\$t
- YN^B
- vXf|
- BP;~
- -KT(
- @ZR(
- [RHYV
- |++r+
- ~?'d
- ZJxb
- wYZ]
- `w?:M_$%
- ?q}R_
- "S;H
- j_'B
- N[<-
- cjy{
- `{P/
- :mqK
- MD}(
- ij@CT@
- %h^.
- x}rq
- DLzS
- |^b*
- `/#_v
- xh&zH;
- :/jKM
- %'>s
- f[LYs
- Xc.^-
- DZ AhJY%
- N#c}
- +dH#
- %Z>%$
- .Vkq
- mn/n&
- W)G,Tc\tbXfQBw+
- Cm]W
- ;)q%Qt
- >Fd$_6l
- (xQ]
- QyKy
- $$r_`-
- %_~|
- Ch'-
- HZw=

- KPFh
- Rn.$2P
- |"`ZbUS
- !rT,
- (qxt
- [q#~/
- V-.P
- .-dk
- [=.
- KT?K-H_
- ;_>*
- nyrG
- D^Yw
- r\t)^,<
- j[f[<rq
- _/v-
- ?ww"R
- Q@^!*
- !*X#"
- .}Q^%r
- \\"KS
- sP/(
- W=z=Q9
- ?Tl=#
- m_@[%
- n:d+
- ,,gOc`
- _:DLG
- (/l;@
- FX.4;w
- Gy$H
- zyC$
- c]f.J
- Z}c:
- QTg/d_<=
- =cl
- J>."9{
- F|cF
- =f(L
- V[Bl
- jW@|
- \'"C
- 'LjL
- D#v|
- Jh*Sc
- _nyP1v
- ;>mP
- ;J<\\N
- _~ Y2C
- /f{^
- Qk,w
- 'm+]X?(
- Yc]S[
- ~{aQy%T
- }dZK
- $N.)
- koX,B'

- _7\\{;
- 'vTt
-)_GQ
- -!Xh
- Q?mr
- (~_K
- &F;)_
- <`RV
- |,-n
- Z<}M
- k+J[
- D mI|lmN
- b$l+
- Lf#k:
- m<*r
- zRX&
- @%sr
- E:,K_RkY
- =;-WZ|n
- }h -
- {Xyz
- })\t!\\
- T^=/
- ~fc,
- &Qj;%
- -?*I.B
- @Qnv
- hY{<+
- #kT:
- Zzh-"o
- |6sl J
- t'KpT
- lH>K
- >K&^
- F{:'
- wb`K
- R/%:
- z[!MkT
- PW_K>oR
- R;h<
-]MJrk
- ~X6K_K
- zcdJ
- [L&.h
- GNvw
- @=NRHt
- q% %
- Mj-t
- ^GO'\\@
- w;"X%
- Fdm(
- @ydLB
- -yT&
- =#T;
- amhH>L
- ,HbZ
- m)cj]S

- =jrf
- Xn}f
- +:S)
- qd W
- {BD~
- '!W*w
- mS%/
- x"wH
- Q;:B
- mV_Z
- D~^^L9
- SZXE.(z
- j!@T
- K"*D
- tvR~G
- ,>rgz
- pS'|
- KwZxmc
- Jc{GG
- /&m;|
- n*Y~
- W f[
- +PY,Wx
- QBrm
- m~x"
- |'f}
- tH\ty
- cd 'Pt
- kB+v
- \\7*:]hM
- WYK\tL
- FXn=;
- Gv+s
- nBXc
- v_$R
- uygS>*
- ~.}^
- h>[R
- ==z=
- qfgGn|
- .x|M7w
- c*]Q\\
- yCP\tL
- Bx`/Jg
- <PM(
- QlG:J
- V!lh
-]bj\t^
- NfYV%
- W!(mOP
- hlFP
- \\:dm
- _`^<
- '-]
- #QYJx
- > %q+D
- H$M&

- ()]SF
- F)y:gD
- ;f{m`
- W@'}
- ?Tp|
- T.RL
- H$yYHWI;Y
- L,JS
- =g<O}T
- yc\tt
- +}-Z
- GVc,
- H"vxfl
- q\t-]
- Lq)X
- `}nv
- /xip<QK
- `X.UT?.
- @]sv
- &sN;!?
- Ew.J>v
-]Hq(z
- `.Z<
- |@`N-
- NUgH={
- HHa*dn
- Sz\tK
- q\\{H
- :msR}
- = lq
- fZ^&
- c`v
- qo|'s/
- M=}y-X
- tb%w
- D/=tG\t(Q
- `}HS
- 4HvyQ)
- `.vZ
- r,CHhR<
- }JvR
- `fVN
- =_]yq
- q+n-
- $rPc
-)]x`
- Brs#
- {!#&
- *'Sb<dxK
- vz/*
- M$<
- =py_
- `w\tc}(sK!
- VqW~
- =$mF
- _qQM
- KvXb

- J|@Y
- z|-R
- w&W;+!
- gb(k
- ZJT>
- Xs<d
- Cl:/)
- _&`X
- Lvg:'
- }k~jXi
- X_qp
- [G~/
- QPxm
- ~MM{
- KzeV|V:
- ~/Q
- TPs%
- q!_.
- gG_k
- iW/>hv
- [<]GN:
- V%/f
- ^VzJ
- ,k]+
- m7W=;B
- $`t^
- J.Z]W,
- 5:-{]P
- ^ x"
- WgcF
- !tbS
- FwWg
- \\f_=D
- #$LLpu/
- NqH|
- K\tt-g|
- N,\tL
- -.L;&
- g%,\t!
- G=c\t-X
- o@jG}]
- '[dq'
- gBzpMF
- wyK
- n'js,*
- (h%/cP
- ~kRY
- _[*w
- nX*<B
- %vmV{
- _`[lg
- wJ){
- ()zozj
- #C .
- G~S:
- |HZm
- ?y)P

- qqM'
- #w`\\\\<
- g>p[
- D<-l^
- $-NRhw
- z3K=D#k
- cGX.f+n
- Xd{?v
- <d;y&2%
- xn?qZ
- #zXH
- /H?`
- ?_yJ
-]-]&V;:
- %LL+R
- sck[
- @GlJ
- &j;\\Wyp
- {q?T
- TDx,
- b?<f
- &v;R
- *\twcP
- Q"fwh
- DhN{-
- wjVv
- -<:`
- 1`q:{p]q
- JV&NM;
- <WsK
- <s:p
- @<Fd
- Cn#?
- (B["
- =x%,
-)/x$@M1
- $@!Y
- Fbc]
- <sky
- wJYb
- hZ\tk
-]Rks
- *Ap/SG_q
- z9&\tY~
- n/(jq
- p;R[Q
- Tt%]
- J\t$D!
- gOx+Bk
- qhZq
- !/w(
- JlN\\"
- M"=nAc
- ^ l;
- c'@c
- wRg]
- ~c?r'e

- @dbY
- ^"SP
- ,*F<
- ZGd$
- 9)-|++
- V=+n>
- WXT.
- ijzV.(
- fDVY
- $VNB(
- '{nt/U
- JQ~/nd
- BC*!'D^
- tc2MR!r
- dC)
- J/r_
- <KlD'
- v T}H
- g\\s^
- h+\\K
- Ht/*
- [~fL
- };g=
- `^[:s
- q~j!
- jdG[
- /hT+
- ;?tc
- +D'Y
- lfht
- F*|<^
- k,zj
- G&>T
- k[Qkj
- !|Tm)&
- {RP
- v_g+
- j#Fl
- +Ty&
- }+W
- bu?&&%
- wM`[
- h`kZz
- %JtWK
- $p<&
- *=W
- $yHg
- \\nf*\\
- yBC>
- %,}"
- k'{t.
- Jku(/#
- dG\tr
- t0~KKN
- <`^T
- K.,*Y&9
-]s;G

- HKy=
- J$B`]
- 'N#b
- g@+GZ
- XmWr
- MR.~
- %nk(
- ":[Z
- {m:h
- 5sJCQ=
-]{SX
- k@m:j
- VSr
- Dc(M!t
- QB^F
- R~b(
- d:)[%
- ^_{f|n
- X&,/`k
- J*"`
- f[**l
- %]GJ
- _W!&y;
- ^{f\tL$4
- Bz!dd
- kRTd
- NPsID{w
- 7]T{\tH
- kN\\(R(O
- -=F(
- *xtp
- q6Dc*s
- h`HLp
- G&D;
- X:;m
- t":K
- |-~Y
- dQqv
- KDk]
- ec/,+%
- $y]{
- \\?@+
- :fN{
- jZ~x
- v.Bp
- <Lls
- qDwhC
- >bH??6
- ^;L
- `&\tz
- :/_c
- Hr/C
- `Vsg
- M`V|
- vZ,Q
- mZRb
- \'J"\tm(

- !zp_
- }\tZvW
- ,;Jd
- tkpp
- $~tL
- #]"M
- ~q>d
- T!!-Ma
- V_,c)
- Hfwu^k
- %`|*
- Fm-=
- _!FG
- M)FT
-)f=*,
- y"jGC)
- P|(Y
- rP*]
- FV.F
- CGNw
- {{WX
- ^cF{
- T>&R6F;
- B>SF
- imTLzlg
- f\t>P
- .CpL
- mQ~~
- f(E}cW
- LJfC|8
- j)$+
- Jy}{
- WX(
- !}?/
- qxhH%
- 5g'|{s=
- vg-@X{
-]}vB
- lH`H
- :B/m
- wC"[a{
- ";f/~^
- h-Dm_#
- Etb'wq)
- q|*|
- \\`F>
- Y@sN
- ZGv/
- Q,*x
- ;W?t(
- ZgvDl
- ^dkC
- ~_gD-yl^
- #,bw
- ?RGt
- #~%'
- 6SBd*==W

- zs=^
- m,-+
- '}R[
- j_Y)f
- Zb.y
- P^gw
- (K@:
- (bzYc
- z>X;
- =F|/
- YYrv1G
- ~:w>
- ^&lX;
- r&(.
- c\tRM
- -p>s,
- ?#j%#
- J{Y^
- ;yyp
- kP/|
- `Wl*>
- @N&?
- <-6)]c
- ld*?
- /,b[x
- sc\\)
- `g\'"
- RWhCY
- @Mb/v
- H^G-
- >H*.
- DGj
- rzK>)
- t0C_S@
-]^wCu)P
- x#Mf
- z;O!z`
- z}/TD
- %m_Z
- W$g;M
- ^D-m
- :})@\\
- HptVyenWb"
- .FDF`O
- g~SKH
- `f#P
- %; P
-)XJ"
- ^T,&
- /P$z
- Pt_p
- "h;L
- q.,K%
- ~prr
- *xtT
- lxPG
- w: k

- #hMl
- K)+>~
- \\Wt{
- wP_z
- &~x>
- x`\\;
- (/\\]
- bc_[
- fFfSF]
-)];&B;{
- G)~-
- J"$f
- ,VFb
- >w|m=i
- +MbUZ^
- FhS2}]K
- ()t^eM
- _Zdx
- :wv
- jw/y
- K}h+9n
- >,~Z
- mLPl
- LBlH
- HBp,
- ws,`$!
- /`J@L
- l} L
- TT](Y
- W`gT
- |W~~
- ^).'
- b yr?n
- -vj"
- _3^!z:
- D>T>
- H[J#
- <|-F\t?
- d (`'
- ~jq.wz
- tJJ_
- +KG\tK
- >Tj:#
- TGW/[D
- [sC.
- F>l!/F`
- xgq(
- MB=qq
- f"#>Zf0
- +Rl%k
-)/DY
- Gsx%
- ^LrP
- `]1$%k
- dG{?
- "~N*
- r@kg

- D+J&Fz;
- _[>/
- LrzM
- ?,#
- >Vm"
- KXT<!
- %NH$
- W{(Q
- k<hV=y
- t`M!~
- dcZg,-
- FQ[D
- _kFBz
- YBg>
-].XcG
- z&dW;
- Q?XP
- Ld=x
- y;`\\
- cJ{C
- *Bj"
- G[K>w
- V)v@
- ^tS/
- }cG>
- JGNOZl
- Lyr/w
- R\\8=k\\
- &>|@
- V&B;}\\x
- C'{:%
- ?xq=
- ,=l>
- mXCp
- @f[.
- GrN%
- vV@#gO
- (Gms
- C\\\tR
- :4!_bW
- @KQug~
- tuR?p)[
- G]P`
- PvrG
- J^`:l
- `Q"[
- 'P)w
- /x%z
- ;Q_R
- 9d,/@F
- (.%~
- }<Pl
- trSx
- //W*y
- [=\\Q
- R,kj
- >|

- v=Ob\\K
- &VjL;
- qymb
- ?|<G
- u|cCNW
- $QkV
- X@]Q-
- zBxx
- kuT=_l
- @GRw?
- [sSR
- n|>gV
- kSz
- K:XrZ#
- |`Zld
- Gv/XV)
- &J;@<
- \\J$jg
- $"(@
- ,N<jPl
- TPk
- {]KV
- CcjRK
- >"hcS
- y@b%
- `F~T
- p?Rc
- GLm+
- fgl_
- :@NJ[
- l%K=g@B
- &J;@<
- {]KV
- CcjRK
- >"hcS
- y@b%
- `F~T
- ~Q.W
- @:L}C
- cccq
- Kv!g
- M]^J
- fZ.*
- %m:x
- fPR~
- ? nS
- ,()B)
- h%^c
- [tv)
- qJKC
- EHvLmD`@+:
- &q;/n
- F>mf
- fPD(
- (Y)y
- :>"!hd[
-)LFM

- :?H#:C
- ;Hl;
- ^<+B
- [\tZk
- +#NV
- Zz/l
- #>gH
- sN?B
- l]Px
- VvH_+
- [:fw
- ?\\QR
- \\D>K
- ?!RT
- '&PqciY;
- }{F[
- vsOZ^l
- -Whn
- f!MXVm
- X3pc\trF
- jw-zY
- [.
- Bv<J#lcp"
-)@~s
- LVxJQ_
- vvJ0dR
- x]m^'`
- j]/z
- vM`d
- lf$z
- JxGz>
- K*%[
- Hv/e{B@]}@V
- fh^.S
- U{{]^x
- RTb]
-)=W)
- %X(
- Kkh;
- 'Pk*
- wj^d
- QTDl
- ~\\W\\
- M.&$
- `/Z'
- sc}@
- HBjxY
- wfPZ
- {jJ@
- nr*L9J
- d<vr@
- V:%".$#
- |.\\>
- $\tw<>
- ?h0~s(H
- #lf'
- t.mB

- C~&,R
- FsQ^PJ
- N'`h
- R}K[
- |#/Hq)
- Xgb{
- Cv*~
- B%H-
- <bR_
-]Ojn$f
- //>t
- :lkg
- w&R;\\
- -J\t#G
- TVQxkM
- !n~}
- 2x+ Tzh@
- R[CH
- GNSn
- wvN%
- qPndR.Ts
- Q(FJ
- ?V[M
- vJy!
- lPw&
- } <,
- g_!8:T
-]Z,_
- @dd]f.
- S!Rt
- #^[J
- W[-D
- "r)`
- Yr\trZ[
- rV(f
- 'RTL
- $>bx
- Vqf}!
- g}T%l
- R+f!
- N+G>N
- F&
- z?@H
-]gJ,
- xy|~
- J.*Pg
- f^:}n
- CMnsf
- ljS,|m
- js%R
- U]x{'Tk
- RJN@
- /cZn
- @`v
- b'NmJ
- H#~L
- ^H!7!R

- &D.D;
- @KGv&
- G!,=
- @#kd
- :V%@
- QMJt
- n}pMz
- c[F[}
- xdqt
- NsPn
- .p|k
- JgG&(
- HRjgB
- *+s:
- =,Rm%
- T<x&
- [;SY
- ~"]\'?
- wWrn
- -| Rc
- c[Vr3w
- Zyhs
- !Wj/
- .'pp
- wtqL
- -f\\K
- @tM,
- nn.B
- sp=1[-
- ;:dt
- ;jz$-
- *,y
- rsz+(5
- ,mSD
- fDZ)
- w,t/[l
- `R#vP
- [DM>
- ld<{t'DP
- /B"P
- =|q'
- ~!uW=~
- \\}c^dH
- j:Q@C
- VJDG
-)[]x\\j
- [wDVDxQ'
- \\vomg`
- G$'g
- *&vY;
- >s+s
- Gk/lJ<O
- [6xn!X
- $DmT
- |!VX
- MF}].
- cWkf

- d<h^
- x>x\\
- :"TN
- >}#}
- d;S@&
- gz y
- "#||
- `%|;
- WXL,
- E-'!?~
- **|D
- K{vgQ
- '!$]
- `z"u/G
- x"L_
- LmL}
- Pj&.
- sKH>
- dZ+CF
- ft<
- $Xxb
- s'~'
- !=!.0L
- G:^\\q
- uy*HX
- :"`X
- $m~"
-)gwc
- cyZ)
- :|t"
- J\\Hv
- "*YN
- ^Jn{
- ::ICm.
- x.?,
- _`]@G
- YA!_q)
- $y#Vy
- RJ.,x~
- #` V
- l[mD
- <x}=,
- ;KDMD~
- ?s/ 4P
- zJ`"
- r)~D
- vCJ`
- Q>,:
- |'S%
- WE<*![
- k[JB
- _vMD
- -Qtp
- HWGM
- _}P^
- {w`X
- wk>f

- z)bC#
- oKG@HL
- w'd*
- _<ch
- cM,h;k
- N\t#'H
- Cqkd
- habMJ?]
- D((>
- V[^Z
- y]%s
- [/xr
- Z_.c
- J+nJ#
-].r?
- X@s^`
- 2s&'?C
- b:';5~N;
- ==^hP
- SG^h
- M^[^
- z+T*
- ^S/6c:
- \\}z,
- hN`'^
- t?SV
- '~%~
- w Ls
- k%wl
- ^>gl
- /sGD
- 'yL.
- `H[\\
- #a\\%/V)
- b]>[
- .FqB
- +;p$3)
- }{%"
- @&Td;
- B=%)
- D+.Z
- t,Ls
- ,z.;H
- cH\\.
- [_'%
- Hj"
- R#Br
- f:)m
- ZmD,
- Bz@F
- y-L|
- %@k(
- z^Bf.
- }YBklT?
- &Mr;$
- '|Mjz
- qM+m

- ===N
- QXq
- ;=z&
- lNXc->b
- /Q<m
- fGL6mB
- WT\t\\
- #r)c
- m|H*^]b
- >jw~_H(
- }%*[1l
- >z:n
- b=bl
- x|Cipl[
- [C!<
- um_@jD+
- PDHq$e
-]HNm
- Jf>\\
- lr]w
- $]}YY#<0
- \\= B
- Hs.(
- gdJtPz
- ;s>R
- ph^"
- t\tth
- s*S`
- $&!nSc7R
- Q*MK
- f)&P;
- nYb)
- ?wE^H`.
- V T-\\
- w-NH$
- XwkR
- F"V]
- B%
- ^6^(h*
- pMbK
- z&}xj
- WRCW
- :b/m
- ywS
- GB*~
- Km^\\
- >Y!c
- TQR#
- NMZj
- x:TP
-]_F?
- vXG<Z
- %GM#
- Rr#Q+y
-]Tr`
- Xy|P\tz@
- !*?R

-) ?*
- gMW^
- wg}J
- qT$C
- nJVrT`8
- @=*;
- PWS<<
- ^@y%
- ^+bmb
- |H_Q
- QT#w,#
- hdj&:
- frw<
- >TVR
- CZV!
- |:lqN
- F~-c%
- _BG>+
- TH/
- SZ{z*
- ZSMjj'
- `Bj@
- }:;&
- D'Ck
- *)&
- _BTX
- H,`~
- V)_F
- mCC_
- r['
- KZ:l
- ,=(k'
- w@_]
- +dmgw!*e
- >nJX
- ##~H
- t^^#
- WCwp<
- Fy: &s;
- Ln[dc:
- dR_#
- nlhyG
- ~nx{
- cSCL
- G[B;
- Zlyq")
- f$)q+
- ltKg
- E{;LV$
- *^lf
- CFx+
- jQ\t8>`
- RrT=
- hH
- ck\t~)
- gjWq
- Ct:W`Z

- \\{dc
- Gzn~C/X^
-]C5~%GY
- K.ZuNN
- ,\t*V
- ht^K
- "F],
-]^lh
- _C!N<
- ZWn|
- ^|Q\\
- + rD
- Tf)t
- dX]T
- lY"fwG<
- m,m/
- RwYC
- NIn)mZ
- b\t{j
- ()rt
- /w|'[
- &-$%
- YW<d
- (_lW
- VjsH
- |S _
- JYm#
- "x<\\
- FQJ>k1n
- !N%/
- +<hTM
-]?|/
- D(?:w
- $VPY
- [uv$bZ
- -NP,#
- Dj^PD
- |q;XV
- !F_q
- KVWZ
- c_mz
- @x p
- !*b`
- G ,(I
-]?v_
- `(L:
- S'^PX
- ;]fC
- ^]]]B
- <f!K
- Q*m.
- >qMq
-]> cpW
- *]-_'
- %p)G~
- zGq|&sz;
- wr"M

- |.X~
- $:!%
- `X ?
- X, @
- FZhf
- KG\t_
- :p|<@
- >b*J
- qW~~
- $aZb:V
- htR"
- bTpf
-]:LP?
- X>\t%
- +pyg
- BWrb
- J!//
- fPd+
- xtw\t2K
- jTX}
- Tnkl
-]-fq
- nx^@
- L[H%[
- h^)r
- hX)z
- YG/g
- m.Pz
- r"Z;
- WXDN
- +@zfl-f
- LF>(
- ,=H</$
- Kh",
-]Zn%
- pS[F]
- {Z)~
- Vh*l
- {T,%
- Fdt&
- pnYg
- c*Z:#-
- NkpWG
- W$Y?KU`
- cgz=z
- "<=j
- 'rRV
- %rjl
- H={v
- { >zeJ
- gmwp
- GMJ-
- *CmylL\\-#
- (t!Hl
- <Q;K0.
- =&Jg;
- +Bh$

- FlVp
- PBMy
- Z?|T
- $d,r
- -wm@
- r& N
- ,zBSh
- ;)P
- B u;*Ll|
- [/vl
- rtQK'
- wGJf
- :RpQ6h
- [JcY(
- Ly!(
- 'v`G
- `=[$<
- zVLB
- `|!*c
- :d|()ej
- pk~>
- p&`~g
- ->S,
- ,V|D
- c]FIT-
- #vdW
- F)ZF
- W'r`
- K\'t"iM
- =-mx(
- !'dJ
- MQd\\
- R)@B
- $."m}
- *rGys 6
- <N^Bt
- %@w[V
- FQ=
- m*[$
- f<0jhT
- _& &Q7;
- Qs\tM
- tg<z
- QHmG
- N>?v
- hlzP
- ?{(TY
- lg|P
- rwML
- dM#/m
- !j)@
- $w)!n0&
- p#~:
- MTT=
- P}cV
- zb[{zl
- rR:P

- K"b.
- F"l+P
- H!1;v[
- %bdm
- btx&
- [qLn
- X,r;
- D\t#m
- c*&Q;/
- >';]
- cqbcF
- PZ_n
- J,Fh
- %^<,
- 'iZ<p$
- D?$?
- ?/L[
- ?Zd;
- HMXB
- .?AVlength_error@std@@
- welcome Rising*youarelawless!y2a3n4g5Y6U7q8i@S9I0N#A.C%O(M-)<>ABI993JIEM,;'{jkliewaqlsiqomv.z^iwaql}-_=+)_(l;2j2f90aslkjflkasjas32092JKLSJFbASAUI/Z/A[/,./|@~`FS'.Z,MF920SDLAFJKAL9320QFFMmlajfl,.<>//|348q9729|fjlail3jo798,ksafa302-s;akfa;=_++-0-_))0-0-p23is
- welcome Rising*youarelawless!y2a3n4g5Y6U7q8i@S9I0N#A.C%O(M-)<>ABI993JIEM,;'{jkliewaqlsiqomv.z^iwaql}-_=+)_(l;2j2f90aslkjflkasjas32092JKLSJFbASAUI/Z/A[/,./|@~`FS'.Z,MF920SDLAFJKAL9320QFFMmlajfl,.<>//|348q9729|fjlail3jo798,ksafa302-s;akfa;=_++-0-_))0-0-p23is
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/
- RSDS
- ::~fC
- %s%s
- %s:%d
- Windows NT %d.%d
- \\\\.\\Scsi%d:
- {"vkey": "%s", "guid": "%s", "sguid": "%s", "actionid": "%s", "tag": "%s","step": "%s",\t\t\t\t\t\t "result": "%s", "errorcode": "%s", "remark": "%s", "pa": "%s", "pb": "%s"}
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- (null)
- ppxxxx
- `h```
- Fcsm
-
- %s End
- %s Start
- [RsInstall]
- \\RsdSfxTmp
- %s*.*
- %s\\%s
- SYSTEM
- dbghelp.dll
- .dmp
- }LNv
- =-v.
- /.vQ
- #-v(7.vp
- ,v%9-vb
- -v]7.v

- -.vF
- >-vM
- h/vy
- ,vA#-v
- -vej/vV
- ,v+E.v
- /.vd
- h,v}
- _^]t
- _^[]
- @PWV
- SVWj ^
- VWj Y
- _^[]
- [_^]
- _^[]
- x`;=
- WSVPj
- FVWj
- T$ R
- D$(Pj!Q
- D$ Ph
- T$ R
- D$(Pj!Q
- D$$Ph
- L$(_
- D$(PQh
- L$$f
- L$ d
- D$ P
- T$(_^
- x);J
- xS;J
- AQPj,R
- Pj+Q
- D$,R
- T$(h@
- N,PQ
- PQh,
- Ht:H
- T$$R
- T$HR
- L$LQ
- D$Ls
- D$Ls
- D$LP
- L$x;
- D$,P
- L$X[
- L$`]d
- D$LP
- L$XV
- |:Vh
- D$<]^_[d
- L$(Q
- L$(Q
- D$<|^

- D$<}>
- T$<VWj
- D$@PQ
- D$ F;
- T$,R
- D$hP
- T$LR
- L$HQ
- D$,f=
- D$$;
- T$HRP
- L$$Q
- D$,P
- D$@;D$
- L$ Qj
- T$@Rj
- QWjpWS
- F(^][d
- L$d_
- \\$Lr
- D$LP
- T$|R
- l$lVWU
- l$$;n
- l$$W
- |$ Rj
- |$ Sj
- D$(_
- D$(_^]
- D$(_^]
- l$ r
- L$L_^d
- L$p]
- RPVP
- t$dSj
- L$(Q
- L$P^[d
- D$d_
- L$l;
- HSVW
- QSVW
- T$ j
- _^[]
- s\t^]
- _^][
- Vj!Vh
- t\\h!
- L$,QRRh
- D$ Pj
- L$PQ
- D$<h
- D$LP
- L$,Qj<
- D$ Ph-
- T$(h
- D$DPV
- T$TSQ

- T$<$
- L$(QRRh
- T$,R
- L$pQ
- D$\\h
-][_^Y
- T$,R
-][_^Y
- L$ Q+
- L$ Q
- T$ R
- L$ Q
- D$ h
- \\$(P
- L$ Qh
- L$ Q
- D$$P
- T$\\R
- D$`P
- L$<Q
- T$_RRR
- D$<P
- T$Qf
- D$$PVWQ
- L$ QV
- D$$P
- L$<h(
- ;t$(
- \\$ +
- \\$,~
- ;t$$r
- PWSQ
- PQSh
- _^][
- _^][
- D$ P
- D$,W
- QWVP
- VWPSQ
- L$@h
- QRPh
- L$ Q
- L$Lf
- D$Hf
- L$@f
- D$XPh
- T$,R
- L$,Q
- D$,P
- T$,R
- L$,Q
- D$,P
- T$,R
- L$,Q
- D$,P
- T$,R
- t$DW

- T$,Ph
- L$,R
- L$TQj
- L$TQj
- QPPPPR
- xd;=
- HHtjHHtF
- tVPV
- ~'WP
- ;=`qS
- VWsX
- =|<S
- PPPPPPPP
- PPPPPPPP
- ;p$t
- t2WWVPVSW
- tCVj
- WWWWVSW
- t WW
- jDhh
- ;F(r(8_
- PWj
- _^[]
- =|<S
- =D>S
- =L>S
- _^][
- YYt.
- =dqS
- _^][YY
- t$$VSS
- t#SSUP
- @PVSS
- SSS+
- QQSVW3
- Y]_^[
- >=Yt
- <Yv"
- =H&C;
- QSVW
- t!SS9]
-]t@G:
- t\tWS
- j?^;
- @_^[
- =|<S
- Yt\tV
- @_^]
- YY_^[
- ;csm
- >csm
- ;csm
- sVS;7|B;w
- >csm
- ~=;F
- j@hX
- RPWS

- HHtZHHtV
- YYt+V
- =@$C
- YYt-V
-
- j`h@
- v\tN+D$
- ^_[]
- YYt@V
- FVWS
- wLVWP
-]_^[
- t?xH
- Y_^[
- LSVWj
- t\tVP
- r(f;H
- .f;H
- r(f;p
- .f;p
- ^_[]
- t.;t$$t(
-]_^[
- PtYY
- QQSVWd
- QhPK
- F<+FDW
- rK<@wG
- @_^[
- t)Ht"Ht
- jWhX
- FP;FTu
- ;VTt
- t!Ht
- ^_[]
- SVWj
- SVWj
- j\\Fj/
- <A@C;F
- _^[d
- ;F$|
- SVW
- QSVW
- YG;~||
- ;~pt
- G;~||
- ;~pt
- G;~||
- 9~|~!;~pt
- ;F<W
- G;~P|
- G;~<|
- G;~`|
- G;~ r
- _^[d
- ;N(v
- ;F,r

- ;Fl|
- _^[d
- ;FD|
- _^[d
- t-Ht
- _^[d
- QVjX
- _^[d
- TSVW
- QVj
- QVj
- _^[d
- QQSV
- ;Fl|
- ;~D}K
- _^][
- x0C;^D|
- _^[]
- N(Qj
- ^ Sj
- _^[d
- G$;B
- SVW
- QSVW
- _^][YY
- _^[]
- @;D$
- pSVW
- KttKt=Kt(Kt
- _^[d
- ;XT}&
- tEHHt.
- _^][Y
- N(;H
- N(;H
- _^[d
- tMVj
- QVj(
- @D;FD
- _^][
- t4Ht+Ht!HHt
- t\tj\\
- YYt9SW
- KFVj\\
- :tnV
- |{ty
- tSj\\
- PVWS
- _^[]
- _^[]
- ;CCf;
- BBFFf;
- xuHSSj
- f;L$
- X_^[
- ;H<v
- K<;K@

- < s?
- 9~(t*S
- ;w(t%PS
- ;wTt SW
- PXt
- J#P,
- J#P,
- N$+F,
- +X,;
- @SVW
-)Nt)Vp
- N$+M
- +N,;
- A|$`<@r
- Jt{JtmJt@J
- v$;}
- Yt*Ht
- j Y+
- _^[]
- @@@@;E
- _^[]
- Sv%W
- QQSV
- _^[v
- YYt1hP
- YYtChX
- F(;F0r
- N RQ
- ;N(r
- _^[]
- F 9~ r
- F tD;
- [_^]
- FHPPQ
- FH;F@
- FL;FD
- _^[]
- FL_^
- N@+NH
- t\tB;
- VWhD
- YY_^t
- SSVP
- YYt>
- t 8^Nt
- HYt!Ht
- Y_^]
- G@;F
- ;Q<r
- YYtM
- SWj@Y3
- YY]_^[Y
- @PVS
- YYth+
- <'Yt
- VShh
- VVhl

- QSVWh
- _^[d
- PVhH
- VVhp
- SVWj@Y3
- YY_^t
- YYt!
- WVhL
- s\tSV
- YYt[
- YYt
- Sj j
- Sj j
- YYWV
- PSht
- Wj@Y
- QQSV
- WsY+
- @_^][
- t_j\\V
- PWhD
- YYtN
- gSVV
- VWj@Y3
- YYtM
- SWj@Y3
- \\j\\FV
- Pj@j
- Qj@j
- _tVV
- _tVV
- Wj@Y
- `SVW
- DKkh
- VSG:
- dYBM
- $~xTC
- DL~j
- x:?/?
- zniw:_
- Q"|W
- =d:C
- $Z S;
- Y;NK`
- }BHvF
- ph='
- z?+X
- <$X
- t$ZG(
- Bkh;
- `.rsrc