Analysis report for sample: ad84526df3196101de9e54240710c3dd

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 5281 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: ad84526df3196101de9e54240710c3dd

AV detections

• Microsoft:
• Kaspersky:
• Symantec:
• Malwarebytes:

Original source url

• hxxp://dl.superpcdownload.net/221002080/SuperUpdaterSetup.exe

Virustotal url

• https://virustotal.com/es/file/d0b1b93f7cc1a608bd996e2e12343eef388812a7d4a74a283fbd373bd5916689/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

Snapshot


Computer
C:\Windows\s...
Recycle Bin
Super Updater
Start
1:04 AM
Wednesday
5/24/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name supupdsetup.exe Alias P1
- Name supupdsetup.tmp Alias P2
- Name SUTray.exe Alias P3
- Name SUStartScan.exe Alias P4

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe

- Name UI0Detect.exe
- Name pxxx.exe
- Name cmd.exe
- Name conhost.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegSetValue (HKCU\\Software\\Super Updater\\Querry Type: REG_SZ, Length: 334, Data: http://bi.superpcdownload.net/t/i/su?sid=221002080-ES-092&dt;=%dt%&gid;=%GID%&tz;=%tz%&ln;=%ln%&lc;=%lc%&bis;=%bis%&bief;=%bief%&biefx;=%biefx%&bif;=%bif%&os;=%os%&f;=3680275374)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\URLInfoAbout Type: REG_SZ, Length: 56, Data: http://www.superpctools.com)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\HelpLink Type: REG_SZ, Length: 56, Data: http://www.superpctools.com)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\URLUpdateInfo Type: REG_SZ, Length: 56, Data: http://www.superpctools.com)
- RegSetValue (HKCU\\Software\\Super Updater\\UninstallURL Type: REG_SZ, Length: 154, Data: https://safecart.com/superpctools/.spu-special/purchase?sid=221002080-ES-092)
- RegSetValue (HKCU\\Software\\Super Updater\\SupportURL Type: REG_SZ, Length: 66, Data: http://superpctools.com/support/)
- RegSetValue (HKCU\\Software\\Super Updater\\HomePageURL Type: REG_SZ, Length: 48, Data: http://superpctools.com)
- RegSetValue (HKCU\\Software\\Super Updater\\BuyNowURL Type: REG_SZ, Length: 212, Data: https://safecart.com/superpctools/.spu/purchase?tid=221002080-ES-092_F659E929-8B2D-EEDC-248E-3C121C98F903)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\supupdsetup.exe PID: P1, Command line: /VERYSILENT)
- Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\is-OQ26L.tmp\\supupdsetup.tmp PID: P2, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\is-OQ26L.tmp\\supupdsetup.tmp" /SL5="$8016C,3036815,491520,C:\\Users\\javi\\AppData\\Local\\Temp\\supupdsetup.exe" /VERYSILENT)
- RegSetValue (HKCU\\Software\\Super Updater\\SetupName Type: REG_SZ, Length: 108, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\is-SP6M8.tmp\\cfg.exe)
- Process Create (C:\\Program Files\\Super Updater\\SUTray.exe PID: P3, Command line: "C:\\Program Files\\Super Updater\\SUTray.exe")
- Process Create (C:\\Program Files\\Super Updater\\SUStartScan.exe PID: P4, Command line: "C:\\Program Files\\Super Updater\\SUStartScan.exe" /SILENT)
- RegSetValue (HKCU\\Software\\Super Updater\\SetupName Type: REG_SZ, Length: 66, Data: C:\\Users\\javi\\Downloads\\cebo.exe)
- RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\RegFiles0000 Type: REG_MULTI_SZ, Length: 630, Data: C:\\Program Files\\Super Updater\\SuperUpdater.chm, C:\\Program Files\\Super Updater\\SupUpdHelper.dll, C:\\Program Files\\Super Updater\\SuperUpdater.exe, C:\\Program Files\\Super Updater\\sqlite3.dll, C:\\Program Files\\Super Updater\\7z.dll, C:\\Program Files\\Super Updater\\SUTray.exe, C:\\Program Files\\Super Updater\\SUStartScan.exe)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\DisplayIcon Type: REG_SZ, Length: 96, Data: C:\\Program Files\\Super Updater\\SuperUpdater.exe)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\UninstallString Type: REG_SZ, Length: 92, Data: "C:\\Program Files\\Super Updater\\unins000.exe")
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\QuietUninstallString Type: REG_SZ, Length: 108, Data: "C:\\Program Files\\Super Updater\\unins000.exe" /SILENT)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\UninstallString Type: REG_SZ, Length: 116, Data: "C:\\Program Files\\Super Updater\\unins000.exe" /VERYSILENT)
- RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write)
- RegCreateKey (HKCU\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\Owner Type: REG_BINARY, Length: 12, Data: A8 08 00 00 B9 B9 34 08 64 D4 D2 01)
- RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\SessionHash Type: REG_BINARY, Length: 32, Data: 19 0B 46 A3 0F 5F 1E 69 F8 E8 51 8F DB 70 58 85)
- RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\Sequence Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\SOFTWARE\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Super Updater\\IR Type: REG_SZ, Length: 4, Data: 1)

• RegCreateKey (HKCU\\Software\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Super Updater\\SessionID Type: REG_SZ, Length: 72, Data: EA582135-2FCA-4C8E-BFFEE07795943A0A)
• RegDeleteValue (HKCU\\Software\\Super Updater\\Querry)
• RegCreateKey (HKCU\\SOFTWARE\\Super Updater Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Super Updater\\CBM Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\RegFilesHash Type: REG_BINARY, Length: 32, Data: 12 16 A8 B8 FE A9 F3 4C 82 74 62 7D 6F 97 F5 80)
• RegSetValue (HKCU\\Software\\Super Updater\\Language Type: REG_DWORD, Length: 4, Data: 1)
• RegCreateKey (HKLM\\Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1 Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Setup Version Type: REG_SZ, Length: 20, Data: 5.5.3 (u))
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: App Path Type: REG_SZ, Length: 62, Data: C:\\Program Files\\Super Updater)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\InstallLocation Type: REG_SZ, Length: 64, Data: C:\\Program Files\\Super Updater\\)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Icon Group Type: REG_SZ, Length: 28, Data: Super Updater)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: User Type: REG_SZ, Length: 10, Data: javi)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Selected Tasks Type: REG_SZ, Length: 24, Data: desktopicon)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Deselected Tasks Type: REG_SZ, Length: 2, Data:)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Language Type: REG_SZ, Length: 6, Data: en)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\DisplayName Type: REG_SZ, Length: 38, Data: Super Updater v3.1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\DisplayVersion Type: REG_SZ, Length: 8, Data: 3.1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Publisher Type: REG_SZ, Length: 38, Data: Super PC Tools Ltd)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\NoModify Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\NoRepair Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\InstallDate Type: REG_SZ, Length: 18, Data: 20170524)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\MajorVersion Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\MinorVersion Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\EstimatedSize Type: REG_DWORD, Length: 4, Data: 9852)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1 Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Super Updater\\TrayNotification Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Super Updater\\StartWithWindows Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Super Updater\\s_SmartScan Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Super Updater\\s_SmartMode Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Super Updater\\s_SmartDate Type: REG_BINARY, Length: 8, Data: 95 06 6A 61 C1 EF E4 40)
• RegSetValue (HKCU\\Software\\Super Updater\\s_Enable Type: REG_DWORD, Length: 4, Data: 0)

• RegSetValue (HKCU\\Software\\Super Updater\\s_Mode Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Super Updater\\s_Exec Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Super Updater\\InstallDate Type: REG_BINARY, Length: 8, Data: 4B 7A 7B 61 E1 EF E4 40)
• RegSetValue (HKCU\\Software\\Super Updater\\AppStart Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Super Updater\\Os Type: REG_SZ, Length: 8, Data: 106)
• RegSetValue (HKCU\\Software\\Super Updater\\MachineGuid Type: REG_SZ, Length: 74, Data: F659E929-8B2D-EEDC-248E-3C121C98F903)
• RegSetValue (HKCU\\Software\\Super Updater\\DelayedStart Type: REG_SZ, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Super Updater\\UseAds Type: REG_DWORD, Length: 4, Data: 0)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\SUStartScan_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Super Updater\\QuerryDate Type: REG_BINARY, Length: 8, Data: 11 A7 7F 61 E1 EF E4 40)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\SUStartScan_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds | wellknown extension: For more detailed information, please visit http://www.jrsoftware.org/ishelp/index.php?topic=setupcmdline
- url | http tag | valid domain | tlds: <dpiAware xmlns="http://schemas.microsoft.com/SMI/2005/WindowsSettings">true</dpiAware>
- url | valid domains | tlds: 9r.cm
- url | valid domains | tlds: t.Ht
- url | valid domains | tlds: Uh.lA
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: Sleep
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetVersion
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | kernel32: Wow64RevertWow64FsRedirection
- api | ntdll: Same as /LOG, except it allows you to specify a fixed path/filename to use for the log file.
- api | ntdll: Causes Setup to create a log file in the user's TEMP directory.
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetDiskFreeSpaceExW
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | kernel32: CloseHandle
- api | kernel32: CreateDirectoryW
- api | kernel32: CreateEventW
- api | kernel32: CreateFileW
- api | kernel32: CreateProcessW
- api | kernel32: DeleteFileW
- api | kernel32: EnumCalendarInfoW
- api | kernel32: FindResourceW
- api | kernel32: FormatMessageW
- api | kernel32: FreeLibrary
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | kernel32: GetCPInfo
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetFileAttributesW
- api | kernel32: GetFileSize
- api | kernel32: GetFullPathNameW
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoW

- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleW
- api | kernel32: GetStdHandle
- api | kernel32: GetSystemInfo
- api | kernel32: GetThreadLocale
- api | kernel32: GetUserDefaultLangID
- api | kernel32: GetVersionExW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: LoadLibraryW
- api | kernel32: LockResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: RemoveDirectoryW
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetLastError
- api | kernel32: SignalObjectAndWait
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: VirtualProtect
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | user32: CallWindowProcW
- api | user32: CharUpperBuffW
- api | user32: DestroyWindow
- api | user32: DispatchMessageW
- api | user32: ExitWindowsEx
- api | user32: GetSystemMetrics
- api | user32: LoadStringW
- api | user32: MessageBoxW
- api | user32: MsgWaitForMultipleObjects
- api | user32: PeekMessageW
- api | user32: SetWindowLongW
- api | user32: CreateWindowExW
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetStartupInfoA
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcpynW
- api | kernel32: lstrlenW
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetACP
- api | user32: CharNextW
- api | user32: MessageBoxA
- api | user32: GetKeyboardType
- api | kernel32: SetProcessDEPPolicy
- api | kernel32: SetSearchPathMode

- api | kernel32: SetDllDirectoryW
- api | kernel32: GetLongPathNameW
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegCreateKeyExW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegFlushKey
- api | kernel32: RegLoadKeyW
- api | kernel32: RegQueryInfoKeyW
- api | advapi32: RegReplaceKeyW
- api | kernel32: RegRestoreKeyW
- api | advapi32: RegSaveKeyW
- api | kernel32: RegSetValueExW
- api | kernel32: RegUnLoadKeyW
- api | kernel32: CompareStringW
- api | kernel32: DeleteCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: FreeResource
- api | kernel32: GetDateFormatW
- api | kernel32: GetLocalTime
- api | kernel32: GetTempPathW
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: VirtualQueryEx
- api | kernel32: GetSystemDefaultUILanguage
- api | kernel32: IsValidLocale
- api | kernel32: LocalFree
- api | kernel32: LoadLibraryA
- api | kernel32: lstrcmpiA
- api | urlmon: Extract
- api | kernel32: SetThreadUILanguage
- api | kernel32: GetThreadUILanguage
- api | kernel32: GetThreadPreferredUILanguages

Involved hosts

- 104.28.18.5:http
- 104.28.18.88:http
- 104.28.18.5:80 (bi.superpcdownload.net)
- 104.28.18.88:80 (isuperopt.com)
- 192.168.133.144:49194
- 192.168.133.144:49195
- 192.168.133.144:57724
- 192.168.133.144:60046
- 192.168.133.1:5355

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- isuperopt.com ---> 104.28.18.88, 104.28.19.88
- 88.18.28.104.in-addr.arpa ---> no answers
- bi.superpcdownload.net ---> 104.28.18.5, 104.28.19.5
- 5.18.28.104.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.144:49194 ---> 104.28.18.88 (isuperopt.com) :80

GET /inst?hid=ee604200f39b437d15f8435c18e274073401d69c&sid;=EA582135-2FCA-4C8E-BFFEE07795943A0A&tr;=221002080-ES-092&a;=speejpSJlp6D1rabgYKego6ahIOF&adm;=1&os;=6.1&x64;=0&sil;=1&xtr;=&xsid;=&chid;=&brid;=&lpid;=&ref;=&st;=201612131&e;=200 HTTP/1.1[...]Connection: Keep-Alive[...]Content-Type: application/x-www-form-urlencoded[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; Win32; WinHttp.WinHttpRequest.5)[...]Host: isuperopt.com[...]GET /inst?sid=EA582135-2FCA-4C8E-BFFEE07795943A0A&st;=0&e;=210 HTTP/1.1[...]Connection: Keep-Alive[...]Content-Type: application/x-www-form-urlencoded[...]Accept: */*[...]User-Agent: Mozilla/4.0 (compatible; Win32; WinHttp.WinHttpRequest.5)[...]Host: isuperopt.com

• tcp 104.28.18.88 (isuperopt.com) :80 ---> 192.168.133.144:49194

HTTP/1.1 200 OK[...]Date: Wed, 24 May 2017 08:03:13 GMT[...]Content-Type: text/plain[...]Content-Length: 0[...]Connection: keep-alive[...]Set-Cookie: __cfduid=d2c84cadeeb7e6a0cb86948711c6252821495612993; expires=Thu, 24-May-18 08:03:13 GMT; path=/; domain=.isuperopt.com; HttpOnly[...]Server: cloudflare-nginx[...]CF-RAY: 363ebcb884f80ddb-MAD[...]HTTP/1.1 200 OK[...]Date: Wed, 24 May 2017 08:03:13 GMT[...]Content-Type: text/plain[...]Content-Length: 0[...]Connection: keep-alive[...]Set-Cookie: __cfduid=d2c84cadeeb7e6a0cb86948711c6252821495612993; expires=Thu, 24-May-18 08:03:13 GMT; path=/; domain=.isuperopt.com; HttpOnly[...]Server: cloudflare-nginx[...]CF-RAY: 363ebcb9655f0ddb-MAD[...]HTTP/1.1 200 OK[...]Date: Wed, 24 May 2017 08:03:13 GMT[...]Content-Type: text/plain[...]Content-Length: 0[...]Connection: keep-alive[...]Set-Cookie: __cfduid=d2c84cadeeb7e6a0cb86948711c6252821495612993; expires=Thu, 24-May-18 08:03:13 GMT; path=/; domain=.isuperopt.com; HttpOnly[...]Server: cloudflare-nginx[...]CF-RAY: 363ebcb9655f0ddb-MAD

• tcp 192.168.133.144:49195 ---> 104.28.18.5 (bi.superpcdownload.net) :80

GET /t/i/su?sid=221002080-ES-092&dt;=1495587728&gid;=F659E929-8B2D-EEDC-248E-3C121C98F903&tz;=-8&ln;=1&lc;=0&bis;=0&bief;=0&biefx;=0&bif;=0&os;=106&f;=3680275374 HTTP/1.1[...]Host: bi.superpcdownload.net[...]Accept: text/html, */*[...]User-Agent: Mozilla/3.0 (compatible; Indy Library)

• tcp 104.28.18.5 (bi.superpcdownload.net) :80 ---> 192.168.133.144:49195

HTTP/1.1 403 Forbidden[...]Date: Wed, 24 May 2017 08:03:16 GMT[...]Content-Type: text/html; charset=UTF-8[...]Transfer-Encoding: chunked[...]Connection: keep-alive[...]Set-Cookie: __cfduid=dc68e70a20f7009a5a26e765daa2416aa1495612996; expires=Thu, 24-May-18 08:03:16 GMT; path=/; domain=.superpcdownload.net; HttpOnly[...]Cache-Control: max-age=10[...]Expires: Wed, 24 May 2017 08:03:26 GMT[...]X-Frame-Options: SAMEORIGIN[...]Server: cloudflare-nginx[...]CF-RAY: 363ebcca54e40df3-MAD[...]<!DOCTYPE html>[...]<!--[if lt IE 7]> <html class="no-js ie6 oldie" lang="en-US"> <![endif]-->[...]<!--[if IE 7]> <html class="no-js ie7 oldie" lang="en-US"> <![endif]-->[...]<!--[if IE 8]> <html class="no-js ie8 oldie" lang="en-US"> <![endif]-->[...]<!--[if gt IE 8]><!--> <html class="no-js" lang="en-US"> <!--<![endif]-->[...]<head>[...]<title>Access denied | bi.superpcdownload.net used Cloudflare to restrict access</title>[...]<meta charset="UTF-8" />[...]<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />[...]<meta http-equiv="X-UA-Compatible" content="IE=Edge,chrome=1" />[...]<meta name="robots" content="noindex, nofollow" />[...]<meta name="viewport" content="width=device-width,initial-scale=1,maximum-scale=1" />[...]<link rel="stylesheet" id="cf_styles-css" href="/cdn-cgi/styles/cf.errors.css" type="text/css" media="screen,projection" />[...]<!--[if lt IE 9]><link rel="stylesheet" id=\'cf_styles-ie-css\' href="/cdn-cgi/styles/cf.errors.ie.css" type="text/css" media="screen,projection" /><![endif]-->[...]<style type="text/css">body{margin:0;padding:0}</style>[...]<!--[if lte IE 9]><script type="text/javascript" src="/cdn-cgi/scripts/jquery.min.js"></script><![endif]-->[...]<!--[if gte IE 10]><!--><script type="text/javascript" src="/cdn-cgi/scripts/zepto.min.js"></script><!--<![endif]-->[...]<script type="text/javascript" src="/cdn-cgi/scripts/cf.common.js"></script>[...]</head>[...]<body>[...] [...] Please enable cookies. [...] [...] [...]<h1>[...]Error[...]1010[...]<small class="heading-ray-id">Ray ID: 363ebcca54e40df3 • 2017-05-24 08:03:16 UTC</small>[...]</h1>[...]<h2 class="cf-subheadline" data-translate="error_desc">Access denied</h2>[...] <!-- /.header -->[...]<section></section><!-- spacer -->[...] [...] [...] [...]<h2 data-translate="what_happened">What

happened?</h2>[...] The owner of this website (bi.superpcdownload.net) has banned your access based on your browser\'s signature (363ebcca54e40df3-ua33). [...] [...] [...] <!-- /.section -->[...] [...] [...]Cloudflare Ray ID: 363ebcca54e40df3[...]•[...]Your IP: 46.25.110.246[...]•[...]Performance & security by <a data-orig-proto="https" data-orig-ref="www.cloudflare.com/5xx-error-landing?utm_source=error_footer" id="brand_link" target="_blank">Cloudflare</a>[...] [...] <!-- /.error-footer -->[...] <!-- /#cf-error-details -->[...] <!-- /#cf-wrapper -->[...]<script type="text/javascript">[...]window._cf_translation = {};[...]</script>[...]</body>[...]</html>

• udp 192.168.133.1:5355 ---> 192.168.133.144:60046

in-addr[...]arpa[...]in-addr

• udp 192.168.133.1:5355 ---> 192.168.133.144:57724

arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, supupdsetup.exe)
  - **Thread' events**
    - RegSetValue (HKCU\\Software\\Super Updater\\SetupName Type: REG_SZ, Length: 66, Data: C:\\Users\\javi\\Downloads\\cebo.exe)
    - Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\supupdsetup.exe PID: P1, Command line: /VERYSILENT)
- **Thread T2 (in process P1, supupdsetup.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, supupdsetup.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, supupdsetup.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, supupdsetup.tmp)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\AppData\\Local\\Temp\\is-OQ26L.tmp\\supupdsetup.tmp PID: P2, Command line: "C:\\Users\\javi\\AppData\\Local\\Temp\\is-OQ26L.tmp\\supupdsetup.tmp" /SL5="$8016C,3036815,491520,C:\\Users\\javi\\AppData\\Local\\Temp\\supupdsetup.exe" /VERYSILENT)
- **Thread T4 (in process P2, supupdsetup.tmp) description**
  - **Thread's childs**
    - Thread T5 (in process P2, supupdsetup.tmp)

- **Thread' events**

  - Thread Create (Thread ID: T5)

• Thread T5 (in process P2, supupdsetup.tmp) description

- **Thread's childs**

  - Thread T6 (in process P2, supupdsetup.tmp)
  - Thread T7 (in process P3, SUTray.exe)
  - Thread T9 (in process P4, SUStartScan.exe)

- **Thread' events**

  - RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write)
  - RegCreateKey (HKCU\\Software Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKCU\\Software\\Microsoft Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
  - RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
  - RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\Owner Type: REG_BINARY, Length: 12, Data: A8 08 00 00 B9 B9 34 08 64 D4 D2 01)
  - RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\SessionHash Type: REG_BINARY, Length: 32, Data: 19 0B 46 A3 0F 5F 1E 69 F8 E8 51 8F DB 70 58 85)
  - RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\Sequence Type: REG_DWORD, Length: 4, Data: 1)
  - RegCreateKey (HKCU\\SOFTWARE\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Super Updater\\IR Type: REG_SZ, Length: 4, Data: 1)
  - RegCreateKey (HKCU\\Software\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Super Updater\\SessionID Type: REG_SZ, Length: 72, Data: EA582135-2FCA-4C8E-BFFEE07795943A0A)
  - RegCreateKey (HKCU\\SOFTWARE\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Super Updater\\Querry Type: REG_SZ, Length: 334, Data: http://bi.superpcdownload.net/t/i/su?sid=221002080-ES-092&dt;=%dt%&gid;=%GID%&tz;=%tz%&ln;=%ln%&lc;=%lc%&bis;=%bis%&bief;=%bief%&biefx;=%biefx%&bif;=%bif%&os;=%os%&f;=3680275374)
  - RegDeleteValue (HKCU\\Software\\Super Updater\\Querry)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T6)
  - RegCreateKey (HKCU\\SOFTWARE\\Super Updater Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Super Updater\\CBM Type: REG_DWORD, Length: 4, Data: 1)
  - RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\RegFiles0000 Type: REG_MULTI_SZ, Length: 630, Data: C:\\Program Files\\Super Updater\\SuperUpdater.chm, C:\\Program Files\\Super Updater\\SupUpdHelper.dll, C:\\Program Files\\Super Updater\\SuperUpdater.exe, C:\\Program Files\\Super Updater\\sqlite3.dll, C:\\Program Files\\Super Updater\\7z.dll, C:\\Program Files\\Super Updater\\SUTray.exe, C:\\Program Files\\Super Updater\\SUStartScan.exe)
  - RegSetValue (HKCU\\Software\\Microsoft\\RestartManager\\Session0000\\RegFilesHash Type: REG_BINARY, Length: 32, Data: 12 16 A8 B8 FE A9 F3 4C 82 74 62 7D 6F 97 F5 80)
  - RegCreateKey (HKCU\\Software\\Microsoft\\RestartManager\\Session0000 Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKCU\\Software\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Super Updater\\Language Type: REG_DWORD, Length: 4, Data: 1)
  - RegCreateKey (HKCU\\Software\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKLM\\Software\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1 Desired Access: Set Value, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Setup Version Type: REG_SZ, Length: 20, Data: 5.5.3 (u))
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: App Path Type: REG_SZ, Length: 62, Data: C:\\Program Files\\Super Updater)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\InstallLocation Type: REG_SZ, Length: 64, Data: C:\\Program Files\\Super Updater\\)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Icon Group Type: REG_SZ, Length: 28, Data: Super Updater)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: User Type: REG_SZ, Length: 10, Data: javi)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Selected Tasks Type: REG_SZ, Length: 24, Data: desktopicon)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Deselected Tasks Type: REG_SZ, Length: 2, Data:)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Inno Setup: Language Type: REG_SZ, Length: 6, Data: en)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\DisplayName Type: REG_SZ, Length: 38, Data: Super Updater v3.1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\DisplayIcon Type: REG_SZ, Length: 96, Data: C:\\Program Files\\Super Updater\\SuperUpdater.exe)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\UninstallString Type: REG_SZ, Length: 92, Data: "C:\\Program Files\\Super Updater\\unins000.exe")
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\QuietUninstallString Type: REG_SZ, Length: 108, Data: "C:\\Program Files\\Super Updater\\unins000.exe" /SILENT)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\DisplayVersion Type: REG_SZ, Length: 8, Data: 3.1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\Publisher Type: REG_SZ, Length: 38, Data: Super PC Tools Ltd)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\URLInfoAbout Type: REG_SZ, Length: 56, Data: http://www.superpctools.com)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\HelpLink Type: REG_SZ, Length: 56, Data: http://www.superpctools.com)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\URLUpdateInfo Type: REG_SZ, Length: 56, Data: http://www.superpctools.com)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\NoModify Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\NoRepair Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\InstallDate Type: REG_SZ, Length: 18, Data: 20170524)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\MajorVersion Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\MinorVersion Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\EstimatedSize Type: REG_DWORD, Length: 4, Data: 9852)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1 Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Uninstall\\Super Updater_is1\\UninstallString Type: REG_SZ, Length: 116, Data: "C:\\Program Files\\Super Updater\\unins000.exe" /VERYSILENT)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Program Files\\Super Updater\\SUTray.exe PID: P3, Command line: "C:\\Program Files\\Super Updater\\SUTray.exe")
- RegCreateKey (HKCU\\SOFTWARE\\Super Updater Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Super Updater\\SetupName Type: REG_SZ, Length: 108, Data: C:\\Users\\javi\\AppData\\Local\\Temp\\is-SP6M8.tmp\\cfg.exe)
- Process Create (C:\\Program Files\\Super Updater\\SUStartScan.exe PID: P4, Command line: "C:\\Program Files\\Super Updater\\SUStartScan.exe" /SILENT)

• Thread T6 (in process P2, supupdsetup.tmp) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T7 (in process P3, SUTray.exe) description

• Thread's childs

- Thread T8 (in process P3, SUTray.exe)

• Thread' events

- Thread Create (Thread ID: T8)

• Thread T8 (in process P3, SUTray.exe) description

• Thread's childs

• Thread' events

- RegSetValue (HKCU\\Software\\Super Updater\\TrayNotification Type: REG_DWORD, Length: 4, Data: 1)
- RegSetValue (HKCU\\Software\\Super Updater\\StartWithWindows Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Super Updater\\s_SmartScan Type: REG_DWORD, Length: 4, Data: 1)
- RegSetValue (HKCU\\Software\\Super Updater\\s_SmartMode Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Super Updater\\s_SmartDate Type: REG_BINARY, Length: 8, Data: 95 06 6A 61 C1 EF E4 40)
- RegSetValue (HKCU\\Software\\Super Updater\\s_Enable Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Super Updater\\s_Mode Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Super Updater\\s_Exec Type: REG_DWORD, Length: 4, Data: 0)

• Thread T9 (in process P4, SUStartScan.exe) description

• Thread's childs

- Thread T10 (in process P4, SUStartScan.exe)

- **Thread' events**

  - Thread Create (Thread ID: T10)

• Thread T10 (in process P4, SUStartScan.exe) description

- **Thread's childs**

  - Thread T11 (in process P4, SUStartScan.exe)

- **Thread' events**

  - RegSetValue (HKCU\\Software\\Super Updater\\InstallDate Type: REG_BINARY, Length: 8, Data: 4B 7A 7B 61 E1 EF E4 40)
  - RegSetValue (HKCU\\Software\\Super Updater\\AppStart Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKCU\\Software\\Super Updater\\Os Type: REG_SZ, Length: 8, Data: 106)
  - RegSetValue (HKCU\\Software\\Super Updater\\MachineGuid Type: REG_SZ, Length: 74, Data: F659E929-8B2D-EEDC-248E-3C121C98F903)
  - RegSetValue (HKCU\\Software\\Super Updater\\DelayedStart Type: REG_SZ, Length: 4, Data: 0)
  - RegSetValue (HKCU\\Software\\Super Updater\\Querry Type: REG_SZ, Length: 334, Data: http://bi.superpcdownload.net/t/i/su?sid=221002080-ES-092&dt;=%dt%&gid;=%GID%&tz;=%tz%&ln;=%ln%&lc;=%lc%&bis;=%bis%&bief;=%bief%&biefx;=%biefx%&bif;=%bif%&os;=%os%&f;=3680275374)
  - RegSetValue (HKCU\\Software\\Super Updater\\UninstallURL Type: REG_SZ, Length: 154, Data: https://safecart.com/superpctools/.spu-special/purchase?sid=221002080-ES-092)
  - RegSetValue (HKCU\\Software\\Super Updater\\SupportURL Type: REG_SZ, Length: 66, Data: http://superpctools.com/support/)
  - RegSetValue (HKCU\\Software\\Super Updater\\HomePageURL Type: REG_SZ, Length: 48, Data: http://superpctools.com)
  - RegSetValue (HKCU\\Software\\Super Updater\\BuyNowURL Type: REG_SZ, Length: 212, Data: https://safecart.com/superpctools/.spu/purchase?tid=221002080-ES-092_F659E929-8B2D-EEDC-248E-3C121C98F903)
  - RegSetValue (HKCU\\Software\\Super Updater\\UseAds Type: REG_DWORD, Length: 4, Data: 0)
  - RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - Thread Create (Thread ID: T11)
  - RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\SUStartScan_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
  - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
  - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
  - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
  - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
  - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
  - Thread Create (Thread ID: TUNKALIAS)
  - RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
  - RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
  - RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
  - RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
  - RegSetValue (HKCU\\Software\\Super Updater\\QuerryDate Type: REG_BINARY, Length: 8, Data: 11 A7 7F 61 E1 EF E4 40)

- **Thread T11 (in process P4, SUStartScan.exe) description**

  - **Thread's childs**

  - **Thread' events**

    - RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
    - RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\SUStartScan_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
    - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
    - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
    - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
    - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
    - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
    - RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\SUStartScan_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P2 (supupdsetup.tmp)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> 104.28.18.88:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 104.28.18.88:http (414))
- TCP Receive (javi-PC.localdomain:dynport-> 104.28.18.88:http (325))
- TCP Send (javi-PC.localdomain:dynport-> 104.28.18.88:http (251))
- TCP Receive (javi-PC.localdomain:dynport-> 104.28.18.88:http (325))

Process P4 (SUStartScan.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> 104.28.18.5:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 104.28.18.5:http (269))
- TCP Receive (javi-PC.localdomain:dynport-> 104.28.18.5:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 104.28.18.5:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 104.28.18.5:http (973))
- TCP Disconnect (javi-PC.localdomain:dynport-> 104.28.18.5:http (0))

Process P2 (supupdsetup.tmp)'s network events

- TCP Receive (javi-PC.localdomain:dynport-> 104.28.18.88:http (0))
- TCP Disconnect (javi-PC.localdomain:dynport-> 104.28.18.88:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | http tag | valid domain | tlds | wellknown extension: For more detailed information, please visit http://www.jrsoftware.org/ishelp/index.php?topic=setupcmdline
• url | http tag | valid domain | tlds: <dpiAware xmlns="http://schemas.microsoft.com/SMI/2005/WindowsSettings">true</dpiAware>
• url | valid domains | tlds: 9r.cm
• url | valid domains | tlds: t.Ht
• url | valid domains | tlds: Uh.lA
• url | valid domains | tlds: t.Ht
• api | frequently used by malware: Wow64DisableWow64FsRedirection
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: Sleep
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: LoadResource
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: WriteFile
• api | frequently used by malware: TranslateMessage
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetVersion
• api | frequently used by malware: QueryPerformanceCounter
• api | frequently used by malware: GetTickCount
• api | frequently used by malware: Sleep
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: Sleep
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: LoadResource
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: WriteFile
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: GetProcAddress
• api | frequently used by malware: WideCharToMultiByte
• api | frequently used by malware: GetVersion

- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: Sleep
- api | frequently used by malware: RegCloseKey
- api | kernel32: Wow64RevertWow64FsRedirection
- api | ntdll: Same as /LOG, except it allows you to specify a fixed path/filename to use for the log file.
- api | ntdll: Causes Setup to create a log file in the user's TEMP directory.
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDiskFreeSpaceExW
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | kernel32: CloseHandle
- api | kernel32: CreateDirectoryW
- api | kernel32: CreateEventW
- api | kernel32: CreateFileW
- api | kernel32: CreateProcessW
- api | kernel32: DeleteFileW
- api | kernel32: EnumCalendarInfoW
- api | kernel32: FindResourceW
- api | kernel32: FormatMessageW
- api | kernel32: FreeLibrary
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | kernel32: GetCPInfo
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: GetExitCodeProcess
- api | kernel32: GetFileAttributesW
- api | kernel32: GetFileSize
- api | kernel32: GetFullPathNameW
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoW
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleW
- api | kernel32: GetStdHandle
- api | kernel32: GetSystemInfo
- api | kernel32: GetThreadLocale
- api | kernel32: GetUserDefaultLangID
- api | kernel32: GetVersionExW
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: LoadLibraryW
- api | kernel32: LockResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: RemoveDirectoryW
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetErrorMode
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SetLastError
- api | kernel32: SignalObjectAndWait
- api | kernel32: SizeofResource

- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: VirtualProtect
- api | kernel32: VirtualQuery
- api | kernel32: WaitForSingleObject
- api | user32: CallWindowProcW
- api | user32: CharUpperBuffW
- api | user32: DestroyWindow
- api | user32: DispatchMessageW
- api | user32: ExitWindowsEx
- api | user32: GetSystemMetrics
- api | user32: LoadStringW
- api | user32: MessageBoxW
- api | user32: MsgWaitForMultipleObjects
- api | user32: PeekMessageW
- api | user32: SetWindowLongW
- api | user32: CreateWindowExW
- api | kernel32: GetModuleHandleW
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: CloseHandle
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineW
- api | kernel32: GetLocaleInfoW
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleW
- api | kernel32: GetStartupInfoA
- api | kernel32: GetThreadLocale
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcpynW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: GetACP
- api | user32: CharNextW
- api | user32: MessageBoxA
- api | user32: LoadStringW
- api | user32: GetKeyboardType
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | kernel32: SetProcessDEPPolicy
- api | kernel32: SetSearchPathMode
- api | kernel32: SetDllDirectoryW
- api | kernel32: GetLongPathNameW
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegCreateKeyExW

- api | advapi32: RegDeleteKeyW
- api | kernel32: RegDeleteValueW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegEnumValueW
- api | kernel32: RegFlushKey
- api | kernel32: RegLoadKeyW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryInfoKeyW
- api | kernel32: RegQueryValueExW
- api | advapi32: RegReplaceKeyW
- api | kernel32: RegRestoreKeyW
- api | advapi32: RegSaveKeyW
- api | kernel32: RegSetValueExW
- api | kernel32: RegUnLoadKeyW
- api | kernel32: CloseHandle
- api | kernel32: CompareStringW
- api | kernel32: CreateEventW
- api | kernel32: CreateFileW
- api | kernel32: CreateProcessW
- api | kernel32: DeleteCriticalSection
- api | kernel32: DeleteFileW
- api | kernel32: EnterCriticalSection
- api | kernel32: EnumCalendarInfoW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: FindResourceW
- api | kernel32: FormatMessageW
- api | kernel32: FreeLibrary
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | kernel32: FreeResource
- api | kernel32: GetCPInfo
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetDateFormatW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetFileAttributesW
- api | kernel32: GetFullPathNameW
- api | kernel32: GetLastError
- api | kernel32: GetLocalTime
- api | kernel32: GetLocaleInfoW
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleW
- api | kernel32: GetStdHandle
- api | kernel32: GetTempPathW
- api | kernel32: GetThreadLocale
- api | kernel32: GetVersionExW
- api | kernel32: InitializeCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: LockResource
- api | kernel32: MultiByteToWideChar
- api | kernel32: ReadFile
- api | kernel32: ResetEvent
- api | kernel32: SetEndOfFile
- api | kernel32: SetEvent
- api | kernel32: SetFilePointer
- api | kernel32: SignalObjectAndWait

- api | kernel32: SizeofResource
- api | kernel32: VirtualFree
- api | kernel32: VirtualQuery
- api | kernel32: VirtualQueryEx
- api | kernel32: WaitForSingleObject
- api | user32: CharNextW
- api | user32: CharUpperBuffW
- api | user32: GetSystemMetrics
- api | user32: LoadStringW
- api | user32: MessageBoxW
- api | kernel32: GetModuleHandleW
- api | kernel32: LocalAlloc
- api | kernel32: TlsGetValue
- api | kernel32: TlsSetValue
- api | kernel32: CloseHandle
- api | kernel32: InitializeCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: LeaveCriticalSection
- api | kernel32: DeleteCriticalSection
- api | kernel32: GetStdHandle
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: CompareStringW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: FreeLibrary
- api | kernel32: GetCommandLineW
- api | kernel32: GetLastError
- api | kernel32: GetLocaleInfoW
- api | kernel32: GetUserDefaultUILanguage
- api | kernel32: GetModuleFileNameW
- api | kernel32: GetModuleHandleW
- api | kernel32: GetStartupInfoA
- api | kernel32: GetSystemDefaultUILanguage
- api | kernel32: IsValidLocale
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcpynW
- api | kernel32: lstrlenW
- api | kernel32: MultiByteToWideChar
- api | kernel32: VirtualQuery
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualFree
- api | kernel32: GetACP
- api | kernel32: LocalAlloc
- api | kernel32: LocalFree
- api | kernel32: LoadLibraryA
- api | kernel32: lstrcmpiA
- api | user32: CharNextW
- api | user32: MessageBoxA
- api | user32: LoadStringW
- api | kernel32: RegOpenKeyExW
- api | kernel32: RegQueryValueExW
- api | urlmon: Extract
- api | kernel32: GetLongPathNameW

• api | kernel32: SetThreadUILanguage
• api | kernel32: GetThreadUILanguage
• api | kernel32: GetThreadPreferredUILanguages

• Module 1 other strings

• Translation
• VarFileInfo
• 3.1.0.0
• ProductVersion
• Super Updater 3.1
• ProductName
• Super PC Tools Ltd
• LegalCopyright
• 3.1.0.0
• FileVersion
• Keep your PC drivers up to date
• FileDescription
• Super PC Tools Ltd
• CompanyName
• This installation was built with Inno Setup.
• Comments
• 000004b0
• StringFileInfo
• VS_VERSION_INFO
• Invalid pointer operation
• Floating point underflow
• Floating point overflow
• Floating point division by zero
• Integer overflow Invalid floating point operation
• Range check error
• Division by zero
• Invalid numeric input
• Read beyond end of file\tDisk full
• File access denied
• Too many open files
• File not found
• I/O error %d
• Out of memory
• Write$Error creating variant or safe array)Variant or safe array index out of bounds
• Read
• No argument for format \'%s\'"Variant method calls not supported
• Application Error1Format '%s' invalid or incompatible with argument
• Operation aborted(Exception %s in module %s at %p.
• Privileged instruction
• Control-C hit
• Stack overflow
• Access violation
• Invalid class typecast0Access violation at address %p. %s of address %p
• Abstract Error?Access violation at address %p in module '%s'. %s of address %p
• Object lock not owned(Monitor support function not initialized
• Exception in safecall method
• Interface not supported
• Assertion failed
• External exception %x
• Invalid argument

• Invalid variant operation
• Invalid variant type conversion
• August
• July
• June
• April
• March
• February
• January
• Thursday
• Tuesday\tWednesday
• Monday
• Sunday
• December
• November
• October
• September
• Invalid file name - %s
• Saturday
• Friday
• MAINICON(
• PACKAGEINFO
• STATIC
• InnoSetupLdrWindow
• shell32.dll
• kernel32.dll
• kernel32.dll
• Setup
• Specifies the password to use.
• /PASSWORD=password
• Like the /TASKS parameter, except the specified tasks will be merged with the set of tasks that would have otherwise been selected by default.
• /MERGETASKS="comma separated list of task names"
• Specifies a list of tasks that should be initially selected.
• /TASKS="comma separated list of task names"
• Overrides the default component settings.
• /COMPONENTS="comma separated list of component names"
• Overrides the default setup type.
• /TYPE=type name
• Instructs Setup to initially check the Don't create a Start Menu folder check box.
• /NOICONS
• Overrides the default folder name.
• /GROUP="folder name"
• Overrides the default directory name.
• /DIR="x:\\dirname"
• Specifies the internal name of the language to use.
• /LANG=language
• Instructs Setup to save installation settings to the specified file.
• /SAVEINF="filename"
• Instructs Setup to load the settings from the specified file after having checked the command line.
• /LOADINF="filename"
• Prevents Setup from restarting applications.
• /NORESTARTAPPLICATIONS
• Instructs Setup to restart applications.
• /RESTARTAPPLICATIONS
• Prevents Setup from closing applications using files that need to be updated.
• /NOCLOSEAPPLICATIONS
• Instructs Setup to close applications using files that need to be updated.

- /CLOSEAPPLICATIONS
- Specifies a custom exit code that Setup is to return when the system needs to be restarted.
- /RESTARTEXITCODE=exit code
- Prevents Setup from restarting the system following a successful installation, or after a Preparing to Install failure that requests a restart.
- /NORESTART
- Prevents the user from cancelling during the installation process.
- /NOCANCEL
- /LOG="filename"
- /LOG
- Instructs Setup to suppress message boxes.
- Instructs Setup to be silent or very silent.
- /SILENT, /VERYSILENT
- Disables the This will install... Do you wish to continue? prompt at the beginning of Setup.
- Shows this information.
- The Setup program accepts optional command line parameters.
- The setup files are corrupted. Please obtain a new copy of the program.
- /HELP
- SeShutdownPrivilege
- The setup files are corrupted. Please obtain a new copy of the program.
- Itanium
- Unknown
- LzmaDecode failed (%d)
- lzmadecompsmall: %s
- lzmadecompsmall: Compressed data is corrupted (%d)
- Compressed block is corrupted
- Compressed block is corrupted
- Compressed block is corrupted
- File I/O error %d
- [ExceptObject=nil]
- Control Panel\\Desktop\\ResourceLocale
- Locale
- .DEFAULT\\Control Panel\\International
- kernel32.dll
- USERPROFILE
- TEMP
- kernel32.dll
- AMPM
- AMPM
- eeee
- @INFNAN
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- kernel32.dll
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 0@P
- 111QQQ
- 0@P`
- 0@P`p
- Invalid class typecast
- Invalid pointer operation
- Floating point underflow
- Floating point overflow
- Floating point division by zero
- Integer overflow Invalid floating point operation
- Range check error

• Division by zero
• Invalid numeric input
• Read beyond end of file\tDisk full
• File access denied
• Too many open files
• I/O error %d
• Out of memory
• Invalid variant type conversion
• Variant or safe array is locked
• Write$Error creating variant or safe array)Variant or safe array index out of bounds
• Read
• No argument for format \'%s\'"Variant method calls not supported
• Application Error1Format '%s' invalid or incompatible with argument
• Privileged instruction(Exception %s in module %s at %p.
• Control-C hit
• Stack overflow
• Access violation
• 0Access violation at address %p. %s of address %p
• Assertion failed
• External exception %x
• Unexpected variant error
• Operation not supported
• Invalid variant type
• Invalid argument
• Variant overflow
• %s,Custom variant type (%s%.4x) is out of range/Custom variant type (%s%.4x) already used by %s*Custom variant type (%s%.4x) is not usable2Too many custom variant types have been registered5Could not convert variant of type (%s) into type (%s)=Overflow while converting variant of type (%s) into type (%s)
• Invalid NULL variant operation%Invalid variant operation (%s%.8x)
• Invalid variant operation
• A call to an OS function failed
• System Error. Code: %d.
• Abstract Error?Access violation at address %p in module '%s'. %s of address %p
• Object lock not owned(Monitor support function not initialized
• Exception in safecall method
• Interface not supported
• November
• October
• August\tSeptember
• July
• June
• April
• March
• February
• January
• Invalid source array
• Saturday
• Friday
• Thursday
• Tuesday\tWednesday
• Monday
• Sunday
• December
• Cannot open file "%s". %s
• Cannot create file "%s". %s
• A class named %s already exists%List does not allow duplicates ($0%x)#A component named %s already exists%String list does not allow duplicates
• Class %s not found

- Cannot assign a %s to a %s*Can't write to a read-only resource stream
- Ancestor for '%s' not found
- Invalid code page
- Invalid destination index (%d)
- Invalid count (%d)
- Start index out of bounds (%d)
- Invalid destination array"Character index out of bounds (%d)
- Failed to create key %s
- Property is read-only
- Stream read error
- Error reading %s%s%s: %s
- List index out of bounds (%d)+Out of memory while expanding memory stream)%s has not been registered as a COM class
- List count out of bounds (%d)
- Invalid data type for '%s' List capacity out of bounds (%d)
- Invalid property value
- Invalid property path
- Invalid property value
- Invalid stream format$"%s'' is not a valid component name
- Invalid file name - %s
- Stream write error The specified file was not found#"%s" is not a valid integer value
- Property %s does not exist
- %s.Seek not implemented$Operation not allowed on sorted list$%s not in a class registration group
- Resource %s not found
- Failed to set data for '%s'
- Failed to get data for '%s'
- MAINICON(
- PACKAGEINFO
- EXEFILE
- CHARTABLE
- en-US,en,
- supupdsetup.exe
- SetupName
- \\SOFTWARE\\Super Updater
- ExeFile
- hex:
- HKEY_DYN_DATA
- HKEY_CURRENT_CONFIG
- HKEY_PERFORMANCE_DATA
- HKEY_USERS
- HKEY_LOCAL_MACHINE
- HKEY_CURRENT_USER
- HKEY_CLASSES_ROOT
- Left
- .Owner
- Owner
- Null
- True
- False
- Null
- True
- False
- Owner
- True
- False
- ByRef
- Array
- UnicodeString

- UInt64
- Int64
- LongWord
- Word
- Byte
- ShortInt
- Decimal
- Unknown
- Variant
- Boolean
- Error
- Dispatch
- OleStr
- Date
- Currency
- Double
- Single
- Integer
- Smallint
- Null
- Empty
- oleaut32.dll
- kernel32.dll
- AMPM
- AMPM
- eeee
- AAAA
- AMPM
- AM/PM
- @INFNAN
- False
- True
- CHARTABLE
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Software\\CodeGear\\Locales
- kernel32.dll
- kernel32.dll
- !7\'"Ok
- #s_4O
- 9y7eL
- Zjs3*Y9
- _2_P
- P{Ust2O
- O\\Ld
- I,}!{
- 0^MC
- *nq&E;
- fw9^
- Xka8,
- f~BU
- P0z(
- o6qFe>
- w8<%
- kZq+a
-]GAU?
- K<6rh

- XM?E
- hi~!
- Lb9r[#2
- MA;F
- 56O+
- kGr1
- 4DG}
- (tQE
- y#A;
- xJvi
- ,a3
- P6fg
- [jJO
- t~3P
- 7m*(
- *UW2
- XO;]
- OSY5l
- @JEg:
- V6_g
- &Y0;}
- Ag} `
- X_oV
- (ax1h
- E>T^
- COW.
- j=9v(,0
- <U`da
- V%XA
- WP;a
- [EW1[
- ~I4f
- BTlO
- `"?1
- $u(M@
- J3}|
- ge0>
- z/.u
- {*70
- v2/+
- 0%ab
- !697
- 8<3\\d
- Ca_;
- ++O&@5
- m?io
- { 1`
- ,1+{
- Amt[
- W7Yzo
- (ONW=
- qn_3
- 0"X
- E?id,C
- I8ep
- {m\tu
- [5-Jw

- `m>Ea
- IB2&
- Ak{[E
- IH~\\
- 5>5s
- UZI:>
- EoBtc>S
- 6Sbo`
- 6L>s
- @_Idm
- VTe'D
- 0ojC
- .{&u;
- L69V
- H66x
- , 4<
- @I$3
- p9s6c
- t_pTI
- _m71*
- u0E`
- Ow_L
- x7%;^
- ZA@#
- j^/u
- 7t2W
- }AZv^w=5
- [m1C
- nG0%0
- %QaH
- NIUs@
- x]eN
- \\u9s
- yF!5
- i#d3&[Be
- 5W=h
- _n0e
- }egW
- -6-P
- IW2F
- "\'6a
- R3dupM
- 7/>7
- Ki@<
- ZG\\7D
- G-7@
- .O$q
- L1`(
- 4U>N
- |.A
- 8'.z#
- [2W,p
- ab<%
- rc3y
- WQ9Pz
- v (\\l
- 3EHf

- _8Dr
- 35d5
- C98n
- BZmIO
- 4.}#
- -[m4
- ?JuZ
- DU/Rv
- X3_g
- ja%;>%6
- {hI[
- u5;C
- qX2d
- 7pf|
- t1Gh
- -+LrO
- leZIU
- pD|g3
- |X`o
- PU"tq
- 62g)
- 5Z)>
- 4z l0
- "EhG
- aSuZ!a<
- mC^Y8
- 7YEO
- ~U59:
- 9%ix
- d1eP[
- 9uBG
- At^z#
- 3X]5
- IiIQL
- :6s7
- \\0*X
- eRQK
- imBPoG
- 9]+d
- hi|,
- t7_1
- e>FF<
- 3fI=~0
- \\z&3Y
- <}UP
- 8\\g`6
-)r9.
- Fp9/
- I7/-
- N|0a
- 8Nuf0
- k!nE
- iww)?
- mB7
- 93l/3C
- #jaE
- 5n:K

- {"4/
- Bp~0
- ~2!L
- mIN$%
- 3n(=
- !b0w&
- 7Djw
- ~L2L
- 2{i]i^F
- 3:c:
- #*i3L
- 61qW
- d4~I
- J?J.U
-);/7{DA
- Dk2P~
- T3*!=
- UZvK
- q76T
-)zaB
- 0AqH
- >b3=
- f);0+
- GVfQ6
- KO P
- +4RJ
- gOkPI
- $SIi
- o|y&^_6
- 1cXxC
- c[6;8
- pbcT9
- .,j1
- aCW9,
- @V:u
- U<qo
- 2N@R
- t9+,
- #A;
- GrI{G
- #ko8
- \\3bd
- EZX2
- OSA4'[
- 2U]TdH@
- 2\\|i
- 4G-"
- 7)&D;
- U:0?
- -E"q|
- %"o4
- OO]Z
- 6KT'
- @&Mm1;
- -%1V
- 6`&W;
- 2FC@

- B`8=
- /1zi
- GU?0
- '.1%
- S<}Do
- Ca0P
- H1dN
- uq_6
- I}&!
- \\qm3
- $n,e
-]0Ti
- @ A(
- ^%-4
- *(r9
- 8Ay7
- A6z8
- 1_w{8
- AAiK
- -=e
- 7Z}9
- jE%p
- Xc;4
- h:1[
- AB>;Ns8O"
- L"b5!
- q*sI>iC
- kiZ_X
- GE%-
- 1hGl
- BOD2
- ;YM2
- ae-b`1
- o:b$
- ,9;R
- ~@'3
- Ulfnr
- U;K=
- e(-H
- #o9*
- R1gJ
- Cod2
- rW9mW
- [5#a
- ,@AU)V
- bi>M
- \\O]`6
- iVW%?eG
- _OI-
- 0OB0
- RUI-
- UhNC
- 3hbh
- pJqee
- \\6 `=
- 9(GY
- Cl3Z

- I] N
- *o89
- C2=0
- UMXL
- .ej%
- =o\teU
- 7 2_8
- ".\\E
- nwe:
- pix=
- np0B
- 266V
- 1<0\te
- B4wA
- #Ej}A
- ui.,\\h
- :yiu]d.
- 1 o62
- >VL7
- D@'>9
- 4\\{q7
- nAr
- -LdE
- tl{Tc
- yk4b
- Ao#B6
- {|/e
- >^.5
- 4@~T
- I) w
- 7iLS
- 3>d@
- 4Sn{
- Sh?E
-)e?^]E
- e:^9
- ,U7I
- mEk#b
- Z5\\'
- ks9l
- r9#H
- 2iKE
- m&u1G;?
- I{mg
- l7&4K
- !J`e
- >y(eQ8
- I8fw
- ANbO5y
- Cwzi
- 0HLv
- LULC
- BpE
- Fq7"
- ~Ku(
- mrAw
- I481

- j2N|i
- U_09
- {(\\u
- Z\tDMu1J
- Y7'eZ
- MO^3!+
- _UIZ
- Ov]4T
- 8+]e
- P\tY1Q
- S<-1
- %<8L
- 9S 9p>
- bGa'
- bLa@
- 2pkq
- 5/T1<
- 6"Ik8
- u<f3j
- \\8rC
- 0r-)]
- #gs.5
- <(s6
- 6Ud>
- <l8e
- SncOA8
- W@PE
- hO$d
- *O8;
- bq0(
- [qla
- (:0+
- Ment
- sFfox
- -tR.9
- 1Jq(
- o<B#
- Ugx
- BI,3
- {ag4\\B
- [~>8
- L9!Y-
- 7GPe
- uc?G
- ?ah2kv
- .sp7
- rD7k8
- O4?aP.
- b7_>
- -j2On
- A7}J
- {e=>
- @Fco
- ^Toqc
- </compatibility>
- </application>
- <supportedOS Id="{8e0f7a12-bfb3-4fe8-b9a5-48fd50a15a9a}"/>

- <supportedOS Id="{1f676c76-80e1-4239-95bb-83d0f6d0da78}"/>
- <supportedOS Id="{4a2f28e3-53b9-4441-ba9c-d69d4a4a6e38}"/>
- <supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"/>
- <supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"/>
- <application>
- <compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1">
- </application>
- </windowsSettings>
- <windowsSettings>
- <application xmlns="urn:schemas-microsoft-com:asm.v3">
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- publicKeyToken="6595b64144ccf1df"
- processorArchitecture="x86"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Inno Setup</description>
- type="win32"/>
- version="1.0.0.0"
- processorArchitecture="x86"
- name="JR.Inno.Setup"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- SafeDLLPath
- SXPTheme
- JLZMADecompSmall
- SetupEnt
- WMD5
- 3Messages
- *ShellAPI
- SHA1
- Compress
- 6MsgIDs
- cInstFunc
- Int64Em
- AFileClass
- VerInfo
- ImageHlp
- KWindows
- YStrUtils
- Math
- eCharacter
- SysUtils
- 7PathFunc

- SysInit
- UTypes
- CmnFunc2
- RedirFunc
- SetupLdr
- &=O8
- 0zzz
- 5vvv
- A{{{
- 2zzz
- %uuu
- 6xxx
- 8xxx
- eyyy
- 5yyy
- 5yyy
- eyyy
- Uyyy
- 6yyy
- 6yyy
- Uqqq
- Aqqq
- iqqq
- 5yyy
- lyyy
- Ayyy
- 6yyy
- Ayyy
- 2ttt
- 4ttt
- 0zzz
- 1uuu
- 8zzz
- 4zzz
- 5zzz
- 6zzz
- 3zzz
- 8zzz
- 2zzz
- 4zzz
- 1zzz
- 2{{{
- +uuu
- 7ttt
- Appp
- Ovvv
- owww
- 4ppp
- qqq\tUUU
- qqq\tUUU
- 2xxx
- qqq\tUUU
- UUU\t333
- UUU\tbbb
- 8zzz
- UUU
- 1fff

- #UUU
- VUUU
- oUUU
- UUU
- !UUU
- "UUU
- +333
- 1fff
- :III
- avvv
- $UUU
- UUU
- 5vvv
- UUU
- 1xxx
- 8jjj
- 7]]]
- [UUU
- eUUU
- gUUU
- _UUU
- eUUU
- mUUU
- UUU
- \\333
- Immm
- 0III
- UUU\t@@@
- UUU
- +UUU
- advapi32.dll
- kernel32.dll
- InitCommonControls
- comctl32.dll
- advapi32.dll
- kernel32.dll
- user32.dll
- kernel32.dll
- kernel32.dll
- user32.dll
- advapi32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- Inno Setup Messages (5.5.3) (u)
- Inno Setup Setup Data (5.5.0) (u)
- Runtime error at 00000000
- Error
- u.h0
- uGj$
- |%C3
- ;B(u.
- SVW3
- =E[A
- -\\[A
- -X[A

- -P[A
- SVWU
- SVW3
- |GF3
- u[Tj(
- SVWUQ
- SVW3
- TSetupLanguageEntry=
- TSetupHeader
- SVW3
- 8G;}
- SVWUQ
- F;4$|
- $;4$
- SVWU
- SVWUQ
- SVWUQ
- TLZMA1SmallDecompressorS
- SVWUQ
- TCompressedBlockReader
- TCustomDecompressor
- ECompressInternalError
- ECompressDataError
- ECompressError
- ;4$t
- EFileError
- TFile
- TCustomFile
- SVW3
- SVW3
- SVWU
- SVWU
- SVWU
- SVWUQ
- SVW3
- SVWU
- WVUSj
- SVWU
- TModuleInfo
- SysUtils
- TUnitHashArray
- =8\\A
- SVW3
- r3t7
- SVW3
- TExceptRec
- TErrorRec
- =`[A
- =d[A
- SysUtils
- SVW3
- r@f=9
- t&f;=0
- SVWUQ
- 0<:r
- tgf9
- SUVj

- TEncoding
- SysUtils
- SysUtils
- ENoMonitorSupportException
- EMonitorLockException
- EMonitor
- ESafecallException
- EIntfCastError
- EAbstractError
- EAssertionFailed
- EVariantError
- EControlC
- EStackOverflow
- EPrivilege
- EAccessViolation
- EConvertError
- EInvalidCast
- EInvalidPointer t@
- EUnderflow
- EOverflow
- EZeroDivide
- EInvalidOp
- EMathError
- EIntOverflow
- ERangeError$q@
- EDivByZero
- EIntError
- EExternalException
- EExternal
- EInOutError
- EOutOfMemory
- EHeapException
- EAbort
- ExceptionLm@
- hvi@
- =T[A
- Uhoi@
- hob@
- Uhhb@
- =0 A
- SVWU
- 8\\u;
- SVWU
- SVWU
- It4S
- UhJT@
- SVWU
- It6S
- t!P1
- =,0A
- SVWU
- hx'A
- hp'A
- =(A
- h|E@
- hx'A
- =03A

- =(3A
- =L0A
- 0123456789ABCDEF
- Uh`C@
- UhMB@
- PhbA@
- = A
- r6t0
- d$,1
- SVWU
- VWUUh(?@
- = A
- =$ A
- = A
- =$ A
- u\t@B
- SVWU
- VWUd
- = A
- =$ A
- = A
- =$ A
- = A
- = A
- = A
- = A
- = A
- = A
- = A
- Uhk:@
- BkU'9
- E@|o
- @aQY
- Cw6@
- Cw6@
- 2_^[
- w+9
- u%Nt
- u0Nt
- uENt
- =$3A
- =00A
- YZXu
- = 0A
- SVWU
- =":A
- rAF3
- =(:A
- |&B3;
- =M0A
- =<:A
- =<:A
- wt=0
- %4:A
- %4:A
- =M0A
- %4:A

- %4:A
- =M0A
- =<:A
- %4:A
- %4:A
- %4:A
- %4:A
- 58:A
-)=<:A
- 58:A
- =<:A
- #5@:A
- %4:A
- %4:A
- =M0A
- SVWU
- SVWU
- SVWU
- =M0A
- =<:A
- Unexpected Memory Leak
- UnicodeString
- AnsiString
- Unknown
- The sizes of unexpected leaked medium and large blocks are:
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- FastMM Borland Edition (c) 2004 - 2008 Pierre le Riche / Professional Software Development
- TObject
- AnsiString
- AnsiChar
- .rdata
- .idata
- `.data
- `.itext
- .text
- This program must be run under Win32
- @&=O8
- ?tE)!XU
- ?tE)!XU
- ?333333
- Y\tY\ti
- 2{{{
- +uuu
- 7ttt
- Appp
- Ovvv
- owww
- 4ppp
- qqq\tUUU
- qqq\tUUU
- 2xxx
- qqq\tUUU
- UUU\t333
- UUU\tbbb
- 8zzz
- UUU

- 1fff
- #UUU
- VUUU
- oUUU
- UUU
- !UUU
- "UUU
- +333
- 1fff
- :III
- avvv
- $UUU
- UUU
- 5vvv
- UUU
- 1xxx
- 8jjj
- 7]]]
- [UUU
- eUUU
- gUUU
- _UUU
- eUUU
- mUUU
- UUU
- \\333
- lmmm
- 0III
- UUU\t@@@
- UUU
- +UUU
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9 9(90989@9H9P9X9`9h9p9x9
- 8 8(80888@8H8P8X8`8h8p8x8
- 101P1p1T7X7\\7`7d7h7
- L0P0T0X0\\0`0d0h0l0p0
- 7&7.767>7S7
- 486>6L6a6
- 3'3<3
- 2$262C2O2W2c2v2
- 1(1<1U1z1
- 0%0)0/03090D0J0N0Z0c0l0x0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8T8X8\\8`8d8h8l8p8t8x8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7

- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5X5\\5`5d5h5l5p5t5x5|5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- 9(9K9j9
- 677l7
- 5C6O6V6a6k6v6
- 3?4r4
- 141W1t1
- 7*8V8g8
- 3k4N5
- 0/1;1n1
- 7:7B7\\7`7
- 6 6/636G6N6U6\\6c6j6q6x6
- 5%535E5_5m5{5
- 4%4=4K4Y4k4
- 3&373S3a3o3
- 292J2R2`2m2
- 1$1,1:1K1a1i1w1
- 0(0;0C0Q0b0r0z0
- <'<9<A<O<b<t<
- :!:):1:9:A:I:Q:Y:a:u:
- 9!9)91999A9I9Q9Y9a9i9q9y9
- 8 8$8(8,8084888<8J8[8r8
- 7*7@7[7
- 6 6$6(6,6064686<6@6D6H6L6P6h6
- 5$5.545>5D5N5T5f5
- 4"4,464@4H4W4i4
- 2/2L2
- 7!8%8_8l8
- 6T7X7\\7`7x7
- 2!4,4
- n0L1/2
- ;O<y<
- 8I:y:
- 6N7y7
- 4*4~4
- 273|3
- 1%2n2
- &0*0.02060:0>0B0F0J0N0
- 9":S:
- 5O647
- 1D1\\1s1
- 8"8&8*8.82868:8>8B8F8J8N8R8V8Z8^8b8
- 7!7(7V7s7
- 686H6U6
- 3.4h4
- 2<3h3
- 9K9Y9
- 637a7
- 475O5\\5j5,6B6w6
- 0!1f1
- 050j0
- 7+8I9

- 6&797^7
- 425l5
- 0^1,2
- 7!7R7Z7i7
- 6-6J6O6s6x6
- 5!515
- 2*3Z3
- 1 1(10181<1@1D1H1L1P1T1X1\\1`1d1h1p1
- 0)0?0Q0c0t0
- =Z>a>
- 9993:E:b:
- 2,2K2
- 0Z0a0
- 9X:p:%;9;|;U<
- 7(8x8
- 2%3Z3p3
- 0$1:1c1U2r2
- -0>0
- 7!8<8h8
- 4\\5y5
- 4<4R4
- 1.1[1x1
- 627h7R8
- 536N6
- 405N5}5
- 3'4E4
- 2-3Z3
- 1)292
- +0/03070;0?0C0
- 5N6^6w6
- 5$5l5R5b5
- 4 4%4W4f4
- 3$3;3^3u3
- 1*2/2`2w2
- 1B1G1
- 9M9T9k9
- 6:7X8
- 5"555J5[5y5
- 4"434O4]4p4
- 3+373J3Y3a3o3
- 2$2,242<2D2L2T2\\2d2l2
- 121:1\\1l1p1t1|1
- 0)090K0\\0d0r0
- :\t;$;2;E;a;o;
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8'858L8Y8a8p8
- 7 7$7(7,7074787<7@7D7H7U7j7
- 6>6g6
- 575X5_5f5m5t5{5
- 404C4K4Y4l4
- 3&343K3i3w3
- 292J2^2f2w2
- 1*121@1S1g1o1}1
- 0-0B0P0c0y0
- 929[9
- 8)8G8U8g8
- 707>7O7l7}7

- 6-6?6Z6h6z6
- 585F5X5r5
- 4!494G4Y4u4
- 3&3:3U3g3
- 2.2<2J2\\2o2
- 1 1(10181@1H1P1X1`1h1p1x1
- 0"030L0a0z0
- ?]?a?e?w?
- =9=c=
- 9&969>9O9k9|9
- 80888I8Z8b8s8
- 747B7Y7m7u7
- 6/6?6G6X6k6
- 5*585F5X5k5
- 4-4K4\\4u4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2)2J2h2
- 1 1.1?1Q1d1w1
- 0[0_0c0u0
- 9)9=9W9h9t9x9
- 8,8B8S8p8~8
- 737F7Y7j7
- 6$666D6h6z6
- 4\\5u5
- 4*484H4Z4^4t4
- 3+333;3C3Z3o3}3
- 2&282M2Q2h2
- 1*181J1[1o1
- 0#0'0<0L0P0T0\\0d0h0l0p0t0x0|0
- ; ;3;I;X;i;m;
- 919<9D9R9b9t9
- 8 8-8C8K8S8[8s8
- 7(75797L7S7[7_7c7~7
- 6&676I6^6
- 5-5;5P5p5~5
- 464H4W4_4m4}4
- 3-383@3N3^3q3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 151X1}1
- 0(090R0`0t0
- 9>9B9F9b9f9j9
- 8&8*8=8D8K8R8Y8`8g8n8u8|8
- 7$727D7Y7t7
- 6$676T6b6r6
- 5/5=5L5W5k5
- 4+494A4O4]4o4w4
- 3/3G3X3e3m3{3
- 2+292R2`2t2
- 1#1+131;1C1K1S1[1n1
- 000L0d0{0
- 9(9,90949F9[9i9
- 8 8$8(8,8:8K8a8s8
- 7.7=7E7T7o7s7
- 6 6$6,64686<6@6D6H6L6P6T6X6\\6`6m6
- 5-515D5K5R5Y5a5
- 4!484J4R4Z4h4l4
- 3!333;3I3X3i3m3

- 2(282@2D2H2P2T2X2\\2`2d2h2l2p2t2x2|2
- 1&1;1I1Z1s1
- 0%0-050=0E0[0p0
- ?/??O?p?
- 9 9(90989@9H9P9X9`9h9p9x9
- 878\\8l8p8t8|8
- 797N7\\7n7
- 6,6H6
- 5$5>5l5~5
- 4 4$4(4,4044484<4T4j4n4
- 3 32363L3\\3l3t3x3|3
- 2$242<2@2D2H2L2P2T2X2\\2`2d2h2l2p2
- 1 1$1(1,1014181<1L1]1a1x1
- 0 01050L0\\0l0t0x0|0
- 9(9,9094989<9
- 3l4M5
- 0.0W0
- 9D9Y9
- 7<7l7
- 6*6@6Q6d6y6
- 4$4.444F4T4l4L5\\5d5s5|5
- 3$3/3B3O3
- 1'1B1H1\\1a1A2f2s2~2
- 0$0=0b0q0
- 9%:<:O:a:
- 616_6t9
- 555z5
- 2B3W3
- 1"1&1*1
- 5z7\t8"8M8
- 2"2&2*2.22262:2>2B2F2J2N2R2V2Z2^2b2f2j2n2r2v2
- 1@1k1
- :!;%;);-;1;5;9;=;A;E;I;M;_;w;
- 8D9a9
- 2_5c5g5k5o5s5w5{5
- 1&2B2F2J2N2R2V2Z2^2b2f2j2n2r2v2z2~2
- 191R1i1
- F0}0
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7a8
- 5 5$5(5,5054585<5@5D5H5\\5j6
- 3>4W4p4
- 1"1&1*1.12161:1>1B1R112?2
- 8(8>8T8a9e9i9m9q9u9y9}9
- 6n7r7v7z7~7
- 2^4e4
- 03272;2?2C2G2K2O2S2W2[2_2c2g2k2o2s2w2{2
- 0#0'0+0/03070P0
- >O>w>
- 7#7'7+7/73777;7?7C7G7K7O7S7W7[7
- 1!1%111
- ?9?`?
- >0>U>|>
- 9%=3=
- 7.7E7
- 5/5>5U5d5{5
- 3W3f3}3
- 2"292a2o2~2

- 1,1L1P1q1
- 0$0,0004080<0@0D0H0L0P0T0X0\\0`0|0
- 9(989H9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8$8(8<8D8x8
- 7(767E7Z7j7r7
- 6$676K6Y6g6z6
- 5&545<5J5X5k5y5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 2<3@3D3\\3h3l3x3|3
- 1 1+11161A1G1L1W1]1b1m1s1x1
- 0#0)0.090?0D0O0U0Z0e0k0p0{0
- 9 9(9,94989@9D9S9_9j9
- 8 8$8,80888<8D8H8P8T8\\8`8h8l8t8x8
- 7 7$7,70787<7D7H7P7T7\\7`7l7p7x7|7
- 6$6(60646<6@6H6L6T6X6`6d6l6p6x6|6
- 2V3F4
- 1&121K1X1b1n1
- 80H0T0m0y0
- 8C9J9f9m9
- 898@8
- 6$7+7g7
- 5^6g6
- 344=4K4f4m4y4
- 3G3Y3
- 8#828B8J8_8g8
- 7#7>7G7[7i7}7
- 6)6D6M6h6~6
- 5Y5^5k5t5
- <#<i<o<
- 9F9U9d9
- 8#8m8
- 6,7F7U7
- 5J6Q6
- 5/575C5P5
- 313?3F3^3e3x3
- 2&2H2
- 0,1}1
- 899}9
- 6A6i6?7[7k7
- 5,5V5j5
- 4C4u4
- 1#171a1
- !0W0
- 617e7
- 3!313
- 1(2<2o2
- 021o1
- ?2?F?
- 9/:`:
- 5/7/8w8
- 3%4?4l4
- 2@3Q3
- 0=1O1
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9;:B:I:&;
- 7O7w7
- =1>9>x>
- 5H7J8

- 021v1
- 9(909>9L9_9c9x9
- 8 8$8(8,80848<8D8L8T8l8
- 7 7(767L7b7j7x7
- 6#686H6P6X6`6d6h6l6p6t6x6|6
- 565Q5g5o5}5
- 4-4K4S4[4c4k4s4
- 3+333t3
- 2$262>2L2Z2j2r2
- 1&191L1[1q1
- 020H0W0_0m0|0
- >2>A>I>W>f>t>
- ;%;-;5;=;E;M;U;i;w;
- 989E9L9\\9l9t9x9|9
- 8/8E8V8g8o8
- 7!707E7b7j7r7z7
- 6 686D6H6T6X6\\6d6l6p6t6x6|6
- 5+5@5N5a5u5
- 4 4044484@4H4L4P4T4X4\\4`4d4h4l4p4t4
- 3 383E3M3Z3`3m3u3
- 2 2$2(2,202L2g2k2
- 1$1(1@1P1`1h1l1p1t1x1|1
- 0 0$0(0,0004080<0@0D0Q0p0~0
- 9 909@9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 8 8$8(8,8084888<8@8D8H8L8P8`8o8s8
- 7 707@7D7\\7l7|7
- 6,6<6L6T6X6\\6`6d6h6l6p6t6x6|6
- 5 5$5(5,5054585<5@5D5H5L5P5T5d5u5y5
- 4 4$4(484G4K4`4p4
- 3$343D3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2@2Q2U2l2|2
- 1(181@1D1H1L1P1T1X1\\1`1d1h1l1p1t1
- 0$04080<0D0L0P0T0X0\\0`0d0h0l0p0t0x0|0
- ;4;Y;a;i;q;y;
- 909=9D9Z9`9
- 7!7?7F7K7b7
- 6L6b6v6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- 4$4,444<4D4L4T4\\4d4l4t4|4
- 3$3,343<3D3L3T3\\3d3l3t3|3
- 2$2,242<2D2L2T2\\2d2l2t2|2
- 1"1*121:1B1J1R1Z1b1
- 0-0r0
- 9J9d9
- 8&858`8
- 6&6.666>6
- 0S2/3k3
- 5Y6l6W8
- 5A5L5
- 3.494E4S4b4q4
- 0#0)01060F0K0P0`0e0j0z0
-)0R0
- >8>Q>
- 8#8k9
- 6\t626;6m6t6
- 4?4l4u4
- 3*323H3`3n3

- Y0T1#2n2
- 9$9@9X9i9u9
- 6y6V7
- 2)3P3T3X3\\3`3d3h3l3p3
- 1>2I2f2{2
- 1+111?1N1[1n1
- @0D0J0N0X0k0o0u0y0
- 9"9g9
- 5*787j8u8
- 4b5k5}5
- 0=1z1
- >0>6>N>f>
- 9F9T9
- 5&5.565j5r5z5f8|8
- 4&4.464>4F4N4V4^4f4n4v4~4
- 2\t3 343L3_3h3
- 2'2<2Q2f2
- 1&181L1
- 000C0X0j0~0
- >(>I>a>x>
- 9'9?9X9g9}9
- 8!8/8B8J8X8i8|8
- 777J7`7s7
- 6!61696J6Z6p6~6
- 5 5(50585@5H5P5X5j5
- 4$4,484<4@4D4H4L4P4T4X4\\4`4h4p4x4
- 3%373J3d3y3
- 2 242H2X2d2l2
- 141T1d1x1
- 000L0d0
- VariantInit
- VariantClear
- VariantCopy
- VariantChangeType
- SafeArrayCreate
- SafeArrayGetLBound
- SafeArrayGetUBound
- SafeArrayPtrOfIndex
- oleaut32.dll
- kernel32.dll
- advapi32.dll
- kernel32.dll
- user32.dll
- kernel32.dll
- kernel32.dll
- user32.dll
- advapi32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- d.v05,v
- a/v6
- -vc3.vM7.v
- a/vuG-v
- E.v+E.v
- 9.vF

- l"-v\\9.vd
- TPF0
- Runtime error at 00000000
- Error
- 0+0~
- 0+0u
- 0+0s
- 0st'@
- 0sP'@
- 0s0'@
- QQQQ3
- -LOD
- -@OD
- h(OD
- - OD
- =5,D
- ShellAPI
- TypInfo
- Messages
- ActiveX
- Classes
- Masks\tDateUtils
- IOUtils
- IniFiles
- Registry
- OptimizerPro
- ImageHlp
- StrUtils
- Math
- SysUtils\tCharacter\tRTLConsts
- SysInit
- Types
- Windows
- VarUtils
- Variants
- YGKu
- |_C3
- SVW3
- SVW3
- Registry
- :TRegistry.:2
- SVWUQ
- Q8FKu
- |JC3
- SVW3
- Q8FKu
- |JC3
- SVW3
- SVW3
- h4}C
- Uh-}C
- SVW3
- SVW3
- Uh7xC
- Access
- RootKeyName
- RootKey

- LastErrorMsg\\
- LastError
- LazyWrite
- CurrentPath
- CurrentKey
- Registry
- Value
- Name
- Self
- WriteTime
- Value
- Name
- Self
- WriteExpandString
- Value
- Name
- Self
- WriteString
- Value
- Name
- Self
- WriteInteger
- Value
- Name
- Self
- WriteFloat
- Value
- Name
- Self
- WriteDateTime
- Value
- Name
- Self
- WriteDate
- Value
- Name
- Self
- WriteBool
- BufSize
- Buffer
- Name
- Self
- WriteBinaryData
- Value
- Name
- Self
- WriteCurrency
- Name
- Self
- ValueExists
- Self
- UnLoadKey
- FileName
- Self
- SaveKey
- FileName
- Self

- RestoreKey
- BackUpFileName
- FileName
- Self
- ReplaceKey
- NewName
- OldName
- Self
- RenameValue
- UNCName
- Self
- RegistryConnect
- Name
- Self
- ReadTime
- Name
- Self
- ReadString
- Name
- Self
- ReadInteger
- Name
- Self
- ReadFloat
- Name
- Self
- ReadDateTime
- Name
- Self
- ReadDate
- Name
- Self
- ReadBool
- BufSize
- Buffer
- Name
- Self
- ReadBinaryData
- Name
- Self
- ReadCurrency
- Self
- OpenKeyReadOnly
- CanCreate
- Self
- OpenKey
- Delete
- NewName
- OldName
- Self
- MoveKey
- FileName
- Self
- LoadKey
- Self
- KeyExists
- Self

- HasSubKeys
- Self
- GetValueNames
- Self
- GetKeyNames
- Value
- Self
- GetKeyInfo
- ValueName
- Self
- GetDataType
- ValueName
- Self
- GetDataSize
- Value
- ValueName
- Self
- GetDataInfo
- PrefixType
- ValueName
- Self
- GetDataAsString
- Name
- Self
- DeleteValue
- Self
- DeleteKey
- Self
- CreateKey
- Self
- CloseKey
- Self
- Destroy
- AAccess
- Self
- Create
- Self
- Create
- TRegistry&
- FLastError
- FAccess
- FCloseRootKey
- FCurrentPath
- FLazyWrite
- FRootKey
- FCurrentKey
- DataSize
- RegData
- TRegDataInfo
- Registry
- rdBinary
- rdExpandString\trdInteger
- rdUnknown
- TRegDataType
- FileTime
- MaxDataLen
- MaxValueLen

- NumValues
- MaxSubKeyLen
- NumSubKeys
- TRegKeyInfo
- Registry
- ERegistryExceptionLfC
- ERegistryException
- hreC
- UhkeC
- hudC
- UhndC
- SVW3
- =`OD
- SVWU
- =dOD
- VWU3
- |&F3;
- SVWU
- ;C@u
- G4_^[
- ;w4u
- SVWUQ
- SVWU
- Uh!YC
- SVW3
- Classes
- TComponent.FindComponent$ActRec
- TComponent.FindComponent$ActRec
- SVWUQ
- SVWU
- SVWU
- Uh{PC
- UhYMC
- Uh]KC
- Uh!LC
- SVW3
- QQQQ3
- h&EC;
- h8EC
- h7?C
- Uh0?C
- h6>C
- Uh/>C
- Uho<C
- h&8C
- hj6C
- |,F3
- Uhc6C
- hK2C
- h\t2C
- UhD2C
- R4;P
- @4;C
- |&F3;
- |&F3;
- |(C3
- |*C3

- Uh[-C
- Uho,C
- Uhc'C
- SVW3
- Uh@$C
- hU#C
- UhN#C
- Uh5 C
- SVW3
- SVW3
- QQQQ3
- SVW3
- SVW3
- SVW3
- SVW3
- SVW3
- |AF3
- |\\F3
- Classes
- :TReader.:1
- SVWU
- C0_^[
- SVW3
- =\\OD
- =\\OD
- |*C3
- SVW3
- SVWU
- Classes
- TPropIntfFixuph
- Reference
- Self
- ResolveReference
- TPropIntfFixupC
- Classes
- TPropFixup<
- Reference
- Self
- ResolveReference
- Self
- MakeGlobalReference
- Name
- RootName
- PropInfo
- InstanceRoot
- Instance
- Self
- Create
- TPropFixup
- FName
- FRootName
- FPropInfo
- FInstanceRoot
- FInstance
- SVWU
- SVW3
- K I3

- S4_^[
- SVWU
- SVWUQ
- SVWU
- SVW3
- SVW3
- SVWU
- SVW3
- SVWU
- SVW3
- SVW3
- SVW3
- |0F3
- SVW3
- W<CNu
- |-F3
- SVW3
- |JF3
- SVW3
- SVWU
- | C3
- SVW3
- Classes
- TList.Sort$ActRec
- TList.Sort$ActRec
- Compare
- SVWU
- SVWU
- $ZXu
- =HOD
- =XOD
- -FKu
- |)C3
- |+F3
- |3F3
- SVWU
- SVWU
- SVWU
- SVWUQ
- |%C3
- SVWUQ
- |%C3
- SVWUQ
- SVWU
- | F3
- SVWUQ
- SVWU
- SVW3
- SVWUQ
- |8F3
- SVWU
- ActiveClass
- Classes
- TRegGroups
- Module
- Self
- UnregisterModuleClasses

- AClass
- Self
- UnregisterClass
- Self
- Unlock
- AClass
- Self
- StartGroup
- AClass
- Self
- Registered
- Alias
- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- Self
- Lock
- AGroupClass
- AClass
- Self
- GroupWith
- AClass
- Self
- GroupedWith
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Self
- Activate
- Self
- Destroy
- Self
- Create
- TRegGroups&
- FActiveClass
- FLock
- FGroups
- Active
- Classes
- TRegGroupT
- Module
- Self
- UnregisterModuleClasses
- AClass
- Self
- UnregisterClass
- AClass
- Self
- Registered
- Alias

- AClass
- Self
- RegisterClassAlias
- AClass
- Self
- RegisterClass
- AClass
- Self
- InGroup
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- AClass
- Self
- AddClass
- AClass
- Group2
- Group1
- Self
- BestGroup
- Self
- Destroy
- AClass
- Self
- Create
- TRegGroup6
- FActive
- FGroupClasses
- FAliasList
- FClassList
- OnUpdateT
- OnExecute
- ActionComponent
- Classes
- TBasicActionH
- Self
- Update
- Value
- Self
- UnRegisterChanges
- Value
- Self
- RegisterChanges
- Self
- Execute
- Target
- Self
- ExecuteTarget
- Target
- Self
- UpdateTarget
- Target
- Self
- HandlesTarget

- Self
- Destroy
- AOwner
- Self
- Create
- TBasicAction6
- FClients
- FOnUpdate
- FOnExecute
- FOnChange
- FActionComponent
- OnChangeH
- Action
- Classes
- TBasicActionLink,
- Self
- Update
- AComponent
- Self
- Execute
- Self
- Destroy
- AClient
- Self
- Create
- TBasicActionLink7
- FAction
- FOnChange
- VCLComObject
- Owner
- DesignInfo
- ComponentStyle
- ComponentState
- ComponentIndex8|B
- ComponentCount
- ComObject
- Name
- Classes
- TComponent
- Operation
- Self
- ReferenceInterface
- Self
- IsImplementorOf
- Action
- Self
- UpdateAction
- ExceptAddr
- ExceptObject
- Self
- SafeCallException
- IsSubComponent
- Self
- SetSubComponent
- AComponent
- Self
- RemoveComponent

- AComponent
- Self
- InsertComponent
- Self
- HasParent
- Self
- GetNamePath
- Self
- GetParentComponent
- Self
- GetEnumerator
- Self
- FreeOnRelease
- AComponent
- Self
- RemoveFreeNotification
- AComponent
- Self
- FreeNotification
- AName
- Self
- FindComponent
- Action
- Self
- ExecuteAction
- Self
- Destroying
- Self
- DestroyComponents
- Self
- BeforeDestruction
- Self
- Destroy
- AOwner
- Self
- Create
- TComponent6
- FSortedComponents
- FComponentStyle
- FComponentState
- FDesignInfo
- FFreeNotifies
- FComponents
- FTag
- FName
- FOwner
- TComponentName
- TComponentStyle
- Classes
- csTransient
- csSubComponent
- csCheckPropAvail
- csInheritable
- TComponentState
- Classes
- csDesignInstance
- csInline

- csFreeNotification
- csFixups
- csUpdating
- csAncestor
- csDesigning
- csDestroying
- csLoading\tcsReading\tcsWriting
- Classes
- opRemove
- opInsert
- TOperation
- Current
- Classes
- TComponentEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AComponent
- Self
- Create
- TComponentEnumerator:
- FComponent
- FIndex
- UseQualifiedNames
- OnFindMethodName
- OnFindAncestor
- RootAncestor nB
- Position
- Classes
- TWriter
- Value
- Self
- WriteVariant
- Value
- Self
- WriteWideString
- Value
- Self
- WriteString
- Value
- Self
- WriteUTF8Str
- Value
- Self
- WriteStr
- Self
- WriteSignature
- Root
- Self
- WriteRootComponent
- Self
- WriteListEnd
- Self
- WriteListBegin
- Value
- Self

- WriteInteger
- Value
- Self
- WriteInteger
- Ident
- Self
- WriteIdent
- Value
- Self
- WriteDate
- Value
- Self
- WriteCurrency
- Value
- Self
- WriteDouble
- Value
- Self
- WriteSingle
- Value
- Self
- WriteFloat
- AAncestor
- Root
- Self
- WriteDescendent
- Value
- Self
- WriteWideChar
- Value
- Self
- WriteChar
- Component
- Self
- WriteComponent
- Value
- Self
- WriteCollection
- Value
- Self
- WriteBoolean
- Count
- Self
- Write
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self

- DefineProperty
- Self
- Destroy
- TWriter'
- FUseQualifiedNames
- FOnFindMethodName
- FOnFindAncestor
- FChildPos
- FAncestorPos
- FAncestorList
- FPropPath
- FRootAncestor
- MethodName
- AMethod
- Writer
- MethodName
- TMethod
- AMethod
- TWriter
- Writer
- TFindMethodNameEvent
- RootAncestor
- Ancestor
- Name
- Component
- Writer
- TComponent
- RootAncestor
- TComponent
- Ancestor
- Name
- TComponent
- Component
- TWriter
- Writer
- TFindAncestorEvent
- OnFindComponentInstance
- OnFindComponentClass
- OnCreateComponent
- OnAncestorNotFound
- OnReferenceName
- OnSetName
- OnFindMethodInstance$[B
- OnFindMethodH_B
- OnErrorlZB
- PositionT]B
- Parent
- Owner
- Classes
- TReader
- Self
- SkipValue
- Writer
- Self
- CopyValue
- Self
- ReadVariant

- Self
- ReadValue
- Self
- ReadWideString
- Self
- ReadString
- Self
- ReadStr
- Self
- ReadSignature
- Root
- Self
- ReadRootComponent
- AChildPos
- Flags
- Self
- ReadPrefix
- Self
- ReadListEnd
- Self
- ReadListBegin
- Self
- ReadInt64
- Self
- ReadInteger
- Self
- ReadIdent
- Self
- ReadDate
- Self
- ReadCurrency
- Self
- ReadDouble
- Self
- ReadSingle
- Self
- ReadFloat
- Proc
- AParent
- AOwner
- Self
- ReadComponents
- Component
- Self
- ReadComponent
- Collection
- Self
- ReadCollection
- Self
- ReadWideChar
- Self
- ReadChar
- Self
- ReadBoolean
- Count
- Self
- Read

- Self
- NextValue
- Self
- FlushBuffer
- Self
- FixupReferences
- Self
- EndReferences
- Self
- EndOfList
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Value
- Self
- CheckValue
- Self
- BeginReferences
- Self
- Destroy
- TReader'
- FCanHandleExcepts
- FFinder
- FPropName
- FOnFindComponentInstance
- FOnCreateComponent
- FOnFindComponentClass
- FOnError
- FOnAncestorNotFound
- FOnReferenceName
- FOnSetName
- FOnFindMethodInstance
- FOnFindMethod
- FLoaded
- FFixups
- FParent
- FOwner
- Instance
- Name
- Reader
- Pointer
- Instance
- Name
- TReader
- Reader
- TFindComponentInstanceEvent
- Error
- AMethod

- MethodName
- Reader
- Boolean
- Error
- TMethod
- AMethod
- MethodName
- TReader
- Reader
- TFindMethodInstanceEvent
- Component
- ComponentClass
- Reader
- TComponent
- TComponentClass\t\tComponent
- ComponentClass
- TReader
- Reader
- TCreateComponentEvent
- ComponentClass
- ClassName
- Reader
- TComponentClass
- ComponentClass
- ClassName
- TReader
- Reader
- TFindComponentClassEvent
- Handled
- Message
- Reader
- Boolean
- Handled
- Message
- TReader
- Reader
- TReaderError
- Component
- TComponent
- Component
- TReadComponentsProc
- Component
- ComponentClass
- ComponentName
- Reader
- TComponent
- TPersistentClass\t\tComponent
- ComponentClass
- ComponentName
- TReader
- Reader
- TAncestorNotFoundEvent
- Name
- Reader
- Name
- TReader
- Reader

- TReferenceNameEvent
- Name
- Component
- Reader
- Name
- TComponent
- Component
- TReader
- Reader
- TSetNameEvent
- Error
- Address
- MethodName
- Reader
- Boolean
- Error
- Pointer
- Address
- MethodName
- TReader
- Reader
- TFindMethodEvent
- TComponentClass
- IgnoreChildren
- Ancestor
- LookupRootX#B
- Root
- Classes
- TFiler
- Self
- FlushBuffer
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineBinaryProperty
- HasData
- WriteData
- ReadData
- Name
- Self
- DefineProperty
- Self
- Destroy
- BufSize
- Stream
- Self
- Create
- TFilerG
- FIgnoreChildren
- FAncestor
- FLookupRoot
- FRoot
- FBufEnd
- FBufPos
- FBufSize

- FBuffer
- FStream
- Stream
- TStream
- Stream
- TStreamProc
- Writer
- TWriter
- Writer
- TWriterProc
- Reader
- TReader
- Reader
- TReaderProc
- TFilerFlags
- Classes
- ffInline
- ffChildPos
- ffInherited
- TFilerFlag
- Classes
- vaDouble
- vaUTF8String
- vaInt64
- vaDate\tvaWString
- vaCurrency
- vaSingle
- vaCollection
- vaNil
- vaSet\tvaLString
- vaBinary
- vaTrue
- vaFalse
- vaIdent
- vaString
- vaExtended
- vaInt32
- vaInt16
- vaInt8
- vaList
- vaNull
- TValueType
- Classes
- TClassFinder
- Proc
- Self
- GetClasses
- AClassName
- Self
- GetClass
- Self
- Destroy
- AIncludeActiveGroups
- AClass
- Self
- Create
- TClassFinderT

- FGroups
- AClass
- TPersistentClass
- AClass
- TGetClass
- Classes
- TResourceStream
- Count
- Buffer
- Self
- Write
- Self
- Destroy
- ResType
- ResID
- Instance
- Self
- CreateFromID
- ResType
- ResName
- Instance
- Self
- Create
- TResourceStreamZ
- HGlobal
- HResInfo
- Classes
- TMemoryStreamLNB
- Count
- Buffer
- Self
- Write
- NewSize
- Self
- SetSize
- FileName
- Self
- LoadFromFile
- Stream
- Self
- LoadFromStream
- Self
- Clear
- Self
- Destroy
- TMemoryStream'
- FCapacity
- Memory
- Classes
- TCustomMemoryStream
- FileName
- Self
- SaveToFile
- Stream
- Self
- SaveToStream
- Origin

- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Read
- TCustomMemoryStreamC
- FPosition
- FSize
- FMemory
- FileName
- Classes
- TFileStream JB
- Self
- Destroy
- Mode
- AFileName
- Self
- Create
- Mode
- AFileName
- Self
- Create
- TFileStreamG
- FFileName
- Handle
- Classes
- THandleStream
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Write
- Count
- Buffer
- Self
- Read
- AHandle
- Self
- Create
- THandleStream7
- FHandle
- Size
- Position
- Classes
- TStream
- Self
- ReadResHeader
- FixupInfo
- Self
- FixupResourceHeader
- FixupInfo
- ResName

- Self
- WriteResourceHeader
- Ancestor
- Instance
- ResName
- Self
- WriteDescendentRes
- Ancestor
- Instance
- Self
- WriteDescendent
- Instance
- ResName
- Self
- WriteComponentRes
- Instance
- Self
- WriteComponent
- Instance
- Self
- ReadComponentRes
- Instance
- Self
- ReadComponent
- Count
- Source
- Self
- CopyFrom
- Count
- Buffer
- Self
- WriteBuffer
- Count
- Buffer
- Self
- ReadBuffer
- Origin
- Offset
- Self
- Seek
- Origin
- Offset
- Self
- Seek
- Count
- Buffer
- Self
- Write
- Count
- Buffer
- Self
- Read
- TStreamC
- OwnsObjects
- OnChanging
- OnChange
- CaseSensitive

- Sorted
- Duplicates
- Classes
- Compare
- Self
- CustomSort
- Self
- Sort
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- Self
- IndexOf
- Index
- Self
- Find
- Index2
- Index1
- Self
- Exchange
- Index
- Self
- Delete
- Self
- Clear
- AObject
- Self
- AddObject
- Self
- Self
- Destroy
- OwnsObjects
- Self
- Create
- Self
- Create
- FOwnsObject
- FOnChanging
- FOnChange
- FCaseSensitive
- FDuplicates
- FSorted
- FCapacity
- FCount
- FList
- Index2
- Index1
- List
- TStringListSortCompare"
- TStringItemList
- PStringItemList
- FObject
- TStringItem

- StringsAdapter
- StrictDelimiter
- NameValueSeparator
- QuoteCharL
- LineBreakL
- DelimitedText
- Delimiter
- CountL
- CommaText
- Capacity
- Classes
- Text
- Self
- SetText
- Encoding
- Stream
- Self
- SaveToStream
- Stream
- Self
- SaveToStream
- Encoding
- FileName
- Self
- SaveToFile
- FileName
- Self
- SaveToFile
- NewIndex
- CurIndex
- Self
- Move
- Encoding
- Stream
- Self
- LoadFromStream
- Stream
- Self
- LoadFromStream
- Encoding
- FileName
- Self
- LoadFromFile
- FileName
- Self
- LoadFromFile
- AObject
- Index
- Self
- InsertObject
- Index
- Self
- Insert
- AObject
- Self
- IndexOfObject
- Name

- Self
- IndexOfName
- Self
- IndexOf
- Self
- GetText
- Self
- GetEnumerator
- Index2
- Index1
- Self
- Exchange
- Self
- Equals
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- Self
- AddStrings
- Self
- Append
- AObject
- Self
- AddObject
- Self
- Self
- Destroy
- FAdapter
- FUpdateCount
- FStrictDelimiter
- FNameValueSeparator
- FQuoteChar
- FLineBreak
- FDelimiter
- FDefined
- Current
- Classes
- TStringsEnumerator`-B
- Self
- MoveNext
- Self
- GetCurrent
- AStrings
- Self
- Create
- TStringsEnumerator8
- FIndex
- TStringsDefined

- Classes
- sdStrictDelimiter
- sdLineBreak
- sdNameValueSeparator
- sdQuoteChar
- sdDelimiter
- Classes
- IStringsAdapter
- ItemClass
- Count
- Capacity
- Classes
- TCollection
- Index
- Self
- Insert
- Self
- GetNamePath
- Self
- GetEnumerator
- Self
- FindItemID
- Self
- EndUpdate
- Index
- Self
- Delete
- Self
- Clear
- Self
- BeginUpdate
- Source
- Self
- Assign
- Self
- Self
- Owner
- Self
- Destroy
- ItemClass
- Self
- Create
- TCollection9
- FPropName
- FNextID
- FUpdateCount
- FItems
- FItemClass
- Current
- Classes
- TCollectionEnumeratord&B;
- Self
- MoveNext
- Self
- GetCurrent
- ACollection
- Self

- Create
- TCollectionEnumerator;
- FCollection
- FIndex
- TCollectionItemClass
- DisplayName
- Index
- Collection
- Classes
- TCollectionItem
- Self
- GetNamePath
- Self
- Destroy
- Collection
- Self
- Create
- TCollectionItem:
- FCollection
- TPersistentClassX#B
- Classes
- TPersistent
- Self
- GetNamePath
- Source
- Self
- Assign
- Self
- Destroy
- TPersistent'
- Duplicates
- Classes
- TThreadList
- Self
- UnlockList
- Direction
- Item
- Self
- RemoveItem
- Item
- Self
- Remove
- Self
- LockList
- Self
- Clear
- Item
- Self
- Self
- Destroy
- Self
- Create
- TThreadList&
- FDuplicates
- FLock
- FList
- List

- CountI
- Capacity
- Classes
- TList
- ListB
- AOperator
- ListA
- Self
- Assign
- Compare
- Self
- SortList
- Compare
- Self
- Sort
- Self
- Pack
- Direction
- Item
- Self
- RemoveItem
- Item
- Self
- Remove
- NewIndex
- CurIndex
- Self
- Move
- Self
- Last
- Item
- Index
- Self
- Insert
- Direction
- Item
- Self
- IndexOfItem
- Item
- Self
- IndexOf
- Self
- GetEnumerator
- Self
- First
- Direction
- Item
- Self
- ExtractItem
- Item
- Self
- Self
- Expand
- Index2
- Index1
- Self
- Exchange

- Data
- Self
- Error
- Data
- Self
- Error
- Index
- Self
- Delete
- Self
- Clear
- Item
- Self
- Self
- Destroy
- FCapacity
- FCount
- FList
- Classes
- FromEnd
- FromBeginning
- TList.TDirection
- Current
- Classes
- TListEnumerator
- Self
- MoveNext
- Self
- GetCurrent
- AList
- Self
- Create
- TListEnumerator5
- FList
- FIndex
- Classes
- laDestUnique
- laSrcUnique
- laXor
- laOr
- laAnd
- laCopy
- TListAssignOp
- Classes
- TListSortCompareFunc
- Item2
- Item1
- TListSortCompare
- TPointerList
- PPointerList
- Classes
- dupError
- dupIgnore\tdupAccept
- TDuplicates
- Classes
- EComponentError
- EComponentError

- Classes
- EStringListError8
- EStringListError
- Classes
- EListError
- EListError
- Classes
- EResNotFound
- EResNotFound
- Classes
- EInvalidImagel
- EInvalidImage
- Classes
- EClassNotFound
- EClassNotFound
- Classes
- EWriteError8
- EWriteErrorP
- Classes
- EReadError
- EReadError
- Classes
- EFilerError
- EFilerError$
- Classes
- EFOpenErrort
- EFOpenError
- Classes
- EFCreateError
- EFCreateError
- Classes
- EFileStreamError
- FileName
- ResStringRec
- Self
- Create
- EFileStreamErrorN
- Classes
- EStreamError@
- EStreamError
- Sender
- TObject
- Sender
- TNotifyEvent
- Classes
- soEnd
- soBeginning\tsoCurrent
- TSeekOrigin
- SVW3
- SVW3
- SVW3
- SVW1
- Name
- NameIndex
- Default
- Index
- StoredProc

- SetProc
- GetProc
- PropType
- TPropInfo
- PPropInfo
- Name
- Kind
- TTypeInfo
- PTypeInfo|
- PPTypeInfod
- TypInfo
- tkProcedure
- tkClassRef\ttkPointer
- tkDynArray\ttkUString
- tkInt64
- tkInterface
- tkRecord
- tkArray
- tkMethod
- tkSet
- tkFloat
- tkEnumeration
- tkUnknown\ttkInteger
- TTypeKind
- h(OD
- h(OD
- |?F3
- h(OD
- SVW3
- h(OD
- =$OD
- h(OD
- h(OD
- h(OD
- h(OD
- SVW3
- SVWUQ
- h(OD
- h(OD
- Variants
- SVWU
- t0f-
- SVWUQ
- |kC3
- |kC3
- Variants
- EVariantInvalidNullOpError
- EVariantInvalidNullOpError
- Variants
- EVariantDispatchError\\
- EVariantDispatchError
- Variants
- EVariantUnexpectedError
- EVariantUnexpectedError
- Variants
- EVariantOutOfMemoryError
- EVariantOutOfMemoryError

- Variants
- EVariantNotImplErrorL~A
- EVariantNotImplError
- Variants
- EVariantArrayCreateError
- EVariantArrayCreateError
- Variants
- EVariantArrayLockedError
- EVariantArrayLockedError
- Variants
- EVariantBadIndexError8|A
- EVariantBadIndexError
- Variants
- EVariantBadVarTypeError
- EVariantBadVarTypeError
- Variants
- EVariantInvalidArgError
- EVariantInvalidArgError
- Variants
- EVariantOverflowError,zA
- EVariantOverflowError
- Variants
- EVariantTypeCastError
- EVariantTypeCastError
- Variants
- EVariantInvalidOpError
- EVariantInvalidOpError
- VarType
- Variants
- TCustomVariantType
- Relationship
- Right
- Left
- Self
- Compare
- Operator
- Right
- Left
- Self
- CompareOp
- Operator
- Right
- Self
- UnaryOp
- Operator
- Right
- Left
- Self
- BinaryOp
- Indirect
- Source
- Dest
- Self
- Copy
- Self
- Clear
- Source

- Dest
- Self
- CastToOle
- AVarType
- Source
- Dest
- Self
- CastTo
- Source
- Dest
- Self
- Cast
- Self
- IsClear
- Self
- Destroy
- RequestedVarType
- Self
- Create
- Self
- Create
- TCustomVariantType&
- FVarType
- F<sA
- Variants
- crGreaterThan
- crEqual
- crLessThan
- TVarCompareResult
- VarBstrFromBool
- VarBstrFromDate
- VarBoolFromStr
- VarDateFromStr
- VarR8FromStr
- VarR4FromStr
- VarI4FromStr
- VarXor
- VarOr
- VarAnd
- VarMod
- VarIdiv
- VarDiv
- VarMul
- VarSub
- VarAdd
- VarNot
- VarNeg
- VariantChangeTypeEx
- %hUD
- %lUD
- %pUD
- %tUD
- hSoA
- UhLoA
- hknA
- UhdnA
- hymA

- UhrmA
- h5lA
- %xUD
- %|UD
- SysUtils
- TLanguageArray
- h([A
- Uh![A
- SVWU
- h}VA
- UhvVA
- h\\TA
- UhUTA
- h*SA
- Uh#SA
- ;C$t4
- SVWU
- SVWUQ
- SVWUQ
- h~MA
- UhwMA
- %`UD
- SVWU
- WVUSj
- SVWU
- UnitHashArray
- Validated
- TModuleInfo
- SysUtils
- TUnitHashArray
- FullHash
- DupsAllowed
- UnitName
- LibModule
- Prev
- Next
- TUnitHashEntry
- PUnitHashEntry
- h @A
- uB;]
- SVW3
- r3t7
- SVW3
- EIdent
- EClass
- TExceptRec
- SysUtils
- etNoMonitorSupportException
- etMonitorLockException
- etSafeCallException
- etIntfCastError
- etExternalException
- etAssertionFailed
- etVariantError
- etStackOverflow
- etControlC
- etPrivilege

- etAccessViolation
- etInvalidCast
- etUnderflow
- etOverflow
- etZeroDivide
- etInvalidOp
- etIntOverflow
- etRangeError
- etDivByZero
- TExceptType
- Ident
- Code
- TErrorRec
- hE1A
- Uh>1A
- hG/A
- Uh@/A
- hw.A
- Uhp.A
- SysUtils0
- Uhx*A
- SVW3
- h:(A
- Uh3(A
- h@%A
- Uh9%A
- h&"A
- h5 A
- Uh. A
- SVWU
- 8gu6
- SVW3
- SVWUQ
- SVW3
- SVW3
- 80u'
- <sAf
- r@f=9
- t&f;=0
- |.G3
- SVWUQ
- SVWU
- @w2j
- Ident
- TStrData
- 0<:r
- .uvCOu
- f;8u<
- f;8u
- SVWUQ
- SVW3
- tgf9
- SUVj
- SysUtils
- TBigEndianUnicodeEncoding
- Self
- GetPreamble

- TBigEndianUnicodeEncoding6
- SysUtils
- TUnicodeEncoding
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Create
- TUnicodeEncoding&
- SysUtils
- TUTF8Encoding
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Create
- TUTF8Encoding&
- SysUtils
- TUTF7Encoding
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- Self
- Create
- TUTF7Encoding&
- SysUtils
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- WCharToMBFlags
- MBToWCharFlags
- CodePage
- Self
- Create
- CodePage
- Self
- Create
- Self
- Create

- FWCharToMBFlags
- FMBToWCharFlags
- FCodePage
- IsSingleByte
- SysUtils
- TEncodingD
- ByteCount
- ByteIndex
- Bytes
- Self
- GetString
- Bytes
- Self
- GetString
- Self
- GetPreamble
- ByteCount
- Self
- GetMaxCharCount
- CharCount
- Self
- GetMaxByteCount
- CodePage
- GetEncoding
- CharIndex
- Chars
- ByteCount
- ByteIndex
- Bytes
- Self
- GetChars
- ByteCount
- ByteIndex
- Bytes
- Self
- GetChars
- Bytes
- Self
- GetChars
- ByteCount
- ByteIndex
- Bytes
- Self
- GetCharCount
- Bytes
- Self
- GetCharCount
- ByteIndex
- Bytes
- CharCount
- CharIndex
- Self
- GetBytes
- Self
- GetBytes
- ByteIndex
- Bytes

- CharCount
- CharIndex
- Chars
- Self
- GetBytes
- Chars
- Self
- GetBytes
- CharCount
- CharIndex
- Self
- GetByteCount
- Self
- GetByteCount
- CharCount
- CharIndex
- Chars
- Self
- GetByteCount
- Chars
- Self
- GetByteCount
- AEncoding
- Buffer
- GetBufferEncoding
- AEncoding
- IsStandardEncoding
- Self
- FreeEncodings
- Count
- StartIndex
- Bytes
- Destination
- Source
- Self
- Convert
- Bytes
- Destination
- Source
- Self
- Convert
- TEncodingf
- FMaxCharSize
- FIsSingleByte
- SysUtils
- EEncodingError
- EEncodingError
- SysUtilsL
- TCharArray
- RevisionLevel
- SysUtils
- $TMultiReadExclusiveWriteSynchronizer
- Self
- EndWrite
- Self
- BeginWrite
- Self

- EndRead
- Self
- BeginRead
- Self
- Destroy
- Self
- Create
- $TMultiReadExclusiveWriteSynchronizer&
- FRevisionLevel
- FWriterID
- FWriteRecursionCount
- FWaitRecycle
- FWriteSignal
- FReadSignal
- FSentinel
- SysUtils
- TThreadLocalCounterx
- Thread
- Self
- Close
- Thread
- Self
- Delete
- Thread
- Self
- Open
- Self
- Destroy
- TThreadLocalCounter'
- FHashTable
- RecursionCount
- Active
- ThreadID
- Next
- TThreadInfo
- PThreadInfo
- SysUtils
- SysUtils
- SysUtils
- ENoMonitorSupportException
- ENoMonitorSupportException
- SysUtils
- EMonitorLockException,
- EMonitorLockException
- SysUtils
- EMonitor
- EMonitor
- SysUtils
- ESafecallException
- ESafecallException
- SysUtils
- EOSError@
- EOSError
- ErrorCode
- SysUtils
- EIntfCastError
- EIntfCastError

- SysUtils
- EAbstractError
- EAbstractError
- SysUtils
- EAssertionFailed\\
- EAssertionFailed
- SysUtils
- EVariantError
- EVariantError
- SysUtils
- EControlC,
- EControlC
- SysUtils
- EStackOverflow
- EStackOverflow
- SysUtils
- EPrivilege
- EPrivilege
- SysUtils
- EAccessViolationP
- EAccessViolation
- SysUtils
- EConvertError
- EConvertError
- SysUtils
- EInvalidCast
- EInvalidCast
- SysUtils
- EInvalidPointerx
- EInvalidPointer
- SysUtils
- EUnderflow
- EUnderflow
- SysUtils
- EOverflowL
- EOverflow
- SysUtils
- EZeroDivide
- EZeroDivide
- SysUtils
- EInvalidOp
- EInvalidOp
- SysUtils
- EMathError
- EMathError
- SysUtils
- EIntOverflow
- EIntOverflow
- SysUtils
- ERangeErrorP
- ERangeErrorh
- SysUtils
- EDivByZero
- EDivByZero
- SysUtils
- EIntError$
- EIntError

- SysUtils
- EExternalException|
- EExternalException
- SysUtils
- EExternal
- EExternal
- ExceptionRecord
- SysUtils
- EInOutError
- EInOutError
- ErrorCode
- SysUtils
- EOutOfMemoryp
- EOutOfMemory
- SysUtils
- EHeapException|
- Self
- FreeInstance
- EHeapException,
- AllowFree
- StackInfo|
- StackTrace
- Message
- InnerException
- HelpContext
- BaseException
- SysUtils
- Exception
- ThrowOuterException
- RaiseOuterException
- Self
- ToString
- Self
- GetBaseException
- Self
- Destroy
- CreateResFmtHelp'
- CreateResFmtHelp
- AHelpContext
- ResStringRec
- Self
- CreateResHelp
- AHelpContext
- Ident
- Self
- CreateResHelp
- CreateFmtHelpR
- AHelpContext
- Self
- CreateHelp
- CreateResFmtM
- CreateResFmt
- ResStringRec
- Self
- CreateRes
- Ident
- Self

- CreateRes
- CreateFmt8
- Self
- Create
- Exception3
- FAcquireInnerException
- FStackInfo
- FInnerException
- FHelpContext
- FMessage
- ExceptObject
- ExceptAddr
- ExceptionInformation
- NumberParameters
- ExceptionAddress
- ExceptionRecord
- ExceptionFlags
- ExceptionCode
- TExceptionRecordP
- PExceptionRecord`
- SysUtils
- 0;\\2
- %0TD
- %4TD
- %8TD
- % UD
- %$UD
- %(UD
- %,UD
- %0UD
- %4UD
- %8UD
- %<UD
- %@UD
- %DUD
- %HUD
- %LUD
- %PUD
- %TUD
- %XUD
- HKEY
- dwHighDateTime
- dwLowDateTime
- _FILETIME
- Reserved
- LockSemaphore
- OwningThread
- RecursionCount
- LockCount
- DebugInfo
- _RTL_CRITICAL_SECTION
- Spare
- ContentionCount
- EntryCount
- ProcessLocksList
- CriticalSection
- CreatorBackTraceIndex

- Type_18
- _RTL_CRITICAL_SECTION_DEBUG
- Blink
- Flink
- PListEntry
- u!SW
- ;B4u
- SVW3
- SVWU
- SVW3
- 8\\u;
- !f;4
- rTf;5
- SVW3
- sr-Latn-ME
- sma-SE,sma,se
- sma-NO,sma,se
- sr-Latn-BA
- bs-Latn-BA
- iu-Latn-CA
- uz-Cyrl-UZ
- az-Cyrl-AZ
- qps-ploca,ja
- ha-Latn-NG
- iu-Cans-CA
- uz-Latn-UZ
- az-Latn-AZ
- es-ES_tradnl
- SVWU
- SVWU
- SVW3
- t6SVW
- It4S
- h`o@
- UhYo@
- uAJt
- SVWU
- SVWU
- It6S
- t!P1
- SVWU
- 0123456789ABCDEF
- r6t0
- d$,1
- SVWU
- VWUUhLW@
- u\t@B
- SVWU
- VWUd
- SVW1
- 5ZQ@
- SVW1
- 2;0u
- $ZXu
- SVW3
- BkU'9
- E@|o

- @aQY
- 2_^[
- w+9
- u%Nt
- u0Nt
- uENt
- h,E@
- Uh%E@
- SVWU
- YZXu
- SVWU
- rAF3
- |&B3;
- wt=0
- SVWU
- SVWU
- SVWU
- Unexpected Memory Leak
- UnicodeString
- AnsiString
- Unknown
- The sizes of unexpected leaked medium and large blocks are:
- The unexpected small block leaks are:
- An unexpected memory leak has occurred.
- FastMM Borland Edition (c) 2004 - 2008 Pierre le Riche / Professional Software Development
- %4SD
- %8SD
- Identifier
- Module
- TResStringRec
- Reserved
- TypeInfo
- ResInstance
- DataInstance
- CodeInstance
- Instance
- Next
- TLibModule
- PLibModule
- UnitNames
- UnitCount
- TypeTable
- TypeCount
- TPackageTypeInfo
- PPackageTypeInfo
- PTypeTable
- TTypeTable
- RawData
- VUString
- VPointer
- VArray
- VAny
- VUInt64
- VInt64
- VLongWord
- VWord
- VByte

- VShortInt
- VUnknown
- VBoolean
- VError
- VDispatch
- VOleStr
- VDate
- VCurrency
- VDouble
- VSingle
- VInteger
- VSmallInt
- Reserved3
- Reserved2
- Reserved1
- VType
- TVarData
- Bounds
- Data
- LockCount
- ElementSize
- Flags
- DimCount
- TVarArray
- PVarArray
- TVarArrayBoundArray
- LowBound
- ElementCount
- TVarArrayBound
- TDateTime
- RefCount
- TInterfacedObject
- Self
- NewInstance
- Self
- BeforeDestruction
- Self
- AfterConstruction
- TInterfacedObject1
- FRefCount
- IInterface
- TObjectd
- Self
- Destroy
- Self
- FreeInstance
- Self
- NewInstance
- Message
- Self
- DefaultHandler
- Message
- Self
- Dispatch
- Self
- BeforeDestruction
- Self

- AfterConstruction
- ExceptAddr
- ExceptObject
- Self
- SafeCallException
- Self
- ToString
- Self
- GetHashCode
- Self
- Equals
- Self
- UnitName
- Self
- GetInterfaceTable
- Self
- GetInterfaceEntry
- Self
- GetInterface
- Name
- Self
- FieldAddress
- Name
- Self
- FieldAddress
- Address
- Self
- MethodName
- Name
- Self
- MethodAddress
- Name
- Self
- MethodAddress
- AClass
- Self
- InheritsFrom
- Self
- InstanceSize
- Self
- ClassInfo
- Self
- ClassParent
- Name
- Self
- ClassNameIs
- Self
- ClassName
- Self
- ClassType
- Self
- CleanupInstance
- Instance
- Self
- InitInstance
- Self
- Free

- Self
- Create
- TObject&
- Data
- Code
- TMethod
- Entries
- EntryCount
- TInterfaceTable
- PInterfaceTable
- ImplGetter
- IOffset
- VTable
- TInterfaceEntry
- PInterfaceEntry
- TGUID
- HRESULT
- Variant
- AnsiString
- WideString
- True
- False
- WordBool
- PWideCharL
- PAnsiChar0
- Currency
- Double
- Extended
- Single
- UInt64
- Int64
- Cardinal
- Pointer
- Word
- Byte
- Integer
- SmallInt
- ShortInt
- Char
- AnsiChar
- True
- False
- Boolean
- @.reloc
- .rdata
- .idata
- `.data
- `.itext
- .text
- This program must be run under Win32
- %s%s
- %s (%s, line %d)
- DVCLAL
- @0123456789ABCDEFGHIJKLMNOPQRSTUV
- /SL5="$%x,%d,%d,
- .tmp
- jjjjjjjj

- /SUPPRESSMSGBOXES
- /SP-
- /HELP, /?
- jjjjjj
- /Lang=
- /SPAWNWND=
- /SP-
- .tmp
- jjjjjjj
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- jjjj
- jjjj
- jjjj
- jjjj
- yyyy
- @P`Pp
- QQQQ
- %s%s
- %s (%s, line %d)
- DVCLAL
- /\\;:.
- %.*d
- %s%s%s%s%s%s%s%s%s%s%s%s
- jjjj
- jjjj
- dword:
- jjjj
- jjjj
- jjjj
- \\\\?\\UNC\\
- \\\\?\\
- %s_%d
- Strings
- %s[%d]
- jjjj
- String
- jjjj
- jjjj
- :mm:ss
- mmmm d, yyyy
- m/d/yy
- jjjj
- jjjj
- jjjj
- jjjj
- yyyy
- yyyy
- jjjj
- `d$ %
- ?XR_
- rXJ
- ygDl
-):GX
- JST+
- /jb

- ^Qt;
- =Q\tD
- SmH`
- x.[Q~
- m\t,,\\
-)(c&
- QL_v]
- C?"kK
- P<$|
- M:?~
- Wm-D
- +.rt
- xvc&
- vr$ %
- WHb/0_
- 'S r
- ><`F
- Mhjz?b
- @mq>
- +Hng
- F"_Y
- ^?&
- GnBsMfCu
- &y;};
- @j/s
- /-Q
- NR`\tn
- }xWMF
- $un`x>
- {Yts
- (&n;+Y
- HlLg
- X||<
-]Vlx
- *hHYE;-+0MM,
- _yqp
- \\V-
- ^#yR)
- .kd[
- @scM
- Edk*SLSp
- hdM}
- ~(R@L
- W|Zzz
- RYcn
- dk@&
- (yMd
- =h[Y
-]w-!
- !*ph
- p-mB
- 'b{w
- m='v
- Cq#Nn
- `RH}
- w,(/
- WzYb

- r"@P
- l@.=Ps
- CzWkn
- MTT=
- SQg
- .SMc<
- <sGqZ
- <wRk
- \'"%n\\yt-E
- xb?G
- dQShW
- <rWy
- HKl/O]
- e&z;^~$
- <=j
- #d]'
- KJ&MR;
- g~Dn\\{
- %JnG
- kY[\\
- Csl)x
- p[]N
- g,c]
- qnxb`.e
- JMDz
- Lh 9^h
- yR&n;
- Mz f
- _k{}
- Lql_ZL
- B=%R
- F,RK
- +^Jg
- Y$Zl
- {p-&
- KZjpR$
- {h $
- Jsk[
- J\t[.
- <7L!yc`
- p+V@u{
- m:`Q[kz
- [)q[
- XC!~&
- :^@r"n
- BY(-
- Z{G^
- ,Wdb
- c"Pyc
- ?+<y
- BB}m{P
- B+-_
- hhT??
- L"b{ K
- ?XY_
- !x>.
- zuKCvY<

- r)/p
- kD[h
- *Z#'!
- NS\t,
- Mb%]
- <^HX
- 3Y F|*
- _BH!
- -T[l
- ;y%k
- ."Pj_
- c@Q[P
- PQ={
- T)j?
- mK{'
- mk?|.M
- 5>%pL>
- lpsj
- kdFM
- dh\\~
- hbCH
- TP&?z
- f=cb
- L>$D
- sY)K
- [Ll(H
- nDd+
- *yn}
- sV,w=
- `zsF
- {MV}
- /&>g
- WP!\\
- j[~)
- dlCY
- 'Q!'z
- .-Y#()c
- chwC
-]]K$
- l!=;
- mLB/
- N'!6*&
- zl)c
- xP;;
- +Tdwq
- U]}XJ]
- c@LP
- QBg$
- ".>+
- <)Jn
- GbJ=|[
- %TR_2[
- b#f+
- `Gh~
- |SUsl;
- JtslACSh
- kcS<

- ~hw~>tK
- nb?f
- bct-
- DDH[
- *X,r
- qj}h,s
- vd=-
- *_;#M
- P$Qk,
- h ;$1B
- W*Z`
- v\\XC
- :V P
- ,LJp
- tgB"
- XF||
- sJ+#:
- WzDd'
- ??x[
- q,SB
- pK<|vM6)
- ov!ttd}
- +v=JW
- gJ{
- bf:8Fc
- ,$j>
- vxQQ
- bEdlnk
- NfN
- bb)M"
- y]>Y
- X(ZK
- ?ft[
- J_rH
- |H}J
- @yz
- %_+g
- t(nt
- :&@mq
- My$RWfc
- >qW^
- pb;D
- Z=&F;
- {y)j
- psbm
- *M";
- %hGt
- !#rX
- \\>:;
- |lV=
- Y&ZV;{
- 4Pvx%k
- z^sF
- :qRQ
- -my<
- >"$)
- FS=|

- nN&G;
- :;SsN!V
- d"#*
- lnT{
- H{[g
- ,t+*xYu
- l#~{
- x%!s
- t'q>
- c J+
- !hP#
-)ckZ
- DBM]
- $NNNj
- #QUn?&Q;|
- Vlk)
- >Xq^
- GHv%s
- [N+~
- _Cx#=
- qhhq,
- #KH/&
- d#pt#
- X](m
- \\MmH
- Xht'R.
- %m/p
- KFC!
- v`
- Dx%
- PF\td
- @cj@G
- mm];
- xLCc
- gWbm
- ({,d
- B{@?
- nSJ
- P/\t#
- LLG[
- g{<c*/
- PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXX PADDINGPADDINGXzlb
- </assembly>
- />
- rDlPtS
- Struct
- Msgs
- "RTLConsts
- SysConst
- System
- qqq\tqqq\tqqq\tqqq\tqqq
- qqq\tqqq\tqqq\tqqq\tqqq
- qqq\tqqq
- qqq\tqqq
- qqq\tqqq\tmmm
- qqq

- qqq
- "{{{
- (|||%
- |||#
- qqq
- qqq
- +|||#{{{
- qqq
- &|||!{{{
- qqq\tttt
- qqq
-)xxx vvv
- |||!
- -xxx {{{
- qqq
- :|||'{{{
- xxx
- +{{{
- |||!
- qqq\tttt
- qqq\tmmm
- +{{{
- :|||#vvv
- *vvv
- xxx
- qqq\tttt
- qqq
- |||#
- |||!
- qqq
- qqq\tttt
- qqq\tmmm
- ;{{{
- qqq
-)vvv
- qqq
- qqq
- qqq
- Bwww
- |||#
- qqq\tvvv
- qqq
- "vvv
- qqq\tmmm
- %vvv
- qqq
- 'vvv
- qqq
-)vvv
- qqq
- '{{{
- qqq
- %vvv
- "vvv
- qqq
- Nwww
- qqq\tvvv

- Svvv
- qqq\tvvv
- qqq\tttt
- qqq
- qqq\tvvv
- qqq\tjjj
- *www
- Dqqq
- Qyyy
- Yyyy
- qqq\txxx
- byyy
- qqq\txxx
- qqq
- kyyy
- qqq
- qqq
- qsss
- qqq
- xyyy
- qqq
- |yyy
- qqq
- }yyy
- qqq
- ysss
- qqq
- syyy
- qqq
- lyyy
- qqq
- qqq
- qqq\txxx
-]sss
- qqq\txxx
- Tsss
- Jsss
- ?yyy
- ,yyy
- &yyy;
- !yyy
- qqq\tfff
- mqqq
- qqq\txxx
- Vsss
- Bsss
- *yyy
- qqq
- nyyy
- qqq\txxx
- Qyyy
- ?yyy
- +yyy
- qqq
- vsss
- qqq\txxx
- [yyy

- ?yyy
- 'yyy
- qqq\tfff
- qqq\txxx
- @yyy
- qqq
- qqq
- qqq\tfff
- _xxx
- qqq\tfff
- qqqq
- qqq\txxx
- @qqq
- qqq
- qqq
- Mxxx
- Rxxx
- $yyy
- qqq\tfff
- Nxxx
- qqq
- qqq
- qqq
- .yyy
- Gqqq
- `qqq
- qqq\txxx
-)yyy
- wyyy
- ?yyy
- qqq
- Gsss
- qqq
- qqq
- Msss
- qqq\txxx
- qqq
- Nyyy
- yyy
- qqq\tfff
- Nyyy
- qqq\txxx
- qqq
- qqq\txxx
- qqq
- qqq
- nzzz
- +yyy
- Xzzz
- qqq\tfff
- qqq\txxx
- -yyy
- qqq\twww
- Szzz
- qqq
- yyy
- qqq\tfff

- Xzzz
- yyy
- qqq\tfff
- Mzzz
- qqq
- qqq\tfff
- $zzz
- Dzzz
- qqq\tfff
- qqq
- #zzz
- qqq\tfff
- qqq\twww
- qqq
- qqq\tvvv
- !zzz
- qqq\tmmm
- (zzz
- ,zzz
- ,zzz
- &zzz;
- "zzz
- Hzzz
- qqq
- qqq\twww
- qqq\tfff
- qqq
- =zzz
- qqq\tfff
- Bzzz
- qqq\tfff
- qqq\tvvv
- qqq
- qqq
- qqq
- qqq
- %zzz
- qqq
- qqq
- qqq
- zzz
- qqq
- %zzz
- qqq\tvvv
- qqq
- +zzz
- qqq
- /zzz
- qqq\tmmm
- qqq
- qqq\tttt
- qqq
- qqq
- qqq
- qqq
- qqq\t```
- qqq\tttt

- qqq\tfff
- qqq\tmmm
- ,vvv
- qqq\tttt
- yyy
-)ttt
- /ttt
- qqq\twww
- +yyy
- #yyy
- yqqq
- qqq
- :ttt
- (fff
- qqq
- >jjj
- #qqq
- >jjj
- qqq
- }www
- @jjj
- qqq
- _mmm
- %qqq
- gmmm
- $qqq
- Svvv
- ;vvv
- Fmmm
- Hmmm
- ~qqq
- Swww
-)jjj
- Zxxx
- qqq
- qqq
- #vvv
- Lqqq
- qqq
- qqq
- fttt
- Kyyy
- qqq\tsss
- #xxx
- .qqq
-)xxx
- qqq\tmmm
- qqq\tmmm
- "qqq
- +fff
- qqq\tppp
- !bbb
- %mmm
- Kqqq
- .qqq
- <@@@
- smmm

- dqqq
- K```
- !fff
- mttt
- H```
- }fff
- +@@@
- 'fff
- bqqq
- .@@@
- xfff
- rbbb
- wjjj
- Kqqq
- -mmm
- Qttt
- xppp
- @ttt
- Cttt
- Tvvv
- Gvvv
- ?jjj
- +qqq
- qqq
- gyyy
- qqq
- "fff
- Vyyy
- qqq
- qqq\t@@@
- qqq
- qqq\t@@@
- qqq\tfff
- qqq\tmmm
- 'fff
- &mmm;
- k@@@
- qqq
- m@@@
- qqq
- l@@@
- qqq
- qqq
- qqq
- qqq
- t@@@
- qqq
- :@@@
-]mmm
- {qqq
- qqq
- &fff;
- twww
- \\vvv
- Jvvv
- (fff
- g@@@

- @v:k
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- L]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- _^[Y]
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ;,$r
- Z_^[
- SVWQ
- _^[]
- ZYYd
- ZYYd
- ZYYd
- :G;}
- :G;}
- Z]_^[
- YZ]_^[
- Z]_^[
- Z]_^[
- ;sht'
- _^[Y]
- ZYYd
- $Z]_^[
- YZ^[
- Z_^[
- SVWQ
- YZ_^[
- $Z_^[
- SVWQ
- ^[Y]
- ZYYd

- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- ZYYd
-]_^[
-]_^[
- SVWP
- YZ]_^[
- Z]_^[
- }$C;
- _^[YY]
- ZYYd
- \\t\tf
- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
- ZYYd
- Y_^[
- _^[Y]
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[Y]
- QSVW

- Z_^[
- SVWQ
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[[
- _^[YY]
- ZYYd
- ZYYd
- _^[]
- YZ_^[
- $Z]_^[
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- vKVS
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- h#_@
- ZYYd
- hh`@
- hh`@
- t ;s
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
- hQT@
- ZYYd
- _^[Y]
- h$S@
- ZYYd
- QSVW
- XZ_^[X]X
- SVWRP
- X_^[
- ;_^[
- t f;J
- t-Rf;
- ;_^[
- Z_^[
- SVWQ
- t!R:

- ;]_^[
- @@@Y)
- t f;J
- t-Rf;
- _^[YY]
-]_^[
- ^[Y]
- ZYYd
- ^[Y]
- hgC@
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPR
-]_^[
-]_^[
- ZYYd
- SPRQ
- PhT>@
- SPRQ
- YZXtm1
-]_^[
- T$(j
- SPRQ
- YZXtp
- YYZX
- PPRTj
- _^[Y]
- QSVW
- ZYYd
- @v:k
- ~]x[])
- XtPf
- xtVf
- Xthf
- xtnf
- $ttf
- +trf
- -tvf
- w)f%
- r/f=
-]_^[
- t!Ht:
- _^[]
-]_^[
-]_^[
-]_^[
-]_^[
-]_^[
- L\t W
-]_^[

- $]_^[
-]_^[
- bytes:
- string(
- @.rsrc
- .tls
- .bss
- ?]QJ
- ?F]k
- ?]QJ
- @F]k
- ?]QJ
- ?]QJ
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
- Y\tY\tY
- @\tP\t`
- qqq\t```
- qqq\tttt
- qqq\tfff
- qqq\tmmm
- ,vvv
- qqq\tttt
- yyy
-)ttt

- /ttt
- qqq\twww
- +yyy
- #yyy
- yqqq
- qqq
- :ttt
- (fff
- qqq
- >jjj
- #qqq
- >jjj
- qqq
- }www
- @jjj
- qqq
- _mmm
- %qqq
- gmmm
- $qqq
- Svvv
- ;vvv
- Fmmm
- Hmmm
- ~qqq
- Swww
-)jjj
- Zxxx
- qqq
- qqq
- #vvv
- Lqqq
- qqq
- qqq
- fttt
- Kyyy
- qqq\tsss
- #xxx
- .qqq
-)xxx
- qqq\tmmm
- qqq\tmmm
- "qqq
- +fff
- qqq\tppp
- !bbb
- %mmm
- Kqqq
- .qqq
- <@@@
- smmm
- dqqq
- K```
- !fff
- mttt
- H```
- }fff

- +@@@
- 'fff
- bqqq
- .@@@
- xfff
- rbbb
- wjjj
- Kqqq
- -mmm
- Qttt
- xppp
- @ttt
- Cttt
- Tvvv
- Gvvv
- ?jjj
- +qqq
- qqq
- gyyy
- qqq
- "fff
- Vyyy
- qqq
- qqq\t@@@
- qqq
- qqq\t@@@
- qqq\tfff
- qqq\tmmm
- 'fff
- &mmm;
- k@@@
- qqq
- m@@@
- qqq
- l@@@
- qqq
- qqq
- qqq
- qqq
- t@@@
- qqq
- :@@@
-]mmm
- {qqq
- qqq
- &fff;
- twww
- \\vvv
- Jvvv
- (fff
- g@@@
- ? ?$?@?D?H?|?
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<

- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>l>p>t>x>|>
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ? ?(?,?0?4?8?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- = >$>(>,>0>4>8><>@>D>H>L>P>T>`>d>h>l>
- ?>?w?
- =">V>
- <*=W=
- < =f=
- ?%?8?@?N?_?t?|?
- >'>4>l>_>m>~>
- =)=C=Q=e=
- ;!;1;9;G;W;g;o;};
- =$>=>
- :5<G<R<x<
- >#?H?q?
- =">J>
- =A=H=_=c=g=k=o=s=w={=
- ;W<`<
- ;;<b<
- >;>?>C>G>K>O>S>W>[>_>c>g>k>o>s>w>{>
- :1;b;s;
- :\t:):Q:
- >$?(?K?O?
- =@=N=g=
- <N<j<
- :J;Y;
- ? ?$?(?,?0?4?8?<?J?R?c?x?
- <.=s=
- ?F?X?z?
- <l=f=w=
- <C<U<t<
- =">s>z>
- :M;{;
- >$>0>4>@>D>P>X>\\>`>d>h>l>p>t>x>|>
- :4;T;-<l<
- 9/<F<M<
- ?!?)??7?N?g?u?
- >$>9>G>Z>p>
- =$=(=,=0=4=8=<=@=D=H=L=P=]=s=
- <'<4<<<L<^<b<u<|<
- : :(:0:8:@:H:P:\\:o:
- ?$?,?4?<?D?L?T?\\?d?l?t?|?
- >">3>E>V>f>}>
- <4=8=<=@=D=H=L=d=
- ;8<N<T<f<
- ;-;5;9;X;q;
- :':@:H:P:o:
- <#<*<1<9<Y<z<~<
- ;(;:;B;P;^;v;
- :!:2:N:_:m:u:
- ? ?6?H?

- =C>G>K>]>k>|>
- =2=D=T=
- ;$;m;q;u;
- :P:e:l:
- ?6?D?W?r?
- > >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>`>d>h>u>
- ="===K=^=w=
- <)<<<M<e<m<u<}<
- : :$:(:,:0:4:8:F:W:o:w:
- ?!?/?:?L?Z?b?p?~?
- >'>7>?>M>X>l>
- =#=+=3=;=C=K=S=[=q=
- < <$<1<B<T<i<|<
- ;(;8;<;@;H;P;T;X;\\;`;d;h;l;p;t;x;|;
- :@:Y:f:y:
- ? ?$?(?,?0?4?8?<?@?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?|?
- >,>;>C>T>l>p>
- = =(=0=4=8=<=@=D=H=L=P=T=X=\\=i={=
- <!<H<]<
- ;$;5;G;O;];k;x;
- :$:>:O:c:t:
- >!>/>C>Z>h>|>
- =#=6=D=V=k=x=
- <"<*<;<I<Q<_<p<
- ;/;B;O;W;h;v;~;
- : :4:E:Z:h:z:
- ?,?<?D?H?L?P?T?X?\\?`?d?h?l?p?t?x?
- >&><>P>f>j>
- = =$=(=,=0=4=8=<=@=D=X=j=n=
- <#<*<5<?<Q<`<z<
- ?L?z?
- :"<X<w<
- ?%?4?C?p?
- =]>l>
- ="=\'=
- >3>P>m>
- <>=B=F=J=N=R=V=Z=^=b=f=j=n=r=v=z=~=
- ;\t<$<?<_<
- ; ;$;(;,;0;4;8;<;@;D;X;
- 9::S:l:
- ? ?$?(?,?0?4?8?<?@?D?H?L?
- = =$=(=,=0=D=
- ;&<?<X<
- ?'?B?
- ?:?>?T?d?t?|?
- > >$>(>,>0>4>8><>@>D>H>L>P>l>
- =&=*=@=P=`=h=l=p=t=x=|=
- < <$<(<,<0<4<8<<<X<s<w<
- ;0;@;P;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:L:g:k:
- >??^?f?n?v?
- <"=X=e=
- <!<J<
- :&:0:;:E:P:Z:`:j:p:z:
- ?+?2?S?Z?
- >%>,>M>T>~>
- =5=<=]=d=

- <G<N<u<|<
- ;S;k;r;
- 9":):P:W:
- </=6=E=L=j=
- :&:::Q:h:
- <$=-=6=<=M=X=]=
- :#:*:0:5:;:@:F:K:Q:X:^:j:r:{:
- =$>^>
- :/;v;
- >H>Z>q>
- <+===T=f=
- ;@<^<p<
- :<;V;
- : :.:S:
- =Z=^=b=f=j=n=r=v=z=~=
- :.;i;x;
- <%<-<
- <*<6<M<Y<
- ; ;-;2;<;L;W;d;i;
- <+</<p<
- ;";8;H;P;X;`;d;h;l;p;t;x;|;
- :':<:M:c:k:y:
- ?#?1?@?H?V?a?t?
- =+===P=X=f=u=
- <'<;<J<X<
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:i:
- ?,?0?H?X?h?p?t?x?|?
- >$>,>0>4>8><>@>D>H>L>P>T>X>\\>`>x>
- = =$=(=,=0=@=O=S=h=x=
- <4<D<T<\\<`<d<h<l<p<t<x<|<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;l;
- :0:B:F:\\:l:|:
- ?%?,?3?:?B?j?
- >.>E>M>^>m>u>
- =.=J=X=g=
- < <0<H<V<h<
- 9):?:\\:h:l:p:t:|:
- ?&?.?6?>?F?N?V?^?f?n?v?~?
- >$>=>\\>v>~>
- =#=T=|=
- <0<l<P<n<t<
- ;0;>;C;\\;l;};
- :,:B:W:c:j:t:~:
- ;p<:=$>v>
- <%=7=A=K=S=Y=g=
- ; ;$;);0;6;>;C;N;k;
- 9\t:G:Q:\\:m:
- =;>b>j>
- <Z<s<
- ?%?C?e?p?
- =!=p=~=
- <!<`<
- ?'?3?F?O?V?\\?q?}?
- <"=L=\\=f=}=
- :\\:b:h:s:
- ?)?9?P?k?|?
- =9=J=j={=

- ;H<L<P<h<t<x<
- ;/;Q;c;|;
- :4:<:J:`:w:
- wM)vV
- S.vb
- T-va>-v
- -vCE.v
- 3.vM7.v&<.v
- ;-v<
- -v`w
- -v+E.v)
- -vBN,v
- .vO!.v
- S.vb
- 3.vM7.v&<.v
- /.v(7.v`
- -vc3.v
- "-vB
- $(,048<@DHLLPPTTXX\\\\``ddhhllpptttxxxx||||
- @v:k
-
-
-
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- -d,D
- -@,D
- SysConst
- System
- ZYYd
- ^[Y]
- ZYYd
- f;\\B
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd

- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- $YZ[
- ZYYd
- Z]_^[
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- YZ^[
- YZ^[
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hL}C
- ZYYd
- ZYYd
- h>xC
- ZYYd
- TRegistry@hC
- Strings
- Strings
- rdString
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
-]_^[
- R4_^[]
- ;CDt:
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[]
- ZYYd
- Z]_^[
- YZ_^[
-]_^[
- h(YC

- ZYYd
- S _^[
- _^[Y]
- Sh|RC
- ShhRC
- QSVW
- Z]_^[
-]_^[
-]_^[
- ^[YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- [YY]
- h`MC
- ZYYd
- ^[Y]
- ZYYd
- B^*L
- h(LC
- ZYYd
- ZYYd
- ZYYd
- hdKC
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQS3
- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ZYYd
- hv<C
- ZYYd
- QQQQQQQQS3
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- [YY]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ;B t
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- hb-C
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- hv,C
- ZYYd
- [YY]
- ZYYd
- YZ_^[
- ZYYd
- QQQQQQQS
- B^*L
- ZYYd
- ZYYd
- hj'C
- ZYYd
- $Z^[
- ZYYd
- hG$C
- ZYYd
- ZYYd
- ZYYd
- Y[Y]
- h< C
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- ZYYd
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[YY]

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $YZ[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- _^[]
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ;-("B
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- $YZ_^[
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- YF;w
- ZYYd
- ^[Y]
- ZYYd
-]_^[
- _^[]
- _^[Y]
- QSVW
- ZYYd
- _^[]

- _^[]
-]_^[
- ~.,;{
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- YZ_^[
- $+D$
- ZYYd
- ^[Y]
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- :S*t
- ^[Y]
- ^(^[
- :^(t
- s$^[
- ;s$t
- ;s |
- ;s r
- ;s r
- _^[]
- C ;C$u
- _^[]
- ;s ~
- Sd^[
- $Z^[
- ;s r
- ;s r
-]_^[
- ;{ |
- ;s |
- ;s |
- $Z]_^[
- S<^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQSVW
- ^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Sd]_^[
- _^[YY]
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- S$_^[Y]
- QSVW
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- YZ^[
- ZYYd
- [YY]
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- _^[Y]
- ZYYd
- _^[YY]
- _^[Y]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- _^[Y]
- ZYYd
- ZYYd
- YZ_^[
- tq;s

-]_^[
-]_^[
- ^[Y]
- ZYYd
- YZ^[
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- QSVW
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
-]_^[
-]_^[
-]_^[
- $Z]_^[
- ZYYd
- Z]_^[
- Z]_^[
-]_^[
- Z]_^[
-]_^[
- S<_^[
- ZYYd
- $Z]_^[
- _^[Y]
- ZYYd
- ^[Y]
- _^[Y]
- QSVW
- _^[Y]
- QSVW
- YZ]_^[
- FVCLComObject
- FD}B
- string
- string
- string
- string
- string
- string
- string
- string
- string
- string
- Rights

- TStringList
- TStringList&
- FString
- TextH,B
- TStrings
- Strings
- Strings
- TStrings'
- FStrings
- TList'
- ZYYd
- $YZ^[
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- ^[Y]
- ZYYd
- __^[
- SVWj
- ^[Y]
- ZYYd
- __^[
- SVWj
- R@Pj
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- tkWChar\ttkLString\ttkWString\ttkVariant
- tkClass
- tkString
- tkChar
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- t~h(OD
- QSVW
- ZYYd
- ZYYd
- ZYYd

- Z]_^[
- _^[Y]
- QSVW
- Z_^[
- SVWQ
- ZYYd
- _^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- [YY]
- ZYYd
- Jt[J
- ZYYd
- ZYYd
- FSVW
- FSVQ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]

- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- Z_^[
- SVWQ
- ZYYd
- ZYYd
- t?Htb
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- VarBstrFromCy
- VarCyFromStr
- VarCmp
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ^[Y]
- _^[Y]
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
-]_^[
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQSVW
- _^[Y]
- QSVW
- ^[Y]

- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- Z_^[
- ;G$t@
- SVWQ
- YZ]_^[
- H;D$
- (Z]_^[
- Z]_^[
- ZYYd
-]_^[
-]_^[
- ZYYd
- =D-D
- Y_^[
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- t(Ht
- t<HtH
- ,tY=
- ZYYd
- YZ^[
- =h,D
- =l,D
- =p,D
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[]
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- _^[]
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- _^[Y]
- ZYYd

- _^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSVW
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQQQSVW3
- _^[YY]
- Z_^[
- SVWQ
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
-]_^[
- ZYYd
- =D-D
- =<-D
- $Z]_^[
- _^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;|P
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- t%HtlHtm
- ZYYd
- ZYYd
- =@-D
- ZYYd
- @YY]
- _^[YY]
- f;\\F
- 'w~f
- ^YY]
- <sGf
- _^[Y]
- ZYYd
- $*@@@*$@@@$ *@@* $@@($*)@-$*@@$-*@@$*-@@(*$)@-*$@@*-$@@*$-@@-* $@-$ *@* $-@$ *-@$ -*@*- $@($ *)(* $)
- <@t!QS<$t
- _^[[
- _^[YY]
- ZYYd
- ZYYd
- _^[]

- _^[YY]
- WVS
- YZ_^[
- YZ_^
- $Z]_^[
-]_^[
- _^[YY]
- ZYYd
- ^[YY]
- $Z_^[
- PWVS
- SVWQ
- $Z_^[
- PWVS
- SVWQ
- @w(j
- ^[YY]
- ZYYd
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- Z_^[
- SVWQ
- Z_^[
- SVWQ
- TMBCSEncoding
- TMBCSEncoding&
- TBytes
- t\tf;J
- tJf;J
- =T,D
- =T,D
- =D,D
- %,TD
- %<TD
- %DTD
- %HTD
- %LTD
- %PTD
- %TTD
- %XTD
- %\\TD
- %`TD
- %dTD
- %hTD
- %lTD
- %pTD
- %tTD
- %xTD
- %|TD

- ^[Y]
- ZYYd
- PRTLCriticalSectionDebugt
- PRTLCriticalSectionT
- _LIST_ENTRY
- % TD
- %$TD
- ZYYd
- _^[]
- %dSD
- %hSD
- %lSD
- %pSD
- %tSD
- _^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[]
- vKVS
- _^[]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- ZYYd
- =P+D
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- tCh(
- ZYYd
- hT+D
- Php+D
- hT+D
- ZYYd
- =P+D
- hT+D
- hT+D
- hT+D
- ZYYd
- PjZS
- ZYYd
- ,tfBHu
- QQQQSV
- ZYYd
- hT+D
- =P+D
- hT+D
- sr-Cyrl-ME
- sr-Cyrl-RS

- smn-FI,smn,se
- sr-Latn-RS
- sms-FI,sms,se
- bs-Cyrl-BA
- sr-Cyrl-BA
- smj-SE,smj,se
- zh-MO,zh-Hant,zh
- smj-NO,smj,se
- zh-SG,zh-Hans,zh
- sr-Cyrl-CS
- zh-HK,zh-Hant,zh
- qps-plocm,ar
- tzm-Latn-DZ
- mn-Mong-CN
- dsb-DE,dsb,hsb
- sr-Latn-CS
- nn-NO,nn,no
- zh-CN,zh-Hans,zh
- qps-ploc,en
- mn-MN,mn-Cyrl,mn
- tg-Cyrl-TJ
- nb-NO,nb,no
- zh-TW,zh-Hant,zh
- t ;s
- ZYYd
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- ZYYd
- Jx f
- _^[Y]
- ZYYd
- QSVW
- XZ_^[X]X
- SVWRP
- X_^[
- ;_^[
- ZYYd
- t f;J
- t-Rf;
- t!R:
- ;_^[
- Z_^[
- SVWQ
- YZ]_^[
- t f;J
- t-Rf;
- t!R:
- ;]_^[
- @@@Y)
- t f;J
- t-Rf;

- t!R:
- _^[YY]
- :_^[]
-]_^[
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
- ZTUWVSPR
-]_^[
-]_^[
- ZYYd
- SPRQ
- PhxV@
- SPRQ
- YZXtm1
-]_^[
- T$(j
- SPRQ
- YZXtp
- YYZX
- PPRTj
- _^[Y]
- QSVW
- R@Pj
- ZYYd
- [YY]
- ZYYd
- @v:k
- CWK@
- CWK@
- ~]x[])
- XtPf
- xtVf
- Xthf
- xtnf
- $ttf
- +trf
- -tvf
- w)f%
- r/f=
- ^[Y]
- ZYYd
-]_^[
-]_^[
- t!Ht:
- _^[]
-]_^[
-]_^[

-]_^[
-]_^[
-]_^[
- L\t W
-]_^[
- $]_^[
-]_^[
- bytes:
- %xSD
- %|SD
- %<SD
- %DSD
- %HSD
- %LSD
- %TSD
- %XSD
- %\\SD
- PResStringRech#@
- VBytes
- VWords
- VLongs
- VString
- PShortString
- System
- System
- System
- TClass
- string
- System
- ShortString
- System
- B.rsrc
- .tls
- .bss