Analysis report for sample: 0aadca39312b90e6156d844aed160b4e

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 1811 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 0aadca39312b90e6156d844aed160b4e

AV detections

- Microsoft:
- Kaspersky:
- Symantec:
- Malwarebytes:

Original source url

-

Virustotal url

- https://virustotal.com/es/file/bb6aedfdd1b49ef240a3377f48ba547447c9d463421ba71a4cf1c6e52a963c6b/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Visual_Cpp_2003_DLL_Microsoft ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- Check_OutputDebugStringA_iat ()
- anti_dbg (Checks if being debugged)
- screenshot (Take screenshot)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Big_Numbers0 (Looks for big numbers 20:sized)
- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- maldoc_find_kernel32_base_method_1 ()
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)

- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Armadillo_v4x ()
- Borland_Delphi_40_additional ()
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_Setup_Module ()
- Borland_Delphi_40 ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- BASE64_table (Look for Base64 table)

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name taskeng.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name cmd.exe

- Name conhost.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name WmiPrvSE.exe
- Name mshta.exe
- Name powershell.exe
- Name conhost.exe
- Name regsvr32.exe
- Name regsvr32.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

• RegCreateKey (HKLM\\SOFTWARE\\DECEABD1762EC9ED5B Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\DECEABD1762EC9ED5B\\564FC8D80320CCF7A101 Type: REG_SZ, Length: 42, Data: 564FC8D80320CCF7A101)
• RegDeleteValue (HKLM\\SOFTWARE\\DECEABD1762EC9ED5B\\564FC8D80320CCF7A101)
• RegCreateKey (HKLM\\SOFTWARE\\CHQfwsK Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\CHQfwsK\\HO9f4P Type: REG_SZ, Length: 795.674, Data: _/ImJD}_#J'HQsBs_()
• RegSetValue (HKLM\\SOFTWARE\\CHQfwsK\\hARynSeQP4 Type: REG_SZ, Length: 106.396, Data: hvkxGS0yTrJr1ptEznU="6DQPUiiPtq10SOZy7CDYDJe20L9CEf3nltNHky3wuKx";hZLnoc7NIMaTZbJsAM="sOmnTT0LwWqC0H49EQyHcszSUdoHEsSTp1OwaT4cwq26xZoTjzgoAbSy3FvEe2FwrSJIG4XcktNzIGqddJvtwpBQQEtq";PSIMRdzostCF3MvumqcNE="yTei4fAtwAa9dWaGOya6vAdsWxyOwKDPg3gbWitog9M8ZnGXWEoHrIw5PNfm9PgWaLfy1melZXf3a9ZB0";PkaHAyrq86cgxSktMlrRuw="l7E1CiDZdj0QSiujpIhozLVDIlXxhdDwGM9F6CSiLokCMWaQ7hR7hlfWHNVQi9B1UeSFyEffJ7FpTcBCd5HOWspCzU4t0kt";MGJNxKCpjEAZf6gUfycTDe7qs="b9Z3udUYyeFroMb3VGMGWo8Xw0MX04JLAYiB3T1S0MGDg8biWkcOImvLe3hTkgT";gNYyJRaxZc6Dw0PPSABhYk="mHMWIb7iC6QEPyKM3IFjTWr4Qfjq5BfdlQg3jZiyya";hYxBNQ9OURMyUUWf8ti="mRlsWveR7mHALFUfEiHYIRPhQDZoPTlISNRk";XqjrsZxO1Wssj6tfnKGsDVa="np1DW7bMhx9ywgQqGkD1lkrtiVECQl6zGcGVXfRwsQERFfbszo3T1iDxxnNfLwIvF5xnYVIAvmU141XAmZl";N8JclSfBqkxuvXMWrSy="eeCbLxWBmedk3BkHn8j4CYlmoRTtRSAiSvN72MsL5X7MQeMy";cyKtLrYodMCIjG24gQAoY="HpmfqiFgwEtqXD5tEkm9RpVnYjb2JL5S5cijkU6NB4hCfsNGjdNix";Wh5V8="0D0A2B052F3716621D051C0F3930322C304A45242F22721220133B290F347477661C047A3B56480B5E0F343B3A0B5E7817242A33243525207012006E0C2420211219)
• RegDeleteValue (HKLM\\SOFTWARE\\CHQfwsK\\HO9f4P)
• RegDeleteValue (HKLM\\SOFTWARE\\CHQfwsK\\hARynSeQP4)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- url | valid domains | tlds: g.va>-vO!.v
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: LoadResource
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
- registry: HKCU\\
- registry: HKLM\\
- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled
- api | psapi: GetProcessMemoryInfo
- api | kernel32: IsWow64Process
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread
- api | user32: PostMessageA
- api | kernel32: GetLongPathNameA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s

- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware
- api | psapi: GetPerformanceInfo
- api | ntdll: NtCreateThreadEx
- api | psapi: GetProcessImageFileNameW
- api | kernel32: FindResourceW
- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar

Involved hosts

- 192.168.133.134:50909
- 192.168.133.134:56889
- 192.168.133.134:68
- 192.168.133.1:5355
- 192.168.133.254:67

Dns queries

- 254.133.168.192.in-addr.arpa ---> no answers
- 5.67.94.155.in-addr.arpa ---> no answers
- 46.153.23.229.in-addr.arpa ---> no answers
- dns.msftncsi.com ---> 131.107.255.255
- 206.224.128.227.in-addr.arpa ---> no answers
- 161.102.142.226.in-addr.arpa ---> no answers
- 77.220.164.239.in-addr.arpa ---> no answers
- 104.144.178.230.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.134:56889**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.134:50909**

  arpa

- **udp 192.168.133.254:67 ---> 192.168.133.134:68**

  localdomain

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P0, cebo.exe)
    - Thread T3 (in process P0, cebo.exe)
    - Thread T4 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T2)
    - Thread Create (Thread ID: T3)
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: T4)
- **Thread T2 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T3 (in process P0, cebo.exe) description**
  - **Thread's childs**
  - **Thread' events**
    - Thread Create (Thread ID: TUNKALIAS)
    - Thread Create (Thread ID: TUNKALIAS)
- **Thread T4 (in process P0, cebo.exe) description**
  - **Thread's childs**

- Thread T5 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T5)

• Thread T5 (in process P0, cebo.exe) description

• Thread's childs

- Thread T6 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKLM\\SOFTWARE\\DECEABD1762EC9ED5B Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\DECEABD1762EC9ED5B\\564FC8D80320CCF7A101 Type: REG_SZ, Length: 42, Data: 564FC8D80320CCF7A101)
- RegDeleteValue (HKLM\\SOFTWARE\\DECEABD1762EC9ED5B\\564FC8D80320CCF7A101)
- RegCreateKey (HKLM\\SOFTWARE\\CHQfwsK Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\CHQfwsK\\HO9f4P Type: REG_SZ, Length: 795.674, Data: _/ImJD}_#J'HQsBs_()
- RegSetValue (HKLM\\SOFTWARE\\CHQfwsK\\hARynSeQP4 Type: REG_SZ, Length: 106.396, Data: hvkxGS0yTrJr1ptEznU="6DQPUiiPtq10SOZy7CDYDJe20L9CEf3nltNHky3wuKx";hZLnoc7NIMaTZbJsAM="sOmnTT0LwWqC0H49EQyHcszSUdoHEsSTp1OwaT4cwq26xZoTjzgoAbSy3FvEe2FwrSJIG4XcktNzIGqddJvtwpBQQEtq";PSIMRdzostCF3MvumqcNE="yTei4fAtwAa9dWaGOya6vAdsWxyOwKDPg3gbWitog9M8ZnGXWEoHrIw5PNfm9PgWaLfy1melZXf3a9ZB0";PkaHAyrq86cgxSktMlrRuw="l7E1CiDZdj0QSiujpIhozLVDIlXxhdDwGM9F6CSiLokCMWaQ7hR7hlfWHNVQi9B1UeSFyEffJ7FpTcBCd5HOWspCzU4t0kt";MGJNxKCpjEAZf6gUfycTDe7qs="b9Z3udUYyeFroMb3VGMGWo8Xw0MX04JLAYiB3T1S0MGDg8biWkcOImvLe3hTkgT";gNYyJRaxZc6Dw0PPSABhYk="mHMWIb7iC6QEPyKM3IFjTWr4Qfjq5BfdlQg3jZiyya";hYxBNQ9OURMyUUWf8ti="mRlsWveR7mHALFUfEiHYIRPhQDZoPTlISNRk";XqjrsZxO1Wssj6tfnKGsDVa="np1DW7bMhx9ywgQqGkD1lkrtiVECQl6zGcGVXfRwsQERFfbszo3T1iDxxnNfLwIvF5xnYVIAvmU141XAmZl";N8JclSfBqkxuvXMWrSy="eeCbLxWBmedk3BkHn8j4CYlmoRTtRSAiSvN72MsL5X7MQeMy";cyKtLrYodMCIjG24gQAoY="HpmfqiFgwEtqXD5tEkm9RpVnYjb2JL5S5cijkU6NB4hCfsNGjdNix";Wh5V8="0D0A2B052F3716621D051C0F3930322C304A45242F22721220133B290F347477661C047A3B56480B5E0F343B3A0B5E7817242A3324352520701 2006E0C2420211219)
- Thread Create (Thread ID: T6)
- RegDeleteValue (HKLM\\SOFTWARE\\CHQfwsK\\HO9f4P)
- RegDeleteValue (HKLM\\SOFTWARE\\CHQfwsK\\hARynSeQP4)

• Thread T6 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | kernel32: IsWow64Process
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread
- api | user32: PostMessageA
- api | kernel32: GetLongPathNameA

• Module 1 other strings

• iframe
• video
• object
• embed
• javascript
• click
• href
• name
• href
• Content-Length:
• SVWU
• PUj U
• SVWU
• Internet Explorer_Server
• MacromediaFlashPlayerActiveX
• SVW3
• SVWU
• hidden
• none
• 'D,3
• %D,3
• <a href='
• Referer:
• about:blank
• URLMON.DLL
• t6jxj
• t6jxj
• ZX~6
• SVW3
• :9)B
• SVW3
• hidden
• none
• hidden
• none
• SVW3
• try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
• try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
• try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
• try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
• try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
• try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
• try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
• try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
• try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
• try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
• try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
• try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
• try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
• try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
• try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
• Content-Length:
• Content-Type: application/x-www-form-urlencoded

- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- Uh|}
- SVW3
- QSV3
- Uhpm
- SVW3
- SVW3
- UhUg
- packIP
- Uhqf
- browser2
- browser
- :setua
- setua:
- 0hHa
- Uh T
- PSAPI.dll
- Uh$R
- PSAPI.dll
- UhlP
- PSAPI.dll
- UhTO
- PSAPI.dll
- SVW3
- en-US
- SVW3
- 1234567890abcdef
- Uh1-
- ?id=1
- Uh)+
- Uh%*
- UhA)
- Uh@(
- UAIL
- UAIL
- Uh0%
- UAIL
- Uh:$
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- SVW3
- SVW3

- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- SVW3
- 4_^[
- j4WS
- VE,wE
- SVW3
- ,\\rE
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- $ZXu#
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB

- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- AI@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- Uhb~
- SVW3
- UhYs
- SVWU
- SVW3
- SVWU
- UhAo
- Uh=n
- Uhmn
- SVWUh
- UhQj
- Uhae
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Uh4Z
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Uh4X
- kernel32.dll
- 8\\u8
- u+_^
- UhqP
- u)_^[

- UhkM
- Uh>I
- u^f=
- UhDG
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- UhP1
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhz2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- Uhu&
- SVWU
- Uh<"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD

- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- lng::
- ::lng
- jjjj
- jjjjjjh
- jjjj
- jjjj
-]_^[
- PSj S
- ZYYd
- SPh|
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- ZYYd
- QQQQQQSV
-]_^[
- '>click</a>
- ZYYd
- t&jxj;
- $ZXs
- $ZXs
- $ZXv<
- tRhx
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd
- QSVW
- ZYYd
- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd

- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQSVW
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- |<>|
- SDRQ;NJ

- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h,w
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h w
- ZYYd

- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd

- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]

- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- Ht Ht.

- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- t@hTW
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]

- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- Ph{/
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- ;=xt
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
- "h$t
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000000978950002000000097883001300000009789300 0f000000000001004c0000000978840002000000097894000100000009789100

• Module 2 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 2 strings

• Module 2 most interesting strings

- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: DllInstall
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc

- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware

• Module 2 other strings

- en-US
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- REGSVR32.EXE
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- REGSVR32
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Microsoft(C) Register Server
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx

- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3
- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode

- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm
- wOf;
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- _^[]
- YQPSh
- QVPVh

- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h
- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

- **Module 3 strings**

  - **Module 3 most interesting strings**

    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
    - url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
    - url | valid domains | tlds: t.Ht
    - api | frequently used by malware: ZwQuerySystemInformation
    - api | frequently used by malware: ObtainUserAgentString
    - api | frequently used by malware: ZwQuerySystemInformation
    - api | frequently used by malware: ZwQuerySystemInformation
    - api | frequently used by malware: ZwQuerySystemInformation
    - api | frequently used by malware: ZwQuerySystemInformation
    - api | frequently used by malware: ObtainUserAgentString
    - api | frequently used by malware: InternetReadFile
    - registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
    - registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
    - registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
    - registry: HKCU\\
    - registry: HKLM\\
    - registry: Software\\Microsoft\\Windows NT\\CurrentVersion
    - registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
    - registry: Software\\Microsoft\\Windows NT\\CurrentVersion
    - registry: HKCU\\
    - registry: HKLM\\
    - registry: Software\\Microsoft\\Windows NT\\CurrentVersion
    - api | kernel32: IsWow64Process
    - api | kernel32: IsWow64Process
    - api | kernel32: IsWow64Process
    - api | psapi: GetPerformanceInfo
    - api | ntdll: NtCreateThreadEx
    - api | psapi: GetProcessMemoryInfo
    - api | psapi: GetProcessImageFileNameW
    - api | psapi: GetProcessMemoryInfo
    - api | psapi: GetProcessMemoryInfo
    - api | urlmon: CoInternetSetFeatureEnabled
    - api | urlmon: CoInternetIsFeatureEnabled
    - api | psapi: GetProcessMemoryInfo
    - api | psapi: GetProcessMemoryInfo
    - api | psapi: GetProcessMemoryInfo
    - api | psapi: GetProcessMemoryInfo
    - api | kernel32: IsWow64Process
    - api | kernel32: GetProcessIdOfThread
    - api | ntdll: NtQueryInformationThread
    - api | user32: PostMessageA
    - api | kernel32: GetLongPathNameA

  - **Module 3 other strings**

- DD16D:
- :DD16D
- DD15D:
- :DD15D
- DD14D:
- :DD14D
- DD13D:
- :DD13D
- DD12D:
- :DD12D
- DD11D:
- :DD11D
- DD10D:
- :DD10D
- DD9D:
- :DD9D
- DD8D:
- :DD8D
- DD7D:
- :DD7D
- DD6D:
- :DD6D
- DD5D:
- :DD5D
- DD4D:
- :DD4D
- DD3D:
- :DD3D
- DD2D:
- :DD2D
- DD1D:
- :DD1D
- ~\\VarFileInfo\\Translation
- ~\\VarFileInfo\\Translation
- Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- SOFTWARE\\
- 1809
- 2300
- 1206
- unknown
- unknown
- services
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- iframe
- video
- object
- embed
- javascript
- click
- href
- name
- href
- Content-Length:
- G8Pj
- G4Pj

- G0Pj
- u\t=X
- main
- STATIC
- 9.6k
- q7P6
- F8_w
- UIXP
- browser
- browser2
- WinSta0
- WinSta0
- \\$43
- D$ 3
- D$,3
- SVWU
- :MZu,
- software\\
- SVW3
- \\Wow6432Node
- QSVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- SVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- QSVW3
- Uh4w
- UhQv
- Hu&V;
- UhZq
- SVW3
- $ZXu
- |5E3
- SVWU
- T4~`
- :MZu:
- QSV3
- |#E3
- SVWU
- UhHa
- UhM`
- UhM^
- E PVW
- Uhl[
- E PVW
- UhHY
- Uh{X
- UhyV
- UhDS
- udj
- uZj
- SVW3
- SOFTWARE\\
- SOFTWARE\\

- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- Mozilla
- 0hhM
- 0hhM
- Uh,J
- SOFTWARE\\
- 0hTF
- 0hTF
- Uh F
- SOFTWARE\\
- UhoC
- ABCDEF0123456789
- abcdef0123456789
- eyuioa
- .exe
- Uh4A
- eyuioa
- 0123456789
- InstallDate
- .exe
- Content-Type: application/x-www-form-urlencoded
- POST
- HTTP/1.1
- SVW3
- Uh}8
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- 0h8-
- 0h8-
- Kernel32.dll
- IL:
- Win 10
- Win 8.1
- Win Server 2012 R2
- Win 8
- Win Server 2012
- Win 7
- Win Server 2008 R2
- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- Uht(
- SHGetFolderPathW

- Shell32.dll
- SHGetKnownFolderPath
- UhM#
- SVW3
- SVWUQ
- SVW3
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- SVW3
- SVW3
- InstallDate
- DigitalProductId
- unknown
- +D$8
- <sAf
- u1h`
- u1h`
- u1h`
- :MZu^
- :MZuD
- 1234567890
- 1234567890
- Hu(Th
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789
- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- <sAf
- <sAf
- SOFTWARE\\
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[
- t*j8
- |$AC
- SOFTWARE\\
- SOFTWARE\\
- HTTP/1.1
- SVW3
- old1
- PmX8;
- :\tyu
- PmX8;
- :\tyu
-]6p?

- chkok2
- chkok
- chkok1
- QSV3
- |AF3
- SVW3
- 9ddreu6
- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB
- 9LoaduM
- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- SVW3
- 9ddreu7
- 8rocAuB
- 9GetPuM
- 8aryAu7
- 8LibruB
- 9LoaduM
- UIXP
- Uhyu
- UIXP
- Uhko
- Uh!n
- ;FHt8
- UhDm
- yVx5
- F.\\5
- Uh^j
- ;FDt6
- ;FHud
- SVW3
- PSAPI.dll
- SVWU
- UhRb
- Uhpb
- SVWU
- QSVW3
- FH;E
- UhY\\
- FD;E
- SVW3
- UhXY
- Uh:U
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- >1=e~
- 53N2
- GA+]
- Uh[I

- QSVW3
- SVW3
- |8C3
- Uha1
- SVWU
- UhK0
- Uhs/
- kernel32.dll
- psapi.dll
- Uh5-
- SVWU
- parentarray
- intarr
- ,S1p_
- 53N2
- GA+]
- Uhz'
- SVWU
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control
- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu
- bq%2P
- i^t)
- QSV3
- chkok1
- chkok2
- chkok
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- \\Wow6432Node
- PmX8;
- :\tyu
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- mshta javascript:
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- ",0,1);}catch(e){}close();

- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(
- +=2)
- SVW3
-]ug#
- a_g+
- !4t\\
- ~65?
- <5_2
- 0p8'$
- z3)$
- b3xM
- tS6y
- 2V[;
- N9]\\
- EG[!
- 1{*1!
- #F3@
- &}987
- <T3'
- QSVW3
- Ny1OL
- [$>u
- 3xS6
- Ny1OL
- [$>u
- TMyIEEvent
- Lenin_SHDocVw
- IWebBrowser2
- Lenin_SHDocVw
- IWebBrowserAppH
- Lenin_SHDocVw
- IWebBrowser
- qT%7
- t+sI2
- >nIE
- 0|\\
- cE,^
- e"[w
- CAK1@
- UhSp
- wmiunit
- IWbemClassObject
- UhEk
- SVW3
- UhUe
- Uh?c
- SVW3

- Uh+_
- SVWU
- UhGV
- 0]_^[
- SVWU
- SVWU
- SVWU
- SVWU
- UhUH
- SVWUQ
- SVW3
- SVW3
- Uh&?
- |=(9
- rdy9
- Uh;8
- T$0f
- T$0f
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- MacromediaFlashPlayerActiveX
- SVW3
- SVWU
- hidden
- none
- 'D,3
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL
- t6jxj
- t6jxj
- ZX~6
- SVW3
- :9)B
- SVW3
- hidden
- none
- hidden
- none
- SVW3
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}

- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- Uh|}
- SVW3
- QSV3
- Uhpm
- SVW3
- SVW3
- UhUg
- packIP
- Uhqf
- browser2
- browser
- :setua
- setua:
- 0hHa
- Uh T
- PSAPI.dll
- Uh$R
- PSAPI.dll
- UhlP
- PSAPI.dll
- UhTO
- PSAPI.dll
- SVW3
- en-US
- SVW3
- 1234567890abcdef
- Uh1-
- ?id=1
- Uh)+
- Uh%*
- UhA)
- Uh@(
- UAIL
- UAIL
- Uh0%
- UAIL
- Uh:$
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko

- rv:11.0
- URLMON.DLL
- SVW3
- SVW3
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- SVW3
- 4_^[
- j4WS
- VE,wE
- SVW3
- ,\\rE
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- $ZXu#
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhRtocdmuR`oecnyhd

- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- AI@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- Uhb~
- SVW3
- UhYs
- SVWU
- SVW3
- SVWU
- UhAo
- Uh=n
- Uhmn
- SVWUh
- UhQj
- Uhae
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Uh4Z
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Uh4X
- kernel32.dll

- 8\\u8
- u+_^
- UhqP
- u)_^[
- UhkM
- Uh>I
- u^f=
- UhDG
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- UhP1
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhz2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- Uhu&
- SVWU
- Uh<"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU

- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- >>path
- path<<
- lcpu::
- ::lcpu
- /C "
- jjjj
- jjjj
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- /C "
- jjjjjj
- jjjjjj
- lng::
- ::lng
- jjjj
- jjjjjjh
- jjjj
- jjjj
- ZYYd
- ZYYd
- ZYYd
- GtPj
- GpPj
- GlPj
- GhPj
- GdPj
- G`Pj
- G\\Pj
- GXPj
- GTPj
- GPPj
- GLPj
- GHPj

- GDPj
- G@Pj
- G<Pj
- G,Pj
- G(Pj
- G$Pj
- G Pj
- QQQQQQSVW
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- hP}
- ZM[X2JG\\tk2X
- ZYYd
- ;,vm
- ZYYd
- QQQQQQSV
- ZYYd
- ZYYd
- TR[P
- m$K^Z<
- QsQDU$@
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- S:(ML;;NW;;;LW)
- ZYYd
- ZYYd
- QQQQQQSV
- ,]_^[
- zDSVWU
- ntdll.dll
-]_^[
- D$ P
- D$$P
- T$L+D$x
- T$D+D$p
- T$<+D$h
- D$@Pj
- D$ P
- D$$P
- D$@Pj
- ZYYd
- ^[YY]
- ZYYd
- tstrings
- ZYYd

- ZYYd
- ZYYd
- QQQQQ3
- ZYYd
- ~Hht
- ^[Y]
- ZYYd
- ZYYd
- QQQQS
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- <G>k>{
- ZYYd
- <G>k>{
- ZYYd
- PhL}
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- YzfW3k
- KFS,
- L]{
- &`%$
- g@h)
- ,kfFf]"
- ZYYd
- ZYYd
- QSVW
-]_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQSVW
- _^[YY]

- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- \\.=^g
- BMv;
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- PhTM
- PhTM
- ZYYd
- ZYYd
- Ph@F
- Ph@F
- QQQQQQQQS
- ZYYd
- QQQQQQQQS
- ^[YY]
- ZYYd
- ZYYd
- QQQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- Ph@=
- Pj/h
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS

- ZYYd
- ZYYd
- Ph$-
- Ph$-
- _^[Y]
- ZYYd
- f;tX
- QSVW
- SVQh*
- , SP
- Win XP
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -
- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW

- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ntdll.dll
- x_^[
- +D$H
- +D$@
- GSVW
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]

- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- ZYYd
- $ZXv
- SVWSVW
- ZYYd
- ZYYd
- r'@f
- ZYYd
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- ZYYd
- QQQQQSVW
- ZYYd
- ;FDt.
- QQQQQSVW
- GBr-
- ZYYd
- GDPj
- ZYYd
- ;FDt*
- ;FDtB
- ;FDtN
- ;FDtX
- (]_^[
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- _^[YY]
- ZYYd
- ;FHt
- ;FDt
- ZYYd
- <'G?
- p[`+
- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,l/
- ZYYd

- FDPj
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQQSV
- ntdll.dll
- YZ]_^[
- $ZXr
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- <_cV
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQ3
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- .Run('
- ')='
- ZYYd
- .Run('
- ')='
- ZYYd
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ='';for(
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- g!*G'
- '^J]
- L`DDP
- z{FPL
- r{xm
- t<&R;<
- kwW_
- %&FW;
- y%<B
- ^$$#'H
- X:W~
- 1NlX=[w]
- Tc;h~
- |Kx=
- kGd;
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3

- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- ZYYd
- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[

- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- ZYYd
- |(kK.
- ZYYd
-]_^[
- D$$)D$
- +\\$
- \\$;l$
- PVj V
- PVj V
- D$,PV
- D$$)D$
- +\\$
- \\$;l$
- D$;l$
- D$8;l$
- D$;l$
- D$8;l$
-]_^[
- PSj S
- ZYYd
- SPh|
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- ZYYd
- QQQQQQSV
-]_^[
- '>click</a>
- ZYYd
- t&jxj;
- $ZXs
- $ZXs
- $ZXv<
- tRhx
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd
- QSVW
- ZYYd
- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd

- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQSVW
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-

- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h,w
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h w
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQQS3

- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3

- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd

- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- t@hTW
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP

- t!R:
-]_^[
- :_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- Ph{/
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- ;=xt
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
- "h$t
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

- **Module 4 (probably unpacked / injected by the sample)**

• Module 4 rich signatures

• Module 4 yara matches

- Armadillo_v4x ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Copy (Look for Copy function)

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: g.va>-vO!.v
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: Sleep
- api | frequently used by malware: ExitProcess
- api | kernel32: FindResourceW
- api | kernel32: GetCommandLineW
- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId

• Module 4 other strings

- DATA
- 0[HxAQMC3Z
- 9qLMk4E|Tdz
- Ila9c
- ^4Kkho
- OHSr

- o:Ic
- K04Dehu
- psveZo
- %Kt~D47@|N
- [lEQ
- A/Hi
- E2B8V~
- E\\Hf@
- USz1azR/a]
- eL}XH
- ;Q80
- 0QbN5d
- GLi}
- i~JW2ZshO:`
- 3Isc
- ^{ac56C>2n
- d=zoIE'Po
- Qm\\4H
- 2G7B
- sP43
- i.]T\\
- IL@[
- e=Fj
- g6h0`mu
- [l0@
- S=AOEm{#6
- ebbo
- `bRE
- U,5@
- Uaet
- ;o+d1Mt
- aCZ6
- cZ6JI1wqGRD
- :qH4nR7]ozX
- FB66
- ~\\c[5
- ^#]i
- e,:G
- btnI
- I:POm
- o5[tctf vr
- 8@A44:
- MQ^u/
- cYvo#b44Oq
- d53i(wR
-]81VA\t3mv@6rdn[D
- B7sL;9~a
- EF7g
- |A:Vc
- z2s!U
- MIOH
- 8T~4aHR
- @H7|
- ;1iw3m7
- k?>Km8i|c<RE
- `sz4
- e]a%,"Uc^1N`3U

- ^LXA
- SxN2
- dV?oIm
- 43&m;
- R$}E{
- S:2k
- V}\t33
- ufd,
- !ROw
- SD0`
- ncK#y05j'
- .g0J
- Q1Kn(
- Ne{N
- GmE*Luuc
- jwL1a
- EO03
- tq9;H[2onq
- 1MAWFsuL%fmY%z
- Ule:
- 6pOLn'Y^
- Y2q)m5.
- T'fI
- k99_)
- E@>*
- KpmlU
- 3sQL
- BML5\t7E(`B
- wOT6^Y?n;r
- HwO;
- ;a0d
- <om2
- 1|qD
- 6d*mJ,Hm2
- {:yl3
- ewR@5
- ^A;*
- JO-K
- 8~.~
- Bo~y]
- V@2iO~.Q:
- TOq|4to
- @KA,R
- *aLI9
- a'K5
- G=Se
- IH36r
- xxOEl
- Bb3@\ta{?^`HfI@
- 7k<TxfE
- 5"{,AF
- 3&pj2;
- 25PLp5
- mKIhL
- D:hEt&a3;
- Z0~(>pe
- ,U7M

- RhhEP
- zZji9
- @UeMn="Ur1
- [)LUQ?hO3t`
- zTdO
- 2N#g
- TsoGk
- wza0
- eY{)
- a<U?l`
- `,d e
- Z5L{faR_sn
- dCHUK
- 1|@d
- 4mTP
- N7O2
- \\;p[j0TO
- o:;To
- 4k6Is
- j`oowC
- 9PG`
- ZNT35+c+
- aH6+&b;
- 1,X1[T
- 2=aH:B
- rB8Ul
- atrwU6
- +c+I
- Q^lfx
- 18BD|bch
- ;EwbH
- IzI3iF$ov68
- EKFj
- i6K>[v-GL
- keqF4
- LY19
- 8$c-
- =Ur
- }9nH
- *vs2
- @gj$8
- nV0B
- aXRQ?;4~q<
- 0DorDV
- P1Id
- gQDI
- 7)Ym
- lopA
- jQ(Gi
- =s@8
-]hap
- n\tEPABT
- @{7c
- Ill?
- iW5J
- Fb3z:Ve
- ;YIu

- H1o}
- U2R=Qy
- }m1Q
- id-c
- t'9o
- M^j8U
- 02?jp
- [I5DRS
- 9m>z
- k8Kj
- I2mt
- IL7UO
- 1CTB
- 9<me
- 2;F%
- sENI&
- z2cC
- I2oi
- n}(6UlF
- {;+oO
- yt<O
- M|:3
- EnGTrfo?
- |{ouDm
- 2{1e
-)oQC
- OpD<=
- :e23
- 7pliOi
- D~iB,
- ZQokz2]H
- Bud$GU
- Gn9{w
- ~qG99c
- 4VYK
- H"7g
- 1f`P_
- MIhtEfro?ny
- 7b3T
- qVPa
-]bYU%
- On`OVl
- Vs?4n
- +U/;
- fw,i
- j<uKK`d6
- 5qYEV) }/
- an@zGU9v
- <neX7:iAYrA'Fn
- xOg0]
- ozFVJ
- ;UR[dbI
- JZ8+
- Ei1*Ky3
- :<`6
- e8GJd
- HwMrAv9:=w}R4

- @dMe
- k_8uY}
- E2Vo
-]4k1<
- |Hwu
- @u'2@}
- y"}]uAFU
- J9Qq
- swAAW?01
- piesEW,
- H7Jcc3(
- :Gjk30dI
- {lQe
- GO.ob=,M>
- rMh2
- C6v&
- nT1c6m
- y]@u
- D4q(^
- fgUG2e
- h{LTeJoF
- =52bd]
- 1h7Ig}me
- }%A7Su
- Nzan
- eoPM
- 1kue
- bYd1ib
- q67HVu
- z8ugo
- H0As
- :OIMdvih
- C8U3X
- olsnQ]XkO
- ~pdA`DwUta
- pZoJ
- fMcU7bJttJ
- rE1]b
- POEz
- c^ummEV
- sEeTnb
- Sdr9w
- 3_I@f#X
- gJc2
- l}P|u6JC}
- ^AQz
- F8e<N{
- I|x3Jk
- *@0}H\tbnu"E>UPqo
- 8Tnu
- OtDWy2
- E~^c~
- Y35r;;
- uo4BsGFQ~
- {ZTa
- Ec-v
- oNx&0

- dxk;6
- dV9]l
- 5SqNH
- fKa,
- "6Hh]
- 7Gi[
- >%1+!2C
- r,{u
- ?P5(Q
- e!G1
- 40'C
- {oTp
- 7a*k
- MEG#4L
- 5p+|7
- A\t-=
- "1C.
- U\\K&
- u0XR
- hJ4H
- b'45_
- |U[e
- C.0`
- IMgQQ7S
- e\tj6
- u,L8
- >U(e
- N8f7
- o9^*
- 6W8m
- 0V/gt
- <3Yj
- M1E)
- iC-9
- S\t19l=
- '~*0,
- ?>&>$2Q9c1n?
- ?~tBa
- qOIb
- 7?=|/
- 7Jr,zip
- +\\8b
- 43Iq
- laNnq
- OJC[6
- zAx*
- y]iM
- '0<](
- pUQN
- 3j0l
- DsN5a
- 8#7C
- K;I4y_J
- 7Oq)N
- P~I(1'f
- u[]_$+rHe
- !U{-K

- E84\t 'f
- bt0[
- s6^O
- <C+I
- 6\tb7
- O11*
- q,I9
- *9YP
- 8V,c
- #(3ag
- S8Tj
- V\tLO
- *2 >
- 84KE
- k)!U
- : 401>#C
- IYS#
- K3QK
- 3V'Y
- ,;W5p
- BExdv
- a D#
- "9J6
- 5}VrYPS12m+au
- av}^
- H|AxA^`
- OLnc
- /82-cJun
- "8B?p
- 9%9i
- A4XS1rx^
- p3~4Bn
- +4(JP
- JE\\e
- h7-R
- p<E
- ,#;5
- 7M%\\
- 9q vBu^N^
- e-5V
- i3Cn?u$
- O?^1
- %7/$>
- H/5f
- Dy4u0HS
- ~;?5
- S;5z:
- K%a2eXm
- <!*6
- '9/y
- I$+MCo
- P5]v
- &"b0
- 21&7>1A;Q#z
- 0<\tQO
- .6fd
- +=?`3y1

-)3ul
- TLE{
- 9zOsTri\\
- 6a57
- &:/1Q:w5
- aJbu
- No<\\
- wA{AC[
- .5u5|CXn$
- 95;5=3:H=J<^6W9_$
- +:E#VDUl
- U5 Z
- %s2{8sY*6
- 2q'|OF
- *48.MBDch
- 04~JPb
- @su.p7r_:
- 93AOV
- 84d:
- hE<Q
- _2o
- `u2FZ
- 8k3f;
- `)O0
- 8!6,:6-?
- M)`3
- 2>/6
- ^31|
- 96zKs
- J7YL
- Q92g}
- i7HA
- ,z3PU
- (l\t5uDvOtv
- 14E&E;
- s^yXqyOu
- 9B$h
- 0975l5
- ZIbO
- /.z<=;>O?_;e6
- LX)H6
- O}SrWvovas{p|{
- w u3z0}=
- (7VF
- 78HN
- 89B7_:
- (0r.
- 3SKn
- 8!>+:1=<4
- {@slxf}i{upuv
- >1#;Dqo
- 21OFy
- 5j,pr
- `E]b
- UPTY
- orce,$
- `iEG

- yEo*h
- w2?M
- VO)u[y
- qn En
- tPka$AQ
- N5q8_
- <;1$
- Mz0Xi>
- fZIH
- Oe}mH
- h9n]*
- 'L'ah
- Fb>9B
- -7PR
- y,4YM
- =1:(
- shI2H
- iB]Ke
- Rkc5
- CI?t@
- \\<'Du
- LWEGB
- $iskw
- Cu-l
- PjdI
- oRhy
- k&xO;
- m#{W5
- *+F9M
- H'U@g
-)?MIS
- 3#IM[
- /#3@E
- D.TMu
- I3E
- -'C8B
- Y"oB
- *='9
- @=*2
- 0:x.
- ZOi9
- 4T@8pe
- do{"
- ~i*77
- o+/'
- :4mHUT
- Iy1&
- L`1$
-)I3F
- OjB
- 0z=;H
- 0i+=
- scz6
- ? EPK
- i6Uw
- q4Tk
- uBvs+

- :*aC<4
- C2Mu
- n5g~
- 5like
- =9,<
- UxV\\
- i\tnfa)
-]U/S
- (jdu
- aY,-
- `~aC
- HO/!
- "Q&[\\OEEY
- x649
- 4RA9
- ajc)
- b[]6
- EYjy;
- i/ss-
- aV~|
- 6+wf
- 17 2
- UI`_
- g4OM
- 37cA9
- /U72
- 6BA-T
- zYgu,O
- ScV1
- A?/\\F
- B@ u
- 9et}
- .a1[
- "?am
- H3u
- bl)i(
- J-9O
- C>"1
- 3I&m;/u
- };O#
- o(Zo
- /kni
-)4M*
- yxdq>U6
- 2@V|
- 'BW7
- |5@R
- j&I4;
- "Un5kp
- ;P"E
- c0%i
- a'%\t'AU
- aP C;
- 4EP?>
- oQM8d
- I#EMAK
- p50I

- Z][E
- B.C1
- ,0xqi
- T(o\t}
- oi<;S
- 33:;
- HHUZ
- &Z8;#
- ;.OGE
- 46P?T
- Uf+')
- &;`C4
- B~)o
- 5mA1
- $7e68(
- B4i
- ogHG:
- D*fU
- 4?}'
- c3vG)
- <Ya*uS
- 9BIXI
-]AG
- FT&P1;
- !'Y(E
- 8+~h
- yO3K
- 7&YJ;^
- O,e:
- KO&Y;
- Ou.
- RI>G
- OWnb<ikO
- 4Vr!
- :_C2
- b2?%6P>
- 8PD3
- "\'h3k
- :ua)
- sU)s
- 7mH4
- E_'>H
- @/AT
- Iu(l
- qR6Q
- e@l![
- Af/W
- Ek$1
- Zd6*
- Ke-Y
- D?!3g
- !LD6&
- 8BU60*
- Hgⅇ
- kAa-
- =YRo
- eI>O

- MJ3f
- .Ns0
- J)!7
- M*#03
- eb#8
- jE40
- Du&a;
- hGA+
- >L+^O
- ad~u3
- MA|W
- Fw]5
- .U`FxUCs
- >'e1+
- I&Me;
- 3sE%<
- 0h/$
- "Ie-~hB3<
- Kg@iC8
- .L3+h
- kt`I
- ~J5/~I
- XI!^
- %@(4
- E0"Z
- Eh"u
- Ma P5C~
- Ho-9
- eIwim
- hG{1
- tNu$&
- ?0N5\tR
- Fj!Vo
- sv8W
- *CI*,
- I5(cH?2!d
- %f4m4
- :Yde
- b`Zu
- XHi(+
- :W}DU
- '\\[A
-)}jH1
- m2`!x
- -ZT_4
- BRA7.j
- vAr
- ~e'+
- 6X_*
- #Ft6K
- qKUI
- e#k s
- (5{"
- AN[q
- Q8vpN
- J?9C6D
- ,I+6

- m4@n
- 72F|
- OFNFBU81;
- {If~
- %NK8
- 8<>\\H
- $i4yQ
- 0\tt:0
- e#C1
- 5!(*
- 2%p85O
- ;}2N
- A<#i
- @2$)
- ;U!d
- 6rF~m
- @eT6
- 7O%%
- [So
- 0Q;@
- mea1USYC:
- B9=N
- 3$L<r
- [qFHOO
- Nn.8U!YQ
- 8~.EX
- O$ X
- O@U\t%
- W7uj
- +i"-
- eGi9,
- b1oN
- ,*:bO
- 3#i7X
- (WA!
- ';)4
- 6"&@
- MtOJI
- oz}h
- /iBa;
- eXPS
- MEg-
- KY/7
- y^7#
- 0HFe;s
- U,0Rb
- I@r?
- 8v$;,
- ?-2
- *\tF(A
- $OZ(
- Ag).
- D{J8
- Nijm
- -OtD
- [f%0
- Q$e&

- `imf!
- ^DL+4
- oFtak
- kaha
- 7#>I
- 6,9>
- II+O
- Ll}em
- a,A00
- O|(P
- QNEd
- Sx6>
- 3xX2,
- 6OF(
- 5'b'
- >9iqteZ
- AZZ:
- IgJb
- A(q%q
- miav
- #=I?
- Ia!~
- U\\TX
- 8}Z~
- 2Q?A
- o3dM`h7HS
- AMH[
- 8$GA
- K5k%>
- aLC0
- 9K2J7
- $e_I
- eAB|
- Y5]7g
- YU{l
- XjAD
- aA`V
- %*1:
- ihzn
- >U.L
-]PU$
- Ri].k8m
- nEC"K2
- 9)8o
- 60C43
- <xD1
- ';7A
- @\ta
- I#q49
- >6EN
- nM3a
- dZ'.0
- W3S@A
- dha.
- K7SUF*6
- AF
- 2Gr[

- /V%1
-]1M*W
- "Q7g
- aG^w
- =|OwI'v
- ~\tyI
- IK&X;
- NbOV2
- =~g5
- UMj8.N
- QeI/$
- ?9qw
- MY^4
- GhW2
- N!%4,
- #-2+
- gd0m
- AvAO
- }Mhu
- 5M5&
- gugUJlk
- OB^+
- PcL7^
- yENj%
- 5f[-
- e)s4
- !4o[
- Y{RA
- 3$D#
- EL#t
- 'p6_
- E,{z
- $(AgCX~Oy
- ya.EX!
- 3N\tE
- rnE8
- 4PFD
- J9u+
- $m\\E%.f9
- ?`2<
- DJX4
- 8!h>
- XGe{
- <;oJ
- C0DE<
- y&A;+g
- k&3A
- +9:R
- CIg\\?
- `ZHw0
- 1Dx
- E&LN;:
- 9hH;]
- 1o.BA
- 60A1
- 6p&K;
- sQuE^Wd

- 7\t=(
-)HB7>
- HCak
- pXt*2
- ca110914
- nodf
- cD&I;
- !=6G
- 59#\'}Q"
- Fp3k
- Inc,
- #eq`\\
- 9K4BP
- Po.[
- ^a9Q
- $QVe
- ^AC|+
- W~0,
- Hi(~
- `.W6
- :Ek!
- X2T{
- omO'1
- ^A$7*0^GU
- XB*0.
- ?eA&t;
- 7]PK
- +jL3
- fV;eg
- @cGU
- @cga
- 3 RbE
- %8&=7Az
- V%(I
- kAse'
- E`5u3Yd
- slH4J
- IFv8
- +uY.
- AYUJ[LY"
- /akV
- O|QpX/<%I4:DA
- Qp}I
- o]]B
- wHiC
- u0\\N
- Is](#
- uczCI ,
- p2XJ
- u Iu
- q4JO
- J80Hw
- W3ZE1,:"/w3
- K>wO
- I)wg
- 0H*s
-)PnI

- fii5
- lf~5
- RaM3
- .0rd
- #^of
- ~g8]
- XO*@
- J>pi
- u-$^
- HF]1I
- Ak&?
- E}Z#
- QUVL
- /]0$
- m5Gy/
- L4[TE
- locX0
- v~&u;
- 9%_a
- L_5{
- Omb2M|L
- 'v\\6P
- AIrF
- II#{T*tg
- 72i~
- Mq3fb
- e?W`
- b5^$touT
- 6/LY
- 7WxEV4SC
- L9W2
- k:*2
- !7H}
- pO.`
- h5x+w
- jkoq
- 1Egnix
- ?|7}-
- $Bf6
- y\t(u
- =7%1
- vOAO
- A%UF
- %wLa
- z_s0
- M,X8=
- {6s@{
- NEu K
- 3f^bU
- vEE._j
- ?/%8
- R3#3
- iLmj
- V!{4
- vKib<
- &<2w|
- GzqIv

- 4DL\\v
- @7~Q
- >(aF
- 5(B2
- v\\a+
- 5r G
- WK9e
- 'PTvi
- CO}
- ?D!2wAy
- 'e>&
- H[EL
- s}1[|
- I75vl(
- K8':
- 38:lq
- Te_T
- "5/H
- E/}
- o"K*
- U^<$
- _~6Q
- Jz1U
- [9]h
- 6F,<
- 4fp=y:i
- lgB$k
- .U*t
- !u}y
- E~ _
- An%dK
- g}#2
- rAh3
- #Co#F
- A.@#
- 7(aOG
- j%c0Q
- 29CI
- zbN/I
- IU ,
- g@E#^
- Ja|TE
- s7$.1
- x-Go"
- ae27A
- Um{,N
- 5}Bl
- i23(k
- JcejN
- yX]A
- ?*\\8
- es`v4
- &]<sU
- 20M6
- !6 ~
- eU !C
- Ae^M

- IvC[
- E?#[B
- FUK
- :WBUy
- K&uI;
- AK N
- &A4;#x
- |Sg5
- Ij)v
- u#$v
- %:I]7
- rS/u
- !nfeo
- gfor
- @K8%
- C/hi
- >^Nif
- 7mu"
- jii-(
- AX)@
- KI%t
- xuMy)
- 4~/W
- I{yK
- UEj:_
- hV4C
- ^7N.
- O4v+
- 2M@1:
- BS"7
- Ko1)
- q6X1+
- $`48M
- 7Jp;[
- 8Ju0[eY
- !H}N3+2
- ;iF0I
- WQ3W
-]UhH
- 8Bo3l
- %sa`
- ucXq
- oTD_
- &e.;%
- t9:2
- AFW?
- 4;0K
- !mcOzRiX$
- r$ueL8x
- |jI`
- zgOf
- EAx0p
- xG;a
- ^maE
- ?8"Lq
- "9a@
- sn259

- B\t*o
- 7"don"
- Bi+#
- 9 fGK
- wB2hop
- G|'9Y
- 5jGGU
- i-o*R
- cK48
- .8Nw
- Pa'3
- UGPa
- RLOv
- 4%mN}
- 9Dry
- >-J9A
- 5v l
- G5n2<
- /X'U
- i\\=gO^;K
- !xon\\
- O)dd
- U5LVk'
- veVw
- a=wuBg
- '5U,F
- 5AC.v
- YaJ*y
- ,&eN;
- A"!S
- 2`1DQ
- W#uO"
- jscE
- /OvG[
- C>]|9u
- 'zU*
- @7b(I
- py7_
- 6e:y,
- Q72r"
- -J/a
- 4N85I
- ekJo
- m!set
- !OLOE}
- F33)rD
- AN=>E
- hEzC
- b)z&U;
- {A\t-
- 2xBW7
- K`9D2,
- 3p!'
- m7]]6#
- -8'ss
- F8Q#
- #?)4

- ":OTr
- \\Yo)
- =LTNuz_5
- /4Mv+
- wFu%W
- Ox:tI
- }034?K[00S
- hG'O
- c,um
- `qm&3
- Z\\O^z5]
- ,:9:
- qoDn
- It5k6
- 4ED{
- -e`~
- Vuf9
- -Ohqn
- .%UZl
- K1U8o
- t~9=
- |2@T
- wfe
- 8,1j
- ig#ny
- idJkn
- (7-5.
- 745/
- 5^Bt<
- o.dD
- qELc4
- zXlU3|k
- >\\6B
- 9yS+=
- (1q
-)qb%i
- GUU\\PHAZ.FZ1
- qijq`paj\toabdawva
- [qe=}
- ,5sT
- 60^5
- ~7*
- 48
- uu4G
- <o{p
- [TI?O
- 6Il[>
- *t8<3
- 1\\<!
- N\t=1R
- j4n|
- 5yP%
- "Pt5
- \\ Ew
- I.?nx
- 2b`!
- V>0MB

- xAx ,
- ?7*-oC7(2
- I?x>\\
- &z;/E
- X"#b1
- vL}A}'4
- 4uQ=
-)hiE
- s8JL
-)UOw;@9
- F^\^
- 5p5J
- B]ko
- U+b-@
-]5Eq!m8
- nIV'$
- Ygas;
- XaF-e
- u&:E
- UWfn
- OY,M>
- @gUR
- }Q-2
- HpO!T
- u^#3
- sG^6x
- Evi);
- XO4py
- oEp!B
- @11m^
- /_K7N
- UyBH
- f'k4&
- .W"u
- ?M1/
- /43X~
- ovy`
- h3%OE
- QFkO
- Vr,i
- OA%J
- 3]Q`m
- Y;8K
- $l>7T
- N7E0R
- "2Y6
- !KiA
- D9?N
- G%Ak
- V\\03
- NPo`(eK[
- kO@I
- R&*e`
- kfO
- ASnF
- Af_SS8
- [nIb

- wjU|
- {53NR
- 2\\mU3
- $^[8
- 8_DR
- 5KX
- ZA>3
- $)bh4
- aRHrA
- >d [i&0$
- e1eg
- 2TZC(
- 0j88
- w3H5X)
- Ak9%"
-]A{D^
- GOq1
- c,5
- Ud-j
- P?e!C
- %tIG
- jI2F
- O%@Z
- amo0
- AKq/
- D$5(
- TIn*o
- y&'E9
- <'Ga
- :u|I
- e["6
- 'I\\@
- 4R\t%
- S=PI
- 8}pb
- tb5R%
- =H3I
- 0>%*
- ONC|
- 2S9)
- SNOP
- f*5KG
- zs-u
- q4'?
- K^56O
- $S1p
- A#MG
- :U/p
- %;<5
- {jDI
- 43[H
- skV8A
- xGEA*4Gj
- |:9j
- 0[}
- NW%8=
- R&*1

- M($E
- ,qA;S
- 5*74L<$
- Gb9G8`
- :A ;
- %u9r
- WMZ6P
- #8H*
- (1~K2
- Wo`|
- =:E4
- 6FK5
- 2NN$z
- aG"(
- L$40=
- #x1)(
- z.4r
- [^i0-
- i]\t;
- %(7q
- 66l\\
- *_43:?
- Q#9e&
- [a-*F
- x-uj/
- *7ihA
- QUW/
- F;q8
- v@O*8
- ur1(
- '=;do
- o_AP
- aNWR5
- 5jJ0
- :#c~i
- zwNI
- nAKa
- eb)a
- `4Q?6
- 'jeis\\
- *4RJ
- ndZkeQ`E
- (A+\t;
- 4f?%g
- 9i*I
- nv}8u%$oiQ}UWdcld
- i\\zI
- 2Eq(
- Iu9a
- ?u(ub
- iL8;K
- IJ%x
- OT,@
- t!5I
- t\t`U
- u!(#
- &@"9UfqZ

- 57w!
- R2*g<
- J2maA(J
- 3Pcs
- F)6_E
- =6i
- 9!~{n
- 8rr+w
- rO?}
- E3$;
- T{8+7,n
- ;iE+)Jv(Ma
- 37U
- VO]S
- `[1,
- \\A,U
- Ig,c
- }`{1u
- q+I8
-)y'A
- ?kzuL
- #6x#
- 6'UYZ
-]aX+
- ,a-O7
- UeV%t
- %(No
- SuZ|
- y]9Q
- xMO+$
- .xQA
- B"9"
- bU-l
- f6 P4!#
- ,(7>
- LOl#
- 2KMk
- Q+EGD
- *}Ma
- 1k/+Y
- 05#K
- :BF5
- {5E
- 1T%#&
- l\tAt
- !+NA$
- Pu!&
- e-G9
- }V{n1
- JMJ5O
- y72J
- ,E#&-
- -)J8
- .T/1r
- "=p2J
- Bpoc
- 06)du/

- ~7\\"
- Ri(#
- B2(*
- `s!wE
- ggAm^
- iD;$
-)X3K
- 1FS<Cf0
- If!]
- mgZ0'
- @{ u
- 1d;K
- iIts
- I5 ;
- AF2
- $K\tAI(
- dmDi~E
- '9)PS
- /Sav
- tg0]S
- h9z'>
- 0b<71
- *#3%
- `eff
- s0gmm
- UwsV
- N$<#I
- r"{5
- Tu%h
- @"iz
- te\t?E
- @%%u
- 7w#}
- [7|E
- R9Sp
- Jy=U
- }6S+h
- %vIg
- 0O.'
- 88XK6
- #iF8
- I(HW
- xj)E
-)@1,t
- F)[Fa
- -I|O
- ExF>
- }i1-
- %~:e
- 1N %
- i#<e
- eoC F}
- _IH!
- Ji*7/e
- OrSe}
- = A*
- 7a^:

- 8"KvL
- 2`&J;
- {qjQ9
- oa%`'
- OScbt
- K9&=2
- dj7s
- _Hr2
- FN+AR
- UE[,
- \\\\e[
- +Bf/5
- @%i
- ;S'OM
- >Z2ia
- W[%0id
- nd8M}
- TV14Ic
- -M'@5va
- $|Jo
- @iclT
- t1x+
- "eS^?
- u#c:
- hy\\[3
- aO#ax
- BjeOZ
- zS>E
- \\A_X<GE
- ':\t5
-)nCA
- n0#W
- CN1l)
- DZ0Z
- bQvO
- Vl)O
- "ER1/
- Ed #
- u7G.-
- @6^IL
- U@p"
-)57C2+
-)RH2%
- J-Hu<
- EW4p
- FY$A
- o]&FR;
- h(Ba+
- `v`e
- O '>
- D0Ua
- 7iZX*
- ,7v7
- -96M
- <(O*
- gAT*
- QF!5

- 70GQ9
- C5%O
- i#0*
- O+3,
- 6zi'
- 7\tJr
- .q3`
- 4:90;5\t4;;7fb`g*oh*M
- B6"^;o
- M23k
- 2hc52
- z4l23
- oD>#C
- Dap\\s
- TAVk
- BiB7
- lKc17
- L;3F
- B1?t
- /;f.8i5
- 3^6C
- chaA
- IG*41
- 'f0I
- ;'42
- {6t7+/3
- muoncW
- gA]_G
- Ui3p
- |w6%
- Xd7f
- 5MEA
- T8Id
-)Hd#a
- 97[7%gA
- ITY
- C6 3
- V'%U
- O+R)
- \\G0.
- ER.S
- W-LOU
- 0#CT
- 6(^T9\\a0h
- d[OC
- qoI1
- Y* 8
- iLv5
- 2H\t!
- 9,e7^
- @<&I;
- u$e.z
- 7r&T;
- tlU>
- Us ;
- Cc'u
- EKgB

- L.5#
- KUc!
- -H(!8
- ue"M
- T7%
- /Mu>E^
- Y^2/8
- ;Se,
- _yW8
- aC1s
- 836)
- 8"">s
- b\tQ0
- Bt@LU
- |OJ&
- (@Ci
- Q9-
- \\{j^2
- R<ze
- oZ|H
- 1ppk
- aW.1
- lgOz
- rV6*5
- U8K.p
- H|kU5
- DR@L7
- +Ea/EgsNq
- H0MC
- bqiCC
- Tkuv@ub
- ?oje4'oij
- eFkf
- faTP
- G"lJ~
- @Sc$O1
- O2*U
- e3BcA
- _Pf7
- ER!TCRqS4FP%HE
- W7$j
- 2.|_r
- Z;9@V
- I@P[A
- POFFTY0
- |uBU
- %_1OR
- vaM&
- `iJZ
- ASEI
- X@3T
- +R3%B
- &2`"|ha
-]OG[
- D{/Ec
- -E!ASO
- pOdOU

- '2Op
- a&\\lf
- Kem!H
- f1,e
- te0`
- 0a4j_M
- (A.EeIV
- nBa
- *L8O]
- =Pmfi
- qa=I
- ku!o
- b=Ji"
- mTEN
- eL'7jT
- JIB?
- !aKUo+
- "1tA
- E4q _og
- iF:?V
- 0I*sc
- 4L}F
- 58BvH
- '>kUj
-]/idN
- .O<
- tKE-
- XJUZ6|
- mi&a;
- mtpIGOG
- D[#ca
- AyrJ
- fov0
- ^}Er
- h)o\\`
- 8,\\
- 2)X}P
- .^az
- OH(b
- 1wWI
- \\AWL
- Cim_
- 5?I<D6
- r+iY
- 04{u
- L0;5
- Kj7\tT
- `256
- e;
- u*60#
- #)A=#
- ca8,
- .}QA
- c5HF
- T?ma
- rA #:
- J[5%

- VcIC
- Q@a-}
- TG8%b
- xZ4ee|
- 15Dnqe
- Hi*"
- ZO-)O
- sp1I
- Mkera
- o\t36*d
- ,Et'R
- `w%4y
-)AW
- L~4*
- S^Wu
- M'ot
- pVA/%
- *0%<
- bI\t@
- E29R[z
- l9XM
- +?5!
- =\tu&
- {PL4i
- K\t,oN
- HOZ:
- dJ9X
- "{)9
- D<99
- 1M[5
- g:q07u
- 6DlJ~
- Te;k
- @M0r
- w)JrO
- B@\t9
- UYS/
- Uv'i
- ,RIE
- @>Do
- oT+@h
- U^Y@L
- /8&%
- 2Mll
- 2"w
- Q#U\\{
- goBc
- tIpS
- OmW
- 2x-0'
- 6w<83
- KA+M
- Go f
- }rq3|
- EzN?@
- A["X
- e?=na

- _7"/X
- Oy\'"
- 5#..
- 2!5s~QE
-)[O>I
- "te(
- ReRa
- TCmu
- 'bD?U
- Ish,
- @]0M
- lyWa
- ^ja|
- 'a4M_[uP
- 8@N&
- k*5d
- /voa
- #;Z\tI
- c<uJ
- hnx`mo94)c
- i/|>
- UT,]
- 4~!E~\t}
- b34y
- oQ>
- OZ\th
- 5'L(\\
- KU9'
- #U-$
- z6pW-
- f$7A
- _2tFH
- :C6u*
- FMRI"
- 1#I^d0
- U*aS
- L}oa
- iu\t9
- EC9_
- EB%Q
- :.e<
- @g6
-]|o
- i--"
- QU)%~
- 5 z
- g[voF
- 76cC(
- 4%y"E
- Adka
- u]@f
- "5P!
- B<?Ki
- ^bCi
- V9\t\\
- &a;`!
- `W A

- 817>!@
- mq#A
- e{qi
- 6lSD
- m4[J
- ,L&<2
- :&U0;
- .`(O
- }j.fi
- ag@U
- I91p
- Z;'oi
- Wi\t7
- TUWC
- PU,V>
- q/8=H4
- *"02
- 9;<)
- UIBP
- G7\t%
- v 38
- w\\EV?
- g\t A
- ;Ev
- 42.%|
- O?k'
- r$tVu
- 3y-49ACs$Ms
- [<7U
- Jp5|V
- VJa*
- A}i+
- $-!8
- D0+~
- 4!5Y
- i*\t@"
- M>0)
- Qeg1
- vZ.7t
- oV[RZ
- XSW8
- t9nL(!2e
- k0{1?$
- _qS3Z
- Io*k
- HVig
- 7\tQ!
- NHFO
- *t|In0bo
- Vanv
- H9[S=
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- kernel32.dll

• UhT+@
• UhE*@
• |AC3
• SVW3
• 5H'@
• Uhw&@
• SVW3
• ExeMem
• ExeMem
• UhA"@
• Uh\t"@
• Portions Copyright (c) 1999,2003 Avenger by NhT
• SVWU
• SVWU
• SVWU
• It1S
• SVWUQ
• SVWUQ
• SVWU
• 2_^[
• w%9
• Byte
• .idata
• `DATA
• CODE
• This program must be run under Win32
• >45?89UaA3ulIxiHOmmNruTQCY2M3KqbWAeEQNjxgIG7M8OVvw29ge8zdnsI3CRGWpssKZNMSj6WWMEwHhmkmTdSDvf9ySoqNWm2K9IemDWkbD
pxQGyRMlefzQcWlA6QZsGXUlV7uKRjAiOum9w9otyqvXoB3u23xkWq433Q1TZYQSfxD5JOmGRZvGA0BjuawI86Vd4cIkUQLY1D462M1GxstNQ2DGcpHtx
2TCm9o6bhZaLe8UPuZLZ9eP7SrcbSGCC4pPADPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDING
XXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDING
PADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADD
• k{Ms
• MS"C
•]B bw
• &Kd;:
• {hPV
• s;kz;
• SDYG-sv:i;
• N)N`2nF
• M}Bh
• tF)k|
• cSX|?
• =P>&5r
• {`,D
• /gjh
• Fz{[Nm
• mqQPGvK
• 1bz`h=
• ntKH/
• b|_f!
• JhSvQ1
• k]Qv
• LnGM
• 8J~hQ@
• oMXy\t[^KS+F`W.
• fL5>KC
• d}PiN;

- Ww@Hy
- >!y&
- {p&.C
- YmZCn
- <MvcC<OV
- [Vv[
- Q]=&i;|
- ^[MVFC
- s`$w
- nq\\f
- QMCvLy
- G.|/
- ?dEddF)\\
- /w^Q"C
-]IpkGIW
- vlplG+v5
- :Lyd:Hw
- FCpL
- =Yz@}?Ap
- :Cz4G:
- NjpdYy
- 'pB=
- Y(R{
- xvxh
- r_w:
- FPzp
- HB~XWY
- NRjv
- 'Cj|WkMb
- SjTls4L
- ,YK/#
- mMNck
- J@p'D`M
- ;k|)
- KXNNP^w
- vQzy(.c],%56
- t`Wf=C1
- lq?b
- @zCBVNETR
- >>(R?
- Ls^c@
- JxjNpDvb
- hx]W
- -9;JR}
- By~m
- SPlc
- *d\twfDz
- :Sfq
- {@TA%`r
- &%b>
- rwZT<
- `\\w4mbs_)
- wDN0(z
- %gDlo{z
- z|cWH
- M<-K
- Z]bCP

- rjyMum
- b>hd#An
- bQ?zz
- DQpjBCRlVa
- Xpf1QIgx$sZ
- g<;F
- ?fKQ
- hQ]s
- d]b^}r
- CN#$
- \\\tcN
- Gz+WZkDHpN
- ,Y(N
- @#;p
- };;F!K9
- tMVH
-]Pymqf c]h
- ^n3JCmr[q
- m&Nd;
- f#dh
- nNXH:K(0
- B}gM
- ;WT_
- hEL,+%
- ZIfl
- E\\y,?=p
- FmtQX3
- oW__Sc
- +VV.2zRx`
- *Mb&
- H\tDh+sa[U&x;]z
- _BxOfPJ!
- eRnM*dd
- C}JLZc
- n.NN~v
- npXA_L
- P'Kv
- <;"W
- ?rYjcY+?.+O
- 6l`=QB
- vjKIM/
- R,Nj
- n~\\T
- Jy;6Kv
- Bg@@
- fJW7{`[
- y$ln
- 1^B*~=
- @jsL
- HbZL
- ??yq@
- [FS|Cne
- N+d*
- ,HvB
- |\tgUfzJ
- `woDxc
- .JQN

- oq>[y_qW
- hp7@vW
- VSvR
- Fg`aZ|
- t#+
- -`)v
- Y]tqkc
- HpN1)oj[}yNjR
- {\tRgl
- ZmQ@
- p[GqL|k
- ZybDKk
- k}`n'q
- |hW/-1
- ZSDDplW
- @dT5G\\
- ^)t_t
- _N[OvN`}
- k?F?,AvB
- JfWq`~hVvj
- G\\jJErFsY
- Q3^nQ:
- L+mm
- /HKD_[t<
- \\z]Mfpct3
- #1G.CD
- FBd!
- YNbZ
- ~HNL
- ^M&c;
- =G(D
- |&qb;
- rCM|\t\td
- /*.R
- FdWx
- 0PLgpj
- 8B.NG}^
- &)dZ
- /D=H,fR
- +DBH
- QYh?
- D~/*
- NzgV
- }#J<
-]>`Mh
- Np<y@%
- &<#%
- =!&.
- YChw
- =tZ"Ja
- #YLE<f)
- hP *]
- 2F>=p"
- &) L>N
- &J;(
- ;@CD
- sB\\@!

- >lW/:/2J
- w(]'
- }^L jk
- HVn#
- `%|y
- dD,X
- :'x
- 9Q;^'m
- E\t;"S\\
- $;; H
- Z;!{
- 8J$NFP
- $QF{
- O*X}_X
- M!!}T_
- {XXP
- ^<W&
- /} {6YC
- (;{X
- t-F
- }STkup~
- ;J%^S
- '&X.;
-]]tfEz
- MW"qC{
- yI}V~|B
- Sr4pjws}uM{
- ~~p}~
- kqB
- bFyc
- (:z?
- 9x-~hs
- u;sRqfs{s
- C>R.P
- 1x;qgqpzyx
- LYZF
-]=`H
- P{GSd
- :L;r&
- u(x+x:}N|Y}m
- }:~C
- /rtxp
- GuAp^}Vxby`{pvss
- 6p wgQ
- <?5H YM
- <\\Gl
- >(J[
- `.md~
- G\\W&"5%[
- H)cH@
- nCvSl!S
- Y'UZFCL
- V'_\\
- @L[ML
- ww]?
- a"Pd!f
- W^>^Jo

- sD_&
- ,vx"
- {=Vv
- T#BAT,
- /<C_
- H]rB
- 'BR<
- k JNOr#
- /dB/
- }$.`s
- +tJ]
- !l@0Mw
- %Hc[E^
- ,CtV
- jpNSg+
- f|s.M
- NbTf
- `t}|
- '({1P^
- lNl#
- =HMw
- /(NK
- P&`M{
- \\%hMy
- (+=BFS
- -ZqGK
- \\=lm
-)U*fNk
- 4'jN\twF
- cX$\tbN
- Mff+
- xp~==)
- //WJ
- k^4m`*
- ~\\gMf
- %=X@
- Vk^w]
- kMcQ
- yPagG rR
- xvnD
- "wg]
- Rmtvzsfd
- `;Sl
- ppmM
- @rfyP
- (Xq+,
- *rcq
- .\t]
- 7QjgQm)
- Vbot!p
- (wl~
- l:,"
- !V[G
- Y$g#
- "YZHH
- vVS-
- +VL`

- #G(|
- <_k>
- Z~[Nk
- }??r
- T\\>F
- (]nm
- Dj\t}S9
- nz%J3*
- zX +'m
- KGEgHd
- `r;L
- ;k)@9_
- (qku"q
- ([cS$_
- N+!y^
- bytm}}&:fa
-)GS^
- (:B%
- tX,'
- zHYpC
- >#Sj
- dpX>
- z'=[d
- ?PB&
- J#DJD
- y :Q-
- ;y[?
- %{]`T
- ~YT_;
- Ft_?
- fLwdj>/
- tQ>Z(?
- ;F',
- -#&!%(.(
- ")("(."
- qputr}qxH|$<./ 0
- innnfdwp
- XR]ZSZQ^FU
- FBJM
- V{!f
- g\tCGk=z
- @_~cpmn=c&1{
- s&g-;
- T_bQ
- :\t([gW3N
- W<CJ
- T\V&
- *%G+
- P-j*
- #g`G
- VCvp
- TNR[1H\t@\\wh
- `*)YzV
- \'X"-w\'
-]Mg'
- 'M~%
- SMzH

-]#/`@
- %[{&
- Vy!D
- Pp(#Y
- >V(=
- !FtD
- s:S=
- SZXT
- p9zP"&
- D;!\\t
- ,Gtf
- TN.>
- %K{iz,
- ^n.%h
- }`P=
- oN(&LGp;&/`rh
- n?D#
- jJM~
- >rb\\
- hs!u"tN
- c#/~
- cMn/^
- cL!P
- DB[:
- C)R_
- "LIY
- Qp#{
- /'!kZ
- h&Bb;
- d%^w
- *Qr
- x}B}"
- Gl:]
- J]%^
- NgocR?
- MG[ )
- ;D!y
- N@(y
- %[]K
- D~&@
- JT,y
- +R(;
- FD.Mc
- lSs.
- `_fR
- M%HP/j
- +Cc=
- *#[s
- PKmG
- hm Gs
- x*By
- +KG8!c
- RBLy
- ?$PB
- nV)-T
- D<"LO<
- |g\\h

- zLStbA
- }!)R
- p@=,}
- Bt&^Z
- QF(
- (&P;[
- /DW)
- Fg(c
- :*C
- wvKX
- ;W=
- z3H*SX
- ,k]b[
- 4Y ,@.
- |C}d
- LBTNL?S
-)&S8x;)D%
- nL+/
- wK/{
- ?M~,M
- +|/K:
- D&P;\\t
- (i\tjJ\\z
- V{hP>i
- ((c"
- g%ZC
- QQ-`
- *"g!\'D
- ^Bm+l
- n[=z
- !hP^
- */[dJg
- $>>$
- Swz$"
- cnBg
- (+G"
- f.wK
- !w^k
- /xK[
- V\t W
- !#Q$"
- =WPB
- B @*h:%'*
- gZwlsGocl<Vz
- mql`
- lq%qw
- K/wl
- EC@MGK
- ![QD
- B'j}
- ="k}
- Zq#c
- %xG?
- mL$k+lR
- D~]`
- k+@w
- @PK%j

- zf&)J
- G=!W
- G<RF/
- ;S}J
- ckl)h!
-)LV'
- WB_=*4K
- FfrP,Iy
- .Qt{x
- jlK9sm
- R|{z
- gN)L@
- j>XF
- '|\\
- ~PcZ.
- QP}^
- GWSXh
- (,q-
- _};Z
- ,b,g#
- PBMs
- CLLV'*
- -d#r
- >j@,
- VmcF
- =<IY
- P\\)-
- nVQ+
- (J~'
- #E^mNvxx1=ySp
- +IThk|x
- frxfpH
- X,w.6b
- xVlw
- f-:f
- -\\>-
- wS}P
- ?Jg,
- %eQF!q
- rv\\!sb
- t|*)%
- ;yG"
- ySB/
- smx,
- Yn<,
- J_&K;
- *yZC
- ^LKP
- xwML
- bL$Gt
- 6D%_ng
- MD=.
- r@g!
- !\\gD\\
- {Zt)
- !}2t<+
- JGdC

- ??>?#+
- N;qC
- pGcY
- x%@$
- [rMY
- Yy'\\@O
- x3RXVH
- @?p>
- bs
- _#>P
- nVtL
- drV_
- h;&f;
- HJ\\Q
- n[\ts&7^
- ;G=;;
- k=YGk
- =')Pc&O;
- CVp[z.%
- &dt-;
- @L%-B
- YlRf
- q_L\\
- %LTJU*+
- _+]`
- Z(}-
- {LWf
- `PIF@
- ~mm]
- "ext~#kX>
- c^;j
- {)DVK
- \'B~"\tv+aX
- !4hN}W sG
- M}J,
- L+(~9w
- j\t,_/
- s!ZG
- CM(XX+
- G%zr
- }-['
- >?QR
- &g;[N
- S)]v
- $%z.
- j/ *G
- S"+;UC@
- kxk'j~
- ^R"r[V
- ^H";]
- yBZ$X
- [lW%
- EY\\Mcy
- xF`UN/
- "{SxP
- /#YB
- .Yk>

- jx/z
- B<@=
- LQ1)qf
- v|%G
- /y=|I|
- Eq]Y\\&!!
- 6RY:G@
- w&\\y{
- `<=
- -/p:
- K`Yt
- ~}B]8
- _@vX
- yzFN#
- ^hh[{
- jwzg'\\
- |dvw
- ?"xt
- WBQYC
- {("^
- |\t%r
- {T@Hg
- f*X&4G
- +-$dqM
- oG?C>&
- wgO("=
-]#G\ta(=c
- >G, F,
- DzH\\'
- CcWf
- ?>TL
- $/f!
- J,H^
- yWn@S
- (?:!G6JF&:
- L\\s[
- _m*
- ^+p)
- ![\t<
- H@/S
- s@W}
- gC9/^]
- &%BEYY
- V?wS
- SsFM
- ns<[
- y*JLb
- @} {
- 'g*
- JK:)
- kgv:
- @Q,g|+
- JcR%;G
- SK/D
- .}qw
- "xR.
- M\tB*

- .t/;
- YJ,g
- +\\M;Q
- GJ%,
- _;(M
- y({,
- PlF&
- CJ%s
- Gf"d
- -B$=
- |BJ#
- #q$~
- `Df!
- z'M-
- ,SD/!z
- T\\fZ
- BM-Z
- *JudHZ
- n,&{
- $<!bDF!+O
- G%jP
- (^{q
- f<Vacn|
- xXpw
- !Tkc
- +LhJ
- `?V;
- ;xJV}
- rr+"
- GG`~sf
- cX!^
- -\\<+
- tQ'{
- Gl$~
- K&$*
- +v?_h
- lGL;c
- DT!l
- d\t*b
- .h -c$
- DTzA.*Q
- ,DJ(
- N,#N
- #mwJ
- `.*_
-]~%\t{
- qh,J_d
- tFb<V`
- jck"f
- _dPz
- @GV ^
- Jt$x
- #Mxd^
- B;];x
- hDGr
- XqK@
- DR{S

- =R4F-B~>:Z9F0Q<K&^}
- knmk)
- @Qy!
- CGRD
- m*L|
- Zs3q\\^
- R~~B(]
- %__
- &[C)
- gp&R;
- jZt,
- ^O=l.,
- lv-N
- gl}&
- J+'R
- ^{nc
- d(ng#H
- FtX$
- Xh]^
- CBX9@v
- j!Vh
- snrg
- {h'F
- `CZ+
- v%\\r
- _\tv|-x
- nyNK%\\
- Kc'n
- GsDT
- %wR<
- {BNZ
- HY##
- TcY:?
- yz`m)
- }D~d
- #yYv
-]PP
- Pp|wKw
- vdp`x
- mjwdwQ@!
- y&Vfd;
- q"pM
- B<wk
- f+V;
- &*Zb
- !"y"
- [yyd
- DP`jb5
- QDSJDIr
- J@EMJ]
- rcmd&]R\\
- stgqsz
- _qd."
- &Xhy;
- d\'";B-
- b\\!
- `HfB

- X;\tH
- c<Mc
- K\t*
-)/N^
- F<QJ[
- L_z
- Y%B&&F;
-)B=C
- B,?M
- hDfg
- p;=!
- 'J]Y
- jSft
- } h/
- g%SD[
- n,;-
- F/nR
- -%<Y
- (w*!
- .r.snB
- @:?(
- y$}_
- j,%=
- GP/@
- MMKZ
- <RKO:G
- 'z,n
- l|G("
- \\BtDK
- ^LCdaRw
- Khlb
- "bK-
- F]wW
- $+Lj>
- !H&"
- 'fnucm`
- DS `
- y ~<M1
-]&/$
- [+j!
- !ppmbsn
- "n_-@
- b@)_
- |JRw
- ?TU;*@V;
- G|={
- *< q
- =yKJX
- Z\\M*
- Q<\t>G
- `y)}
- SJ$d
- odykh~
- , %k
- BZWZ
- #cHS^(V3
- U {dJ`

- (2RM](
- !C=h
- c-Cj
- RD&z;
- dg)mD
- ,T\"'Kl
- JGOx(Z\\
- z+,M
- =+S{V
- (";
- Y`q/B
- mH&DKw;
- c3 t,q
- F\tvs
- W/!T
- !rZ}c,k
- qPnN
- n> -
- !M@y
- V$Lx
- x!jM&
- S.{"h
- qnR+
- :lB;
- >LHQ
- Qj6B/y
- ?+v>Rk~
- hM=#
- 'zFG
- g&=T
- nHz+v
- D@&\\
- Xjc{U:
- $;!h
- N-FP"_
- N[}Q
- */Yj
- Jvj=
- /7)FH)N
- sb[Y*
- K(H
- M>`G
- WN;_
-)="
- \\#X!
- nQ@-
- HxQSkc=
- j) D!
- L+ZYIZ
-)!_Oz-L
- V+Mj
- T[JB
- CZN(]
- Wp`+?
- n/[
- M,,Q
- pBs?

- :vt
- `S!*
- Gs?Q
- Z~q?
- M|xnJl
- ~lx\t{M
- Dhb{iW
- '@ch{
- Zl"#
- qyJq
- B@}Z
- `@!!
- /Kh$
- gMh?h
- @`/(
- _NQ%\\
- si|.-t
- jB(*wi
- "{J<
- :)x}d
- @dzP*
- !g S~
- -~q])Zt`
- X"PS
- }~jX
- K.BDL
- cv1TBs
- _#M{
- WW-h
- .`yiS{
- {Ll]
- V{nW
- L\t`XL
- L^CM]Q:
- Db/RS
- Z+?ww@"
- #:'CI~
- }-Jjo+
- WR"]Lh
- #[F#
- X$D&
- lm\\N
- :NZv
- {y_{
- 'n&M;
- b(Y'
- d(w9;B
- 8CF`|@cT<
- @#bv
- gL!sF
- @n+~;
- \\l%^s
- X,|L+4
- MNXGq
- ,_yBY!
- h!,T
- TvY.

- \\p:C
- rx/H
- ;yZt
- XRR z
- |`#R6V
- (f|W-&
- Qcq+
- Gw/Dh
- m`*/
- -#"c
- d>Z/OL
- ,`*N^
- =qtd
- ;{y\\(
- [k&mx;|QBp
- QM]-
- D@n#k
- >/p*
- FWCQ
- tbqNs.e
- `}+;]|
- !tN>^
-)$hnk
- `{C~]}l
- <jhnwf@W+,
- _U%x\tyyt$
- <&w;)~
- VER S,
- Jftc
- S$;
- _PGt7`+
- xv)_;
- |Kz?
- k!yF
- Bk%*
- D+%P
- N<H
- g}'p
- @:c^
- j(|$&
- ~*XN#
- xZ&;
- .F,.
- M+FY
- ;M@Q|:E
- %[CQP
- B(K^
- `TH/4{
- yfjdM&Q;
- Jcq'
- &"-J
- mW)l
- M+dH
- mgsv;
- -k}jz
-]wVV
- t:f;R

- .$WKw
- jz$y\tU
- \\kd&
- B\\(ce+
- @($N{
- U]-/ZL@
- #.rt
- J;Hyt
- @V&]
- (k=$
- x ~s
- 'xB
- J#MNW
- .<=M
- [;1$gy
- CQlt
- B^gP
- ?zF=
- g*P[\\
- }Z# ;
- KB,s
- gVn*Jv\\
- Yyj
- ,Jc:
- %K'm
- zm"
- M(!JH?
- F) %
- rS[t*
- kdd%C
- (W)l
- r+!n
- M[!f
- NB>
- GS#$
- N='V
-)Dwk
- t>}K
- 'y|$
- y) >
- qF!kK
- #??zM-
- Cw@@
- wyf#
- ;wl@
- G@+P@
- Ngcna)
- =>!?
- Knpjk
- IKM*Bh
- gJS<
- :"{Z
-]TlY.c
- pP,c
- Cz%T
- !:dZ$%9
- <\tSs[U+

- >fN(
- ?_@'
- J'$jB
- \\y('
- zn:#
- }hz.
- rp)/w^nq-96
- K-*.S
- }mb~P+
- K(>/
- Q'%T
- . HvM
- F/(Ks
- WT^
- J-S=
- vms.
- RV)(
- Lw".
- vGg$
- C,:.
- ~x_"
- @\t&f;
- kn.z=
- |/x]
- n `.
- HTQ)
- LLV%
- "$KQ
- bt/F
- _ ww
- K|[q
- Fv:
- ?F[<
- }xnd
- G!q)
- g<b{
- &LFLD;
- Wc=>
- Y<)_
- Sb.Q
- "CG=
- f ll`
- D'vw
- -%JK
- YlIW
- cL,\\
- ']Y[
- p\\e(W.
- C[rDm
- h0cc`lr
- b]jD
- nGpK
- sLkHf
- {c{d
- /\\l(t
-)gH^g-
- VS<H

- h+$[
- pb;*+m
- R<sr
- (C"w
- $]3Y_~
- M}}
- {X.pw
- =%.
- npWw
- s`D%
- sRtW
- ${|gX
- \\"<:(
- <d`,
- qf-x
- q*w
- C\tkG,
- g..DC$}
- NH\tj
- .wQl
- q||yuD
- !{ks]
- b%Di<*
- PMmMm
- %WldyQ
- K-$g
- "ghubmqf
- C@Z*H
- FkM=
- |Cn{
- L(AX kn
- awGF:!
- E_ZW#*
- lN+&
- /Y-m
- [s{Z
- K\\\tN
- }x"M
- df#`]J
- ']Q$
- @=kfDry
- vbkSq
- M>sB
-)(XT
- qz,v&
- pL%'
- Z%hBQ
- pDV%
- lgxcj*
- V^@&
- l@/Z
- =/'$
- GQl$
- .]T;
- (J$I +
- *R/\\D"*
- ?m(b

- k:g^
- LCYG
- @> K
- {dQ=
- $>,_
- %\\@Q
- kW\\%
- D(sk
- ~<wv
- M|:{N
- mT,
- <N\\.
- M?b$
- =t`y}
- chjBdr
- &Pcg;
- xF:b[p
- Gp}m'
- :,cy
- _XzY^5
- %\tLf
- fwg^
- vJ:g{
- q%F
- -,=G3D
- D#"&
- [vT<Q
- J-$
- &rdqM;
- *"$UXQ
- -.]_
- Hy|&r;
- >LFN
- %Byn
- P"FJ
- }oN>|S
- X=^
- yHkmcVg
- 7JQ_$;
- mW.`B(2
- #U.Mpf
- #*T;@L
- {K[H
- L8lQ>:H+
- HY?=
- QBpJ
-)l xV
- N@Dj{
- RFE/,n\\
-]Qg=
- (lNN
- a@cwd_
- hH_&
- wh.lx
- D+<
- :z-]t
- "@_i"k

- H}&_
- &:wL
- <!B~
- F!fG
- Y!PZ
- YL<*4Z
- +fr
- M)q{
- xY{=
- +}[S
- g$\\f
- Zjz q
- QNlzdP
- PKnvhg>ce
- bHx
- "\'#N
- b@\\g
- ql@%
- bP"z
- Qh4#]/B<-
- GWb/
- mFz}f
- Qv#F?
- b({?
- hZtf
- ?[GF
- w\\Sq
- B&"(
- {pq>q
- jkjWda
- XLHTew
- iL}_KZ
- Ojkbjv
- /#*C
- RG.x!
- pfkl`
- $hh<iqp
- dGH_
- lRF<
- SF-S
- TlQK
- 3.v&<.v
- -v\\9.v
- >-v)
- /.vF
- -v+E.vO!.vp
- ZYYd
- ZYYd
- ZYYd
- h[+@
- ZYYd
- YZ_^[
- -|V@
- hL*@
- ZYYd
- ZYYd
- $ZXv

- h~&@
- ZYYd
- ZYYd
- -xV@
- ZYYd
- -tV@
- hH"@
- ZYYd
- -pV@
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
- Z^[X
- SVRP
- t f;J
- t-Rf;
-]_^[
- ;_^[
- t&J;|
- ;_^[
- Z]_^[
- Z]_^[
- Z_^[
- SVWQ
-]_^[
- YYZX
- ~ExC[)
- ,$YXZ
- t:VW
- tSVW
- $Z^[
- %P`@
- %T`@
- %X`@
- %\\`@
- %``@
- %d`@
- %h`@
- %l`@
- %p`@
- %t`@
- %x`@
- .rsrc

- **Module 5 (probably unpacked / injected by the sample)**

  - **Module 5 rich signatures**

• Module 5 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 5 strings

• Module 5 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | kernel32: IsWow64Process
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread
- api | user32: PostMessageA
- api | kernel32: GetLongPathNameA

• Module 5 other strings

- iframe
- video
- object
- embed
- javascript
- click
- href
- name

- href
- Content-Length:
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- MacromediaFlashPlayerActiveX
- SVW3
- SVWU
- hidden
- none
- 'D,3
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL
- t6jxj
- t6jxj
- ZX~6
- SVW3
- :9)B
- SVW3
- hidden
- none
- hidden
- none
- SVW3
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- Uh|}
- SVW3
- QSV3
- Uhpm

- SVW3
- SVW3
- UhUg
- packIP
- Uhqf
- browser2
- browser
- :setua
- setua:
- 0hHa
- Uh T
- PSAPI.dll
- Uh$R
- PSAPI.dll
- UhlP
- PSAPI.dll
- UhTO
- PSAPI.dll
- SVW3
- en-US
- SVW3
- 1234567890abcdef
- Uh1-
- ?id=1
- Uh)+
- Uh%*
- UhA)
- Uh@(
- UAIL
- UAIL
- Uh0%
- UAIL
- Uh:$
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- SVW3
- SVW3
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- SVW3
- 4_^[
- j4WS
- VE,wE
- SVW3
- ,\rE
- T4~`
- FMt!O

- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- $ZXu#
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- AI@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&

- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- Uhb~
- SVW3
- UhYs
- SVWU
- SVW3
- SVWU
- UhAo
- Uh=n
- Uhmn
- SVWUh
- UhQj
- Uhae
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Uh4Z
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Uh4X
- kernel32.dll
- 8\\u8
- u+_^
- UhqP
- u)_^[
- UhkM
- Uh>I
- u^f=
- UhDG
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt

- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- UhP1
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhz2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- Uhu&
- SVWU
- Uh<"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- lng::

- ::lng
- jjjj
- jjjjjjh
- jjjj
- jjjj
-]_^[
- PSj S
- ZYYd
- SPh|
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- ZYYd
- QQQQQQSV
-]_^[
- '>click</a>
- ZYYd
- t&jxj;
- $ZXs
- $ZXs
- $ZXv<
- tRhx
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd
- QSVW
- ZYYd
- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd

- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQSVW
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec

- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h,w
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h w
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- &`%$
- y"|Z
- g@h)

- YzfW3k
- KFS,
- L]{
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[

- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- t@hTW
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV

- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- :_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- :_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- Ph{/
- T$(j
- SPRQ
- YYZX
- PPRTj

- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- ;=xt
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
- "h$t
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 6 (probably unpacked / injected by the sample)

• Module 6 rich signatures

- 44616e530000000000000000000000000097895000200000009788300130000000978930000f000000000001004c0000000978840002000000097894000100000009789100

• Module 6 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasRichSignature (Rich Signature Check)
- disable_dep (Bypass DEP)
- win_registry (Affect system registries)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)

- contentis_base64 (This rule finds for base64 strings)

• Module 6 strings

• Module 6 most interesting strings

- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: DllInstall
- api | frequently used by malware: DllUnregisterServer
- api | frequently used by malware: DllRegisterServer
- api | frequently used by malware: GetTickCount
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: Sleep
- api | frequently used by malware: NtSetInformationProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetNativeSystemInfo
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: DllInstall
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: TerminateProcess
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: GetModuleHandleA
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: GetStartupInfoW
- api | kernel32: InterlockedCompareExchange
- api | kernel32: InterlockedExchange
- api | ntdll: RtlImageNtHeader
- api | ntdll: _except_handler4_common
- api | ntdll: strcat_s
- api | ntdll: swprintf_s
- api | ntdll: _wsplitpath_s
- api | ntdll: wcscat_s
- api | ntdll: wcscpy_s
- api | ntdll: memset
- api | ntdll: wcsncpy_s
- api | user32: LoadStringW
- api | user32: CharNextW
- api | kernel32: HeapSetInformation
- api | kernel32: LocalAlloc
- api | kernel32: FormatMessageW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryExW
- api | kernel32: lstrcmpW
- api | kernel32: FreeLibrary
- api | kernel32: GetLastError
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: GetCommandLineW
- api | kernel32: GetCurrentProcess
- api | kernel32: IsWow64Process
- api | kernel32: GetSystemDirectoryW

- api | kernel32: Wow64EnableWow64FsRedirection
- api | kernel32: CreateProcessW
- api | kernel32: WaitForSingleObject
- api | kernel32: GetExitCodeProcess
- api | kernel32: CreateFileW
- api | kernel32: ReadFile
- api | kernel32: SetFilePointer
- api | kernel32: CloseHandle
- api | kernel32: RegOpenKeyExW
- api | advapi32: RegQueryValueW
- api | urlmon: DllRegisterServerEx
- api | user32: SetProcessDPIAware

• Module 6 other strings

- en-US
- Translation
- VarFileInfo
- 6.1.7600.16385
- ProductVersion
- Operating System
- Windows
- Microsoft
- ProductName
- REGSVR32.EXE
- OriginalFilename
- Microsoft Corporation. All rights reserved.
- LegalCopyright
- REGSVR32
- InternalName
- 6.1.7600.16385 (win7_rtm.090713-1255)
- FileVersion
- Microsoft(C) Register Server
- FileDescription
- Microsoft Corporation
- CompanyName
- 040904B0
- StringFileInfo
- VS_VERSION_INFO
- /n must be used with the /i switch
- Excessive # of DLL's on cmdline
- and
- .ocx
- 0x%08lx
- AutoRegister
- user32.dll
- \\regsvr32.exe
- RegSvr32
- :d:i:
- 8l9z9
- 8R8^8j8
- 7^7j7p7w7
- 6`6j6p6y6
- 535R5[5v5
- 444r4
- 2\t3O3W3i3~3

- 1!1M1S1t1
- 0,060
- 9O9[9
- 7.8=8b8j8
- 7^7d7m7t7
- 5V5l5
- 3$4D4q4
- @1L1P1 3$3d3h3
- </trustInfo>
- </security>
- </requestedPrivileges>
- uiAccess="false"
- level="asInvoker"
- <requestedExecutionLevel
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- language="*"
- processorArchitecture="x86"
- publicKeyToken="6595b64144ccf1df"
- version="6.0.0.0"
- name="Microsoft.Windows.Common-Controls"
- type="win32"
- <assemblyIdentity
- <dependentAssembly>
- <dependency>
- <description>Microsoft Register Server</description>
- type="win32"
- name="Microsoft.Windows.RegSvr32"
- processorArchitecture="x86"
- version="5.1.0.0"
- <assemblyIdentity
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <!-- Copyright (c) Microsoft Corporation -->
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- COMCTL32.dll
- ole32.dll
- OleUninitialize
- _controlfp
- ?terminate@@YAXXZ
- __set_app_type
- __p__fmode
- __p__commode
- __setusermatherr
- _amsg_exit
- _initterm
- exit
- _exit
- _cexit
- __wgetmainargs
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- t?!E
- 8csm

- wOf;
- t h0
- tUVV
- t9HHt
- tlHHtEHt3
- SVW3
- jD[3
- u%WW
- regsvr32.pdb
- DllRegisterServerExW
- T-vc3.vWA.v1#-v
- uM7.v
- -v9.
- COMCTL32.dll
- ole32.dll
- USER32.dll
- KERNEL32.dll
- ADVAPI32.dll
- @.reloc
- `.data
- .text
- Rich
- !This program cannot be run in DOS mode.
- .dll
- =$=(=
- <$<+<2<:<B<J<V<_<d<j<t<}<
- ;J;m;z;
- ?%?M?m?
- =">Q>h>
- ; <{<2=<=G=
- ;X;i;x;
- :5:L:e:m:r:
- </assembly>
- />
- />
- ntdll.dll
- msvcrt.dll
- _wcmdln
- _XcptFilter
- __argc
- __wargv
- Y__^[
- _^[]
- YQPSh
- QVPVh
- DVVVVSj
- lPh
- VVVh
- VVVh
- PVVVVVVS
- PVVVVVVS
- t*hh
- Pj"j
- VVVVVj
- VVVj
- t\tVVVVVj
- "t>h

- Pj"j
- QWWWWWW
- PSh|
- @@f;
- GG@@
- PVVVVVVS
- RSDS;m
- E.vQJ.v
- -vuG-v
- @.vw
- -vM)v
- ntdll.dll
- msvcrt.dll
- .rsrc

• Module 7 (probably unpacked / injected by the sample)

• Module 7 rich signatures

• Module 7 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- Borland_Delphi_40_additional ()
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_Setup_Module ()
- Borland_Delphi_40 ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- BASE64_table (Look for Base64 table)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 7 strings

• Module 7 most interesting strings

• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
• url | valid domains | tlds: t.Ht
• api | frequently used by malware: ZwQuerySystemInformation
• api | frequently used by malware: ObtainUserAgentString
• api | frequently used by malware: ZwQuerySystemInformation
• api | frequently used by malware: ZwQuerySystemInformation
• api | frequently used by malware: ZwQuerySystemInformation
• api | frequently used by malware: ZwQuerySystemInformation
• api | frequently used by malware: ObtainUserAgentString
• api | frequently used by malware: InternetReadFile
• registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
• registry: HKCU\\
• registry: HKLM\\
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• registry: HKCU\\
• registry: HKLM\\
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | psapi: GetPerformanceInfo
• api | ntdll: NtCreateThreadEx
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessImageFileNameW
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | urlmon: CoInternetSetFeatureEnabled
• api | urlmon: CoInternetIsFeatureEnabled
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | kernel32: IsWow64Process
• api | kernel32: GetProcessIdOfThread
• api | ntdll: NtQueryInformationThread
• api | user32: PostMessageA
• api | kernel32: GetLongPathNameA

• Module 7 other strings

• 0000

- 000000
- 6666
- 6666
- 66006666
- EEEEEEEE
- DD16D:
- :DD16D
- DD15D:
- :DD15D
- DD14D:
- :DD14D
- DD13D:
- :DD13D
- DD12D:
- :DD12D
- DD11D:
- :DD11D
- DD10D:
- :DD10D
- DD9D:
- :DD9D
- DD8D:
- :DD8D
- DD7D:
- :DD7D
- DD6D:
- :DD6D
- DD5D:
- :DD5D
- DD4D:
- :DD4D
- DD3D:
- :DD3D
- DD2D:
- :DD2D
- DD1D:
- :DD1D
- ~\\VarFileInfo\\Translation
- ~\\VarFileInfo\\Translation
- Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- SOFTWARE\\
- 1809
- 2300
- 1206
- unknown
- unknown
- services
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- iframe
- video
- object
- embed
- javascript
- click
- href

- name
- href
- Content-Length:
- 0123456789abcdef
- !"#$%&\'()*+,-./0123
- ?456789:;<=
- dElElElElElElElEl
- E`E`E`E`E`E`E`E`
- E`E`E`E`E`E`E`E`E`E`E`E`E`E`E`E`E
- 0123456789ABCDEF
- Error
- Runtime error at 00000000
- hh}E
- G8Pj
- G4Pj
- G0Pj
- u\t=X
- -L}E
- hP}E
- hP}E
- hP}E
- -H}E
- main
- STATIC
- 9.6k
- q7P6
- F8_w
- UIXP
- hHiE
- 5 {E
- htzE
- h\\zE
- hDzE
- h,zE
- hTyE
- hlyE
- browser
- browser2
- =8hE
- WinSta0
- ={{E
- ={{E
- WinSta0
- ={{E
- \\$43
- D$ 3
- 5@iE
- D$,3
- SVWU
- :MZu,
- software\\
- SVW3
- \\Wow6432Node
- QSVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7

- SVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- QSVW3
- Uh4wD
- UhQvD
- Hu&V;
- haqD
- UhZqD
- SVW3
- $ZXu
- |5E3
- SVWU
- T4~`
- :MZu:
- QSV3
- |#E3
- SVWU
- hOaD
- UhHaD
- UhM`D
- UhM^D
- E PVW
- Uhl[D
- E PVW
- hOYD
- UhHYD
- Uh{XD
- UhyVD
- -xxE
- UhDSD
- udj
- uZj
- SVW3
- SOFTWARE\\
- SOFTWARE\\
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- Mozilla
- h3JD
- 0hhMD
- 0hhMD
- Uh,JD
- SOFTWARE\\
- 0hTFD
- 0hTFD
- Uh FD
- SOFTWARE\\

- UhoCD
- ABCDEF0123456789
- abcdef0123456789
- eyuioa
- .exe
- h;AD
- Uh4AD
- eyuioa
- 0123456789
- InstallDate
- .exe
- Content-Type: application/x-www-form-urlencoded
- POST
- HTTP/1.1
- SVW3
- Uh}8D
- SOFTWARE\\
- SOFTWARE\\
- h\t2D
- hd2D
- hd2D
- hd2D
- SOFTWARE\\
- 0h8-D
- 0h8-D
- Kernel32.dll
- IL:
- Win 10
- Win 8.1
- Win Server 2012 R2
- Win 8
- Win Server 2012
- Win 7
- Win Server 2008 R2
- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- Uht(D
- SHGetFolderPathW
- Shell32.dll
- SHGetKnownFolderPath
- UhM#D
- SVW3
- SVWUQ
- SVW3
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- SVW3
- SVW3
- InstallDate
- DigitalProductId

- unknown
- +D$8
- <sAf
- u1h`
- u1h`
- u1h`
- :MZu^
- :MZuD
- 5`gE
- 5\\gE
- 5XgE
- 1234567890
- 1234567890
- Hu(Th
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789
- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- %8gE
- <sAf
- <sAf
- SOFTWARE\\
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[
- t*j8
- |$AC
- SOFTWARE\\
- SOFTWARE\\
- HTTP/1.1
- SVW3
- -txE
- -pxE
- old1
- PmX8;
- :\tyu
- PmX8;
- :\tyu
-]6p?
- -lxE
- chkok2
- chkok
- chkok1
- QSV3
- |AF3
- SVW3
- 9ddreu6

- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB
- 9LoaduM
- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- SVW3
- 9ddreu7
- 8rocAuB
- 9GetPuM
- 8aryAu7
- 8LibruB
- 9LoaduM
- UIXP
- UhyuC
- UIXP
- -dxE
- hroC
- UhkoC
- Uh!nC
- ;FHt8
- UhDmC
- yVx5
- F.\\5
- h8kC
- h8kC
- Uh^jC
- ;FDt6
- ;FHud
- SVW3
- PSAPI.dll
- SVWU
- UhRbC
- UhpbC
- h$aC
- SVWU
- QSVW3
- FH;E
- UhY\\C
- FD;E
- SVW3
- UhXYC
- hAUC
- Uh:UC
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- >1=e~
- 53N2
- GA+]
- heIC
- Uh[IC

- QSVW3
- SVW3
- hh1C
- ht1C
- |8C3
- Uha1C
- -|kE
- SVWU
- hR0C
- UhK0C
- Uhs/C
- kernel32.dll
- psapi.dll
- Uh5-C
- SVWU
- parentarray
- intarr
- -`xE
- ,S1p_
- 53N2
- GA+]
- Uhz'C
- SVWU
- -XxE
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control
- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu
- 5`jE
- bq%2P
- i^t)
- QSV3
- chkok1
- chkok2
- chkok
- 5@kE
- -LxE
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- =PxE
- =TxE
- -HxE
- \\Wow6432Node
- PmX8;
- :\tyu
- eval(
- .RegRead("

- =new%20ActiveXObject("WScript.Shell");
- mshta javascript:
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(
- +=2)
- SVW3
-]ug#
- a_g+
- !4t\\
- ~65?
- <5_2
- 0p8'$
- z3)$
- b3xM
- tS6y
- 2V[;
- N9]\\
- EG[!
- 1{*1!
- #F3@
- &}987
- <T3'
- -DxE
- QSVW3
- Ny1OL
- [$>u
- 3xS6
- Ny1OL
- [$>u
- -@xE
- -<xE
- TMyIEEvent
- Lenin_SHDocVw
- IWebBrowser2
- Lenin_SHDocVw
- IWebBrowserAppH
- Lenin_SHDocVw
- IWebBrowser

- -8xE
- qT%7
- t+sI2
- >nIE
- -4xE
- 0|\\
- cE,^
- e"[w
- CAK1@
- UhSpB
- wmiunit
- IWbemClassObject
- -0xE
- UhEkB
- -,xE
- SVW3
- -(xE
- h\\eB
- UhUeB
- Uh?cB
- SVW3
- h2_B
- Uh+_B
- SVWU
- UhGVB
- 0]_^[
- SVWU
- SVWU
- SVWU
- SVWU
- UhUHB
- SVWUQ
- SVW3
- SVW3
- Uh&?B
- |=(9
- rdy9
- hE8B
- =@\tE
- Uh;8B
- h xE
- T$0f
- T$0f
- SVWU
- PUj U
- h xE
- =$xE
- 5 xE
- SVWU
- Internet Explorer_Server
- 5l\tE
- MacromediaFlashPlayerActiveX
- SVW3
- =H\tE
- =d\tE
- SVWU
- hidden

- none
- 'D,3
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL
- =(\tE
- =4\tE
- t6jxj
- t6jxj
- =4\tE
- =4\tE
- =4\tE
- =4\tE
- =4\tE
- ZX~6
- =\\\tE
- SVW3
- :9)B
- =T\tE
- =L\tE
- SVW3
- hidden
- none
- =`\tE
- hidden
- none
- SVW3
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- =HlE
- h@~A
- h@~A

- h@~A
- h@~A
- Uh|}A
- SVW3
- QSV3
- hwmA
- UhpmA
- 5HlE
- SVW3
- SVW3
- h\\gA
- UhUgA
- packIP
- -twE
- hxfA
- UhqfA
- browser2
- browser
- :setua
- setua:
- h$aA
- hPbA
- h@bA
- hPbA
- h@bA
- 0hHaA
- h8aA
- h'TA
- Uh TA
- PSAPI.dll
- Uh$RA
- PSAPI.dll
- UhlPA
- PSAPI.dll
- UhTOA
- PSAPI.dll
- SVW3
- en-US
- h|HA
- h|HA
- h|HA
- h|HA
- 5xwE
- =|wE
- SVW3
- 1234567890abcdef
- -pwE
- h8-A
- Uh1-A
- ?id=1
- h0+A
- Uh)+A
- h,*A
- Uh%*A
- hH)A
- UhA)A
- hG(A

- Uh@(A
- UAIL
- UAIL
- h7%A
- Uh0%A
- UAIL
- hA$A
- Uh:$A
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- SVW3
- -XwE
- h\\wE
- h`wE
- -TwE
- SVW3
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- SVW3
- -(wE
- 4_^[
- j4WS
- VE,wE
- hLwE
- h4wE
- h0wE
- h<wE
- h8wE
- h8wE
- h,wE
- SVW3
- h<wE
- -$wE
- ,\\rE
- h wE
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- $ZXu#
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo

- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- AI@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6

- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- hi~@
- Uhb~@
- SVW3
- UhYs@
- SVWU
- SVW3
- SVWU
- UhAo@
- Uh=n@
- Uhmn@
- SVWUh
- UhQj@
- hhe@
- Uhae@
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- =<pE
- Uh4Z@
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Uh4X@
- kernel32.dll
- 8\\u8
- u+_^
- UhqP@
- u)_^[
- UhkM@
- hOI@
- Uh>I@
- u^f=
- hOI@
- UhDG@
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU

- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- UhP1@
- Portions Copyright (c) 1983,99 Borland
- =4pE
- =,pE
- SVWU
- Uhz2@
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- h$tE
- =5pE
- h$tE
- =5pE
- Uhu&@
- 5ttE
- =ttE
- =ttE
- SVWU
- h$tE
- =5pE
- =ttE
- ;=xtE
- h$tE
- =5pE
- h$tE
- =5pE
- =ttE
- =|tE
- h$tE
- =5pE
- Uh<"@
- 5xtE
- SVWU
- =ttE
- =ttE
- SVWU
- h$tE
- h$tE
- =5pE
- h$tE

- =5pE
- h$tE
- =5pE
- =|tE
- h$tE
- =5pE
- "h$tE
- u:;{
- uW;{
- SVWU
- SVWU
- 5DtE
- SVWUQ
- 5DtE
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- ????????????????
- ==??
- >>path
- path<<
- lcpu::
- ::lcpu
- /C "
- jjjj
- jjjj
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- /C "
- jjjjjj
- jjjjjj
- lng::
- ::lng
- jjjj

- jjjjjjh
- jjjj
- jjjj
- ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/=
- 'B?
- #@#@#
- F
- ZYYd
- ZYYd
- ZYYd
- GtPj
- GpPj
- GlPj
- GhPj
- GdPj
- G`Pj
- G\\Pj
- GXPj
- GTPj
- GPPj
- GLPj
- GHPj
- GDPj
- G@Pj
- G<Pj
- G,Pj
- G(Pj
- G$Pj
- G Pj
- QQQQQQSVW
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- ;,vm
- ZYYd
- QQQQQQSV
- ZYYd
- ZYYd
- TR[P
- m$K^Z<
- QsQDU$@
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- S:(ML;;NW;;;LW)

- ZYYd
- ZYYd
- QQQQQQSV
- ,]_^[
- zDSVWU
- ntdll.dll
-]_^[
- D$ P
- D$$P
- T$L+D$x
- T$D+D$p
- T$<+D$h
- D$@Pj
- D$ P
- D$$P
- D$@Pj
- ZYYd
- ^[YY]
- ZYYd
- tstrings
- ZYYd
- ZYYd
- ZYYd
- QQQQQ3
- ZYYd
- ~Hht
- ^[Y]
- ZYYd
- ZYYd
- QQQQS
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- <G>k>{
- ZYYd
- <G>k>{
- ZYYd
- PhL}D
- ZYYd
- ZYYd
- h;wD
- ZYYd
- QQQQS3
- hXvD
- ZYYd
- h#tD
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- YzfW3k
- KFS,
- L]{

- &`%$
- g@h)
- ,kfFf]"
- ZYYd
- ZYYd
- QSVW
-]_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- hT`D
- ZYYd
- QQQQSV
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- hT^D
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- hs[D
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- \\.=^g
- BMv;
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- hKSD
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- PhTMD
- PhTMD
- hXJD
- hLJD

- h&GD;
- ZYYd
- h'FD
- ZYYd
- Ph@FD
- Ph@FD
- QQQQQQQQS
- ZYYd
- QQQQQQQQS
- ^[YY]
- hvCD
- ZYYd
- ZYYd
- QQQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- hD=D
- Ph@=D
- Pj/h
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- Ph$-D
- Ph$-D
- _^[Y]
- ZYYd
- f;tX
- QSVW
- hl*D
- SVQh*D
- , SP
- Win XP
- h{(D
- ZYYd
- h|$D
- h|$D
- hd$D
- ^[Y]
- hT#D
- ZYYd
- ZYYd
- ZYYd
- _^[YY]

- ZYYd
- QQQQS3
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -
- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ntdll.dll
- x_^[
- +D$H
- +D$@
- hx\tD
- GSVW
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F

- 'w~f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW

- ZYYd
- ZYYd
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- ZYYd
- $ZXv
- SVWSVW
- ZYYd
- ZYYd
- r'@f
- ZYYd
- _^[Y]
- ZYYd

- $ZXt(Sj
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- h(nC
- ZYYd
- QQQQQSVW
- hKmC
- ZYYd
- ;FDt.
- QQQQQSVW
- GBr-
- hhjC
- ZYYd
- h|kC
- h|kC
- h|kC
- h|kC
- h|kC
- h|kC
- GDPj
- ZYYd
- ;FDt*
- ;FDtB
- ;FDtN
- ;FDtX
- ()_^[
- hwbC
- ZYYd
- hYbC
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- _^[YY]
- h`\\C
- ZYYd
- ;FHt
- ;FDt
- ZYYd
- <'G?
- p[`+
- h_YC
- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,I/
- ZYYd
- FDPj
- ^[Y]
- ZYYd

- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- hz/C
- ZYYd
- ZYYd
- QQQQSVW
- h<-C
- ZYYd
- hT-C
- QQQQQQQQSV
- ntdll.dll
- YZ]_^[
- $ZXr
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- <_cV
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQ3
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- .Run('
- ')='
- ZYYd
- .Run('
- ')='
- ZYYd
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ='';for(
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- g!*G'
- '^J]
- L`DDP
- z{FPL
- r{xm
- t<&R;<
- kwW_
- %&FW;
- y%<B
- ^$$#'H
- X:W~
- 1NlX=[w]
- Tc;h~
- |Kx=
- kGd;
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3

- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- QSVW
- h]pB
- ZYYd
- hLkB
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hFcB
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- hNVB
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- h\\HB
- ZYYd

- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- h-?B
- ZYYd
- |(kK.
- ZYYd
-]_^[
- D$$)D$
- +\\$
- \\$;l$
- PVj V
- PVj V
- D$,PV
- D$$)D$
- +\\$
- \\$;l$
- D$;l$
- D$8;l$
- D$;l$
- D$8;l$
-]_^[
- PSj S
- ZYYd
- SPh|
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- ZYYd
- QQQQQQSV
-]_^[
- '>click</a>
- ZYYd
- t&jxj;
- $ZXs
- $ZXs
- $ZXv<
- tRhx
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd
- QSVW
- ZYYd

- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQSVW
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd

- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3

- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj

- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- h`s@
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- htn@
- ZYYd
- ZYYd
- Pj@j
- ZYYd

- ZYYd
- hXj@
- ZYYd
- h j@
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- Ht Ht.
- h;Z@
- ZYYd
- _^[YY]
- ZYYd
- h;X@
- ZYYd
- h`Y@
- h@Y@
- h$Y@
- t@hTW@
- hDW@
- ZYYd
- ^[YY]
- hxP@
- ZYYd
- X_^[
- hrM@
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- hKG@
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f

- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- Ph{/@
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- h|&@
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- QSVW
- _^[YY]
- hC"@
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd

- ZYYd
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 8 (probably unpacked / injected by the sample)

• Module 8 rich signatures

• Module 8 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 8 strings

• Module 8 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)

• url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)

• url | valid domains | tlds: t.Ht

• api | frequently used by malware: ZwQuerySystemInformation

• api | frequently used by malware: ObtainUserAgentString

• api | frequently used by malware: ZwQuerySystemInformation

• api | frequently used by malware: ZwQuerySystemInformation

• api | frequently used by malware: ZwQuerySystemInformation

• api | frequently used by malware: ZwQuerySystemInformation

• api | frequently used by malware: ObtainUserAgentString

• api | frequently used by malware: InternetReadFile

• registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION

• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1

• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3

• registry: HKCU\\

• registry: HKLM\\

• registry: Software\\Microsoft\\Windows NT\\CurrentVersion

• registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones

• registry: Software\\Microsoft\\Windows NT\\CurrentVersion

• registry: HKCU\\

• registry: HKLM\\

• registry: Software\\Microsoft\\Windows NT\\CurrentVersion

• api | kernel32: IsWow64Process

• api | kernel32: IsWow64Process

• api | kernel32: IsWow64Process

• api | psapi: GetPerformanceInfo

• api | ntdll: NtCreateThreadEx

• api | psapi: GetProcessMemoryInfo

• api | psapi: GetProcessImageFileNameW

• api | psapi: GetProcessMemoryInfo

• api | psapi: GetProcessMemoryInfo

• api | urlmon: CoInternetSetFeatureEnabled

• api | urlmon: CoInternetIsFeatureEnabled

• api | psapi: GetProcessMemoryInfo

• api | psapi: GetProcessMemoryInfo

• api | psapi: GetProcessMemoryInfo

• api | psapi: GetProcessMemoryInfo

• api | kernel32: IsWow64Process

• api | kernel32: GetProcessIdOfThread

• api | ntdll: NtQueryInformationThread

• api | user32: PostMessageA

• api | kernel32: GetLongPathNameA

• Module 8 other strings

• DD16D:

• :DD16D

• DD15D:

• :DD15D

• DD14D:

• :DD14D

• DD13D:

• :DD13D

• DD12D:

• :DD12D

• DD11D:

- :DD11D
- DD10D:
- :DD10D
- DD9D:
- :DD9D
- DD8D:
- :DD8D
- DD7D:
- :DD7D
- DD6D:
- :DD6D
- DD5D:
- :DD5D
- DD4D:
- :DD4D
- DD3D:
- :DD3D
- DD2D:
- :DD2D
- DD1D:
- :DD1D
- ~\\VarFileInfo\\Translation
- ~\\VarFileInfo\\Translation
- Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- SOFTWARE\\
- 1809
- 2300
- 1206
- unknown
- unknown
- services
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- iframe
- video
- object
- embed
- javascript
- click
- href
- name
- href
- Content-Length:
- G8Pj
- G4Pj
- G0Pj
- u\t=X
- main
- STATIC
- 9.6k
- q7P6
- F8_w
- UIXP
- browser
- browser2
- WinSta0

- WinSta0
- \\$43
- D$ 3
- D$,3
- SVWU
- :MZu,
- software\\
- SVW3
- \\Wow6432Node
- QSVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- SVW3
- \\FileVersion
- \\StringFileInfo\\
- DfW7
- QSVW3
- Uh4w
- UhQv
- Hu&V;
- UhZq
- SVW3
- $ZXu
- |5E3
- SVWU
- T4~`
- :MZu:
- QSV3
- |#E3
- SVWU
- UhHa
- UhM`
- UhM^
- E PVW
- Uhl[
- E PVW
- UhHY
- Uh{X
- UhyV
- UhDS
- udj
- uZj
- SVW3
- SOFTWARE\\
- SOFTWARE\\
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- Mozilla

- 0hhM
- 0hhM
- Uh,J
- SOFTWARE\\
- 0hTF
- 0hTF
- Uh F
- SOFTWARE\\
- UhoC
- ABCDEF0123456789
- abcdef0123456789
- eyuioa
- .exe
- Uh4A
- eyuioa
- 0123456789
- InstallDate
- .exe
- Content-Type: application/x-www-form-urlencoded
- POST
- HTTP/1.1
- SVW3
- Uh}8
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- 0h8-
- 0h8-
- Kernel32.dll
- IL:
- Win 10
- Win 8.1
- Win Server 2012 R2
- Win 8
- Win Server 2012
- Win 7
- Win Server 2008 R2
- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- Uht(
- SHGetFolderPathW
- Shell32.dll
- SHGetKnownFolderPath
- UhM#
- SVW3
- SVWUQ
- SVW3
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- SVW3

- SVW3
- InstallDate
- DigitalProductId
- unknown
- +D$8
- <sAf
- u1h`
- u1h`
- u1h`
- :MZu^
- :MZuD
- 1234567890
- 1234567890
- Hu(Th
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789
- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- <sAf
- <sAf
- SOFTWARE\\
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[
- t*j8
- |$AC
- SOFTWARE\\
- SOFTWARE\\
- HTTP/1.1
- SVW3
- old1
- PmX8;
- :\tyu
- PmX8;
- :\tyu
-]6p?
- chkok2
- chkok
- chkok1
- QSV3
- |AF3
- SVW3
- 9ddreu6
- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB

- 9LoaduM
- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- SVW3
- 9ddreu7
- 8rocAuB
- 9GetPuM
- 8aryAu7
- 8LibruB
- 9LoaduM
- UIXP
- Uhyu
- UIXP
- Uhko
- Uh!n
- ;FHt8
- UhDm
- yVx5
- F.\\5
- Uh^j
- ;FDt6
- ;FHud
- SVW3
- PSAPI.dll
- SVWU
- UhRb
- Uhpb
- SVWU
- QSVW3
- FH;E
- UhY\\
- FD;E
- SVW3
- UhXY
- Uh:U
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- >1=e~
- 53N2
- GA+]
- Uh[I
- QSVW3
- SVW3
- |8C3
- Uha1
- SVWU
- UhK0
- Uhs/
- kernel32.dll
- psapi.dll
- Uh5-
- SVWU

- parentarray
- intarr
- ,S1p_
- 53N2
- GA+]
- Uhz'
- SVWU
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control
- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu
- bq%2P
- i^t)
- QSV3
- chkok1
- chkok2
- chkok
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- \\Wow6432Node
- PmX8;
- :\tyu
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- mshta javascript:
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(

- +=2)
- SVW3
-]ug#
- a_g+
- !4t\\
- ~65?
- <5_2
- 0p8'$
- z3)$
- b3xM
- tS6y
- 2V[;
- N9]\\
- EG[!
- 1{*1!
- #F3@
- &}987
- <T3'
- QSVW3
- Ny1OL
- [$>u
- 3xS6
- Ny1OL
- [$>u
- TMyIEEvent
- Lenin_SHDocVw
- IWebBrowser2
- Lenin_SHDocVw
- IWebBrowserAppH
- Lenin_SHDocVw
- IWebBrowser
- qT%7
- t+sI2
- >nIE
- 0|\\
- cE,^
- e"[w
- CAK1@
- UhSp
- wmiunit
- IWbemClassObject
- UhEk
- SVW3
- UhUe
- Uh?c
- SVW3
- Uh+_
- SVWU
- UhGV
- 0]_^[
- SVWU
- SVWU
- SVWU
- SVWU
- UhUH
- SVWUQ
- SVW3

- SVW3
- Uh&?
- |=(9
- rdy9
- Uh;8
- T$0f
- T$0f
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- MacromediaFlashPlayerActiveX
- SVW3
- SVWU
- hidden
- none
- 'D,3
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL
- t6jxj
- t6jxj
- ZX~6
- SVW3
- :9)B
- SVW3
- hidden
- none
- hidden
- none
- SVW3
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo

- pr,U
- Uh|}
- SVW3
- QSV3
- Uhpm
- SVW3
- SVW3
- UhUg
- packIP
- Uhqf
- browser2
- browser
- :setua
- setua:
- 0hHa
- Uh T
- PSAPI.dll
- Uh$R
- PSAPI.dll
- UhlP
- PSAPI.dll
- UhTO
- PSAPI.dll
- SVW3
- en-US
- SVW3
- 1234567890abcdef
- Uh1-
- ?id=1
- Uh)+
- Uh%*
- UhA)
- Uh@(
- UAIL
- UAIL
- Uh0%
- UAIL
- Uh:$
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- SVW3
- SVW3
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- SVW3
- 4_^[
- j4WS

- VE,wE
- SVW3
- ,\\rE
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- $ZXu#
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a

- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- Uhb~
- SVW3
- UhYs
- SVWU
- SVW3
- SVWU
- UhAo
- Uh=n
- Uhmn
- SVWUh
- UhQj
- Uhae
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Uh4Z
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- Uh4X
- kernel32.dll
- 8\\u8
- u+_^
- UhqP
- u)_^[
- UhkM
- Uh>I
- u^f=
- UhDG
- UWVSj
- SVWU
- SVWU

- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- UhP1
- Portions Copyright (c) 1983,99 Borland
- SVWU
- Uhz2
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- Uhu&
- SVWU
- Uh<"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc

- .idata
- `DATA
- CODE
- This program must be run under Win32
- >>path
- path<<
- lcpu::
- ::lcpu
- /C "
- jjjj
- jjjj
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- /C "
- jjjjjj
- jjjjjj
- lng::
- ::lng
- jjjj
- jjjjjjh
- jjjj
- jjjj
- ZYYd
- ZYYd
- ZYYd
- GtPj
- GpPj
- GlPj
- GhPj
- GdPj
- G`Pj
- G\\Pj
- GXPj
- GTPj
- GPPj
- GLPj
- GHPj
- GDPj
- G@Pj
- G<Pj
- G,Pj
- G(Pj
- G$Pj
- G Pj
- QQQQQQSVW
- ZYYd
- ^[YY]
- ZYYd

- ZYYd
- ZYYd
- hP}
- ZM[X2JG\\tk2X
- ZYYd
- ;,vm
- ZYYd
- QQQQQQSV
- ZYYd
- ZYYd
- TR[P
- m$K^Z<
- QsQDU$@
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- S:(ML;;NW;;;LW)
- ZYYd
- ZYYd
- QQQQQQSV
- ,]_^[
- zDSVWU
- ntdll.dll
-]_^[
- D$ P
- D$$P
- T$L+D$x
- T$D+D$p
- T$<+D$h
- D$@Pj
- D$ P
- D$$P
- D$@Pj
- ZYYd
- ^[YY]
- ZYYd
- tstrings
- ZYYd
- ZYYd
- ZYYd
- QQQQQ3
- ZYYd
- ~Hht
- ^[Y]
- ZYYd
- ZYYd
- QQQQS
- ^[YY]
- ZYYd

- ZYYd
- ZYYd
- <G>k>{
- ZYYd
- <G>k>{
- ZYYd
- PhL}
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]_^[
- ^[Y]
- ZYYd
- YzfW3k
- KFS,
- L]{
- &`%$
- g@h)
- ,kfFf]"
- ZYYd
- ZYYd
- QSVW
-]_^[
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- ZYYd

- QQQQQQQS
- ZYYd
- ZYYd
- \\.=^g
- BMv;
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- PhTM
- PhTM
- ZYYd
- ZYYd
- Ph@F
- Ph@F
- QQQQQQQQS
- ZYYd
- QQQQQQQQS
- ^[YY]
- ZYYd
- ZYYd
- QQQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- Ph@=
- Pj/h
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- Ph$-
- Ph$-
- _^[Y]
- ZYYd
- f;tX
- QSVW
- SVQh*
- , SP
- Win XP

- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -
- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ntdll.dll
- x_^[
- +D$H
- +D$@
- GSVW
- [YY]

- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd

- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- ZYYd
- $ZXv
- SVWSVW
- ZYYd

- ZYYd
- r'@f
- ZYYd
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- ZYYd
- QQQQQSVW
- ZYYd
- ;FDt.
- QQQQQSVW
- GBr-
- ZYYd
- GDPj
- ZYYd
- ;FDt*
- ;FDtB
- ;FDtN
- ;FDtX
- (]_^[
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- _^[YY]
- ZYYd
- ;FHt
- ;FDt
- ZYYd
- <'G?
- p[`+
- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,l/
- ZYYd
- FDPj
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW

- ^[Y]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQQSV
- ntdll.dll
- YZ]_^[
- $ZXr
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- <_cV
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQ3
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- .Run("
- ")="
- ZYYd
- .Run("
- ")="

- ZYYd
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ="";for(
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- g!*G'
- '^J]
- L`DDP
- z{FPL
- r{xm
- t<&R;<
- kwW_
- %&FW;
- y%<B
- ^$$#'H
- X:W~
- 1NlX=[w]
- Tc;h~
- |Kx=
- kGd;
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- ZYYd
- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- ZYYd
- |(kK.
- ZYYd
-]_^[
- D$$)D$

- +\\$
- \\$;l$
- PVj V
- PVj V
- D$,PV
- D$$)D$
- +\\$
- \\$;l$
- D$;l$
- D$8;l$
- D$;l$
- D$8;l$
-]_^[
- PSj S
- ZYYd
- SPh|
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- ZYYd
- QQQQQQSV
-]_^[
- '>click</a>
- ZYYd
- t&jxj;
- $ZXs
- $ZXs
- $ZXv<
- tRhx
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd
- QSVW
- ZYYd
- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd

- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQSVW
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd

- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h,w
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h w
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS

- ZYYd
- QQQQS
- ZYYd
- QQQQS
- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{
- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV

- ZYYd
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd

- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- t@hTW

- ZYYd
- ^[YY]
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- :_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- :_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=

-]_^[
-]_^[
- Ph{/
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- ;=xt
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
- "h$t
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc