Analysis report for sample: 40e5057d9879f837635b4d7dc98b4b89

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 1999 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 40e5057d9879f837635b4d7dc98b4b89

AV detections

• Microsoft:
• Kaspersky:
• Symantec: ML.Attribute.HighConfidence
• Malwarebytes:

Original source url

•

Virustotal url

• https://virustotal.com/es/file/a67856dc3ba03e6be453c65f13c0134121039d37ceeb2a0456706e1df87b5768/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

• Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
• Str_Win32_Internet_API (Match Windows Inet API call)
• Str_Win32_Http_API (Match Windows Http API call)
• Borland_Delphi_40_additional ()
• Microsoft_Visual_Cpp_v50v60_MFC ()
• Borland_Delphi_30_additional ()
• Borland_Delphi_30_ ()
• Borland_Delphi_Setup_Module ()
• Borland_Delphi_40 ()
• Borland_Delphi_v40_v50 ()
• Borland_Delphi_v30 ()
• Borland_Delphi_DLL ()
• IsPE32 ()
• IsWindowsGUI ()
• IsPacked (Entropy Check)
• HasOverlay (Overlay Check)
• Check_OutputDebugStringA_iat ()
• anti_dbg (Checks if being debugged)
• network_http (Communications over HTTP)
• screenshot (Take screenshot)
• keylogger (Run a keylogger)
• win_mutex (Create or check mutex)
• win_registry (Affect system registries)
• win_files_operation (Affect private profile)
• win_hook (Affect hook table)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• with_urls (Rule to detect the presence of an or several urls)
• contentis_base64 (This rule finds for base64 strings)
• IsBeyondImageSize (Data Beyond ImageSize Check)
• borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
• Borland ()

- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)
- suspicious_packer_section (The packer/protector section names/keywords)
- Armadillo_v4x ()
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)

Snapshot


Computer
C:\Windows
Recycle Bin
Start
10:00 PM
Monday
6/19/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name WmiPrvSE.exe
- Name mshta.exe
- Name powershell.exe
- Name conhost.exe
- Name regsvr32.exe

- Name regsvr32.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

• RegCreateKey (HKCU\\Software\\waZ8E98c4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\waZ8E98c4\\fap0X9g Type: REG_SZ, Length: 890.474, Data: [q@:uy\'^-1`*4yzD9_Q_7E.,1U1[_KZ__]L&Np;{NjV__;HsB!h5"z2T9_>(2zKdHH)__w\\\x7fNW\\__cy-4.xg_1V-g?U_hbR_.08T_~_E#6qX8_^_\n_:_K\n1^\\G__^a]uQ$5__Dj]_3KuQ/9h_Y0j9[w__!<@\t_B_YUby_{2_.__Z__h+7\\a__D_K___d_^\t:cw|__$_1IJc_]Gl_9+g7^A+E)Q_)3_%$L?_;___o"X\'y>W9_.wi__T)XNfbFvwqX2^Cz_10qB[y_*8{1\'\nt`__dG|<gqX)__)
• RegSetValue (HKCU\\Software\\waZ8E98c4\\mM8UFI3Heb Type: REG_SZ, Length: 104.044, Data: J3bFYLVHBHbJw2wklWHdVJR="T3e2JHFeVlw37YAzJgvBc";c4BjcK6uAiMwEsQrvHIV="1gZFW8VRvoA3WylRSmMwQSxVzqIT94cCGyOYNbcZYX6";EoEbudVDAlEDe83FdEyLEumGm="qtI2jNfx3QYez4k4OlfqYH48ONPI1SiL7jzm5G0i";Hg9MTNEzIV1JpnYwSuG="Up4Ok1qWBIX8R0dKfC5b0ETTUO47jO";vux2="1F2313232B153F141B701C1E6B1B700135306424147C5F74241C6D441B05222A7E0A6460753B2D3D02001F19372F5D7C3876113343285B740A5A172E3C061C4D24071D1042315D13022600373B3660041B342A331A13514E152B787E150A1429241F1A6A0937081A234411103924401F5E25000E0B344C1C2F040E2D5C2C5C530610565A7B1F11090C333818227B111D295E032B57091C7C4D005A7968461A2F252806181507620B7D2243302B36372A137B2612033862453C727321422E543E09194A7641370009142D13283C5D604B45510860490873776 34B2350230111572D0C1C557A7146751776680C640237314F0301433A045C1B782B2E0436336B1A35050A393C060C6A192650205977107640380274015C3C2C13241A5D260B110F4C64466931282915224672414 21A5B06440F3028173A4068645630092A66471936522B061706592A2B053C292465586C2818163F316A0D2B411F412750230F656E06161C0F271739350872200 60E550E054A26717E23254739060C1A5E2A072B231B5C1C0B186/)
• RegCreateKey (HKCU\\Software\\kixddahv Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\kixddahv Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\kixddahv\\htuyiiljht Type: REG_SZ, Length: 885.544, Data: ce%<__A muJkVp_?P_C1>O8f$__(oX>6j_O_E%\\GP\x7f\\K_)
• RegSetValue (HKLM\\SOFTWARE\\kixddahv\\htuyiiljht Type: REG_SZ, Length: 885.544, Data: ce%<__A muJkVp_?P_C1>O8f$__(oX>6j_O_E%\\GP\x7f\\K_)
• RegSetValue (HKCU\\Software\\kixddahv\\jycp Type: REG_SZ, Length: 104.854, Data: ZRfpUzpe6TRqR6gvXWaetYY="rPTwC2xha0ugVmhOvWBWqz7t5DP1";mehQKqrLGsadB3PQgh9EKfY="BKc1jU15ygqHyLehmRstk169aQGu5JYQrP7pDS";bdVG1eqtjDSRMNhWBJT="zH8EeZI5cS27LE3nGssdk9aDPv2TTzEfqWaN9EJrpI";ACuh7fmx3kCKhYgyqkzXgrBf="LlKWTmK37wvo7QAaur7ahkfOg";VpOoK6Vl1XBNZDwPMBiAlcKPI="7UrhVNP7ss1gt261dhbEm";avN56fekuIDqARscUhDM="HZcMGSVNgoCrtUFC";YFh5aJIBBPYwYEbcisRtWR="X5YmjutDTqpU4KIoFlm";w0Ks="36090C471E0D0B5F0826392B0E18151D180E0D084D1F1D395C137E3F580D63330467463B2A111919162611563113342E4F54542A1F34594D541A2527172E6A375C252A0B0B2138042E13633F29360A22596A2F5458510C755128392D0F21320F16325811352A7E220C232A68412237033415362C1772241D5E3A19361F26271F2259526910585C2C1F347F216241026B173A13060931142F046738092E22580E025D212C330A2020163F0B3A5D1A052D2A03393F356D6A07011E2E6E170D02116E0F055E223279463927131A08243924720604332211712022073529011 92B506C281C532A2A3F0E2C636116161D275A0C242A261A1E757453247D3472612207770C1733501F3B533B1E5C0042502424334C033F361913755F394A3A1705263934063D786566055F67745C5A54616D450D44113F5724056C59624A4E6E2D605D6C0A2/)
• RegSetValue (HKLM\\SOFTWARE\\kixddahv\\jycp Type: REG_SZ, Length: 104.854, Data: ZRfpUzpe6TRqR6gvXWaetYY="rPTwC2xha0ugVmhOvWBWqz7t5DP1";mehQKqrLGsadB3PQgh9EKfY="BKc1jU15ygqHyLehmRstk169aQGu5JYQrP7pDS";bdVG1eqtjDSRMNhWBJT="zH8EeZI5cS27LE3nGssdk9aDPv2TTzEfqWaN9EJrpI";ACuh7fmx3kCKhYgyqkzXgrBf="LlKWTmK37wvo7QAaur7ahkfOg";VpOoK6Vl1XBNZDwPMBiAlcKPI="7UrhVNP7ss1gt261dhbEm";avN56fekuIDqARscUhDM="HZcMGSVNgoCrtUFC";YFh5aJIBBPYwYEbcisRtWR="X5YmjutDTqpU4KIoFlm";w0Ks="36090C471E0D0B5F0826392B0E18151D180E0D084D1F1D395C137E3F580D63330467463B2A111919162611563113342E4F54542A1F34594D541A2527172E6A375C252A0B0B2138042E13633F29360A22596A2F5458510C755128392D0F21320F16325811352A7E220C232A68412237033415362C1772241D5E3A19361F26271F2259526910585C2C1F347F216241026B173A13060931142F046738092E22580E025D212C330A2020163F0B3A5D1A052D2A03393F356D6A07011E2E6E170D02116E0F055E223279463927131A08243924720604332211712022073529011 92B506C281C532A2A3F0E2C636116161D275A0C242A261A1E757453247D3472612207770C1733501F3B533B1E5C0042502424334C033F361913755F394A3A1705263934063D786566055F67745C5A54616D450D44113F5724056C59624A4E6E2D605D6C0A2/)
• RegDeleteValue (HKCU\\Software\\waZ8E98c4\\fap0X9g)
• RegDeleteValue (HKCU\\Software\\waZ8E98c4\\mM8UFI3Heb)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: t.Ht
- url | valid domains | tlds:].vE
- url | valid domains | tlds: A.TN
- url | valid domains | tlds: I.uZ
- url | valid domains | tlds: .mZ*HY
- url | valid domains | tlds: g.va>-vO!.v
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: Sleep
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
- registry: SOFTWARE\\Classes
- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
- registry: HKCU\\
- registry: HKLM\\
- registry: SOFTWARE\\Classes\\
- url | http tag: https://
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread
- api | user32: PostMessageA
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | kernel32: GetLongPathNameA
- api | kernel32: FindResourceW
- api | kernel32: GetCommandLineW
- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: FreeLibrary

- api | kernel32: GetModuleHandleA
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: IsWow64Process
- api | psapi: GetPerformanceInfo
- api | ntdll: NtCreateThreadEx
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessImageFileNameW
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled

Involved hosts

- 104.108.153.248:80
- 180.43.135.42:80
- 192.168.133.185:49227
- 192.168.133.185:49323
- 192.168.133.185:49326
- 192.168.133.185:51124
- 192.168.133.185:62055
- 192.168.133.185:68
- 192.168.133.1:5355
- 192.168.133.254:67

Dns queries

- 254.133.168.192.in-addr.arpa ---> no answers
- 203.46.220.230.in-addr.arpa ---> no answers
- 90.72.117.185.in-addr.arpa ---> no answers
- 63.31.155.236.in-addr.arpa ---> no answers
- 248.153.108.104.in-addr.arpa ---> no answers
- 249.166.253.228.in-addr.arpa ---> no answers
- 58.43.178.235.in-addr.arpa ---> no answers
- 14.158.96.225.in-addr.arpa ---> no answers
- 232.187.143.229.in-addr.arpa ---> no answers
- 85.27.217.236.in-addr.arpa ---> no answers
- 72.248.95.232.in-addr.arpa ---> no answers
- 182.22.143.227.in-addr.arpa ---> no answers
- 229.34.233.237.in-addr.arpa ---> no answers
- 172.184.7.229.in-addr.arpa ---> no answers
- dns.msftncsi.com ---> 131.107.255.255
- 42.135.43.180.in-addr.arpa ---> no answers
- 47.206.107.224.in-addr.arpa ---> no answers
- 113.148.219.232.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.185:49227 ---> 104.108.153.248:80

({D$[...]4K=??[...]X!Nz[...]v&85[...]_uHx

• tcp 192.168.133.185:49323 ---> 180.43.135.42:80

>#EP[...]Mb.h

• tcp 180.43.135.42:80 ---> 192.168.133.185:49323

HTTP/1.1 400 Bad Request[...]Content-Type: text/html; charset=us-ascii[...]Server: Microsoft-HTTPAPI/2.0[...]Date: Tue, 20 Jun 2017 05:00:58 GMT[...]Connection: close[...]Content-Length: 326[...]<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN""http://www.w3.org/TR/html4/strict.dtd">[...]<HTML><HEAD><TITLE>Bad Request</TITLE>[...]<META HTTP-EQUIV="Content-Type" Content="text/html; charset=us-ascii"></HEAD>[...]<BODY><h2>Bad Request - Invalid Verb</h2>[...]<hr> HTTP Error 400. The request verb is invalid. [...]</BODY></HTML>

• tcp 192.168.133.185:49326 ---> 180.43.135.42:80

POST / HTTP/1.1[...]Content-Type: application/x-www-form-urlencoded[...]User-Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; .NET4.0C; .NET4.0E)[...]Host: 180.43.135.42[...]Content-Length: 472[...]Cache-Control: no-cache[...]cGoS3ZUxAtdCsPNz2hLJZbPyVWsI6fhW4sPSbBQJVpm+gMkwQfxVQ8wb4hzXKqE
NooCsf2krIUCaUj1Zm8iuAbe75Einsys0c5ceub/7nBz6k8vP4eH9RpaEeP9diKSVaG1gw/40DesnxEjBnfhP112Xhf+/Hz5DpxNETZ4KD8BKbekT3JBQ2bgjVD
hS757lB5WnHAMmNJ0+AexAKT0urY+EcIbCwRTq5VVTYHQL7p9bAJgQ04TBGxQLznWWjI9ttd8XSo8wUSdkQV/F9Oorvtfg8yzLP74ZeY1GWv6VGUUmyk
HmcXTZ0NThPjpsnWidMYSZbNu9BlzI7vtVBewZHH5Nv1cKaOz4Lofq2T8WgcaFm6IGlmZFeaTLI/wN59J+jYucpAq12qbBPS4ie6gZq3x3fHBhp7Y9muSixw
C9fowU/1OCId9hmeEnAt4K7GKgJlqliL13zeG08SuZxW6Qog==

• tcp 180.43.135.42:80 ---> 192.168.133.185:49326

HTTP/1.1 405 Method Not Allowed[...]Allow: GET, HEAD, OPTIONS, TRACE[...]Content-Type: text/html[...]Server: Microsoft-IIS/7.5[...]X-Powered-By: ASP.NET[...]Date: Tue, 20 Jun 2017 05:00:58 GMT[...]Content-Length: 1306[...]<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">[...]<html xmlns="http://www.w3.org/1999/xhtml">[...]<head>[...]<meta http-equiv="Content-Type" content="text/html; charset=shift_jis"/>[...]<title>405 -[...]HTTP[...]B</title>[...]<style type="text/css">[...]<!--[...]body{margin:0;font-size:.7em;font-family:Verdana, Arial, Helvetica, sans-serif;background:#EEEEEE;}[...]fieldset{padding:0 15px 10px 15px;}[...]h1{font-size:2.4em;margin:0;color:#FFF;}[...]h2{font-size:1.7em;margin:0;color:#CC0000;}[...]h3{font-size:1.2em;margin:10px 0 0 0;color:#000000;}[...]#header{width:96%;margin:0 0 0 0;padding:6px 2% 6px 2%;font-family:"trebuchet MS", Verdana, sans-serif;color:#FFF;[...]background-color:#555555;}[...]#content{margin:0 0 0 2%;position:relative;}[...].content-container{background:#FFF;width:96%;margin-top:8px;padding:10px;position:relative;}[...]</style>[...]</head>[...]<body>[...] <h1>[...][</h1> [...] [...] <fieldset>[...]<h2>405 -[...]HTTP[...]B</h2>[...]<h3>[...]h (HTTP[...]B</h3>[...]</fieldset> [...] [...]</body>[...]</html>

• udp 192.168.133.254:67 ---> 192.168.133.185:68

localdomain

• udp 192.168.133.1:5355 ---> 192.168.133.185:51124

in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.185:62055**

arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T2)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread T3 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\waZ8E98c4 Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\waZ8E98c4\\fap0X9g Type: REG_SZ, Length: 890.474, Data: [q@:uy\'^-1`*4yzD9_Q_7E.,1U1[_KZ__]L&Np;{NjV__;HsB!h5"z2T9_>(2zKdHH)__w\\\x7fNW\\__cy-4.xg_1V-g?U_hbR_.08T_~_E#6qX8_^_\n_:_K\n1^\\G__^a]uQ$5__Dj]_3KuQ/9h_Y0j9[w__!<@\t_B_YUby_{2_.__Z__h+7\\a__D_K___d_^\t:cw|__$_1IJc_]Gl_9+g7^A+E)Q_)3_%$L?_;___o"X\'y>W9_.wi__T)XNfbFvwqX2^Cz_10qB[y_*8{1\'\nt`__dG|<gqX)__)
• RegSetValue (HKCU\\Software\\waZ8E98c4\\mM8UFI3Heb Type: REG_SZ, Length: 104.044, Data: J3bFYLVHBHbJw2wklWHdVJR="T3e2JHFeVlw37YAzJgvBc";c4BjcK6uAiMwEsQrvHIV="1gZFW8VRvoA3WylRSmMwQSxVzqIT94cCGyOYNbcZYX6";EoEbudVDAlEDe83FdEyLEumGm="qtI2jNfx3QYez4k4OlfqYH48ONPI1SiL7jzm5G0i";Hg9MTNEzIV1JpnYwSuG="Up4Ok1qWBIX8R0dKfC5b0ETTUO47jO";vux2="1F2313232B153F141B701C1E6B1B700135306424147C5F74241C6D441B05222A7E0A6460753B2D3D02001F19372F5D7C3876113343285B740A5A172E3C061C4D24071D1042315D13022600373B3660041B342A331A13514E152B787E150A1429241F1A6A0937081A234411103924401F5E25000E0B344C1C2F040E2D5C2C5C530610565A7B1F11090C333818227B111D295E032B57091C7C4D005A7968461A2F252806181507620B7D2243302B36372A137B2612033862453C727321422E543E09194A7641370009142D13283C5D604B4551086049087377634B2350230111572D0C1C557A7146751776680C640237314F0301433A045C1B782B2E0436336B1A35050A393C060C6A192650205977107640380274015C3C2C13241A5D260B110F4C6446693128291522467241421A5B06440F3028173A4068645630092A66471936522B061706592A2B053C292465586C2818163F316A0D2B411F412750230F656E06161C0F271739350872200060E550E054A26717E23254739060C1A5E2A072B231B5C1C0B186/)
• RegCreateKey (HKCU\\Software\\kixddahv Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\kixddahv Desired Access: Maximum Allowed, Granted Access: None 0x0, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKCU\\Software\\kixddahv\\htuyiiljht Type: REG_SZ, Length: 885.544, Data: ce%<__A muJkVp_?P_C1>O8f$__(oX>6j_O_E%\\GP\x7f\\K_)

• RegSetValue (HKLM\\SOFTWARE\\kixddahv\\htuyiiljht Type: REG_SZ, Length: 885.544, Data: ce%<__A
muJkVp_?P_C1>O8f$__(oX>6j_O_E%\\GP\x7f\\K_)
• RegSetValue (HKCU\\Software\\kixddahv\\jycp Type: REG_SZ, Length: 104.854, Data: ZRfpUzpe6TRqR6gvXWaetYY="rPTwC2xha0ugVmhOvWBWqz7t5
DP1";mehQKqrLGsadB3PQgh9EKfY="BKc1jU15ygqHyLehmRstk169aQGu5JYQrP7pDS";bdVG1eqtjDSRMNhWBJT="zH8EeZI5cS27LE3nGssdk9aDPv2T
TzEfqWaN9EJrpI";ACuh7fmx3kCKhYgyqkzXgrBf="LlKWTmK37wvo7QAaur7ahkfOg";VpOoK6Vl1XBNZDwPMBiAlcKPI="7UrhVNP7ss1gt261dhbEm";avN56
fekuIDqARscUhDM="HZcMGSVNgoCrtUFC";YFh5aJIBBPYwYEbcisRtWR="X5YmjutDTqpU4KIoFlm";w0Ks="36090C471E0D0B5F0826392B0E18151D18
0E0D084D1F1D395C137E3F580D63330467463B2A11191916261156311334 2E4F54542A1F34594D541A2527172E6A375C252A0B0B2138042E13633F2
9360A22596A2F5458510C755128392D0F21320F16325811352A7E220C232A68412237033415362C1772241D5E3A19361F26271F2259526910585C2C1
F347F216241026B173A13060931142F046738092E22580E025D212C330A2020163F0B3A5D1A052D2A03393F356D6A07011E2E6E170D02116E0F055E
223279463927131A08243924720604332211712022073529011 92B506C281C532A2A3F0E2C636116161D275A0C242A261A1E757453247D3472612207
770C1733501F3B533B1E5C0042502424334C033F361913755F394A3A1705263934063D786566055F67745C5A54616D450D44113F5724056C59624A4E
6E2D605D6C0A2/)
• RegSetValue (HKLM\\SOFTWARE\\kixddahv\\jycp Type: REG_SZ, Length: 104.854, Data: ZRfpUzpe6TRqR6gvXWaetYY="rPTwC2xha0ugVmhOvWBWq
z7t5DP1";mehQKqrLGsadB3PQgh9EKfY="BKc1jU15ygqHyLehmRstk169aQGu5JYQrP7pDS";bdVG1eqtjDSRMNhWBJT="zH8EeZI5cS27LE3nGssdk9aDP
v2TTzEfqWaN9EJrpI";ACuh7fmx3kCKhYgyqkzXgrBf="LlKWTmK37wvo7QAaur7ahkfOg";VpOoK6Vl1XBNZDwPMBiAlcKPI="7UrhVNP7ss1gt261dhbEm";av
N56fekuIDqARscUhDM="HZcMGSVNgoCrtUFC";YFh5aJIBBPYwYEbcisRtWR="X5YmjutDTqpU4KIoFlm";w0Ks="36090C471E0D0B5F0826392B0E18151
D180E0D084D1F1D395C137E3F580D63330467463B2A11191916261156311334 2E4F54542A1F34594D541A2527172E6A375C252A0B0B2138042E1363
3F29360A22596A2F5458510C755128392D0F21320F16325811352A7E220C232A68412237033415362C1772241D5E3A19361F26271F2259526910585C
2C1F347F216241026B173A13060931142F046738092E22580E025D212C330A2020163F0B3A5D1A052D2A03393F356D6A07011E2E6E170D02116E0F0
55E223279463927131A08243924720604332211712022073529011 92B506C281C532A2A3F0E2C636116161D275A0C242A261A1E757453247D3472612
207770C1733501F3B533B1E5C0042502424334C033F361913755F394A3A1705263934063D786566055F67745C5A54616D450D44113F5724056C59624
A4E6E2D605D6C0A2/)
• Thread Create (Thread ID: T3)
• RegDeleteValue (HKCU\\Software\\waZ8E98c4\\fap0X9g)
• RegDeleteValue (HKCU\\Software\\waZ8E98c4\\mM8UFI3Heb)

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

• Thread T4 (in process P0, cebo.exe)
• Thread T5 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T4)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\WBEM\\CIMOM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: T5)
• Thread Create (Thread ID: TUNKALIAS)

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P0, cebo.exe) description

• Thread's childs

- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: t.Ht
- api | frequently used by malware: InternetReadFile
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread
- api | user32: PostMessageA
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetLongPathNameA

• Module 1 other strings

- Content-Length:

- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- E$PV
- E$PV
- $ZXu&
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- USER32.DLL
- DISPLAY
- GetMonitorInfo
- DISPLAY
- DISPLAY
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- AI@5
- o3;1

- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- SVW3
- SVWU
- SVW3
- SVWU
- Uh9r
- Uh5q
- Uheq
- SVWUh
- UhIm
- Uhpf
- Uh~e
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u+_^
- Uh)Q
- u)_^[
- Uh#N
- UhVI
- u^f=
- Uh\\G
- UWVSj
- SVWU
- SVWU
- SVWU

- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Uhh1
- Portions Copyright (c) 1983,99 Borland
- SVWU
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE

- This program must be run under Win32
- jjjj
- jjjj
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ^[YY]
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- PVhB
- >(r^j
- >(r^j
- >(r^j
- _^[]
- _^[]

- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]

- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- F$L^
- Ht Ht.
- ZYYd
- _^[YY]

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]

- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- ;=xD
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
- "h$D
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

• Module 2 yara matches

- suspicious_packer_section (The packer/protector section names/keywords)

- Armadillo_v4x ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- Delphi_Copy (Look for Copy function)

• Module 2 strings

• Module 2 most interesting strings

- url | valid domains | tlds:].vE
- url | valid domains | tlds: A.TN
- url | valid domains | tlds: I.uZ
- url | valid domains | tlds: .mZ*HY
- url | valid domains | tlds: g.va>-vO!.v
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: LoadResource
- api | frequently used by malware: Sleep
- api | frequently used by malware: ExitProcess
- api | kernel32: FindResourceW
- api | kernel32: GetCommandLineW
- api | kernel32: GetModuleFileNameW
- api | kernel32: LoadLibraryA
- api | kernel32: LockResource
- api | kernel32: SizeofResource
- api | kernel32: VirtualAlloc
- api | kernel32: VirtualQuery
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: HeapFree
- api | kernel32: FreeLibrary
- api | kernel32: GetModuleHandleA
- api | kernel32: RaiseException
- api | kernel32: RtlUnwind
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId

• Module 2 other strings

- DATA
- 9xOQr
- 4{2:dRbh|
- o{Bm
- CQ?_u
- \\Jo=
- ~vOkR
- U)c`
- eEZF

- v3t)N
- lFb6FAeg
- M6Ax|0
- @3zmj
- *kB9
- =`=i{
- ^(xO
- qf\\yOA
- 1wLl1IN
- oJvL
- 6B{y"9O
- 7yM8NU7s
- =mIYN6
- ooje
- f91)
- T:<AQ
- l0NfY
- *8iz
- iD>=0L\t$05L
- AYF<nOJ9
- fV9+`
- uOgY] :K
- i[eZS
- PfAB/
- ul)isK2
- }yx7pc5:
- _14[
- dBaY
- pMAg
- Pak`=;O
- raME
- \\eJP
- nNeo>YW
- yig*C
- Ru$_
- 3nDX
- dJO4
- a2=J
- 07Sv5
- nJ2^C
- gS@A
- `l?%y
- 47H-l
- 0cgSg
- UEB[j
- NEhoW
- Hh1\\
- s~Wq5QU/H
- :hH0B
- A#Ofjq#
- CHuQH
- b|U;?
- ?oCyd
- Na?1|K
- h8yG
- M8P9
- EK{}y

- 19c
- oIRpp
- o3:^Q
- 03s7h
- TUR<
- hOe &
- `EB^F
- N0^ZH
- }AT{
- @1)6
- gD`a~
- epBmh
- 5?lH
- 97[~q
- N]ku
- FaSE
- s$_a<
- z'+O
- gOsC
- jnNU
- 58Tc
- gVYE
- OiPt
- A IM
- D)5@Q
- qA;h[}41d
- A&A;[
- <ck4-
- dom5dH
- 4P+Ve
- sqC3j
- M&1XP
- a5UZVr
- pA:P]
- lTM6v
- MeJx}7/B
- J_2a
- 8aU6
- r18T
- 5SmB
- l5P{L
- ?0!5Q
- 65k]
- |4hp
- EiM^
- U"Ze
- r4N}a^@9|Rz
- NaSa
- pd8DU
- <5xG
- x4kN
- \\l]E
- e}E}a
- bK8ZAe#
- C@y7i)
- 8=dp
- ZIiB

- >M`U~
- z6xbV
- qI)Rj
- KyBE[
- bOve
- HoT8(X_
- s\\63
- eU1\\pRn1z
- UbpCA{G
- iE1F}X
- /R6#8?
- HZ7t
- Imf[
- Ml7@
- naaqD>
- -4aC
- @f5il
- IZ=<
- a?=T
- ZO_V4
- 2.u1
- ZkeB
- 29{@
- 4g61I
- tHL2uU
- HuDBT
- nIfU
- ;t4K
- -nmI
-)Z#_9'mi6
- -t00r^
- @Z_B7
- M0|{
- nOvE
- ~aR1IQ
- paGV0q8
- 3<D/}
- 469G
- 34mO%L
- 2}qFh
- pO9bu1z&
- yaHb u
- AoJ{
- x)?O
- Z1`ym@A:l
- PAK7E
- jx3N
- c?Ie
- UG8s@aSa
- IqKV#><1Q
- zgMllcy61dourQ
- 2}%N
- l\tURE2
- WHiK`
- 2\tldVS
- EV/f
- I!2dj

- Uotv
- Idd*8Db
- w6-h7p{V
- bOp8
- x^Xce
- ERx\\
- bK?X27
- 31o@
- UU"WitEz3kYT
- @H\tZIE
- 9}U:
- }h1J0
- eQdk^
- pCt6
- Ffm~M#tAF5~ 5B,
- gEu`
- CB_E
- 6R_~
- EM<u>C
- L4#mot
- 5la(@
- :H_9
- :`O9TqLCU
-)Z3eH
- |o6yjPYG+0G
- KiS_
- 2oE'0~
- &DpjI;
- g]Zvi
- gU$li
- q(A0<IO~g
- PoWax
- C2{g
- p68gXF\\
- &@Evzo
- @T7h
- o_fT{
- O,?.
- SPoL1
- }3q+eK
- C;T3w
- oY.Oni$5
- JuoW;H
- 6t`S:
- W6L;51
- gVE'4hF3
- Y@}2Pk9p
- eNJ1
- 1&(B
- bN9F
- s\\5nu
- IQK@
- z1F@
- akLK1yz
- kd96Ro
- Is!v0JFOnc
- EIfF]lQ}

- 3hE[#rH
- \\0v@?U:
- 26kqrlOY
- uVEar
- za3KX
- @O\tn
- 4abA$NrdQ
- -2>Fj8YZJf
- O7`X
- niClE
- xinAtN
- x<6O|
- mO)~
- mI1Tr)[C9J3}
- uaF\\
- F4[[
- qb9n^E
- In`GeS2D
- obgo:
- Pc5Fi8y_
- augNjFGX
- [gua;
- MKA~
- c/OV`io1
- v|G`aJ@3
- AKeIQ
- U+^W
- iL"|
- 9-jF
- \\48'6@
- $8UNIs
- A(K:
- *g$2
- "#EP
- #5BR
- BI)8+"<
- :/3GA
- 3q X]
- +;e~
- Eu\\Ro
- [fO@
- 7IVd
- --]1v=[A
- m2L^
- 6J,OIKie/e
- mO)&
- 3g.I
- 9D,/
- +3@A[R
- 8|8RT
- =5H^1Y
- 2b-xN
- 5:Y8_
- IAr)y
- $?uN
- Be0x
- It>L7

- ":A&
- 'VIuHK
- 8fb?V
-]i6X
- '1M(
- Izt1G
- 31,#7TV
- d:@I`
- ~/ue
- 4]3`
- /Bo~
- >?Ov
- 1YG$
- tcsauw{
- {+~0
- rADU%
- 5"-36
- F/cO
- t"6h
- 7r6D
- 10Vo
- $.>A
- <2$FNU
- 3ANd
- 4j8R"i
- Or)Tm
- 'AK[<
- F{#CA
- Bu*vJpcO
- c38.
- @hA|
- 8k%bX
- *&5t
- 798L
- 2?3C<L(
- =2H*Q
- A5Q*
- j-tA
- ft0,
- LaX(E
- 0;<"X
- \\vaD
- \\6ns
- ~UJv
-)8*~
- jy7/8H
- ?2x<=
- =a[=
- 55&K;
- 5#OAS2
- [0}>A
-)L:AG
- c5Jw
- apt|
- 02=~/
- E\t}v
- t5C`

- C<6A
- g5Qy56==$X,
- _^V6
- r9w@z
- 2@&f;
- OEYk
- m$IE
- yZ7g?
- z+3L
- [6?S$ud
- 0A+2
- A}Gq.
- JD4N
- U1z,
- 3=I+]A
- 2}Jrh
- $5ulS
- WHPT8
- |rC0
- 2-FaY
- <0Lr
- 40G3C,dl
- 9/)"otJ@
- q5v{
- }ofh
- -'0c
- -@\t3<J:K%E
- R<at
- /InF
- 58XW_I
- 3E+u;
- w O'M?H5X=W6h'x
- 32*8/68:F/j
- %<#O\\4
- oreueMq
- i3X*
- &2E4F?
- 9:%;^9`)p
-]t8NM
- LXUG
- g2jT[
- -7'M
- ;15H#P
- 356[4k=
- TSz9}CuOpUw[tiAk
- (!/9
- E6\V119x<t9
- akls
- 6/.!
- L9.:v1
- 3,8$663I4J6T#Y
- 69@LXH
- {9<J
- V,3Y0[3i(i
- ^3!@
- *JfO
- UN/$

- 1BIdg
- 9xT(uSa
- E\twa
- IaFb
- 1>I C
- J!4)
- 78%ADQeY
- 4!+8A\\a
- 6GW`k
- 22(>+?I,SS
- "5 B7
- \\X`8j
- 3z7C7
- :9$D
- 87e0`9
- +r?5
- 753T<
- 4]>t
- 5sVzi|a_
- ;3j7~0
- 501(bAdn
-]6a/tF
- u1>9;a1
- ?A:J
- =D@eJ
- U1raKP
- ;59C7A0_6W9f&n;
- p)u'E?
- ,s;=1750=K<[9Z<b8{6
- ;7&V;
- ;#=3;;8O7A>F,N
- 0WHr
- F*8K
- 8sBrMwUt
- !(CUei
- +8Q/
- :'8x
- 3K'UGpg
- 1-.3DBmg
- LPau
- 38477N?Z?_?`<}0
- ?K>@5Z<Y2b9m7u6x0
- I)Nm
- W|f7
- (9Ek
- 3r]hO{
- B"a,
- NInc
- Numr.
- e{kf
- O|bm
- QDOG
- 5bpaW
- nMj9
- vjAm
- [1T@
- <#0wJ

- Oqq?S
- W3H_
- _d8K
- \\1 aTG49
- !^Av
- HOTW
- DK2C
- I+a}
- eh3\\
- tIT&R;
- na4{
- ~<oK
- pA^h
- c!kI
- W$'Ib
- G!m}3
- qbM2F
- fOTJ`
- A@;rA
- S4)D|
- B\\CLE
- HaQg
- /izw
- DGxE
- a:fC[
- C"ZLU
- 1#OLX
- D#SEoq
- "%C0
- $*AIVk
- e?]
- n+zI
- 5!G@Y
- o/|B
- /+>@A
- #$J9F
- 2*DAL
- 8&FE;`
- _%cGu
- 9!>I]
- l/wI
- ?"DA]
- Y>@e
- #CEc`
- u75 ,
- Gg1@
- cYPId1Z
- 8/A4
- y`9H
- ~K2%F
- =A.8kLHA
-)|8a
- C1\\/
- ~Xw5
- ZEz+
- f1k~
- >3HH

- IX@!a@
- \\5(Q?
- 6d"8
- &E;:u(]
- @A:Z
- 1E3)+M
- QeF^iL
- O9[<nT
- ^e']6;D
- P}X3y
- 0I8a
- :)1D'7
- "5@v>
- ?!|^5
- 6T5Z
- imhz
- G!4%
-]c0B6
- $p#o
- IzmuwQ)
- k*vo?d|Oc
- 82zy
- YuPR
- ojog+
- O=JP
- %pufn5en
- Uhkq
- p:1U
- +Pat
- Z.Jm7
- I*J,/
- 3)nAV
- 3-\\9
- 4`CF8
- OfVXH
- i[9C
- ZT7q
- */1Q
- 1@6"Lhb xI9H
- '7\\D
- 4)8Q
- wG0;
- ALPIUS
- _0$GB
- Ad8q
- K9i}s
- $0wW
- @54MV*
- z;A1&
- 8k_bQ
- O1E/)O
- F7tAH,yp
- tXtA
- kVg1
- R92(
- 4yVJ
- %aa{

- <IYz
- d.9<
- %a-4?wZa#,
- 81XD
- J<9M
- hc^7
- 9^a'
- EZ+R
- v.6~!
-)0g[
- (UsO
- V\t1
- IV02\t{
- 3ZG.I
- J,OGH
- LEAO
- XUZP
- =6\\[:
- =o9@
- u]+os
- \\iJm
- .ov}
- ZO:#
- A'v5
- o4Li05
- 98{=
- FM2+&
- xC*A
- 1381
- eicnadhh
- LLMAMIEA
- =,OEO
- m2(F
- F!;o
- 0t0B
- I9&]
- p?i=
-)gq4
- e%%%
- vJ8z
- 0y,i
- {9i45\\v
- /@J2I
- SEHc`
- H9fV
- UcB<
- 7r! +6K
- tB"4
- I,$)
- 0IM&=
- SGm*O
- O|Cl
- 3tT
- q0jC
- 1RE6
- :`o_
- 4[E4

- d23'0_8
- <13F
- 1(+&
- 8,<e
- o>*ur
- Y4)<0
- 9\twf
- *>\ti
- C1\\r
- IyUw(
- I6N*
- +g6
- D8$#=
- MiA/
- Y8:'<
- Ev$"
- SF1%X
- C0-M
- 6F5H
- %(m7
- N5_*
- Cb+2
- G4&5
- IID6
- a%L$"
- "C(e
- Dw)o2u
- o~g;
- EoEp%r
- (GL1
- Eu*^
- xEB@
- p[.a/
- 8~I&
- q"e(
- #yOG
- 1O2'q
- ?,)8
- <XUK
- 9s9k
- ct4;
- EC*\\
- ;RE$
- 4[-I
- 0e<$d
- @,)3
- MOX&
- yQoz
- 9C I
- \\@'0a6^
- D5*n
- @.*9
- 1F)?
- 431<
- O]'H
- OME+
- k]QRe

- u+~K
- &{L,6
- o=g-
- [OO)9>A'
- 8E~!
- zNm7
- Tw`a
- 74|<
- djj8n
- qIfx-
- +8ew+
- ojgrn n0T
-)+Im
- sL+EO8l.Z
- y!%eG
- AJlGc
- [FHA
- a_z_
- 4m)PM
- KlI.
- UUXV=
- sq9)
- 7Jpe
- S_j2
- 3VM+
- I;Nm
- }O_J
- 9.OD6
- C6^.
- q o$W
- 0$"jWE=
- 9MZKF
- 5Wrn8u
- $m8|
- 8Sy)
- o_/K'
- uqe'6g
- oc.
- =aH.
- 5bQy
- ?O\'"
- 0dhs
- $5IX8J
- $$5Z
- SMB?7
- Z>UEA
- 7`AS
- 6<C$Y
- :g7l7U;&c;
- 7Ojb
- O /v
- 1Q&%N
- 2gW.
- O]M@
- gQ2q
- r0|<
- Io0Q*

- i2*$8
- 1, _0}
-]7y)
- $Y8Sc
- #Au%
- LpeyU
- -!!i
- &zPA;[U*
- C\ty6
- .BOo
- \\B%lU
- @po)
- k:(3G
- U8pa
- 'TqO
- *inK
- EN${
- 4.,8
- #%8//E
- ^2lKk
- Rt9=
- *}A!
- s?ho
- axF5
- *K4O
-],\\6
- O7Yt
- i0zGO
- e:nS
- oZ</
- 9%e=#}
- qE~#
- >(U'
- s&0:
- KB~3
- Zm)1
- ONj!
- 8kRS
- Ehe9dk,R
- z-{2~5
- LOr4
- 9nH9
- r$Eb
- lA|gb
- b=`Y42I
- jh4ca5F
- ;(83
- v2r?%%3
- KG(I
- Foxcxir`
- ("\'2
- v$i^
- @c$O
- *0l*
- uD.?
- pZ6R
- SHWe

- F1E<
- E,6$
- !$5E#
- %+e@'
- C9_D)
- ' B^!EU
- =Amx
- A9 rC
- yl|J]
- J)|lP
- *a|$
- d6Ng3k
- m%edw
- BEh\\
- Q64&moDv2;<
- RQ1u
- :9b=
- A9-/o
- n?a!y
- 7L{#QpE)
- }F2l
- gB8^
- UvT
- P2Y51~
- 6(J3
- :MH'O4F
- nU1Q&n;
- *\\e@
- dMrU
- l:hHaj9FZ
- Kg%l
- dt3YL
- 6.+W D9
- NeAT
- 7vI%,D
- #9Y4
- }^0$
- 5}$)
- R@3jo
- 5<DOB
- rASR
- D0A()
- `KWAp
- ~z0\\
- 13.}
- M#&5
- 9XRL
- y>2U
- M{D5
- OE%u
- +A\\R:
- 'oI,
- cu,n
- @U`y
- Cpi-
- z9Ma
- \\w5}m

- XE*8
- 9c"0
- '4Rq
- O\tNO
- aH]|
- CX\t1A
- 5@,j
- ZWNe
- ";O`
- R%9N
- S9X+
- ^Ae-
- [973x
- [>eMW
- -lES
- is>
- Rx9,
- 4zNA;m*V
- ,U+J`
- "sQ9&
- B}u1
- vbQi
- OXrUe
- ;OcI
- BOZU
- W9w+
- '|3#C\\4
- Oc()
- q\t8v
- ~a(W^
- E-ub
- v_Y0
- 2x+=
- IkIv"
- 5'Mj
- 8'y7
- u3(x
- {1Kr
- 6i^#b
- P5DM
- se:.
- iAkbF#NgxM
- u2:ORex
- %gAlz
- AJ[UL^OMsK
- }ydu
- 3\\\\`1
- em}`Xyor
- 3/6p?
- }5+t
- Ctm3J
- GuSp
- 85>2=438/4;
- idbicg
- ,9C[
- 1?"4
- MICp

- #JBus
- JXf2
- s>U[
- SE_S
- GB6u
- %ro|/
- 7-o-F
- E&[b
- /3fg
- in&T;
- 9s<oUx4
- :Ja%V
- Jz%R8
- IC a
-)T iY
- \\=Z*O
- OV\\"
- z0-o%O
- 5#ZO
- 2\\.PP
- ctCyU
- 2\\n
- `yT'5
- 3hkC
- qqfwiji"
- pu|tab~e\tui`oajhn
- 6TJOy
- OD:,
- KzI$
- |##34f
- K.oSC
- ACWC
- Tc9k
- bbOn
- 4eex
- Q3K\\!
- N.9(%
- #vdO,[fo
- k6?.
- J|(0
- #7"U
- moi1
- QnBup
- 2PbY
- Or!;
- ME#!
- _0xz
- 2Hd%
- 4v{}
- 5WeF
- ".Un
- DEL3I
- ~e8s4H
- (*8N
- P3#3
- PU0"
- `o%)0

- IO:I
- +ZeJ/
- aVdc
- ?DQ3
- \\Hay
- W>u9
- mA3
- a/U\\]e
- lL6UmJ
- 7oAeJw
-)Eg%
- ow[aHE
- gJ=HI
- PB0s
- 7lqQ
- Ni&(
- :#(4
- ,s3+
- >6JP
- i<Z:
- 9,vO
- 9kDS
- [e S
- j9OI
- 4#IC%R
- \\hJXX&8i
- PH3A|_]
- u?#Yqa
- _o-8+
- EC)$
- ?6,*5
- 1;1_
- (YwO
- ~KO6?K
- *RE usu
- |M A9
- 6 !+f
- X%aQ
- M-"3
- JU+c
-]<,u
- Ewmn
- PnoWra4v^
- P9L3
- P3(f7
- %MLI
- Fs'A
- cIUO
- 9O\\&k;
- uB)z*
- +2u@
- 4i#T@E
- ^_4P1
- c%u
- p4O.
- =E`iltt
- :^I!

- Bp+o
-]!}0
- %9E&
- LguE\\
- TAU^
- 37;.|
- 5K8Qm
- %2!@
- %<\tqe
- 38N{_
- 6!/!
- $Li
- 1B6C/
- KI%"
- =f|4
- =]5*
- 2&]C
- 4E*<A
- 8A@)
- $?3
- iL7D
- $(&P9;
- tOk<y
- fA:3
- +&A3;
- },iV
- <i8[-
- u)n!
- |Ty$4
- >1*v~
- HA~#)
- pt>ZE]1
- \\'|7
- f1]&
- c2C0
- De <_
- d!5'd
- 4vG<
- DUsM
- &!"7
- cT0rV
- 2!S9
- 5 OI2
- |UH$
- ;D6O
- NXvS3
- _eS*
- lA2$
- 3O7N{l
- l>|OG
- =*H7
- V,E"{
- KhVI
- uMlC
- ADc2
- 4\t';6H
- 4ge;

- iD4:
- 1vQx
- .eux
- Ow{@
- X*9?
- }R 1B
- T7+:
- Z.IUO$|
- 190;fxF
- HuaYE
- gRi>
- %UpO
- +8{W
- U)K*EP
- TF5D
- G(iBH
- lB]8
- IA=u?
- O\\WLR
- pUR*
- 0<TA|^V
- 5k6/
- 9OYt
- =P4P
- Ajc/
- 9taT#
- pMIO
- O!Qq
- GO+*
- Bi'1
- AN1A1
- 3D$M
- U*P5
- Va *
- J7#Y
- diV&
- vho$i
- i!e,
- kAsE'#
- a-5Z
- Y L9
- I}/
- ON*3
- oC-,
- DZ%i
- (iRE
- {#Ej*
- zO7y
- 6cZDO~e
- O~AW
- ?aNg
- 5*3E
- wUgG
- XA0b
- m18C#
- kI-9I
- wecR

- 3-*{X
- T:@9m
- nmta
- iL%n
- 5\\nU
- 'W5{Y
- 33H8
- cT+"O
- A@ U
- IMyaO
- o%rok;/%uS
- }y;O
- aA7)
- ,0 gCI
- \\wO;
- KO 8TE>>
- ozx^Ax|qd
- (QU%
- doqan
- 3L"4
- 6ipR
- -uO)
- e,NSV
- .]JDo
- ot'F
- oP2t
- B\t!rA^u
- ,C0v
- 0hoO"
- aXFS
- 8M_2
- 8[ZB
- U}^B
- y@6}
- 0B47
- PSr4
- 9\\lq
- EO17M
- KB#9
- 6D[46
- Ol'P
- 6rLR?
- KF$1C
- A6%?
- 1LJ55
- #H{6%
- l9(@
- cqoy,
- An$c`
- bF(e
- oB3%
- A(Kx
- b+2
- .o5,
- 4]wPc0
- &UBK;
- Af3m

- I"#~
- J%#iq
- F$'A
- OB Z
- dC#2
- wax&
- eKyN
- aAJS
- 7q:~
- @=2B
- L}vl,
- Ak'Q
- 'sl`8
- K9)3c/
- D+)8
- y1Pf
- e`?,y
- l-I8
- E|/9Q
- I/X'
- AT?
- Zcx9
- RD$O
- emc`V
- H0 _T
- Pke+
- m:u8
- GjUr
- J1/;
- BET6
- +2nW`
- (Is/\\9&
- 5V2gU
- l49
- 7B4%
- 'j9~
- 'i}L
- {DE\\
- 6GO"@b
- ~oxN[
- E9j$
- cqp9Z
- >7y/"
- du)E
- %29KC
- 9o\\{
- 5K-#I
- \\ 5*f
- {ajt4%
- !)0uH
- dKI{
-)Y'3
- @}1^D
- V|&1b
- 2pyR
- aJH~:
- 1f6Z

- uy[g
- 2%#:P
- ZUeO~Ps
- 3\\Lq
- |1>
- T7a6
- `AqK*
- *^Z4
- ,u7w
-)A^-
- tx_3]
- a3"[N
- hTx5
- N@4W
- ?eLG
- yluE
- SOD
- D3&aD;
- })aAFp0
- 7TCqq
- S7N?<
- ,u\\)
- A.&J;
- g[]+o
- eW72
- L!2/
- J{1Db1
- WecK
- 68B'^
- "U>e
- KzS}UC6
- 5vk_
- q|{2
- !~uteup$$!
- ljnOl
- ;"aIf4
- li#>
- D43N
- X4n4G<|D
- b8YB
-)=IB
- w2;\\
- r53Y
- _?+E
- |C8\t7
- h)2"
- /-;5
- uBN 8
- #g&5O)
- 6|K;
- 2z*$
- 2gl&q;
- A'Dp
- 9tkf*
- ~u@8!*}W
- y9KF
- `govk5

- egu*=F
- 5%JYI
- uJNo>XD
- 0q)?
- pT?9:
- <B7~U0Ow:
- ^^O^DO@y8
-]ANOHJJD
- 3Qj|
- T8'oY
- %:t1
- vrP4
- E(MfX
- <v9:
- IQAL
- U|fV
- q$0(q
- [4@O
- JQ\t7
- >c3u
- 2dA
- C]5>
- Diw [
- +"\'4
- [B64
- <9@e
- xX%U
- [I7zI$
- Lx8W
- Hx_9
- Ny3y-
- hV4}L
- DI)2
- u$`q
- iP}g
- 8.q
- b<?U
- p5(_
-]v\t<O
- K*!>E
- @K1\\
- ToA~
- hyJiZ
- 0R&^
- 2vrC
- =07D
- Uj|4
- G>95
- Be$Z
- v6&a;=
- '&9B
- C{{i
- 72 #4B*
- w-lA
- It!|Ce
- 0_gT
- 0"COr,u

- @0V6
- 2U[t2!-bVk
- ?`8ODs
- X4K"
- YRE
- 6`I=KM
- Cf<9
- \\k\\e
- FF0ye
- IV:un
- .2&jo;
- (DJ2H
- 5}'bG
- s9/]
- F5.Q
- &BV2H;
- 8zbD
- Hy5IN
- p0lH
- ^99A=
- kO[\\)
- }5O5\\
- 2L@JAE
- 52W-
- gW9#
- ^Fx@A
- %VF=5
- /.e4L
- `6eW
- dcT}8u&
- IQe~h
- * eW
- U]kK_
- oR'$
- k&%e
- VDI8
- K6.i
- $5)_L9
- 5l_O
- yT%6
- q,q@4
- *2+U.
- 8iAD8
- "$"i
- 1Jl]g
- v7t6
- Coy$
- YLa,|
- 9\\7F
- 7|vJg
- V:-7<
- `vK}U96X
- >i/9)
- M7`)4e
- dumm
- @(Odr
- C;@5

- o976O>
- ,Ux(|
- qNa1
- w?O&08T
- Icq@u
- 5'l;)
- kvwo
- $U:8&
-]7tC
- (U&Q9;
- 8EL$9
- I?j-I
- 7'Jtj
-):P7
- Z+1w
- ~C9pK
- 9B6!
- !@[A
- Fc1+
- ~G@I
- vebwk
- hLomq
- iQT
- @nT\\U7
- To@+I
- e4YR5H
- in&N;
- .K.P0
- N)a`
- I#Gu
- u|,Z{IY
- <)4,
- 2h*YI#3*
- i:ca
- 4=&C;
- ~U:,
- Ea/U
- #31$
- krwO
- =Ji]
- 5dCO
- :i3X
- %1+w%
- 8G"\\
- P0b-C
- #Q4LP
- 2AMR4
- /k[O
- 5VGJ
- A/kE;
- r!C9
- s3=
- Ps38
- d\\!4
- ge3dTq>E'
- #kU.
- ED!p

- VOC\t%
- Uz0v
- l6p/
- Woif
- U6F=
- }u*]
- jOC+
- _`UG
- 8Q;!
- Z)&wA;
- \\6$\tw
- 9k)w
- vz"u
- ;\tl9
- E1*Z@
- $NQA
- R0&O;
- 2&".
- KZ5O
- 1'%.
- `b(u
- Nbw4
- TF8!
- o!r:a
- #L0C)F5
- ti;(T
- @n~U
- Ec9@
- d4G,
- =D1\\J
- 1C_Q\\
- AFPL^
- nTh0
- "a$p
- CM U
- Q6%B
- |+~3
- B8G0
- %U}8
- G@Gi
- /{5r
- j/&64
- No:%
- @1%-
- e~?i
- 4CyX
- 6F"A
- @r*E
- v%I5L
- c6|ACAn.
- /<3<
- #aEz
- I,HWp
- pA*5|
- +'@0y
- dmI}P
- c,UQ

- YaMa
- E9#~
- E@):
- jF~I
- 2C}*v8J
- v88+
-)0_H
- 0_JJ
- &UjZ;
- -A."5
- FC|c1
- g|TO
- $j<e
- },+o
- ba-Y
- M0E4
- zi+A
- P{U&
- /'G(0
- &7PE
- #My2
- Lm2k
- I< N
- @=.O
- O`6^d
- 9qK)~
- QSec
- 2lQ)
- -p=o
- `1!W
- Z3M?'
- 811N
- P6E/
- @09<
- DOg>
- %#Q0
- ,$Fu
- !2
- 8 p/2
- xyQE+
- LZ^#A
- MO.&
- 9=hc
- C$+A
- bFneNA
- MEI:A
- o6[h`g
- d\tLe
- v*KBe
- /O%6
- 4&a;{
- >e+h
- ZhgaR
- jtu8
- esm_j
- 0b$cT
- -iN'

- E<ShS
- LYL3
- mol&m;
- a-Npir0_
-)YG[4
- XQN(1
- 47.0Hfu>C
- 8E+p>G
- CE6L
- N7U<
- eJQf
- >#3wM
- B}<U
- _^dIO
- oDDO
- .yRIK
- ECs:
- Ddp6
- 7>$Gq
- 5X4[
- oNR\\hXlE6|
- D90R
- TJ3)
- Ju?_
- ^TA!
- #9?2
- 4b(dK
- V:99dI
- VBQe
- Q6VRK
- Q@U g
- yS#@e
- A}HS/
- 34-uiT
- g11(
- rt3u^
- L]iA
- m9E%\\CL
- gFiL80
- uBaa
- 6t;b1
- i,G
- yr86
- 8%.r
- "9Er
- mA&8=
- In(!
- ="JU
- $9r&
- yEa>
- P6JZG
- 8c?m
- JE]e
- (c0S
- UK},/
- !DA
- 6)lG!

- ~xzO
- S;eO
- `*Ei
- SIf|S
- Af$j
- |zNo
- X<]E
- G7
- (&0nL
- 4.)x
- 8<*E
- aa*x-^FZ
- `%{5
- .A\\T*
- 1F5PWc
- e[Gh
- $>o59
- DE.A
- Y uN9
- :/n7k
- (Fy$5
- POd)v
- 6r`
- BED8
- OTZX"
- e!*n
- +09[
- e($a
- u"0@
- PA!u@
- kA}8
- o`xb0fo
- oo&g;+
- #uK/
- J6fQ+
- 4_!0
- .q8Vv
- qfq7m
- Lq"e
- @b61
- '(;VI
- o|Z3i
- EOwA
- ~okQ8u
- w5"x
- 9,/6Wy
- ~Ysiha
- *jo'
- nt"3m
- +q5O
- 9qZa
- U0@W
- Ki]r^
- ICNP
- i,U{
- elbV
- OHYB~D}ps(s9ulu

- oN4Z
- g1J1
- m6diV:"
- A`h3
- O\t{T
- 5X?!L
- N@]<A
- ER+$-
- 7#Xx
- KM\\E
- L$]41+
- &2J#
- UGX.
- NP=6YO
- <S3V
- a$|&*
- 7ZSeDmv
- Z$n8@QrE
- GO(|
- ro?e
- 5L0*4mO
- o?!9m
- O\tea
- |yZO
- z(C1M
- 8'^_]
- :*&EB;
- 0,G*1l!F
- vo(;
- ?-T7
- "0/#
-)is<
- 3uNB
- ^9u+
- m{zh3
- &/OZ
- <AS!?
- tb^7
- Mf6"
-]e ,
- +Cv'e
- 3yI-
- }@t2
- YE{S
- |E&:vKo
- lIXa_
- oJwA
- ay2
- e!Q9
- ()pi
- =iLJ
- SnREa
- ^1w+.
- Z2U<
- &5[@
- $igM
- >6D9lP

- s&OQ;
- y&Ix;&
- UMD`
- |kfU
- I2D$HXnx
- oX1B
- 6Y*;
- r^>3
- &y;<u;
- ~`7\\i/
- E2xI
- 'E&B;,
- HSI5i<
- u_ycC
- n7#t
- H8<A
- 7a\\
- f=IVB
- +H5&m;
- AN\\3
- voW>
- Rv{u
- 5&a;*
- 1B$"6
- /VEc
- xAOS+
- <|!3u
- A_'C
- 0U5O
- Kf%A'u$
- rO,%N
- 31EH/
- 5 @H
- d|oW
- 3YC*
- E\tA_
- uUO!(
- AY)`
- 2MA
- HEX%
- 8CU g
- HZbGi
- 6.)YA
- /}7Y
- VHu
- 353=7;68
- BU7
- %x=_6
- E$"U
- ehg{e`+
- NuNG
- ,,2"]
- qO@7
- .^5]
- C>9`D
- #B2*
- J,OK

- E1%>
- Mfdako%
- ^FE,?
- IWFO&>h8
- #.ooim
- 0.859
- lqia/nT
- a#]SA
- \'H-4"
- 1wzS
- L?a
- 8da
- rrj1
-]3Mm
- .4oL
- 8W+9
- NJ0
- 6)}Mi
- r_du378
- 5TP#7
- u}?T
- FAq(
- -+v3
- Z/w`2
- ~rXE
- y!6v
- EGiJ
- I]i#
- !Ce1~+
- o0q5
- SU@@
- ,fO<
- .N&b4;
- px4\t)
- +*]C7
- '.u9
- 8EB$
- /3;~;
- R29
- E"]
- 9#UAt.
- Q%9E)L
- |[ks+_Au
- y\\D)I
- -u"F
- /xo/
- 8N0*
- |D4;
- kH[8
- #JojA
-)_'\t2
- {Ee;T
- GAa
- [iDh
-]~,\tGiE
- rcQ2j
- CAQ-

- e:)
- P05xe
- Mb'0
- W2#6
- `-A$
- e;^A@
- OaNg
- @b0P
- gl3K
- joQH
- hm@id
-]aPa]
- 1L\t0
- 4\\"M
- `HEV
- c[a%
- .)G o
- D1ZM
- I&>LD
- 4lu[nt
- 0^3dI
- +YER
- U+%F
- *OzNTEW
- !5Fc
- I DN
- ^ 5&
- Xh1|
- G[8A
- ,E]i8
- U3~S
- +ROV
- KUIW
- o#R=
- j8\\eji%$a
- ^e\ts
- ^e,aRX
- hjyu6
- R+e?
- 8)sX
- mocZ
- >5!k
- &oz;
- iEyu
- 7C}/
- 6c,`
- &'cE
- hu/,0>:
- hUvU
- ,4ZYc
- eer0
- Do(A8
- <O>&
- rN{\tU
- Q?6F_
- zECJ@ufno
- tw7/6gJ

- 9!$M
- 5)(z
- `w9|q
- [z.<E
- OgsT
- 7fho
- 3I@O
- Aem]
- 14@5B2
- 08g(
- 1F:\tz
- s8k9"
- iQ<M
- #aepe>oex
- 1=7p.
- P1Bw
- HiA>
- @8#
- (@9
- m054
- o;# OXI
- 0hqR
- N36)
- B.U#
- RU/c
- WV$e
- `8DO
- R:ji
- KP3&
- >7zR~
- y6nA
- 7v@z
- jg}`48Y
- ihn07$e
- oZ$4
- BB,a
- +s%/+ u'A
- Be]&'2
- !Y!/0
- O@zO
- ipm}
- M~7.
- Albo}9kg~Q}O
- EKCS
- !|M5
- =3c+&
- n9XA
- &4:'
- #u2C
- F_KU#
- OD]5
- l3CH
- *YCE
- xDO$
- A7=>
- xDus<
- ~iS8LB

- 65%H
- 2JC:
- 9Ly2
- i6g]+
- M31x
- e:t;1x
- H@_O
- cA8}
- X_Pe
- 3'C (
- FI!@
- ebfC1~p#
- O1`.
- /|a1
- VQ"i
- er[6
- 38Jt7
- e1;6ZZ
- l~ZI
- l%^Pr
- *!D28
-]jIl
- #p%2
- C7%1
- EvF98
- erb;_
- F}"u
- z\t5
- l}415
- dub9f
- }z8y
- 3v()c
- 2`9$
- &{owl
- A0r&
- s$<6
- mK=U
- [\\Mu
- WW!4
- *7bSz
- !iEL
- lIaW
- eZ7~z,
- v\tEjlfU`
- d>1-b
- j8_-
- 9Q!S
- g:9u
- lJ7d}
- pAoP
- 8x,&
- 31w)
- XMIM
- >7bIO
- a*`4
- t4I[
- /]MA*

- /1%P
- L(;U2
- lEp?
- d2R!
- I[+2
- Ee#y
- AFM<G
- o;MV
- i4RTJ
- y#32
- iL\tO$9
- A"V<N
- `\\K4
- 7Bep
- aGg"
- a'v;
- 1lP=
- Ht#0>
- cikh
- qRsOV
- -Zu:
- %Ux5Y
- 7=>6;*t
- Uisu~a
- 1FpN#
- .1%C
-)5ll
- UEapk^
- ZJfroc6em
- z*1}
- ruJgY
- u$Hn)
- a=Eu
- z3Jp
- 5u\t:
- .cT8
- :>4Z
- }e@,
- 9N.Y
- Gi)v
- s\tAQP
- ^G2=
- 7Sxl
- !ME/
- voc g
-)~H1rO
- \\] 2
- E}g&
- s4@@
- 6Y}V
- 8xV,x
- t7tb
- E$.,
- na`Rle
- SZ~O
- nal~
- 2K?6

- A6#/
- pdfki
- 8!Qr
- NNIH
- %pufn5en
- Uhkq
- L2RQ5
- 0 0$0(0,04080<0\\0`0d0
- 9':3:@:R:
- 3(3e3
- 2#2/2<2N2V2^2f2n2v2~2
- 1!1(111:1K1
- N0U0e0
- 5&545@5R5m5
- 4-434A4V4o4z4~4
- 1b3~3
- 1/1H1a1r1
- 0&0.060>0F0N0V0^0f0n0v0~0
- kernel32.dll
- SysAllocStringLen
- SysReAllocStringLen
- SysFreeString
- oleaut32.dll
- kernel32.dll
- UhT+@
- UhE*@
- |AC3
- SVW3
- 5H'@
- Uhw&@
- SVW3
- ExeMem
- ExeMem
- UhA"@
- Uh\t"@
- Portions Copyright (c) 1999,2003 Avenger by NhT
- SVWU
- SVWU
- SVWU
- It1S
- SVWUQ
- SVWUQ
- SVWU
- 2_^[
- w%9
- Byte
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- 99=6:2AZhqMfkxuixBCnUh8Pp1hfTvl8VAM61KxDLa9AUO3l2DAPr2Su079If4CqHWga4vP4V2QtSFahKruC7rekB5ISUJocF2xMT2KUmjk1I4ttoJFoPH4G2egByFNd9rjhXbCMP67xwyboVA1fgXqLnQJlW6p6pVZePfE1ARzNhkVtYOxxm1mMJvamohMCCvx32TKPRzIEBqea8MndIFMFxYP3rZK9EQKTDK6u8oOiIIFPXpCPhsnOkc8g2qJDzh5FaPPADDINGXXPADDINGPADD

- G(Cx
- qbXd
- /CJj
- ;\teYZfB"wjtc
- zFy&
- 1pht5>zD/Ty*
- {PHwJ
- S:M:
- jn`/K
- y|`2fV
- ;C@QTt
- C%|@`3
- YL1tmG
- |gbO'lwwB
- rKQnxY
- xXZr
- ;m]W
- W+[y&
- |fTq
- >,^:
- LGqRJ
- ;w1z*b
- #_F=
- Berg+gn
- m{yjzQ
-]CNN:l|Kz
- c6LJjMB
- sBG_
- C{s/
- k&v;((
- LpkV;
- b[f__:c
- KfKzv=
- |Ej~}K>
- vR&xj.-;
- Mg6tP}
- ac)hTz
- @LVn.
- Qnf_
- zQzK
- DLF,
- vH>~
- wnHL
- s[}g
- bDYXq{I
- jS<M1b
- "n[b
- VYdMEJX
- zP_x
- m}V1y{
- nW]B:
- lxp$/
- mjC/<hL
- lmkaxk
- wi"vFg
- fMLM?F
- dx]iKh

- r#eYWX
- '[zL[
- NkZ>9L
- [[WQy_U
- :eYf&kg;
- PQS*{Pq4f]w{dabX:v=
- @j`;
- mVpy
- }h]>cwi3LnD
-]?vlOY
- SxwkB
- Z/DH'M@i%}
- Pvxw<#x7
- `\\Pbs"FH
- pnW-VfT(6QZFdn,o
- $WwQ
- FC\\CCE
- @cJ:
-]lKB[h
- |[VY
- bNB%
- OR>gB]\\
-]d;nJI
- [Dy\tBW<N
- PEKzj{h
- @~Z<<5
- 7Q;`yj&
- cqTJLS_
- &-QJ
- mRgv{nDz
- q~sY
- {J>nK4
- DT:V
- =XG}B
- \\w<Gcv,v
- *<_h
- t_v#
- GNwf~A
- UwWYMB
- -hm,~_U
- nCsT
- XLE`$H
- D(@RX!
- d+{D
- :x:KS
- FHxc
- kNZK}x
- |]Ojdq
- :>wC
- hsb#
- GH%WG
- |0mD,s,*
- yZQ{(b
- |'lK
- hNl/dY
- m@zNg
- `ZCXgDkL

- Cth7)NjqL}
- ;`C>
- Ad}J [Wn
- rBfcR
- BrQ"{4/pq;\tjLk8
- xnhB
- G~{TC
- #bCK
- eZSwvGKM Lj
- _m[:
- ^sr`R`
- ZHsy
- mqRpGA;
- xPhVga
- RXre:L
- }x/|0`
- \\JY]5`xS
- FLkJ
- lIJ@GB
- MLN<=qp
- kwT|p
- BrdSDJMEh
- <XGN
- kkrC,GT0
- %d_ti~@
-]kl/{
- kJ/b
- {@DC
- `p}@
- n].'2$T
- =J,QAR
- HzS-x
- xMPT
- *>f<j%~
- Zgpb
- mqW=,
- \\D]?
- ZEn)pg
- _q\t*
- |X_d
- ((M%
- X\\\t*w
- F}P<v]Ha
- ` /t
- ZGL+
- |!!H
- %S+qz@
- -DTX
- Yw4[Vx
- TlLr
- {hv|s
- L\\j!
- `[{/
- #XTq
- (<Qw
- =+:d*y
- }qF#

- rrxr
- *HG*
- ?uF|tX
- &~XrH
- RpwX
- xNVt
- SsM.
- rW-w
- @SMt
- Hh>Z
- `HJ*k~~q
- y&SP;
- nw}v
- g#=k\\
- W3Q+wp
- F<RN
- [<w
- g|4=>k)
- 8gRxyb|
- vGJX
- knlr
- g=)9CL
- %=F!
- :R'R
- ;F4N H
- =#(!`w7
- $:R(
- .,ls
- &=^h
- Mq%^
- %:>duD
- [DXt;
- ;+v/:Q(YX
- K+,HxL}
- G./_
- hD[4j/}l
- <$cwY
- k[@s
- -+;y'
- .M<h
- /M,M&bi;
- R:g/
- !f ?
- GTb_j
- /VCr
- MyTtq|
- GGnP
- ;w'RP
- (:@M1p
- wzX
- >zQ$@"
- <.G)?]:
- `p{vM
- Q#Jj
- LB<P
- /H[D
- G{f}TSv

- X *<R;z&
- >p!}fL
- {@A@gp
- q\\MV
- wi{{q{\\}
- #-l&g7;
- 8T(`Npn
- pv^=
- ~(N,
- p,y1t=pFuRvQ|fUh
- .vdY~
- "F!.
- ,\t6Wy&S;
- wVtt\\
- `@_;
- }Dy]
- fz@.
- p]Jj
- ;?KJ
- w)|BrV:
- 6v!ts|p}}{
- K=!X
- kpHy
-)a=B>G%Q
- #3#/S@
- ->)&?
- -9X:szy
- |*{'}3q=rDzO~T|]{fygwpz}
- ~vF}N
- ~p{wv
- ?CFN
- Y;j#
- w+w ~
- p$t-
- zW|_}
- 8p3xJ~M~qyxw
- Hcl*PT
- H=R$
- nNXPC
- S^[w
- >$Lj
- *qYN
- ~uJj)f
- FJRHN
- qaDD&HX;
- F]{l@
- &w;+t
- |j&zi; :
- E@G@.thB!
- %lG<"[`
- %:gXD
- @pCe;c
- K,mbYA.
- %=:<
- 4&H-cf;
- bxt.G[
- ^hm?

- TkKwm
- S+hl
- GP#z
- `*~F}
- Z+gN~
- V*lGs
- b/t@
- kQ\t-NC
- (<+C*
- ZhnH
- fRZp
- L,VC
- ')NCm
- n]PpTj)]"
- Jkz&BL;
- %\td;
- 1_#WD\tG
- @'%&
- =Vf>b
- @WZK
- nsHF_
-]lnFs[
- PhzLvr"fnJ5
- Lgbjz]
- &DsP;
- NNUG`JsR+@
- &sF;'
- (ycpx)
- mjj"J
- ,:bw
- T] r
- `.-*
- @z.lOm
- NMfW
- fy%+X2
- -^Vz
- v>Gg
- ![g@B!
- ;\t+"
- {T[jT*VV#
- Vp|X
- xZG,rG#.w
- @ nqPT6k
- Fr<J
- "#b
- $F'G
- lwhn)nr
- >S`'=>
- "l*+!c
- +\t(
- KW'%
- ,b@?
- !wf|~
- _fZ"Z
- .Y5$$$
- +&kqr;
- xh,h

- kz?<
- |iyy&km;
- :\\F:
- $Dvx
- Il$[>g
- 9@`B"^B
- (~dc
- K$CLFD
- H\tsGT
- +JY
- !QL
- wLX*
- >dNV
- ^G#f
- _(+S
- IVP%
- K{K<<
- %ekH$q
- DS?,
- "$"#+/"/
- !))!!
- ~p{yk=
- nzys~r~~
- _[WU\\G
- FYXTS\\UU
- $P:
- @_tcy
- BS X
- @c!.
-]N:=;
- ,@'t
- t.Rq
-]Jsj
- #RZtv
- P{!n
- :Y/q
- rs.$
- \\LVW:GD
- /C~L
- F.-Z
- H^$>
- Hy Y
- ;G|Vz
- |M)'|
- mccyk
- FV)@
- WLSRC
- <L`.
- <="x
- aL%\tDh
- XP_Qz
- ;r.&
- $(!G
- k./8.h
- M$!'t
- ns%|
- [!H+f

- "*}^
- sy{#+L
- Ls&K;
- L&O;]/n
- lH.,
- ^Bh)
- pd{%
- +Bb'
- B%tT
- b*%W
- @R/l
- @_$-
- CB\\"
- %F)z
- MCjL
- BX/Y
- N._<EX
- DCSV
- !'W)
- C/AmK'
- Gn+y&[e
- GyB@*L
- kL$)q
-]H)b
- yrc}
- W;zW
- s@")q
- *w{$
- n.^l
- _Kv~
- :>Q
- MkjC
- C#\\=
- hB+F
- xBx>
- Hd x
- <)~!
- M,,%
- Tl/x#X
- f j
- J+C[
-)D@ZD
- x@~Q
- @Z.^
-){<s`
- =GHB
- mD'P
- >y'D
- "P/?
- d>]d
- B:}h`
- $Y|f
- @kvP!
- _zhoK@n
- jD&~
-]YoG%sV
- sK^-!

-)bTb[
- H< M
- *.'T
- *}Js
- ,"H%@
- %B_D
- -0GG= _
- &_]DL'
-))=L1Rm
- Y~W*
- X@"#yd$N
- @v_#<
- @@W%
- "k#!
- "mW"
- gHl.
- %(@<
- '>K
- R``z(
- f\tNH
- B**W
- >)N(
- /r\tj
- w*fd>
- #j%.
- Kj(
- -G#"
- >}Lzx
- $)R)
- ~FFQ
- &JLsN;
- \\zN!)
- w[)q
- ,#]}^-
- <(p.
- +<N{
- V?NJ
- ;bhc
- +? &)
- j`kTxavJMb
- JH)F
- NPgP
-)]Xv
- g>~
- Bz+K
- dH+L
- F[pq
- #cd/
- C4*h?J
- ;#]=
- /G.;.G
- {z+PC#
- br('
- NMJM.CFT
- -yC?>
- nO";J;s
- /~'rt

- =(tm
- G/MP
- q=/#D
- =;"Bu|_w
- @@zn%K
- NGFv
- %Gtj
- v//;
- vY,*
- @PB$g
- *pXD9~C@
- _@CY
- $&CD;
- &C-;\t:LP[`
- ;C#=
- T*`w
- b"Z
- x[y(>/XaN/9
- %*:t
- #pP}
- Dgp#
- CZ^[h
- G!&x;
- YWOwM!
- OH]#"(
- '@bN
- ZF>,g
- sl]Hf`;Bw
- TbJLln
- phj(
- &'p:R
- WB}%&
- #P)*m
- Cfv\\
- mdPw%
- <!@n
- +GOJ[x
- MC&]B
- } c{
- !{d"S
- |*LG4Q
- NR`y
- TH\\LNJIG
- RDSVS[AD
- -\\gF
- FHwz
- FWX+
- =XBr
- br,K
- ,*\tFt
- "/J"
- F+;(?k
- JSvKFZ"
-)=}x
- "wc`
- D+}
-]RB`

- h"GQ
- &blazs;
- :bq*Y
- Bk#M
- HQ$q
- @Vb'
- j%S#
- F %J
- ?;'C
- :%K
- #Q+(
- $zL#
- zX"B;A
- q#Mj
- G_v=C
- q*l=^KG
- fW`h
- x"CB
- BfM"
- p"<)
- K}VsQ-3,g
- [[Jyb
- TnVl>
- tF$wM
- #$kk
- YWX5,F
- W%%j
- GG!!
- :>@!B.|1%
- ."DWl#9
- 9;`Z j
- J<]K
- CD&;
- P=D=
- jg$r
- X~YWV`
- X\t{"
- #W{"
- vS:~
- }xY-&
- ch[~.
- z,.&
- ~g&k;}(
- m!"u};
- [VKc
- S FS
- yJ%K
-)BB'_
- ,(&[
- cL,V
- 'q&r;
- \\&Kp;_e
- NsZ)
-);J*jY
- FJ]$
- "QX"
- e"|mL_

- >[Y(
- "Mc"
- @z/S
- KjCPyf
- !R,Y
- xQ Q
- TgLc2k%
- \\!P>
- R*Kk
- XG*
- Q%?
- G)Xr
- {^M_
- :*Y*
- TyIBM-&
- ;#m##
- '}hc
- Hq=fWz
- Wq;s
- >QP
- ZoN@>F
- ". -
- h/[B
- 1@zD>G^
- X)hpT
- @T^B
- X#(x
- #x-P
- &Bb;+
- t'Hf
- N$R|
- -|g&
- xgjBd4
- -`LBz
- (>^B
- <#H
- -D c
- P%Yb
- ;XP%
- ~#Zw
- t_.q
- {^kB
- p!/(
- lkS_
- %]HT
- $N!RbQ^
- *#$t
- BDV-
- q@Hg
- .zG'
- "d>(
- >B/-
- =#&Dgn;
- Tv\tY
- '|Kp
- v/c
- &k;$+

- ,\t[.
- BTNY
- { X'
- DZ\tm
- MP\t}
- F~FS"N
- P[@f
- PM&can-;
- kSlJ
- r#Ld
- FY/`
- w$j~
- N;).
- H%.J
- LT&f;
- wdgr
- Llst
- C{$y
- (@:#
- fM)*
- _CzR
- \\@!p
- FL#T
- N!(-
- YF.\tL
- J_'d
- PKj$
- hf&Y;
- <@G :
- PQxDN
- BGg.
- +dq]
- Ff$X
- .J:DX
- Gwp{
- eFYqpj!
- Bv~b|
- *>r_
- "MJ//
- Bb'_
- vih?L[
- '-:
- Zw'.
- Fl k
- j|>.
- tpQyYr
- >\\bfb
- s}k!
- }D~<
- Zfl!lq
- hznP
- FdMs
- N&?mn
- @t)+
- L}+'
- kr#@
- Cd(%

- RfCX[
-)Wj+9W
- P/Ts
- <!*(
- ^!P#
- Gb.`
- '}nnL
- n#\\g
- _!Zt
- XQ\\{
- t=db
- *{Bgl
- BtLb![
- p/XM
- @hV-
- S-n2'h
- [=HY
- /}=+
- T-;[
- tBCH
- Np+@
- <JD+
- TDzh
- (GZH
- ~$\tS
- 0B<$r!
- ph}.
- Y(?F
- [{xC^
- P[,F
- {(rN
- Cry2@\\
- =Q=R
- pQBT
- kK(Lv`M
- KJ.R
- {!'X
- j&({NOR\\,d
- ^`CQG
- hb{:
- /p%/
- Dkb)
- w^w#")E
- . }T
- ;'Z#
- !\t\tr
- "Djv
- Tif##>;
- ~ddV
- (,dx
-)brC
- ~`{#WY
- |^}D
- KNL(
- L?%L
- nF]^
- vLG$

- %#p%
- cRw:
- dYK+
- `h"(
- DG|:
- Xnl}nj}Kh
- :r[vVqGwZkIg<
- -hvwG
- |Z .
- K_m"/D
- H%/N
- (TK:
- sCZcP
- ">H?
- dJR^
- c")T
- XXNS|:U
- /-\t`
- Wkjv
- (r<pA$
- &mfyN;#
- .P)vk8
- _Smd
- &GmxI;
- ')T[
- nzl{
- w=W$
- p~onsd\\
- TJ^F
- sr3GT@)
- T-Wq
- "~K#
-]>x>
- QB W
- ccX)8f
- +P;s
- HSr}teSp~
- E&blndBmsb;
- -](g
- YOGM&vN;
- C)XUBP
- yFjs=RV
- n(R<
- ;D&_
- K?\\O'K
- _RR]LFXC
- hfh"
- gahd}zb|
- wrm}{p|\tooxapdnd
- f+&@
- tp\tQ
- ?,";
- <>:>&
- &KQZ;
- \\F%V
- K,F=
- .bpW

- qg`Mz#0<-?
- fc%h
- ZQ-R<*|
- Trns
- .fsJ
- ,!DV(3
- ;!/M
- ->dM;h
- :^]'qO
- C_fg
- =FB/
- dl(y
- }=-&
- \\B.~
- ^"Ss<
- /\t\tN
- @#D?
- B@m`*vE
- -bLBx
- %G-^Y
- CC[p
- fD=%
- |#C&
- TyQ B
- $<p'Xe
- ~ XhG
- %h+b
- C])=
- >.-Z:x
- I*,CTF
- C/Z>/
- 7q\\>g!$k*+
- "XzN
- HX_J
- V]ld
- YF)-g
- hDft
- Cmcj#Y[KF
-]<N%
- TD%Y,
-)FpR
- *F&JZ;
- ndf<:i
- $/cn|
- !T$t.
- fYl
- KxF,]
- Y"xq
- mV=`
- $hSFm
- Fbs>~
- }{;x
- /d*(.
- RS#
- zC<*
- J[L
- &B;"=

- Fqj}
- Y\tJDUR@ZHR
- LH(t
- kF"Q
- !f;T
- b*Z{
- "/L
- 'CW&z;
- #zQ`
- V(X~H
- ->*p
-].y?|@
- j+#
- +Mw(
- M[cl
- `K_P
- #;}\\
- }B/]
- zK\tk
- %{k"(<f
- T(-d
- 6MS_g\\
- N&&!
- $CCP
- z,}!Fw*
- SHQf>
- `@'q
- z$^}J
- hh*G
- - >>
- Tb"f
- (v.@
- x&HNBL;>
- vB*=H
- .GK!
- nE DJr
- n>'p&r;
- B\trq
- T%Dj
- \\/"
- m$|.B
- -({
- p#`b
- NB|T
- QJ"\\)
- @Wit.#
- Y b^
- [dk:
- %NJw
- >j]+"
- t.o%G&G;
- {`}=L
- d\tbK
- p[>#
- V)n&
- $d.K&
- (E%D\\m

- Z(1.g{
- c/sJ
- J#yF
- M J1~~
- J,GM
- fXLs
- %#O>%r
- #`rB
- M%v<
- FTzF
- /\t"P,
- !V/Z
-]:&t-S4;
- r.&~
- VJ`d
- N|!_LNd
- %G.+
- bGv.
- %$;F
- /S(?
- ~FCJ
- s#!|m
- B=*`
- &);y
- &Lm;&n;
- D<(K
- vw|}
- RWND
- $P;S
- NXn)'#b*
- z?:'
- vk*~
- neY!_\\
- wSJ|R
- (@cH
- "BTS
- HB$W
- lW<^
- Id}kypY>
- Dfj{jS
- Jcfumd
- ^?R_
- yM
- Vbk/'
- `\\B(
- bc$J
- s,Qx
- @Xw@
- d&K;\tG
- $MpC\\
- :nY<
- {fVn
- {x:tN:h
- DP)q
- NK!W
- @m&
- JL%X

- kfS<
- W@QG
- `V}
- "@VV
- {H&'
- M]8*c=
- `Fx.
- *XJf=L
- g>L$
- T K_
- ,+VR
- (#tPFR
- Wir@S"
- .>*@
- ^\\@&lA;
- &Fl;]
- MM)L
- #Q(C
- >ZL
- fN"pJh
- "+%G
- =[:"
- ?[y-
- cS|];
- ?,[T
- jY\t2f\\W
- ~ +:
- gB':#W
- \\-"nCl
- Rf'8>T
- QHY^
- yZhQ
- Zz)?
- pJ|&_
- }Kl<
- ?VBc
- l_&`
- qL%C
- *bn'T
- Dl+M
- %F)W
- MH(@
- jDn
- qPG
- !,%.
- G +(
- n&.
- jR/_
- ;Z+)
- @SS!\\=IW
- Q\t?
- +PWn x
- 4xN~_y
- L@R$Z
- ="Px
- "Kd\t}~
- @lh>

- ps_m
-]B-%m$6
- .!\t*
- f>TM
- cITK<$
- XlmHC@
- /db`4V
- ,F)B
- ?l~tybi%
- .|p
- |.jw
- s>lG_g
- Nz+}]#HNGf
-)ra^ZQ
- ;x<<
- Gx,.-
- |D`w<%
- $p7KZ-
- l[")
- ':XIH%
- GJ=_
- /Nn)m
- =l5:V*+
- @N!G
- $@+(
- (H";
- D#H-
- RD&-
- DyRk
- bdt4f`etHkY,/
- y"V5Yt
- PIYQ t*
- Jjtv3&
- :).(
- bNvk-<
- #G<&
- %l!:
- F@$
- ~y|'
- Q\t_s
- >$$F
-)B#$
- K>h!X
- p@$
- eDyq>`
- |)W|
-]JZ\\4J
- H(p>
- njD]
- p\tg\tT
- $;s[
- keps:KZ;
- X`qbHq
- (~Qp&
- K\\V>
- $}.l
- ^..!

- TGG'
- Wlf'
- :y\tP
- q?)x}
- t)Gs
- HN,:
- (QjD
- CT%g
- RtV`
- TGd[
- JtL+
- $YSR{\\
- .gz%
- LqV~
- 'k^D
- (;k(
- '~(H
- }@+{
- .;[
- 'M*$
- ,(C+'
- $*#(
- HUW;HJ
- G"Ph^j6J
- k`qF
- n_\tW
- /fb/Q_S
- ;N@k
- }H#!v
- mb%
- Bj#p
- N&D;!
- *TD}s
- L*H0$/
- (B|$
- (K}V
- /<|Y
- EJ\tYTJ
- <fdcbe`
- ;HKp
- tv[$
- /.nj;
- J'%M
- T; D
- "ShM
- W.":
- DS?*
- vj<nf
- h&3,#J
- Mmx;Il
- >Gkp
- +,/6>-[;F
- rgZ%
- ^cG?~
- #r.EVw
- -~d/
- MvR:k

- jn%wH
- &F;`?Q
- :D%$
- Mxw$,
- !Tq~`
- $M,$
- C:bR:
- ^tm]
- pRz\t|@)
- ,TrF
- :L?
- ?wqbK4+
- R*"b
- #HM)
- c|Fj
- *rE)-%&;@C
- R!;]
- k_)
- kZZ"
- -`G(
- 0MNW?t
- .\t`&&
- ~$|\\
- j b+
- %CN@
- @D =
- [Gh P
- %Jg&
- :}nP
- CtcC
- C~Zth
- l/<|
- 'KW':
- /MnC
- ?nk%
- nr~EdC
- {M"
- "`\\l
- |"[(
- (#-y
- ~KbHF
- Sr.sJB
- 'nFmT
- #9N#kF
- ^H,M+
- [=F=L3
- WFr&P;
- (N-\\
- /yNZL|
- ,Q}Y
- B/:B
- `$()b
- @zUgt.
- WK'N
- [:'[
- m!S+`
- ;5D!Q]#\\

- $$TH
- B*;'
- K^xTJ
- Pn#n
- k*D
- (v>C}
- SRDX;3#BzD
- Mcvn
- C%<_
- L.Kv
- WpW#
- flJ$b!
- Ds/^
- vx\tm
- hKkpQO
- R:HT~
- +:\th
- Jgb4j#
- "=hRh
- ;\t&b;
- @`qy#
- .v,l
- &h;#D
- `LZ+
- :nc=<0d]
- t,S
-)Kqsk}
- hNU#dX
- }J~'
- :S(d
- wS]c[Xdd
- *l`F
- Fg_]"
- ,\\cy
- (Gw-
- VLjh
-){+<.
- L>&;
- !QnduW
- WLWN
- J~cq`
- m[Rn
- L/Mp
- CW+DL
- J-];
- /\\YNn#
- mvLZZ.
- t-`:@
- rkR
- &^&`
- zF%#:
-]c#b
- M<9)Z"
- \\VLb.
- "D]fAtw
- rdm-Rx
- F.\\N

- |-sT
- z|!}.
- fF{$-*O
- +%\\.K
- #PkK
- %Z`N
- _C?d
- `K,_
- [q;*?\\
-]M?H
- &\t$X+0
- MHZ]
- QD%#'
- Nz?tH
- {
- LZ)PS
- =s@}
- >[_L
- J:k/
- OBn`f"k}
- Z?Wl
- z!_;$
- SPV.
- P%M%
- ^w/$
- k$Wq
- ;w.J
- N]%T
- %q'?(
- FQ!F
- F|-m
- ~vw8x\\
- 'NZ~
- $yK:
- SF)tn
- _{fxm
- gSMQ^G
- '+%Y^]
- F<)x
- *Fz:XK
- d?+Ct
- vsjrg
- sLl$
- s jJ?
- B&{* v
- ~^$Q(
- <FR[>G
- ,q|^
- g'Gr
- P:Bdm
- `p%[
- =J8%|.
- gD+B
- |rRJ
- p:qB
- 'w`-
- s/*d

-]!VK
- =Q(IChX
- ~]@'
- }(\\K"
- :;B'
- //_.
- Y+C"A{$n
- `!"\\
- RC%
- g`!)
- MF)\\
- V,\td
- (S@Q
- }T?zh
- =Nx*
- qR<}
- ,YtVp
- fZyb"
- /Zk?
- KWYF@
- Q$YQ
- F]|D
- V#!>
- LfCC
- Gr_
- -<^Mg
- ,Bs_V
- K(c(
- cu+K"yq
- 7,wr@"
- .v_/
- kgcR
- L'S#
- sf\tN
- !_k[X
- TaRkl\t?
- w.M&
- S,\\]
- J_VQ
- _T+=
- Lns>
- P@\tM
- VNNY
- '@K
- :cBj
- M.(t
- D*#Ysx
- v*~\\
- #X,]
- HyJ!T
- h{~Ly
- ;Wm"
- D=$
- gD-:#
- !!(;
- |wVK
- x_qj

- y;}V
- |)S_
- cXRY
- y:hH
- J:]^
- G^)Q
- =hHWb
- sx?x
- [FIXlt
- nBqN
- fq;X:P
- NWkl
- bjw~G(G
- P vv
- B*K.
- %#"H
- !`mhtt
- kD;K]Q
- SH!Y
-]lSC
- ?"?^?
- > >$>(>,>0>4>8><>@>D>H>P>e>r>
- :G;x<
- 3.v&<.v
- -v\\9.v
- >-v)
- /.vF
- -v+E.vO!.vp
- ZYYd
- ZYYd
- ZYYd
- h[+@
- ZYYd
- YZ_^[
- -|V@
- hL*@
- ZYYd
- ZYYd
- $ZXv
- h~&@
- ZYYd
- ZYYd
- -xV@
- ZYYd
- -tV@
- hH"@
- ZYYd
- -pV@
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X

- _^[X
- PSVW
- Z^[X
- SVRP
- t f;J
- t-Rf;
-]_^[
- ;_^[
- t&J;|
- ;_^[
- Z]_^[
- Z]_^[
- Z_^[
- SVWQ
-]_^[
- YYZX
- ~ExC[)
- ,$YXZ
- t:VW
- tSVW
- $Z^[
- %P`@
- %T`@
- %X`@
- %\\`@
- %``@
- %d`@
- %h`@
- %l`@
- %p`@
- %t`@
- %x`@
- P.rsrc

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)

- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
- registry: SOFTWARE\\Classes
- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- registry: HKCU\\
- registry: HKLM\\
- registry: HKCU\\
- registry: HKCU\\
- registry: SOFTWARE\\Classes\\
- registry: HKCU\\
- registry: HKLM\\
- registry: HKCU\\
- registry: HKLM\\
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: IsWow64Process
- api | kernel32: IsWow64Process
- api | kernel32: IsWow64Process
- api | psapi: GetPerformanceInfo
- api | ntdll: NtCreateThreadEx
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessImageFileNameW
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | kernel32: IsWow64Process
- api | kernel32: GetProcessIdOfThread

• api | ntdll: NtQueryInformationThread
• api | user32: PostMessageA
• api | user32: EnumDisplayMonitors
• api | user32: GetMonitorInfoW
• api | user32: GetMonitorInfoA
• api | user32: MonitorFromPoint
• api | user32: MonitorFromWindow
• api | user32: MonitorFromRect
• api | user32: GetSystemMetrics
• api | user32: GetMonitorInfoA
• api | kernel32: GetLongPathNameA

• Module 3 other strings

• Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
• SOFTWARE\\
• 1809
• 2300
• 1206
• unknown
• unknown
• services
• SOFTWARE\\
• WindowsUpdate
• SOFTWARE\\
• SOFTWARE\\
• Start
• command
• open
• shell
• "javascript:
• "javascript:
• javascript:
• iframe
• video
• object
• embed
• javascript
• click
• href
• name
• href
• Content-Length:
• SVW3
• SOFTWARE\\
• SOFTWARE\\
• SOFTWARE\\
• Kernel32.dll
• IL:
• Win 10
• Win 8.1
• Win Server 2012 R2
• Win 8
• Win Server 2012
• Win 7
• Win Server 2008 R2

- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- SHGetFolderPathW
- Shell32.dll
- SHGetKnownFolderPath
- SVW3
- SVWUQ
- SVW3
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- SVW3
- SVW3
- InstallDate
- DigitalProductId
- unknown
- +D$8
- %P8J
- <sAf
- :MZu
- :MZuR
- :MZuR
- :MZuR
- :MZu^
- :MZuD
- 1234567890
- 1234567890
- 1234567890
- abcdef
- Hu(Th
- SeShutdownPrivilege
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789
- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- <sAf
- <sAf
- SOFTWARE\\
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[

- t*j8
- |$AC
- SOFTWARE\\
- HTTP/1.1
- SVW3
- ibU<#
- h5}H
- Uh.}H
- UhY|H
- old1
- PmX8;
- :\tyu
- UhNzH
- h8wH
- Uh1wH
- 5`=J
- 0h8jH
- 0h8jH
- PmX8;
- :\tyu
-]6p?
- h9gH
- Uh/gH
- UhfcH
- chkok2
- chkok
- chkok1
- QSV3
- Uh5XH
- UhIRH
- WinSta0\\
- hIEH
- |AF3
- UhBEH
- Uh<DH
- SVW3
- 9ddreu6
- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB
- 9LoaduM
- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- SVW3
- 9ddreu7
- 8rocAuB
- 9GetPuM
- 8aryAu7
- 8LibruB
- 9LoaduM
- :num
- num:
- UIXP

- UIXP
- ;FHt8
- yVx5
- F.\\5
- QSV3
- PSAPI.dll
- SVWU
- SVWU
- QSV3
- QSVW3
- FH;E
- FD;E
- SVW3
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- >1=e~
- C)SA80Cy
- 53N2
- GA+]
- SVW3
- SVW3
- |8C3
- SVWU
- kernel32.dll
- psapi.dll
- SVWU
- parentarray
- intarr
- ,S1p_
- 53N2
- GA+]
- =|6J
- =x6J
- SVWU
- 4%;58
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control
- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu
- =t6J
- 5d;J
- bq%2P
- i^t)
- QSV3
- chkok1
- chkok2
- chkok
- 5h<J
- Uh={G

- Uh@vG
- h,uG
- Uh%uG
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- 0h`qG
- 0h`qG
- 0h`qG
- Uh fG
- hT6J
- Phd6J
- Uh\\cG
- h&aG;
- \\Wow6432Node
- PmX8;
- :\tyu
- h8\\G
- 13_13_13
- Win 8
- Win 10
- Uh4XG
- h3TG
- Uh,TG
- h7RG
- Uh0RG
- PmX8;
- :\tyu
- .bat
- PmX8;
- :\tyu
- .bat
- PmX8;
- :\tyu
- .bat
- UhoGG
- echo
- h<AG
- h0AG
- 3h AG
- \\shell\\open
- \\shell\\open\\command
- h0;G
- h0;G
- h0;G
- 0ht;G
- 0ht;G
- Ph0;G
- 12_12_12
- hd7G
- Uh]7G
- 6_6_6
- 5_5_5
- 4_4_4

- 3_3_3
- hT4G
- UhM4G
- 2_2_2
- 1_1_1
- eval(
- .RegRead("
- =new ActiveXObject("WScript.Shell");
- hS1G
- UhL1G
- eval(
- .RegRead("
- =new ActiveXObject("WScript.Shell");
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- h0+G
- h0+G
- h0+G
- h0+G
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- h4#G
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(
- +=2)
- SVW3
-]ug#
- \\>#iU
- br{L9
- `L'9y1
- to-|
- 04\tBv
- D)OlV
- 4p87
- C/D9
- E_@F
- >DiQ
- BW14
- sleep(15);

- Py_1L
- h86J
- h86J
- \\Wow6432Node
- \\Wow6432Node
- ~9h4
- h(6J
- QSVW3
- Ny1OL
- [$>u
- 3xS6
- Ny1OL
- [$>u
- TMyIEEvent
- Lenin_SHDocVw
- IWebBrowser2
- Lenin_SHDocVw
- IWebBrowserApp
- Lenin_SHDocVw
- IWebBrowser
- qT%7
- t+sI2
- >nIE
- SVW3
- module2
- module
- SOFTWARE\\
- |CF3
- SVW3
- SOFTWARE\\
- |>F3
- SVW3
- 0|\\
- cE,^
- e"[w
- CAK1@
- wmiunit
- IWbemClassObject
- SVW3
- SVW3
- SVWU
- 0]_^[
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- SVW3
- h2~F
- Uh+~F
- SVW3
- -8HJ
- Uhj}F
- |=(9
- rdy9
- T$8f
- D$4P

- -\\9F
- -D9F
- -D9F
- -D9F
- -89F
- -,9F
- T$0f
- T$0f
- D$4P
- -\\9F
- -D9F
- -D9F
- -D9F
- -89F
- -,9F
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- Uh5'F
- MacromediaFlashPlayerActiveX
- Uhe&F;
- SVW3
- Uhe#F
- SVWU
- hidden
- none
- 'D,3
- Content-Type: application/x-www-form-urlencoded
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL
- ZX~6
- Hu\tj
- :9)B
- SVW3
- hidden
- none
- hidden
- none
- SVW3
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}

- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- browser2
- browser
- :setua
- setua:
- 6h0u
- 0h@~E
- h0~E
- hwnE
- UhpnE
- PSAPI.dll
- ZX}4
- UhTlE
- h@mE
- h4mE
- PSAPI.dll
- ZX}4
- PSAPI.dll
- Uh iE
- h<jE
- h0jE
- PSAPI.dll
- h|hE
- PSAPI.dll
- hTgE
- hlgE
- h`gE
- UhMgE
- SVW3
- en-US
- QSVW3
- h)DE
- Uh"DE
- hOCE
- UhHCE
- 1234567890abcdef
- h:AE
- Uh3AE
- h(@E
- Uh!@E
- h3>E
- Uh,>E

- h4=E
- Uh-=E
- hP<E
- UhI<E
- hO;E
- UhH;E
- h#:E
- UAIL
- UAIL
- h?8E
- Uh88E
- UAIL
- hI7E
- UhB7E
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- SVW3
- hh+E
- Uha+E
- SVW3
- Uh{}E
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- h0&E;
- Uh)&E;
- SVW3
- |#F3
- VE,wE
- SVW3
- ,\\rE
- h8GJ
- h4GJ
- /T38
- jd9w
- QQQQ3
- h0GJ
- |1F3
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- E$PV
- E$PV
- $ZXu&

- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- USER32.DLL
- DISPLAY
- GetMonitorInfo
- DISPLAY
- DISPLAY
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- %0VJ
- %4VJ
- %8VJ
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId

- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- SVW3
- SVWU
- SVW3
- SVWU
- Uh9rD
- Uh5qD
- UheqD
- SVWUh
- UhImD
- % UJ
- %$UJ
- %(UJ
- %,UJ
- %0UJ
- %4UJ
- %8UJ
- %<UJ
- %@UJ
- %DUJ
- %HUJ
- %LUJ
- %PUJ
- %TUJ
- %XUJ
- %\\UJ
- %`UJ
- %dUJ
- %hUJ
- %lUJ
- %pUJ
- %tUJ
- %xUJ
- %|UJ
- %0TJ
- %8TJ
- %4TJ
- %8TJ

- UhpfD
- Uh~eD
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u+_^
- h0QD
- Uh)QD
- u)_^[
- Uh#ND
- hgID
- UhVID
- u^f=
- hgID
- Uh\\GD
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Uhh1D
- Portions Copyright (c) 1983,99 Borland
- =4@J
- SVWU
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL

- 2_^[
- w,9
- =5@J
- =5@J
- 5tDJ
- SVWU
- =5@J
- =5@J
- =5@J
- =5@J
- UhT"D
- 5xDJ
- SVWU
- SVWU
- =5@J
- =5@J
- =5@J
- =5@J
- u:;{
- uW;{
- SVWU
- SVWU
- 5DDJ
- SVWUQ
- 5DDJ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- %0SJ
- %4SJ
- %8SJ
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- .lnk
- jjjj
- jjjj
- jjjj
- jjjj

- /C "
- .lnk
- .lnk
- jjjjjjj
- jjjjjj
- jjjjjj
- lng::
- ::lng
- jjjj
- jjjj
- jjjjjjh
- jjjj
- jjjjjjh
- jjjj
- jjjj
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- SVQh
- , SP
- Win XP
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -

- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ntdll.dll
- x_^[
- +D$H
- +D$@
- GSVW
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm

- QWERTYUIOPASDFGHJKLZXCVBNM
- ZYYd
- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- ZYYd
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- QQQQQQSVW
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQQS
- ZYYd

- QSVW
- *"kc
- ZYYd
- %tVJ
- %|VJ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h`|H
- ZYYd
- ZYYd
- hXzH
- ZYYd
- ZYYd
- hlwH
- hlwH
- hlwH
- hlwH
- hlwH
- hlwH
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- hHgH
- %hHgH
- hHgH
- hHgH
- =hHgH
- t?hHgH
- [YY]
- h dH
- ZYYd
- hmcH
- ZYYd
- QQQQSV
- ZYYd
- h(bH
- ZYYd
- ZYYd

- h<XH
- ZYYd
- hPRH
- ZYYd
- GPPj
- ZYYd
- $ZXv
- ZYYd
- hCDH
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- h >H
- ZYYd
- $ZXv
- SVWSVW
- ZYYd
- ZYYd
- r'@f
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- ZYYd
- QQQQQSVW
- ZYYd
- ;FDt.
- QQQQQSVW
- GBr-
- ZYYd
- GDPj
- ^[Y]
- ZYYd
- ()_^[
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ;FHt
- ;FDt
- ZYYd
- <'G?
- p[`+

- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,I/
- ZYYd
- FDPj
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQQSV
- ntdll.dll
- YZ]_^[
- $ZXr
- %lVJ
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- QQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- =`=J
- QSVW
- ZYYd
- ZYYd
- ZYYd
- <_cV
- hD{G
- ZYYd

- ZYYd
- ZYYd
- QQQQQQQQ3
- hGvG
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- h'fG
- ZYYd
- hccG
- ZYYd
- ZYYd
- ZYYd
- /C start ""
- ZYYd
- ZYYd
- QQQQQS
- h>XG
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- [YY]
- ZYYd
- .lnk
- ZYYd
- .lnk
- ZYYd
- h MG
- h MG
- .lnk
- hyGG
- ZYYd
- h`HG
- h`HG
- start "
- [YY]
- ZYYd
- start "
- ZYYd
- \\shell
- ZYYd
- hL;G
- hL;G
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd

- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- ht/G
- hh/G
- ZYYd
- ZYYd
- hp(G
- hd(G
- hP(G
- hD(G
- [YY]
- ZYYd
- .Run("
- ")="
- ZYYd
- ht%G
- hD%G
- .Run("
- ")="
- ZYYd
- hl#G
- h\\#G
- hP#G
- hD#G
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ="";for(
- ZYYd
- hL G
- h< G
- h, G
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- g!*G'
- BRkwC
- +J\\W
- (b]H

- hT!h?jE
- MRq S
- */(<
- ZYYd
- QSVW
- ZYYd
- ZYYd
- =d;J
- QSVW
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQ3
- [YY]
- ZYYd
- ZYYd
- ~HhP
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQS
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @_cJ
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- %`VJ
- %dVJ
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd

- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- -|HJ
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- ZYYd
- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- hq}F
- ZYYd
- :Zmj?
- |(kK.
- ZYYd
- hHHJ

- hHHJ
- hHHJ
- h!;F
- ZYYd
- QQQQQQQSV
-]_^[
- D$;l$
- D$@;l$
- +\\$$
- D$)D$
- PVj V
- PVj V
- D$,PV
- +\\$$
- D$)D$
- D$;l$
- D$@;l$
-]_^[
- PSj S
- h<'F
- ZYYd
- hl&F;
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- B[r@
- hl#F
- ZYYd
-]_^[
- '>click</a>
- ZYYd
- =<HJ
- Ph< F
- Ph, F
- $ZXs
- $ZXs
- $ZXv<
- hHHJ
- hHHJ
- hHHJ
- hHHJ
- hHHJ
- hHHJ
- QSVW
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd

- QSVW
- ZYYd
- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQSVW
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- $ZXs:
- ZYYd
- $ZXs:
- ZYYd
- $ZXs

- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- SRw<5_"
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd

- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- %PVJ
- %TVJ
- %XVJ
- ZYYd
- ZYYd
- ZYYd
- hDGJ
- h@GJ
- h<GJ
- hhGJ
- hdGJ
- ZYYd
- htGJ
- htGJ
- hpGJ
- hlGJ
- QQQQQQQQ3
- ZYYd
- h|GJ
- hxGJ
- ZX~#
- $ZXv)
- ZX~!
- $ZXv'
- ZYYd
- ZYYd
- h`GJ
- h\\GJ
- hXGJ
- hTGJ
- h`GJ
- h\\GJ
- hXGJ
- hTGJ
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQS
- ZYYd

- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{
- ZYYd
- h(GJ
- h,GJ
- hPGJ
- h$GJ
- h GJ
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- hHGJ
- hLGJ
- _^[]
- ZYYd
- ^[YY]
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd

- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- PVhB
- >(r^j
- >(r^j
- >(r^j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- % VJ
- %$VJ
- %(VJ
- %,VJ
- %<VJ
- %@VJ
- %DVJ
- %HVJ
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N

- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j

- hlqD
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- hPmD
- ZYYd
- ZYYd
-]$SQRPj
- % TJ
- %$TJ
- %(TJ
- %,TJ
- %<TJ
- %@TJ
- %DTJ
- %HTJ
- %LTJ
- %PTJ
- %TTJ
- %XTJ
- %\\TJ
- %`TJ
- %dTJ
- %hTJ
- %lTJ
- %lTJ
- %pTJ
- %tTJ
- %xTJ
- %|TJ
- %\\SJ
- %`SJ
- %dSJ
- %lSJ
- %hSJ
- %lSJ
- %tSJ
- %pSJ
- %tSJ
- %xSJ
- %|SJ
- ZYYd
- %DSJ
- %HSJ
- %LSJ
- %PSJ
- %TSJ
- hwfD
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- =<@J

- F$L^D
- Ht Ht.
- %DRJ
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- h*ND
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- hcGD
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X

- SVRP
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- =,@J
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- h$DJ
- ZYYd
- h$DJ
- QSVW
- YZ]_^[
- $)D$
- $;L$
- =tDJ
- =tDJ
- _^[Y]
- h$DJ
- ZYYd
- =tDJ
- ;=xDJ
- h$DJ
- QSVW
- _^[YY]
- h$DJ
- h["D
- ZYYd
- =tDJ
- =|DJ
- h$DJ
-]_^[
- YZ^[
- =tDJ
- =tDJ
- YZ]_^[
- h$DJ
- h$DJ
- ZYYd
- h$DJ

- h$DJ
- ZYYd
- =|DJ
- h$DJ
- "h$DJ
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- %HRJ
- %LRJ
- %PRJ
- %TRJ
- %XRJ
- %\\RJ
- %`RJ
- %dRJ
- %hRJ
- %lRJ
- % SJ
- %$SJ
- %(SJ
- %,SJ
- %<SJ
- %pRJ
- %tRJ
- %xRJ
- %|RJ
- System
- System
- String
- P.rsrc

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

• Module 4 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()

- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile
- registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
- registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
- registry: SOFTWARE\\Classes
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- url | http tag: https://
- registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- registry: HKCU\\
- registry: HKLM\\
- registry: HKCU\\
- registry: HKCU\\
- registry: SOFTWARE\\Classes\\
- registry: HKCU\\
- registry: HKLM\\
- registry: HKCU\\
- registry: HKLM\\
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: IsWow64Process
- api | kernel32: IsWow64Process
- api | kernel32: IsWow64Process
- api | psapi: GetPerformanceInfo
- api | ntdll: NtCreateThreadEx
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessImageFileNameW
- api | psapi: GetProcessMemoryInfo
- api | psapi: GetProcessMemoryInfo
- api | urlmon: CoInternetSetFeatureEnabled
- api | urlmon: CoInternetIsFeatureEnabled
- api | psapi: GetProcessMemoryInfo

• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | kernel32: IsWow64Process
• api | kernel32: GetProcessIdOfThread
• api | ntdll: NtQueryInformationThread
• api | user32: PostMessageA
• api | user32: EnumDisplayMonitors
• api | user32: GetMonitorInfoW
• api | user32: GetMonitorInfoA
• api | user32: MonitorFromPoint
• api | user32: MonitorFromWindow
• api | user32: MonitorFromRect
• api | user32: GetSystemMetrics
• api | user32: GetMonitorInfoA
• api | kernel32: GetLongPathNameA

• Module 4 other strings

• Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
• SOFTWARE\\
• 1809
• 2300
• 1206
• unknown
• unknown
• services
• SOFTWARE\\
• WindowsUpdate
• SOFTWARE\\
• SOFTWARE\\
• Start
• command
• open
• shell
• "javascript:
• "javascript:
• javascript:
• iframe
• video
• object
• embed
• javascript
• click
• href
• name
• href
• Content-Length:
• eyuioa
• .exe
• eyuioa
• 0123456789
• InstallDate
• .exe
• Content-Type: application/x-www-form-urlencoded

- POST
- HTTP/1.1
- SVW3
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- Kernel32.dll
- IL:
- Win 10
- Win 8.1
- Win Server 2012 R2
- Win 8
- Win Server 2012
- Win 7
- Win Server 2008 R2
- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- SHGetFolderPathW
- Shell32.dll
- SHGetKnownFolderPath
- SVW3
- SVWUQ
- SVW3
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- SVW3
- SVW3
- InstallDate
- DigitalProductId
- unknown
- +D$8
- %P8F
- <sAf
- :MZu
- :MZuR
- :MZuR
- :MZuR
- :MZu^
- :MZuD
- 1234567890
- 1234567890
- 1234567890
- abcdef
- Hu(Th
- SeShutdownPrivilege
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789

- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- <sAf
- <sAf
- SOFTWARE\\
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[
- t*j8
- |$AC
- SOFTWARE\\
- HTTP/1.1
- SVW3
- ibU<#
- h5}D
- Uh.}D
- UhY|D
- old1
- PmX8;
- :\tyu
- UhNzD
- h8wD
- Uh1wD
- 5`=F
- 0h8jD
- 0h8jD
- PmX8;
- :\tyu
-]6p?
- h9gD
- Uh/gD
- UhfcD
- chkok2
- chkok
- chkok1
- QSV3
- Uh5XD
- UhIRD
- WinSta0\\
- hIED
- |AF3
- UhBED
- Uh<DD
- SVW3
- 9ddreu6
- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB
- 9LoaduM

- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- SVW3
- 9ddreu7
- 8rocAuB
- 9GetPuM
- 8aryAu7
- 8LibruB
- 9LoaduM
- :num
- num:
- UIXP
- UIXP
- ;FHt8
- yVx5
- F.\\5
- QSV3
- PSAPI.dll
- SVWU
- SVWU
- QSV3
- QSVW3
- FH;E
- FD;E
- SVW3
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- >1=e~
- C)SA80Cy
- 53N2
- GA+]
- SVW3
- SVW3
- |8C3
- SVWU
- kernel32.dll
- psapi.dll
- SVWU
- parentarray
- intarr
- ,S1p_
- 53N2
- GA+]
- =|6F
- =x6F
- SVWU
- 4%;58
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control

- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu
- =t6F
- 5d;F
- bq%2P
- i^t)
- QSV3
- chkok1
- chkok2
- chkok
- 5h<F
- Uh={C
- Uh@vC
- h,uC
- Uh%uC
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- 0h`qC
- 0h`qC
- 0h`qC
- Uh fC
- hT6F
- Phd6F
- Uh\\cC
- h&aC;
- \\Wow6432Node
- PmX8;
- :\tyu
- h8\\C
- 13_13_13
- Win 8
- Win 10
- Uh4XC
- h3TC
- Uh,TC
- h7RC
- Uh0RC
- PmX8;
- :\tyu
- .bat
- PmX8;
- :\tyu
- .bat
- PmX8;
- :\tyu
- .bat
- UhoGC
- echo
- h<AC
- h0AC

- 3h AC
- \\shell\\open
- \\shell\\open\\command
- h0;C
- h0;C
- h0;C
- 0ht;C
- 0ht;C
- Ph0;C
- 12_12_12
- hd7C
- Uh]7C
- 6_6_6
- 5_5_5
- 4_4_4
- 3_3_3
- hT4C
- UhM4C
- 2_2_2
- 1_1_1
- eval(
- .RegRead("
- =new ActiveXObject("WScript.Shell");
- hS1C
- UhL1C
- eval(
- .RegRead("
- =new ActiveXObject("WScript.Shell");
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- h0+C
- h0+C
- h0+C
- h0+C
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- h4#C
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(

- +=2)
- SVW3
-]ug#
- \\>#iU
- br{L9
- `L'9y1
- to-|
- 04\tBv
- D)OlV
- 4p87
- C/D9
- E_@F
- >DiQ
- BW14
- sleep(15);
- Py_1L
- h86F
- h86F
- \\Wow6432Node
- \\Wow6432Node
- ~9h4
- h(6F
- QSVW3
- Ny1OL
- [$>u
- 3xS6
- Ny1OL
- [$>u
- TMyIEEvent
- Lenin_SHDocVw
- IWebBrowser2
- Lenin_SHDocVw
- IWebBrowserApp
- Lenin_SHDocVw
- IWebBrowser
- qT%7
- t+sI2
- >nIE
- SVW3
- module2
- module
- SOFTWARE\\
- |CF3
- SVW3
- SOFTWARE\\
- |>F3
- SVW3
- 0|\\
- cE,^
- e"[w
- CAK1@
- wmiunit
- IWbemClassObject
- SVW3
- SVW3
- SVWU
- 0]_^[

- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- SVW3
- h2~B
- Uh+~B
- SVW3
- -8HF
- Uhj}B
- |=(9
- rdy9
- T$8f
- D$4P
- -\\9B
- -D9B
- -D9B
- -D9B
- -89B
- -,9B
- T$0f
- T$0f
- D$4P
- -\\9B
- -D9B
- -D9B
- -D9B
- -89B
- -,9B
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- Uh5'B
- MacromediaFlashPlayerActiveX
- Uhe&B;
- SVW3
- Uhe#B
- SVWU
- hidden
- none
- 'D,3
- Content-Type: application/x-www-form-urlencoded
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL
- ZX~6
- Hu\tj
- :9)B
- SVW3
- hidden
- none
- hidden
- none

- SVW3
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3
- SVW3
- SVW3
- packIP
- browser2
- browser
- :setua
- setua:
- 6h0u
- 0h@~A
- h0~A
- hwnA
- UhpnA
- PSAPI.dll
- ZX}4
- UhTIA
- h@mA
- h4mA
- PSAPI.dll
- ZX}4
- PSAPI.dll
- Uh iA
- h<jA
- h0jA
- PSAPI.dll
- h|hA
- PSAPI.dll
- hTgA
- hlgA
- h`gA

- UhMgA
- SVW3
- en-US
- QSVW3
- h)DA
- Uh"DA
- hOCA
- UhHCA
- 1234567890abcdef
- h:AA
- Uh3AA
- h(@A
- Uh!@A
- h3>A
- Uh,>A
- h4=A
- Uh-=A
- hP<A
- UhI<A
- hO;A
- UhH;A
- h#:A
- UAIL
- UAIL
- h?8A
- Uh88A
- UAIL
- hI7A
- UhB7A
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- SVW3
- hh+A
- Uha+A
- SVW3
- Uh{}A
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- h0&A;
- Uh)&A;
- SVW3
- |#F3
- VE,wE
- SVW3
- ,\rE
- h8GF
- h4GF

- /T38
- jd9w
- QQQQ3
- h0GF
- |1F3
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- E$PV
- E$PV
- $ZXu&
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- USER32.DLL
- DISPLAY
- GetMonitorInfo
- DISPLAY
- DISPLAY
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- %0VF
- %4VF
- %8VF

- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- SVW3
- SVWU
- SVW3
- SVWU
- Uh9r@
- Uh5q@
- Uheq@
- SVWUh
- UhIm@
- % UF
- %$UF
- %(UF
- %,UF
- %0UF
- %4UF
- %8UF
- %<UF
- %@UF
- %DUF
- %HUF
- %LUF
- %PUF

- %TUF
- %XUF
- %\\UF
- %`UF
- %dUF
- %hUF
- %lUF
- %pUF
- %tUF
- %xUF
- %|UF
- %0TF
- %8TF
- %4TF
- %8TF
- Uhpf@
- Uh~e@
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u+_^
- h0Q@
- Uh)Q@
- u)_^[
- Uh#N@
- hgI@
- UhVI@
- u^f=
- hgI@
- Uh\\G@
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj

- PSUj
- SVWU
- Uhh1@
- Portions Copyright (c) 1983,99 Borland
- =4@F
- SVWU
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- =5@F
- =5@F
- 5tDF
- SVWU
- =5@F
- =5@F
- =5@F
- =5@F
- UhT"@
- 5xDF
- SVWU
- SVWU
- =5@F
- =5@F
- =5@F
- =5@F
- u:;{
- uW;{
- SVWU
- SVWU
- 5DDF
- SVWUQ
- 5DDF
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- %0SF
- %4SF
- %8SF
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata

- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- .lnk
- jjjj
- jjjj
- jjjj
- jjjj
- /C "
- .lnk
- .lnk
- jjjjjjj
- jjjjjj
- jjjjjj
- lng::
- ::lng
- jjjj
- jjjj
- jjjjjjh
- jjjj
- jjjjjjh
- jjjj
- jjjj
- QQQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQSVW
- qwrtpsdfghjklzxcvbnm
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- Pj/h
- Pj/h
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- _^[Y]

- ZYYd
- f;tX
- QSVW
- SVQh
- , SP
- Win XP
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -
- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW

- ntdll.dll
- x_^[
- +D$H
- +D$@
- GSVW
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- QWERTYUIOPASDFGHJKLZXCVBNM
- ZYYd
- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- ZYYd
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]

- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- QQQQQQSVW
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQQS
- ZYYd
- QSVW
- *"kc
- ZYYd
- %tVF
- %|VF
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- h`|D
- ZYYd
- ZYYd
- hXzD

- ZYYd
- ZYYd
- hlwD
- hlwD
- hlwD
- hlwD
- hlwD
- hlwD
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- hHgD
- %hHgD
- hHgD
- hHgD
- =hHgD
- t?hHgD
- [YY]
- h dD
- ZYYd
- hmcD
- ZYYd
- QQQQSV
- ZYYd
- h(bD
- ZYYd
- ZYYd
- h<XD
- ZYYd
- hPRD
- ZYYd
- GPPj
- ZYYd
- $ZXv
- ZYYd
- hCDD
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- h >D
- ZYYd
- $ZXv
- SVWSVW
- ZYYd
- ZYYd
- r'@f
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]

- ZYYd
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- ZYYd
- QQQQQSVW
- ZYYd
- ;FDt.
- QQQQQSVW
- GBr-
- ZYYd
- GDPj
- ^[Y]
- ZYYd
- ()_^[
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ;FHt
- ;FDt
- ZYYd
- <'G?
- p[`+
- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,l/
- ZYYd
- FDPj
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQQSV
- ntdll.dll

- YZ]_^[
- $ZXr
- %lVF
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- QQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- =`=F
- QSVW
- ZYYd
- ZYYd
- ZYYd
- <_cV
- hD{C
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQ3
- hGvC
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- h'fC
- ZYYd
- hccC
- ZYYd
- ZYYd
- ZYYd
- /C start ""
- ZYYd
- ZYYd
- QQQQQS
- h>XC
- ZYYd
- ZYYd
- QQQQQQS3

- ZYYd
- [YY]
- ZYYd
- .lnk
- ZYYd
- .lnk
- ZYYd
- h MC
- h MC
- .lnk
- hyGC
- ZYYd
- h`HC
- h`HC
- start "
- [YY]
- ZYYd
- start "
- ZYYd
- \\shell
- ZYYd
- hL;C
- hL;C
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- ht/C
- hh/C
- ZYYd
- ZYYd
- hp(C
- hd(C
- hP(C
- hD(C
- [YY]
- ZYYd
- .Run("
- ")="
- ZYYd
- ht%C
- hD%C
- .Run("
- ")="
- ZYYd

- hl#C
- h\\#C
- hP#C
- hD#C
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ="";for(
- ZYYd
- hL C
- h< C
- h, C
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- g!*G'
- BRkwC
- +J\\W
- (b]H
- hT!h?jE
- MRq S
- */(<
- ZYYd
- QSVW
- ZYYd
- ZYYd
- =d;F
- QSVW
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQ3
- [YY]
- ZYYd
- ZYYd
- ~HhP
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQS
- ^[YY]
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- @_cJ
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- %`VF
- %dVF
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- -|HF
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd

- _^[YY]
- ZYYd
- ZYYd
-]_^[
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- ZYYd
- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- hq}B
- ZYYd
- :Zmj?
- |(kK.
- ZYYd
- hHHF
- hHHF
- hHHF
- h!;B
- ZYYd
- QQQQQQQSV
-]_^[
- D$;l$
- D$@;l$
- +\\$$
- D$)D$
- PVj V
- PVj V
- D$,PV
- +\\$$
- D$)D$
- D$;l$
- D$@;l$
-]_^[
- PSj S
- h<'B
- ZYYd
- hl&B;
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S

- B[r@
- hl#B
- ZYYd
-]_^[
- '>click</a>
- ZYYd
- =<HF
- Ph< B
- Ph, B
- $ZXs
- $ZXs
- $ZXv<
- hHHF
- hHHF
- hHHF
- hHHF
- hHHF
- hHHF
- QSVW
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd
- QSVW
- ZYYd
- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd

- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQSVW
- ::lcpu
- lcpu::
- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- $ZXs:
- ZYYd
- $ZXs:
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- SRw<5_"
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW

- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- %PVF
- %TVF
- %XVF
- ZYYd
- ZYYd
- ZYYd
- hDGF
- h@GF
- h<GF
- hhGF
- hdGF
- ZYYd
- htGF

- htGF
- hpGF
- hlGF
- QQQQQQQQ3
- ZYYd
- h|GF
- hxGF
- ZX~#
- $ZXv)
- ZX~!
- $ZXv'
- ZYYd
- ZYYd
- h`GF
- h\\GF
- hXGF
- hTGF
- h`GF
- h\\GF
- hXGF
- hTGF
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQS
- ZYYd
- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{
- ZYYd
- h(GF
- h,GF
- hPGF
- h$GF
- h GF
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- hHGF
- hLGF
- _^[]
- ZYYd
- ^[YY]
- ZYYd
- QQQQS
- ZYYd

- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- PVhB
- >(r^j
- >(r^j
- >(r^j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd

- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- % VF
- %$VF
- %(VF
- %,VF
- %<VF
- %@VF
- %DVF
- %HVF
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd

- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- hlq@
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- hPm@
- ZYYd
- ZYYd
-]$SQRPj
- % TF
- %$TF
- %(TF
- %,TF
- %<TF
- %@TF
- %DTF
- %HTF
- %LTF
- %PTF
- %TTF
- %XTF
- %\\TF
- %`TF
- %dTF
- %hTF
- %lTF

- %lTF
- %pTF
- %tTF
- %xTF
- %|TF
- %\\SF
- %`SF
- %dSF
- %lSF
- %hSF
- %lSF
- %tSF
- %pSF
- %tSF
- %xSF
- %|SF
- ZYYd
- %DSF
- %HSF
- %LSF
- %PSF
- %TSF
- hwf@
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- =<@F
- F$L^@
- Ht Ht.
- %DRF
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- h*N@
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- hcG@
- ZYYd

- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- :_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- :_^[
- _^[]
-]_^[
- =,@F
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- h$DF
- ZYYd

- h$DF
- QSVW
- YZ]_^[
- $)D$
- $;L$
- =tDF
- =tDF
- _^[Y]
- h$DF
- ZYYd
- =tDF
- ;=xDF
- h$DF
- QSVW
- _^[YY]
- h$DF
- h["@
- ZYYd
- =tDF
- =|DF
- h$DF
-]_^[
- YZ^[
- =tDF
- =tDF
- YZ]_^[
- h$DF
- h$DF
- ZYYd
- h$DF
- h$DF
- ZYYd
- =|DF
- h$DF
- "h$DF
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- %HRF
- %LRF
- %PRF
- %TRF
- %XRF
- %\\RF
- %`RF
- %dRF
- %hRF
- %lRF
- % SF
- %$SF
- %(SF

- %,SF
- %<SF
- %pRF
- %tRF
- %xRF
- %|RF
- System
- System
- String
- P.rsrc

• Module 5 (probably unpacked / injected by the sample)

• Module 5 rich signatures

• Module 5 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()
- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- FGint_MontgomeryModExp (FGint MontgomeryModExp)
- FGint_FGIntDestroy (FGint FGIntDestroy)
- FGint_Base10StringToGInt (FGint Base10StringToGInt)
- FGint_RsaDecrypt (FGint RsaDecrypt)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 5 strings

• Module 5 most interesting strings

- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1; .NET CLR 2.0.50727)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0; SLCC1; .NET CLR 2.0.50727; Media Center PC 5.0; .NET CLR 3.0.30729)
- url | valid domains | tlds: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1; Trident/4.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; InfoPath.3)
- url | valid domains | tlds: t.Ht
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ZwQuerySystemInformation
- api | frequently used by malware: ObtainUserAgentString
- api | frequently used by malware: InternetReadFile

• registry: SOFTWARE\\Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\1
• registry: Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones\\3
• registry: SOFTWARE\\Classes
• registry: \\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Zones
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• registry: HKCU\\
• registry: HKLM\\
• registry: HKCU\\
• registry: HKCU\\
• registry: SOFTWARE\\Classes\\
• registry: HKCU\\
• registry: HKLM\\
• registry: HKCU\\
• registry: HKLM\\
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | kernel32: IsWow64Process
• api | psapi: GetPerformanceInfo
• api | ntdll: NtCreateThreadEx
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessImageFileNameW
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | urlmon: CoInternetSetFeatureEnabled
• api | urlmon: CoInternetIsFeatureEnabled
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | psapi: GetProcessMemoryInfo
• api | kernel32: IsWow64Process
• api | kernel32: GetProcessIdOfThread
• api | ntdll: NtQueryInformationThread
• api | user32: PostMessageA
• api | user32: EnumDisplayMonitors
• api | user32: GetMonitorInfoW
• api | user32: GetMonitorInfoA
• api | user32: MonitorFromPoint
• api | user32: MonitorFromWindow
• api | user32: MonitorFromRect
• api | user32: GetSystemMetrics
• api | user32: GetMonitorInfoA
• api | kernel32: GetLongPathNameA

• Module 5 other strings

• Microsoft\\Internet Explorer\\Main\\FeatureControl\\FEATURE_BROWSER_EMULATION
• SOFTWARE\\
• 1809
• 2300
• 1206
• unknown
• unknown
• services

- SOFTWARE\\
- WindowsUpdate
- SOFTWARE\\
- SOFTWARE\\
- Start
- command
- open
- shell
- "javascript:
- "javascript:
- javascript:
- iframe
- video
- object
- embed
- javascript
- click
- href
- name
- href
- Content-Length:
- SVW3
- SOFTWARE\\
- SOFTWARE\\
- SOFTWARE\\
- Kernel32.dll
- IL:
- Win 10
- Win 8.1
- Win Server 2012 R2
- Win 8
- Win Server 2012
- Win 7
- Win Server 2008 R2
- Win Server 2008
- Win Vista
- Win Server 2003 R2
- Win Server 2003
- Win 2000
- Unknown
- x64
- SHGetFolderPathW
- Shell32.dll
- SHGetKnownFolderPath
- SVW3
- SVWUQ
- SVW3
- <9v8
- <9v?
- SVWUQ
- SOFTWARE\\
- SVW3
- SVW3
- InstallDate
- DigitalProductId
- unknown
- +D$8

- <sAf
- :MZu
- :MZuR
- :MZuR
- :MZuR
- :MZu^
- :MZuD
- 1234567890
- 1234567890
- 1234567890
- abcdef
- Hu(Th
- SeShutdownPrivilege
- rXG3
- SVW3
- abcdef0123456789
- abcdef0123456789
- abcdef0123456789
- Kernel32.dll
- t0TU
- SVWUQ
- Kernel32.dll
- t6TW
- tNUj
- SVWUQ
- <sAf
- <sAf
- SOFTWARE\\
- PmX8;
- :\tyu
- kernel32.dll
- PSAPI.dll
- 8_^[
- t*j8
- |$AC
- SOFTWARE\\
- HTTP/1.1
- SVW3
- ibU<#
- Uh.}
- UhY|
- old1
- PmX8;
- :\tyu
- UhNz
- Uh1w
- 0h8j
- 0h8j
- PmX8;
- :\tyu
-]6p?
- Uh/g
- Uhfc
- chkok2
- chkok
- chkok1
- QSV3

- Uh5X
- UhIR
- WinSta0\\
- |AF3
- UhBE
- Uh<D
- SVW3
- 9ddreu6
- 8rocAuA
- 9GetPuL
- 8aryAu7
- 8LibruB
- 9LoaduM
- 4]_^[
- T$4R
- T$,3
- SVWU
- WinSta0\\
- SVW3
- 9ddreu7
- 8rocAuB
- 9GetPuM
- 8aryAu7
- 8LibruB
- 9LoaduM
- :num
- num:
- UIXP
- UIXP
- ;FHt8
- yVx5
- F.\\5
- QSV3
- PSAPI.dll
- SVWU
- SVWU
- QSV3
- QSVW3
- FH;E
- FD;E
- SVW3
- ;NDu4
- |F@3
- rR(5E
- ;FHt8
- >1=e~
- C)SA80Cy
- 53N2
- GA+]
- SVW3
- SVW3
- |8C3
- SVWU
- kernel32.dll
- psapi.dll
- SVWU
- parentarray

- intarr
- ,S1p_
- 53N2
- GA+]
- SVWU
- 4%;58
- k2Tdgo
- k2Tdgo
- main
- QSV3
- control
- PSAPI.dll
- t7j(
- PSAPI.dll
- PmX8;
- :\tyu
- bq%2P
- i^t)
- QSV3
- chkok1
- chkok2
- chkok
- Uh={
- Uh@v
- Uh%u
- i^t)
- >AN/c
- J3l+@
- i~s?X
- \\65z!
- YF5j
- 0h`q
- 0h`q
- 0h`q
- Uh f
- Phd6
- Uh\\c
- \\Wow6432Node
- PmX8;
- :\tyu
- 13_13_13
- Win 8
- Win 10
- Uh4X
- Uh,T
- Uh0R
- PmX8;
- :\tyu
- .bat
- PmX8;
- :\tyu
- .bat
- PmX8;
- :\tyu
- .bat
- UhoG
- echo

- 3h A
- \\shell\\open
- \\shell\\open\\command
- 0ht;
- 0ht;
- Ph0;
- 12_12_12
- Uh]7
- 6_6_6
- 5_5_5
- 4_4_4
- 3_3_3
- UhM4
- 2_2_2
- 1_1_1
- eval(
- .RegRead("
- =new ActiveXObject("WScript.Shell");
- UhL1
- eval(
- .RegRead("
- =new ActiveXObject("WScript.Shell");
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- eval(
- .RegRead("
- =new%20ActiveXObject("WScript.Shell");
- javascript:
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- ",0,1);}catch(e){}close();
- iex $env:
- .Environment("Process"))("
- =new ActiveXObject("WScript.Shell");
- try{moveTo(-100,-100);resizeTo(0,0);
- eval(
- +1:0;}
- ,1).charCodeAt());
- ,1).charCodeAt()^
- +=String.fromCharCode(
- ,2),16));
- +=String.fromCharCode(parseInt(
- +=2)
- SVW3
-]ug#
- \\>#iU
- br{L9
- `L'9y1
- to-|
- 04\tBv
- D)OlV
- 4p87
- C/D9

- E_@F
- >DiQ
- BW14
- sleep(15);
- Py_1L
- \\Wow6432Node
- \\Wow6432Node
- ~9h4
- QSVW3
- Ny1OL
- [$>u
- 3xS6
- Ny1OL
- [$>u
- TMyIEEvent
- Lenin_SHDocVw
- IWebBrowser2
- Lenin_SHDocVw
- IWebBrowserApp
- Lenin_SHDocVw
- IWebBrowser
- qT%7
- t+sI2
- >nIE
- SVW3
- module2
- module
- SOFTWARE\\
- |CF3
- SVW3
- SOFTWARE\\
- |>F3
- SVW3
- 0|\\
- cE,^
- e"[w
- CAK1@
- wmiunit
- IWbemClassObject
- SVW3
- SVW3
- SVWU
- 0]_^[
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- SVW3
- Uh+~
- SVW3
- Uhj}
- |=(9
- rdy9
- T$8f
- D$4P
- T$0f

- T$0f
- D$4P
- SVWU
- PUj U
- SVWU
- Internet Explorer_Server
- Uh5'
- MacromediaFlashPlayerActiveX
- Uhe&
- SVW3
- Uhe#
- SVWU
- hidden
- none
- 'D,3
- Content-Type: application/x-www-form-urlencoded
- %D,3
- <a href='
- Referer:
- about:blank
- URLMON.DLL
- ZX~6
- Hu\tj
- :9)B
- SVW3
- hidden
- none
- hidden
- none
- SVW3
- try {var els=document.getElementsByTagName('video'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].START();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Start();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].start();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].playVideo();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('embed'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].PLAY();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].Play();}} catch(e){}
- try {var els=document.getElementsByTagName('object'); for(var i=0;i<els.length;i++){ els[i].play();}} catch(e){}
- Content-Length:
- Content-Type: application/x-www-form-urlencoded
- POST
- Connection: close
- User-Agent:
- Host:
- HTTP/1.1
- GET
- sinfo
- pr,U
- SVW3
- QSV3

- SVW3
- SVW3
- packIP
- browser2
- browser
- :setua
- setua:
- 6h0u
- 0h@~
- Uhpn
- PSAPI.dll
- ZX}4
- UhTl
- PSAPI.dll
- ZX}4
- PSAPI.dll
- Uh i
- PSAPI.dll
- PSAPI.dll
- UhMg
- SVW3
- en-US
- QSVW3
- Uh"D
- UhHC
- 1234567890abcdef
- Uh3A
- Uh!@
- Uh,>
- Uh-=
- UhI<
- UhH;
- UAIL
- UAIL
- Uh88
- UAIL
- UhB7
- MSIE 6.0
- MSIE 7.0
- MSIE 8.0
- Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
- MSIE 9.0
- Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
- MSIE 10.0
- Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko
- rv:11.0
- URLMON.DLL
- SVW3
- Uha+
- SVW3
- Uh{)
- Kernel32.dll
- t0TW
- SVWUQ
- SVW3
- Uh)&
- SVW3

- |#F3
- VE,wE
- SVW3
- ,\\rE
- /T38
- jd9w
- QQQQ3
- h0G
- |1F3
- T4~`
- FMt!O
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- E$PV
- E$PV
- $ZXu&
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- USER32.DLL
- DISPLAY
- GetMonitorInfo
- DISPLAY
- DISPLAY
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th

- TClientSocket
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- Al@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu
- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- SVW3
- SVWU
- SVW3
- SVWU
- Uh9r
- Uh5q
- Uheq
- SVWUh
- UhIm
- Uhpf
- Uh~e
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8

- u+_^
- Uh)Q
- u)_^[
- Uh#N
- UhVI
- u^f=
- Uh\\G
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU
- Uhh1
- Portions Copyright (c) 1983,99 Borland
- SVWU
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ

- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- path<<
- >>path
- path<<
- >>path
- jjjjj
- jjjj
- .lnk
- jjjj
- jjjj
- jjjj
- jjjj
- /C "
- .lnk
- .lnk
- jjjjjjj
- jjjjjj
- jjjjjj
- lng::
- ::lng
- jjjj
- jjjj
- jjjjjjh
- jjjj
- jjjjjjh
- jjjj
- jjjj
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQQ
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- SVQh
- , SP
- Win XP

- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- QQQQS3
- ^[YY]
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- Z]_^[
- ZYYd
- YZ_^[
- PVSj
- PVSj
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- GMT -
- GMT +
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- [YY]
- ZYYd
- _^[Y]
- ZYYd
- _^[Y]
- ZYYd
- f;tX
- QSVW
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- ntdll.dll
- x_^[
- +D$H
- +D$@
- GSVW
- [YY]

- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- QWERTYUIOPASDFGHJKLZXCVBNM
- ZYYd
- \\\\.\\LCD
- t*TV
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQS
- ZYYd
- QQQQS
- ZYYd
- ZYYd
- Z]_^[
- Z]_^[
- ZYYd
- ZYYd
- [YY]
- ^YY]
- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- [YY]
- ^YY]

- <sGf
- [YY]
- _^[YY]
- f;\\F
- 'w~f
- ZYYd
- #hcb|q
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- $ZXs
- QQQQQQSVW
- qwertyuiopasdfghjklzxcvbnm
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQQS
- ZYYd
- QSVW
- *"kc
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- @wnnEwcpf,gzg
- ZYYd
- QQQQQQQS
- ZYYd
- ZYYd
- ZYYd
- %hHg
- =hHg

- t?hHg
- [YY]
- ZYYd
- ZYYd
- QQQQSV
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- GPPj
- ZYYd
- $ZXv
- ZYYd
- ZYYd
- $ZXv
- SVWSVW
- ntdll.dll
- ZYYd
- $ZXv
- SVWSVW
- ZYYd
- ZYYd
- r'@f
- ZYYd
- ZYYd
- [YY]
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- ZYYd
- QSVW
- _^[Y]
- ZYYd
- $ZXt(Sj
- QSVW
- ZYYd
- QQQQQSVW
- ZYYd
- ;FDt.
- QQQQQSVW
- GBr-
- ZYYd
- GDPj
- ^[Y]
- ZYYd
- (]_^[
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ;FHt

- ;FDt
- ZYYd
- <'G?
- p[`+
- ZYYd
- QSVW
- ZYYd
- QQQQQQQSV3
- ZYYd
- ZYYd
- ;FDt.
- Q+b,I/
- ZYYd
- FDPj
- ^[Y]
- ZYYd
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
-]_^[
- _^[Y]
- ZYYd
- QSVW
- ^[Y]
- ZYYd
- ZYYd
- QQQQSVW
- ZYYd
- QQQQQQQQSV
- ntdll.dll
- YZ]_^[
- $ZXr
- ZYYd
- ZYYd
- ntdll.dll
- YZ]_^[
- ZYYd
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- QQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- (_^[
- $ZXs
- tJj(
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- <_cV

- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQ3
- ZYYd
- QQQQQQQQSV
- ZYYd
- V}sK[
- ZYYd
- QQQQQQQQ3
- $~S,
- "\tn|,G
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- /C start ""
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- [YY]
- ZYYd
- .lnk
- ZYYd
- .lnk
- ZYYd
- .lnk
- ZYYd
- start "
- [YY]
- ZYYd
- start "
- ZYYd
- \\shell
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQS
- ZYYd
- ZYYd
- ZYYd

- ZYYd
- [YY]
- ZYYd
- .Run("
- ")="
- ZYYd
- .Run("
- ")="
- ZYYd
- ZYYd
- QQQQQSVW
- .length-1)?
- ++){
- .substr(
- .length;
- ='';for(
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ^[Y]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- QQQQSV
- QWERTYUIOPASDFGHJKLZXCVBNM
- qwertyuiopasdfghjklzxcvbnm
- g!*G'
- BRkwC
- +J\\W
- (b]H
- hT!h?jE
- MRq S
- */(<
- ZYYd
- QSVW
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQ3
- [YY]
- ZYYd
- ZYYd
- ~HhP
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- QQQQS
- ^[YY]
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- @_cJ
- ZYYd
- ZYYd
- QQQQQQSV3
- ZYYd
- ZYYd
- QQQQS3
- ZYYd
- ZYYd
- QQQQQQS
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- -ktvl
- ZYYd
- $clvkfgvgav?
- ZYYd
- ZYYd
- LpG S
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS
- ZYYd
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd

- ZYYd
-]_^[
- ZYYd
- Z_^[
- SVWQ
-]_^[
-]_^[
-]_^[
- $Z_^[
- SVWQ
- ZYYd
- QSVW
- 0_^[YY]
- _^[YY]
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- TFGInt
- ZYYd
- :Zmj?
- |(kK.
- ZYYd
- ZYYd
- QQQQQQQSV
-]_^[
- D$;l$
- D$@;l$
- +\\$$
- D$)D$
- PVj V
- PVj V
- D$,PV
- +\\$$
- D$)D$
- D$;l$
- D$@;l$
-]_^[
- PSj S
- ZYYd
- ZYYd
- PSj S
- PSj S
- PSj S
- PSj S
- B[r@
- ZYYd
-]_^[
- '>click</a>
- ZYYd
- Ph<
- Ph,
- $ZXs
- $ZXs

- $ZXv<
- QSVW
- ZYYd
- Pj j
- Pj`j
- Pjvj
- PWVSh
- Pj j
- Pj`j
- Pjvj
- PWVSh
- PVSh
- ZYYd
- QSVW
- ZYYd
- QSVW
- http
- ZYYd
- QSVW
- ZYYd
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- try {jwplayer().play()} catch(e){}
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQSVW
- SDRQ;NJ
- ZYYd
- ZYYd
- QQQQQQQQ3
- _^[Y]
- ZYYd
- ZM[X2JG\\tGC
- ZYYd
- QSVW
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZM[X2JG\\tk2X
- ZYYd
- QQQQQQQQSVW
- ZM[X2JG\\tGC
- ZYYd
- ZYYd
- QQQQQQSVW
- ZYYd
- ZYYd
- ZYYd
- |<>|
- ZYYd
- QQQQQQQQSVW
- ::lcpu
- lcpu::

- |<>|
- ZYYd
- $ZXw
- |<>|
- ZYYd
- QQQQQQS
- |<>|
- ZYYd
- $ZXs:
- ZYYd
- $ZXs:
- ZYYd
- $ZXs
- ZX}K
- $ZXsQ
- ZYYd
- $ZXs
- ZYYd
- ZYYd
- tKj(
- $ZXs
- tKj(
- ZX}'
- $ZXs-
- ^[Y]
- ZYYd
- SDRQ;NGG
- SDRQ;RMDDQ
- SRw<5_"
- |<>|
- SDRQ;NJ
- ZYYd
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- lngsec
- ZYYd
- lngsec
- ZYYd
- lngsec
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQQQQQSV3
- [YY]
- ZYYd
- ZYYd
- QQQQQS
- ZYYd
- _^[YY]

- ZYYd
- ZYYd
- ytD
- ZYYd
- QQQQQQQ3
- ZYYd
- _^[YY]
- ZYYd
- ^[YY]
- ZYYd
- ZYYd
- ^[Y]
- ZYYd
- ZYYd
- ZYYd
- Z]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- hdG
- ZYYd
- hlG
- QQQQQQQQ3
- ZYYd
- hxG
- ZX~#
- $ZXv)
- ZX~!
- $ZXv'
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQS
- ZYYd
- QQQQQQQS
- ZYYd
- QQQQQS
- ZYYd
- &`%$
- y"|Z
- g@h)
- YzfW3k
- KFS,
- L]{

- ZYYd
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ^[YY]
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- PVhB
- >(r^j
- >(r^j
- >(r^j
- _^[]
- _^[]
- _^[Y]
- ZYYd

- QSVW
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd

- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[
-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- F$L^
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd

- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd
- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]

- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd
- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- ;=xD
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
- "h$D
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc

• Module 6 (probably unpacked / injected by the sample)

• Module 6 rich signatures

• Module 6 yara matches

- Str_Win32_Wininet_Library (Match Windows Inet API library declaration)
- Str_Win32_Internet_API (Match Windows Inet API call)
- IsPE32 ()

- IsWindowsGUI ()
- IsBeyondImageSize (Data Beyond ImageSize Check)
- borland_delphi (Borland Delphi 2.0 - 7.0 / 2005 - 2007)
- Borland ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- MD5_Constants (Look for MD5 constants)
- RIPEMD160_Constants (Look for RIPEMD-160 constants)
- SHA1_Constants (Look for SHA1 constants)
- Delphi_CompareCall (Look for Compare string function)
- Delphi_Copy (Look for Copy function)

• Module 6 strings

• Module 6 most interesting strings

- url | valid domains | tlds: t.Ht
- api | frequently used by malware: InternetReadFile
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion
- api | kernel32: GetProcessIdOfThread
- api | ntdll: NtQueryInformationThread
- api | user32: PostMessageA
- api | user32: EnumDisplayMonitors
- api | user32: GetMonitorInfoW
- api | user32: GetMonitorInfoA
- api | user32: MonitorFromPoint
- api | user32: MonitorFromWindow
- api | user32: MonitorFromRect
- api | user32: GetSystemMetrics
- api | user32: GetMonitorInfoA
- api | kernel32: GetLongPathNameA

• Module 6 other strings

- Content-Length:
- kernel32.dll
- k2Tdgo
- user32.dll
- wininet.dll
- $ZXu#
- E$PV
- E$PV
- $ZXu&
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo

- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- k2Tdgo
- USER32.DLL
- DISPLAY
- GetMonitorInfo
- DISPLAY
- DISPLAY
- oCNu
- SOFTWARE\\
- SOFTWARE\\
- |#F3
- |-F3
- SVW3
- SVW3
- SVW3
- ipsMAINinfo
- SVW3
- <$3'
- <$3'
- u"Th
- TClientSocket
- @ouhRtocdmuR`oecnyhd
- @ouhSGQ
- @ouhKndCny
- @ouhR`oecnyhd
- @ouhWhsut`mQB
- @ouhWLv`sd
- @ouhWhsut`mCny
- 7562@3B45E129B93
- AI@5
- o3;1
- !v21
- .Z*a
- CR0(
- InstallDate
- DigitalProductId
- unknown
- s~u&
- jdsodm23/emm
- SVW3
- H~1+
- 1olX
- :uOk&
- Hedouhghds
- Fi\t>
- MNT0
- G;58
- $*6
- FAOu

- SVWU
- SVWU
- SVWU
- litemshtml
- IHTMLElementCollection
- litemshtml
- IHTMLElement
- SVW3
- SVWU
- SVW3
- SVWU
- Uh9r
- Uh5q
- Uheq
- SVWUh
- UhIm
- Uhpf
- Uh~e
- USVW
- USVW3
- USVW
- USVW3
- u'ZX
- u3YX
- Software\\Borland\\Delphi\\Locales
- Software\\Borland\\Locales
- kernel32.dll
- 8\\u8
- u+_^
- Uh)Q
- u)_^[
- Uh#N
- UhVI
- u^f=
- Uh\\G
- UWVSj
- SVWU
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- uAJt
- SVWU
- SVWUQ
- PSUj
- PSUj
- SVWU
- t1SVW
- N|*9
- It&S;
- u:Jt
- uAJt
- uXJt
- PSUj
- PSUj
- SVWU

- Uhh1
- Portions Copyright (c) 1983,99 Borland
- SVWU
- r6t0
- d$,1
- SVWU
- VWUd
- YZXto
- 2;0u
- SVW3
- FPUMaskValue
- SOFTWARE\\Borland\\Delphi\\RTL
- 2_^[
- w,9
- SVWU
- UhT"
- SVWU
- SVWU
- u:;{
- uW;{
- SVWU
- SVWU
- SVWUQ
- SVWU
- SVWU
- SVWU
- SVWU
- SVWUQ
- u:hD
- TInterfacedObject
- IDispatch
- IUnknown
- TObject
- OleVariantx
- WideString
- .reloc
- .idata
- `DATA
- CODE
- This program must be run under Win32
- jjjj
- jjjj
- [YY]
- ZYYd
- ^[YY]
- ZYYd
- ntdll.dll
- ZYYd
- QSVW
- _^[]
- ZYYd
- ^[YY]
- ZYYd
- QQQQS
- ZYYd
- QQQQQQQQS
- ZYYd

- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- QQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- ZYYd
- ZYYd
- QQQQQQQQS3
- ZYYd
- QQQQQQQQSV
- ZYYd
- QQQQQQQQSV
- ZYYd
- ZYYd
- PVhB
- >(r^j
- >(r^j
- >(r^j
- _^[]
- _^[]
- _^[Y]
- ZYYd
- QSVW
- ZYYd
- ZYYd
- QQQQQSV
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- QSVW
- ZYYd
- QSVW
- _^[YY]
- ZYYd
- _^[YY]
- ZYYd

- ZYYd
- ZYYd
- ZYYd
- ZYYd
- $ZXw
- gZX~c
- $ZXw
- QQQQQQQQSVW
- $Z_^[
- SVWQ
- ZYYd
- Ph~f
- Ph~f
- ZYYd
- ZYYd
- @ouhPdltWhsut`mQB
- @ouh@mmEdctffdsr
- ZYYd
- $clvkfgvgav?
- GV+N
- ZYYd
- ZYYd
- QQQQSV3
- ZYYd
- QQQQQQSV3
- Rhjj
- ZYYd
- QQQQSV3
- ZYYd
- QQQQSV3
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- [YY]
- ZYYd
- HrEdctffdsQsdrdou
- _^[YY]
- ZYYd
- ZYYd
- QQQQQQS3
- ZYYd
- QQQQS3
- ZYYd
- YVP|
- ZYYd
- h@*[
- j=\\N
- KWk!
- ZYYd
- ZYYd
- wLp-
- ZYYd
- ZYYd
- (_^[
-]_^[

-]_^[
-]_^[
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- _^[Y]
- QSVW
- QZ^&
- ZYYd
- ZYYd
- Z_^[
- SVWQ
-]_^[
- ZYYd
-]_^[
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- Pj@j
- ZYYd
- ZYYd
- ZYYd
- ZYYd
-]$SQRPj
- ZYYd
- ZYYd
- ZYYd
- _^[]
- _^[]
- _^[]
- _^[]
- F$L^
- Ht Ht.
- ZYYd
- _^[YY]
- ZYYd
- ZYYd
- ZYYd
- ZYYd
- ^[YY]
- ZYYd
- X_^[
- ZYYd
- ZYYd
- QQQQSV
- r\tPR
- ZYYd
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- r\tPR
- ZYYd

- ZYYd
- ZYYd
- r*PRf
-]_^[
-]_^[
- PSWj
- PSWj
-]_^[
-]_^[
-]_^[
-]_^[
- _^[X
- _^[X
- PSVW
-]_^[
- Jx f
- t:SVW
- YZ]_^[
- Z]_^[
- _^[]
- Z^[X
- SVRP
- YZ]_^[
- Z]_^[
- t f;J
- t-Rf;
-]_^[
- ;_^[
-]_^[
- tVSVWU
- t&J;|
- Z^[X
- SVRP
- t!R:
-]_^[
- ;_^[
- _^[]
-]_^[
- _^[]
- ZYYd
- _^[]
- ZYYd
- t=HtN
- ,t\\=
-]_^[
-]_^[
- T$(j
- SPRQ
- YYZX
- PPRTj
- _^[YY]
- ZYYd
- ZYYd
- SVWR
- ,$YXZ
- _^[Y]
- ZYYd

- QSVW
- YZ]_^[
- $)D$
- $;L$
- _^[Y]
- ZYYd
- ;=xD
- QSVW
- _^[YY]
- ZYYd
-]_^[
- YZ^[
- YZ]_^[
- ZYYd
- ZYYd
- "h$D
-]_^[
- YZ]_^[
- Z]_^[
-]_^[
-]_^[
- w;;t$
-]_^[
- YZ]_^[
- Z]_^[
- System
- System
- String
- P.rsrc