Analysis report for sample: 376f3a3b86990edcd40658aeca68fe8e

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 8488 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 376f3a3b86990edcd40658aeca68fe8e

AV detections

- Microsoft: TrojanSpy:Win32/Skeeyah.A!rfn
- Kaspersky: Trojan-PSW.Win32.Autoit.yt
- Symantec: Trojan.Gen
- Malwarebytes:

Original source url

- hxxp://gidserial.ru/Neferonland.exe\n

Virustotal url

- https://virustotal.com/es/file/8c19f52565794c532a040552587acc5901339d5646a004c9f5e53f159fb93438/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

Snapshot


Computer
C:\Windows\s...
Recycle Bin
Start
12:18 PM
Wednesday
6/21/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name pxxx.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe

- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- RegCreateKey (HKCU\\Software\\Microsoft\\IAM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\IAM\\Accounts Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\IAM\\Default LDAP Account Type: REG_SZ, Length: 112, Data: account{CAB5BCB4-A267-4611-AE62-B1B2E57B98D7}.oeaccount)
- RegCreateKey (HKCU\\Software\\Microsoft\\IAM Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\IAM\\Server ID Type: REG_DWORD, Length: 4, Data: 2)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\My Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\AuthRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: Incorrect Object type in FOR..IN loop
- url | valid domains | tlds: Null Object assignment in FOR..IN loop
- url | valid domains | tlds: Gt.Ht$
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: ResumeThread
- api | frequently used by malware: ExitThread
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: OleInitialize
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: OpenProcessToken
- api | frequently used by malware: AdjustTokenPrivileges
- api | frequently used by malware: RegCloseKey
- api | frequently used by malware: SetCapture
- api | frequently used by malware: RegisterHotKey
- api | frequently used by malware: GetClipboardData
- api | frequently used by malware: TranslateMessage
- api | frequently used by malware: GetAsyncKeyState
- api | frequently used by malware: SetKeyboardState
- api | frequently used by malware: GetKeyState
- api | frequently used by malware: GetDC
- api | frequently used by malware: GetMenu
- api | frequently used by malware: EnumWindows
- api | frequently used by malware: GetWindowThreadProcessId
- api | frequently used by malware: AttachThreadInput
- api | frequently used by malware: SetTimer
- api | frequently used by malware: GetForegroundWindow
- api | frequently used by malware: DeviceIoControl
- api | frequently used by malware: LoadResource
- api | frequently used by malware: SetFileTime
- api | frequently used by malware: CreateToolhelp32Snapshot
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ReadProcessMemory
- api | frequently used by malware: WriteProcessMemory
- api | frequently used by malware: VirtualAllocEx
- api | frequently used by malware: OpenProcess
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateThread
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: DllGetClassObject
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: GetNativeSystemInfo
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\

- path | path unit: Y:/(A6>
- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | ntdll: sqrt
- api | ntdll: atan
- api | ntdll: ?pow
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: WriteConsoleW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: LCMapStringW
- api | kernel32: GetTimeFormatW
- api | kernel32: GetDateFormatW
- api | kernel32: ReadConsoleW
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: GetStartupInfoW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage
- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetCommandLineW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetModuleHandleExW
- api | kernel32: EncodePointer
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: InitiateSystemShutdownExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce

- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: GetTokenInformation
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: OpenThreadToken
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | user32: ReleaseCapture
- api | user32: CallWindowProcW
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: CreateMenu
- api | user32: GetWindowTextLengthW
- api | user32: SetMenu
- api | user32: DestroyMenu
- api | user32: DrawMenuBar
- api | user32: RedrawWindow
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: GetActiveWindow
- api | user32: GetSystemMetrics
- api | user32: GetWindowDC
- api | user32: SetCursor
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: PtInRect
- api | user32: FillRect
- api | user32: DrawFrameControl
- api | user32: FrameRect
- api | user32: DrawTextW
- api | user32: DrawFocusRect
- api | user32: InflateRect
- api | user32: GetSysColor
- api | user32: IsDialogMessageW
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: SetLayeredWindowAttributes
- api | user32: SetWindowLongW
- api | user32: GetMonitorInfoW
- api | user32: MonitorFromPoint
- api | user32: IsZoomed
- api | user32: GetCaretPos
- api | user32: GetSubMenu
- api | user32: GetMenuStringW

- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: ClientToScreen
- api | user32: GetCursorInfo
- api | user32: SetWindowPos
- api | user32: CopyImage
- api | user32: AdjustWindowRectEx
- api | user32: SetRect
- api | user32: SetClipboardData
- api | user32: EmptyClipboard
- api | user32: CountClipboardFormats
- api | user32: CloseClipboard
- api | user32: IsClipboardFormatAvailable
- api | user32: OpenClipboard
- api | user32: BlockInput
- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: DispatchMessageW
- api | user32: PeekMessageW
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW
- api | user32: MonitorFromRect
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx
- api | user32: mouse_event
- api | user32: ExitWindowsEx
- api | user32: SetActiveWindow
- api | user32: FindWindowExW
- api | user32: EnumThreadWindows
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: GetCursorPos
- api | user32: DeleteMenu
- api | user32: CheckMenuRadioItem
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount
- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: SetForegroundWindow
- api | user32: IsIconic
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: keybd_event
- api | user32: SendInput
- api | user32: GetKeyboardState
- api | user32: VkKeyScanW
- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem

- api | user32: SetWindowTextW
- api | user32: CopyRect
- api | user32: ReleaseDC
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: DestroyWindow
- api | user32: GetDesktopWindow
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: GetWindowLongW
- api | user32: GetFocus
- api | user32: GetWindowTextW
- api | user32: ScreenToClient
- api | user32: SendMessageTimeoutW
- api | user32: EnumChildWindows
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetParent
- api | user32: GetDlgCtrlID
- api | user32: SendMessageW
- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: GetWindowRect
- api | user32: SetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation
- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: GetUserObjectSecurity
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: SetFocus
- api | user32: PostQuitMessage
- api | user32: KillTimer
- api | user32: CreatePopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: ShowWindow
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | user32: GetSysColorBrush
- api | user32: MessageBoxA
- api | user32: DestroyIcon
- api | kernel32: VirtualAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: GetProcessId
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters

- api | kernel32: GetCurrentProcessId
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Beep
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GlobalFree
- api | kernel32: GetFileSize
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: SetEvent
- api | kernel32: CreateEventW
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW
- api | kernel32: GetVolumeInformationW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SystemTimeToFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetExitCodeProcess
- api | kernel32: FormatMessageW
- api | kernel32: VirtualFree
- api | kernel32: CopyFileW
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: TerminateThread
- api | kernel32: InterlockedExchange
- api | kernel32: CreatePipe
- api | kernel32: GetStdHandle
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: CompareStringW
- api | kernel32: GetLocalTime
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: SizeofResource
- api | kernel32: LockResource
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW

- api | kernel32: CreateDirectoryW
- api | kernel32: MoveFileW
- api | kernel32: CopyFileExW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: GetShortPathNameW
- api | kernel32: GetLongPathNameW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: TerminateProcess
- api | kernel32: FlushFileBuffers
- api | kernel32: ReadFile
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: VirtualFreeEx
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: GetModuleFileNameW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetSystemInfo
- api | kernel32: IsWow64Process
- api | kernel32: GetVersionExW
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapFree
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: WaitForSingleObject
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentThread
- api | kernel32: CloseHandle
- api | kernel32: GetFullPathNameW
- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: lstrcmpiW
- api | kernel32: DecodePointer
- api | kernel32: GetLastError
- api | kernel32: RaiseException
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: DeleteCriticalSection
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | psapi: GetProcessMemoryInfo
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetSystemWow64DirectoryW

- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: CreateFile2
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | ntdll: fabs
- api | ntdll: floor
- api | ntdll: ceil
- api | kernel32: GetTickCount64
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: CreateEventExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue
- api | kernel32: FlsGetValue
- api | kernel32: FlsFree
- api | kernel32: FlsAlloc

Involved hosts

- 23.111.11.204:http
- 8.253.82.126:http
- smtp.yandex.ru:465
- 192.168.133.152:49194
- 192.168.133.152:49197
- 192.168.133.152:49200
- 192.168.133.152:54396
- 192.168.133.152:68
- 192.168.133.254:67
- 192.168.133.2:53
- 213.180.204.38:465 (smtp.yandex.ru)
- 23.111.11.204:80 (repository.certum.pl)
- 8.253.82.126:80

Dns queries

- smtp.yandex.ru ---> 213.180.204.38, 77.88.21.38, 87.250.250.38, 93.158.134.38, 213.180.193.38
- 38.204.180.213.in-addr.arpa ---> no answers
- repository.certum.pl ---> 23.111.11.204
- 254.133.168.192.in-addr.arpa ---> no answers
- 204.11.111.23.in-addr.arpa ---> no answers
- 126.82.253.8.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.152:49194 ---> 213.180.204.38 (smtp.yandex.ru) :465

smtp.yandex.ru[...]Lb+_[...]{+`mP[...]LiKD&

• tcp 213.180.204.38 (smtp.yandex.ru) :465 ---> 192.168.133.152:49194

v;[7[...]Yandex LLC1\'0%[...]Yandex Certification Authority1[...]Yandex CA0[...]151012124124Z[...]171011124124Z0[...]Yandex LLC1[...]ITO1[...]Moscow1[...]Russian Federation1[...]smtp.yandex.ru1!0[...]pki@yandex-team.ru0[...];Y57>[...]9xNDsv[...]PJQiE[...]j7Kr[...]b0`0/[...])http://crls.yandex.net/certum/ycasha2.crl0-[...]\'http://yandex.crl.certum.pl/ycasha2.crl0q[...]e0c0,[...]http://yandex.ocsp-responder.com03[...]\'http://repository.certum.pl/ycasha2.cer0[...]\\5M0[...]https://www.certum.pl/CPS0[...]Unizeto Technologies S.A.0[...]Usage of this certificate is strictly subjected to the CERTUM Certification Practice Statement (CPS) incorporated by reference herein and in the repository at https://www.certum.pl/repository.0[...]smtp.yandex.by[...]smtp.yandex.kz[...]smtp.yandex.com[...]smtp.yandex.ua[...]smtp.yandex.com.tr[...]smtp.ya.ru[...]smtp.yandex.ru0[...]GAd\'[...]mXJJ[...]C6%*7V.[...]oz5I[...]PL1"0[...]Unizeto Technologies S.A.1\'0%[...]Certum Certification Authority1"0[...]Certum Trusted Network CA0[...]150121120000Z[...]250118120000Z0_1[...]Yandex LLC1\'0%[...]Yandex Certification Authority1[...]Yandex CA0[...]B`"c[...]!dZ&[...]Bmj[[...]U#OK[...]5p,K[...]]k8w[...]rKxm[...]\\5M0[...](0&0$[...]http://crl.certum.pl/ctnca.crl0k[...]_0]0([...]http://subca.ocsp-certum.com01[...]%http://repository.certum.pl/ctnca.cer09[...]2000.[...]0&0$[...]http://www.certum.pl/CPS0[...]vt,r[...]GEr=([...]Whz8;S6[...]E{5S*[...];LC]7[...]+sR|x?[...]8vdB+5U[...]e/c[...]7dI{=[...]|7N_[...]z]Z)[...]QGb=[...]{UUT[...]|7N_[...]z]Z)[...]QGb=[...]{UUT[...]cm\\([...]/"0z[...]; s-[...]?\tF|[...]`2T<[...]};>![...]gM8=[...]kR%m[...];Gvm

• tcp 192.168.133.152:49197 ---> 23.111.11.204 (repository.certum.pl) :80

GET /ctnca.cer HTTP/1.1[...]Connection: Keep-Alive[...]Accept: */*[...]User-Agent: Microsoft-CryptoAPI/6.1[...]Host: repository.certum.pl

• tcp 23.111.11.204 (repository.certum.pl) :80 ---> 192.168.133.152:49197

HTTP/1.1 200 OK[...]Date: Wed, 21 Jun 2017 19:17:40 GMT[...]Content-Type: text/plain; charset=UTF-8[...]Content-Length: 959[...]Connection: keep-alive[...]Last-Modified: Fri, 04 Dec 2009 10:24:27 GMT[...]ETag: "34223-3bf-832b4cc0"[...]X-Cached: MISS[...]Server: NetDNA-cache/2.2[...]X-Cache: HIT[...]Accept-Ranges: bytes[...]PL1"0[...]Unizeto Technologies S.A.1\'0%[...]Certum Certification Authority1"0[...]Certum Trusted Network CA0[...]081022120737Z[...]291231120737Z0~1[...]PL1"0[...]Unizeto Technologies S.A.1\'0%[...]Certum Certification Authority1"0[...]Certum Trusted Network CA0[...]9]jdy[...]<1J8|[...]BwL%[...]B0@0[...]7yA["[...]ZvoN

• tcp 8.253.82.126:80 ---> 192.168.133.152:49200

HTTP/1.1 200 OK[...]Date: Wed, 21 Jun 2017 11:33:03 GMT[...]Content-Type: application/vnd.ms-cab-compressed[...]Content-Length: 52608[...]Connection: keep-alive[...]Cache-Control: max-age=604800[...]ETag: "80ab755e5eb9d21:0"[...]Expires: Wed, 03 May 2017 11:31:57 GMT[...]Last-Modified: Wed, 19 Apr 2017 22:43:31 GMT[...]Server: Microsoft-IIS/8.5[...]MSRegion: EMEA[...]x-ccc: FR[...]x-cid: 3[...]X-Powered-By: ASP.NET[...]Age: 27879[...]Accept-Ranges: bytes[...]MSCF[...]Je}{[...]authroot.stl[...]E)7k[...]~7\'M[...]{fd<[...]jW89[...]$t:$([...]OO?c/;m[...]`*Uk[...]<d:l[...]"+ z([...]n12j[...]fd_$A[...]s=Y9[...]_BB>[...]DwuM[...]\\\t,R[...]OlDp[...]|Xt/n[...]b~W_[...]#\tvS[...]|8yx[...]lm\ton[...]4\tDU[...]Lz\t"[...]&_k5[...]6saC[...]<C7/[...]s*`\tb[...]*X=8zI[...]b#5^:d[...]`?xp[...]]NM)[...]Vo[[...]9k1Z[...]o`H_[...]P3*D[...]lOh9[...]TpQv[...]X0o}[...]V1d/[...]mHr,[...]:c1}[...]gz2v[...]S7oM)[...]yI|m[...]JA a[...]Tl\tr[...]ZMy$[...]t9#k[...]Vt(p[...]gdsN0[...]%x~s[...]e\\;g[...]*;W<T[...]9J%Yc[...]\\[Qy[...]&O;,E|U[...]AZDD[...]Nnjc[...]D?W$[...]->0mp[...]Y@)O[...]~9;E[...]Ml?T[...]z_uP(:[...]~.i*[...]m,2/[...]`[{5[...]_d{7[...]C\\,h[...]Kp;o[...]LFze[...]}7w"O,sD[...]3;*~&[...]Vr-M[...]j\',ox\'[...]\')=7[...]Z6x$O[...]T@>-{W[...]PrCv[...]$+R+[...]V&="[...]B+"Su[...]~=BFu[...]^qqG[...]}oD.[...]s>P;[...]B.`gl[...]sD^>[...]N\tlq[...]hZk:[...]7mIp[...]Qh<kn[...]xf-Ms[...]Hr:[...]x-Mj[...]8G0%uM[...]9e(u[...]!)WC[...]~B[MQ[...]LMP;~bP[...]wb3)[...]a!#s[...]Zb9:[...]y8-$[[...]3yK0*[...]1;|o[...]y}4k[...]^ja,[...]Sd[5[...]g"dw[...]U7k_[...]>s79l[...]y>uR[...]"B(v[...];AQG[...](/u[...]`Wka\';[...]l~|l[...]n{x/[...]4R$yI[...](Wuz[...]L`l2Qq[...]&9~\'[...]eFED[...]\'Y%6[...]]xv&[...]5e61[...]{BBA[...]k_[Z[...]E3-\tt[...]M//f[...]jjN`N[...]V6`V[...]sj7P[...].!SM[...]!h[@[...]jK*>&[...]Hv[\\[...]X,;"[...]zafCf[...]xAGk[...]n[-Y[...]vyFgmny[...]#^V)[...]QYO5[...]dIRW[...]}OL&dV;[...]w7>q{[...]mliw[...]!U7Xf[...]*lm][...]d5|;^[...];hIS[...]?!pd[...]t2}I[...]}YhjZ2[...]kQAh[...]<5>8[...]udo[...]g4*s[...]k096[...]{W>\\[...]Br0M[...]g\\W/cb[...]+76*[...]?B%![...]W:c?[...]ME:,s[...]<5-K[...]=m n[...]W8"g[...]?sZ6>[..."UYs[...]A,fp.[...]y7//[...]x$&_S[...]~>*9sq[...]Hcw[S[...]#EtF[...]-64`|g]n[...]b6G,[...]a/NH[...](co2[...]]y<Uk[..."d8B[...]0My9[...]9]Xt[...]a\tf7-2p[...]sc8b[...]gGpYMf[...](\'<_[C[...]C\\0w[...]^ng[X[...]JS0`[...]-^yG[...]o"1B,[...]8Mh8sTWF[...

]Br_8[...]%Wgoz[...]~vHed[...]vS[...]8\tCd[...]]FV5[...]K!S([...]+0F.S[...]u5n6[...]AhLd[...]N8_H[...]A!}C[...]M<my[...]#Cs\tO[...]`U$>[...]X<t;|[...]5,)n[...]p5M6HO|~[...]T>z?[...]"&gC;[...]SZz"(([...]t6kfL([...]`_Rc[...]V%L8[...]Kk#J[...]Ab{=[...]Sh|9[...]8`kc[...]z{T8j[...]qK\'=I[...]`vtM[...]<7R;;[...]o9h{[...]^AT.[...]H\'/y[...]eoVc[...]\'661[...]iC:pe[...]|9^>[...]eH:_[...]4(<R[[...]]uWB[...]6Y$[[...]PvwN[...]Ig;2[...];r:X:r[...]9r}tw[...]#(ljZ[...]+!|Jy[...]+ZCA[...]{#wN[...]^s]dZ[...]Zap4[...]JM*j[...]rB
b[...]jY(c[...]{}\'Y[...]Bqr![...]^~ =6[...];>i{[...]xb{H[...]iI[V[...]s 5;R[[...]Y 2~.[...]t(5jgk[...]U|bR<[...]V++:[...]Ut1~[...]$g/`[...]qqc.[...]"w"/:-s[...]Y{R+#[...]jy}
^[...]7_@L[...]0= P[...]k`aZ[...]x2\'c[...]=nZj[...]dSHl}T[...]%BCH[...]TX1Ls[...](abu}qo[...]#CIc[...]T-A4[...]c!N#[...]6g%fL^[...]tIiU~J^[...]RD0]EI[...]:<3;[...]I.z[...]9E_
9_[...],~Sj8[...]akVu[...]8N%T[...]}\tQU[...]|E{fL[...]Z!=,[...]Fy_T[...]We*k[...]UxS]s[...]ghXW[...]\'l`k[...]oA7m[...]49b([...];s`?[...]i:(,F[...]EL=+:[...]OM@l3[...]Hr~Hx=-[...]-fF\t%[...]Ttl}[...]R_8c[...]:OFe[...])=m:[...]<3}e[...]5/E|[...]erP"[...]wN(>[...]c?=y[...]5$ohl[...]*VeA[...]oB8Hj*R"[...]tALn[...]Nn}M=[...]#yPj[...]d}f>[...]n,q;[...]j83s"[...]PI:][...]5[#S[...]ygp`aP"[...]}7nP[...]KY:z}Z[...]}rYJq[...]vCJMU[...]yP,LI[...]!/]9[...]^HxgU[...]MNA:[...]Oo=E[...]bTt}[...]csJ}[...]HNV]b[...]98;p0[...]zn$v[...]=RB^[...]5\t<6[...]@$5[u[...]h<`;[...]Y*~12[...]mV/1[...]]y8Uk[...]XEB2T(c[...]~X]{Z[...]hX{;7[...]QKOH[...]?2%([...]s8FB[...]Fa6Z[...]"l`3[...]QW+[[...]{Y_qz[...]_{:b([...]fx)([...]Nh/:[...]Ws_ka[...]0K2</d[...]Tcn($[...]&W;8wch9[...]U-?i*[...]cf1h[...]P.%:X[...]HVs&[...]}{J\[...]Y$Qh[...]t?So[...]8Cl:[...]+)-fOv[...]f7om[...]X=}\'[...]zB2r[...]C3F1"T[...]8h^$[...]H~t7[...]*%PmO[...]XFwi[...]c2KV/f[...][n9][...]j"]I[...]Pypg[...]to[[...]Gf*r&[...]<\t;^s[...]z(%[[...]TeK)[...]6(Ai[...]-n9.[...]Qmc/[...]zKMq[...]t597[...]7gZQ[...]+wTS-[...]mp]_[...]uCRy[...]S!G.[...]VggRw[...]<B#z@Z[...]-LmA[...]V{@!y[...]Z71|0xn[...]6>Oj[...]_\tK.c[...]Jx\'Sw[...]GIvQ[...]22"B[...]I
+=(UdAT7[...]o)CV[...]}WIA[...]\\mkZn[...]1C)O8I[...]v,j7[...]BaIn[...]K*.=[...]k[>;0[...]++k[...]8Esd[...]m
Cf[...]/lVc[...]BIEA[...]jN~O[...]"!mx[...]b1NU%[...]hrh2[...]jmkb;[...]r] &[...]_|%<H[...]WlJ#Xp[...]jyuz[...]P?{i[...]Hb6:g:[...]h)0H[...]vd|]|[...]&3J6([...]FOg`[...]ASSe[...]o622J[...]"65\\c[...]IBa>][...]C,LUy[...]Vu[...]>ra\\[...]E~Z\\[...]y2Z~[...]7{vT[...]j#I@D[...]*PZ1[...]Amr:[...]XlN@\\[...]M`t4{b[...]ELe([...]P68F{-[...]1Y>g[...][H<H[...]I"Zw[...]Vxx.4[...]!cQ$[...]4|,rq:[...]%QFLe[...]lgDn[...]`;ZxSK_[...]&![H[...]zB\to[...]oeb1[...]5V_q[...]lYde[...]$wd;[2A[...]RQ:H^[...]gk/m,[...]KYkz[...]J((([...]V-$>PV0[...]\\By[...]5=-B[...]l\\+R[...]N:C&[...]Fqe^X[...]d?6j[...]${LT[...]7=C1[...]7pN9[...]Gg5Gw[...]AWswM[...]q7H6M#[...]s<$:[...]%GhZo[...]`4JI[...]WU`Q[...]&;f7[...]SQsb[...]Eq>7[...]~*hB[...]/.^([...]@Y^![...]l9pI[...]a4=/[...]2fiCK[...]6n$d[...]Hf$iHVdo[...]eA\'K[...]G_PH[...]cK_Z[...]f?WQpl[...]he(<[...]aqic[...]}C[_[...]E;"#[...]#8$C[...],Pus*[...]j:Im[...]M(e^[...]$qoo[...]emP\t[[...]_{R=[...]BQsd[...]5(jq[...]>HD$?[...]g%)g[...]-f;G[...]]cU/[...]g\t.F!w5[...]{u0*[...]|roVS-[...]gJl8[...]6~Rf[...]OGj;[...]yA"5t[...]\'qkzU[...]|< <.c[...]i[20=[...]~+P1[...]}uM{[...]7_U8YK[...]xD([...]7Q9^[...]er,4[...]2943[...]3\\\\<[...]lR@"[...]&+]b[...]f*\t~%[...]B;Eq[...])tJ_[...]VrCq[...]RWS{[...]ILp2[...]43*}[...]3x?}[...]B$#7[...]\'v$T[...]SUy|[...]c|\tfDU[...]QQkS[...]TYJV[...]\\sakM[...]+{201[...]Rg<f[...]JhG&[...]=&V1;[...]hK/2[...]|+EG[...]cY02[...]"^7][...]{8x[[...]?np:[...]4ZRZ[...]HZ0<[...]~vD^[...]]\t8T[...]+n3T[...]Q\tN/[...]]$8-[...]8TEe[...]?Lkp?([...]^3!=@[...]Taum[...]FwQHk[...]=P^B+q[...]3GSY[...]Q+3`[...](qj&[...]n#U=[...]XTP#[...]"z3w^[...]6Z~0[...]#wLp[...]P\\&<[...]&OP1;[...]r\\Bu[...]aZo[[...]?<z=[...]D1>KL.[...]1{-p[...]i)-O2;n[...]N<!#[...]]X[B[...]$Q{i[...]+?rQ[...]Kb_z[...];9I"ZbB][...]z7P[...]hxNO:[...]Aob:^H[...]7[7[[...]d*vS[...]?W$w[...]w1V5[...]CUCg[...]@hP2Q[...][{99[...]%IDbbo[...];L<aQ1[...]*k!N[...]($PK*[...]Edd$[...]dKS7YeE[...]{CfT@[...]>o`fR[...]-vpv[...]R(!=[...]k9 h[...]JI@t[...]DgUs[...]2[XAI<[...]=!.\'[...]OcSD[...]p$`r[...]?L(F[...]zJ!}mJ[...]Lhxfh[...]quOv[...]NSd#[...]&Db;![...]?egy/[...]/ON;[...]a\'O;[...]H\\W{([...]=<y~[...]_K#g[...]J*y|[...](%_JV[...]$5!C[...]\\I21[...]s\trj[...]J<P.[...]!B\'-I[...]Iz@S[...]bmJ"[...]6L48[...]BfRu[...]p1Y>Y[...]N\t8p5[...]#
b?<[...]ofe7fS[...]7/Iz[...]drQW[...]gVAi[...]H{uc.[...]I$F:[...]JLZV[...]esi+[...]|(Dk[...]Y\\Vs[...]f&\'

• udp 192.168.133.254:67 ---> 192.168.133.152:68

localdomain

• udp 192.168.133.152:54396 ---> 192.168.133.2:53

downloa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T4 (in process P0, cebo.exe)

• Thread' events

• RegCreateKey (HKCU\\Software\\Microsoft\\IAM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\IAM\\Accounts Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\IAM Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\IAM\\Default LDAP Account Type: REG_SZ, Length: 112, Data: account{CAB5BCB4-A267-4611-AE62-B1B2E57B98D7}.oeaccount)
• RegCreateKey (HKCU\\Software\\Microsoft\\IAM Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\IAM\\Server ID Type: REG_DWORD, Length: 4, Data: 2)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T2)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T4)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\My Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\CA Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\CA\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Disallowed Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Disallowed\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\ROOT\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\AuthRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\AuthRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\Root Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Root\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\SmartCardRoot\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\TrustedPeople Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\TrustedPeople\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)

- RegCreateKey (HKLM\\Software\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Policies\\Microsoft\\SystemCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Policies\\Microsoft\\SystemCertificates\\trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\EnterpriseCertificates\\trust Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\Certificates Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CRLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\SOFTWARE\\Microsoft\\EnterpriseCertificates\\Trust\\CTLs Desired Access: Read/Write, Delete, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

- Thread T3 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T3)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (0))
- TCP Send (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (118))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (1400))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (1460))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (516))
- TCP Send (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (134))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (59))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (133))
- TCP Connect (javi-PC.localdomain:dynport-> 23.111.11.204:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 23.111.11.204:http (129))
- TCP Receive (javi-PC.localdomain:dynport-> 23.111.11.204:http (294))
- TCP Receive (javi-PC.localdomain:dynport-> 23.111.11.204:http (959))
- TCP Connect (javi-PC.localdomain:dynport-> 8.253.82.126:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 8.253.82.126:http (303))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))

- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1400))
- TCP Receive (javi-PC.localdomain:dynport-> 8.253.82.126:http (1225))
- TCP Send (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (53))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (181))
- TCP Send (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (53))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (53))
- TCP Send (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (69))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (53))
- TCP Send (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (53))
- TCP Receive (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (101))
- TCP Disconnect (javi-PC.localdomain:dynport-> smtp.yandex.ru:465 (0))
- TCP Receive (javi-PC.localdomain:dynport-> 23.111.11.204:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000004651e100020000009ea0c700010000000d52df00330000000d52e000b10000000d52e100350000000978830009000000097893002500000000000010020020000b59eea0050000000b59edf00010000000d52db000100000000000970001000000b59ede00

• Module 1 yara matches

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: Incorrect Object type in FOR..IN loop
• url | valid domains | tlds: Null Object assignment in FOR..IN loop
• url | valid domains | tlds: Gt.Ht$
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | frequently used by malware: GetTimeZoneInformation
• api | frequently used by malware: ResumeThread
• api | frequently used by malware: ExitThread
• api | frequently used by malware: ExitProcess
• api | frequently used by malware: OleInitialize
• api | frequently used by malware: CoCreateInstance
• api | frequently used by malware: OpenProcessToken
• api | frequently used by malware: AdjustTokenPrivileges
• api | frequently used by malware: RegCloseKey
• api | frequently used by malware: SetCapture
• api | frequently used by malware: RegisterHotKey
• api | frequently used by malware: GetClipboardData
• api | frequently used by malware: TranslateMessage
• api | frequently used by malware: GetAsyncKeyState
• api | frequently used by malware: SetKeyboardState
• api | frequently used by malware: GetKeyState
• api | frequently used by malware: GetDC
• api | frequently used by malware: GetMenu
• api | frequently used by malware: EnumWindows
• api | frequently used by malware: GetWindowThreadProcessId
• api | frequently used by malware: AttachThreadInput
• api | frequently used by malware: SetTimer
• api | frequently used by malware: GetForegroundWindow
• api | frequently used by malware: DeviceIoControl
• api | frequently used by malware: LoadResource
• api | frequently used by malware: SetFileTime
• api | frequently used by malware: CreateToolhelp32Snapshot
• api | frequently used by malware: WriteFile
• api | frequently used by malware: ReadProcessMemory
• api | frequently used by malware: WriteProcessMemory
• api | frequently used by malware: VirtualAllocEx

- api | frequently used by malware: OpenProcess
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: Sleep
- api | frequently used by malware: CreateThread
- api | frequently used by malware: IsDebuggerPresent
- api | frequently used by malware: IcmpSendEcho
- api | frequently used by malware: InternetQueryDataAvailable
- api | frequently used by malware: InternetReadFile
- api | frequently used by malware: InternetCloseHandle
- api | frequently used by malware: DllGetClassObject
- api | frequently used by malware: Wow64DisableWow64FsRedirection
- api | frequently used by malware: GetNativeSystemInfo
- registry: SYSTEM\\CurrentControlSet\\Control\\Nls\\Language
- registry: SOFTWARE\\Classes\\
- path | path unit: Y:/(A6>
- api | wininet: InternetOpenUrlW
- api | wininet: FtpGetFileSize
- api | wininet: FtpOpenFileW
- api | wininet: HttpSendRequestW
- api | wininet: HttpOpenRequestW
- api | wininet: InternetConnectW
- api | wininet: InternetQueryOptionW
- api | wininet: HttpQueryInfoW
- api | wininet: InternetCrackUrlW
- api | wininet: InternetSetOptionW
- api | wininet: InternetOpenW
- api | ntdll: sqrt
- api | ntdll: atan
- api | ntdll: ?pow
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: WriteConsoleW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: LCMapStringW
- api | kernel32: GetTimeFormatW
- api | kernel32: GetDateFormatW
- api | kernel32: ReadConsoleW
- api | kernel32: RtlUnwind
- api | kernel32: GetConsoleMode
- api | kernel32: GetConsoleCP
- api | kernel32: GetFileType
- api | kernel32: SetStdHandle
- api | kernel32: GetStringTypeW
- api | kernel32: GetStartupInfoW
- api | kernel32: TlsFree
- api | kernel32: TlsSetValue
- api | kernel32: TlsGetValue
- api | kernel32: TlsAlloc
- api | kernel32: SetUnhandledExceptionFilter
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: SetLastError
- api | kernel32: GetCPInfo
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: IsValidCodePage

- api | kernel32: IsProcessorFeaturePresent
- api | kernel32: GetCommandLineW
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetModuleHandleExW
- api | kernel32: EncodePointer
- api | kernel32: RegEnumValueW
- api | kernel32: RegDeleteValueW
- api | advapi32: RegDeleteKeyW
- api | kernel32: RegEnumKeyExW
- api | kernel32: RegSetValueExW
- api | kernel32: RegCreateKeyExW
- api | advapi32: GetUserNameW
- api | advapi32: InitiateSystemShutdownExW
- api | advapi32: SetSecurityDescriptorDacl
- api | advapi32: AddAce
- api | advapi32: GetAce
- api | advapi32: GetAclInformation
- api | advapi32: GetSecurityDescriptorDacl
- api | advapi32: GetTokenInformation
- api | advapi32: FreeSid
- api | advapi32: CheckTokenMembership
- api | advapi32: AllocateAndInitializeSid
- api | advapi32: LogonUserW
- api | advapi32: CopySid
- api | advapi32: GetLengthSid
- api | advapi32: CreateProcessWithLogonW
- api | kernel32: CreateProcessAsUserW
- api | advapi32: DuplicateTokenEx
- api | advapi32: LookupPrivilegeValueW
- api | kernel32: OpenThreadToken
- api | advapi32: InitializeAcl
- api | advapi32: InitializeSecurityDescriptor
- api | advapi32: RegConnectRegistryW
- api | kernel32: RegQueryValueExW
- api | kernel32: RegOpenKeyExW
- api | user32: ReleaseCapture
- api | user32: CallWindowProcW
- api | user32: DefDlgProcW
- api | user32: IsDlgButtonChecked
- api | user32: CreateMenu
- api | user32: GetWindowTextLengthW
- api | user32: SetMenu
- api | user32: DestroyMenu
- api | user32: DrawMenuBar
- api | user32: RedrawWindow
- api | user32: wsprintfW
- api | user32: CharNextW
- api | user32: GetActiveWindow
- api | user32: GetSystemMetrics
- api | user32: GetWindowDC
- api | user32: SetCursor
- api | user32: CreateAcceleratorTableW
- api | user32: DestroyAcceleratorTable
- api | user32: PtInRect
- api | user32: FillRect
- api | user32: DrawFrameControl
- api | user32: FrameRect

- api | user32: DrawTextW
- api | user32: DrawFocusRect
- api | user32: InflateRect
- api | user32: GetSysColor
- api | user32: IsDialogMessageW
- api | user32: TranslateAcceleratorW
- api | user32: GetClassLongW
- api | user32: FlashWindow
- api | user32: SetLayeredWindowAttributes
- api | user32: SetWindowLongW
- api | user32: GetMonitorInfoW
- api | user32: MonitorFromPoint
- api | user32: IsZoomed
- api | user32: GetCaretPos
- api | user32: GetSubMenu
- api | user32: GetMenuStringW
- api | user32: IsCharUpperW
- api | user32: IsCharLowerW
- api | user32: IsCharAlphaNumericW
- api | user32: IsCharAlphaW
- api | user32: GetKeyboardLayoutNameW
- api | user32: ClientToScreen
- api | user32: GetCursorInfo
- api | user32: SetWindowPos
- api | user32: CopyImage
- api | user32: AdjustWindowRectEx
- api | user32: SetRect
- api | user32: SetClipboardData
- api | user32: EmptyClipboard
- api | user32: CountClipboardFormats
- api | user32: CloseClipboard
- api | user32: IsClipboardFormatAvailable
- api | user32: OpenClipboard
- api | user32: BlockInput
- api | user32: GetMessageW
- api | user32: LockWindowUpdate
- api | user32: DispatchMessageW
- api | user32: PeekMessageW
- api | user32: UnregisterHotKey
- api | user32: CharLowerBuffW
- api | user32: MonitorFromRect
- api | user32: LoadImageW
- api | user32: CreateIconFromResourceEx
- api | user32: mouse_event
- api | user32: ExitWindowsEx
- api | user32: SetActiveWindow
- api | user32: FindWindowExW
- api | user32: EnumThreadWindows
- api | user32: SetMenuDefaultItem
- api | user32: InsertMenuItemW
- api | user32: IsMenu
- api | user32: TrackPopupMenuEx
- api | user32: GetCursorPos
- api | user32: DeleteMenu
- api | user32: CheckMenuRadioItem
- api | user32: GetMenuItemID
- api | user32: GetMenuItemCount

- api | user32: SetMenuItemInfoW
- api | user32: GetMenuItemInfoW
- api | user32: SetForegroundWindow
- api | user32: IsIconic
- api | user32: FindWindowW
- api | user32: SystemParametersInfoW
- api | user32: keybd_event
- api | user32: SendInput
- api | user32: GetKeyboardState
- api | user32: VkKeyScanW
- api | user32: LoadStringW
- api | user32: DialogBoxParamW
- api | user32: MessageBeep
- api | user32: EndDialog
- api | user32: SendDlgItemMessageW
- api | user32: GetDlgItem
- api | user32: SetWindowTextW
- api | user32: CopyRect
- api | user32: ReleaseDC
- api | user32: EndPaint
- api | user32: BeginPaint
- api | user32: GetClientRect
- api | user32: DestroyWindow
- api | user32: GetDesktopWindow
- api | user32: IsWindow
- api | user32: IsWindowEnabled
- api | user32: IsWindowVisible
- api | user32: EnableWindow
- api | user32: InvalidateRect
- api | user32: GetWindowLongW
- api | user32: GetFocus
- api | user32: GetWindowTextW
- api | user32: ScreenToClient
- api | user32: SendMessageTimeoutW
- api | user32: EnumChildWindows
- api | user32: CharUpperBuffW
- api | user32: GetClassNameW
- api | user32: GetParent
- api | user32: GetDlgCtrlID
- api | user32: SendMessageW
- api | user32: MapVirtualKeyW
- api | user32: PostMessageW
- api | user32: GetWindowRect
- api | user32: SetUserObjectSecurity
- api | user32: CloseDesktop
- api | user32: CloseWindowStation
- api | user32: OpenDesktopW
- api | user32: SetProcessWindowStation
- api | user32: GetProcessWindowStation
- api | user32: OpenWindowStationW
- api | user32: GetUserObjectSecurity
- api | user32: MessageBoxW
- api | user32: DefWindowProcW
- api | user32: MoveWindow
- api | user32: SetFocus
- api | user32: PostQuitMessage
- api | user32: KillTimer

- api | user32: CreatePopupMenu
- api | user32: RegisterWindowMessageW
- api | user32: ShowWindow
- api | user32: CreateWindowExW
- api | user32: RegisterClassExW
- api | user32: LoadIconW
- api | user32: LoadCursorW
- api | user32: GetSysColorBrush
- api | user32: MessageBoxA
- api | user32: DestroyIcon
- api | kernel32: VirtualAlloc
- api | kernel32: LoadLibraryW
- api | kernel32: SetPriorityClass
- api | kernel32: GetProcessId
- api | kernel32: CreateProcessW
- api | kernel32: GetProcessIoCounters
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetWindowsDirectoryW
- api | kernel32: GetComputerNameW
- api | kernel32: HeapSize
- api | kernel32: HeapReAlloc
- api | kernel32: GetSystemDirectoryW
- api | kernel32: Beep
- api | kernel32: GlobalMemoryStatusEx
- api | kernel32: GlobalFree
- api | kernel32: GetFileSize
- api | kernel32: GlobalAlloc
- api | kernel32: GlobalUnlock
- api | kernel32: GlobalLock
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: GetEnvironmentVariableW
- api | kernel32: SetEvent
- api | kernel32: CreateEventW
- api | kernel32: SetFileAttributesW
- api | kernel32: CreateHardLinkW
- api | kernel32: SetVolumeLabelW
- api | kernel32: GetVolumeInformationW
- api | kernel32: GetDiskFreeSpaceW
- api | kernel32: GetDiskFreeSpaceExW
- api | kernel32: GetDriveTypeW
- api | kernel32: LocalFileTimeToFileTime
- api | kernel32: SystemTimeToFileTime
- api | kernel32: FileTimeToSystemTime
- api | kernel32: FileTimeToLocalFileTime
- api | kernel32: GetPrivateProfileSectionNamesW
- api | kernel32: WritePrivateProfileSectionW
- api | kernel32: GetPrivateProfileSectionW
- api | kernel32: WritePrivateProfileStringW
- api | kernel32: GetPrivateProfileStringW
- api | kernel32: GetExitCodeProcess
- api | kernel32: FormatMessageW
- api | kernel32: VirtualFree
- api | kernel32: CopyFileW
- api | kernel32: FindResourceExW
- api | kernel32: LoadLibraryExW
- api | kernel32: TerminateThread
- api | kernel32: InterlockedExchange

- api | kernel32: CreatePipe
- api | kernel32: GetStdHandle
- api | kernel32: LeaveCriticalSection
- api | kernel32: EnterCriticalSection
- api | kernel32: CompareStringW
- api | kernel32: GetLocalTime
- api | kernel32: GetTempFileNameW
- api | kernel32: GetTempPathW
- api | kernel32: OutputDebugStringW
- api | kernel32: EnumResourceNamesW
- api | kernel32: SizeofResource
- api | kernel32: LockResource
- api | kernel32: FindResourceW
- api | kernel32: QueryPerformanceFrequency
- api | kernel32: SetSystemPowerState
- api | kernel32: RemoveDirectoryW
- api | kernel32: CreateDirectoryW
- api | kernel32: MoveFileW
- api | kernel32: CopyFileExW
- api | kernel32: FindNextFileW
- api | kernel32: DeleteFileW
- api | kernel32: GetShortPathNameW
- api | kernel32: GetLongPathNameW
- api | kernel32: FindClose
- api | kernel32: FindFirstFileW
- api | kernel32: GetFileAttributesW
- api | kernel32: Process32NextW
- api | kernel32: Process32FirstW
- api | kernel32: TerminateProcess
- api | kernel32: FlushFileBuffers
- api | kernel32: ReadFile
- api | kernel32: SetEndOfFile
- api | kernel32: SetFilePointerEx
- api | kernel32: CreateFileW
- api | kernel32: VirtualFreeEx
- api | kernel32: GetModuleHandleW
- api | kernel32: lstrlenW
- api | kernel32: lstrcpyW
- api | kernel32: GetModuleFileNameW
- api | kernel32: SetErrorMode
- api | kernel32: LoadLibraryA
- api | kernel32: FreeLibrary
- api | kernel32: GetSystemInfo
- api | kernel32: IsWow64Process
- api | kernel32: GetVersionExW
- api | kernel32: MulDiv
- api | kernel32: MultiByteToWideChar
- api | kernel32: GetCurrentThreadId
- api | kernel32: HeapFree
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: WaitForSingleObject
- api | kernel32: DuplicateHandle
- api | kernel32: GetCurrentProcess
- api | kernel32: GetCurrentThread
- api | kernel32: CloseHandle
- api | kernel32: GetFullPathNameW

- api | kernel32: SetCurrentDirectoryW
- api | kernel32: GetCurrentDirectoryW
- api | kernel32: lstrcmpiW
- api | kernel32: DecodePointer
- api | kernel32: GetLastError
- api | kernel32: RaiseException
- api | kernel32: InitializeCriticalSectionAndSpinCount
- api | kernel32: DeleteCriticalSection
- api | kernel32: InterlockedDecrement
- api | kernel32: InterlockedIncrement
- api | iphlpapi: IcmpCloseHandle
- api | iphlpapi: IcmpCreateFile
- api | psapi: GetProcessMemoryInfo
- api | kernel32: timeGetTime
- api | kernel32: RegDeleteKeyExW
- api | kernel32: GetSystemWow64DirectoryW
- api | kernel32: GetModuleHandleExW
- api | kernel32: Wow64RevertWow64FsRedirection
- api | kernel32: CreateFile2
- api | user32: GetProcessWindowStation
- api | user32: GetUserObjectInformationW
- api | user32: GetLastActivePopup
- api | user32: GetActiveWindow
- api | user32: MessageBoxW
- api | ntdll: fabs
- api | ntdll: floor
- api | ntdll: ceil
- api | ntdll: sqrt
- api | ntdll: atan
- api | kernel32: GetTickCount64
- api | kernel32: GetCurrentPackageId
- api | kernel32: LCMapStringEx
- api | kernel32: IsValidLocaleName
- api | kernel32: GetUserDefaultLocaleName
- api | kernel32: GetTimeFormatEx
- api | kernel32: GetLocaleInfoEx
- api | kernel32: GetDateFormatEx
- api | kernel32: CompareStringEx
- api | kernel32: EnumSystemLocalesEx
- api | kernel32: SetDefaultDllDirectories
- api | kernel32: CreateSymbolicLinkW
- api | kernel32: GetLogicalProcessorInformation
- api | kernel32: GetCurrentProcessorNumber
- api | kernel32: FreeLibraryWhenCallbackReturns
- api | kernel32: FlushProcessWriteBuffers
- api | kernel32: CloseThreadpoolWait
- api | kernel32: SetThreadpoolWait
- api | kernel32: CreateThreadpoolWait
- api | kernel32: CloseThreadpoolTimer
- api | kernel32: WaitForThreadpoolTimerCallbacks
- api | kernel32: SetThreadpoolTimer
- api | kernel32: CreateThreadpoolTimer
- api | kernel32: SetThreadStackGuarantee
- api | kernel32: CreateSemaphoreExW
- api | kernel32: CreateEventExW
- api | kernel32: InitializeCriticalSectionEx
- api | kernel32: FlsSetValue

• api | kernel32: FlsGetValue
• api | kernel32: FlsFree
• api | kernel32: FlsAlloc

• Module 1 other strings

• Translation
• VarFileInfo
• 080904B0
• StringFileInfo
• VS_VERSION_INFO
• String missing closing quote.!Badly formated variable or macro.*Missing separator character after keyword.
• Unable to open the script file.
• Unable to parse line.
• Func reassign not allowed.*Func reassign on global level not allowed.
• Obsolete function/parameter.4Invalid Exitcode (reserved for AutoIt internal use).+Variable cannot be accessed in this manner.
• Assert Failed!
• Can not redeclare a constant.5Can not redeclare a parameter inside a user function.HCan pass constants by reference only to parameters with "Const" keyword.*Can not initialize a variable with itself.$Incorrect way to use this parameter.:"EndSwitch" statement with no matching "Switch" statement.>"Switch" statement is missing "EndSwitch" or "Case" statement.H"ContinueCase" statement with no matching "Select"or "Switch" statement.
• 3This keyword cannot be used after a "Then" keyword.>"Select" statement is missing "EndSelect" or "Case" statement.+"If" statements must have a "Then" keyword. Badly formated Struct statement."Cannot assign values to constants..Cannot make existing variables into constants.9Only Object-type variables allowed in a "With" statement.v"long_ptr", "int_ptr" and "short_ptr" DllCall() types have been deprecated. Use "long*", "int*" and "short*" instead.-Object referenced outside a "With" statement.)Nested "With" statements are not allowed."Variable must be of type "Object".1The requested action with this object has failed.8Variable appears more than once in function declaration.2ReDim array can not be initialized in this manner.1An array variable can not be used in this manner.
• Badly formated Enum statement
• Invalid file filter given.*Expected a variable in user function call.1"Do" statement has no matching "Until" statement.2"Until" statement with no matching "Do" statement.#"For" statement is badly formatted.2"Next" statement with no matching "For" statement.N"ExitLoop/ContinueLoop" statements only valid from inside a For/Do/While loop.1"For" statement has no matching "Next" statement.@"Case" statement with no matching "Select"or "Switch" statement.:"EndSelect" statement with no matching "Select" statement.ORecursion level has been exceeded - AutoIt will quit to prevent stack overflow.&Cannot; make existing variables static.4Cannot make static variables into regular variables.
• Invalid element in a DllStruct.*Unknown option or bad parameter specified.&Unable; to load the internet libraries./"Struct" statement has no matching "EndStruct".HUnable to open file, the maximum number of open files has been exceeded.K"ContinueLoop" statement with no matching "While", "Do" or "For" statement.
• *Unable to get a list of running processes.
• Unknown macro.
• Unknown function name.
• Duplicate function name.
• Array maximum size exceeded.+"Func" statement has no matching "EndFunc".
• 0Expected a "=" operator in assignment statement.*Invalid keyword at the start of this line.
• Error parsing function call.0Incorrect number of parameters in function call.\"ReDim" used without an array variable.>Illegal text at the end of statement (one statement per line).1"If" statement has no matching "EndIf" statement.1"Else" statement with no matching "If" statement.2"EndIf" statement with no matching "If" statement.7Too many "Else" statements for matching "If" statement.3"While" statement has no matching "Wend" statement.4"Wend" statement with no matching "While" statement.%Variable used without being declared.XArray variable has incorrect number of subscripts or subscript dimension range exceeded.#Variable subscript badly formatted.*Subscript used on non-accessible variable.&Too; many subscripts used for an array.0Missing subscript dimensions in "Dim" statement.NNo variable given for "Dim", "Local", "Global", "Struct" or "Const" statement.
• Error in expression.
• Missing operator in expression."Unbalanced brackets in expression.
• "With" missing "EndWith".(Missing right bracket \')\' in expression.
• "EndWith" missing "With".!Badly formatted "Func" statement.
• AutoIt supports the __stdcall (WINAPI) and __cdecl calling conventions. The __stdcall (WINAPI) convention is used by default but __cdecl can be used instead. See the DllCall() documentation for details on changing the calling convention.
• Stack corruption typically occurs when either the wrong calling convention is used or when the function is called with the wrong number of arguments.
• AutoIt has detected the stack has become corrupt.
• AutoIt Error

- (Paused)
- E&xit;
- Script &Paused;
- Context1
- wparam
- lparam
- lresult
- ulong_ptr
- uint_ptr
- double
- float
- handle
- uint64
- int64
- uint
- bool
- ulong
- long
- word
- dword
- ushort
- short
- wchar
- char
- boolean
- ubyte
- byte
- endstruct
- align
- @GUI_DRAGFILE
- @GUI_DROPID
- @GUI_DRAGID
- SysListView32
- SysTreeView32
- SysTabControl32
- msctls_updown32
- SysAnimate32
- msctls_trackbar32
- Msctls_Progress32
- .exe
- .icl
- SysMonthCal32
- SysDateTimePick32
- Listbox
- Combobox
- button
- %d/%02d/%02d
- tooltips_class32
- msctls_statusbar321
- EXPAND
- COLLAPSE
- GETTOTALCOUNT
- VIEWCHANGE
- FINDITEM
- DESELECT
- SELECTINVERT
- SELECTCLEAR

- SELECTALL
- ISSELECTED
- GETSELECTEDCOUNT
- GETTEXT
- GETSUBITEMCOUNT
- GETITEMCOUNT
- SENDCOMMANDID
- GETLINE
- EDITPASTE
- GETCURRENTCOL
- GETCURRENTLINE
- GETLINECOUNT
- GETSELECTED
- UNCHECK
- CHECK
- ISCHECKED
- GETCURRENTSELECTION
- SETCURRENTSELECTION
- DELSTRING
- HIDEDROPDOWN
- SHOWDROPDOWN
- CURRENTTAB
- TABRIGHT
- TABLEFT
- ISENABLED
- ISVISIBLE
- REG_BINARY
- REG_QWORD
- REG_DWORD
- REG_MULTI_SZ
- REG_EXPAND_SZ
- HKEY_USERS
- HKCU
- HKEY_CURRENT_USER
- HKEY_CURRENT_CONFIG
- HKEY_CLASSES_ROOT
- HKEY_LOCAL_MACHINE
- ubyte
- winapi
- SeDebugPrivilege
- USERDOMAIN
- USERPROFILE
- 3, 3, 14, 2
- Control Panel\\Appearance
- SchemeLangID
- InstallLanguage
- WIN_XPe
- WIN_2003
- WIN_VISTA
- WIN_2008
- WIN_7
- WIN_2008R2
- WIN_8
- WIN_2012
- WIN_2012R2
- WIN_81
- WIN_2016

- WIN_10
- WIN32_NT
- IA64
- %.3d
- Incorrect parameters to object property !
- Variable is not of type 'Object'.
- Variable must be of type 'Object'.
- CALLARGARRAY
- Invalid parameter
- Failed to create object
- Not an Object type
- get__NewEnum
- _NewEnum
- AUTOIT.ERROR
- Incorrect Parameter format
- NULL Pointer assignment
- UserFunction
- Function
- Binary
- Keyword
- Bool
- Object
- Reference
- Array
- Double
- Int64
- Int32
- 255.255.255.255
- AUTOITCALLVARIABLE%d
- msctls_progress32
- DISPLAY
- Environment
- <local>
- GUI_RUNDEFMSG
- UNKNOWN
- READONLY
- NOTREADY
- INVALID
- READY
- FileBackedVirtual
- Virtual
- SATA
- iSCSI
- RAID
- Fibre
- 1394
- ATAPI
- SCSI
- Unknown
- RAMDisk
- CDROM
- Network
- Fixed
- Removable
- PhysicalDrive
- close cd wait
- wait

- set cd door
- type cdaudio alias cd wait
- open
- closed
- close
- unknown
- ramdisk
- network
- fixed
- removable
- cdrom
- %02d
- ^ ERROR
- Default
- %4d%02d%02d%02d%02d%02d
- False
- True
- 0x%p
- SECONDARY
- MENU
- PRIMARY
- MAIN
- MIDDLE
- SeShutdownPrivilege
- play PlayMe
- play PlayMe wait
- close PlayMe
- status PlayMe mode
- alias PlayMe
- open
- 0.0.0.0
- %u.%u.%u.%u
- DefaultLangCodepage
- 04090000
- \\VarFileInfo\\Translation
- StringFileInfo\\
- #32770
- BUTTON
- Line:
- warning
- stop
- question
- info
- blank
- APPEND
- EXISTS
- KEYS
- REMOVE
- Unterminated group of comments
- Cannot parse #include
- Unterminated string
- Bad directive syntax error
- >>>AUTOIT SCRIPT<<<
- Error opening the file
- #include depth exceeded. Make sure there are no recursive includes
- All files (*.*)
- *.au3;*.a3x

- AutoIt script files (*.au3, *.a3x)
- Error:
- ^ ERROR
- Error:
- Line %d:
- Release
- AddRef
- QueryInterface
- InterfaceDispatch
- clsid
- object
- idispatch
- wparam
- ulong_ptr
- uint_ptr
- lparam
- lresult
- handle
- hresult
- double
- float
- uint64
- int64
- variant
- long
- uint
- ulong
- dword
- word
- ushort
- short
- bool
- boolean
- byte
- none
- cdecl
- @COM_EVENTOBJ
- STOP
- CLEAR
- RAISE
- RETCODE
- SCRIPTLINE
- HELPCONTEXT
- HELPFILE
- SOURCE
- DESCRIPTION
- WINDESCRIPTION
- Container
- AutoIt3GUI
- ThumbnailClass
- TITLE
- REGEXPTITLE
- HANDLE
- [ALL
- CLASSNAME=
- [REGEXPTITLE:
- REGEXP=

- [HANDLE:
- HANDLE=
- [ACTIVE
- ACTIVE
- [LAST
- LAST
- %s%u
- TEXT
- INSTANCE
- NAME
- REGEXPCLASS
- CLASS
- list
- smallicons
- details
- largeicons
- ListBox
- ComboBox
- winsta0\\default
- default
- winsta0
- SeRestorePrivilege
- SeBackupPrivilege
- SeIncreaseQuotaPrivilege
- SeAssignPrimaryTokenPrivilege
- Error allocating memory.
- runas
- \\IPC$
- ^_`a
- DEFG
- 789:
- MUILANG
- UNICODE
- AUTOITX64
- AUTOITUNICODE
- AUTOITPID
- HOTKEYPRESSED
- NUMPARAMS
- INETGETACTIVE
- INETGETBYTESREAD
- LOGONDOMAIN
- LOGONSERVER
- HOMESHARE
- HOMEPATH
- HOMEDRIVE
- USERPROFILEDIR
- TEMPDIR
- USERNAME
- COMSPEC
- COMPILED
- DESKTOPREFRESH
- DESKTOPDEPTH
- DESKTOPHEIGHT
- DESKTOPWIDTH
- IPADDRESS4
- IPADDRESS3
- IPADDRESS2

- IPADDRESS1
- AUTOITEXE
- AUTOITVERSION
- KBLAYOUT
- CPUARCH
- OSARCH
- PROCESSORARCH
- OSLANG
- OSSERVICEPACK
- OSBUILD
- OSVERSION
- OSTYPE
- WORKINGDIR
- SCRIPTLINENUMBER
- SCRIPTDIR
- SCRIPTNAME
- SCRIPTFULLPATH
- TRAYICONFLASHING
- TRAYICONVISIBLE
- SW_UNLOCK
- SW_SHOWNORMAL
- SW_SHOWNOACTIVATE
- SW_SHOWNA
- SW_SHOWMINNOACTIVE
- SW_SHOWMINIMIZED
- SW_SHOWMAXIMIZED
- SW_DISABLE
- SW_ENABLE
- SW_SHOWDEFAULT
- SW_RESTORE
- SW_MAXIMIZE
- SW_MINIMIZE
- SW_HIDE
- SYSTEMDIR
- WINDOWSDIR
- COMPUTERNAME
- STARTUPDIR
- STARTMENUDIR
- PROGRAMSDIR
- FAVORITESDIR
- DESKTOPDIR
- APPDATADIR
- LOCALAPPDATADIR
- STARTUPCOMMONDIR
- STARTMENUCOMMONDIR
- PROGRAMSCOMMONDIR
- FAVORITESCOMMONDIR
- DOCUMENTSCOMMONDIR
- DESKTOPCOMMONDIR
- APPDATACOMMONDIR
- MYDOCUMENTSDIR
- COMMONFILESDIR
- PROGRAMFILESDIR
- YDAY
- WDAY
- YEAR
- MDAY

- HOUR
- MSEC
- EXTENDED
- ERROR
- ENUM
- VOLATILE
- NULL
- DEFAULT
- FALSE
- TRUE
- ENDWITH
- WITH
- BYREF
- EXIT
- RETURN
- ENDFUNC
- FUNC
- STATIC
- CONST
- GLOBAL
- LOCAL
- REDIM
- CONTINUECASE
- ENDSWITCH
- ENDSELECT
- CASE
- SELECT
- CONTINUELOOP
- EXITLOOP
- STEP
- NEXT
- UNTIL
- WEND
- WHILE
- ENDIF
- ELSEIF
- ELSE
- THEN
- RWINUP
- RWINDOWN
- LWINUP
- LWINDOWN
- SHIFTUP
- SHIFTDOWN
- ALTUP
- ALTDOWN
- MOUSE_XBUTTON2
- MOUSE_XBUTTON1
- MOUSE_MBUTTON
- MOUSE_RBUTTON
- MOUSE_LBUTTON
- OEM_102
- LAUNCH_APP2
- LAUNCH_APP1
- LAUNCH_MEDIA
- LAUNCH_MAIL
- MEDIA_PLAY_PAUSE

- MEDIA_STOP
- MEDIA_PREV
- MEDIA_NEXT
- VOLUME_UP
- VOLUME_DOWN
- VOLUME_MUTE
- BROWSER_HOME
- BROWSER_FAVORTIES
- BROWSER_SEARCH
- BROWSER_STOP
- BROWSER_REFRESH
- BROWSER_FORWARD
- BROWSER_BACK
- NUMPADENTER
- RALT
- LALT
- APPSKEY
- NUMPADDIV
- NUMPADDOT
- NUMPADSUB
- NUMPADADD
- NUMPADMULT
- NUMPAD9
- NUMPAD8
- NUMPAD7
- NUMPAD6
- NUMPAD5
- NUMPAD4
- NUMPAD3
- NUMPAD2
- NUMPAD1
- NUMPAD0
- CAPSLOCK
- PAUSE
- NUMLOCK
- SCROLLLOCK
- RWIN
- LWIN
- SPACE
- RIGHT
- PGUP
- LEFT
- INSERT
- HOME
- ESCAPE
- ENTER
- DOWN
- DELETE
- BACKSPACE
- !!!!!ee
- meeeeeeeeeeeeemmm
- !!!!!!!!!!!!!!!!!!!!!!!!!!!!eeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeenhhh

- HIJJ
- !ABC
- 789:;<=>?
- /!-012
- 0123456789ABCDEF
- @TRAY_ID
- @GUI_WINHANDLE
- @GUI_CTRLID
- Include
- ERROR : Unable to initialize critical section in CAtlBaseModule
- CONOUT$
- USER32.DLL
- zu-za
- zh-mo
- xh-za
- vi-vn
- uz-uz-latn
- uz-uz-cyrl
- ur-pk
- uk-ua
- tt-ru
- tn-za
- te-in
- ta-in
- sw-ke
- sv-se
- sv-fi
- sr-ba-latn
- sq-al
- sma-se
- sma-no
- sl-si
- se-se
- se-no
- se-fi
- sa-in
- ru-ru
- ro-ro
- quz-pe
- quz-ec
- quz-bo
- pa-in
- ns-za
- nn-no
- nl-be
- nb-no
- mr-in
- ml-in
- mi-nz
- ko-kr
- kok-in
- kn-in
- ka-ge
- ja-jp
- it-it
- it-ch
- is-is

- id-id
- hy-am
- hu-hu
- hr-ba
- hi-in
- he-il
- gu-in
- gl-es
- fr-lu
- fr-ca
- fr-be
- fo-fo
- fi-fi
- fa-ir
- eu-es
- et-ee
- es-ve
- es-uy
- es-sv
- es-py
- es-pr
- es-pe
- es-pa
- es-ni
- es-mx
- es-hn
- es-gt
- es-es
- es-ec
- es-do
- es-cr
- es-co
- es-cl
- es-bo
- es-ar
- en-zw
- en-za
- en-us
- en-tt
- en-ph
- en-nz
- en-jm
- en-ie
- en-gb
- en-cb
- en-ca
- en-bz
- en-au
- el-gr
- de-lu
- de-li
- de-de
- de-ch
- de-at
- da-dk
- ca-es
- bs-ba-latn

- bn-in
- be-by
- az-az-latn
- az-az-cyrl
- ar-ye
- ar-tn
- ar-sy
- ar-sa
- ar-qa
- ar-om
- ar-ma
- ar-ly
- ar-lb
- ar-kw
- ar-jo
- ar-iq
- ar-eg
- ar-dz
- ar-bh
- ar-ae
- af-za
- es-PR
- es-NI
- es-HN
- es-SV
- es-BO
- ar-QA
- es-PY
- ar-BH
- es-UY
- ar-AE
- es-CL
- en-PH
- ar-KW
- es-EC
- en-ZW
- ar-LB
- es-AR
- en-TT
- ar-JO
- es-PE
- en-BZ
- ar-SY
- es-CO
- en-CB
- ar-YE
- es-VE
- en-JM
- ar-OM
- sma-SE
- es-DO
- en-ZA
- ar-TN
- sma-NO
- sr-BA-Latn
- es-PA
- en-IE

- ar-MA
- bs-BA-Latn
- fr-LU
- es-CR
- en-NZ
- de-LI
- zh-MO
- ar-DZ
- hr-BA
- es-GT
- en-CA
- de-LU
- ar-LY
- quz-PE
- se-FI
- fr-CA
- es-ES
- en-AU
- de-AT
- ar-EG
- quz-EC
- uz-UZ-Cyrl
- se-SE
- az-AZ-Cyrl
- sv-FI
- nn-NO
- nl-BE
- it-CH
- fr-BE
- es-MX
- en-GB
- de-CH
- ar-IQ
- mi-NZ
- ns-ZA
- quz-BO
- kok-IN
- gl-ES
- sa-IN
- mr-IN
- ml-IN
- kn-IN
- te-IN
- ta-IN
- gu-IN
- pa-IN
- bn-IN
- tt-RU
- uz-UZ-Latn
- sw-KE
- se-NO
- hi-IN
- fo-FO
- ka-GE
- af-ZA
- zu-ZA
- xh-ZA

- tn-ZA
- eu-ES
- az-AZ-Latn
- hy-AM
- vi-VN
- fa-IR
- et-EE
- sl-SI
- be-BY
- uk-UA
- id-ID
- ur-PK
- sv-SE
- sq-AL
- ru-RU
- ro-RO
- nb-NO
- it-IT
- is-IS
- hu-HU
- he-IL
- fi-FI
- el-GR
- de-DE
- da-DK
- ca-ES
- ar-SA
- UNICODE
- UTF-16LE
- UTF-8
- Microsoft Visual C++ Runtime Library
- <program name unknown>
- Program:
- Runtime Error!
- runtime error
- TLOSS error
- SING error
- DOMAIN error
- - inconsistent onexit begin-end variables
- R6034
- This indicates a bug in your application. It is most likely the result of calling an MSIL-compiled (/clr) function from a native constructor or from DllMain.
- - Attempt to use MSIL code from this assembly during native code initialization
- R6033
- - not enough space for locale information
- R6032
- This indicates a bug in your application.
- - Attempt to initialize the CRT more than once.
- R6031
- - CRT not initialized
- R6030
- - unable to initialize heap
- R6028
- - not enough space for lowio initialization
- R6027
- - not enough space for stdio initialization
- R6026
- - pure virtual function call

- R6025
- - not enough space for _onexit/atexit table
- R6024
- - unable to open console device
- R6019
- - unexpected heap error
- R6018
- - unexpected multithread lock error
- R6017
- - not enough space for thread data
- R6016
- - abort() has been called
- R6010
- - not enough space for environment
- R6009
- - not enough space for arguments
- R6008
- - floating point support not loaded
- R6002
- kernel32.dll
- en-US
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- ko-KR
- ja-JP
- am/pm
- combase.dll
- mscoree.dll
- d0#1
- d0#2
- d1#3
- d124c
- %.15g
- d0r0,3
- d100m0
- d1r1,2
- d0r0,1023
- TCPTimeout
- SetExitCode
- SendKeyDelay
- TrayMenuMode

- GUICoordMode
- WinWaitDelay
- TrayIconHide
- TrayAutoPause
- GUIResizeMode
- TrayIconDebug
- GUICloseOnESC
- GUIOnEventMode
- PixelCoordMode
- SendAttachMode
- CaretCoordMode
- MouseCoordMode
- TrayOnEventMode
- MouseClickDelay
- MustDeclareVars
- GUIEventOptions
- SendCapsLockMode
- ExpandEnvStrings
- WinTextMatchMode
- ExpandVarStrings
- SendKeyDownDelay
- WinSearchChildren
- WinTitleMatchMode
- WinDetectHiddenText
- MouseClickDragDelay
- MouseClickDownDelay
- GUIDataSeparatorChar
- d5m0
- d10m0
- d250m0
- #notrayicon
- #include-once
- #requireadmin
- #pragma compile
- #OnAutoItStartRegister
- ATAN
- ASCW
- BEEP
- EVAL
- ASIN
- ACOS
- BITOR
- BREAK
- BITNOT
- ENVSET
- BITAND
- d1r0,2
- BITXOR
- BINARY
- ASSIGN
- ENVGET
- CLIPPUT
- DIRMOVE
- CLIPGET
- EXECUTE
- DLLOPEN
- DIRCOPY

- CEILING
- #include
- BITSHIFT
- close all
- @EXITCODE
- DIRREMOVE
- ENVUPDATE
- BINARYLEN
- BINARYMID
- BITROTATE
- DIRCREATE
- \\Include\\
- BLOCKINPUT
- DIRGETSIZE
- @EXITMETHOD
- DRIVESTATUS
- CONTROLHIDE
- CONTROLMOVE
- DRIVEMAPGET
- CONSOLEREAD
- DRIVEMAPDEL
- DRIVEMAPADD
- CONTROLSHOW
- CONTROLSEND
- CONSOLEWRITE
- DRIVEGETTYPE
- CONTROLCLICK
- CONTROLFOCUS
- CONTROLENABLE
- DRIVEGETLABEL
- FILECHANGEDIR
- DRIVESETLABEL
- ADLIBREGISTER
- CONTROLGETPOS
- DRIVEGETDRIVE
- DLLCALLADDRESS
- CONTROLDISABLE
- BINARYTOSTRING
- DRIVEGETSERIAL
- CONTROLSETTEXT
- CONTROLGETTEXT
- CONTROLCOMMAND
- DRIVESPACEFREE
- CONTROLLISTVIEW
- DLLCALLBACKFREE
- CONTROLGETFOCUS
- DRIVESPACETOTAL
- ADLIBUNREGISTER
- AUTOITSETOPTION
- CONTROLTREEVIEW
- CONTROLGETHANDLE
- CONSOLEWRITEERROR
- AUTOITWINGETTITLE
- AUTOITWINSETTITLE
- DRIVEGETFILESYSTEM
- DLLCALLBACKREGISTER
- CALL

- Software\\AutoIt v3\\AutoIt
- AutoIt
- WINWAITNOTACTIVE
- WINWAITCLOSE
- WINWAITACTIVE
- WINWAIT
- WINSETTRANS
- WINSETTITLE
- WINSETSTATE
- WINSETONTOP
- WINMOVE
- WINMINIMIZEALLUNDO
- WINMINIMIZEALL
- WINMENUSELECTITEM
- WINLIST
- WINKILL
- WINGETTITLE
- WINGETTEXT
- WINGETSTATE
- WINGETPROCESS
- WINGETPOS
- WINGETHANDLE
- WINGETCLIENTSIZE
- WINGETCLASSLIST
- WINGETCARETPOS
- WINFLASH
- WINEXISTS
- WINCLOSE
- WINACTIVE
- WINACTIVATE
- VARGETTYPE
- UDPSTARTUP
- UDPSHUTDOWN
- UDPSEND
- UDPRECV
- UDPOPEN
- UDPCLOSESOCKET
- UDPBIND
- UBOUND
- TRAYTIP
- TRAYSETTOOLTIP
- TRAYSETSTATE
- TRAYSETPAUSEICON
- TRAYSETONEVENT
- TRAYSETICON
- TRAYSETCLICK
- TRAYITEMSETTEXT
- TRAYITEMSETSTATE
- TRAYITEMSETONEVENT
- TRAYITEMGETTEXT
- TRAYITEMGETSTATE
- TRAYITEMGETHANDLE
- TRAYITEMDELETE
- TRAYGETMSG
- TRAYCREATEMENU
- TRAYCREATEITEM
- TOOLTIP

- TIMERINIT
- TIMERDIFF
- TCPNAMETOIP
- TCPLISTEN
- TCPCONNECT
- TCPACCEPT
- STRINGUPPER
- STRINGTRIMRIGHT
- STRINGTRIMLEFT
- STRINGTOBINARY
- STRINGTOASCIIARRAY
- STRINGREVERSE
- STRINGREPLACE
- STRINGREGEXPREPLACE
- STRINGREGEXP
- STRINGMID
- STRINGLOWER
- STRINGLEN
- STRINGLEFT
- STRINGISXDIGIT
- STRINGISUPPER
- STRINGISSPACE
- STRINGISLOWER
- STRINGISINT
- STRINGISFLOAT
- STRINGISDIGIT
- STRINGISASCII
- STRINGISALPHA
- STRINGISALNUM
- STRINGFROMASCIIARRAY
- STRINGFORMAT
- STRINGCOMPARE
- STDOUTREAD
- STDIOCLOSE
- STDINWRITE
- STDERRREAD
- STATUSBARGETTEXT
- SRANDOM
- SPLASHTEXTON
- SPLASHOFF
- SPLASHIMAGEON
- SOUNDSETWAVEVOLUME
- SOUNDPLAY
- SLEEP
- SHUTDOWN
- SHELLEXECUTEWAIT
- SHELLEXECUTE
- SETEXTENDED
- SETERROR
- SENDKEEPACTIVE
- SEND
- RUNWAIT
- RUNASWAIT
- RUNAS
- ROUND
- REGWRITE
- REGREAD

- REGENUMVAL
- REGENUMKEY
- REGDELETE
- RANDOM
- PROGRESSSET
- PROGRESSON
- PROGRESSOFF
- PROCESSWAITCLOSE
- PROCESSWAIT
- PROCESSSETPRIORITY
- PROCESSLIST
- PROCESSGETSTATS
- PROCESSEXISTS
- PROCESSCLOSE
- PIXELSEARCH
- PIXELGETCOLOR
- PIXELCHECKSUM
- PING
- ONAUTOITEXITUNREGISTER
- ONAUTOITEXITREGISTER
- OBJNAME
- OBJGET
- OBJEVENT
- OBJCREATEINTERFACE
- OBJCREATE
- NUMBER
- MOUSEWHEEL
- MOUSEUP
- MOUSEMOVE
- MOUSEGETPOS
- MOUSEGETCURSOR
- MOUSEDOWN
- MOUSECLICKDRAG
- MOUSECLICK
- MEMGETSTATS
- MAPREMOVE
- MAPKEYS
- MAPEXISTS
- MAPAPPEND
- ISSTRING
- ISPTR
- ISOBJ
- ISNUMBER
- ISMAP
- ISKEYWORD
- ISINT
- ISFUNC
- ISFLOAT
- ISDECLARED
- ISBOOL
- ISBINARY
- ISARRAY
- ISADMIN
- INPUTBOX
- INIWRITESECTION
- INIWRITE
- INIRENAMESECTION

- INIREADSECTIONNAMES
- INIREADSECTION
- INIREAD
- INIDELETE
- INETREAD
- INETGETSIZE
- INETGETINFO
- INETGET
- INETCLOSE
- HOTKEYSET
- GUISWITCH
- GUISTARTGROUP
- GUISETSTATE
- GUISETONEVENT
- GUISETICON
- GUISETHELP
- GUISETFONT
- GUISETCURSOR
- GUISETCOORD
- GUISETBKCOLOR
- GUISETACCELERATORS
- GUIREGISTERMSG
- GUIGETMSG
- GUIGETCURSORINFO
- GUIDELETE
- GUICREATE
- FUNCNAME
- FLOOR
- FILEWRITELINE
- FILEWRITE
- FILESETTIME
- FILESETPOS
- FILESETEND
- FILESETATTRIB
- FILESELECTFOLDER
- FILESAVEDIALOG
- FILERECYCLEEMPTY
- FILERECYCLE
- FILEREADTOARRAY
- FILEREADLINE
- FILEREAD
- FILEOPENDIALOG
- FILEOPEN
- FILEMOVE
- FILEINSTALL
- FILEGETVERSION
- FILEGETTIME
- FILEGETSIZE
- FILEGETSHORTNAME
- FILEGETSHORTCUT
- FILEGETPOS
- FILEGETLONGNAME
- FILEGETENCODING
- FILEGETATTRIB
- FILEFLUSH
- FILEFINDNEXTFILE
- FILEFINDFIRSTFILE

- FILEEXISTS
- FILEDELETE
- FILECREATESHORTCUT
- FILECOPY
- EFILECLOSE
- WM_GETCONTROLNAME
- #comments-start
- #comments-end
- edit
- AutoIt v3 GUI
- >>>AUTOIT NO CMDEXECUTE<<<
- CMDLINERAW
- CMDLINE
- /ErrorStdOut
- /AutoIt3OutputDebug
- /AutoIt3ExecuteLine
- /AutoIt3ExecuteScript
- Exit
- Script Paused
- TaskbarCreated
- AutoIt v3
- SwapMouseButtons
- Control Panel\\Mouse
- static
- x0|0
- 4(4H4
- 3(3H3h3
- 2 2<2@2`2l2
- 101P1\\1x1
- 000P0p0
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- 5`5d5h5l5p5t5x5|5
- <4T4d4h4|4
- 3h4l4
- 3 3$3(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 024282<2@2D2H2L2P2T2X2\\2`2d2h2l2p2t2x2|2
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 3 3(30383@3
- 2 2(20282@2H2P2X2`2h2p2x2
- 1 1(10181@1H1P1X1`1h1p1x1
- 0 0(00080@0H0P0X0`0h0p0x0
- 9$9,949<9D9L9T9\\9d9l9t9|9
- 8$8,848<8D8L8T8\\8d8l8t8|8
- 7$7,747<7D7L7T7\\7d7l7t7|7
- 6$6,646<6D6L6T6\\6d6l6t6|6
- 5$5,545<5D5L5T5\\5d5l5t5|5
- T6\\6d6l6t6|6
- <$=4=8=<=
- 9h9x;
- 2+282?2l2
- 5l5T5C7a7
- 3+4@4
- 2!3-3G3
- 2'2N2x2
- 1&1K1
- 0=0z0
- =E=O=x=

- ;8;C;
- 8 9/9J9j9z9
- 848k8
- 7*757L7S7q7
- 5"6C6]6{6
- 5>5S5p5
- 3$3]3
- 2&212L2h2x2
- 1)1\\1x1
- 0N0`0f0l0
- =8=C=
- ;A;l;
- 8%8_8
- 6H7l7
- 6+606K6s6
- 5H5m5
- 3!4-464b4
- 323V3q3
- 2.2L2a2m2
- 1"171
- 0(0-0C0P0X0f0
- <1<W<
- 9;9Q9a9
- 8*8M8U8k8
- 727B7e7
- 6P6d6
- 5$5J5
- 4(4A4H4R4
- 3S3y3
- 0F1[1f1
- =0S0l0
- ?3?a?t?
- 879Q9`9
- 7\t808P8e8
- 7.7N7
- 656T6
- 4%5>5i5s5
- 4"404_4y4
- 2"3b3
- 2a2u2
- 1.1C1c1i1
- =O>q>
- 9(:I:V:
- 8E8e8
- 637i7
- 5<5d5
- 3;4f4v4
- 2<2C2e2
- :0:@:U:
- 9O9j9
- 7J8O8x8
- 7&7|7
- 566Z6
- 4)5Z5
- 3_4}4
- 3+3D3_3
- 202U2k2u2

- 0:0y0
- >>?i?
- 9X:v:
- 83999
- 8%858\\8p8
- 566`6f6
- 4c5i5
- 3 373S3l3
- 2'222>2z2
- 849B9
- 4W5-6A6L7f8
- 304>4K4Y4g4
- 85:J:Q:
- 5,6\\6
- 030i0
- 909N9W9u9
- 7 8M8p8
- 7'7J7j7
- 2`316
- 122>2e2q2v2
- $060<0E0d0
- 7K8n:
- 4(5s5
- 1?1h162C3H3M3
- =9>|>
- 9B:N:
- 4w495u5
- 60~0
- !000
- ?5?S?a?
- 4#4D4O4V4]4g4m4
- 819K9\\9
- 5x7y8}8
- 515Z5
- 3*4S4{4
- 2"3J3r3
- 1%2L2t2
- 1:1M1Y1j1
- 8,818>8H8
- 3W3s3
- 1&161K1
- 4D5P5U5Z5d5
- 7>8E8
- 424P4Z4
- 2O3s3
- 292W2
- 7*7a798>8#9
- 5%5w5
- 0$1R1
- ='=1=
- 8Z9a9g9t9y9
- 848M8R8k8|8
- 7 787A7N7V7q7
- 1&2R2
- 1!1%1)1-1115191=1
- =9=L=
- 9%999z:

- 4.4H4\\4
- 3/393b3
- 2P2\\2
- 9-969z9
- 1N2T2p5
- 3"3(313]3
- 2,2M2k2
- 1'1[1}1
- 0<0r0
- :4;X;o;
- 1Y3(:
- 3(4d4
- 1}1A243D3m3
- ;(<o<
- 869d9
- 7^8k8
- 3,5O5[5
- 2!2'2\\2
- 1K1q1|1
- 0k0~0
- 5&5r5
- 2,2C2Z2
- 1C1S1`1r1
- /0R0i0
- 0)1M4
- 7[7e7k7q7
- 5e6x6
- 97;x;
- 9*:8:I:S:\\:b:
- 6,9R9w9
- 6#6K6t6
- 5@5^5
- 3+4@4x4
- 1%2k2
- 0 0$0(0,00040
- =4>n>
- 6J8H9
- 3W4\\4j4}4
- 0#151o2
- 0!0.0H0a0
- 8f9|9
- ;1G1|1
- 9&9,949<9S9b9
- 6M8Y8c8
- 3#3'3
- 131U1s2w2{2
- ?6?i?x?
- ;0;7;B;g;
- 3,333M6V6b6
- 2U2j2
- 3)3S3e3
- 2U2q2
- 0#0)0O0U0e0m0s0x0
- 93:J:Z:
- 9P9`9g9m9
- 7/7<7]7
- 556>6h6

- 5<5G5]5h5
- 4"434:4g4s4
- 2U3\\3r3y3
- 0&050A0J0[0i0
- 617r7
- 0P0o0
- <0=;=
- 9)9E9o9
- 6<7Q7Y7d7p7x8
- 2(2-222=2T2
- 9~9k>p>
- 6<7L7b7
- 556H6y6
- 4#575>5G5M5_5e5j5x5
- 253>3
- 0N1W1
- = =$=(=,=0=4=8=
- 9&:[:
- 8_9f9
- 354J4W4
- 1G1q1
- =1=D=a=
- 40464T4
- "0w0
- 6T7m7
- 5K6]6
- 2D4f4
- 0&0P0Z0j1
- =6>h>
- :^;u;
- 9 9,9J9
- 787B7
- 809:9
- 868S8
- 5(666G6
- 5 5G5Y5
- 374D4i4~4
- 353s3
- 2:2U2^2i2o2u2
- 7$8L8n8
- 3#3Q3
- 0,080K0T0g0|0
- 6o7u7
- 666e6
- 5%5H5
- 3!4'4
- 2 363
- 112R2
- 0-1=1{1
- =0>h>e?
- 8G9i9r9
- 8(8d8
- 6V6v6
- 434H4S4h4
- 3*3J3
- 2(2_2
- 171a1

- /0R0}0
- 9"9-9\\9p9
- 8G8u8
- 7.747
- 5H5R5a5h5
- 4 4K4U4d4k4
- 3,333d3
- 1:2n2
- 1/161g1
- =0q0
- 658f8z8
- 213Q4l4z4
- 0+040F0Q0v0
- 7&7?7Z7e7l7
- 7)868=8=:
- 5-5R5_5j5t5
- 3=4P4W4
- 0*0O0:2G2O2
- 2A2;:
- 656R6u6
- 3&4Q4d4
- 0>0I0P0X0
- 6W9c9
- 5)6^6
- 5%5+5
- 4"4&4*4.424
- 3"3&3*3.32363:3>3B3F3J3N3R3V3Z3^3b3f3j3n3r3v3z3~3
- 2"2&2*2.22262:2>2B2F2J2N2R2V2Z2^2b2f2j2n2r2v2z2~2
- 1"1&1*1.12161:1>1B1r1v1
- !0u0
- 60686F6$7
- 3/373>3
- 21292@2
- =-=5=
- 243P3
- 1I2f2n2|2
- #1=1E1
- >E?L?
- :2:::A:
- 388!9;9C9
- 8K9R9
- 5`6z6
- 344S4[4b4
- 576R6Y6P8n8x8(;C;M;O<Y<
- <7<><
- 2\t3#3+323
- 151=1D1
- 1"1&1*1
- '2P2
- 5V6^6g6m6y6~6
- 0 0$0(0,0004080<0@0D0H0L0P0T0X0\\0`0d0h0l0p0t0x0x2
- <B=U>
- 4K7u7J8
- 3>3]3
- 1#1,181
- 9#919]9
- 6"6&6*6.62666:6>6B6F6J6N6R6V6Z6^6b6f6j6n6r6v6z6~6

- O0a0
- 4#4'4+4/43474;4?4C4G4K4O4S4W4[4_4c4g4k4o4s4w4{4
- 8T:c:
- 2+2?3Q3
- 1.141K1s1}1
- 9s:}:
- 9!9%95999=9A9E9I9M9Q9U9Y9]9a9e9i9m9q9u9y9}9
- 9T:i:n:x:
- 5/5I5
- 9"9V9
- 0)0;0G0U1b1
- 8J8l8
- 5t6J7]7{7
- 0-090
- <=>I>
- 8%9t9
- 5(535F5u5
- 4&4,4T4k4v4
- 3;3V3^3f3
- 2=2C2P2[2j2
- s0x0
- :A:~:
- 829H9_9l9x9
- 868a8
- 4*474D4N4d4y4
- 1H2s2
- 0+0D0d0o0
- 809<9C9Z9
- 7@8K8R8
- 6'717;7E7O7Y7c7m7}7
- 2J4g4v4
- <2=E=
- 96:=:s:
- 758O8X8
- 6I6v6
- 2$3<3
- c1|2
- 748@8
- 5'595K5
- 404B4T4f4x4
- 010=0L0U0b0
- <2=7=
- 5(5M5R5X5d5n5
- 2?4M4
- 2$2,292Z2d2
- 00161=1C1[1q1
- B0H0
- ?)?1?9?A?I?R?[?c?o?w?
- 9 9$9(9,9?9
- 81888A8J8S8\\8h8t8
- 7Q7Z7i7u7
- 6 606X6`6f6o6
- 3%313N3T3i3
- 1&1.1
- <i=u=}=
- ;U<f<
- 7)858=8I8

- 6T7l7
- 5$616]6e6
- 5(5.5?5V5]5
- 474K4f4w4
- 3&323^3|3
- 1)151A1
- i0q0y0
- 829H9
- 6"6>6f6v6
- 4C4`4v4
- 3-3N3
- 262I2p2
- 1E1[1q1
- 729k9
- 7.7;7@7
- 4F5Q5
- 4-454E4V4
- 8;9{9
- 848X8a8l8
- 6^7o7
- 5$6D6
- 445n5
- 4 4+434Q4]4s4|4
- 203c3k3
- 040I0S0
- 4=8*9
- 4<4C4
- 2W2`2
- ?-?A?
- =)>2>
- 8=9u9
- 7'8F8{8
- 7C7L7U7
- 6i6}6
- 5;5A5l5
- 4Z4l4
- 1&181
- V0a0q0
- 3F7J7N7R7V7Z7^7b7f7j7n7r7x7
- 6\\8b8
- 242[2
- 9#?6?l?
- 8P9`9v9
- 8(828
- 64797x7}7
- 5V6\\6b6s6
- 4f5k5}5
- 4"4)404K4U4
- 3/3B3R3
- 2&2+21292>2D2L2Q2W2_2d2j2r2w2|2
- 1!1'1/141:1B1G1L1U1Z1`1h1m1s1{1
- 0"0(0/080=0C0K0P0V0^0c0i0q0v0|0
- 9D:q:
- 8D8W8
- 797T7\\7j7o7~7
- 353D3N3[3e3u3
- 9I9O9t9

- 8t8}8
- 7'7r7
- 6=6S6
- 3.44484<4@4
- 30373<3@3D3e3
- 2%2,2024282<2@2D2H2
- >1>^>
- 8@9R9
- 7I8W8i8t8
- 7'797D7q7|7
- 6E6P6b6r6
- 5+5B5
- 2e3w3
- 1)232E2g2}2
- 141X1c1p1
- 0"020r0
- ;2<V<
- :6;l;
- 2D3b3
- 2!2'2z6
- 1%1,181=1C1O1U1
- e0q0{0
- 5Q9-;
- 5&5,5N5y5
- 4"484B4H4S4v4{4
- 202t2|2
- 0%0;0E0
- 3!4(4,4044484<4@4D4
- 3j3u3
- 2A2g2
- 7m8q8u8y8}8
- 637=7F7K7e7x7
- 5!5%5)5-5155595=5A5E5
- 0E2e2o2
- 9$9+9/95999?9I9S9]9g9n9r9x9|9
- 8#8)8-838=8G8Q8[8b8f8l8p8v8
- 7!7'717;7E7O7V7Z7`7d7j7t7~7
- 6%6/696C6J6N6T6X6^6h6r6|6
- 5#5-575>5B5H5L5R5\\5f5p5z5
- 4!4+42464<4@4F4P4Z4d4n4u4y4
- 3&3*30343:3D3N3X3b3i3m3s3w3}3
- 2$2(2.282B2L2V2]2a2g2k2q2{2
- 1"1,161@1J1Q1U1[1_1e1o1y1
- 0 0*040>0E0I0O0S0Y0c0m0w0
- 9#9-94989>9B9H9R9\\9f9p9w9{9
- 8!8(8,82868<8F8P8Z8d8k8o8u8y8
- 7 7&7*707:7D7N7X7_7c7i7m7s7}7
- 6$6.686B6L6S6W6]6a6g6q6{6
- 5"5,565@5G5K5Q5U5[5e5o5y5
- 4 4*444;4?4E4I4O4Y4c4m4w4~4
- 3(3/33393=3C3M3W3a3k3r3v3|3
- 2#2'2-21272A2K2U2_2f2j2p2t2z2
- 1!1%1+151?1I1S1Z1^1d1h1n1x1
- 0)030=0G0N0R0X0\\0b0l0v0
- 9"9,969=9A9G9K9Q9[9e9o9y9
- 8 8*81858;8?8E8O8Y8c8m8t8x8~8
- 7%7)7/73797C7M7W7a7h7l7r7v7|7

- 6#6'6-676A6K6U6\\6`6f6j6p6z6
- 5!5+555?5I5P5T5Z5^5d5n5x5
- 4)434=4D4H4N4R4X4b4l4v4
- 3'31383<3B3F3L3V3`3j3t3{3
- 2%2,20262:2@2J2T2^2h2o2s2y2}2
- 1 1$1*1.141>1H1R1\\1c1g1m1q1w1
- 0"0(020<0F0P0W0[0a0e0k0u0
- 9!9+959?9F9J9P9T9Z9d9n9x9
- 8)838:8>8D8H8N8X8b8l8v8}8
- 7'7.72787<7B7L7V7`7j7q7u7{7
- 6"6&6,60666@6J6T6^6e6i6o6s6y6
- 5 5$5*545>5H5R5Y5]5c5g5m5w5
- 4(424<4F4M4Q4W4[4a4k4u4
- 3&303:3A3E3K3O3U3_3i3s3}3
- 2$2.25292??2C2I2S2]2g2q2x2|2
- 1"1)1-13171=1G1Q1[1e1l1p1v1z1
- 0!0'0+010;0E0O0Y0`0d0j0n0t0~0
- 9 9*949>9H9O9S9Y9]9c9m9w9
- 8(828<8C8G8M8Q8W8a8k8u8
- 7&70777;7A7E7K7U7_7i7s7z7~7
- 6$6+6/65696?6I6S6]6g6n6r6x6|6
- 5#5)5-535=5G5Q5[5b5f5l5p5v5
- 4!4'414;4E4O4V4Z4`4d4j4t4~4
- 3%3/393C3J3N3T3X3^3h3r3|3
- 2#2-272>2B2H2L2R2\\2f2p2z2
- 1!1+12161<1@1F1P1Z1d1n1u1y1
- 0&0*00040:0D0N0X0b0i0m0s0w0}0
- 9#9)939=9G9Q9X9\\9b9f9l9v9
- 8'818;8E8L8P8V8Z8`8j8t8~8
- 7%7/797@7D7J7N7T7^7h7r7|7
- 6#6-64686>6B6H6R6\\6f6p6w6{6
- 5!5(5,52565<5F5P5Z5d5k5o5u5y5
- 4 4&4*404:4D4N4X4_4c4i4m4s4}4
- 3$3.383B3L3S3W3]3a3g3q3{3
- 2"2,262@2G2K2Q2U2[2e2o2y2
- 1 1*141;1?1E1I1O1Y1c1m1w1~1
- 0(0/03090=0C0M0W0a0k0r0v0|0
- 9"9(9,929<9F9P9Z9a9e9k9o9u9
- 8 8&808:8D8N8U8Y8_8c8i8s8}8
- 7$7.787B7I7M7S7W7]7g7q7{7
- 6"6,666=6A6G6K6Q6[6e6o6y6
- 5 5*51555;5?5E5O5Y5c5m5t5x5~5
- 4%4)4/43494C4M4W4a4h4l4r4v4|4
- 3#3'3-373A3K3U3\\3`3f3j3p3z3
- 2!2+252??2I2P2T2Z2^2d2n2x2
- 1)131=1D1H1N1R1X1b1l1v1
- 0'01080<0B0F0L0V0`0j0t0{0
- 7o8H9L9P9T9X9\\9`9d9
- 5!5G5K5O5S5W5[5_5c5g5k5*6
- 64787<7c7
- 6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- D0"1
- >#>7>
- 5 5$5(5,5054585<5@5D5H5L5
- 4 4$4(4,4044484<4@4D4H4L4P4T4X4\\4`4d4h4l4p4t4x4|4
- !0~0
- 9A:H:y;

- 4I:O:
- 21B2
- ;I;i;
- 2"2<2I2
- 0\\0b0h0n0
- =3>x>
- 9$9)9.989B9L9X9]9b9g9l9q9v9{9
- 2(3,3034383<3@3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- U0d0
- 5P7T7X7\\7`7d7h7l7p7t7x7|7
- 3H5L5P5T5X5\\5`5d5h5l5p5
- 9I;X;
- 53686=6G6
- :I<|<
- 9#9'9+9/93979;9?9C9G9K9O9S9W9[9_9c9g9k9o9s9w9{9
- 7X8b8
- 697k7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 8 8$8(8,8084888<8@8p8t8x8|8
- 5T6@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 4;5D5I5O5Y5o5
- 6Q7Z7p7
- 2N2o2|2
- 0G1N1
- 7@8D8H8L8P8T8
- 6$6F7
- 8g9r9
- 60686@6X6i6
- 325<5A5L5Q5y5
- 3+383B3N3_3i3
- 2 2&2,22272=2C2I2O2S2Y2_2e2j2p2v2|2
- 0H1U1
- ;0;q;
- 9 9$9(9,9094989<9@9D9H9L9P9
- 2T4[4
- 40d0
- 7L7P7T7X7\\7`7d7h7l7
- 8\t9$959R9Z9a9
- 5?7t7
- 4)5w5
- 4%4>4\\4
- 3-373<3A3F3K3P3U3Z3_3d3t3
- 152>2D2K2P2V2`2f2m2v2
- 191[1u1
-)0?0H0M0f0
- 7!7&7,72787@7E7R7a7l7
- 6=6H6M6W6a6r6
- 1-161D1O1T1b1q1~1
- 0!0%0H0P0v0
- ;6;K;
- 9;9K9Y9u9~9
- 8,898
- 7!7'7-73797?7E7K7c7s7
- 5%6R6_6f6o6t6y6
- 5'5/5a5l5s5y5
- 3Y3v3
- 232=2R2Z2

- 1,181?1E1M1T1i1p1v1}1
- 0B0U0
- <V=u=
- 98:C:P:c:
- 8.8x8
- 6+7u7
- 4N5W5
- 3+31373O3X3^3d3j3u3{3
- 0Y2^2q2
- 0-090J0[0m0y0
- </compatibility>
- </application>
- <supportedOS Id="{8e0f7a12-bfb3-4fe8-b9a5-48fd50a15a9a}"/>
- <supportedOS Id="{1f676c76-80e1-4239-95bb-83d0f6d0da78}"/>
- <supportedOS Id="{4a2f28e3-53b9-4441-ba9c-d69d4a4a6e38}"/>
- <supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"/>
- <supportedOS Id="{e2011457-1546-43c5-a5fe-008deee3d3f0}"/>
- <application>
- <compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1">
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges>
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v3">
- </dependency>
- </dependentAssembly>
- <assemblyIdentity type="win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" language="*" processorArchitecture="*" publicKeyToken="6595b64144ccf1df"/>
- <dependentAssembly>
- <dependency>
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- AU3!EA06PA
- HOjO<
- A#.G"
- o4x"
- QL74g
- Gp5@
- A6UQ
- *saC0+I
- Z{yI
- ^ALh
- Zx8
- Z39\\
- }q9R
- %i"<b
- :20,
- nUy-{
- 9/Zu
- Dcex
- M3^R
- m[e
- 6ZRZ
- .R*7w
- 1jdR
- Lih/

- O*J@{
- >\\lr}
- _4NT
- y#3P
- %D'7
- H}AU3!EA06M
- IEND
- x4444444444444444444444444444444444444444444444444
- o>#U
- 2\tn'_
- Q&F9;'
- emZ.]7?_
- za)(G
- ^IbaQ
- arK"M
- AC#c
- iE\\v8H
- EfzD
- 1qv/egJm
- y75s8K
- T3g-
- A|D6=
- WxP0>
- *&p9;
- Or)T
- dn7X
- eu()
- z#V5
- Bu,=
- A(xR
-]'0_U
- 3?):
- `uZH%
- Fex-
- W_}5
- Exxx
- SS82SS2
- \\i*Q
- GIDATY3
- EMVS
- 0Udp#
- yZ"U"
- x+0y
- :ir+V
- 6*hjj
- M36
- q1av6
- 2P"P
- h5bQ
- +p!9
- @y5k
- `5]V
- EL6|
- tX3p
- _;ku
- [1r`;
- ><{t7

- Dq2e
- o4r<
- VJoB
-) e+
- T 5W
- \\u^A=
- rG_:U
- +Oap
- 4~*p
- 8JI$0
- e!CF'
- o0Oj1
- 0$ZN
- S63^
- "~40
- n%2?
- OMX@
- a0b*^;
- E6/;5M
- 99H>k
- {,<_(5oq
- ^UllIXel
- m$:aR
- tw51
- V^wrO
- bx>o
- <9D;
- :oEMf|
- TEq
- 2FeIu
- 7*y{
- X6&=
- 9g+?
- lTuO
- zQ1<"
- y8r6#n>
- F+'op
- 9">?y
- =\t-o
- IDATx
- IHDR
- 8**6[
- .?AVtype_info@@
- .?AVexception@std@@
- .?AVbad_alloc@std@@
- AU3!P/"
- NKeb
- -64OS
- .:3q
- zc%C1
- U>c{
- z?aUY
- S;uD
- kU'9
- 6N"P
- asin
- acos

- OLEAUT32.dll
- ole32.dll
- CoSetProxyBlanket
- CoCreateInstanceEx
- CoInitializeSecurity
- CoGetObject
- CoGetInstanceFromFile
- GetRunningObjectTable
- CoUninitialize
- CoInitialize
- OleUninitialize
- CreateStreamOnHGlobal
- StringFromGUID2
- IIDFromString
- OleSetContainedObject
- MkParseDisplayName
- OleSetMenuDescriptor
- CLSIDFromProgID
- ProgIDFromCLSID
- CLSIDFromString
- CoTaskMemFree
- CoTaskMemAlloc
- SHELL32.dll
- DragFinish
- DragQueryPoint
- ShellExecuteExW
- DragQueryFileW
- SHEmptyRecycleBinW
- SHGetPathFromIDListW
- SHBrowseForFolderW
- SHCreateShellItem
- SHGetDesktopFolder
- SHGetSpecialFolderLocation
- SHGetFolderPathW
- SHFileOperationW
- ExtractIconExW
- Shell_NotifyIconW
- ShellExecuteW
- ADVAPI32.dll
- COMDLG32.dll
- GetSaveFileNameW
- GetOpenFileNameW
- GDI32.dll
- ExtCreatePen
- StrokeAndFillPath
- StrokePath
- EndPath
- SetPixel
- CloseFigure
- LineTo
- AngleArc
- MoveToEx
- Ellipse
- PolyDraw
- BeginPath
- Rectangle
- SetViewportOrgEx

- GetObjectW
- SetBkMode
- RoundRect
- SetBkColor
- CreatePen
- CreateSolidBrush
- SetTextColor
- CreateFontW
- GetTextFaceW
- GetStockObject
- CreateDCW
- GetPixel
- DeleteDC
- GetDIBits
- SelectObject
- CreateCompatibleDC
- CreateCompatibleBitmap
- GetTextExtentPoint32W
- DeleteObject
- GetDeviceCaps
- USER32.dll
- KERNEL32.dll
- UxTheme.dll
- IsThemeActive
- USERENV.dll
- DestroyEnvironmentBlock
- UnloadUserProfile
- CreateEnvironmentBlock
- LoadUserProfileW
- IPHLPAPI.DLL
- PSAPI.DLL
- WININET.dll
- WNetGetConnectionW
- WNetCancelConnection2W
- WNetUseConnectionW
- WNetAddConnection2W
- COMCTL32.dll
- ImageList_DragMove
- ImageList_EndDrag
- ImageList_DragLeave
- ImageList_DragEnter
- ImageList_BeginDrag
- ImageList_SetDragCursorImage
- ImageList_Remove
- ImageList_Destroy
- ImageList_ReplaceIcon
- ImageList_Create
- InitCommonControlsEx
- waveOutSetVolume
- mciSendStringW
- VERSION.dll
- VerQueryValueW
- GetFileVersionInfoW
- GetFileVersionInfoSizeW
- WSOCK32.dll
- failed to get memory
- internal error: missing capturing bracket

- internal error: opcode not recognized
- argument not compiled in 16 bit mode
- argument is not a compiled regular expression
- BSR_UNICODE)
- ANY)
- LIMIT_RECURSION=
- LIMIT_MATCH=
- NO_START_OPT)
- NO_AUTO_POSSESS)
- UCP)
- UTF)
- UTF16)
- DEFINE
- Error text not found (please report)
- advapi32.dll
- Ping
- FILE
- EA06
- This is a third-party compiled AutoIt script.
- Ugaritic
- Tifinagh
- Tibetan
- Thai
- Thaana
- Telugu
- Tamil
- Takri
- Tai_Viet
- Tai_Tham
- Tai_Le
- Tagbanwa
- Tagalog
- Syriac
- Syloti_Nagri
- Sundanese
- Sora_Sompeng
- Sinhala
- Shavian
- Sharada
- Saurashtra
- Samaritan
- Runic
- Rejang
- Phoenician
- Phags_Pa
- Osmanya
- Oriya
- Old_Turkic
- Old_South_Arabian
- Old_Persian
- Old_Italic
- Ol_Chiki
- Ogham
- New_Tai_Lue
- Myanmar
- Mongolian
- Miao

- Meroitic_Hieroglyphs
- Meroitic_Cursive
- Meetei_Mayek
- Mandaic
- Malayalam
- Lydian
- Lycian
- Lisu
- Linear_B
- Limbu
- Lepcha
- Latin
- Khmer
- Kharoshthi
- Kayah_Li
- Katakana
- Kannada
- Kaithi
- Javanese
- Inscriptional_Parthian
- Inscriptional_Pahlavi
- Inherited
- Imperial_Aramaic
- Hiragana
- Hebrew
- Hanunoo
- Hangul
- Gurmukhi
- Gujarati
- Greek
- Gothic
- Glagolitic
- Georgian
- Ethiopic
- Egyptian_Hieroglyphs
- Devanagari
- Deseret
- Cyrillic
- Cypriot
- Cuneiform
- Coptic
- Common
- Cherokee
- Cham
- Chakma
- Carian
- Canadian_Aboriginal
- Buhid
- Buginese
- Braille
- Brahmi
- Bopomofo
- Bengali
- Batak
- Bamum
- Balinese
- Avestan

- Armenian
- Arabic
- parentheses are too deeply nested (stack check)
- group name must start with a non-digit
- invalid range in character class
- parentheses are too deeply nested
- missing opening brace after \\o
- non-octal character in \\o{} (closing brace missing?)
- non-hex character in \\x{} (closing brace missing?)
- setting UTF is disabled by the application
- invalid UTF-32 string
- character value in \\u.... sequence is too large
- name is too long in (*MARK), (*PRUNE), (*SKIP), or (*THEN)
- invalid UTF-16 string
- disallowed Unicode code point (>= 0xd800 && <= 0xdfff)
- too many forward references
- \\N is not supported in a class
- internal error: unknown opcode in find_fixedlength()
- \\k is not followed by a braced, angle-bracketed, or quoted name
- \\c must be followed by an ASCII character
- this version of PCRE is not compiled with Unicode property support
- (*MARK) must have an argument
- different names for subpatterns of the same number are not allowed
-] is an invalid data character in JavaScript compatibility mode
- digit expected after (?+
- subpattern name expected
- number is too big
- (*VERB) not recognized or malformed
- an argument is not allowed for (*ACCEPT), (*FAIL), or (*COMMIT)
- a numbered reference must not be zero
- \\g is not followed by a braced, angle-bracketed, or quoted name/number or by a plain number
- inconsistent NEWLINE options
- repeating a DEFINE group is not allowed
- DEFINE group contains more than one branch
- internal error: previously-checked referenced subpattern not found
- internal error: overran compiling workspace
- octal value is greater than \\377 in 8-bit non-UTF-8 mode
- repeated subpattern is too long
- too many named subpatterns (maximum 10000)
- subpattern name is too long (maximum 32 characters)
- unknown property name after \\P or \\p
- malformed \\P or \\p sequence
- support for \\P, \\p, and \\X has not been compiled
- invalid UTF-8 string
- two named subpatterns have the same name
- syntax error in subpattern name (missing terminator)
- unrecognized character after (?P
- recursive call could loop indefinitely
- closing) for (?C expected
- number after (?C is > 255
- PCRE does not support \\L, \\l, \\N{name}, \\U, or \\u
- \\C not allowed in lookbehind assertion
- invalid condition (?(0)
- character value in \\x{} or \\o{} is too large
- spare error
- this version of PCRE is compiled without UTF support
- POSIX collating elements are not supported

- unknown POSIX class name
- assertion expected after (?(
- conditional group contains more than two branches
- malformed number or name after (?(
- lookbehind assertion is not fixed length
- unrecognized character after (?<
- internal error: code overflow
- unmatched parentheses
- failed to get memory
- regular expression is too large
- parentheses nested too deeply
- missing) after comment
- unknown option bit(s) set
- erroffset passed as NULL
- reference to non-existent subpattern
- missing)
- POSIX named classes are supported only within a class
- unrecognized character after (? or (?-
- internal error: unexpected repeat
- operand of unlimited repeat could match the empty string
- nothing to repeat
- range out of order in character class
- invalid escape sequence in character class
- missing terminating] for character class
- number too big in {} quantifier
- numbers out of order in {} quantifier
- unrecognized character follows \\
- \\c at end of pattern
- \\ at end of pattern
- no error
- THEN
- SKIP
- PRUNE
- FAIL
- COMMIT
- ACCEPT
- MARK
- xdigit
- word
- space
- punct
- print
- graph
- digit
- blank
- ascii
- alnum
- upper
- lower
- alpha
- +o*7
- MGiI
- 9a&g;
- i]Wb
- OOOO

oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
• oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo
oooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooooo

OOOO

- `eh vector vbase constructor iterator'
- `eh vector destructor iterator'
- `eh vector constructor iterator'
- `virtual displacement map'
- `vector vbase constructor iterator'
- `vector destructor iterator'
- `vector constructor iterator'
- `scalar deleting destructor'
- `default constructor closure'
- `vector deleting destructor'
- `vbase destructor'
- `local static guard'
- `typeof'
- `vbtable'
- `vftable'
- operator
- delete
- new
- restrict(
- __unaligned
- __restrict
- __ptr64
- __eabi
- __vectorcall
- __fastcall
- __thiscall
- __pascal
- __based(
- ?P`E5
- ?43-s
- DcI>
- 0)LK>
- 30}->
- in]D>
- f7O>
- ?A%My
- ?Ly5
- F\\IE>
- #O#`
- +oF>
- ?5L$.
- 09C>
- ?6FID
- O,ib
- ?x(3
- 2G<>
- ?B6)
- ?RE\\
- ?edf
- 0H<>
- 2n{a
- 700PP
- ('8PW
- e+000
- !"#$%&\'()*+,-./0123456789:;<=>?@abcdefghijklmnopqrstuvwxyz[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat

- exp10
- m0_$@
- ?UUUUUU
- ?UUUUUU
- ?1mm
- ?uZEeu
- uZEeu
- uZEeu
- ?uZEeu
- ?1mm
- m0_$@
- ?UUUUUU
- ?UUUUUU
- ?1mm
- ?uZEeu
- uZEeu
- uZEeu
- ?uZEeu
- ?1mm
- :Esp
- F=J4
- m0_$@
- m0_$@
- ?X1U
- X2CQ
- e-CS
- 5DKB
- U&X;>
- n}in
- u+E6
- &2@UUUUUU
- A]?VJ
- $9t?
- ?m|1
- 3{9=
- O?>>
- ?c3y?
- 0vB-
- >o3fW
- f6\tn
- UUUUUU
- jVa?
- f6\tn
- o3fW
- 0vB-
- ?c3y
- #wi#:
- $9t?
- u+E6
- &2@UUUUUU
- n}in
- U&X;>
- 5DKB
- ? ,6
- ?X1U
- X2CQ
- e-CS

- |u?!u$
- u+E6
- ?UUUUUU
- ?UUUUUU
- ?333333
- ?333333
- UUUUUU
- ?PV3
- ZyrI
- 6 d!
- yx|o
- ?* A
- 7Z8>
- }6lw
- ^\\sY0
- ?$*2
- D<xZu
- H|As
- ?765@Z
- ?)Ao
- ?i|e
- fSOs
- ?>6)}
- ?m}I
- }Tw5
- *+xi(
- 5SmT4
- ?o.x
- o]2'
- ?4Td
- ?V:e:
- PO79
- 4{#s
- V-Ai
- ?ju!4
- w7H-
- ?iT
- ibzP
- n@4`
- 4lkQg
- ?)0>
- ?UUUUUU
- ?333333
- 333333
- UUUUUU
- ?PV3
- ZyrI
- 6 d!
- yx|o
- ?* A
- 7Z8>
- }6lw
- ^\\sY0
- ?$*2
- D<xZu
- H|As
- ?765@Z

- ?)Ao
- ?i|e
- fSOs
- ?>6)}
- ?m}I
- }Tw5
- *+xi(
- 5SmT4
- ?o.x
- o]2'
- ?4Td
- ?V:e:
- PO79
- 4{#s
- V-Ai
- ?ju!4
- w7H-
- ?iT
- ibzP
- n@4`
- 4lkQg
- ?)0>
- TUUUU
- RUUUUU
- ?#60
- 5s3R6=
- ?4j<=
- M_8=
- 5M[g
- ?C;0=
- UUUUU
- <'Za
- {<6w
- e<bN
- <$"U
- v<'*6
- <8bunz8
- fUUU
- k7+%
- zyC7
- T~OXu
- $x<e
- m1WY$
- ?3xj
- <'*6
- <8bunz8
- hI{L[
- ?5a1
- AiFC.
- Bfe9
- UY =
- k:UG
- 6(`J
- !|.4
- (+E
- :]=O>
- 4g%6

- sU0&?W
- %?\\9
- %?uY
- F0$?3=1
- r7Yr7=
- Ax#?uN}*
- @H#?43
- 98"?
- 4P!?
- 2 !?
- -8 ?
- ?IT$7
- u!K=
- aDJ=
- ?|I7Z#
- 3<L=
- ?PiB
- ls1=
- P'E=
- p4"%
- Ai0T
- {4Wf
- La8i
- #D5p
- 4';=
- V%A+=
- w}?0
- E\tM=
- 6K{?
- Pex?0
- !9v?
- u?^p?o4
- |W8A=
- 2ieO=
- 0h?[
- Le?2
- c?e2
- H`3=
- hb?O2
- f#I=
- Eb2]A=
- 9&\\?
- ??7;
- +34?
- |)P!?Ua0
- X4I+
- z1}B
- >'eH
- 1w<=
- uXO=
- $O1=
- =\\uI=
- ?7Tf(
- 37.=
- ?h6_~
- ?X&eB;
- 700WP

- (8PX
- _nextafter
- _logb
- frexp
- fmod
- _cabs
- ldexp
- modf
- atan2
- acos
- asin
- tanh
- cosh
- sinh
- log10
- SetFileInformationByHandleW
- GetFileInformationByHandleExW
- December
- November
- October
- September
- August
- July
- June
- April
- March
- February
- January
- Saturday
- Friday
- Thursday
- Wednesday
- Tuesday
- Monday
- Sunday
- Unknown exception
- fmod
- RoUninitialize
- RoInitialize
- CorExitProcess
- bad allocation
- kernel32.dll
- NvAwMv0
-]^NvI
- Buo>Buz
- 5.vp
- wO!.v9>-v
- ,v99.v
- 1vsn2v
- u.v4
- ,v05,v
- k,v3
- ,v1#-v1
- i$vm
- E`U#
- xS;E
- E`U#

- r0j9[f;
- j0Y3
- j}Yf9
- j0Y3
- rEj9_f;
- 7_^[
- {uJf
- E`U#
- E`U#
- 4Ff9
- 4Ff9
- E`U#
- G0_^[
- G0+E
- @;G0
- f9D^
- w,9G0~X
- sAW3
- s4hi
- u1j
- @t2f
- yW+E
- D$0F
- 5\\X%
- 5\\X%
- G4;G\\
- 5$X%
- D$0P
- D$0P
- D$Xu
- D$40
- D$4P
- D$0P
- D$0P
- 5`X%
- $SVW3
- u@j
- tf9Q
- te9Q
- 5do%
- uPRQ
- ~^9E
- t/93t
- _9=4X%
- 5PX%
- |/;E
- |>;E
- D$0PS
- D$8P
- |$0j
- D$4Pj
- |$0j
- D$4Pj
- 9t$$t
- D$4PS
- D$8PS
- D$8P

- D$8P
- D$0S
- D$ u
- D$ 0
- t5Vj
- w4hi
- ;G4t
- L$0PV
- D$$0
- 9A4u
- u\t9E
- Ht^HtIHt6
- u\t9}
- 9{ht
- 9{dt
- 9{ht
- 9{dt
- uS9q4uN
- f91t
- tDf91t?
- tCHt8HuO
- E(SV2
- 8^8t
- 8^8t
- E,Vj
- #E(WP
- E$95
- #u GQ
- #E(VW
- 8SVWj,3
- PWha
- E(SV
- f91t%QV
- E(SV
- #E(VW
- j _3
- E(SVW
- #E(V
- VWu?
- E(SVW
- #E(W
- E(S2
- #u(C
- SVWu
- u0Phg
- t8WS
- u\tF;54X%
- u\t9E
- E$u1
- Wj0V
- >_^3
- Y_^3
- D$4P
- D$0j
- ;D$4}
- D$8+
- ;T$0}

- D$4P
- t$0h!
- t$8Vh
- D$t3
- D$P0
- D$0P
- L$0hD
- D$ Pu
- 4SVW
- D$,3
- Y_^3
- Iu/R
- =0Y%
- =0Y%
- D$8PS
- D$03
- D$0P
- D$0PV
- D$4P
- D$0P
- 4SVW
- f90u;j
- j\\^f90uJj
- uG9E
- tIVP
- D$,3
- f9\\N
- f9TF
- t2VP
- 9t$<t0
- D$0P
- Y_^3
- L$0Q
- L$PQ3
- D$4P
- t4SP
- t$8V
- D$8P
- t$8t
- D$8P
- f90t'
- D$<3
- |$0Vj
- >_^3
- j;Yf9
- D$8VP
- \\SVW3
- D$ 9F
- SVWu\t3
- C,9C
- u 8]
- u3jA
- j;Yf9
- f98t
- L$|3
- |$0+
- L$0H

- 9\\$|
- Yf9H
- <SVW3
- Yf9H
- Zf9P
- Zf9P
- 9f9H
- jGXf9A
- jNXf9A
- Xf9A
- Yf9H
- p9t$<
- jGXf9A
- Xf9A
- Yf9H
- @u\tF
- j3Zf9P
- Yf9H
- LSV3
- Yf9H
- @uIBj3
- 0SV3
- 'f;E
- 0f;E
- =f;E
- t*f;E
- ;f;E
- F;3|
- F;3|
- j3Zf9P
- Yf9H
- Zf9Q
- SVW3
- Yf9H
- Zf9P
- @f9E
- t$8j
- L$4Qj
- D$8P
- T$8V
- D$ 3
- u\tQQ
- Pj0W
- j7+E
- iD$$
- L$4@
- L$0I
- iD$
- >_^3
- Y_^3
- D$8Ph
- D$83
- D$83
- 0SVW
- >_^3
- D$ 3
- L$0

- L$0@
- YY_3
- D$8P
- D$8P
- u 8D$
- D$0QP
- L$83
- tH9_
- HtIHtAHuFj
- t8HHt0
- SVW3
- Y_^3
- LVj83
- t6Ht
- t<9]
- tA9]
- Qj2V
- QQS3
- 38\\$
- D$0h,
- t795
- \\$D9Y
- <SV3
- <SV3
- >_^3
- D$4P
- >_^3
- uZj8
- t8h
- t8h
- F9t$
- D$8P
- \\$4@
- |$ f94_uA@
- t$8f
- D$0P
- L$0+G
- f9\\r
- f9\\r
- <r9Y
- D$4P
- D$0P
- D$0h
- D$0P
- D$4P
- D$0P
- D$4P
- uXj8
- D$8P
- D$8j
- D$0P
- D$8P
- D$8P
- L$4P
- D$0P
- L$4P
- L$4P

- L$4P
- L$4P
- L$4P
- D$8P
- D$6P
- D$6P
- D$4P
- D$2P
- D$0P
- Ot1Ot
- D$L3
- L$8j
- u{j8
- D$0P
- 7_^3
- 4SVW
- 8\\u'
- 8:u7j
- 0SVW3
- 0SVW3
- YY_^3
- j*Xf9
- D$4j
- D$0P
- D$4P
- 9\\$L
- D$0P
- 4SVW
- u\t8E
- PVu
- 5xR%
- 5xR%
- 5xR%
- 5xR%
- SVW3
- <6Wj
- <6Wj
- SVW3
- >F;u
- t7Ht
- ;GLu
- Y9^ t
- Y9^ t
- t 9^
- Y9^ t
- t!9^
- uKP^P
- 1^[_
- uX9F
- t'9F
- u&hT;
- 3YYj
- 8SVW
- 9N0u
- uc+}
- j[Yf9
- f90u

- j[Yf9
- L$0h
- j_Yf9
- j;Yf9
- j;Yf9
- 6j Q
- 93~H
- t-V3
- j0Xf9
- Wf;E
- QQVW3
- 8SSj
- t$2f
- O(Vj
- SVW3
- j*Yf9
- j*Yf9
- f90u
- j.^f90u
- SVW3
- tDW3
- tSV3
- <SVW3
- D$(3
- D$0P
- D$4SP
- u,8]
- D$8P
- D$8P
- D$8P
- u>8E
- D$8P
- 3_^[
- ~1HV
- D$(P3
- T$43
- D$4P
- D$(0
- Hu/f9
- t'HuF
- G 9M
- tOS3
- `SW3
- 92t\t@
- 92t\t@
- cu>j
- j0Yf9
- 8XuSj
- j0Yf9
- f98t
- u!Sj
- u$Sj
- u\tj[
- 9F t}
- 9w u2
- t;V3
- 9A t

- 9A t
- u6Oy
- ujOxg
- x@t9
- ~\tf1
- 0^_]
- Hf9;u
- _u83
- Jf98u
- ^f90u
- t3j;
- ^f9u
- Z9N$t
- j;Xf9
- j XAf9
- +f;E
- Aj f
- OXf;
- Aj f
- Of;U
- 0SVW
- u>!E
- \\$4P
- t$4VS
- t$4V
- T$4@
- T$09<
- f94Zu
- D$8P
- t$8f9D$$ue
- u-jHX
- T$8Y9D$(
- D$43
- D$,3
- 0Xf9
- ^f9t
- Qf90u
- f98u
- dSV3
- G$9]
- O<SS
- 8f;D$Hu
- D$0P
- t&~1
- t5Ht
- FX_3
- 9^(v
- 5xR%
- 5xR%
- ^09^(t
- ^,9^0t
- ^<9^4t
- 8^<t
- 8^=t
- 8^<t1
- Q,8^=u
- t5j@

- h4{$
- h0z$
- t<9\\$
- f98u
- f98t
- j#_f98u
- j|Yf9
- j|Yf9
- SVW3
- |S9E
- u5SVh+
- (SVW3
- SVW3
- 2hXy$
- h0y$
- ra;}
- 9>vV
- t^W3
- 0SVW
- 0SVW
- PL9u
- 0SVW
- Ut\tf
- At!f
- ;A(|
- 8_^[]
- u$9G
- PCRE
- E`U#
- 4Ff9>t
- 4Ff9>t
- 4Ff9>t
- 4Ff9>t
- 4Ff9
- E`U#
- 0@[$
- 0@[$
- 4Ff9
- 4Ff9
- 4Ff9
- CXf9
- 4Ff9
- j7Z@
- >}uQ9]
- wXj7Z
- j}Xf9
- t>f;E
- j9Zf;
- j0Yj7+
- Yj9f;
- w*j0
- j9Y;
- j0Y;
- E`U#
- Xu!jEXf9F
- j\\ZjE_f9~
- Aj X;

- Aj X;
- jEYf9N
- HuCj
- E(j:
- jEYf9N
- U(9ZH
- U(juXf
- u#9E$
- 9B r
- uP;zD
- ;Y0|
- ;Z0|
- f9D~
- ;Z0}
- ;Z0|
- r(9J0~%;~
- j9Yf;
- Af99u
- v2j?
- j9Yf;
- j0_f;
- j0Y;
- jEYf9N
- B9A w
- B9A w
- j#Xf9
- {8kK0
- C89C0|?
- ;Y0|
- 9A0~];W
- G4X;
- ;G4~
- j9Zf;
- j0Zf;
- j<X3
- j)Xf9
- A\\j}X
- j9Y;
- jR_f98u@
- E(FG;x0
- j9Yf;
- j0Yf;
- Nj?Xu
- j)Xf9
- Yj0_
- u=jCYf9N
- U(j~[
- j\tX9E
- 9K\\j
- j)Yf9
- U(+r
- E(+p
- 9M,u
- t4;q
- jEZf9V
- ;OH~
- T$@3

- M`U#
- M`U#
- u-j$
- Af99t
- Af99t
- Af99t
- 4Ff9>t
- 9\\$<t
- D$0P
- 8$tvW
- 2;~|
- f;F6
- f;F4u
- 2;~|
- f;F6
- f;F4
- E`U#
- E`U#
- M`U#
- E`U#
- E`U#
- E`U#
- E`U#
- E`U#
- E`U#
- t\t9M
- E`U#
- E`U#
- f;F4u
- f;F6
- f;F4u
- ;~|sU
- w6t?
- f;F6
- f;F4
- f;F4u
- f;F6
- f;F4
- f;F4u
- E`U#
- E`U#
- M`U#
- E`U#
- E`U#
- E`U#
- E`U#
- E`U#
- E`U#
- f;F4u
- f;F6
- f;F4u
- f;F6
- f;F4
- f;F4u
- E`U#
- E`U#
- M`U#

- E`U#
- E`U#
- E`U#
- E`U#
- E`U#
- E`U#
- ;F|sa
- t89U
- |2;F|
- M`U#
- M`U#
- ;F|sa
- |3;F|
- M`U#
- F|+E
- F|+E
- M`U#
- M`U#
- f;F4u
- f;F6
- f;F4u
- E`U#
- E`U#
- E`U#
- f;F6
- f;F4
- f;F6
- f;F4u
- f;F4
- f;F6
- f;F4
- =$e%
- 8wu>
- =$e%
- t*9E
- t(9E
- t,9E
- E`U#
- E`U#
- VUUU
- -PCRE
- T$<3
- 9|$0t
- L$8;
- u(SV
- t2HHt
- D$0P
- tH9P
- D$@3
- 09L$
- 9L$
- 09L$
- 09L$
- HtoH
- Yf9H
- Yf9H
- Yf9H

- Yf9H
- h4/#
- D$0P
- D$<3
- D$ A
- Hu@IyG
- D$8P
- 8 u
- 5xd%
- tOJt
- Yf9H
- 8H u
- 8H"u
- 8H$u
- 8H&u;
- 8H(u
- 8H*u
- 8H.u
- 8H,u
- 8H2u
- A8H0u
- 5pb%
- uZ8D$
- HHt?HHu7
- HHu%
- u"RQ
- f98t#V
- Z9T$$
- D$8P
- |$tEA06
- j0Yf
- j0Yf
- EA06t
- ^-8]
- ^%8]
- ^!8]
- ^18]
- ^/9N
- Zf9U
- j\\Yf9
- j\\Yf9
- j\\Yf9
- 8Cu'j
- 8Nu7j
- 8UuGj
- j\\Yf9
- 5xR%
- t4HHt
- u VW
- 9{`t
- Cd9}
- 9{dt
- PPj1
- {|Uu!
- 9Cpu'
- ;G4u7
- D$8Pj

- D$<0
- D$8P
- xOf;
- 7t;Ht5Ht"H
- j@Y3
- 95xX%
- ~4_^
- ^_[3
- t7QVW
- t&9=
- un9}
- <5|E
- u\t9Y
- =(2%
- <Xu
- WVU3
- u\t9Y
- HAO8
- 9] t"
- 9E$u
- <8=u
- SVWUj
- D2$$
- uJSSR
- hp3"
- Huzj
- <et
- |+;E
- Wj0V
- y&8]
- 80t-
- v6j0
- j0Yf
- u'j0X
- j0Yf;
- tO9=
- 9E W
- SVW3
- "u\t3
- tGS3
- tAVSP
- t"f;E
- j\\Xu;
- j"Xf9
- j"Xf9
- f9>u
- 5(B%
- 8csm
- SVW3
- u(9u
- WVS3
- uDiE
- ;5DR%
- f-00f=
- f-00f=
- (H0f
- (5 }"

- Xf9E
- Xf9E
- Zf9W
- t3f;
- UVWS
- L$,3
- u]9u
- u-9u
- uB9u
- u:9u
- -0|"
- (5P{"
- (5P{"
- V%0{"
- PP9E u
- 9E(j
- >0t-N
- @ucP
- VVhU
- t%Ou
- u\t9Y
- j0Xf;
- HHu"
- j0Xf;
- j0Xf;
- j0Xf;
- 9E$u
- Wj0XP
- >0t<NAj0X
- jiZ;
- =(2%
- Zv2j
- uWjAXf;
- uHjAXf;
- s\t9r
- Ot\tA
- ED3%
- <v5h
- h46"
- hp5"
- h\\5"
- h@5"
- h,5"
- ht4"
- h\\4"
- h<4"
- h(4"
- F\\xA"
- Y;=4
- ~\\xA"
- 9=$2%
- 9wlt
- %$2%
- 1N_^[
- A_^[]
- SVAW
- t6hP

- 8csm
- u*9E
- u*9E
- 5Genu
- 5ntel
- ineI
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- FjIXV
-)1_[
- HtrHu
- t`Ht1
- 5@R%
- 5DR%
- SW3
- |%=2
- |!=2
- -0|"
- -0|"
- -0|"
- -0|"
- -0|"
- -0|"
- <$t6f
- -0|"
- woSW
- t&:a
- t19}
- -0|"
- YYHtIHt8
- =(2%
- ;5DR%
- @uqW
- _^[u
- D1$$
- D1$$
- 9u v
- 9u(v?VSj
- 9E v\\PWj
- >:u
- 9](t
- 9](u
- 9]$u
- 9] t
- 9] u
- VhaA
- SW3
- =(2%

- ItDf
- =(2%
- SW3
- f;1u
- 5LR%
- 5PR%
- 5LR%
- 5PR%
- uChk
- uBjAYjZ+
- =(2%
- 5LR%
- 5PR%
- FGIu
- FGIu
- o~pf
- ov`f
- onPf
- of@f
- o^0f
- oV f
- oF f
- oF f
- oF f
- =ERCP
- QSVW3
- 9wAf;
- ~Fj0Z
- u)Wj
- jUXf;
- }te=
- +t93
- <Gf9
- 'tY3
- #tef
- Awf;
- Aqf;
- Auf;
- Asf;
- Azf;
- Axf;
- t\\j0X
- E(WSP
- juYf9
- j)Zf9
- Zj\\YjE3
- E`U#
- M(9A
- }49T$,t
- D$`3
- u6jwXf9
- D$49G@
- D$4P
- ERCP
- 4Ff9>u
- 4Ff9>t
- j 9}

- s @3
- >ERCP
- M`U#
- E`U#
- E`U#
- u.9u
- VUUU
- VUUU
- VUUU
- =ERCP
- Yf9H
- AjH_
- 8VWjX
- >_^3
- D$4+
- T$4F
- L$8W
- D$T3
- \\$83
- j\\Yf9
- j%Yf9
- j%Yf9
- D$0PV
- D$T9s
- D$0P
- D$0P
- D$0P
- D$4P
- 09L$ v"
- j*Xf9
- Yf9H
- Yf9H
- Yf9H
- Yf9H
- Yf9H
- Yf9H
- Yf9H
- 5pR%
- SVW3
- =0Y%
- !\\$4W
- D$83
- D$H3
- D$0;C
- 9D$T
- \\$,2
- T$ 3
- |$d3
- D$pA
- jNYu
- L$0h@
- 5pb%
- At-f
- u@9E
- ?~4W
- ?~Af
- u _^[

- tNHu
- u?;H
- tEHu
- 3t7f
- F;3|
- _f9x
- Gt1f
- Ot4f
- u _^[
- Yf9H
- Yf9H
- Zf9P
- 90t'Q
- 90tCQ
- 4SVW
- 9t$t
- D$8I
- 9t$lv6
- t$LA
- 9D$lu;
- 9L$@
- D$@3
- ;5hd%
- D$<I
- 5pb%
- 5pb%
- T$0f
- D$<u
- D$<u
- |$0f
- L$0f;
- |$0f
- 5pb%
- 5pb%
- L$@u
- D$4;A
- 5pb%
- T$8f
- D$4;
- D$Hu
- |$8f
- L$8u
- D$(3
- 0pP#
- 80t$P
- Ht5Hu
- Hu4j
- 80t<
- At 3
- Ht0H
- D{'3
- x0~o
- tTV8
- t+HuA9
- 5pb%
- 5xb%
- uGVj(

- tGV3
- tDV3
- ?~3j
- OP_[
- f98t?j
- D$8f
- |$pAU3!
- 0s(f
- ar@f
- f9TO
- jAYf;
- j9Zj._f9<A
- Wj0[
- u/j
- j?Yj0
- t7VP
- D$0F
- AQPV
- v&_^3
- h@U$
- h U$
- 8F4ti!E
- ^)8]
- 5(d%
- QSW3
- 5,d%
- 5|R%
- j_f98
- h8Z%
- h0Z%
- s_W3
- j"Yf9
- 5xR%
- 5xR%
- 5xR%
- 5xR%
- 8VWj
- 5xR%
- 5xR%
- dSV3
- 97t>
- %8X%
- 5`X%
- 5\\X%
- uVWQ
- 8V:t
- 50X%
- 98u#h
- 54X%
- 54X%
- =4X%
- 9^Xt=9^\\tE
- Pj0V
- t$8]4t
- uaSVW
- 98u[
- 99u1

- #E(VW
- Iu-V
- 5dX%
- 5xX%
- 9=tX%
- u/;u
- @.reloc
- @.data
- `.rdata
- .text
- RichR
- !This program cannot be run in DOS mode.
- SCRIPT
- dword_ptr
- long_ptr
- int_ptr
- hwnd
- struct
- -----
- .dll
- SELECTSTRING
- FINDSTRING
- ADDSTRING
- (*UCP)\\X
- REG_SZ
- HKCC
- HKCR
- HKLM
- stdcall
- USERDNSDOMAIN
- WIN_XP
- DLLStruct
- String
- ^[A-Z\\d_]+$
- .lnk
- \\??\\%s
- "%s" (%d) : ==> %s:
- "%s" (%d) : ==> %s:
- *.*
- \\\\.\\
- \\\\?\\UNC\\
- \\\\?\\
- Shell_TrayWnd
- Run Script:
- %s (%d) : ==> %s:
- Line %d (File "%s"):
- %s (%d) : ==> %s.:
- $H
- struct
- dword_ptr
- long_ptr
- int_ptr
- hwnd
- bstr
- wstr
- LASTDLLERROR
- [CLASS:

- %s%d
- CLASSNN
- SHELLDLL_DefView
- \\CLSID
- jklm
- QRST
- *+,-
- \\p{Ll}
- \\b(?<=\\w)
- \\p{Xan}
- \\P{Xsp}
- \\p{Lu}
- \\p{Xwd}
- \\p{Xsp}
- \\p{L}
- \\P{Ll}
- \\p{Nd}
- \\P{Xwd}
- \\P{Xps}
- \\p{Xps}
- \\b(?=\\w)
- \\P{Xan}
- \\P{L}
- \\P{Nd}
- \\P{Lu}
- LOGONDNSDOMAIN
- CRLF
- SW_LOCK
- SW_SHOW
- SWITCH
- CTRLUP
- CTRLDOWN
- RSHIFT
- LSHIFT
- RCTRL
- LCTRL
- PRINTSCREEN
- PGDN
- hhhh

- mmmmm
- mmmmmmmmmmmmmm
- mmmmmmmmmmmmm

- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmm
- mmmm
- mmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmhhhhhhhmmmmmmmmmm
- mmhhhhhhhhhhhhhhhh
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmmm
- mmmmm
- mmmmmmmmmmmmmmmmmmmm

- mmmm

- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmm
- mmmm
- mmmmmmmmm
- mmmmmmmmm
- mmmmmmmmmmmmmmmm
- mmmmmmm
- mmmmmmmm
- mmmmmmmm
- mmmmmm
- mmmmmmm
- mmmmmm
- mmmmmmmmmmmmmmm
- mmmmmm
- mmmm
- mmmmmmmmmmm
- mmmm
- mmmmmmmmm
- mmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmm
- mmmmmmmmmmmm
- mmmmmmm
- mmmmmmm
- mmmm
- mmmm
- mmmmm
- mmmm
- mmmmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm
- mmmmm
- mmmmmmmmmmmmmmm
- hhhhhhhhhhh
- mmmmmmmmmmmm
- mmmmm
- mmmmmmmm
- mmmm
- mmmmmmmmmm
- jkjkjkjkjk
- mmmmml
- hhhhhhhhhh

- zh-cn
- zh-cht
- zh-chs
- tr-tr
- th-th
- syr-sy
- sr-sp-latn
- sr-sp-cyrl
- sr-ba-cyrl
- sms-fi
- smn-fi
- smj-se
- smj-no
- sk-sk
- pt-pt
- pt-br
- pl-pl
- nl-nl
- mt-mt
- ms-my
- ms-bn
- mn-mn
- mk-mk
- lv-lv
- lt-lt
- ky-kg
- kk-kz
- hr-hr
- fr-mc
- fr-fr
- fr-ch
- div-mv
- cy-gb
- cs-cz
- bg-bg
- zh-CHT
- smn-FI
- sms-FI
- sr-BA-Cyrl
- fr-MC
- smj-SE
- smj-NO
- fr-CH
- zh-SG
- sr-SP-Cyrl
- zh-HK
- ms-BN
- sr-SP-Latn
- pt-PT
- div-MV
- syr-SY
- cy-GB
- mn-MN
- ky-KG
- kk-KZ
- ms-MY
- mt-MT

- mk-MK
- lt-LT
- lv-LV
- tr-TR
- th-TH
- sk-SK
- hr-HR
- pt-BR
- pl-PL
- nl-NL
- fr-FR
- cs-CZ
- bg-BG
- zh-CHS
- (null)
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- zh-TW
- zh-CN
- \\\\[\\\\nrt]|%%|%[-+ 0#]?([0-9]*|*)?(\\.[0-9]*|\\.*)?[hlL]?[diouxXeEfgGs]
- CHRW
- CDTRAY
- DLLCALL
- DLLCLOSE
- DUMMYSPEEDTEST
- DLLSTRUCTCREATE
- DLLSTRUCTGETPTR
- DLLSTRUCTGETSIZE
- DLLSTRUCTSETDATA
- DLLSTRUCTGETDATA
- DLLCALLBACKGETPTR
- TCPSTARTUP
- TCPSHUTDOWN
- TCPSEND
- TCPRECV
- TCPCLOSESOCKET
- STRINGSTRIPWS
- STRINGSTRIPCR
- STRINGSPLIT
- STRINGRIGHT
- STRINGINSTR
- STRINGADDCR
- STRING
- SQRT
- MSGBOX
- ISHWND
- ISDLLSTRUCT
- HWND
- HTTPSETUSERAGENT
- HTTPSETPROXY
- GUISETSTYLE
- GUIGETSTYLE
- GUICTRLSETTIP
- GUICTRLSETSTYLE
- GUICTRLSETSTATE
- GUICTRLSETRESIZING

- GUICTRLSETPOS
- GUICTRLSETONEVENT
- GUICTRLSETLIMIT
- GUICTRLSETIMAGE
- GUICTRLSETGRAPHIC
- GUICTRLSETFONT
- GUICTRLSETDEFCOLOR
- GUICTRLSETDEFBKCOLOR
- GUICTRLSETDATA
- GUICTRLSETCURSOR
- GUICTRLSETCOLOR
- GUICTRLSETBKCOLOR
- GUICTRLSENDTODUMMY
- GUICTRLSENDMSG
- GUICTRLREGISTERLISTVIEWSORT
- GUICTRLRECVMSG
- GUICTRLREAD
- GUICTRLGETSTATE
- GUICTRLGETHANDLE
- GUICTRLDELETE
- GUICTRLCREATEUPDOWN
- GUICTRLCREATETREEVIEWITEM
- GUICTRLCREATETREEVIEW
- GUICTRLCREATETABITEM
- GUICTRLCREATETAB
- GUICTRLCREATESLIDER
- GUICTRLCREATERADIO
- GUICTRLCREATEPROGRESS
- GUICTRLCREATEPIC
- GUICTRLCREATEOBJ
- GUICTRLCREATEMONTHCAL
- GUICTRLCREATEMENUITEM
- GUICTRLCREATEMENU
- GUICTRLCREATELISTVIEWITEM
- GUICTRLCREATELISTVIEW
- GUICTRLCREATELIST
- GUICTRLCREATELABEL
- GUICTRLCREATEINPUT
- GUICTRLCREATEICON
- GUICTRLCREATEGROUP
- GUICTRLCREATEGRAPHIC
- GUICTRLCREATEEDIT
- GUICTRLCREATEDUMMY
- GUICTRLCREATEDATE
- GUICTRLCREATECONTEXTMENU
- GUICTRLCREATECOMBO
- GUICTRLCREATECHECKBOX
- GUICTRLCREATEBUTTON
- GUICTRLCREATEAVI
- FTPSETPROXY
- FILECREATENTFSLINK
- SCRIPT
- jjjj
- jjjjj
- >$>,>4><>D>L>T>\\>d>|>
- ;$=(=,=0=4=8=<=@=D=H=
- ; ;$;(;,;0;4;\\;|;|;

- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:
- ?(?D?H?h?
- <d=p=t=x=|=
- < <$<(<,<0<4<8<<<@<D<H<L<P<T<X<\\<`<d<h<l<p<t<x<|<
- `;d;h;l;p;t;x;|;
- @;D;H;L;P;T;
- < <$<(<,<0<4<8<<<@<D<H<L<P<
- ; ;$;(;,;0;4;8;<;@;D;H;L;P;T;X;\\;`;d;h;l;p;t;x;|;
- : :$:(:,:0:4:8:<:@:D:H:L:P:T:X:\\:`:d:h:l:p:t:x:|:
- ? ?(?0?8?@?H?P?X?`?h?p?x?
- > >(>0>8>@>H>P>X>`>h>p>x>
- = =(=0=8=@=H=P=X=`=h=p=x=
- <$<(<0<8<@<H<P<X<`<h<p<x<
- ;$;,;4;<;D;L;T;\\;d;l;t;|;
- :$:,:4:<:D:L:T:\\:d:l:t:|:
- <"<&<
- ?L?P?T?X?\\?`?
- = >$>(>,>0>4>8><>@>D>H>L>P>T>X>\\>
- <"<C<G<K<O<S<W<[<_<c<g<k<o<s<w<
- ;';z;
- :1:D:N:X:
- <#='=+=/=3=7=;=?=C=S=z=v>
- < <*<4<{<
- ?:?G?a?l?
- >%>l>b>j>z>
- <B<l<
- :):P:a:h:
- =@?J?b?t?
- :$:-:
- >2>Y>`>q>|>
- =,=F=V=
- ;&;6;?;J;T;Z;
- 9!:H:f:q:
- :':_:
- ?C?G?K?O?S?W?[?_?c?g?k?o?s?
- <J=^=
- <"<S<
- ;';5;;;K;P;
- ;$<5<H<_<g<
- =$>)>X>l>
- <;=c=
- <Q=b=
- =,>>?d?~?
- ?$?B?|?
- <H=W>
- =+>K?
- ?&?;?P?e?z?
- ?D?J?P?Z?a?
- > >$>(>,>0>4>8><>@>D>H>L>P>h>
- <<?C?
- :W?]?
- >%>z>
- :|;"<
- <L=l=!>?>s>
- ;J<X<
- :%:?:
- >$>->X>c>

- <"<-<=<c<
- ;&;C;P;X;y;
- :];i;<<
- >:?@?{?
- 9T:X:\\:`:d:h:l:p:t:
- =r?x?
- ;-;=;N;b;v;
- =#>)>
- <j=z=
- :\t;#;s;
- <B>P>
- ?G?L?S?Z?a?h?o?v?}?
- <4=F=h=
- <-<~<
- :!:N:a:t:z;
- >&>??>]>x>~>
- =&=~=
- >4?f?w?
- <'=/=6=g>
- <><V<b<y<
- ;l;z;
- :7:B:c:
- =*=@=\\=
- <#<8<N<c<t<
- :,;O;\l;c;y;
- >K?T?
- >*>R>
- <0<G<P<
- >%>6>L>
- =Z>v>
- ;);J;e;
- <[<9?J?
- ?C?d?m?
- 9\t:_:w:
- =x>K?p?
- :t;~;
- :*:{:
- ?.?n?
- <<=L=
- ;@;L;
- =5=F=[=
- :*;d;Y<`<g<
- ;)<c<q<
- <0<B<J<a<m<v<~<
- 9&:-:E:L:Y:`:
- <,<T<
- :5;K;r;
- :,:3:Q:
- >#>'>+>/>3>7>;>?>C>i>|>
- : :+:7:
- ?<?@?D?
- =!=+=
- >B>X>
- ?>?{?
- >/>]>
- <1=G=]=s=
- :-;9;f;r;

- > >(>/>
- ;6<P<X<_<Z=a=
- :2;L;T;b;
- ;>;H;n;u;
- :%;?;G;
- <?>O>T>^>
- :j<n<r<v<z<~<
- :7;D;f=
- ?#?2?A?P?_?r?
- ==>G>a>k>u>
- <f<}<
- ;B;q;
- ?#?'?+?/?3?7?;???
- >#>'>+>/>3>7>;>?>C>G>K>O>S>W>[>_>c>g>k>o>s>w>{>
- >[?`?k?
- =V?b?{?
- <)=H=
- :>;Z;
- >c?r?
- :-:7:D:|:
- >D?]?}?
- ?=?T?`?o?
- <(>@>Y>p>
- :":P:V:j:q:{:
- ;&;~;
- =%=F=~=
- :!;?<
- =|=<>
- =@>H>T>c>
- 9B:d;l;
- =!=*=0=:=E=
- <5<F<L<X<h<n<}<
- :!;+;;;K;[;d;
- :':>:E:X:
- ?*?s?
- :);6;<;^;h;n;
- 9>:g:t:z:
- =?>J>_>m>
- ;\t;0;=;B;P;|;
- >C>r>z>
- ?&?8?H?T?
- ;6<)=<=h=o=
- ;&;.;n;z;
- :E:Q:\\;
- <#<D<
- :(:y:
- ;5<><\\<
- 9\t:@:Z:
- ;#;+;5<
- ?$?,?2?A?K?Q?`?j?p?
- >!>H>y>
- = =,=N=S=n=s=
- ;,<}<
- ;H;N;w;
- :S:h:
- >$>->u>z>
- =%=/=A=P=W=h=v=

- ::;S;
- >3?B?r?y?
- = =$=(=,=0=4=8=<=@=D=H=L=P=T=X=\\=`=d=h=l=p=t=x=
- > ?-?d?r?|?
- ;`;T<b=
- :&:0:D:J:*<m<
- ?(?2?9?=?C?G?M?W?a?k?u?|?
- >&>->1>7>;>A>K>U>_>i>p>t>z>~>
- =!=%=+=/=5=?=I=S=]=d=h=n=r=x=
- <#<)<3<=<G<Q<X<\\<b<f<l<v<
- ;';1;;;E;L;P;V;Z;`;j;t;~;
- :%:/:9:@:D:J:N:T:^:h:r:|:
- ?'?1?;?B?F?L?P?V?`?j?t?~?
- >%>/>6>:>@>D>J>T>^>h>r>y>}>
- =#=*=.=4=8=>=H=R=\\=f=m=q=w={=
- <"<(<,<2<<<F<P<Z<a<e<k<o<u<
- ; ;&;0;:;D;N;U;Y;_;c;i;s;};
- :$:.:8:B:I:M:S:W:]:g:q:{:
- ?&?0?:?D?K?O?U?Y?_?i?s?}?
- >$>.>8>?>C>I>M>S>]>g>q>{>
- ="=,=3=7===A=G=Q=[=e=o=v=z=
- < <'<+<1<5<;<E<O<Y<c<j<n<t<x<~<
- ;%;);/;9;C;M;W;^;b;h;l;r;|;
- :#:-:7:A:K:R:V:\\:`:f:p:z:
- ?%?/?9?C?M?T?X?^?b?h?r?|?
- >#>->7>A>H>L>R>V>\\>f>p>z>
- =!=+=5=<=@=F=J=P=Z=d=n=x=
- <)<0<4<:<><D<N<X<b<l<s<w<}<
- ;$;(;.;2;8;B;L;V;`;g;k;q;u;{;
- :":&:,:6:@:J:T:[:_:e:i:o:y:
- ?$?(?.?8?B?L?V?]?a?g?k?q?{?
- >">,>6>@>J>Q>U>[>_>e>o>y>
- = =*=4=>=E=I=O=S=Y=c=m=w=
- <(<2<9<=<C<G<M<W<a<k<u<|<
- ;&;-;1;7;;;A;K;U;_;i;p;t;z;~;
- :!:%:+:/:5:?:I:S:]:d:h:n:r:x:
- ?#?'?-?1?7?A?K?U?_?f?j?p?t?z?
- >!>%>+>5>?>I>S>Z>^>d>h>n>x>
- =)=3===G=N=R=X=\\=b=l=v=
- <'<1<;<B<F<L<P<V<`<j<t<~<
- ;%;/;6;:;@;D;J;T;^;h;r;y;};
- :#:*:.:4:8:>:H:R:\\:f:m:q:w:{:
- 7D=b=r=
- ;?<\\<d<r<
- <:=[={=
- >*><>G>R>]>h>s>~>
- <%<0<;<F<Q<\\<g<r<
- <S<f<
- 9;:?:C:G:K:O:S:W:[:_:c:g:k:
- ?D?[?
- ;$;);/;A;O;V;\\;c;k;q;w;
- :":\':,:2:6:;:@:E:J:O:U:_:j:n:u:{:
- = =$=(=,=0=4=8=<=@=D=H=L=
- ;|<%>,>k?
- ;M>p>t>x>|>
- :`;d;h;l;p;t;x;|;
- ?)?@?M?t?

- >P?q?
- =O=[=k=q=|=
- <R<w<
- :-;{;
- :&:+:?:u:
- =#=(=-=2=7===\t?
- <D<L<W<b<j<
- ;$;*;0;6;<;|;
- :1:::A:F:O:d:s:y:
- ?"?&?*?.?2?6?:?>?B?F?J?N?R?V?Z?^?b?
- =">[>`>f>
- ='=_=
- :d:p:z:
- >G>v?
- PPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGX XPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGP ADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGXXPADDINGPADDINGX
- </assembly>
- DdW!}
-)rh3q\\x
- M)G\\
- HJQY
- VPk
- <*Vh
- b={V
- zj{>
- (XfV
- /q#p
- D\\"z
- R]>`
- :^XR
- RXF~'
- $tMs
- ^FmP
- P:'xL
- JXFsdRRa
-]HsC
- []qL
- &;;[
- /`wt
- xT&$
- jX+}
- RqYm
- yqYkC
- `>C!
- h+ry
- h/r]
- @z([
- @C#S
- y!@>S
- F[!L
-]C#?
- hhh(EG,
- Wq|q
- _Q}Vj
- '\\P(
- XW@X

- [^T_
- *T(C
- g/Nc
- xrgd;
- J,)[^
- mT;_
- w%\\~
- #;BZ
- -?;
- H,KR
- -[pJc
- |PH{
- @^T_
- dT%"
- Qe|z@z
- }kN\t/
- JW?<<
- z+;j
- ~!PY
- H<.(
- :<w|/h
- &R;!G.y"
-]v).z
- qP\t_
- f=W~R
- ,C=R
- pJd-.
- DGR+
- QZv*
- V\tT/
- }Pj~
- Jm,?
- _[<
- ,Y\tV
- *_.
- VYDP
- MMM*
- -k$m^'
- "%$#OD
- fG;/{
- V"D>B
- Jh| ^
- {Kykh
-)ydP0D
- yC 'c
- r>n|
- Q;VM
- F6+G$!]
- (K"
- sT%R
- X&Y;~
- D?$?
- ?/L[
- ?Zd;
- HMXB
- N"P2N"
- ABCDEFGHIJKLMNOPQRSTUVWXYZ

- abcdefghijklmnopqrstuvwxyz
-
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- StretchBlt
- MPR.dll
- WINMM.dll
- BSR_ANYCRLF)
- ANYCRLF)
- CRLF)
- (?R or (?[+-]digits must be followed by)
- cntrl
- #.zf
- wn>Jj
- Qkkbal
- n;^
- {{{{

- i^^?(>
- xppwpp
- `h`hhh
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`ABCDEFGHIJKLMNOPQRSTUVWXYZ{|}~
- ?Xw$
- ?P/Y
- ?Xw$
- ?Xw$
- ?P/Y
- ?Xw$
- cf>
- Nu?-HF
- Mpm<
- ?P),
- f*"!
- =m=@
- ?."S-
- #wi#:=
- >Xzv
- g\\>{
- F?cf
- +*tsJ
- s{c|H
- "Q??
- s{c|H
- +*tsJ
- g\\>{
- >Xzv
- ."S-
- =m=@
- f*"!
- ?P),
- ?(F_
- d? cf>
- Nu?-HF
- =mm?
- ?$rxxx
- ?zD@
- ?e')lW
- ?:Rp
- >|.~
- ?l$G~
- ?KYC
- ?KB
- ?)]G
- ?`\\@
- ?B?}
- ?}>v
- ?{yK+;
- ?VV&
- ?ZEM-'^
- ?dDR
- ?FnH
- ?y]h
- ?M]-
- @g\t=
- ?Zxg

- %X
- cb~q
- 'HR%
- ?|}}
- ?$rxxx
- ?zD@
- ?e')IW
- ?:Rp
- >|.~
- ?l$G~
- ?KYC
- ?KB
- ?)]G
- ?`\\@
- ?B?}
- ?}>v
- ?{yK+;
- ?VV&
- ?ZEM-'^
- ?dDR
- ?FnH
- ?y]h
- ?M]-
- @g\t=
- ?Zxg
- %X
- cb~q
- 'HR%
- ?|}}
- ?{fHn
- Xg+=
- Nl,"=
- /r(=
- Lyc>=
- ?Dj0Q:W$=
- <@En[vP
- l,kg<i
- <\\%>
- <)TH
- cC<-
- _/:>
- <zQ}<
- ?RbSQ
- <@En[vP
- ?.)T
- <]%>
- F||<##
- ?#%X.y
- K<<H!
- <)TH
- ?(FN\\
- <V/>
- <{Q}<
- CqTR;
- G"jm
- V~|_
- #w_j

- VX&?
- &?~YK|
- Px%?
- NH%?
- H`$?h|
- .K="=
- ? #?
- :h"?bC
- !y##
- .h ?
- ~*L=
- ?|[{
- ?g)([|X>=
- +NB=
- >,'1D=
- n{;=
- {^C=
- @VNQ
- q\t!
- y1~?|"
- X-F=
- GYM=
- t?,&
- }~:f
-)(q?
- np?z
- R_V?
- MkK?
- !=
-]vQ<)8
- Ht=c
- pnJ=
- g:"(
- tLVv
- ?Ltm
- xpxxxx
- `h``
- (null)
- _hypot
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- HH:mm:ss
- dddd, MMMM dd, yyyy
- MM/dd/yy
- [:<:]]
- [:>:]]
- Mv,INv
- vTv\\
- ~MvBJNv
- Pvu\\Nv
- $.vp
- =-v.
- -vCE.v
- -vQ3.v|
- >-v:
- 1vM)v
- @.vQ
- ;.v@

- -vTs,v
- ,v`g,vyy1v
- .v2},v
- T-vb
- ".vuG-v
- m,v)
- >-v)~/v
- "-va>-vM
- T/v%9-vjX,v
- S.vcv.v
- -vM7.v
- 3.vQJ.v&<.v
- -v\\9.v
- G-v(7.v
- -v+E.v
- -v]7.v
- vIkv
- &v;<j$v
- vhuv
- l'v]c'v
-]$v:
- R'v!
- h$v@f$vg
- o$vfd'v
- _^[]
- SVWj
- _^[]
- SVWj
- X_^[
- [|J;
- J;s|s
- r;j9[f;
- QSVW
- j}[f;
- SVWj0Zf;
- PSVW
- X_^[
- jwXf;
- QQSV
- jHX_^[
- @_^[]
- t?f;
- tXj]Zf
- QQSVW
- w=ts
- t]HPS
- QQSV
- QQSV
- QQSV
- uLPPRj
- =$X%
- D$$P
- t$$h
- D$<V
- D$$P
- D$0Ft>
- D$TPVh>

- D$(PVh
- t$$VQ
- D$<V
- D$$P
- D$|PVhK
- D$@PVh
- t$4j\th
- D$TPVh>
- D$(PVh
- D$|PVhK
- D$@PVh
- D$HP
- D$(h,
- L$@F
- D$TPVh>
- Vj\th
- D$TPVh>
- Vj\th
- tx=
- t$<;
- +G<+W@
- =`X%
- D$XP
- L$(h,
- t$Dh
- G;|$D
- D$XPh
- D$XPj
- ;|$<}+
- D$\\PWV
- D$<h
- L$PQ
- t$LP
- D$HPV
- _^[]
- QQSVW
- L$$h
- D$(Pj
- T$L;t$
- D$(Pj
- D$ x,
- F;t$
- D$$PS
- D$ PW
- LSVW
- %`X%
- L$(hD
- =`X%
- =lX%
- tySVj
- =lX%
- QVPW
- vph
- PPj PPP
- SVjDj
- PPPPP
-)GHjG3

- %LX%
- G;=4X%
- =LX%
- *;5PX%
- @_^[
- t$,S
- t$ S
- t$(S
- D$0VPS
- t$(S
- t$(S
- D$0VPS
- GHPS
- SVWt
- [_^]
- GpPV
- D$ Pj
- PWhl
- @QQQQ
- D$ Pj
- D$ Pj
- PWhl
- D$(j
- PPPPP
- HHt,Ht,
- @t\tj
- t$ h
- D$ V
- HHtLHt*H
- D$TP
- L$`%
- D$TPVhL
- D$$Pj
- VVhf
- VVhg
- D$$PV
- PVh?
- VVVVP
- PWhL
- PWhK
- Wj!j j
- Wj!j
- PWh?
- PWh>
- PWh
- u<@PPj!j
- PQh=
- @PPj!j
- @_^[
- PVh?
- PVh`
- PVh`
- @_^[
- SVWP
- @_^[
- SVWP
- PWhK

- PWhK
- PWhK
- WWtGj
- PWh>
- PWh>
- PWh>
- PWh>
- Wj\th
- QPh<
- VShH
- WWhG
- tlHt
- SVWP
- _^[]
- SSSSPSh
- SVWP
- _^[]
- QQQQQP
- _[^]
- Pj W
- _^[]
- SWhh
- #M,WQ
- SVWP
- [_^]
- SCSh
- PVhD
- #M,VQ
- _^[]
- #M,VQ
- #}$WV
- 4SVWj,
- SSSSS
- @_^[]
- #M,@PQ
- _^[]
- SShN
- PShC
- #M,Q
- _^[]
- _^[Y]
- _[^]
- t^SQ
- _^[Y]
- VVVP
- QQSVWj$
- t^Vj$
- SVWj
- WWWW;
- WSQR
- |$,+|$$
- \\$(+\\$
- D$ t
- $SVW
- \\$(PP
- ,SVWh
- D$$SPV

- D$$SPV
- D$$SPV
- \\$,WSPV
- $SVW
- D$,+D$$
- +L$,
- L$ Q
- $SVW
- QSVW
- QSVW
- L$<+L$
- D$LF+D$Dj
- t$H+t$@
- D$@P
- D$PPj
- L$PQVh9
- L$PQVh2
- QQQQPVhl
- XVVVV
- \\$$j
- D$@P
- D$@PW
- D$ P
- D$(P
- D$,P
- <SVW
- D$ P
- L$ Q
- D$$WPV
- D$$WPV
- D$$WPV
- L$,SWPV
- $SVW
- L$(Q
- L$$W
- D$ PV
- _^[]
- _^[]
- Yj.Y
- tGj.
- HtEHt#Ht
- D$$P
- L$ V
- SVWh
- D$ P
- D$ P
- D$ P
- L$ V
- D$ P
- D$ P
- L$ V
- L$ W
- wGVj
- HthHtSHt?H
- SVW
- D$$P
- D$ P

- L$$j
- D$ P
- SVW
- _^[]
- PQQQ
- PQQQ
- L$$Qj
- L$$Qj
- t$lQ
- D$$V
- D$,P
- D$,P
- D$XP
- D$DP
- D$`P
- L$<W
- t$ PV3
- D$$P
- t$ PV3
- D$$P
- L$ VQV
- t$TQ
- D$,P
- D$PP
- D$<P
- D$XP
- LSVW
- D$(P
- L$(VQV
- t$\\Q
- D$,P
- D$,P
- D$XP
- D$DP
- D$`P
- SVWh
- D$XP
- L$lQ
- SSSQ
- t$LQ
- D$$P
- D$,P
- D$HP
- D$PP
- t$@V
- t$DV
- D$,P
- D$$P
- D$`P
- D$<P
- D$HP
- D$HP
- t$<j
- D$tPVj
- t$,Q
- D$tPV
- L$HR

- D$(V
- D$,vK
- t$|@
- SVWjD^V3
- _^[]
- j<[S
- j@XPV
- t/Ht%Ht
- QSVW
- D$pPW
- D$<P
- D$pPW
- D$x,
- |$,S
- \\$(j
- Nx,;
- D$$hn
- D$;D$
- D$ @
- D$,P
- L$(HP
- j;YFf9
- D$HSP
- D$XP
- L$$;
- NxJ;
- D$ P
- Y_^[
- j\tXf
- SVWj
- ;\\$|
- D$pP
- X+D$8P
- ;D$|
- D$$+
- D$$@
- D$TP
- X+D$(
- T$|P
- jGYf;
- j$Yj@FZf;
- wtrf
- j%YFf;
- _^[]
- jHXf;
- +jHXf;
- j@_f;
- RtKHt/Ht
- YjNf9H
- D$`P
- D$\\P
- D$(P
- D$(P
- D$(P
- D$(P
- RtUHt5Ht"Ht
- D$`P

- D$,PSR
- D$`P
- |SVW
- PQVS
- jNYf9J
- t"HHt
- Ht#Ht
- tKHt:HuQ
- _^[]
- jNZf9P
- PQVS
- QPVS
- WQQS
- jG^f
- PVh,,"
- Vh,,"
- VVVW
- VVVj
- j\tXS
- VVVP
- h,,"
- QLj(
- SSRSj
- Qh|,"
- QLj(
- D$@P
- SSSP
- SSSh
- D$@f
- SSSh
- D$$V
- \\$$Ph
- D$(P
- t$0;t$$t"F
- D$ P
- T$ R
- SSSh
- T$(RP
- SSSP
- L$,Q
- @9D$ v=
- \\$Lh
- \\$HF
- D$(P
- D$(P
- D$HP
- WWWV
- j\tXf
- D$(P
- LSVW
- D$(P
- D$(P
- j\tXf
- D$(P
- L$LQV
- D$HP
- D$HP

- LSVW
- D$ P
- L$@P
- L$@P
- D$ j
- L$ S
- D$ Y
- HtlH
- j\tXf
- D$ P
- Y^_[]
- PPGW
- Y^_[]
- t4PhL'
- tlW
- QQQP
- Pj@V
- PSSSV
- QVPS
- PQWWh
- PPPk
- PPPhX
- Pj@V
- VVVhp
- jdh,
- PQQQ
- +>+^
- t$ h
- Pj V
- D$ P
- u&VVWSh;
- ,SVW
- QWPRV
- D$$P
- D$LP
- D$$P
- D$HP
- |$,WS
- D$<Pj
- D$XPS
- |$:f
- @PPj
- Pj h
- Ph~f
- Ph~f
- jdY;
- t$$j
- t$$Vj
- D$(P
- SVW
- D$ P
- D$TP
- T$,Q
- XkD$
- tSVW
- QQVWh
- D$<P

- D$<PSW
- D$(P
- D$,P
- D$(P
- D$ P
- D$ P
- smWh
- PSWV
- VWRP
- QQSV
- BtFHHt>
- CtHt
- t!@P
- QQSVW3
- t"Wj
- PVj&S;
- PSj&S;
- HtQHtL
- VVVP
- tfHtYHt8Ht,Ht
- SSSSV
- t\tSV
- s`QP
- QVQQQ
- Nt,NNt
- |SVW
- SSSSW
- _[^]
- >WWj
- _^[]
- FDH/#
- v=Wj
- D$LP
- t7Ht"Ht
- D$<Ph
- t@Ht'Ht
- PPWPj
- QSVW
- t$ WV
- L$(f
- D$<P
- CSPV
- HtJH
- QQSV
- D$XP
- D$$h
- F;t$
- D$xP
- D$@P
- N@VP
- L$x+
- L$tW
- hw
- h w$
- j=Xj
- $SVW
- Y;t$

- D$HVj
- D$(P
- L$(+
- \\$ ~W
- D$<P
- t$<VP
- |$ Y
- \\$ j
- LSVW
- T$$j
- T$$Sj
- D$xj
- D$hj
- D$@P
- L$@+
- t$LP
- F;t$
- |$$Y
- \\$,h
- L$LW
- D$LP
- D$@h
- D$@P
- D$LP
- D$DP
- t-Pj
- D$<P
- Ph|-"
- PVPPQ
- D$ P
- D$0SSP
- DSVW
- D$HP
- D$XP
- D$hP
- D$`P
- L$(HP
- T$\\j
- D$dWP
- D$dWP
- D$.P
- D$dWP
- D$,P
- D$dWP
- D$*P
- D$dWP
- D$lQh
- Dxh
- D$PP
- D$$P
- D$LPP
- D$$P
- D$TPP
- D$$P
- D$DPP
- L$XW
- D$$P

- T$HRP
- D$PP
- T$LRS
- D$PP
- T$PSRP
- D$PP
- T$PSRP
- D$PP
- T$PSRP
- D$PP
- D$$S
- T$$Rh<,"
- Shl-"
- t$PS
- D$$P
- D$\\P
- D$$P
- D$$P
- D$DP
- D$Dh
- D$Dh
- Rh<,"
- D$DP
- D$,P
- hl-"
- L$ j
- D$ SSP
- SVWj
- SVWj
- PVQQ
- j*Zf
- HHt@Ht3Ht&Ht;
- t&hL;
- $SVWj
- WWWWPh
- SVWj
- WWWWWh
- SVWj
- PWWWWW
- SVWj
- D$(P
- \\$HS
- D$,j
- D$L[
- D$<j
- D$@XP
- D$<j
- D$,j
- \\$@Sj
- LSVW
- RQRR
- SPjf
- SPjf
- v?Wj
- Sj(P
- Sj`P
- Sj@P

- X_^[
- jDj$X+
- _^[]
- FLjDWP
- QQVj
- v Pj
- w Pj
- QQSVW
- F YY
- Fh
- u+Sj)^j
- X_^[
- SVWh
- QQVW
- j*[S
- (SVW
- j\tYf
- Ht]Ht#j
- HHt%Ht
- _^[]
- t[f;
- _^[]
- t,Sj
- |\tf
- PQVh
- t$Vj
- _^[]
- SVWtM
- _^[]
- _^[]
- SVW
- JtsJJt8
- QPWVS
- SVWP
- _^[]
- t$ V
- D$,;
- D$,P
- D$$=
- D$(=
- D$,Yu)
- D$$Y
- L$@h
- j\tYf;
- tFj_^
- j\tYf;
- j\tYf;
- L$LW
- Vhl[
- QQSPVWQQ
- PPPPVWPP
- QSVW
- j0Xjxf
- ,SVWj
- YSPVWj
- PPVWj
- _^[]

- BF;w
- WWWh$
- PPPh$
- @VPQj
- [_^]
- D$HP
- f9t$Ht
- D$HP
- QQQQP
- QQQQP
- h\\C$
- PPPQ
- PSSSSSSh
- _^[]
- YY_^[
- PPQP
- Y_^[
- YY_^
- VWPh
- YY_^[
- G PS
- YYhx
- _^[]
- SPQj
- t|SV
- PRPh,
- j(Yj
- [SVSh
- D$P;
- D$(P
- D$lP
- D$HPW
- D$HPW
- D$P,
- SVWj
- D$@PV
- D$lP
- D$ P
- D$@P
- D$$h
- D$DP
- Y^_[]
- PPGW
- QSVW
- QQSV
- t@j,
- $SVWP
- QSWP
- DSVWj,3
- _^[]
- QSVWj
- F _^]
- [Vj(
- QVWj
- D$(P
- SVW
- _^[]

- G)QSPj[
- G%QSPj
- G$QSPj
- G(QSPh
- G'QSPh
- Pj[h
- G)QSPj[
- G%QSPj
- G$QSPj
- G(QSPh
- G'QSPh
- Pj[h
- j XP
- D$$P
- HHty
- tP<_tL<
- <"t|<%tx<\'tt<$tp<&tl;<!th<otd<]t`<[t\\<\\tX<
- _^[]
- j _@
- <Bf;
- <^C@
- <Bf;
- j'Yf;
- 4Bj"Yf;
- SVWj ^j\t3
- _^[]
- t$j'Zf;
- Yj"[
- hD&"
- @_^[]
- h|&"
- QSVW
- _^Y]
- M QP
- _^[]
- "SWf
- _^[]
- _^[]
- QQVj
- PPQVj
- SVWj
- j;_f9;j
- ~%j;[f9
- Hf;]
- @j ;
- j;_f
- Oj;_f;
- j;Zj f
- j|Zj f
- SVRQ
- D$HP
- C;\\$(
- t$<f
- D$HPV
- D$HQP
- jHZ;
- t$HV

- jH^f;
- D$HP
- D$<;D$(
- t:Ht(
- ttHtb
- t$4QVPR
- f;D$D
- DD@
- \\$<f
- t$,C
- D$XP
- D$@x*
- |$dC;
- D$XP
- T$XRW
- D$XP
- \\$$;L
- \\SVW
- _[^]
- f91t,SWj,[j.
- Y_^[]
- h$~$
- GY;x
- S(Rj
- QQSV
- D$LP
- D$<F
- \\$`P
- D$(P
- t$;
- D$|+
- #D$,SP
- D$<B
- D$ P
- D$,P
- |$`[9D$
- D$Dj
- ~f;D$@ullyt
- f;D$tu
- D$<j
- D$(P
- L$(P
- |$\\9T$D}
- f;D$Hu
- f;D$@u
- f;D$tu
- D$$F
- D$$F
- D$<;H
- D$H@
- D$@H
- D$tG
- D$Lh
- \\$p^
- D$`P
- Qhl,"
- t%Ht"

- SVWjc
- _^[]
- _^[]
- Sh\\-"
- Sh\\,"
- Sh,-"
- ^(^[
- Rh<-"
- v(Sj
- QQSV
- SVWj
- _^Y]
- _^[]
- RhL-"
- QQQP
- Rh<-"
- hL{$
- @_^[
- QSVW
- @_^[
- D$ P
- D$$P
- D$ Ph
- D$$P
- D$ P
- D$$P
- D$ Ph
- D$$P
- D$$P
- D$$P
- D$$P
- Ht,Ht
- D$$P
- D$ P
- D$$P
- D$ P
- D$$P
- hz
- htz$
- h`z$
- hPz$
- h@z$
- QQVW
- @_^[
- D$$+D$
- D$ +D$
- D$,P
- D$,PV
- D$,P
- Dt(P
- D$(P
- D$(h
- ,SVW
- @_^[
- _^[]
- j]Yf;
- j;Yf;

- t)j]Yf;
- t1j;Yf;
- _[Y]
- Sj\th
- t=Wj
- _^[]
- t\tF;
- @QPh
- QQVW
- (j'h
- }*j%h
- SVWj
- SVh+
- Ph+p
- hpy$
- Ph*p
- Ph,p
- LhHy$
- Ph)p
- tbSPW
- SVW
- tf;}
- YY_^
- WHPh
- QQSVWh
- PPShT
- SVPQ
- PQSWQ
- SVWQQ
- j SP
- \\SVWQQ
- _^[]
- PSSS
- hdw$
- tLj
- h\\w$
- t$j\\Xf9
- hLw$
- h(w$
- QhL,"
- @_^[
- h|,"
- Qh,,"
- QSVW
- f;x,r
- VVVQ
- f;H,s
- f;x,r
- f;H,sB
- J@f;
- Cj$Xj(f
- &j;$Xj(f
- Mj$Xj(f
- j$Xj(f
- % d%
- Qj@Z
- Qj@Z

- HHt#HH
- Qj@Z
- Qj@Z
- t#Ht3Ht
- j#Yf;
- j.Zf;
- j;Xf;
- jHXf;
- Ht\tH
- ;V r
- ;V r
- ;F s*
- ;H r
- t;;J s%
- r?j7Zf;
- j}Yf;
- 'tWj9Zj-Y
- j XP
- jpXf
- j\tZf
- j=Yf;
- j.Yf;
- j:Yf;
- h@s$
- h@s$
- NtyNtPNt&N;
- j\\Xf9F
- j XP
- j=Xf;
- j.Xf;
- j:Xf;
- j\\X;
- Zj\\Y
- CP;SL~
- j X;
- M(FC
- BP;zL~
- j Y;
- }(j0Yj
- j+X;
- j}Y;
- jx_;
- mt"js_;
- j-_;
- j-X;
- Zj9[f;
- j-X;
- t!j-Y;
- j\\Xf9F
- jv^;
- jpX;
- m~XjoX;
- gj]X;
- jCX;
- j)X;
- j X;
- dt)j

- j{Xf
- @j{f
- jx^j
- p Xf
- XjxYf
- t+;s
-](f;
- M(;Y0|y
- j=[;
- j<Yf;
- j>Xf;
- j-Y;
- j+Y;
- j-X;
- r)j9Yf;
- t f;
- t)f;
- j&Yf9N;
- j<Yf;
- j!Yf;
- j=Yf;
- tOj{Yf;
- tWj?Yf;
- t_j+Yf;
- j*Yf;
- j)Yf;
- j!Y+
- j:Y;
- j)[f;
- j#X;
- jvXf
- j\\X;
- D$Df
- t$Df
- t]f;
- jF^S
- j)Yf
- j)Yf
- D$(P
- D$,P
- D$$PV
- ;~|sr
- }P;~|s&
- t)=
- &tV;=
- ;F|r)
- ;~|s
- ;~|s!f
- t.;V|r)
- ;~|s!f
- t.;V|r)
- ;~|s
- ;~|sC
- ;F|r)
- w$t.
- w*t`
- ;~|s!f

- t.;V|r)
- }G;F|s
- }G;F|s
- t$;F|r
- ;F|sf
- ;F|s@
- ;F|sc
- t\t;Fx
- t\t;Fx
- +Vx+M
- F|+Fx
- F|+Fx
- tL=
- F(;F,
- w]t:
- SSSSS3
- @+D$
- D$hPW
- D$@P
- D$dPW
- \\$d@SP
- D$@P
- @PPW
- D$dVP
- D$@P
- D$`VP
- D$DS
- L$0FVQ
- L$ P
- D$TVP
- D$@P
- |$XP
- D$8QVP
- D$ Vj
- D$PP
- D$XPS
- D$,P
- D$,PV
- D$Tj
- D$,P
- D$,PW
- t$<h
- t$HW
- HtBH
- ;L$$
- D$(Y
- L$$f
- 't#P
- L$<Q
- D$<P
- Ht`Ht
- D$@PQ
- D$(PV
- D$HP
- D$H=
- L$ @
- t$L9D$

- T$$;H
- L$dF
- = d%
- D$HP
- T$,j
- D$Hh
- T$,!
- D$pj
- D$tP
- D$PP
- D$,P
- D$lt
- G PS
- PWVQ
- =|d%
- PhhR$
- Yj Yj.Z;
- ~Ej Yj.Z
- t$\\jm
- D$TP
- D$ P
- t*HHt
- t2Ht%H
- HtsHt
- HtFHt
- C;_Xr
- D$HP
- D$Hh
- |DF\\t
- D$HP
- D$HP
- D$LP
- D$HV
- PVVVh
- F;w r
- D$DP
- D$(P
- D$L;D$8
- D$L@
- D$(P
- j;Xf
- T$ Y
- D$xP
- \\$<@;
- |$(P
- L$,f
- t$Dj
- t$DY
- D$Tx
- |$<f
- L$ h
- L$`j
- F;w r
- YVh(
- j"Yf;
- t5j'Zf;
- Yj"Z

- t\tf;
- t-f;
- PPPj
- PPPj
- t\tj\tS
- ^jch
- h\\w$
- ^t_j
- j ^j
- Ht*Ht
- j"XFf
- h`B$
- =|R%
- htw$
- hpw$
- t'Ht
- s|PVS
- QPQWVS
- QPQWVS
- QPQWVS
- QPQWVS
- f;D$
- t(Pj
- t(Qj
- PQWj
- QQSV
- t&HHt;
- PQWV
- PQWV
- %dX%
- <$Xf
- h(.#
- PPPPP
- ~"VP
- PRPQh
- VPRQ
- <=t
- _[^]
- PPPPP
- tPSS
- ?snj
- t\\j=S
- j@%@
- SSSSS
- PRPQh
- bWWWWj
- v\tN+D$
- PPPPP
- [_^]
- @PSV
- +t"HHt
- =XR%
- UQPXY]Y[
- ;t$,v-
-]_^[
- SSSSS
- tHHt*Ht#

- tWh|
- Ht+Ht$Ht
- QVWSj
- VVVVV
- PSVW
- WWWWW
- -jd[;
- PjdSQ
- PRSQ
- Wj0XPV
- ,SVWj0X
- GWVj
- ;_tr.
- wtVj
- ~';_t|%3
- PSSSSV
- PWWWWV
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- Qvf;
- [_^]
- Vj ^
- PPPPP
- Y_^[
- j=Yf
- j"_f9y
- PWWV
- QQSVWh
- jA[jZZ+
- _^[]
- VSj
- WVSj
- } kE$<
- ?:uBGW
- hP;%
- PSj?
- PSj?
- =>;%
- SSSSS
- SSSSS
- @_^[
- PPSW
- PPPj
- RPQj
- SSPQSW
- QQSV
- QQSV
- tfHtWHtHHt/
- (H@f
- (Hpf
- X`Pf
- XH f
- (``f

- f- 8f=
- (%p}"
- HtRj
- XP_f
- Ht#j
- X_^]
- t$VW
- _^[]
- SVWj
- [_^]
- URPQQh
- t;Ht+
- tRHtC
- QQSV
- t:Sh
- ;=DR%
- (=`{"
- %p{"
- = {"
- (=`{"
- %p{"
- %x{"
- T% {"
- = {"
- WVPS
- [_^]
- PWj?
- _^[t
- RPWQ
- HHtp
- HHtVHHt
- t/HHt
- } j@W
- j@j _W
- j@j
- t/Ht
- %f;M
- +t"HHt
- j\tYf;
- r%f;M
- -t*j0X;
- PVVVVQ
- [_^]
- PWj?
- Wj XP
- j Zf
- j-Xf
- RPWQ
- YYjgXf9
- jgXf;
- nt'joZ;
- HHtXHHt
- htHjlZ;
- j*Xf;
- j*Xf;
- t/HHt
- j Z+

- [_^]
- jXYf;
- jxYf;
- jXYf;
- jxYf;
- Zv&j;
- jXYf;
- jxYf;
- jXYf;
- jxYf;
- v\tN+D$
- t#Ht
- Y_^[
- Y_^[
- _^[]
- SSSSS
- h`@"
- hT@"
- hL@"
- VWhp3"
- ~pjCXf
- _^[]
- =TR%
- Npt"
- Y_^[]
- PPPPP
- h$B%
- =$B%
- Y__^[
- t#=`
- VWj
- _^[]
- RWPR
- sBHSW
- VVVVV
- _^[]
- HthHt3
- HHtPHHt-H
- SSSSS
- j<SV
- j<VS
- j<VS
- _[^]
- j-Xf
- %@R%
- -j|"
- -h|"
- <$tPf
- -j|"
- -h|"
- <$tPf
- -j|"
- -h|"
- <$tTf
- -:|"
- <$tmf
- <$tmf

- -:|"
- -h|"
- -h|"
- <$tL
- _^[]
- WhG_
- YYWj
- F@C;
- YY_^
- VHt
- YYHt
- tWPV
- _^[]
- ^_[]
- ^TYY
- q?xD
- t?f;
- jAZjZ^
- SVjA[jZ^+
- _^[]
- j-Xf
- j-Xf
- _^[]
- hHR%
- =HR%
- t:f;
- SVWjA_jZ+
- r>PS
- j Y+
- +t\\HHtT
- QQVW
- QQSV
- G%_^[
- Yj!Z
- j+Yj^
- (SVW
- QSVW
- ttf;
- Ht!j
- $tDf;
- #tJf
- -tKf
- (tVf;
- 't\\f
- j)Xf
- _^[]
- @_^[
- <SVWjw
- %t_f
- YYj!Yf;
- j!Yf+
- jjXf
- (SVWjp
- QQSV
-
-
-

•
• jxXf
• Yj\tf
• j\\X;
• j]_f;
• j}Xf;
• Zj:Xf;
• j*Y+
• j?[f;
• j+[f;
• j]Xf9F
• j}Y;
• j?_f;
• j XP
• j-Xf9F
• j_f9~
• j\\X;
• j XP
• j]Y;
• j=Yf;
• j.Yf;
• j?X;
• j{X;
• j?X;
• j+X;
• j*X;
• jwXf
• D$Hf
• @_^[
• L$LjxXf
• \\$ j|Zf9
• D$DP
• D$XP
• D$PP
• D$<P
• D$tP
• L$@PW
• D$\\Z
• G@j|
• D$\\f
• D$hj
• t`f;
• C f;C
• PVVVV
• PRRRR
• }tR=
• QSVW
• tQ_^[
• jwYf;
• ~MjL
• <SVW
• _^[]
• _^[]
• j@@Y
• ~$Wj
• Y_^[
• QSVW

- F(_^[
- ;~(|
- ~:9~(~)
- F,PR
- F(_^]
- !"#$%%%%%%&&\'()*+%%%%%%&&\'()*+,,,,,,--./012RRRRRRRRRRRR3345566789:::;<=<=>?>@ABC>@ABCRRRRRDEFGHIJKLMNO
- !"#$
- jH[f;
- jH[f;
- hSVW
- D$(;D$8
- D$TVP
- D$@P
- t$$R
- T$(Y
- L$ Wf
- D$0FVP
- t$$R
- T$<Y
- L$@W
- D$ P
- D$ P
- \\SVW
- L$L;|$D
- L$ G
- D$<;
- L$L;
- L$`W
- t$LW
- L$DHP
- L$HVS
- ;D$T
- h(+"
- Ht)Ht&H;
- D$pP
- D$ P
- D$@P
- D$dj
- SVWj
- D$$P
- D$ P
- w%SW
- Dp*"
- D$dl)"
- L$(h
- L$<Q
- D$Pj
- \\$LP
- L$L@P
- D$(PVj
- D$TP
- D$$PVj
- t$PS
- t$<V
- \\$$W
- L$ B
- Htpf

- \\$D@
- t$d;
- D$;_
- D$ C
- D$Hj
- ;\\$,
- D$`+
- D$,;G
- L$$P
- VVVh
- QSVW
- QQSV
- F;t$(r
- 9t$(v-
- D$$P
- ;=hd%
- _^[Y]
- Gt,Ht
- St!f
- Rt'f
- QQVW
- hpd%
- @thf
- Gt"f
- Nt.f
- hpd%
- jNYf9H
- Ht(f
- Nt=f
- _^[]
- _^[]
- t$\\jn
- t$\\jl
- t$\\jk
- t$\\jm
- t$<jp
- F;t$lr
- D$hP
- L$t;
- D$|P
- L$lV
- t$hj
- D$TP
- D$ P
- D$TP
- D$ P
- D$<;D$Hr
- L$<;
- D$`Dd%
- D$8Dd%
- D$`Dd%
- D$<Dd%
- D$,f
- HHtB
- Ht7HtPHt
- Ht;Ht.H
- SVW

- QSVW
- tXSW
- tCWj
- Ht!H
- _^[]
- QSVW
- DSVW
- xN~H
- _^[]
- twSVW
- Y_^]
- R$;N
- Y^_[]
- _[^]
- _^[]
- QQVW
- _^[]
- Y^_[]
- _^[]
- Whvw
- ?~+f
- ?~'W
- hP#"
- __^[]
- h,$"
- _^[]
- ?#tRf9
- D$ P
- D$<Y
- L$PP
- D$,SP
- h,$"
- h`&"
- hD&"
- h|&"
- h$&"
- >#t%j
- ,SVWh
- HtRjC
- <{=tfjB
- Zv>f
- _^[Y]
- r%j9Yf;
- QYf;
- Yj?Yj0Z
- QQSVW
- Y^_[]
- PPGW
- _^[Y]
- tbSW
- QSVW
- _^[]
- rCSVWj
- _^[]
- (SVWh
- SPSh
- =pR%

- =|R%
- ^VVj
- =xR%
- j@^j
- <SVWj,
- t SW
- L$$9N@
- SVWh
- h<Z%
- h,Z%
- QSVWj
- j\tYf;
- t4j"Yf;
- t<j\tYf;
- j Yf;
- j\tYf;
- =|R%
- PWWWWh
- WWjdh,
- Ht#H
- ;=$d%
- PVSS
- SVtr
- @[_^
- =@X%
- =DX%
- @_^[
- @^_]
- tC~)
- (SVWh
- %@X%
- =HX%
- =DX%
- ^j|Xf
- ;Gds
- ;Gxs
- QQSVW
- _^[]
- ~LWS
- _^[]
- WSPV
- D$(P
- %dX%
- %hX%
- D$(P
- \\SVW
- t\\HH
- %dX%
- %hX%
- =lX%
- =lX%
- =tX%
- .rsrc