Analysis report for sample: 8e47c986c325aa31e84a22158d266cc2

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 2210 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

- md5: 8e47c986c325aa31e84a22158d266cc2

AV detections

- Microsoft:
- Kaspersky: UDS:DangerousObject.Multi.Generic
- Symantec:
- Malwarebytes:

Original source url

- hxxp://sopoqaira.top/admin.php?f=1\n

Virustotal url

- https://virustotal.com/es/file/66db7727560a601a34135f4507776c74f61a0eac0a714df3eebf62362caefaa7/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- Armadillo_v171 ()
- Microsoft_Visual_Cpp_v50v60_MFC_additional ()
- Microsoft_Visual_Cpp_50 ()
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Install_Shield_2000 (Microsoft Visual C++ 5.0)
- Armadillo_v171_additional ()
- Armadillo_v4x ()
- Microsoft_Visual_Cpp ()
- InstallShield_2000_additional ()
- HasDebugData (DebugData Check)
- HasModified_DOS_Message (DOS Message Check)
- Borland ()
- Install_Shield_2000_ (Microsoft Visual C++ 5.0)
- Check_OutputDebugStringA_iat ()
- anti_dbg (Checks if being debugged)
- win_files_operation (Affect private profile)
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPacked (Entropy Check)

- suspicious_packer_section (The packer/protector section names/keywords)

Snapshot



Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.


P0(cebo.exe) T0
P0(cebo.exe) T1
P1(cebo.exe) T2
P1(cebo.exe) T3
P2(netsh.exe) T4
P2(netsh.exe) T5
P2(netsh.exe) T6

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cebo.exe Alias P1
- Name netsh.exe Alias P2

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe

- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\system32\\netsh.exe PID: P2, Command line: C:\\Windows\\system32\\netsh.exe advfirewall set allprofiles state on)
- Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-100 Type: REG_SZ, Length: 70, Data: DHCP Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides DHCP based enforcement for NAP)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-103 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-102 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-1 Type: REG_SZ, Length: 40, Data: IPsec Relying Party)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-2 Type: REG_SZ, Length: 126, Data: Provides IPsec based enforcement for Network Access Protection)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-4 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-3 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-100 Type: REG_SZ, Length: 82, Data: RD Gateway Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides RD Gateway enforcement for NAP)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-100 Type: REG_SZ, Length: 68, Data: EAP Quarantine Enforcement Client)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-101 Type: REG_SZ, Length: 286, Data: Provides Network Access Protection enforcement for EAP authenticated network connections, such as those used with 802.1X and VPN technologies.)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegCreateKey (HKCU\\SYSTEM\\CurrentControlSet\\Control\\NetTrace Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\System\\CurrentControlSet\\Control\\NetTrace\\Session Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | valid domains | tlds: .Fk`
- url | valid domains | tlds: *-vQJ.vA
- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: d.ve
- url | valid domains | tlds: 3.vA
- url | valid domains | tlds: f9.Mn
- path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
- path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- path | path unit: Y:\\12345
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\setenv.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\vsprintf.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\sprintf.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src_open.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\fopen.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\tempnam.c
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: memset
- api | ntdll: _aulldvrm
- api | ntdll: tolower
- api | ntdll: isspace
- api | ntdll: memmove
- api | kernel32: FlushFileBuffers
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: SetStdHandle
- api | kernel32: SetFilePointer
- api | kernel32: ReadFile
- api | kernel32: SetEndOfFile
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: GetLocaleInfoW
- api | kernel32: InterlockedExchange
- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | kernel32: VirtualQuery

- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: VirtualAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: VirtualFree
- api | kernel32: HeapFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetModuleFileNameA
- api | kernel32: InterlockedIncrement
- api | kernel32: LoadLibraryA
- api | kernel32: OutputDebugStringA
- api | kernel32: InterlockedDecrement
- api | kernel32: GetStdHandle
- api | kernel32: DebugBreak
- api | kernel32: GetFileAttributesW
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetUserDefaultLCID
- api | kernel32: EnumSystemLocalesA
- api | kernel32: GetLocaleInfoA
- api | kernel32: IsValidCodePage
- api | kernel32: IsValidLocale
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: MultiByteToWideChar
- api | kernel32: HeapValidate
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadWritePtr
- api | kernel32: GetCPInfo
- api | kernel32: GetVersionExA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetLocalTime
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: GetModuleHandleA
- api | kernel32: GetLastError
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup
- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | ntdll: mbstowcs.c
- api | ntdll: sprintf.c
- api | user32: wsprintfA

Involved hosts

- 192.168.133.155:52114
- 192.168.133.155:58195
- 192.168.133.1:5355

Dns queries

- 250.255.255.239.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

- **udp 192.168.133.1:5355 ---> 192.168.133.155:52114**

  in-addr[...]arpa[...]in-addr

- **udp 192.168.133.1:5355 ---> 192.168.133.155:58195**

  arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

- **Thread T0 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T1 (in process P0, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T1)
- **Thread T1 (in process P0, cebo.exe) description**
  - **Thread's childs**
    - Thread T2 (in process P1, cebo.exe)
  - **Thread' events**
    - Process Create (C:\\Users\\javi\\Downloads\\cebo.exe PID: P1, Command line: "C:\\Users\\javi\\Downloads\\cebo.exe")
- **Thread T2 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T3 (in process P1, cebo.exe)
  - **Thread' events**
    - Thread Create (Thread ID: T3)
- **Thread T3 (in process P1, cebo.exe) description**
  - **Thread's childs**
    - Thread T4 (in process P2, netsh.exe)
  - **Thread' events**
    - Process Create (C:\\Windows\\system32\\netsh.exe PID: P2, Command line: C:\\Windows\\system32\\netsh.exe advfirewall set allprofiles state on)
- **Thread T4 (in process P2, netsh.exe) description**
  - **Thread's childs**
    - Thread T5 (in process P2, netsh.exe)
  - **Thread' events**

• Thread Create (Thread ID: T5)

• Thread T5 (in process P2, netsh.exe) description

• Thread's childs

• Thread T6 (in process P2, netsh.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-100 Type: REG_SZ, Length: 70, Data: DHCP Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides DHCP based enforcement for NAP)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-103 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\dhcpqec.dll,-102 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-1 Type: REG_SZ, Length: 40, Data: IPsec Relying Party)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-2 Type: REG_SZ, Length: 126, Data: Provides IPsec based enforcement for Network Access Protection)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-4 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\napipsec.dll,-3 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-100 Type: REG_SZ, Length: 82, Data: RD Gateway Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-101 Type: REG_SZ, Length: 80, Data: Provides RD Gateway enforcement for NAP)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\tsgqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-100 Type: REG_SZ, Length: 68, Data: EAP Quarantine Enforcement Client)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
• RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-101 Type: REG_SZ, Length: 286, Data: Provides Network Access Protection enforcement for EAP authenticated network connections, such as those used with 802.1X and VPN technologies.)

- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-102 Type: REG_SZ, Length: 8, Data: 1.0)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\@%SystemRoot%\\system32\\eapqec.dll,-103 Type: REG_SZ, Length: 44, Data: Microsoft Corporation)
- RegSetValue (HKCU\\Software\\Classes\\Local Settings\\MuiCache\\32\\52C64B7E\\LanguageList Type: REG_MULTI_SZ, Length: 20, Data: en-US, en)
- Thread Create (Thread ID: T6)
- Thread Create (Thread ID: TUNKALIAS)
- RegCreateKey (HKCU\\SYSTEM\\CurrentControlSet\\Control\\NetTrace Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- RegCreateKey (HKCU\\System\\CurrentControlSet\\Control\\NetTrace\\Session Desired Access: Read/Write, Disposition: REG_CREATED_NEW_KEY)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T6 (in process P2, netsh.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• 44616e530000000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 1 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

• url | valid domains | tlds: .Fk`
• url | valid domains | tlds: *-vQJ.vA
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
• path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | ntdll: NtQueryVirtualMemory
• api | kernel32: RtlUnwind
• api | ntdll: _alldiv
• api | ntdll: _allmul
• api | ntdll: memcpy
• api | ntdll: memset
• api | ntdll: _aulldvrm
• api | ntdll: tolower
• api | ntdll: isspace
• api | ntdll: memmove

• Module 1 other strings

• 9e3a
• 5036
• 4f18
• 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
• 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
• 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7

- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
- 52595N5T5
- 434G4
- 2 2{2
- 0&080>0J0\\0b0n0~0
- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>

- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0^0p0
- 7'7f:
- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- oJ|E
- Rim!}
- g"o.
- 7G<a
- ggmO#
- bPa#
- |8KT
- 7A=H[V
- /7p2
- ~>:4
- 2r.~
- gui\\
-)Ov`~
- ,7'Uz|
- guAd
- AmiK
- IJ*F
- i#GQ

- cA7-
- 3dlK
- uGld
- 0u"<
- 5+:t
- {>oMd
- t)o+
- D3'
- A^[C"
- 7ro'
- WE;6?{
- j{E `
- A\\E[^
- ISmL
- 9?ih
- u}%7<^gA
- 5Muf
- ;8"M2B
- :90X
- 0&FgX;
- IE@#
- }4HK
- \\4pq
- 7P.U
- 1b4)
- $iKc
- L1\\HQ
- &@T9@
- 9>8e
- `3Dda
- RUid
- 1$&Q;
- L6Y8U
- #RX7
- `Jn8
- k8ub
- 1zyd\\
- csUX$
- {lf3,
- O5wcvq
- q/6A
- g}Olu
- ajBX
- [e7I
- 9e0=
- d_*Ve
- 25ZS
- Bca1P
- !s8Y
- \\a?/
- nu+M
- e!M^C
- 8Qqi`
- 8A+9do<
- IYjK
- .e]1
- 6DLJ

- wBM3ol
- E8h[
- zhS_9
- @`F1
- Ayl-
- ""k<A
- jk0L
- .amb
- Fuk_
- /h]q2
- qItS
- Ps0P$
- cf3Y
- Q^ma'
- ,3L5
- <)+Go
- j!:U
- *jw3
- O66P
- Em=t
-)sUwQ4
- 9IJ~\\V
- CgUn
- aEr`
- Gja}
- FW/3
- .)OxQ6
- a{x]t
- E&('-
- q1~eo5
- 4?SZ
- ~&1nIN
- |p4
- bYOZ
- !\tY=o
- d'6!Z
- FJ_-5
- PP u
- QV<A
- l/a3A
- kHA++
- 8&KZB;
- Iy^|
- 9<{B
- E(`C
- rO_l
- A]OUW
- 6j^j
- >Oa%1
- +so8F
- Ax=#
-]0g~<
-){6&1`
- `=4%3
- #uLf
- t68oZ{
- }{(8'

-)UU$}\\
- }6>;D
- Y:1B
- I1O
- eTRa
- 3(&Lc;
- 7F:{
- _$5o
- i5yq`
- fa4W$6
- Iu-\\
- e\t2i#_
- iyI|
- lZK>U
- !@1.
- t(Y8
- }X[u
- 0#n&
- i~x
- A0bk
- .-eT
- d9_n
- =J91
- lc_8
- 9hFYW
- uJjv
- G0*&A;|A
- 5T9TD
- 0d9r
- 5\toLD
- |RI
- dQLo
- ugL>"
- 4h7b
- z}ta
- EQtax
- !9rt)
- y~0q
-]qI=M
- ~hQU
- N\\83
- E[q*
- p0{%
- 75y'
- W;Z7#
- m3"|
- ilPOl}~:z
- z50@
- vkXu
- K&Vu;
- /"\tu6
- IJ\tZ
- |EB(N
- xDif/
- {/e0Hg}
- 1K{$6
- JuGO

- dNm*0
- U%W$4
- az*WT
- 27"C
- okBy
- 3.Zn
- mVQ8
- 0;aPx
- n6[}1
- IG_6m
- SJcu
- 2Zo*
- 6=Z*m
- 9lL@
- ;CKku
- ^2.]#
- 3}T=
- JOw:
- APqaZ
- Ax^H:
- aAf_@
- UO&.
- oTeWx/
- ba<Z
- &;7V
- 6S$N
- _`o)
- !sxi
- m7grm
- 'i[c
- zm7g
- lv7*z
- 3Q#P
- :5_]
- <2H
- 9W;I`
- q0L?D
- ?iuV
- >Vur
- LUCf
-]KE[
- 2A)0d
- zZ0P
- avyQ
-]<zo
- VY6h4[
- 5@Vf
- ozQC
- ;k+8
- (E_5-
- I9<T
- 7`Q":
- yAG
- EjxY
- TD)2
- VA+C~
- U4p3

- EbvAS@sb
- o=O7
- 7A]/
- 9$.{
- 5%aC
- ~)_e
- 7M]y7
- 8Bog`
- sOtL
- [hir5
- +eZ[
- 0w%xu-
- 89'&lU;
- *Wixa
- 7OX2
- Vh3<E
- _sg8
- 3;0M
- uqCyN
- +9o=#
- =||a
- v78L
- WI>e
- .PnU
- aI8_0
- *i&*
- 5cJ"
- F#a2
- eO?a
- 8aUW
- IegvC
- 9dAL>g
- u,8d
- r62)B
- bR.3
- YC8%-
- 3>f*
- Fj"O
- H+5<
- d=ip
- 706d$
- plxe!
- 2Ap2
- u>z=
- >GGx29
- m6A{
- 4Sq/
- s JO
- N6MM~
- ;;1(
- 2Ok9
- e\tT8
- jlil'
- Lz@5p6b
- xE'S
- ctPI
- lZu\\$

- aLHw
- \\5W-F
- E<BD
- rrYt&EZAJ;
- +eJ@
- 3=~M
- $O0P
- #Ab1
- {Go~
- 2o!>
- gbE4k
- zIXR
- R6k'8
- RT$og
- \\0"~
- S&PE;
- [SuP
- jAu_`VW
- a6kV-$
- {Ey2
- 'ly7
- p70k
- e[JS
- HeJ^
- eBp~C
- 4A'
- X<AuY
- g$Ia
- 02R|
- 4ZY}
- @6dt
- ukx
- ^+iOAU
- 32.%
- c(IW
- &9f\\
- q8P:
- NxCE@
- IemL
- .b7@(
- .^Vl6
- e6H(WO
- 28dE
- &aw;@
- OtD]q
- A\tka{
- =o1}+
- EMYJ
- wn6$
- $y4O
- ac#D
- &s9;?
- f8~U
- t>[9G
- %'aM
- /zr2
- YKpI

- q{UB
- 3\tUj
- 72Ph
- fIC
- Y4u-
- *7MeTL
- "<Q.6
- i\t2c
- ANVo
- oL7>
- o`l^
- cAQ2
- @qH2
- 8x`A
- #Pw8
- "_4F`
- DKOM
- KAj'
- EOl?
- F\tru
- &g4LX;:A
- q@8s
- xvoT
- O72G
- #\tIP
- $cmU
- @2y:iN
- 1EJ7
- j6!!
- A&@2%
- oRp(m
- <8p}
- YDrU
- z!Oa
- Z/Cux
- Ml.7
- P7+}\\
- ,EXs
- c3R7
- fmyB5
- [s8B(
- c4qy
- iy@<G
- l0G>:Os
- Azu<
- 5nQ(
- ^UmV
- OU@)
- &s5F;
- ^F21Q
- Bb9K
- c&6nm&A;
- aRKcR
- uDga
- eWxQ
- i}?L[
- $5zfP

- y4|
- NT02
- PZ6[e
- e"/.@
- LbZ4!
- uJ J]
- aXUc
- ZO9.
- 9MgH
- O$"F\\
- JC}4
- M?AJS
- X0N>
- PB~&4
- &Ju;\t*
- Q"uL
- '#5o
- D|[U0
- u_T5
- VyTu
- 6i:
- F6#^
- f^~6
- *-1J
- z9Z/
- /Pep
- s?X 6
- oB#,
- i"U=
- hh":A
- 5GD3
- M/IS
- k'xO}
- |aSs
- +}ER
- 8u<]px
- Y2wx
- 57/7
- -Gpa
- zEn0
- P{8,=
- J0hH
- ([4k
- U6Nc
- =_^o
- 0v_^
- ,un<
- F"]U8
- 0t<xc
- u<hf]
- \\0r?
- q5b-~
-)9d\\
-)23{
- eQ\t?i
- c0-rk
- ,I#B~

- Pt7E
- sC'41}w
- kQmO
- b?Oo
- ?\\EX
- EtUr(x
- }2km
- {q2Y
- +d}Uj
- 5D9FO
- Vfci7M?
- :8u,YT
- @a?u
- 'cpi)
- 9~n&
- :yA.
- uLxJ
- V_}a
- 9kzP
- t7jBr
- ^'d5
- !r07
- 5i^T
- I7$i
- t7E|;
- >Sg#O
- }1Nr(
- ~wu(
- wRQI
- 5)c_r
- 7C2;
- a|X\\
- =D1I3
- _T&IG;
-)EcM
- &T1;,
- ,IxT9:R
- ;@u`
- 44Ne
- !TA2
- =CxA
- i]s
- r)A,~
- o{ql
- 3klz
- 3828
- 337@
- GCvU
- 6B<U
- ,SeX
- o}RL
- jW6E
- uWtA
- 'Xt4[
- wh>3
- bAI)t
- iP9F#9

- Re2U
- "\'!3`
- mq4/@
- B59M
- H[mey
- EO_9
- Ced(X
- :/)H&2(4_>
-)zcI
- I<h5
- e%oai
- #2`Q
- #6rl
- w?4V
- Iw<w
- Iz4a
- 8@~k
- un%d
- !ZE3en
- 73}P
- dIW:
- 9{RZ
- 0$r
- h1Poc1k
- X4SE
- {a~J
- p<YAV
- R7&_G
- ChEe8&Z;
- v7%(
- z2="
- .%ES
- kUH.
- w{Z-a
- u;mP
- x-hhO5Zl'
- R2l\\
- #oOR^
- W9z_
- 3Ve"0
- ihR:
- ^;su9
- wyq3
- 2@&$
- bh6-{
-)3bUw
- %DTO
- p~1s
- bUA}
- I[n{+
- 3TI~s
- uq"cn
- F"4d
- J/Eg
- [4*8
- 3tx/
- C_EI~S

- 9M[qi
- @#A+
- @i/j
- 5Obo\\rMs
- !@,0
- @)So
- "Aaa
- =H9g
- }w}Uj
- L*K0
- op 9
-]BIqE
- S+N;6
- m)78 O
- W2&|
- 4.OF
- }x6Y7,
- Z {U
- Hv:vE0
- g]X2[
- +a<O#
- uaH3
- GUKZA\\
- N}a2
- %$A]$
- du.k
- H 3o
- &A0fq;
- JTEF
- J8J3
- ~ar0
- 1OM,
-)[8M
- I4AA
- MDT42
- Env{
- Dje;
- ER<E6
- qoxCk
- I6Y*
- q8Lq
- 2?wsc
- /9a&[
- |mne
- >aec
- ,gLu~
- /3`L
- PeUD=
- n70i
- AM18X
- P2t>}
- 6Zem9r
- 61-z@ky
- $$RkO
- uI">
- BZ,5
- 4.s7

- t!IFU
- X 1e
- s,^2
- ~#k9
- ;/0l
- 4JY1R
- 2-c[
- y2O;
- 6%0\ta
- 4[:y
- q0m+,
- QA.i&
- U:`H
- uZh7
- 5hx]
- {2h6
- /;.3
- mTO9x
- 2i]_
- Pwa4
- g?.8
- dx8J
- 65wf=
- Q;e\\
- 9z;w#
- 0S%9m
- qmIS
- %iRW
- j~y7
- 2{b!
- 4<N8
- Qx7U7
- >sb!l
- 2^zZ
- xF#fA
- e[qg
- 5C<?
- oH$e
- jQ@8
- (Ab8C?b
- 4/B]7
- &[iS
- Y/lua
- nAO`
- 4@K
- 0x>H
- >!\\e
- OdMV
- KB9M9
- AD,$
- ZU6:
- $^'ha
- e$ib~z
- _1,0
- Oi8#
- 'i:]
- 52F3+

- |uBZRV-\t7W
- OD7NZ
- EY\to
- oo87
- eza(o^
- t{e9
- "ei6z
- UKrI#:
- 9RT!y
- dA'o
- 5>&MG0;
- f]aqr
- 3xov
- %Hm0
- *u$Q
- }@IQ
- 00s"
- O8f(n
- '\t^DE}P9
- |uH^L
- "X]nu
- SGHe
- BL\tu
- dip9
- >-VE
- (n3!{
- %U[!mo4pa`
- $\t`9
- jt1H
- A7TD
- 0cL+g
- J\tCu
- <W/x5
- ;\tYU
- "?Uq/
- <eG
- $B5P
- nf8IVh
- Apm6
- Z<j1
- YH.Q7
- '[&8
- *7,S
- Q4al
- 72><
- isU7
- l9,Vhu
- EFXT
- thU'
- _KID
- O=/j
- `:6)W
- iat?k
- pUxi
- yM5 1
- +dv8
- "aVf

- f^58
- RV3D
- Ld}80:
- 23BmE
- 9!B8=
-]%W3
- ^ge@
- K;|2
- D7xf
- ad>c
- IA.m
- YWVtE
- zXlaw
- j4&A;
- 1Q'K8r
- 1GpI
- |WZi
- H23B
- o|83Gq
- s0[?
-]y0Hl
- b@$a
- "8H
- e3$iE_qD
- d>heM
- sM:2
- c0't
- {9T[
- Oh7
- rfl2W
- 8'lZ
- `nI_
- .2C+
- iu^N
- u\\ex5
- R(3K+
- 4"@4
- (U;Y
- ~xG7
- W([e
- 0g_f
- O:Sd
- 2'rP
- zCaQ
- >(W2
- 19o.4
- <7D|P
- ^'E$
- e&6G
- 0Lb.|
- R<0c
- _1gwd
- 2Gb&Ne;
- "/aL
- &5Q)
- UIwD
- mtQi

- MgOgTi
- >6.B6
- 3k4u
- Q>E}
- 5.vp
- -v+E.v1#-v
- J-vI
- a/vy
- ~/v5
- ;.vo
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC
- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3

- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C
- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s

- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_

- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8
- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- %-!g
- JTA%k$]
- Y,.fF
- ss<%
- slYg
- |Zmh+
- SQ[f

- Z\tNq
- qX!VW9
- Ps*b
- &Nxg;
- YWc$[*
- n,Nv
- X/-N
- : BF
- J(Fm
- _Nh3m^
- JSgj$
- Dn!v
- K S)
- ' Vk,Kp
- ?> |
- ~pW{
- tK,r
- BH,.
- ;T+S
- ?)<|
- XW?W
- fmkq/
- {'V;
- r;yB
- s7(#PZ+
- G"&gdr8;
- :zJ*
- !@_]h.
- :S>t
- Z%Kk}
- y,/M
- {nDR
- tLLX
- pV_r:3
- ?@G=
- n$H/
- BywQ
- bqVj
- &qd;!
- ?}Kf
- L{S"
- b0k,.~
- vdL|
- ;h`*
- fFgkB
- ,'\tX
- {h{
- 9Br}kJ
- +KdXy
- F`|sK^>u
- $B*B
- "2=?=z
- rcf{
- X&@?P
- y%rq
- |ck%
- vSm=

- ?d=:
- ~NK"{S
- x&.N
- ^\\<r
- !QFYF
- !V]R
- (L@D
- Xv\t)X.
- <>=rQ
- Yxt
- Gbyd
- r%q<
- vnz>,
- ?\\K
-)PSN
- TwZr
- %p&w;
- +-hL
- zHgMM]p
-]-$ORT
- m@X\\
- +A/hQZG
- $@[os>[r
- JdJ!
- rMC
- "Q.p
- Nfb*
- y%;n
- q_#<
- ( ]g
- '~NP
- \\BD$"
- ref"C{
- k/!,7G
- {<=R\\
- SDqD?"
- %H/{X
- RKN"}
- mwN)M
- PQj{
- -nt@
- <#@E)<{
- }l`
- y%3\\=bP`.
- (vcY
- 'aP&sq;
- `/<P
- |_%J
- nF~F
- G?gZ!
- } W.
- L*h[
- 5B!%?f
- [K%Y
- r>Jq]h
- Y@xK
- @)L/M

- &o-p;\\Dz
- =~eShY
- 7CG|K{
- 4!m"|^(
- CzjJ
- \\Qd`
- }N+f
- vj%eR`
- /VX&
- m,n\\
- jfp,J
- lYhz
- R:!%^
- Sx $
- Qd/S
- S%?G#H
- n{YGk6
- ?nz:
- p&Cg;
- Z f8"\\P
- GS[`
-]\twJ
- ;UGcF>
- k+4~bc
- v#!|
- Bp?Z
- jD#Y
- gRcs"HuW
- <>g
- bR?z
- Y(~dM
- Mm*)t
- CQm|s
- R[sN
- &/-)
- \\SXC
- #N@;
- [P$s
- `Ypm
- +nJY
- #]r\\
-)HqL
- qx@f#'}n
- rZdwc
- v:y@
- {:GH
- $c!
- xF}#
- /=![
- V?Ls
- =jzy
- My[%)
- ?o^K\\Y
- /\\r9KW
- l<&W;[
- $nLL
- v;S:

- ~Ty&
- <Y\tC
- +`>&
- y:Bk
- m$)j
- _!_t
- kgdM
- p:|~6d
- eGrc@X[
- S@#T
- FHR[
- {MXQ`
- c<'[
- T'X>.Ul
- ,LK<
- F@M\\
- `DTZ{
- t*3jY&"%
- d-]
- >q[n
- G$<j
- =]SD
- hN.M{
- 9zrK+}
-]pV#
- uQFf.D
- W~WW
- r}@T
- +DzN
- ;2GDR\\t@cwb
- XZ%+
- d!*hm
- J\\e?}n{
- b'~[
- >Y:Z
- L]W]
- rq,X
- #J@X
- j_^sdeWB>
- \\Dwg
- SkrC
- q"z]{
- C4tv?~
- |Pv<cN
- %|nT#w
-)Q*sv
-)J,l
-)bsZ
- MwG(
- =~{r
- ``w-
- {~&%2!
- C[WX
- nW"m\\
- jY,m
- rl@c
- vBQD

- '!sM
- }L\tp
- #<kQ
- {~^!
- ; ~"@]
- s^|br
- |vzg
- iQN}.}
- v&l;)>
- p\\?p
- r?L}
- |QCq
- "{*>"
- v/F>
- ~~xW
- x}w\td
- $d>{
- |rzM
- [,`@
- uT?^~Q
- P>}k
- $l(V.
- gyM
- 3\tk&*/
- 0S{twx
- FY~/
- {z~*
- }lmf
- X~Fk
- yC!
- Lwfh~
- WPF{
- X%NPPT$
- /;)b
- 3>#(d_
- ,^B`
- yk4[Z$
- _f[H
- X.,JF#
- spQ?pv
- ?b%Rs
- d\t |
- Z>$_
- wcmZ,
- Z~|N
- mYTJ
- J7\\<K.
- q&RN;
- W}x)
- G"NK
- Vr"
- GZ%X
- C<M!
- #G#F/$6
- bqKznF
- |t}K
- p\t{<

- R+};g
- =v"T/
- <y[?
- ca&;=*
- xsXnk
- BtTm$=!
- <\tlvz
- VjpP
- .gqw
- vRvM
- M<}GL
- @\t(p
- {"[:
- "<~Nc5
- %}qhW)
- t\\p>
- 3:x"^}
- K]sf
- x/S~
- X*}T
- @}Pt
- ~p%K
- l<l9JfS
- :cPPwY
- pcY`
- V;[Fz
- fSCF
- s/-\\qA
- T_/V
- :XQY
- Bs#{+
- ?Z/:
- _NwwQ)ho
- t`@Lw
- GGQ|
- M$c@,Gx
- @+qM}
- -'{k
- {rL
- h;@
- ^nqL
- Lz;J
- !hxHj
- gFbR
- @NCh
- DpyxW
- /R=qWK
- \\NCNC5{
- <S<N
- L[S[
- n\\p=l
- LrPZ
- ry-;
- l,L{<
- "\\Mb
- jDo){?,
-)X{K

- F]\\5v=
- jb%x
- ,St
- h;.
- (RdQ
- ` T,
- |,nP
- -G/S$
- wRNV
- (;Gxq
- R!Ld-
- y$_=
- UB,$}{
- qFP@
- !K"<n
- m":!
- US\t~&Ky;
- g&GF;?
- $n]/
- ~,q%
- ?x&+K
- $.*|X-
-]SPyH
- {G|$
- =SlM
- =z=D
- y=\tMTW
-]J{H
- =Zgl
- }=(1-'Z
- llKr
- Z4Jw~`
- !Qdk
- VS.)z
- sqkk
- $B-P
- nvGc
- !p'+
- ^,Qd
- /tG$
- >Ffh
- &XZR;
- nxg^
- vq@_
- t>c)
- Cdt
- ?SEpw<
- V`s#<n=/*
- m.+W
- cBRw
- Pn<h
- j:'m
- Z\\gx
- JS=D
- +V\t\\
- =Tih+k
- qL$<

- @CG[
-)<"z
- QxS?
- w#J
- |swbP
- 3Wgc=}
- x]dw
- PFP>
- h]MM
- GW"rp
- HE;P+y
- zF#mH1G
- RJzV
- _jGJ[
- \\._,:
- 1B>Cj[P
- V}D_`]
- .+\\V'
- ',`}
- C{MK
- {<&C;
- #XW|{N
- @r>^
- MNb$F
- .Hzhz
- pQhgl
- lkBd
- QNW<
-)?<S
- XY^G
- (y<m
- H<B^
- K%')
- tN* Q
- q!.\\
- K!B#
- CD{VK
- B`[b
- pnzb*
- vLu-c{q
- ZL[p
- swVP
- $,[@
- Q@`,
- =QZ;
- K-$6%}
- ~5+>d~[
- Hm$<
- [&$c
- l|R!-
- v[qVb
- =$!W
- bmSM
- /(.n
- %q-R
- VTHF
- |_Fp

- MKg\\Kz
- *(~[
- -}R|
- \\jsD
- nS>\\
- HxZmQ
- r?$M
- yksH
- y:J,
- @vQ|
- b2]3 /|Js+sY
- gH..
- Z>?/p
- #GCr$
- XYhM
- wMLN$
- |v(V
- /TL#
- K,bJ
- =!F(
- nD<w!
-]/N@+a
- "jK$^
- \\vxP:g%3
- BP[~)
- ;SqM)-
- ?Ryt~
- c/ZV
- KT[*=
- &)~W
- ?}P h
- \\^rR
- 3Nj#+P
- /G~,p
- cdrvb
- lb)y
- >)x
- @1Zpy?
- kN#=[X
- KB(x
- !]yH
- ?FMK
- Nr_P
- "vp)
- LtD@
- jksg
- vd
- NyV?
- qgBpot
- nPC>
- `,=<
- l|\\X
- ?n{,
- Kcn"
- 'P#'
- K}x#
- Fcf<

- *`"SH/
- Gw-cfTJu
- }YZ*
- JD.;J
- Q>FWx
- b]*B
- bC!:
- 5YyBR^@
- =@K/
- nJ#.
-]rc%
- qGvW
- p;)]
- ';:x
- J&R;(
- }jq}
- ;=P"s
- -aBYq<
- 7T?j*G
- C;PC
- +Bk}
- TM<dX
- WfWrl
- }>@Wnov
- h/K*_
- QkJ{J
- clGYAgvl3b'
- vhuv
- _$v@f$v;
- <j$v
- T-vO!.vBN,v
- -v3g.v
- ".vc3.v
- .v(7.v|
- ,v${,vs
- -v%9-v
- ;-v]7.v)
- \\/vWA.v
- >.vQ
- J,v@
- d.vV
- S.v:
- -v\t>-v6
- -vQ3.v&<.v
- -vl"-v
- ,vL~/v
- @viF>v
- ?vEG>v
- \\>v|
- >v@F>v
- >v1S>v
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll

- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN
- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh

- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh
- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW

- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV

- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty
- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/

- **Module 2 (probably unpacked / injected by the sample)**

• Module 2 rich signatures

• 44616e5300000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 2 yara matches

• Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
• IsPE32 ()
• IsWindowsGUI ()
• HasOverlay (Overlay Check)
• HasRichSignature (Rich Signature Check)
• without_attachments (Rule to detect the no presence of any attachment)
• without_images (Rule to detect the no presence of any image)
• without_urls (Rule to detect the no presence of any url)
• maldoc_find_kernel32_base_method_1 ()
• contentis_base64 (This rule finds for base64 strings)

• Module 2 strings

• Module 2 most interesting strings

• url | valid domains | tlds: .Fk`
• url | valid domains | tlds: *-vQJ.vA
• path | frequently modified by malware: C:\\Users\\javi\\AppData\\Local\\Temp\\74cda878
• path | frequently modified by malware: C:\\Windows\\system32\\netsh.exe
• path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
• api | ntdll: NtQueryVirtualMemory
• api | kernel32: RtlUnwind
• api | ntdll: _alldiv
• api | ntdll: _allmul
• api | ntdll: memcpy
• api | ntdll: memset
• api | ntdll: _aulldvrm
• api | ntdll: tolower
• api | ntdll: isspace
• api | ntdll: memmove

• Module 2 other strings

• 9e3a
• 5036
• 4f18
• 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
• 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
• 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
• 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
• 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
• 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
• 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
• (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
• 52595N5T5
• 434G4
• 2 2{2
• 0&080>0J0\\0b0n0~0

- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?
- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>
- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0`0p0
- 7'7f:

- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0
- oJ|E
- Rim!}
- g"o.
- 7G<a
- ggmO#
- bPa#
- |8KT
- 7A=H[V
- /7p2
- ~>:4
- 2r.~
- gui\\
-)Ov`~
- ,7'Uz|
- guAd
- AmiK
- IJ*F
- i#GQ
- cA7-
- 3dlK
- uGld
- 0u"<
- 5+:t
- {>oMd
- t)o+
- D3'
- A^[C"

- 7ro'
- WE;6?{
- j{E `
- A\\E[^
- ISmL
- 9?ih
- u}%7<^gA
- 5Muf
- ;8"M2B
- :90X
- 0&FgX;
- IE@#
- }4HK
- \\4pq
- 7P.U
- 1b4)
- $iKc
- L1\\HQ
- &@T9@
- 9>8e
- `3Dda
- RUid
- 1$&Q;
- L6Y8U
- #RX7
- `Jn8
- k8ub
- 1zyd\\
- csUX$
- {lf3,
- O5wcvq
- q/6A
- g}Olu
- ajBX
- [e7I
- 9e0=
- d_*Ve
- 25ZS
- Bca1P
- !s8Y
- \\a?/
- nu+M
- e!M^C
- 8Qqi`
- 8A+9do<
- IYjK
- .e]1
- 6DLJ
- wBM3ol
- E8h[
- zhS_9
- @`F1
- Ayl-
- ""k<A
- jk0L
- .amb
- Fuk_

- /h]q2
- qItS
- Ps0P$
- cf3Y
- Q^ma'
- ,3L5
- <)+Go
- j!:U
- *jw3
- O66P
- Em=t
-)sUwQ4
- 9IJ~\\V
- CgUn
- aEr`
- Gja}
- FW/3
- .)OxQ6
- a{x]t
- E&('-
- q1~eo5
- 4?SZ
- ~&1nIN
- |p4
- bYOZ
- !\tY=o
- d'6!Z
- FJ_-5
- PP u
- QV<A
- l/a3A
- kHA++
- 8&KZB;
- Iy^|
- 9<{B
- E(`C
- rO_l
- A]OUW
- 6j^j
- >Oa%1
- +so8F
- Ax=#
-]0g~<
-){6&1`
- `=4%3
- #uLf
- t68oZ{
- }{(8'
-)UU$}\\
- }6>;D
- Y:1B
- I1O
- eTRa
- 3(&Lc;
- 7F:{
- _$5o
- i5yq`

- fa4W$6
- lu-\\
- e\t2i#_
- iyI|
- lZK>U
- !@1.
- t(Y8
- }X[u
- 0#n&
- i~x
- A0bk
- .-eT
- d9_n
- =J91
- lc_8
- 9hFYW
- uJjv
- G0*&A;|A
- 5T9TD
- 0d9r
- 5\toLD
- |RI
- dQLo
- ugL>"
- 4h7b
- z}ta
- EQtax
- !9rt)
- y~0q
-]qI=M
- ~hQU
- N\\83
- E[q*
- p0{%
- 75y'
- W;Z7#
- m3"|
- ilPOl}~:z
- z50@
- vkXu
- K&Vu;
- /"\tu6
- IJ\tZ
- |EB(N
- xDif/
- {/e0Hg}
- 1K{$6
- JuGO
- dNm*0
- U%W$4
- az*WT
- 27"C
- okBy
- 3.Zn
- mVQ8
- 0;aPx
- n6[}1

- IG_6m
- SJcu
- 2Zo*
- 6=Z*m
- 9lL@
- ;CKku
- ^2.]#
- 3}T=
- JOw:
- APqaZ
- Ax^H:
- aAf_@
- UO&.
- oTeWx/
- ba<Z
- &;7V
- 6S$N
- _`o)
- !sxi
- m7grm
- 'i[c
- zm7g
- lv7*z
- 3Q#P
- :5_]
- <2H
- 9W;l`
- q0L?D
- ?iuV
- >Vur
- LUCf
-]KE[
- 2A)0d
- zZ0P
- avyQ
-]<zo
- VY6h4[
- 5@Vf
- ozQC
- ;k+8
- (E_5-
- I9<T
- 7`Q":
- yAG
- EjxY
- TD)2
- VA+C~
- U4p3
- EbvAS@sb
- o=O7
- 7A]/
- 9$.{
- 5%aC
- ~)_e
- 7M]y7
- 8Bog`
- sOtL

- [hir5
- +eZ[
- 0w%xu-
- 89'&lU;
- *Wixa
- 7OX2
- Vh3<E
- _sg8
- 3;0M
- uqCyN
- +9o=#
- =||a
- v78L
- WI>e
- .PnU
- aI8_0
- *i&*
- 5cJ"
- F#a2
- eO?a
- 8aUW
- IegvC
- 9dAL>g
- u,8d
- r62)B
- bR.3
- YC8%-
- 3>f*
- Fj"O
- H+5<
- d=ip
- 706d$
- plxe!
- 2Ap2
- u>z=
- >GGx29
- m6A{
- 4Sq/
- s JO
- N6MM~
- ;;1(
- 2Ok9
- e\tT8
- jlil'
- Lz@5p6b
- xE'S
- ctPI
- lZu\\$
- aLHw
- \\5W-F
- E<BD
- rrYt&EZAJ;
- +eJ@
- 3=~M
- $O0P
- #Ab1
- {Go~

- 2o!>
- gbE4k
- zIXR
- R6k'8
- RT$og
- \\0"~
- S&PE;
- [SuP
- jAu_`VW
- a6kV-$
- {Ey2
- 'ly7
- p70k
- e[JS
- HeJ^
- eBp~C
- 4A'
- X<AuY
- g$Ia
- 02R|
- 4ZY}
- @6dt
- ukx
- ^+iOAU
- 32.%
- c(IW
- &9f\\
- q8P:
- NxCE@
- IemL
- .b7@(
- .^Vl6
- e6H(WO
- 28dE
- &aw;@
- OtD]q
- A\tka{
- =o1}+
- EMYJ
- wn6$
- $y4O
- ac#D
- &s9;?
- f8~U
- t>[9G
- %'aM
- /zr2
- YKpI
- q{UB
- 3\tUj
- 72Ph
- fIC
- Y4u-
- *7MeTL
- "<Q.6
- i\t2c
- ANVo

- oL7>
- o`I^
- cAQ2
- @qH2
- 8x`A
- #Pw8
- "_4F`
- DKOM
- KAj'
- EOl?
- F\tru
- &g4LX;:A
- q@8s
- xvoT
- O72G
- #\tIP
- $cmU
- @2y:iN
- 1EJ7
- j6!!
- A&@2%
- oRp(m
- <8p}
- YDrU
- z!Oa
- Z/Cux
- MI.7
- P7+}\\
- ,EXs
- c3R7
- fmyB5
- [s8B(
- c4qy
- iy@<G
- l0G>:Os
- Azu<
- 5nQ(
- ^UmV
- OU@)
- &s5F;
- ^F21Q
- Bb9K
- c&6nm&A;
- aRKcR
- uDga
- eWxQ
- i}?L[
- $5zfP
- y4|
- NT02
- PZ6[e
- e"/.@
- LbZ4!
- uJ J]
- aXUc
- ZO9.
- 9MgH

- O$"F\\
- JC}4
- M?AJS
- X0N>
- PB~&4
- &Ju;\t*
- Q"uL
- '#5o
- D|[U0
- u_T5
- VyTu
- 6i:
- F6#^
- f^~6
- *-1J
- z9Z/
- /Pep
- s?X 6
- oB#,
- i"U=
- hh":A
- 5GD3
- M/IS
- k'xO}
- |aSs
- +}ER
- 8u<]px
- Y2wx
- 57/7
- -Gpa
- zEn0
- P{8,=
- J0hH
- ([4k
- U6Nc
- =_^o
- 0v_^
- ,un<
- F"]U8
- 0t<xc
- u<hf]
- \\0r?
- q5b-~
-)9d\\
-)23{
- eQ\t?i
- c0-rk
- ,I#B~
- Pt7E
- sC'41}w
- kQmO
- b?Oo
- ?\\EX
- EtUr(x
- }2km
- {q2Y
- +d}Uj

- 5D9FO
- Vfci7M?
- :8u,YT
- @a?u
- 'cpi)
- 9~n&
- :yA.
- uLxJ
- V_}a
- 9kzP
- t7jBr
- ^'d5
- !r07
- 5i^T
- I7$i
- t7E|;
- >Sg#O
- }1Nr(
- ~wu(
- wRQI
- 5)c_r
- 7C2;
- a|X\\
- =D1I3
- _T&IG;
-)EcM
- &T1;,
- ,lxT9:R
- ;@u`
- 44Ne
- !TA2
- =CxA
- i]s
- r)A,~
- o{ql
- 3klz
- 3828
- 337@
- GCvU
- 6B<U
- ,SeX
- o}RL
- jW6E
- uWtA
- 'Xt4[
- wh>3
- bAI)t
- iP9F#9
- Re2U
- "\'!3`
- mq4/@
- B59M
- H[mey
- EO_9
- Ced(X
- :/)H&2(4_>
-)zcI

- I<h5
- e%oai
- #2`Q
- #6rl
- w?4V
- Iw<w
- lz4a
- 8@~k
- un%d
- !ZE3en
- 73}P
- dIW:
- 9{RZ
- 0$r
- h1Poc1k
- X4SE
- {a~J
- p<YAV
- R7&_G
- ChEe8&Z;
- v7%(
- z2="
- .%ES
- kUH.
- w{Z-a
- u;mP
- x-hhO5Zl'
- R2l\\
- #oOR^
- W9z_
- 3Ve"0
- ihR:
- ^;su9
- wyq3
- 2@&$
- bh6-{
-)3bUw
- %DTO
- p~1s
- bUA}
- I[n{+
- 3TI~s
- uq"cn
- F"4d
- J/Eg
- [4*8
- 3tx/
- C_EI~S
- 9M[qi
- @#A+
- @i/j
- 5Obo\\rMs
- !@,0
- @)So
- "Aaa
- =H9g
- }w}Uj

- L*K0
- op 9
-]BIqE
- S+N;6
- m)78 O
- W2&|
- 4.OF
- }x6Y7,
- Z {U
- Hv:vE0
- g]X2[
- +a<O#
- uaH3
- GUKZA\\
- N}a2
- %$A]$
- du.k
- H 3o
- &A0fq;
- JTEF
- J8J3
- ~ar0
- 1OM,
-)[8M
- I4AA
- MDT42
- Env{
- Dje;
- ER<E6
- qoxCk
- I6Y*
- q8Lq
- 2?wsc
- /9a&[
- |mne
- >aec
- ,gLu~
- /3`L
- PeUD=
- n70i
- AM18X
- P2t>}
- 6Zem9r
- 61-z@ky
- $$RkO
- uI">
- BZ,5
- 4.s7
- t!IFU
- X 1e
- s,^2
- ~#k9
- ;/0l
- 4JY1R
- 2-c[
- y2O;
- 6%0\ta

- 4[:y
- q0m+,
- QA.i&
- U:`H
- uZh7
- 5hx]
- {2h6
- /;.3
- mTO9x
- 2i]_
- Pwa4
- g?.8
- dx8J
- 65wf=
- Q;e\\
- 9z;w#
- 0S%9m
- qmIS
- %iRW
- j~y7
- 2{b!
- 4<N8
- Qx7U7
- >sb!l
- 2^zZ
- xF#fA
- e[qg
- 5C<?
- oH$e
- jQ@8
- (Ab8C?b
- 4/B]7
- &[iS
- Y/lua
- nAO`
- 4@K
- 0x>H
- >!\\e
- OdMV
- KB9M9
- AD,$
- ZU6:
- $^'ha
- e$ib~z
- _1,0
- Oi8#
- 'i:]
- 52F3+
- |uBZRV-\t7W
- OD7NZ
- EY\to
- oo87
- eza(o^
- t{e9
- "ei6z
- UKrl#:
- 9RT!y

- dA'o
- 5>&MG0;
- f]aqr
- 3xov
- %Hm0
- *u$Q
- }@IQ
- 00s"
- O8f(n
- '\t^DE}P9
- |uH^L
- "X]nu
- SGHe
- BL\tu
- dip9
- >-VE
- (n3!{
- %U[!mo4pa`
- $\t`9
- jt1H
- A7TD
- 0cL+g
- J\tCu
- <W/x5
- ;\tYU
- "?Uq/
- <eG
- $B5P
- nf8IVh
- Apm6
- Z<j1
- YH.Q7
- '[&8
- *7,S
- Q4al
- 72><
- isU7
- l9,Vhu
- EFXT
- thU'
- _KID
- O=/j
- `:6)W
- iat?k
- pUxi
- yM5 1
- +dv8
- "aVf
- f^58
- RV3D
- Ld}80:
- 23BmE
- 9!B8=
-]%W3
- ^ge@
- K;|2
- D7xf

- ad>c
- IA.m
- YWVtE
- zXlaw
- j4&A;
- 1Q'K8r
- 1GpI
- |WZi
- H23B
- o|83Gq
- s0[?
-]y0Hl
- b@$a
- "8H
- e3$iE_qD
- d>heM
- sM:2
- c0't
- {9T[
- Oh7
- rfl2W
- 8'lZ
- `nI_
- .2C+
- iu^N
- u\\ex5
- R(3K+
- 4"@4
- (U;Y
- ~xG7
- W([e
- 0g_f
- O:Sd
- 2'rP
- zCaQ
- >(W2
- 19o.4
- <7D|P
- ^'E$
- e&6G
- 0Lb.|
- R<0c
- _1gwd
- 2Gb&Ne;
- "/aL
- &5Q)
- UIwD
- mtQi
- MgOgTi
- >6.B6
- 3k4u
- Q>E}
- 5.vp
- -v+E.v1#-v
- J-vI
- a/vy
- ~/v5

- ;.vo
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U
- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC
- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3
- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C

- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u
- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9

- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3
- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_
- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8

- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- %-!g
- JTA%k$]
- Y,.fF
- ss<%
- slYg
- |Zmh+
- SQ[f
- Z\tNq
- qX!VW9
- Ps*b
- &Nxg;
- YWc$[*
- n,Nv
- X/-N
- : BF
- J(Fm

- _Nh3m^
- JSgj$
- Dn!v
- K S)
- ' Vk,Kp
- ?> |
- ~pW{
- tK,r
- BH,.
- ;T+S
- ?)<|
- XW?W
- fmkq/
- {'V;
- r;yB
- s7(#PZ+
- G"&gdr8;
- :zJ*
- !@_]h.
- :S>t
- Z%Kk}
- y,/M
- {nDR
- tLLX
- pV_r:3
- ?@G=
- n$H/
- BywQ
- bqVj
- &qd;!
- ?}Kf
- L{S"
- b0k,.~
- vdL|
- ;h`*
- fFgkB
- ,'\tX
- {h{
- 9Br}kJ
- +KdXy
- F`|sK^>u
- $B*B
- "2=?=z
- rcf{
- X&@?P
- y%rq
- |ck%
- vSm=
- ?d=:
- ~NK"{S
- x&.N
- ^\\<r
- !QFYF
- !V]R
- (L@D
- Xv\t)X.
- <>=rQ

- Yxt
- Gbyd
- r%q<
- vnz>,
- ?\\K
-)PSN
- TwZr
- %p&w;
- +-hL
- zHgMM]p
-]-$ORT
- m@X\\
- +A/hQZG
- $@[os>[r
- JdJ!
- rMC
- "Q.p
- Nfb*
- y%;n
- q_#<
- ( ]g
- '~NP
- \\BD$"
- ref"C{
- k/!,7G
- {<=R\\
- SDqD?"
- %H/{X
- RKN"}
- mwN)M
- PQj{
- -nt@
- <#@E)<{
- }l`
- y%3\\=bP`.
- (vcY
- 'aP&sq;
- `/<P
- |_%J
- nF~F
- G?gZ!
- } W.
- L*h[
- 5B!%?f
- [K%Y
- r>Jq]h
- Y@xK
- @)L/M
- &o-p;\\Dz
- =~eShY
- 7CG|K{
- 4!m"|^(
- CzjJ
- \\Qd`
- }N+f
- vj%eR`
- /VX&

- m,n\\
- jfp,J
- lYhz
- R:!%^
- Sx $
- Qd/S
- S%?G#H
- n{YGk6
- ?nz:
- p&Cg;
- Z f8"\\P
- GS[`
-]\twJ
- ;UGcF>
- k+4~bc
- v#!|
- Bp?Z
- jD#Y
- gRcs"HuW
- <>g
- bR?z
- Y(~dM
- Mm*)t
- CQm|s
- R[sN
- &/-)
- \\SXC
- #N@;
- [P$s
- `Ypm
- +nJY
- #]r\\
-)HqL
- qx@f#'}n
- rZdwc
- v:y@
- {:GH
- $c!
- xF}#
- /=![
- V?Ls
- =jzy
- My[%)
- ?o^K\\Y
- /\\r9KW
- l<&W;[
- $nLL
- v;S:
- ~Ty&
- <Y\tC
- +`>&
- y:Bk
- m$)j
- _!_t
- kgdM
- p:|~6d
- eGrc@X[

- S@#T
- FHR[
- {MXQ`
- c<'[
- T'X>.Ul
- ,LK<
- F@M\\
- `DTZ{
- t*3jY&"%
- d-]
- >q[n
- G$<j
- =]SD
- hN.M{
- 9zrK+}
-]pV#
- uQFf.D
- W~WW
- r}@T
- +DzN
- ;2GDR\\t@cwb
- XZ%+
- d!*hm
- J\\e?}n{
- b'~[
- >Y:Z
- L]W]
- rq,X
- #J@X
- j_^sdeWB>
- \\Dwg
- SkrC
- q"z]{
- C4tv?~
- |Pv<cN
- %|nT#w
-)Q*sv
-)J,l
-)bsZ
- MwG(
- =~{r
- ``w-
- {~&%2!
- C[WX
- nW"m\\
- jY,m
- rl@c
- vBQD
- '!sM
- }L\tp
- #<kQ
- {~^!
- ; ~"@]
- s^|br
- |vzg
- iQN}.}
- v&l;)>

- p\\?p
- r?L}
- |QCq
- "{*>"
- v/F>
- ~~xW
- x}w\td
- $d>{
- |rzM
- [,`@
- uT?^~Q
- P>}k
- $l(V.
- gyM
- 3\tk&*/
- 0S{twx
- FY~/
- {z~*
- }lmf
- X~Fk
- yC!
- Lwfh~
- WPF{
- X%NPPT$
- /;)b
- 3>#(d_
- ,^B`
- yk4[Z$
- _f[H
- X.,JF#
- spQ?pv
- ?b%Rs
- d\t |
- Z>$_
- wcmZ,
- Z~|N
- mYTJ
- J7\\<K.
- q&RN;
- W}x)
- G"NK
- Vr"
- GZ%X
- C<M!
- #G#F/$6
- bqKznF
- |t}K
- p\t{<
- R+};g
- =v"T/
- <y[?
- ca&;=*
- xsXnk
- BtTm$=!
- <\tlvz
- VjpP
- .gqw

- vRvM
- M<}GL
- @\t(p
- {"[:
- "<~Nc5
- %}qhW)
- t\\p>
- 3:x"^}
- K]sf
- x/S~
- X*}T
- @}Pt
- ~p%K
- l<l9JfS
- :cPPwY
- pcY`
- V;[Fz
- fSCF
- s/-\\qA
- T_/V
- :XQY
- Bs#{+
- ?Z/:
- _NwwQ)ho
- t`@Lw
- GGQ|
- M$c@,Gx
- @+qM}
- -'{k
- {rL
- h;@
- ^nqL
- Lz;J
- !hxHj
- gFbR
- @NCh
- DpyxW
- /R=qWK
- \\NCNC5{
- <S<N
- L[S[
- n\\p=l
- LrPZ
- ry-;
- l,L{<
- "\\Mb
- jDo){?,
-)X{K
- F]\\5v=
- jb%x
- ,St
- h;.
- (RdQ
- ` T,
- |,nP
- -G/S$
- wRNV

- (;Gxq
- R!Ld-
- y$_=
- UB,$}{
- qFP@
- !K"<n
- m":!
- US\t~&Ky;
- g&GF;?
- $n]/
- ~,q%
- ?x&+K
- $.*|X-
-]SPyH
- {G|$
- =SlM
- =z=D
- y=\tMTW
-]J{H
- =Zgl
- }=(1-'Z
- llKr
- Z4Jw~`
- !Qdk
- VS.)z
- sqkk
- $B-P
- nvGc
- !p'+
- ^,Qd
- /tG$
- >Ffh
- &XZR;
- nxg^
- vq@_
- t>c)
- Cdt
- ?SEpw<
- V`s#<n=/*
- m.+W
- cBRw
- Pn<h
- j:'m
- Z\\gx
- JS=D
- +V\t\\
- =Tih+k
- qL$<
- @CG[
-)<"z
- QxS?
- w#J
- |swbP
- 3Wgc=}
- x]dw
- PFP>
- h]MM

- GW"rp
- HE;P+y
- zF#mH1G
- RJzV
- _jGJ[
- \\._,:
- 1B>Cj[P
- V}D_`]
- .+\\V'
- ',`}
- C{MK
- {<&C;
- #XW|{N
- @r>^
- MNb$F
- .Hzhz
- pQhgl
- lkBd
- QNW<
-)?<S
- XY^G
- (y<m
- H<B^
- K%')
- tN* Q
- q!.\\
- K!B#
- CD{VK
- B`[b
- pnzb*
- vLu-c{q
- ZL[p
- swVP
- $,[@
- Q@`,
- =QZ;
- K-$6%}
- ~5+>d~[
- Hm$<
- [&$c
- l|R!-
- v[qVb
- =$!W
- bmSM
- /(.n
- %q-R
- VTHF
- |_Fp
- MKg\\Kz
- *(~[
- -}R|
- \\jsD
- nS>\\
- HxZmQ
- r?$M
- yksH
- y:J,

- @vQ|
- b2]3 /|Js+sY
- gH..
- Z>?/p
- #GCr$
- XYhM
- wMLN$
- |v(V
- /TL#
- K,bJ
- =!F(
- nD<w!
-]/N@+a
- "jK$^
- \\vxP:g%3
- BP[~)
- ;SqM)-
- ?Ryt~
- c/ZV
- KT[*=
- &)~W
- ?}P h
- \\^rR
- 3Nj#+P
- /G~,p
- cdrvb
- lb)y
- >)x
- @1Zpy?
- kN#=[X
- KB(x
- !]yH
- ?FMK
- Nr_P
- "vp)
- LtD@
- jksg
- vd
- NyV?
- qgBpot
- nPC>
- `,=<
- I|\\X
- ?n{,
- Kcn"
- 'P#'
- K}x#
- Fcf<
- *`"SH/
- Gw-cfTJu
- }YZ*
- JD.;J
- Q>FWx
- b]*B
- bC!:
- 5YyBR^@
- =@K/

- nJ#.
-]rc%
- qGvW
- p;)]
- ';:x
- J&R;(
- }jq}
- ;=P"s
- -aBYq<
- 7T?j*G
- C;PC
- +Bk}
- TM<dX
- WfWrl
- }>@Wnov
- h/K*_
- QkJ{J
- clGYAgvl3b'
- vhuv
- _$v@f$v;
- <j$v
- T-vO!.vBN,v
- -v3g.v
- ".vc3.v
- .v(7.v|
- ,v${,vs
- -v%9-v
- ;-v]7.v)
- \\vWA.v
- >.vQ
- J,v@
- d.vV
- S.v:
- -v\t>-v6
- -vQ3.v&<.v
- -vl"-v
- ,vL~/v
- @viF>v
- ?vEG>v
- \\>v|
- >v@F>v
- >v1S>v
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll
- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN

- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj
- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh
- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh

- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh
- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f

- C;\\$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f
- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV
- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty

- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j
- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

• Module 3 yara matches

- Armadillo_v171 ()
- Microsoft_Visual_Cpp_v50v60_MFC_additional ()
- Microsoft_Visual_Cpp_50 ()
- Microsoft_Visual_Cpp_v50v60_MFC ()

- Install_Shield_2000 (Microsoft Visual C++ 5.0)
- Armadillo_v171_additional ()
- Armadillo_v4x ()
- Microsoft_Visual_Cpp ()
- InstallShield_2000_additional ()
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasDebugData (DebugData Check)
- HasModified_DOS_Message (DOS Message Check)
- HasRichSignature (Rich Signature Check)
- Borland ()
- Install_Shield_2000_ (Microsoft Visual C++ 5.0)
- Check_OutputDebugStringA_iat ()
- anti_dbg (Checks if being debugged)
- win_files_operation (Affect private profile)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 3 strings

• Module 3 most interesting strings

- url | valid domains | tlds: - This application cannot run using the active version of the Microsoft .NET Runtime
- url | valid domains | tlds: d.ve
- url | valid domains | tlds: 3.vA
- path | path unit | wellknown extension: C:\\Users\\javi\\Downloads\\cebo.exe
- api | frequently used by malware: QueryPerformanceCounter
- api | frequently used by malware: GetTimeZoneInformation
- api | frequently used by malware: WideCharToMultiByte
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: GetTickCount
- path | path unit: Y:\\12345
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\setenv.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\vsprintf.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\sprintf.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src_open.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\fopen.c
- path | path unit: f:\\vs70builds\\3077\\vc\\crtbld\\crt\\src\\tempnam.c
- api | kernel32: FlushFileBuffers
- api | kernel32: LCMapStringW
- api | kernel32: LCMapStringA
- api | kernel32: SetStdHandle
- api | kernel32: SetFilePointer
- api | kernel32: ReadFile
- api | kernel32: SetEndOfFile
- api | kernel32: SetEnvironmentVariableW
- api | kernel32: SetEnvironmentVariableA
- api | kernel32: CompareStringW
- api | kernel32: CompareStringA
- api | kernel32: GetLocaleInfoW
- api | kernel32: InterlockedExchange

- api | kernel32: GetOEMCP
- api | kernel32: GetACP
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | kernel32: VirtualQuery
- api | kernel32: GetSystemInfo
- api | kernel32: VirtualProtect
- api | kernel32: GetCurrentProcessId
- api | kernel32: GetCurrentThreadId
- api | kernel32: VirtualAlloc
- api | kernel32: HeapReAlloc
- api | kernel32: RtlUnwind
- api | kernel32: VirtualFree
- api | kernel32: HeapFree
- api | kernel32: HeapCreate
- api | kernel32: HeapDestroy
- api | kernel32: GetFileType
- api | kernel32: SetHandleCount
- api | kernel32: GetEnvironmentStringsW
- api | kernel32: FreeEnvironmentStringsW
- api | kernel32: GetEnvironmentStrings
- api | kernel32: FreeEnvironmentStringsA
- api | kernel32: UnhandledExceptionFilter
- api | kernel32: GetModuleFileNameA
- api | kernel32: InterlockedIncrement
- api | kernel32: LoadLibraryA
- api | kernel32: OutputDebugStringA
- api | kernel32: InterlockedDecrement
- api | kernel32: GetStdHandle
- api | kernel32: DebugBreak
- api | kernel32: GetFileAttributesW
- api | kernel32: GetCurrentProcess
- api | kernel32: TerminateProcess
- api | kernel32: GetUserDefaultLCID
- api | kernel32: EnumSystemLocalesA
- api | kernel32: GetLocaleInfoA
- api | kernel32: IsValidCodePage
- api | kernel32: IsValidLocale
- api | kernel32: GetStringTypeW
- api | kernel32: GetStringTypeA
- api | kernel32: MultiByteToWideChar
- api | kernel32: HeapValidate
- api | kernel32: IsBadReadPtr
- api | kernel32: IsBadWritePtr
- api | kernel32: GetCPInfo
- api | kernel32: GetVersionExA
- api | kernel32: GetCommandLineA
- api | kernel32: GetStartupInfoA
- api | kernel32: GetSystemTimeAsFileTime
- api | kernel32: GetLocalTime
- api | kernel32: GetProcessHeap
- api | kernel32: HeapAlloc
- api | kernel32: GetModuleHandleA
- api | kernel32: GetLastError
- api | user32: MessageBoxA
- api | user32: GetActiveWindow
- api | user32: GetLastActivePopup

- api | user32: GetUserObjectInformationA
- api | user32: GetProcessWindowStation
- api | ntdll: mbstowcs.c
- api | ntdll: sprintf.c
- api | user32: wsprintfA
- api | kernel32: GetModuleFileNameA

• Module 3 other strings

- !@AB
- 8Te`
- .|N0N
- KERNEL32.dll
- setenv.c
- cchCount1==0 && cchCount2==1 || cchCount1==1 && cchCount2==0
- _getbuf.c
- a_map.c
- wtombenv.c
- osfinfo.c
- size >= 0
- chsize.c
- FALSE
- stream != NULL
- _freebuf.c
- output.c
- 700WP
- (8PX
- ("inconsistent IOB fields", stream->_ptr - stream->_base >= 0)
- a_loc.c
- mbtowenv.c
- _file.c
- fclose.c
- onexit.c
- Unknown security failure detected!
- continue execution and must now be terminated.
- corrupted the program's internal state. The program cannot safely
- A security error of unknown cause has been detected which has
- Buffer overrun detected!
- now be terminated.
- internal state. The program cannot safely continue execution and must
- A buffer overrun has been detected which has corrupted the program's
- Program:
- (unsigned)(c + 1) <= 256
- isctype.c
- format != NULL
- inithelp.c
- Sunday
- Monday
- Tuesday
- Wednesday
- Thursday
- Friday
- Saturday
- January
- February
- March

- April
- June
- July
- August
- September
- October
- November
- December
- Program:
- Runtime Error!
- Microsoft Visual C++ Runtime Library
- - floating point not loaded
- R6002
- - not enough space for arguments
- R6008
- - not enough space for environment
- R6009
- Please contact the application's support team for more information.
- This application has requested the Runtime to terminate it in an unusual way.
- - not enough space for thread data
- R6016
- - unexpected multithread lock error
- R6017
- - unexpected heap error
- R6018
- - unable to open console device
- R6019
- - not enough space for _onexit/atexit table
- R6024
- - pure virtual function call
- R6025
- - not enough space for stdio initialization
- R6026
- - not enough space for lowio initialization
- R6027
- - unable to initialize heap
- R6028
- Please contact the application's support team for more information.
- R6029
- DOMAIN error
- SING error
- TLOSS error
- runtime error
- ioinit.c
- a_env.c
- JanFebMarAprMayJunJulAugSepOctNovDec
- SunMonTueWedThuFriSat
- szUserMessage != NULL
- <program name unknown>
- failure, see the Visual C++ documentation on asserts.
- For information on how your program can cause an assertion
- Expression:
- Line:
- File:
- Module:
- (Press Retry to debug the application)
- Debug %s!

- Microsoft Visual C++ Debug Library
- user32.dll
- Second Chance Assertion Failed: File %s, Line %d
- _CrtDbgReport: String too long or IO Error
- Assertion failed:
- Assertion failed!
- Warning
- Error
- Assertion Failed
- stream.c
- filename != NULL
- mscoree.dll
- CorExitProcess
- Norwegian-Nynorsk
- american
- american english
- american-english
- australian
- belgian
- canadian
- chinese
- chinese-hongkong
- chinese-simplified
- chinese-singapore
- chinese-traditional
- dutch-belgian
- english-american
- english-aus
- english-belize
- english-can
- english-caribbean
- english-ire
- english-jamaica
- english-nz
- english-south africa
- english-trinidad y tobago
- english-uk
- english-us
- english-usa
- french-belgian
- french-canadian
- french-luxembourg
- german-austrian
- german-lichtenstein
- german-luxembourg
- german-swiss
- irish-english
- italian-swiss
- norwegian
- norwegian-bokmal
- norwegian-nynorsk
- portuguese-brazilian
- spanish-argentina
- spanish-bolivia
- spanish-chile
- spanish-colombia
- spanish-costa rica

- spanish-dominican republic
- spanish-ecuador
- spanish-el salvador
- spanish-guatemala
- spanish-honduras
- spanish-mexican
- spanish-modern
- spanish-nicaragua
- spanish-panama
- spanish-paraguay
- spanish-peru
- spanish-puerto rico
- spanish-uruguay
- spanish-venezuela
- swedish-finland
- swiss
- america
- britain
- china
- czech
- england
- great britain
- holland
- hong-kong
- new-zealand
- pr china
- pr-china
- puerto-rico
- slovak
- south africa
- south korea
- south-africa
- south-korea
- trinidad & tobago
- united-kingdom
- united-states
- Spanish - Traditional Sort
- Spain
- Finnish
- Finland
- France
- Icelandic
- Iceland
- Swedish
- Sweden
- Basque
- Spanish
- Mexico
- Belgium
- German
- Austria
- English
- Australia
- Spanish - Modern Sort
- Canada
- Guatemala
- Switzerland

- Costa Rica
- Luxembourg
- Panama
- South Africa
- Dominican Republic
- Venezuela
- Colombia
- Peru
- Argentina
- Ecuador
- Chile
- Uruguay
- Paraguay
- 1252
- 3c0a
- 1252
- 380a
- 1252
- 340a
- 1252
- 300a
- 1252
- 2c0a
- 1252
- 280a
- 1252
- 240a
- 1252
- 200a
- 1252
- 1c0a
- 1252
- 1c09
- 1252
- 180a
- 1252
- 140c
- 1252
- 140a
- 1252
- 100c
- 1252
- 100a
- 1252
- 0c0c
- 1252
- 0c0a
- 1252
- 0c09
- 1252
- 0c07
- 1252
- 080c
- 1252
- 080a
- 1252
- 042d

- 1252
- 041d
- 1252
- 040f
- 1252
- 040c
- 1252
- 040b
- 1252
- 040a
- Detected memory leaks!
- %.2X
- Dumping objects ->
- #File Error#(%d) :
- client block at 0x%p, subtype %x, %lu bytes long.
- normal block at 0x%p, %lu bytes long.
- Object dump complete.
- _CrtMemCheckPoint: NULL state pointer.
- Bad memory block found at 0x%p.
- _heapchk fails with _HEAPBADBEGIN.
- _heapchk fails with _HEAPBADNODE.
- _heapchk fails with _HEAPBADEND.
- _heapchk fails with _HEAPBADPTR.
- _heapchk fails with unknown return value!
- DAMAGED
- DAMAGE: on top of Free block at 0x%p.
- %hs allocated at file %hs(%d).
- %hs located at 0x%p is %lu bytes long.
- The Block at 0x%p was allocated by aligned routines, use _aligned_free()
- Client hook free failure.
- _BLOCK_TYPE_IS_VALID(pHead->nBlockUse)
- DAMAGE: before %hs block (#%d) at 0x%p.
- DAMAGE: after %hs block (#%d) at 0x%p.
- pHead->nLine == IGNORE_LINE && pHead->lRequest == IGNORE_REQ
- pHead->nBlockUse == nBlockUse
- _pLastBlock == pHead
- Client hook re-allocation failure at file %hs line %d.
- Client hook re-allocation failure.
- Allocation too large or negative: %lu bytes.
- The Block at 0x%p was allocated by aligned routines, use _aligned_realloc()
- _CrtIsValidHeapPointer(pUserData)
- pOldBlock->nLine == IGNORE_LINE && pOldBlock->lRequest == IGNORE_REQ
- fRealloc || (!fRealloc && pNewBlock == pOldBlock)
- dbgheap.c
- Client hook allocation failure at file %hs line %d.
- Client hook allocation failure.
- Invalid allocation size: %lu bytes.
- Error: memory allocation: bad memory block type.
- Free
- Normal
- Ignore
- Client
- initctyp.c
- initmon.c
- initnum.c
- inittime.c
- file != NULL

- mode != NULL
- setlocal.c
- LC_COLLATE
- LC_MONETARY
- LC_NUMERIC
- LC_TIME
- kernel32.dll
- e.vJ
- -vA#-v(7.v
- E.v;
- e.v1#-v
- .va8.v.
- ^_[3
- h8|C
- h8|C
- h8|C
- h8|C
- h8|C
- h8|C
- h8|C
- u.hD
- u3h!
- htiC
- u.h:
- h8{C
- h8{C
- h8{C
- h8{C
- h8{C
- h8{C
- h8{C
- h8{C
- h8{C
- htiC
- u0joh
- u+joh
- htiC
- u0j~h
- tYVU
- SVWU
- VC20XC00U
- SVWUj
- htiC
- hXiC
- hhiC
- E\\aC
- 8hPiC
- hTiC
- h<iC
- hpaC
- h0[C
- t&:a
- h<UC
- h<UC
- h<UC
- u!hHUC
- h<UC

- h<UC
- h<UC
- h<UC
- h<UC
- h<UC
- Rh8XC
- h<UC
- u!hHUC
- h<UC
- h<UC
- h<UC
- h<UC
- h<UC
- Qh8VC
- h<UC
- u!hHUC
- h<UC
- u!hHUC
- u%h@
- +PjU
- lRj9
- hPj8
- dQjO
- LQjI
- <RjE
- 8PjD
- 4Rj/
- 0Pj.
- u.h]
- u#j@
- Q4Pj
- @.data
- `.rdata
- .text
- w\t;6N
- YYF3
- 2tPV
- 8sPV
- irPV
- ArPV
- 9qPV
- ipRP
- ipRP
- ?wu
- ?$uP
- u1;V
- ?$uC&
- ?z~8
- @@&9
- @@&9
- &9?w
- ?wu
- tu;3
- ?$uB&
- ?%u'&
- 7`RP
-)a):)

- < 1
- jIv0
- A\tYY
- 4ORP
- XE2"$
- 2^]M
- 1e1K110
- 2W2!2
- #u)&
- /1-X-5050
- .5050505050
- -5050505050505050 .505050505050505050
- -1-X-
- -1-X-
- ,50505050505050
- ,A,50h,
- ?@u'
- F;6N
- YYF3
- 2'YRP
- F;6N
- Ru*3
- OVu&
- =LEt(=NEt
- jru(
- FBOV0
- Segments: %02u\t Segment definitions offset: %04lXh
- Constants: %02u\tConstant definitions offset: %04Xh
- File Offset: %08lXh
- Last MAPDEF - MAPSYM Version %d.%d\tFile offset %08lXh
- Line number offsets: %04X
- Symbol count: %u\tSymbols array offset: %04lXh
- File offset: %08lXh
- Has alphabetic symbol table
- %04X:%04X\t%s
- %04X:%08lX\t%s
- Not enough memory to dump symbols
- Header base: %08lX
- Linear Executable File
- Entry: %4u\tObject: %4Xh\tOffset: %08lXh
- %u 32 Bit entries
- EXPORTED
- Entry: %4u\tObject: %4Xh\tOffset: %04Xh
- %u 16 Bit entries
- Unused entries %u - %u
- Entry Table too large
- Entry table\t\t\t\tFile offset: %08lXh
- Module description: %s
- No Non-resident names table present
- Non-resident names table\t\tFile offset: %08lXh
- Module name: %s
- No Resident names table present
- Resident names table\t\t\tFile offset: %08lXh
- Ordinal\tName
- File offset:
- Iterated data page offset:
- Zero filled

- Invalid
- Iterated
- Legal
- Page: %08lXh
- Object page map table\t\t\tFile offset: %08lXh
- OBJECT_I/O_PRIVILEGE_LEVEL
- CONFORMING
- BIG
- 16:16_ALIAS
- RESIDENT/LONG_LOCKABLE
- RESIDENT/CONTIGUOUS
- RESIDENT
- ZERO FILLED
- INVALID
- PRELOAD
- SHARED
- DISCARDABLE
- RESOURCE
- EXECUTABLE
- WRITEABLE
- READABLE
- Object flags : %08lXh\t(
- Page map index: %08lXh\tPage map entries : %08lXh
- Virtual size : %08lXh\tRelocation Base Address: %08lXh
- Object %u
- Object tables\t\t\t\tFile offset: %08lxh
- Debug info length
- Debug info offset
- Non-resident names table checksum
- Non-resident names table length
- Non-resident names table offset
- Preload page count
- Data pages offset
- Per-page checksum table offset
- Import procedure names table offset
- Import module entry count
- Import module table offset
- Fixup record table offset
- Fixup page table offset
- Module directives count
- Module directives offset
- Entry table offset
- Resident names table offset
- Resource count
- Resource table offset
- Object iterate data map offset
- Object page map table offset
- Object count
- Object table offset
- Loader section checksum
- Loader section size
- Page checksum
- Fixup size
- Page size
- Starting ESP
- Starting ESP object number
- Starting EIP

- Starting EIP object number
- Page count
- %-*s%08lXh
- Library module
- Errors in module
- Uses windowing API
- Compatible with windowing API
- Incompatible with windowing API
- External fixups removed
- Internal fixups removed
- Instance init
- Module flags
- Module version
- WINDOWS
- OS/2
- Operating system
- Unknown
- MIPS Mark III (R4000)
- MIPS Mark II (R6000)
- MIPS Mark I (R2000, R3000)
- i? (N11)
- i860 (N10)
- 80586
- 80486
- 80386
- 80286
- CPU type
- Format level
- %-*s%08lX
- Word Order
- Little
- Byte Order
- %-*s%s endian
- IBM format linear executable
- operator
- $vc1$
- volatile
- const
- far
- near
- long double
- double
- float
- long
- short
- char
- void
- volatile
- const
- unsigned
- _seg
- huge
- arow
- subs
- rxor
- rplu
- rmul

- rmod
- rmin
- rdiv
- rand
- delete
- dele
- call
- land
- nootodowoyo~o
- o$o'o,o0o5o8o=o@oEoHoLoOoToWo\\oXo`ocohoko
- UNMANGLER
- NBKP32
- ALIAS
- LINS32
- COMD32
- COMDAT
- SELDEF
- COMF32
- COMFIX
- LCOMDEF
- LPUBD32
- LPUBDEF
- LEXTDEF
- BAKP32
- BAKPAT
- COMDEF
- LIBDIC
- LIBLOC
- LIBNAM
- LIBHED
- LIDA32
- LIDATA
- LEDA32
- LEDATA
- FIXU32
- FIXUPP
- SEGD32
- SEGDEF
- LNAMES
- LINN32
- LINNUM
- PUBD32
- PUBDEF
- EXTDEF
- MODE32
- MODEND
- COMENT
- PIDATA
- PEDATA
- LHEADR
- THEADR
- ENDREC
- OVLDEF
- RIDATA
- REDATA
- REGINT
- UNKNOWN

- RHEADR
- Relocations: %u
- additive
- os #%-4u
- %-4u
- %04Xh:%04Xh
- %-8s%04Xh
- OFFS32
- PTR48
- OFFS
- BASE
- LOBYTE
- type offset\ttarget
- Segment %04Xh relocations
- Segment Relocation Records
- Entry: %5u
- Module Description: '%s'
- Non-Resident Name Table\t\toffset: %04lXh
- Entry %4u: Offset: %04Xh
- Fixed Segment Records\t(%3d Entries)\tSegment: %04Xh
- Null Entries: %d
- Single data
- Exported
- Entry %4u: Segment: %02Xh Offset: %04Xh
- Moveable Segment Records\t(%3d Entries)
- Entry Table\t\t\toffset: %04lXh
- %-36s%04Xh
- name
- %-35soffset
- Imported Names Table\t\toffset: %04lXh
- No Imported Names table
- Module %2d: %-40s
- Module Reference Table\t\toffset: %04lXh
- Entry: %04X
- Name: %-20s
- Module Name: '%s'
- Resident Name Table\t\toffset: %04lXh
- Preload
- Shareable
- Moveable
- Attributes:
- offset: %05lXh\tlength: %04lXh
- Discard priority: %u
- %-5u
- Identifier:
- resource #%u
- Sector size: %04Xh
- Resource Table\t\t\toffset: %04lXh
- No Resource table present
- Discardable
- Conforming
- Relocations
- Execute
- Read
- Preloaded
- Sharable
- Moveable

- Iterated
- REALMODE
- Attributes:
- Discard Priority: %02X
- 80286 DPL Bits: %X
- 0000h
- File length:
- Sector Offset: %04Xh
- Alloc Size : 10000h
- Alloc Size : %04Xh
- CODE
- DATA
- Segment Number: %02Xh
- Segment Table\t\t\toffset: %04lXh
- Nonresident Names Table
- %-40sOffset: %04lXh\tLength: %04Xh
- Entry Table
- Imported Names Table
- Module Reference Table
- Resident Names Table
- Resource Table
- Segment Table
- %-40sOffset: %04lXh\tLength: %04Xh
- Expected Windows Version
- %-52s%x.%02d
- Support for long file names
- Miminum code swap area size
- %-52s%u
- Offset to segment ref thunks
- Offset to return thunks
- %-52s%04Xh
- Length of Gangload Area
- Start of Gangload Area
- %-52s%04lXh
- Gangload area
- 2.X proportional font
- 2.X protected mode
- Other EXE Flags
- Application
- Module type
- Errors in image
- Self Loading
- Application type
- Uses windowing API
- Compatible with windowing API
- Not compatible with windowing API
- Protected mode only
- Global initializaton
- DGROUP
- %-22s : %s
- Program Flags
- Linker Version
- %-50s %d.%02d
- DOS File Size
- File alignment unit size
- Moveable Entry Point Count
- Module reference count

- Segment count
- Initial Stack Size
- Initial Local Heap Size
- Auto Data Segment Index
- Initial Stack Pointer (SS:SP)
- Program Entry Point (CS:IP)
- %-50s %Fp
- File Load CRC
- %-50s 0%08lXh
- invalid
- Operating system
- %-52s%s
- New Executable header
- multiple (unshared)
- single (shared)
- none
- Version info
- Name Table
- Group Icon
- Group Cursor
- Error Table
- RC Data
- Accelerator
- Font
- Font Directory
- String Table
- Dialog
- Menu
- Icon
- Bitmap
- Cursor
- BOSS
- Windows 386
- MS-DOS 4.x
- Windows
- OS/2
- Unknown
- 000000: 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
- 0123456789ABCDEF
- , %04Xh
- , %08lXh
- Target:
- Frame:
- Repeat %5u. times,
- %5u. Bytes
- %5u. Blocks
- Repeat %5u. times,
- Segment: [%02X]
- Group: [%02X]
- Frame:\t [%04X]
- *** Bad CRC in The Following Record (%02X)***
- %06lX
- Disk Buffer
- Invalid data - Aborting dump
- Library Page size is %u bytes.
- Index begins at file offset %lx. Index is %u blocks.
- %s to

- Name: %s
- Name: %s Offset: %X
- Selection: %s Allocation: %s Align: %s
- Local
- Iterated
- Continued
- Normal
- PARAGRAPH
- Use SEGDEF
- DATA32
- CODE32
- DATA16
- CODE16
- Explicit
- Exact match
- Same size
- Pick any
- No match
- FAR Elements: %04lx Length: %04lx bytes
- Length: %04lx bytes
- virtual(%s)
- NEAR
- Name: %2d: %-20s
- Offset: %08lX
- Offset: %04X Length: %04X
- Offset: %08lX Length: %04X
- Segment: %-15s
- Target
- Frame
- Loc: %-10s
- Self
- Seg
- Mode: %s
- FixUp: %03x
- LOC
- EI[%d]
- TARGET
- LOC
- EI[%d]
- CodeOffset32
- Pointer32
- Offset32
- CodeOffset16
- HiByte8
- Pointer16
- Base
- Offset16
- LoByte8
- Segment: %-15s
- Group: %s
- %s %04lx
- At:
- %s %08lx
- Overlay: '%s'
- USE32
- %-2d: %-15s %-5s %s
- Name %2d: '%s'

- %4u:%04Xh
- %4u:%08lXh
- Type: %-3d
- %08lX
- %-20s %s:
- PUBDEF
- Repeat Leaf:
- %s: %02X%04X
- Index Leaf: %04X
- NIL Leaf
- %s: %04X
- Flags: %02X
- Name: '%s'
- %-2d:
- %-2d: %-20s Type: %-3d
- %04X:%04X
- %04X:%08lX
- Starting address:
- (Main Module)
- noAliasing
- Speed/Size
- Jump optimizations
- Copy propagation
- Dead store elimination
- Intrinsics
- Loop optimization
- Load optimization
- Register allocation
- Code motion
- Induction variables
- Local CSEs
- Global CSEs
- %-22s : %s
- Module optimization flags:
- Debug information version %d.%d
- Name: %-20s
- Member function
- Large End of scope
- Large Offset Local Def
- Begin Long Scope Index: %d Offset: %08lx
- Offset: %04x
- Segment:
- Coverage offsets:
- Name called: %s
- Line Offset: %-5u
- Line Number: %-5u
- File index:\t %-5u
- Overload Decription:
- (Virtual)
- %-5u %s
- Parent Indices(%d):
- Info: %02x
- Member Index: %02x
- Virtual Offset: %-5u
- Class Index:\t %-5u
- Class Description:
- Public Symbol Matched Type

- Name: %-20s Type:
- Extern Symbol Matched type
- Leading Underscores: %s
- Source Language: %s
- Compiler Parameters
- End of Dependency List
- Dependency File: %-20s %s
- Source File %d: %-20s %s
- Source File %d: [continued]
- End of scope - Offset: %04X
- File Index: %d
- Live range [%04X, %04X] in
- Optimized:
- Value: %06ld
- Reg:
- BP: %04X
- Word: %04X
- Index: %04X
- Name: %-20s
- Local Definitions
- Begin Scope Segment: %04x Offset: %04X
- End of ENUM List.
- Value: %04X
- Name: %-25s
- ENUM Member List
- Member index: %02X
- TID: %02X
- Size: %-3d
- Name: %-20s
- Index: %2X
- Type Definition
- BitField Width: %2d.
- Type: %02X
- %-15s
- Name:
- Conversion:
- Constructor:
- Destructor:
- Member\t Function:
- Virtual
- Static member func:
- Static data member:
- New Offset: %06lx
- Struct Member Record
- Line number: %u
- Function Return Offset: %02X bytes
- Public Symbol Type: %02X
- Line number: %d
- File index: %d
- External Symbol Type Index: %02X
- Default: %u
- Index: %u
- LZEXT
- WKEXT
- NOPAD
- INCERR
- EXESTR

- LIBMOD
- Linker - Pass Two Marker.
- Object Module Extensions Present.
- Unknown OMF extension
- PCode version: %d
- Omit Publics: %s
- C++ Linker directives (LNKDIR)
- Protected memory library
- LINNUM delta: %d
- EXTDEF delta: %d
- Incremental compilation (INCDEF)
- Name Index:\t%04x
- Exported Name: %s
- Exported by: %s
- Dynamic link export (EXPDEF)
- Imported name: %s
- ordinal: %u
- Module Name: %s
- Internal Name: %s
- name
- ordinal
- Imported by: %s
- Dynamic link import (IMPDEF)
- Default Library: '%s'
- Forced Segment Ordering Flag (DOSSEG).
- Memory Model:\t %c
- Code Generation: 80%d Processor
- Compiler Options -
- DOS Version: %xh
- Default Library: %s
- Translator: %s
- Offset: %4u.
- Names @ Block: %4u.
- Module Count: %4u.
- Type: %02X
- Near
- Far
- %s Procedure Return [BP%+d]
- Overlay
- Block
- End of %s
- Offset: %02X
- Frame: %04X
- Offset: %04X
- Offset: %s
- Record type: %02X Length: %04X
- COMMON
- STACK
- PUBLIC
- PRIVATE
- DWORD
- PAGE
- PARA
- WORD
- BYTE
- INVALID
- <None>

- Numeric Leaf
- %06lX:
- Suspicious section directory.
- Invalid signature found.
- Microsoft CodeView Symbol Table (version 4.0) Present:
- Unknown subsection index %04X
- %s subsection contents:
- module index = %04X
- subsection index = %04X
- This subsection not implemented.
- Segment size = %08lX
- Segment offset = %08lX
- Segment index = %04X
- Code segment %02X
- Debug style = %04X
- Code seg count = %04X
- Library index = %04X
- Overlay number = %04X
- Module name = %s
- Code segment %02X index = %04X
- File table %02X
- Code segment count = %04X
- Source file count = %04X
- Code segment %02X end = %08lX
- Code segment %02X start = %08lX
- filename = '
- line %04X = offset %08lX
- Line map count = %04X
- Line map codeseg = %04X
- Library name = '%s'
- Global type table mis-aligned or corrupted.
- This could be a real global type table: count = %04X
- Address hash table size = %08lX
- Symbol hash table size = %08lX
- Symbol table size = %08lX
- Address hash function index = %04X
- Symbol hash function index = %04X
- Format of the address hash table is unknown.
- Address hash table is empty.
- Format of the symbol hash table is unknown.
- Symbol hash table is empty.
- Symbol table might be mis-aligned or corrupted.
- Symbol has invalid type %04X
- %04X %s%s
- base type index = %04X
- root type index = %04X
- vtable address = %04X:%04X
- vtable address = %08lX:%04X
- SPI address = %04X
- func header = %04X
- label distance = %s
- target function = %s
- <invalid ordinal>
- vcall
- adjustor
- <notype>
- block addres = %04X:%04X

- block addres = %08lX:%04X
- offs = %04X
- proc debug end = %04X
- proc debug start = %04X
- proc code length = %04X
- address = %04X:%04X
- address = %08lX:%04X
- next scope = %08lX
- end scope = %08lX
- parent scope = %08lX
- addr = %04X:%04X
- addr = %08lX:%04X
- -- unsupported symbol type (%04X)
- %04X %s
- segx = %04X
- offs = %08lX
- reg = %4s
- type = %04X
- (%04X)
- FLAGS
- ES:BX
- DX:AX
- (31)
- (30)
- Allegedly reserved = %02X
- Code pointer size = %s
- Data pointer size = %s
- Floating package = %d
- Floating precision = %d
- Langugage =
- <unknown>
- MIPS
- unknown model: 7
- unknown model: 6
- unknown model: 5
- unknown model: 4
- unknown model: 3
- Cobol
- BASIC
- Pascal
- Fortran
- 80486
- 80386
- 80286
- 8086
- S_CEXMODEL
- S_LABEL
- S_PUB
- S_GDATA
- S_LDATA
- S_END
- S_SSEARCH
- S_UDT
- S_REGISTER
- S_COMPILE
- <error>
- GlobalTypes

- GlobalPub
- GlobalSym
- Libraries
- SrcModule
- AlignSym
- PublicSym
- Public
- Types
- Module
- Type %04X at %08lX (len = %04X)
- Leaf at offset %08lX has bogus index %04X.
- Numeric leaf: value =
- Leaf %s
- Nested type name = %s
- Nested type index = %u
- Method list index = %04X
- Overloaded count = %u
- Member offset =
- Member type = %04X
- (index = %04X)
- Friend type = %04X
- Enumeration name = %s
- Enumeration value =
- Mystery word 3 = %04X
- Mystery word 2 = %04X
- Mystery word 1 = %04X
- Vbtable ptr type = %04X
- Vbase class type = %04X
- VBtable offset =
- VBpointer offset =
- Vbtableptr type = %04X
- Base class offset =
- Base class type = %04X
- Possibly corrupted method list!
- Vtable offset = %08lX
- Method type = %04X
- Allegedly reserved
- Cannot constr
- Cannot inherit
- Method pseudo
- Member mprop
- Member access
- reserved (7)
- reserved (6)
- reserved (5)
- introducing virtual
- friend
- static
- virtual
- vanilla
- Bit position = %u
- Derived class #%3d type index = %04X
- (%u classes)
- Field list might be corrupted
- Field list padding suspicious
- Default arg value = %s
- Default arg type = %04X

- Argument %d type = %04X
- (count = %u)
- Array dim-list = %04X
- Array elem type = %04X
- (%u entries)
- Vtable descriptor : %s
- far pointer to metaclass descriptor
- addr point displacement to outermost class
- thin
- 'this' adjustment = %08lX
- Parameter list = %04X
- Parameter count = %u
- Mystery 'res' byte = %02X
- Parameter list = %04X
- Parameter count = %u
- 'reserved' byte = %02X
- Calling convention = %s (%02X)
- Return type = %04X
- near syscall
- near stdcall
- Pcode
- far fastcall
- near fastcall
- far pascal
- near pascal
- far cdecl
- near cdecl
- Enum ident name = %s
- Enum ident list = %04X
- Enum ident type = %04X
- Enum ident count = %u
- Size in bytes =
- Vshape descriptor = %04X
- Derivation list = %04X
- Field list index = %04X
- Field count = %u
- Allegedly reserved %04X
- Has conversions %c
- Has operator= %c
- Contains nested %c
- Overloaded opers %c
- Index type = %04X
- Element type = %04X
- Symbol record follows (not implemented) ....
- Type index = %04X
- Segment value = %04X
- Containing class = %04X
- Base type = %04X
- Allegedly unused = %02X
- Is volatile = %c
- Is 16:32 ptr = %c
- Pointer mode = %s
- Pointer size = %d
- Pointer size = %s
- reserved(7)
- reserved(6)
- reserved(5)

- reserved(4)
- ptr to method
- ptr to data member
- reference
- pointer
- based on self
- based on type
- based on seg of symbol
- based on addr of symbol
- based on segment of value
- based on value
- based on segment
- huge
- near
- Modified type = %04X
- volatile
- const
- Attribute =
- VFUNCTAB
- METHOD
- STMEMBER
- MEMBER
- INDEX
- FRIEND
- ENUMERATE
- IVBCLASS
- DIMVARU
- DIMCONLU
- DIMCONU
- METHODLIST
- BITFIELD
- DERIVED
- FIELDLIST
- DEFARG
- ARGLIST
- SKIP
- DIMARRAY
- NOTTRAN
- NULL
- LABEL
- BARRAY
- COBOL1
- COBOL0
- VTSHAPE
- MFUNCTION
- PROCEDURE
- ENUM
- UNION
- CLASS
- ARRAY
- POINTER
- MODIFIER
- <unsupported numeric leaf>
- %08lX
- %04X
- public
- protected

- private
- NYN/A
- 2"2.292G2T2Z2g2s2
- near *
- far *
- huge *
- Invalid_name
- Unknown
- Fastcall_far
- Fastcall_near
- PLM_near
- C_far
- C_near
- bad type rec
- unknown_reg
- FLAGS
- ES:BX
- DX:AX
- Unknown type %04x
- %s %04X
- unknown
- SegAddr:
- Addr:
- SegVal:
- Val:
- Seg:
- Based on
- Based pointer to %s
- Skip to %04X
- Void
- Offs: %02lX
- %-20s
- ENUM List
- Pointer:
- Fields: %04lX
- %04lX bytes
- %04lX bits
- Struct/Union
- %04lX bytes of %s
- Array:
- Parameters: %04lX
- Function: %s returns: %s
- Label: %s
- unsigned
- Bitfield: %02lX bits Shift Count: %02X %s
- Index: %04X
- none
- %04X
- huge *
- far *
- near *
- CURRENCY
- ASCII
- BOOL
- REAL
- UINT
- Module Name: %s Segment index: %d

- Line #%-4d Offset: %04X
- Module Name: %s
- Unknown record
- Change default segment to segment %04X
- SKIP record
- Constant '%s' %s Value: %04x
- Register var %s %-20s %s
- 'With' start Offset: %04x Length: %04x
- Code label Offset %04X (%-4s) %s
- static symbol %04X:%04X %-20s %s
- Unused record
- End record
- Size: %04X dbg_start: %04X dbg_end: %04X
- near
- Fortran entry
- Procedure start
- Block start Offset: %04X Size: %d
- %04X:%04X %-20s %s
- %s Table
- Base: %04X:%04X Length: %04X Lib: %-2u File: %s
- Module #%-2d :
- Microsoft CodeView Symbol Table Present:
- Source line segment indexed
- Compacted types
- Unknown 2
- Library
- Source Lines
- Symbols (Locals/Scopes)
- Types
- Publics
- Modules
- Reserved Class: %X
- Constant: %04X
- Type: %04X
- Var Ptr at
- Type: Unknown
- <Bad Name Index: %04x>
- <No Name>
- %-30s %5u Entries (%04X) File Base: 0%lXh
- %s Table
- (virt. base)
- (single inh.)
- to
- this-last pascal style
- operator
- Out-of-line
- member
- returns
- varargs
- nested
- huge
- Recursive type definition!
- Bad Type ID
- %-15s
- Constructor
- Destructor
- Conversion

- Static method/function
- Static
- Nested typedef
- Nested class definition
- Unused - stripped by linker
- New Offset %02lX
- far 'this', near vbase
- far vtable (huge)
- Declared as 'Class'
- :\tchild of
- Class [%03X] %s
- %4d:%04Xh
- %4d:%04Xh
- Line Numbers:
- %-20s
- Scope Length: %04X Bytes
- Scope Offset: %04X
- Parent Function: %s
- Parent Function: None
- Parent Scope: %X
- Code Base: %04X:%04X\t Code Length: %04X bytes
- File Name: %s
- Correlation Records:
- Value = %Xh
- [%03x] %-20s
- New record offset: %lX
- [%03x] %-20s
- Module Type Definitions:
- [%03x] %-20s Time Stamp: %s
- Source Files:
- Language: %-10s Underbars: %s Memory Model: %s
- Module: [%03x] %s
- Type:
- [%03x] %s
- [%03x] %-20s Type:
- Global
- [%03x] %-25s
- No aliasing
- Optimize for speed
- Jump optimization
- Copy propagation
- Dead store elimination
- Intrinsics
- Loop optimization
- Load optimization
- Induction variables
- Local common subexpression elimination
- Global common subexpression elimination
- No optimizations
- Module [%03x] %s
- Module Optimization Flags
- %04X Next: %04X Offset: %04X class: %2X range: %04X - %04X
- Optimized symbols
- Symbol: %4X: File: %3X Line #: %4u
- Browser definitions
- %4X: %04X
- Coverage Offsets

- Segment #%3X: %-4X
- Coverage Map
- Overload index: %3X\tcount:%X
- #%-4X Class index: %3X\tcount:%X
- Module Class
- #%-4X Class index: %3X\tcount:%X
- Scope Class
- Name index: [%4X] Line offset [%5d]
- #%-4X Overload entry: File index: [%4X] Source line [%5d]
- Overload
- (Virtual)
- Parent #%2X [%04X] %s %s
- Parent
- Virtual Pointer: [%04X]\tInfo [%04X]
- Parent index: [%04X]\tcount: %X
- Member index: [%04X]
- 'near vbase'
- 'far this'
- 'huge'
- Class #%2X [%04X] %s
- Class
- [%03x] %-20s\tMember Type: %04X
- Member #%3X: Info byte: %02X
- Member #%3X: New Offset: %04lX
- Members
- %02X
- Type Record: %02X %04X
- Type Size: %04X
- Type Name: %04X
- Type Number: %4X
- Types
- Line Count: %04X
- Line Index: %04X
- File Index: %04X
- Segment Index: %04X
- Correlation # %3X:
- Correlation
- Scope Count: %04X
- Scope Index: %04X
- Code Offset: %04X
- Code Segment: %04X
- Code Length: %04X
- Module Index: %04X
- Segment # %3X:
- %4d:%04Xh
- Line numbers
- Scope Length: %04X
- Scope Offset: %04X
- Function Symbol: %04X
- Parent Scope: %04X
- Autos Count: %04X
- Autos Index: %04X
- Scope # %3X:
- #%4d: Number: %5d Offset: %04X
- Line Number
- Time Stamp: %s
- File #%3X: [%03x] %-15s

- Source File
- Correlation Count: %04X
- Correlation Index: %04X
- Sources Count: %04X
- Sources Index: %04X
- Symbols Count: %04X
- Symbols Index: %04X
- Module #%3X : [%03x] %s
- Module
- Offs: %02d
- Type: %04X
- %04X: %04X:%04X
- %04X:
- Local Symbols
- Index Address
- Global Symbols
- %-8s.%-3s
- Debug Flags
- Number of Optimized Symbol Entries
- Number of Browser Entries
- Number of Coverage Analysis Offsets
- Number of Module Class Entries
- Number of Scope Class Entries
- Number of Overload Entries
- Number of Parent Entries
- Mumber of Global Classes
- Number of Class Entries
- Data Count
- Basic RTL String Segment Offset
- Number of Correlation Entries
- Number of Segments
- Number of Include Files
- Number of Line Number Entries
- Number of Scopes
- Number of Local Symbols
- Number of Source Modules
- Number of Global Symbols
- Number of Symbols
- Number of Member Entries
- Number of Type Entries
- Number of Names
- Name Pool Size (in bytes)
- Image Size
- Symbolic Information Version: %d.%02X
- Borland TLINK Symbol Table Present:
- Names Table Storage
- Name Table
- 80386 Large
- 80386 Compact
- 80386 Medium
- 80386 Small
- Huge
- Large
- Compact
- Medium
- Small
- Tiny

- Assembler
- Basic
- Pascal
- Unknown
- ST(7)
- ST(6)
- ST(5)
- ST(4)
- ST(3)
- ST(2)
- ST(1)
- ST(0)
- -- unused lang 6 --
- far PASCAL
- far C
- interrupt
- -- unused lang 2 --
- near PASCAL
- near C
- tag
- typedef
- Pascal const
- register
- Pascal var
- auto
- absolute
- static
- Local Handle
- Global Handle
- -- Unknown type 3A --
- -- Unknown type 39 --
- new member ptr
- Long Boolean
- Word Boolean
- far reference pointer
- near reference pointer
- member pointer
- -- Unknown type 32 --
- -- Unknown type 31 --
- handle pointer
- class
- special function
- prototype
- raw tbyte
- raw pword
- PASCAL enum
- PASCAL boolean
- PASCAL binary file
- PASCAL text file
- label
- function
- enum
- very large union
- very large struct
- union
- BASIC array descriptor
- PASCAL array

- very large array
- c array
- far386
- near386
- segment pointer
- far pointer
- near pointer
- cobol BCD
- 10-byte BCD
- 8-byte BCD
- 4-byte BCD
- long double
- double
- PASCAL 6-byte real
- float
- PASCAL character
- unsigned quad
- unsigned long
- unsigned int
- unsigned char
- signed quad
- signed long
- signed int
- signed char
- PASCAL string
- BASIC dynamic string
- BASIC literal string
- void
- Not enough memory to load debug information
- Overlay information %lu bytes
- Borland Overlays found
- Unknown secondary signature: %04X
- %04X:%04X
- Entries
- Entry
- Relocation Locations (%u %s)
- Program Entry Point (CS:IP)\t\t\t %04X:%04X
- Initial Stack Segment (SS:SP)\t\t\t %04X:%04X
- Borland TLINK Version %d.%02d
- Overlay Number
- File load checksum
- Maximum Memory Requirement (in paragraphs)
- Minimum Memory Requirement (in paragraphs)
- Size of header record (in paragraphs)
- Relocation Table address
- Relocation Table entry count
- Load Image Size
- %-48s %6lXh (%6lu.)
- DOS File Size
- Invalid signature for an .EXE file - found %04X, expected %04X
- Old Executable Header
- %-48s %06lXh (%6lu.)
- %-50s %04Xh (%6u.)
- %02X
- %04X:
- %02d/%02d/%2d %02d:%02d %cm
- Can not write to output file.

- Out of memory loading %s.
- ERROR:
- .LIB
- .386
- %*sDisplay of File %s
- Can not open output file %s.
- Can not read input from a device.
- Can not open input file %s.
- .EXE
- .OBJ
- No file name given on command line.
- Invalid Command Switch %s.
- Undefined record name in switch: %s
- TDUMP
- Turbo Dump Version 3.1 Copyright (c) 1988, 1992 Borland International
- Microsoft symbolic debug information
- Turbo Debugger symbolic debug information
- OMF files (.OBJ & .LIB)
- New Executable files & Linear Executable files
- DOS Executable files
- TDUMP will display the following file types & information:
- -v Verbose display
- -oxID Exclude .OBJ file record "ID"
- -oiID Include .OBJ file record "ID" (i.e. -oiPUBDEF)
- -oc CRC Check .OBJ file records
- -o Force .OBJ format file display
- -m Disable C++ name de-mangling
- -l Library format file Display
- -h Force hexadecimal file display
- -ex Disable New Executable Display
- -er Disable relocation record display
- -el Disable line number display
- -e Force Executable file display
- -b# Offset into file for display
- -a7 Display file in 7-Bit mode
- -a ASCII file display
- Syntax: TDUMP [options] InputFile [ListFile] [options]
- Abnormal program termination
- Divide error
- Borland C++ - Copyright 1991 Borland Intl.
- tdump.exe
- u\t&;
- Pu;:
- PATH=
- ?0|E&
- ?9~\t&
- ?Xu}
- ?Xu&
- ?Iu&
- ?-t6
- "<\\u
- I,"t
- [[XP3
- u3SQR
- t;Nt8
- uVO3
- tb&9

- ?+u'
- &)7V&
- u5&9W
- ZRPU
- ZRPU
- Runtime overlay error
- CC&8
- (null)
- H
- h((((H
- (((((H
- h((((H
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- jjjj
- Cjjj
- jjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjjj
- Cjjj
- Cjjj
- Cjjjj
- Cjjj
- Cjjj
- Cjjj
- Cjjj
- Cjjjj
- Cjjjj
- Cjjj
- Cjjj
- Cjjjj
- Cjjjj

- j\\@*
- cdst
- \\]ruxyz{
- mbH=%
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
-
-
-
- N$)]
- RSDS
- a_cmp.c
- w_cmp.c
- ch != _T('\\0')
- (null)
- ppxxxx
- `h```
- _flsbuf.c
- w_loc.c
- s != NULL
- convrtcp.c
- string != NULL
- MM/dd/yy
- dddd, MMMM dd, yyyy
- HH:mm:ss
- stdargv.c
- stdenvp.c
- tzset.c
- Program: %s%s%s%s%s%s%s%s%s%s
- %s(%d) : %s
- dbgrpt.c
- str != NULL
- french-swiss
- French
- a_str.c
- Data: <%s> %s
- %hs(%d) :
- {%ld}
- crt block at 0x%p, subtype %x, %Iu bytes long.
- _pFirstBlock == pHead
- _pLastBlock == pOldBlock
- _pFirstBlock == pOldBlock
- _CrtCheckMemory()
- *file != _T('\\0')
- *mode != _T('\\0')
- LC_ALL
- LC_CTYPE
- !"#$%&\'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~
- ntdll.dll
- v.v|
- ,v\\9.v
- ,vJ^/v
- %-vO!.v+E.v
- jZh8|C
- hh{C
- ;M trj
- h,[C

- h,[C
- h |C
- h,[C
- jyhp{C
- h|{C
- jZh8{C
- hh{C
- M ;M
- h,[C
- h,[C
- h {C
- h\\zC
- jfh\\zC
- jZhXyC
- j^h(yC
- j]h(yC
- h@pC
- hHkC
- hHkC
- ^jch
- h@pC
- hHkC
- hhpC
-]_^[
- t?xH
- t.;t$$t(
-]_^[
- htlC
- htlC
- hllC
- jahllC
- h`lC
- hTlC
- =t`h
- juhTlC
- hHlC
- hPlC
- h<jC
- h<jC
- h<jC
- PhhjC
- >j]h
-
-
-
-
-
- h rB
- j@h cC
- h$[C
- h,[C
- PPPPPPPP
- PPPPPPPP
- QhLZC
- QhtZC
- Bh(YC
- dhLYC

- hpYC
- t!h(WC
- t!h@WC
- t!h`WC
- t!h\\UC
- t!hxUC
- jmhPTC
- jkhPTC
- /RjS
- .PjR
- -QjW
- ,RjV
- *QjT
- $QjQ
- RjP
- j`hDTC
- jmh8TC
- |Qj=
- xRj<
- tPj;
- pQj:
- `RjN
- \\PjM
- XQjL
- TRjK
- PPjJ
- HRjH
- DPjG
- @QjF
- ,Qj-
- (Rj,
- $Pj+
- Qj*
- jEh,TC
- h TC
- htSC
- hhSC
- hhSC
- hlSC
- Rh\\SC
- @Qh`SC
- hXSC
- }Fh@SC
- PhTSC
- hHSC
- hHSC
- h@SC
- hDSC
- A,hLQC
- h`QC
- hlQC
- TSVW
- .rsrc
- JRich#
- YY_^
- v\t$
- vtPV

- ctPV
- QtPV
- vsPV
- csPV
- GsPV
- "sPV
- vrPV
- NrPV
- &rPV;
-)pRP
-)pRP
-)pRP
- nqPW
-)pRP
- `qPW
-)pRP
- HqPV
- ppPV
- ZpPV
- YYRP
- ?$t'
- ?$t)
- ?@t/&
- ?mt\t&
- t#=m
- m\t]\tT\t=\t*
- YY_^
- YG;~
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRPW
- YYRP
- YYRP
- YYRP
- YYG;~
- lcRP
- ,r,O,/,
- .v.S.!.
- *{*!*.*
- +/+ +
- $}$[$
- %{%`%E%#%
- &l;&V;&@&+&
- 'n'O'%'
- !_!@!
- "v"%"
- #w#b#-#
- PRPR
- YYRP
- YYRP
- Y\tYYRP
- #\tYY
- YYRP

- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- .JRP
- YYRP
- YYRP
- YYRP
- YYRP
-)!YYP
- C!YYP
- !YYP
- YYRP
- YYRP
- s"YYP
- YYRP
- #YYP
- c#YYP
- YYRP
- #%YY
- L%YY
- r%YYP
- %YYP
- -&YRP;
- %YYP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- *,YY
- 'YYRP
- =KRP
- *(YYRP
- (YYRP
- %v%Y%l%
- 'Z'D'
- r H
- #K#.#
- j\t[\t<\t*
- &*&;&L;&]&o;&
- YY]M

- YY]M
- YY]M
- YY]M
- YY]M
- _^]M
- YYF;v
- YY_^
- YY]M
- YY]M
- _^]M
- sLWV
- YY_^]M
- YY^]M
- YY^]M
- YY^]M
- YY^]M
- YY]M
- YY]M
- YY]M
- _+PV
- _+PV
- _+PV
- _+PV
- _+PV
- _+PV
- LLVW
- _^]M
- YY^]M
- YY]M
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YYRP
- YRPV
- ,$RPV
- YRPV
- YRPV
- ,$RP
- -w-g-P-)-
- .}.^.7.
- /f/G/(/\t/
-)p)Z)D).)
- *y*H*
- +Y+H+7+
- sSH
- %l%M%=%*%

- &z;&j;&K;&7&%&
- 't'U'J'<','
- | '
- "w"M"8"
- #!#\\#
- PRPR
- YRP
- YYRP
- YYRP
- "YRP
- $YRP
- F%YRP
- p'YRP
- =NBt
- =NBt
- YF;v
- (null)
- .$$$
- @@@@
- @@@@@@
- @@@@@@@
- @@@@@@@@@@@@@@@
- !!!!!
- Segment entry: %04xh\tMax symbol length: %d
- Map: %s
- %d-bit symbols
- Segment: %s
- %-4d\t\t%s
- %-*s: %s
- %-*s
- %-*s
- ...>
- rrsh
- rlsh
- __vc1$thunk__[
- yn}n
- $*$*$*
- MSLEND
- MSLIBR
- NBKPAT
- LINSYM
- GRPDEF
- LOCSYM
- TYPDEF
- DEBSYM
- BLKEND
- BLKDEF
- %s: %s
- %s-Only
- Segment Type: %s
- Dynamic link Library (DLL)
- %-48s %6lXh (%6ld.)
- Segment: %s
- Group: %s
- Name: %s Flags: %X
- Flags:
- Thread:%s[%d] =

- FI[%d]
- GI[%d]
- SI[%d]
- FI[%d]
- GI[%d]
- SI[%d]
- Length:
- Class '%s'
- Signed %s: %ld
- Signed %s: %d.
- String Leaf: %s
- ==========
- Memory Model:\t %s
- [BP - %d]
- Segment: %s
- CV version: %d
- New EXE: %s
- Run MPC: %s
- Copyright: %s
- Purge: %s, List: %s, Class: %-3d (0%02Xh)
- %s:%s
- %s
- Name: %s Length: %d
- THD %-2d
- size = %08LX
- offset = %08LX
- Symbol table is empty.
- model = %04X
- label name = %s
- with value = '%s'
- vtable offset = %d
- this adjustment = %d
- thunk type = %s
- thunk name = %s
- length = %04X
- block name = %s
- block length = %04X
- block length = %08lX
- proc name = %s
- proc distance = %s
- proc type = %04X
- '%s'
- '%s'
- ST(%d)
- pcode present = %d
- CPU = %s
- S_VFTPATH
- S_WITH
- S_BLOCK
- S_THUNK
- S_GPROC
- S_LPROC
- S_BPREL
- S_SKIP
- S_CONST
- S_STARTSYM
- Segments (???)

- Mystery (???)
- SrcLnSeg
- Symbols
- vptr type = %04X
- Method name = %s
- Member name = %s
- Member name = %s
- Member access = %s
- Friend name = %s
- %*s%*s = %c
- %*s%*s = %s
- Type = %04X
- Bit count = %u
- Array name = %s
- (dist = %s)
- 'this' type = %04X
- Class type = %04X
- far syscall
- far stdcall
- Nested %c
- Ctors present %c
- Packed %c
- Name = %s
- Length =
- Type name = %s
- Is const = %c
- NESTTYPE
- VBCLASS
- BCLASS
- REFSYM
- STRUCT
- STARTYP
- -(<9<J<[<l<w=z=}=
- ;!;0;G;R;\\;g;o;u;
- Unknown ptr type
- PLM_far
- st(%d)
- %s to %s tag: %s
- Types: %s Names: %s tag: %s
- Types: %s
- Typedef: type: %s %s
- CMPLX
- Library #%-2d: %s
- Typedef '%s' %s
- Local symbol [BP%+-4d] %-14s %s
- '%s' Ret: %-4s %s Offset: %04X
- %s
- Opt. Idx: %X
- [BP%c%d]%s
- RET Offset: [BP+%d]
- (unknown ptr type)
- (mult. inh.)
- %s
- [??]
- [%X]
- %d.%d
- Range <%lX,%lX> Parent %X

- max %X
- '%s'
- far 'this' ptr (far)
- %s,
- : %Xh Bits
- (%s)
- 'Struct'
- Type ID: %02X
- Memory Model: %s
- Underbars: %-4s
- Language: %s
- [%03X] %c%s
- BP: %d
- Class: %X
- Symbol
- %s Type:
- Pascal Overlays Present: %s
- Case Sensitive Link: %s
- Debugger Hook Address: %Fp
- -- Unknown type 3D --
- -- Unknown type 3C --
- -- Unknown type 3B --
- -- Unknown type 2F --
- struct
- %-48s %6lXh (%6ld.)
- %*s%s
- %s
- .SYM
- .TDS
- .DLL
- $*$*$*
- L\tM\tM\tK
- _^ZY[X]
- PSQRVW
- PRPR
- ?/t*
- %_^]
- %_^]
- [[[=
- [[[=
- %_^]
- %t.&
- "*fff
- M!Z!
- !r.RP
- LLVW

• Module 4 (probably unpacked / injected by the sample)

• Module 4 rich signatures

- 44616e530000000000000000000000000097883000400000000000001000c000000c30f5d0003000000c30f5f0001000000c30f0f00030000001b9daf00560000001b9d9d00

• Module 4 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- Microsoft_Visual_Cpp_v50v60_MFC ()
- Borland_Delphi_30_additional ()
- Borland_Delphi_30_ ()
- Borland_Delphi_v40_v50 ()
- Borland_Delphi_v30 ()
- Borland_Delphi_DLL ()
- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)

• Module 4 strings

• Module 4 most interesting strings

- url | valid domains | tlds: f9.Mn
- url | valid domains | tlds: .Fk`
- api | ntdll: NtQueryVirtualMemory
- api | kernel32: RtlUnwind
- api | ntdll: _alldiv
- api | ntdll: _allmul
- api | ntdll: memcpy
- api | ntdll: memset
- api | ntdll: _aulldvrm
- api | ntdll: tolower
- api | ntdll: isspace
- api | ntdll: memmove

• Module 4 other strings

- Waky#Yl9)O
- %/9)O
- f/96u?
- .9CMW
- s-9C
- l9C8_
- O-SG
- 9CM?Y
- akd#M
- l9C9A
- DOM#~
- lNWa
- 1y#Yl9)O
- X'96gd
- XW0(
- p7k)L
- jX%E;
- MWak
- 9CM=a

- %/9C
- LWak
- 9CMW
- [ul9
- q%E9
- $/9C
- *}kov
- v-9C
- AMWa
- X;9=
- ^!9)O
- Waky
- jX%E9+
- R%C9v
- *ujd
- tGAX%
- [NWa
- 8CMW
- b%6G
-)LWa
- l;%Z1
- CMWa
- 96X=c
- VSak{
- M1'W
- MWak
- (.9C
- MVak
- E8+a
- /9CM
- CMWa;u
- >AW!k
- 9CMW
- j1xH
- 4cCq$
- %/9=B
- |KvRI
- IWak
- y[OWak
- UWqk
- a-/MX
- xX%E9)c?
- R1C8I
- X%39CM
- l9JMWa
- Ba;R
- CIWad
- MWak
- %/9L
- 7_=c
- _Zn9
- "9CMW>5J
- Q!SA
- Q!SA
- E9)M
- `f/SA
- QyLWa

- !/97r
- g.9C
- BA:R
- O.9C'W
- C8d\tj
- BMWa
- .9CM
- rUak
-)M=a
- /9CM
- X%.6
- %[7)O
- 9~zC
- MWak
- ^!9)O
- Waky
- $/9C
- 9CMW
- q%E9
- 5!/9
- C8PR
- q%E9
- %IWa
- R1C8^
- 9CMW
- f/9L
- l9A9Z
- MVak
- E9)M=`
- /9CM
- Q:SA
- -i)M=a
- q%E9)M=
- CMWa
- +"9C
- |KvRI
- XO0(
- ^!9)O?aj
- Waky
- $/9z
- CMWa
- Bu:R
- V&/9
- |O8Mn
- XVak
- .8PR
- ,/9C
- CMWa
- EldC
- MZak
- X-/9
- f/<6G
- %?9C
- %/EO
- MZ'U
- q$E9
- yk^!9)O

- /9CM
- .9C%o
- 96G=h
- .9C%o
- /L8'W
- /9C'W
- .9C%o
- CMWa
- l9CB
- R5CB
- %/9p
- 9CM?Y
- $/9CM
- ;CMWa
- zCM"i
- l9C8o
- cIWa
- l96^
- ?Kak
- 6S?
- /9CM
- MWak
- p7k)M
-)M=a
- /9C%C
- 9CMW
- %E9)M=a
- O/SC
- jX%E;
- MWak
- E9)M=a
- 9CMW
- O'/9
- f9/Ln
- MVak
- E8+a
- /9CM
- 9CMW
- 9CM#C
- NWak
- R1B8R
- *ijd?
- %/9C
- CMWa
- KWak
- o^MW
- 1uak
- %o9C9B
- %/9C
- %/9C
- %/9C
- ce[O-
- O/Ss%
- X'96S?e
- %/9C
- DUWa
- cOak

- |KvRI
- %/9C
- .9CM
- Wak{
- %/9%
- MWad
- 8CMW
- AMWa
- /97o
- 9CMX
- *i1n
- f-nER
- ?YZ?5
- -,tO
- U1C8X
- +!2MAYof
- '!7MCToo
- +!7MCYoe
- !+;GISeo
- !+=GISeo
- !+=GISeo
- !+=GISeo
- X%6<
- f/I@
- W6hR
- f/1@
- pU"k
- }iMW
- .9CM
- $/9C
- /9CM
- %-9C
- BMWa
- CLWa
- 8?CM
- ~KWa
-]Wak
- Wakd
- VakC
- 9CM)W
- MUak
- 8CMWn
- $/9C
- %'9C
- 4+-/96A
- 9CMW
- BMWa
- A%9C
- %/9C
- %/9C
- uGWa
- CMWa
- MWak
- H)/9
- UzC'U
- akeA
- 9CMWn

- yaf/
- A<TX
- -[ak
- 9CMW
- 9CMW
- 9CMW
- $/9C
- WakyG_l9)O
- hK4v\twkX%E9+
- KLWad
- OLWa
- %/97F
- xX%E9)+?=
- R5C8I
- %/9@
- 9 9$9(9,9094989<9@9D9H9L9P9T9X9\\9`9d9h9l9p9t9x9|9
- 7,8084888<8@8D8H8L8P8T8X8\\8`8h8|8
- 7 7$7(7,7074787<7@7D7H7L7P7T7X7\\7`7d7h7l7p7t7x7|7
- 6 6$6(6,6064686<6@6D6H6L6P6T6X6\\6`6d6h6l6p6t6x6|6
- 3(3,3034383<3D3H3L3P3T3X3\\3`3d3h3l3p3t3x3|3
- 2 2$2(2,2024282<2@2D2H2L2P2T2X2\\2`2d2h2
- 1 1$1(1,1014181<1@1D1H1L1P1T1X1\\1`1d1h1l1p1t1x1|1
- (0,0004080<0@0D0H0L0P0X0h0l0p0t0|0
- 52595N5T5
- 434G4
- 2 2{2
- 0&080>0J0\\0b0n0~0
- =O?U?
- ;2<E<K<T<
- 6m7x7
- 6:6@6x6
- 444y4
- 2.3K3d3q3
- 0O1Y1c1{1
- 50\\0j0{0
- >3>Q>
- ;4;G;a;};
- 9"9)989F9X9n9|9
- 758\\8w8
- 6\t6+6F6`6u6
- 5,5:5N5T5[5
- 4/4:4]4l4s4
- 3E3R3v3
- 1N2[2
- 0F1L1
- 70o0
- >J?o?
- <6=^=
- :0:7:J:[:
- 868?8K8T8`8h8w8
- 6b7n7
- 5"505=5Y5g5
- 4%4E4p4
- 2,2:2G2c2q2
- 0O1X1w1
- 0@0]0o0
- >E?^?

- 8*8C8l8|8
- 7(7R7b7l7|7
- 5-5i6
- 3=4M4j4z4
- 3(3P3`3j3~3
- 1M2v2
- 1 1[1t1
- 0)0D0N0f0x0
- 8Z9c9l9x9
- 8R8l8u8~8
- 6\t7 7B7N7g7s7
- 656l6
- 4%4I4]4|4
- 3!3,343;3A3S3Z3`3f3
- 1$2T2Z2
- 1%1+1O1_1u1
- /0J0Q0`0p0
- =*>6>
- =8=A=N=[=
- 9,949<9I9^9m9t9y9~9
- 8=8k8
- 55797=7A7E7I7M7Q7U7r7
- :A:d:
- 8D8n8x8
- 4)4/474=4H4M4
- <0@0D0H0L0P0T0X0\\0`0p0
- 7'7f:
- 6!6'6=6S6s6
- 5%5W5]5
- 42484~4
- 0;0w0
- 4!5u5
- :):6:\\:o:
- 509C9U9~9
- 9F9V9
- 3&4/5
- 2+3h3
- 2-2X2
- <"<@<I<O<V<e<k<
- ;8;`;
- 818@8P8|8
- 7#757@7K7S7Y7_7n7
- 6$6<6M6\\6i6t6{6
- 4\t5 52595N5T5Y5i5o5t5
- 40494H4W4w4
- 363a3h3
- 2"262M2[2}2
- 1#171N1^1u1
- 010B0Y0j0
- 979[9
- 7$8K8
- 767c7
- 595m5
- 474S4v4
- 3*303c3
- 2d2r2}2
- 0+0V0f0

- oJ|E
- Rim!}
- g"o.
- 7G<a
- ggmO#
- bPa#
- |8KT
- 7A=H[V
- /7p2
- ~>:4
- 2r.~
- gui\\
-)Ov`~
- ,7'Uz|
- guAd
- AmiK
- IJ*F
- i#GQ
- cA7-
- 3dlK
- uGld
- 0u"<
- 5+:t
- {>oMd
- t)o+
- D3'
- A^[C"
- 7ro'
- WE;6?{
- j{E `
- A\\E[^
- ISmL
- 9?ih
- u}%7<^gA
- 5Muf
- ;8"M2B
- :90X
- 0&FgX;
- IE@#
- }4HK
- \\4pq
- 7P.U
- 1b4)
- $iKc
- L1\\HQ
- &@T9@
- 9>8e
- `3Dda
- RUid
- 1$&Q;
- L6Y8U
- #RX7
- `Jn8
- k8ub
- 1zyd\\
- csUX$
- {lf3,

- O5wcvq
- q/6A
- g}Olu
- ajBX
- [e7I
- 9e0=
- d_*Ve
- 25ZS
- Bca1P
- !s8Y
- \\a?/
- nu+M
- e!M^C
- 8Qqi`
- 8A+9do<
- IYjK
- .e]1
- 6DLJ
- wBM3ol
- E8h[
- zhS_9
- @`F1
- Ayl-
- ""k<A
- jk0L
- .amb
- Fuk_
- /h]q2
- qItS
- Ps0P$
- cf3Y
- Q^ma'
- ,3L5
- <)+Go
- j!:U
- *jw3
- O66P
- Em=t
-)sUwQ4
- 9IJ~\\V
- CgUn
- aEr`
- Gja}
- FW/3
- .)OxQ6
- a{x]t
- E&('-
- q1~eo5
- 4?SZ
- ~&1nIN
- |p4
- bYOZ
- !\tY=o
- d'6!Z
- FJ_-5
- PP u
- QV<A

- l/a3A
- kHA++
- 8&KZB;
- Iy^|
- 9<{B
- E(`C
- rO_l
- A]OUW
- 6j^j
- >Oa%1
- +so8F
- Ax=#
-]0g~<
- }{6&1`
- `=4%3
- #uLf
- t68oZ{
- }{(8'
-)UU$}\\
- }6>;D
- Y:1B
- I1O
- eTRa
- 3(&Lc;
- 7F:{
- _$5o
- i5yq`
- fa4W$6
- lu-\\
- e\t2i#_
- iyI|
- IZK>U
- !@1.
- t(Y8
- }X[u
- 0#n&
- i~x
- A0bk
- .-eT
- d9_n
- =J91
- lc_8
- 9hFYW
- uJjv
- G0*&A;|A
- 5T9TD
- 0d9r
- 5\toLD
- |RI
- dQLo
- ugL>"
- 4h7b
- z}ta
- EQtax
- !9rt)
- y~0q
-]qI=M

- ~hQU
- N\\83
- E[q*
- p0{%
- 75y'
- W;Z7#
- m3"|
- ilPOl}~:z
- z50@
- vkXu
- K&Vu;
- /"\tu6
- IJ\tZ
- |EB(N
- xDif/
- {/e0Hg}
- 1K{$6
- JuGO
- dNm*0
- U%W$4
- az*WT
- 27"C
- okBy
- 3.Zn
- mVQ8
- 0;aPx
- n6[}1
- IG_6m
- SJcu
- 2Zo*
- 6=Z*m
- 9lL@
- ;CKku
- ^2.]#
- 3}T=
- JOw:
- APqaZ
- Ax^H:
- aAf_@
- UO&.
- oTeWx/
- ba<Z
- &;7V
- 6S$N
- _`o)
- !sxi
- m7grm
- 'i[c
- zm7g
- lv7*z
- 3Q#P
- :5_]
- <2H
- 9W;l`
- q0L?D
- ?iuV
- >Vur

- LUCf
-]KE[
- 2A)0d
- zZ0P
- avyQ
-]<zo
- VY6h4[
- 5@Vf
- ozQC
- ;k+8
- (E_5-
- I9<T
- 7`Q":
- yAG
- EjxY
- TD)2
- VA+C~
- U4p3
- EbvAS@sb
- o=O7
- 7A]/
- 9$.{
- 5%aC
- ~)_e
- 7M]y7
- 8Bog`
- sOtL
- [hir5
- +eZ[
- 0w%xu-
- 89'&lU;
- *Wixa
- 7OX2
- Vh3<E
- _sg8
- 3;0M
- uqCyN
- +9o=#
- =||a
- v78L
- WI>e
- .PnU
- aI8_0
- *i&*
- 5cJ"
- F#a2
- eO?a
- 8aUW
- IegvC
- 9dAL>g
- u,8d
- r62)B
- bR.3
- YC8%-
- 3>f*
- Fj"O
- H+5<

- d=ip
- 706d$
- plxe!
- 2Ap2
- u>z=
- >GGx29
- m6A{
- 4Sq/
- s JO
- N6MM~
- ;;1(
- 2Ok9
- e\tT8
- jlil'
- Lz@5p6b
- xE'S
- ctPI
- lZu\\$
- aLHw
- \\5W-F
- E<BD
- rrYt&EZAJ;
- +eJ@
- 3=~M
- $O0P
- #Ab1
- {Go~
- 2o!>
- gbE4k
- zIXR
- R6k'8
- RT$og
- \\0"~
- S&PE;
- [SuP
- jAu_`VW
- a6kV-$
- {Ey2
- 'ly7
- p70k
- e[JS
- HeJ^
- eBp~C
- 4A'
- X<AuY
- g$la
- 02R|
- 4ZY}
- @6dt
- ukx
- ^+iOAU
- 32.%
- c(IW
- &9f\\
- q8P:
- NxCE@
- IemL

- .b7@(
- .^Vl6
- e6H(WO
- 28dE
- &aw;@
- OtD]q
- A\tka{
- =o1}+
- EMYJ
- wn6$
- $y4O
- ac#D
- &s9;?
- f8~U
- t>[9G
- %'aM
- /zr2
- YKpI
- q{UB
- 3\tUj
- 72Ph
- fIC
- Y4u-
- *7MeTL
- "<Q.6
- i\t2c
- ANVo
- oL7>
- o`I^
- cAQ2
- @qH2
- 8x`A
- #Pw8
- "_4F`
- DKOM
- KAj'
- EOl?
- F\tru
- &g4LX;:A
- q@8s
- xvoT
- O72G
- #\tIP
- $cmU
- @2y:iN
- 1EJ7
- j6!!
- A&@2%
- oRp(m
- <8p}
- YDrU
- z!Oa
- Z/Cux
- Ml.7
- P7+}\\
- ,EXs
- c3R7

- fmyB5
- [s8B(
- c4qy
- iy@<G
- l0G>:Os
- Azu<
- 5nQ(
- ^UmV
- OU@)
- &s5F;
- ^F21Q
- Bb9K
- c&6nm&A;
- aRKcR
- uDga
- eWxQ
- i}?L[
- $5zfP
- y4|
- NT02
- PZ6[e
- e"/.@
- LbZ4!
- uJ J]
- aXUc
- ZO9.
- 9MgH
- O$"F\\
- JC}4
- M?AJS
- X0N>
- PB~&4
- &Ju;\t*
- Q"uL
- '#5o
- D|[U0
- u_T5
- VyTu
- 6i:
- F6#^
- f^~6
- *-1J
- z9Z/
- /Pep
- s?X 6
- oB#,
- i"U=
- hh":A
- 5GD3
- M/IS
- k'xO}
- |aSs
- +}ER
- 8u<]px
- Y2wx
- 57/7
- -Gpa

- zEn0
- P{8,=
- J0hH
- (([4k
- U6Nc
- =_^o
- 0v_^
- ,un<
- F"]U8
- 0t<xc
- u<hf]
- \\0r?
- q5b-~
-)9d\\
-)23{
- eQ\t?i
- c0-rk
- ,I#B~
- Pt7E
- sC'41}w
- kQmO
- b?Oo
- ?\\EX
- EtUr(x
- }2km
- {q2Y
- +d}Uj
- 5D9FO
- Vfci7M?
- :8u,YT
- @a?u
- 'cpi)
- 9~n&
- :yA.
- uLxJ
- V_}a
- 9kzP
- t7jBr
- ^'d5
- !r07
- 5i^T
- I7$i
- t7E|;
- >Sg#O
- }1Nr(
- ~wu(
- wRQI
- 5)c_r
- 7C2;
- a|X\\
- =D1I3
- _T&IG;
-)EcM
- &T1;,
- ,IxT9:R
- ;@u`
- 44Ne

- !TA2
- =CxA
- i]s
- r)A,~
- o{ql
- 3klz
- 3828
- 337@
- GCvU
- 6B<U
- ,SeX
- o}RL
- jW6E
- uWtA
- 'Xt4[
- wh>3
- bAI)t
- iP9F#9
- Re2U
- "\'!3`
- mq4/@
- B59M
- H[mey
- EO_9
- Ced(X
- :/)H&2(4_>
-)zcI
- I<h5
- e%oai
- #2`Q
- #6rl
- w?4V
- lw<w
- lz4a
- 8@~k
- un%d
- !ZE3en
- 73}P
- dIW:
- 9{RZ
- 0$r
- h1Poc1k
- X4SE
- {a~J
- p<YAV
- R7&_G
- ChEe8&Z;
- v7%(
- z2="
- .%ES
- kUH.
- w{Z-a
- u;mP
- x-hhO5Zl'
- R2l\\
- #oOR^
- W9z_

- 3Ve"0
- ihR:
- ^;su9
- wyq3
- 2@&$
- bh6-{
-)3bUw
- %DTO
- p~1s
- bUA}
- I[n{+
- 3TI~s
- uq"cn
- F"4d
- J/Eg
- [4*8
- 3tx/
- C_EI~S
- 9M[qi
- @#A+
- @i/j
- 5Obo\\rMs
- !@,0
- @)So
- "Aaa
- =H9g
- }w}Uj
- L*K0
- op 9
-]BIqE
- S+N;6
- m)78 O
- W2&|
- 4.OF
- }x6Y7,
- Z {U
- Hv:vE0
- g]X2[
- +a<O#
- uaH3
- GUKZA\\
- N}a2
- %$A]$
- du.k
- H 3o
- &A0fq;
- JTEF
- J8J3
- ~ar0
- 1OM,
-)[8M
- I4AA
- MDT42
- Env{
- Dje;
- ER<E6
- qoxCk

- I6Y*
- q8Lq
- 2?wsc
- /9a&[
- |mne
- >aec
- ,gLu~
- /3`L
- PeUD=
- n70i
- AM18X
- P2t>}
- 6Zem9r
- 61-z@ky
- $$RkO
- uI">
- BZ,5
- 4.s7
- t!IFU
- X 1e
- s,^2
- ~#k9
- ;/0l
- 4JY1R
- 2-c[
- y2O;
- 6%0\ta
- 4[:y
- q0m+,
- QA.i&
- U:`H
- uZh7
- 5hx]
- {2h6
- /;.3
- mTO9x
- 2i]_
- Pwa4
- g?.8
- dx8J
- 65wf=
- Q;e\\
- 9z;w#
- 0S%9m
- qmIS
- %iRW
- j~y7
- 2{b!
- 4<N8
- Qx7U7
- >sb!l
- 2^zZ
- xF#fA
- e[qg
- 5C<?
- oH$e
- jQ@8

- (Ab8C?b
- 4/B]7
- &[iS
- Y/lua
- nAO`
- 4@K
- 0x>H
- >!\\e
- OdMV
- KB9M9
- AD,$
- ZU6:
- $^'ha
- e$ib~z
- _1,0
- Oi8#
- 'i:]
- 52F3+
- |uBZRV-\t7W
- OD7NZ
- EY\to
- oo87
- eza(o^
- t{e9
- "ei6z
- UKrI#:
- 9RT!y
- dA'o
- 5>&MG0;
- f]aqr
- 3xov
- %Hm0
- *u$Q
- }@IQ
- 00s"
- O8f(n
- '\t^DE}P9
- |uH^L
- "X]nu
- SGHe
- BL\tu
- dip9
- >-VE
- (n3!{
- %U[!mo4pa`
- $\t`9
- jt1H
- A7TD
- 0cL+g
- J\tCu
- <W/x5
- ;\tYU
- "?Uq/
- <eG
- $B5P
- nf8IVh
- Apm6

- Z<j1
- YH.Q7
- '[&8
- *7,S
- Q4al
- 72><
- isU7
- l9,Vhu
- EFXT
- thU'
- _KID
- O=/j
- `:6)W
- iat?k
- pUxi
- yM5 1
- +dv8
- "aVf
- f^58
- RV3D
- Ld}80:
- 23BmE
- 9!B8=
-]%W3
- ^ge@
- K;|2
- D7xf
- ad>c
- IA.m
- YWVtE
- zXlaw
- j4&A;
- 1Q'K8r
- 1GpI
- |WZi
- H23B
- o|83Gq
- s0[?
-]y0HI
- b@$a
- "8H
- e3$iE_qD
- d>heM
- sM:2
- c0't
- {9T[
- Oh7
- rfl2W
- 8'lZ
- `nI_
- .2C+
- iu^N
- u\\ex5
- R(3K+
- 4"@4
- (U;Y
- ~xG7

- W([e
- 0g_f
- O:Sd
- 2'rP
- zCaQ
- >(W2
- 19o.4
- <7D|P
- ^'E$
- e&6G
- 0Lb.|
- R<0c
- _1gwd
- 2Gb&Ne;
- "/aL
- &5Q)
- UIwD
- mtQi
- MgOgTi
- >6.B6
- 3k4u
- Q>E}
- 0=E3
- R3}b7
- ws2_32.dll
- version.dll
- user32.dll
- urlmon.dll
- shell32.dll
- oleaut32.dll
- ole32.dll
- netapi32.dll
- kernel32.dll
- gdi32.dll
- advapi32.dll
- B2E*~
- BO@D8
- ElkN
- ,#IM
- (- 0C
- A|)(h
- c"5o
- T1`m
- 4d(2d
- Lq2Q
- mYuV
- R5b|7v-
- ?59(;c
- b?e~f
- <5IkQ
- <5IkQ
- s1q4
- <5IkQ
- SVWUj
- tYVU
- SVWU
- VC20XC00U

- RSA1
- QQV3
- t>9]
- tE;E
- QQS3
- t5Vj
- YY9u
- SUVW
- YYu\tC
- u;9]
- hD]u
- j\th8
- Yhc5
- SVW3
- f90t
- t';E
- u+G;
- SUVW
- 9VhB
- F;3r
- #W90v
- SUVWh9
- 5<#C
- j\tY3
- j\th0
- us9]
- SVW3
- ;OtjOh
- SVW3
- ta9u
- t1hz
- qF;u
- Ph!oe/j
- Ph!oe/j
- Ph!oe/j
- tUSj
- u8jY
- h)2f
- 3j h
- F;54
- 8LuU
- 8SVW3
- i>kVj
- j8h0
- VVVh3
- u"h6
- D$4h
- =xV4
- 9>v>S
- 4VWh
- j4XP
- QQSW3
- zuKV
- dj2h
- 0GHu
- D$8;
- |$@-u

- t$$u
- GHu
- +D$8
- D$49D$8s
- D$@3
- D$,3
- GHu
- +D$8
- D$49D$8s
- >%u
- T<IuP
- i<hu
- +D$8
- D$49D$8s
- L$8;
- |$@-u
- D$$3
- L$,3
- +L$8
- L$49L$8s
- D$<u"
- ot<It
- s%f9
- ;9vG
- QVW3
- hku8uj
- <+uE<-
- ?.u?
- t>9^
- tU+}
- ?0uBG
- F<-u]
- F<IuB
- e<hu
- 9*VW
- st(IIt
- Ct=II
- YY9Edt*
- Ed!]p9^
- E`f9
- jlX3
- Xj2f
- Xj3f
- Xjef
- A;L$
- SUVW3
- AFf;
- tRV3
- w\t9E
- VWu'3
- 9M(u
- #HP3
- #HH3
- #H 3
- p|3Hx3
- pp3U
- QSW3

- Y9>v
- IVWx
- SVW3
- <9~0<[u
- R<-t8<0|
- t0WSV
- ;,uf3
- >,u<3
- u38_ t
- QQSV3
- 8^ t
- QQSV3
- nosj
- Wj0_
- >nosju
- tN9u
- 4h,RH
- r38j
- t"+u
- OYYu
- t$8P
- 4jVhH
- t#hpI8
- D$4P
- D$8P
- u\t8E
- |SVW3
- tASS
- PSj0
- u.Vh
- uTWh
- QSW3
- t6hT
- t&VU;
- .reloc
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- /MD~
- zCMX
- sMTzC'W
- G}BMW
- :CMW
- DWL)k
- DWM#k
- B@MW
- vGMW
- f-/LJ
- f//CMW
- zCDWak
- X%/LjB
- TzC'U\tk
- X%/9CM
- f/J^
- *}kd2O/SC'W

- p?k)L
- ~QKf/
- l?%
- %Z|+
- =@f/QCLWa
- TzC%
- f5/LG~
- X%/9CM
- X%&9CM
- ~\tJf/
- %SC'
- By:R
- zCL"#
- zCHW`k
- X%/M.
- X%&9CM
- f/9CMW
- f/0CMW
- %/9C'W
- ^),|
- %SC
- X%\\$
- J=CM
- X%"9CM
- CMW\tk
- sYTzC'W
- X%&9CM
- zC>J
- %Z>p
- SC'W
- %/9C'W
- zCMWak
- M&8CM?Y
- CMW\tSjX%E;
- CMW\tSjX%E;)I
- /LD~
- CMW
- DcM"h
- TzC%
- "klb
- %/M&
- yGMWak
- <!CM
- Cs%.9C
- $Q*)L
- %/Jx
- R'KMv
- smX
- }gY\\
- p#kL
- "!?MCYoc
- +!7MCYdm
- #zCMY`e
- f/^J
- &zC;=^"k
- f/+K
- R"kD

- &)zC
- !+=@?R"k
- ? l9sH
- -<@HRe
- %*<BHRdn
- T"kP
- G,zC
- n;CM
- sFMW
- /;CM)f
- CM"z
- @Wck
- b!/LY
- f}_akd
- JMWn
- af/SC%
- _tMW
- ^-qf
- ? ?,?0?<?@?L?P?\\?`?l?p?|?
- :";C;P;c;i;q;
- ?#?)?B?U?Z?g?r?
- <*<\\<
- :&:M:n:
- >%>2>x>
- <&<J<o<~<
- ;3;<;S;t;
- :Q:o:t:
- ;";G;
- :>:I:V:f:k:
- <!<*<4<L<j<
- :):v:
- =6>@>4?8?<?@?D?H?L?P?T?X?
- ???g?u?
- >">5>:>@>E>
- =$=-=U=z=
- :':>:F:O:W:f:
- ?F?Y?`?~?
- >%>C>]>c>
- <-=D=J=S=o=
- <'<B<
- ;4;L;[;s;~;
- :':R:
- %-!g
- JTA%k$]
- Y,.fF
- ss<%
- slYg
- |Zmh+
- SQ[f
- Z\tNq
- qX!VW9
- Ps*b
- &Nxg;
- YWc$[*
- n,Nv
- X/-N
- : BF

- J(Fm
- _Nh3m^
- JSgj$
- Dn!v
- K S)
- ' Vk,Kp
- ?> |
- ~pW{
- tK,r
- BH,.
- ;T+S
- ?)<|
- XW?W
- fmkq/
- {'V;
- r;yB
- s7(#PZ+
- G"&gdr8;
- :zJ*
- !@_]h.
- :S>t
- Z%Kk}
- y,/M
- {nDR
- tLLX
- pV_r:3
- ?@G=
- n$H/
- BywQ
- bqVj
- &qd;!
- ?}Kf
- L{S"
- b0k,.~
- vdL|
- ;h`*
- fFgkB
- ,'\tX
- {h{
- 9Br}kJ
- +KdXy
- F`|sK^>u
- $B*B
- "2=?=z
- rcf{
- X&@?P
- y%rq
- |ck%
- vSm=
- ?d=:
- ~NK"{S
- x&.N
- ^\\<r
- !QFYF
- !V]R
- (L@D
- Xv\t)X.

- <>=rQ
- Yxt
- Gbyd
- r%q<
- vnz>,
- ?\\K
-)PSN
- TwZr
- %p&w;
- +-hL
- zHgMM]p
-]-$ORT
- m@X\\
- +A/hQZG
- $@[os>[r
- JdJ!
- rMC
- "Q.p
- Nfb*
- y%;n
- q_#<
- ( ]g
- '~NP
- \\BD$"
- ref"C{
- k/!,7G
- {<=R\\
- SDqD?"
- %H/{X
- RKN"}
- mwN)M
- PQj{
- -nt@
- <#@E)<{
- }l`
- y%3\\=bP`.
- (vcY
- 'aP&sq;
- `/<P
- |_%J
- nF~F
- G?gZ!
- } W.
- L*h[
- 5B!%?f
- [K%Y
- r>Jq]h
- Y@xK
- @)L/M
- &o-p;\\Dz
- =~eShY
- 7CG|K{
- 4!m"|^(
- CzjJ
- \\Qd`
- }N+f
- vj%eR`

- /VX&
- m,n\\
- jfp,J
- lYhz
- R:!%^
- Sx $
- Qd/S
- S%?G#H
- n{YGk6
- ?nz:
- p&Cg;
- Z f8"\\P
- GS[`
-]\twJ
- ;UGcF>
- k+4~bc
- v#!|
- Bp?Z
- jD#Y
- gRcs"HuW
- <>g
- bR?z
- Y(~dM
- Mm*)t
- CQm|s
- R[sN
- &/-)
- \\SXC
- #N@;
- [P$s
- `Ypm
- +nJY
- #]r\\
-)HqL
- qx@f#'}n
- rZdwc
- v:y@
- {:GH
- $c!
- xF}#
- /=![
- V?Ls
- =jzy
- My[%)
- ?o^K\\Y
- /\\r9KW
- l<&W;[
- $nLL
- v;S:
- ~Ty&
- <Y\tC
- +`>&
- y:Bk
- m$)j
- _!_t
- kgdM
- p:|~6d

- eGrc@X[
- S@#T
- FHR[
- {MXQ`
- c<'[
- T'X>.Ul
- ,LK<
- F@M\\
- `DTZ{
- t*3jY&"%
- d-]
- >q[n
- G$<j
- =]SD
- hN.M{
- 9zrK+}
-]pV#
- uQFf.D
- W~WW
- r}@T
- +DzN
- ;2GDR\\t@cwb
- XZ%+
- d!*hm
- J\\e?}n{
- b'~[
- >Y:Z
- L]W]
- rq,X
- #J@X
- j_^sdeWB>
- \\Dwg
- SkrC
- q"z]{
- C4tv?~
- |Pv<cN
- %|nT#w
-)Q*sv
-)J,l
-)bsZ
- MwG(
- =~{r
- ``w-
- {~&%2!
- C[WX
- nW"m\\
- jY,m
- rl@c
- vBQD
- '!sM
- }L\tp
- #<kQ
- {~^!
- ; ~"@]
- s^|br
- |vzg
- iQN}.}

- v&l;)>
- p\\?p
- r?L}
- |QCq
- "{*>"
- v/F>
- ~~xW
- x}w\td
- $d>{
- |rzM
- [,`@
- uT?^~Q
- P>}k
- $l(V.
- gyM
- 3\tk&*/
- 0S{twx
- FY~/
- {z~*
- }lmf
- X~Fk
- yC!
- Lwfh~
- WPF{
- X%NPPT$
- /;)b
- 3>#(d_
- ,^B`
- yk4[Z$
- _f[H
- X.,JF#
- spQ?pv
- ?b%Rs
- d\t |
- Z>$_
- wcmZ,
- Z~|N
- mYTJ
- J7\\<K.
- q&RN;
- W}x)
- G"NK
- Vr"
- GZ%X
- C<M!
- #G#F/$6
- bqKznF
- |t}K
- p\t{<
- R+};g
- =v"T/
- <y[?
- ca&;=*
- xsXnk
- BtTm$=!
- <\tlvz
- VjpP

- .gqw
- vRvM
- M<}GL
- @\t(p
- {"[:
- "<~Nc5
- %}qhW)
- t\\p>
- 3:x"^}
- K]sf
- x/S~
- X*}T
- @}Pt
- ~p%K
- l<l9JfS
- :cPPwY
- pcY`
- V;[Fz
- fSCF
- s/-\\qA
- T_/V
- :XQY
- Bs#{+
- ?Z/:
- _NwwQ)ho
- t`@Lw
- GGQ|
- M$c@,Gx
- @+qM}
- -'{k
- {rL
- h;@
- ^nqL
- Lz;J
- !hxHj
- gFbR
- @NCh
- DpyxW
- /R=qWK
- \\NCNC5{
- <S<N
- L[S[
- n\\p=I
- LrPZ
- ry-;
- I,L{<
- "\\Mb
- jDo){?,
-)X{K
- F]\\5v=
- jb%x
- ,St
- h;.
- (RdQ
- ` T,
- |,nP
- -G/S$

- wRNV
- (;Gxq
- R!Ld-
- y$_=
- UB,$}{
- qFP@
- !K"<n
- m":!
- US\t~&Ky;
- g&GF;?
- $n]/
- ~,q%
- ?x&+K
- $.*|X-
-]SPyH
- {G|$
- =SlM
- =z=D
- y=\tMTW
-]J{H
- =Zgl
- }=(1-'Z
- llKr
- Z4Jw~`
- !Qdk
- VS.)z
- sqkk
- $B-P
- nvGc
- !p'+
- ^,Qd
- /tG$
- >Ffh
- &XZR;
- nxg^
- vq@_
- t>c)
- Cdt
- ?SEpw<
- V`s#<n=/*
- m.+W
- cBRw
- Pn<h
- j:'m
- Z\\gx
- JS=D
- +V\t\\
- =Tih+k
- qL$<
- @CG[
-)<"z
- QxS?
- w#J
- |swbP
- 3Wgc=}
- x]dw
- PFP>

- h]MM
- GW"rp
- HE;P+y
- zF#mH1G
- RJzV
- _jGJ[
- \\._,:
- 1B>Cj[P
- V}D_`]
- .+\\V'
- ',`}
- C{MK
- {<&C;
- #XW|{N
- @r>^
- MNb$F
- .Hzhz
- pQhgl
- lkBd
- QNW<
-)?<S
- XY^G
- (y<m
- H<B^
- K%')
- tN* Q
- q!.\\
- K!B#
- CD{VK
- B`[b
- pnzb*
- vLu-c{q
- ZL[p
- swVP
- $,[@
- Q@`,
- =QZ;
- K-$6%}
- ~5+>d~[
- Hm$<
- [&$c
- l|R!-
- v[qVb
- =$!W
- bmSM
- /(.n
- %q-R
- VTHF
- |_Fp
- MKg\\Kz
- *(~[
- -}R|
- \\jsD
- nS>\\
- HxZmQ
- r?$M
- yksH

- y:J,
- @vQ|
- b2]3 /|Js+sY
- gH..
- Z>?/p
- #GCr$
- XYhM
- wMLN$
- |v(V
- /TL#
- K,bJ
- =!F(
- nD<w!
-]/N@+a
- "jK$^
- \\vxP:g%3
- BP[~)
- ;SqM)-
- ?Ryt~
- c/ZV
- KT[*=
- &)~W
- ?}P h
- \\^rR
- 3Nj#+P
- /G~,p
- cdrvb
- lb)y
- >)x
- @1Zpy?
- kN#=[X
- KB(x
- !]yH
- ?FMK
- Nr_P
- "vp)
- LtD@
- jksg
- vd
- NyV?
- qgBpot
- nPC>
- `,=<
- I|\\X
- ?n{,
- Kcn"
- 'P#'
- K}x#
- Fcf<
- *`"SH/
- Gw-cfTJu
- }YZ*
- JD.;J
- Q>FWx
- b]*B
- bC!:
- 5YyBR^@

- =@K/
- nJ#.
-]rc%
- qGvW
- p;)]
- ';:x
- J&R;(
- }jq}
- ;=P"s
- -aBYq<
- 7T?j*G
- C;PC
- +Bk}
- TM<dX
- WfWrl
- }>@Wnov
- h/K*_
- QkJ{J
- clGYAgvl3b'
- lxYsV
- n-L
- <1Xb/mC,
- ntdll.dll
- shlwapi.dll
- powrprof.dll
- mpr.dll
- gdiplus.dll
- crypt32.dll
- ntdll.dll
- f%W*
- K$rGt
- ~Y]J
- <dM#
- A@qdxw
- M=CG
- ^^dK
- yHbN
- Wh-q|
- t+@;
- UQPXY]Y[
- ;t$(v(
-]_^[
-]_^[
- t?xH
- Y_^[
- @PVh
- @PVh
- @PVh
- Vj-W
- t,)j
- QQSV
- PWSS
- PSSS
- QQSVW
- tYWj
- PSSh
- PSSj

- "j!hP
- DVWh[T
- t$+}
- SVWh
- j:Xf
- VWj _
- L$ t
- PSShh<
- "j;h
- $TX!'j
- j\thd
- hsQN
- D$$P
- D$(P
- D$,P
- h{K~_j
- ;D$
- PSUVWh
- PSSj
- _^][
- HtWHt=
- SVWj
- j\\Yf
- _^][
- hcPS0j
- QQSVW
- CY;^
- t=Vh
- j Zf
- T}Bj
- SSSSSSSW
- jHjZW
- SVWh
- T}Bj
- SSSSSSSV
- jHjZV
- LSVWh
- PVSSS
- PSSSS
- SVVV
- PVVj
- t+hx
- tRh)2f
- QQSV
- tDWV
- j\th|
- tVhC#
- j\thp
- SVWhf
- CWh
- nqWhh
- hJ&Y;
- j\t_Wh
- _Wh>y
- tGHt/Ht
- YPhpbL
- SVWh

- vj"h
- SSSj
- SSSj
- tySSSj
- SSSj
- PSSSS
- SSSSSS
- PVVh
- QQSW
- D$<P
- D$<P
- D$LP
- t=WVVS
- D$`VVWWWWh
- jdY^
- >@s"9|$
- D$ WW
- WVhX
- SVWj
- PhMF
- tpWF
- Ph0dc^j
- tYVWS
- PWWj
- PhMF
- t\tVWS
- t-f9;t(VWWS
- @SPW
- L$DQ
- D$B@P
- D$DVP
- D$,PV
- _^@[
- t\tj Yf
- t\tj0Zf
- j-Yf
- t\tj0^f
- C;\l$<r
- L$,Q
- t\tj [f
- D$DVP
- D$,PV
- j%Xf
- t\tWSV
- _^[]
- t-WS
- t-WS
- t+WS
- QSVW
- <%uXCS
- _^@[
-]tRF:
- j Y+
- u|FSVP
- t SS
- Xjdf
- Xj.f

- Xjlf
- Xjnf
- Xjrf
- jkXjef
- tMSS
- _^[Y
- QQSh
- %,'C
- X_^[
- _^Y]
- QVWj
- X_^[
- #x|#px3
- xl#}
- x`#xx
- Xt#X\\3
- Xh#XP
- xl#xT
- t/j@
- $SVW
- _^[]
- VWVSS
- @;D$
- -VWVS
- j Y+
- QQSj [9]
- QQVWj _
- tBSV
- t.VW
- _^[]
- .<{t
- Whzj
- WhR{
- QSVWh`
- QSVWh`
- tqWVS
- >]ty
- SVWh`
- ?"tB
- SVWh`
- SVh`
- t`SV
- Ph+S
- @_^[
- QQSVW
- QSVW
- tQSP
- tvSSj
- }j\th
- tMSSj
- }j\th
- QQSV
- $VWj
- h-|~
- t$(h
- D$XP
- Tf_j

- t#hZdY
- t#ht?D%j
- y#h*
- @t#h
- t#h
- t#h`
- D$LPj
- D$TPj
- D$LPj
- D$|Pj
- D$<P
- D$@P
- D$ PW
- D$(P
- D$(P
- FrbRf
- v/+M
- heL$'j
- PSh`
- PWhw
- PVVh
- WSSSSSS
- tCSWQP
- ?-u.h/