


W8-S2 PRACTICE

From CSS to Tailwind

🧠 *At the end of this practice, you should be able to...*

- ✓ **Gain deeper understanding of Tailwind CSS**
- ✓ **Think in term of mobile first design**
- ✓ **Responsive using CSS**
- ✓ **Being able to refactor from any CSS framework into Tailwind**



PART 1 – Refactor into Tailwind CSS (Study Hub)

Goal

You are given a complete webpage (Start Code) built using **plain CSS** (flexbox, grid, responsive breakpoints, and utility classes).

Your task is to **refactor the entire page** so that it uses **Tailwind CSS utilities** instead of the existing CSS.

When finished:

- No custom CSS should remain
- No inline styles should remain
- The visual layout should look **similar** to the original
- You should use Tailwind's utilities, responsive classes, spacing, flex, grid, shadows, rounded, typography, etc.

What You Must Do

1. Add Tailwind CDN to the page

Use:

```
<script src="https://cdn.jsdelivr.net/npm/@tailwindcss/browser@4"></script>
```

2. Delete the entire `<style>` block

You will replace everything with Tailwind classes.

3. Convert all layout rules to Tailwind

Convert these into Tailwind utilities:

- `display: flex`
- `display: grid`
- `justify-content, align-items`
- `grid-template-columns`
- `gap`
- `margin, padding`
- `border-radius`
- `box-shadow`
- `font-size, font-weight`

4. Replace inline styles

Any element with `style="..."` must be rewritten using Tailwind classes.

5. Convert media queries to Tailwind breakpoints

Examples:

- @media (max-width: 980px) → md:, lg:
- @media (max-width: 640px) → sm:

6. Keep the content and structure exactly the same

Only change classes, not wording or HTML structure.

PART 2 – Tailwind your web!

Goal

Design a single page HTML using Tailwind CDN of Basis Theory Website (Mockup Provided) (<https://land-book.com/websites/88275-basis-theory-built-to-keep-customers-transacting>) as close to the original design as you can.

