

Week9 lab10 View

Name : Vorng Viseth

ID: IDTB110230

1. Give the name, address, city, and region of employees.

EmployeeInfo

create or replace view EmployeeInfo as select concat(FirstName, ' ', LastName) as EmployeeName, Address, City, Region from Employees;

2. Give the name, address, city, and region of employees living in USA

EmployeeInUSA

create or replace view EmployeeInUSA as select concat(FirstName, ' ', LastName) as EmployeeName, Address, City, Region from Employees where Country = 'USA';

3. Give the name, address, city, and region of employees older than 50 years old

EmployeeOlderThanFifty

create or replace view EmployeeOlderThanFifty as select concat(FirstName, ' ', LastName) as EmployeeName, Address, City, Region from Employees where timestampdiff(year, BirthDate, curdate()) > 50;

4. Give the name, address, city, and region of employees that have placed orders to be delivered in Belgium. Write two versions of the query, with and without join.

EmployeeShipOrderInBelgiumNoJoin

create view EmployeeShipOrderInBelgiumNoJoin as select concat(FirstName, ' ', LastName) as EmployeeName, Address, City, Region from Employees where EmployeeID in (select EmployeeID from Orders where ShipCountry = 'Belgium');

EmployeeShipOrderInBelgiumJoin

create or replace view EmployeeShipOrderInBelgiumJoin as select distinct concat(e.FirstName, ' ', e.LastName) as EmployeeName, e.Address, e.City, e.Region

from Employees e join Orders o on e.EmployeeID = o.EmployeeID where o.ShipCountry = 'Belgium';

5. Give the employee name and the customer name for orders that are sent by the company 'Speedy Express' to customers who live in Bruxelles.

SpeedyExpressInBruxelles

create view SpeedyExpressInBruxelles as select concat(e.FirstName, ' ', e.LastName) as EmployeeName, c.CompanyName as CustomersName from Orders o join Employees e on e.EmployeeID = o.EmployeeID join Customers c on o.CustomerID = c.CustomerID join Shippers s on o.ShipVia = s.ShipperID where s.CompanyName = 'Speedy Express' and c.City = 'Bruxelles';

6. Give the title and name of employees who have sold at least one of the products 'Gravad Lax' or 'Mishi Kobe Niku'

create view lab06 as

```
SELECT DISTINCT e.Title, e.FirstName, e.LastName
FROM Employees e
JOIN Orders o ON e.EmployeeID = o.EmployeeID
JOIN `Order Details` od ON o.OrderID = od.OrderID
JOIN Products p ON od.ProductID = p.ProductID
WHERE p.ProductName IN ('Gravad Lax', 'Mishi Kobe Niku');

select * from lab06;
```

7. Give the name and title of employees and the name and title of the person to which they report to.

create view employee_reporting_structure as

```
select
concat(e.firstname, ' ', e.lastname) as employee_name,
e.title as employee_title,
concat(m.firstname, ' ', m.lastname) as reports_to_name,
```

```

m.title as reports_to_title
from employees e
left join employees m on e.reportsto = m.employeeid;

```

```

select * from employee_reporting_structure;

```

8. Give the customer name, the product name and the supplier name for customers who live in London and suppliers whose name is 'Pavlova, Ltd.' or 'Karkki Oy'.

```

-- 8 create view exercise8 as select c.customerId , c.contactname , p.productname ,
s.companyname from customers c join orders o on o.customerId = c.customerId join
orderdetails od on o.orderid = od.orderid join products p on od.productid = p.productid
join suppliers s on p.supplierid = s.supplierid where c.city = "London" and
s.Companyname in ( 'Pavlova, Ltd.' , 'Karkki Oy');

```

```

select * from exercise8;

```

9. Give the name of products that were bought or sold by people who live in London.
Write two versions of the query, with and without union.

```

-- without union

```

```

create view withoutUnionLondon as select distinct p.productName from products p
join orderdetails od on od.productID = p.productID join orders o on o.orderID =
od.orderID join customers c on c.customerID = o.customerID join suppliers s on
s.supplierID = p.supplierID join employees e on e.employeeID = o.employeeID where
e.city = 'London'; select * from withoutUnionLondon;

```

```

-- with union

```

```

create view orderinLondon as select distinct p.productName from products p join
orderdetails od on od.ProductID = p.ProductID join orders o on o.OrderID = od.OrderID
join customers c on c.customerID = o.customerID where c.city = 'London' union select
p.productName from products p join suppliers s on s.supplierId = p.supplierId where
s.city = 'London' union select p.productName from products p join orderdetails od on
od.productID = p.productID join orders o on o.orderID = od.orderID join employees e on
e.employeeID = o.employeeID where e.city = 'London'; select * from orderinLondon;

```

10. Give the name of employees who work longer than any employee of London.

```
create or replace view v_work_longer_than_london_people as select
    e.firstname,e.lastname from employees e

    where e.hiredate < (select min(hiredate)

                        from employees

                        where city='London'

                        );
```