

Автономная некоммерческая организация высшего образования
«Университет Иннополис»

**ВЫПУСКНАЯ КВАЛИФИКАЦИОННАЯ РАБОТА
(БАКАЛАВРСКАЯ РАБОТА)
по направлению подготовки
09.03.01 «Информатика и вычислительная техника»**

**FINAL QUALIFICATION WORK
(BACHELOR'S THESIS)
Academic Program
09.03.01 «Computer Science»**

**Направленность (профиль) образовательной программы
«Информатика и вычислительная техника»**

**Field of Study:
«Computer Science»**

Тема	Исследование и адаптация компонентов персистентной Phantom ОС на Genode
-------------	--

Topic	Research and adaptation of components from the persistent OS Phantom for Genode
--------------	--

Работу выполнил / <i>Prepared by</i>	Воронин Михаил Сергеевич / Mikhail Voronin	подпись / signature
---	---	---------------------

Руководитель выпускной квалификационной работы / <i>Final Qualification Work Supervisor</i>	Бурмяков Артем Сергеевич / Artem Burmyakov	подпись / signature
--	---	---------------------

Консультанты <i>Consultants</i>	Тормасов Александр Геннадиевич / Alexander Tormasov	подпись / signature
------------------------------------	--	---------------------

Иннополис, Innopolis, 2026

Contents

1	Introduction	7
1.1	Background	7
1.2	PhantomOS	8
1.3	Genode	9
1.4	Problem statement	10
2	Literature Review	12
2.1	Persistence	12
2.1.1	Persistence definitions	12
2.1.2	Orthogonal persistence principles	13
2.1.3	Advantages of a persistent system	13
2.1.4	The cost of persistence	14
2.2	PhantomOS	15
2.2.1	PhantomOS Overview	15
2.2.2	Mechanisms for ensuring persistence	16
2.2.3	System and Persistent Environment features	17
2.3	OS Phantom to Genode port	18
2.3.1	Reason for porting	18
2.3.2	Affected components	19

CONTENTS 3

2.3.3	Snapper	19
2.4	Data protection at rest	20
2.4.1	Threats to stored data	20
2.4.2	Ways to protect stored data	21
2.4.3	Current work	22
3	Methodology	23
3.1	Use cases	23
3.1.1	All use cases	23
3.1.2	Supported use cases	27
3.2	Requirements	27
3.3	Implementation plan	28
4	Implementation	29
4.1	File_vault adaptation	29
4.2	Related adaptations	30
4.3	Tests and results	30
5	Evaluation and Discussion	31
5.1		31
6	Conclusion	32
6.1		32
	Bibliography cited	33
A	Extra Stuff	38
B	Even More Extra Stuff	39

List of Tables

List of Figures

3.1	Supported use case scheme	25
-----	-------------------------------------	----

Abstract

The evolution of operating systems over the decades has been shaped by a proven conceptual model that emerged in the mid-20th century with the advent of UNIX. Today, however, it is increasingly revealing fundamental limitations. Attempts to circumvent these limitations as early as the 1980s led, among other things, to the emergence of the concept of operating systems with persistent memory. Despite the merits of this paradigm, research was effectively halted as it ran into hardware limitations. Since then, computer performance has increased significantly, which has spurred new work in this direction. A striking illustration of this is the Phantom OS. However, writing and implementing a completely new operating system is a very time-consuming and labor-intensive process and is prone to a large number of errors. The use of proven mechanisms helps mitigate these consequences, a process facilitated by porting to Genode. In this paper, we examine the process of adapting PhantomOS components to Genode. We describe the difficulties encountered, the OS's shortcomings, and discuss solutions that help eliminate or mitigate these problems.

Chapter 1

Introduction

1.1 Background

Today, a widely used concept involves dividing data into two categories: active and stored. In this model, the programmer is responsible for moving data between these states. In the context of this paper, this approach will be referred to as a “two-level store.” The obvious drawbacks of this approach include:

- Data loss due to unexpected shutdowns or process termination;
- Increased development effort (and higher cost);

This approach is contrasted with the concept of orthogonal persistence, discussed by Atkinson and Morrison in the 1990 [1]. It entails that data is constantly accessible and does not require explicit actions on the part of the programmer to save it to the drive. Instead, the responsibility for this falls on the environment in which the program is executed. This reduces the amount of data manipulation, which typically accounts for up to 30% of the code [1]. The number of errors when writing such programs is also significantly reduced. One of the less obvious

advantages of this approach is the highly efficient use of disk bandwidth [2]. Over time, several operating systems have emerged that implement this concept. These include KeyKOS (EROS and Coyotos), Multics (with single-level storage), and others. All of these systems are quite old, and research in this area came to a standstill after their introduction. However, significant advances in hardware capabilities have reignited interest in this field, leading to the development of the Aurora operating system (transparent persistence) [3]. The PhantomOS project is one such modern system that implements the concept of orthogonal persistence.

1.2 PhantomOS

According to the developers themselves, Phantom OS is an operating system that implements the principles of orthogonal persistence within the Phantom Virtual Machine (PVM) [4]. According to the documentation, the system guarantees recovery even in the event of an unexpected reboot, provided the consistent data is not too old. This is achieved through the use of a snapshot mechanism: from time to time, the system saves the PVM's state to disk without interrupting its operation, which is accomplished using copy-on-write (CoW). At present, Phantom is a proof-of-concept (PoC) for the concept of orthogonal persistence. Many mechanisms and subsystems have been implemented, and their functionality has been verified to some extent, but they have not been fully tested. The current level of stability does not allow the OS to be used for industrial purposes, and work on refining it is still ongoing. One area of this work involves porting PhantomOS to the Genode framework. This should accelerate development and help avoid a large number of errors by using proven solutions, as well as positively impact system security through improved isolation, which is enabled by the use

of capability-based security.

1.3 Genode

The Genode OS Framework is a set of tools for building operating systems. It provides a model in which component resources are isolated and their interactions are mediated via RPC. The framework supports multiple kernels as a foundation (including NOVA, formally verified seL4 [5], Fiasco.OC, and Linux), and provides a ready-made set of drivers, file systems, and services, allowing developers to focus on application logic without having to reinvent or port the underlying infrastructure. Access to resources in Genode is organized in accordance with the principles of capability-based security. In this context, a capability is a token granting the right to perform a specific operation on a specific object. A component can use a resource only if it possesses the corresponding capability, which was explicitly granted to it by a parent component. At the same time, the parent component is fully responsible for granting the appropriate capabilities to the child component and for passing its requests further up the hierarchy. This prevents unauthorized access to resources by bypassing the hierarchy, which differs significantly from the approach of the operating systems we are familiar with today, where a process with sufficient privileges can access any resource. [6]. As part of the phantomuserland-snapper project [7], PhantomOS is being ported to Genode as a set of components. The Phantom Virtual Machine (PVM) runs as a Genode user process. To create, manage, and restore snapshots, snapper [8] was developed, which uses the file system for storage. This approach allows Phantom to use Genode's proven drivers and services without implementing them independently; the isolation of Genode components provides an additional layer of

protection; and the use of microkernels enables a trusted computing base (TCB) of modest size by today's standards, which also positively impacts the OS's security.

1.4 Problem statement

However, some security issues still need to be addressed. For instance, unlike most modern operating systems, which support disk encryption, PhantomOS does not support this feature in any form. A review of the literature also revealed that no research has been conducted on PhantomOS in this area. Porting does not solve the problem either, as Genode lacks ready-made, adapted disk encryption mechanisms. Moreover, the information flushed to disk at the moment a snapshot is created and stored there may be more sensitive than the files on the disk, since confidential data may be present in memory at the time the snapshot is taken. This is largely similar to the security issue with virtual machine snapshots. Under certain conditions, this could allow the state and subsequent operation of the machine to be fully reproduced on an attacker's device. This necessitates the implementation of protection for snapshots at rest. Thus, the goal of this work is to ensure the confidentiality of PhantomOS snapshots at rest. This leads to the following objectives:

- Analyze computer usage scenarios and identify among them the secure scenarios that we will support;
- Develop or adapt a Genode component that implements such a scenario;
- Verify the correctness of the protection: demonstrate that the snapshot's contents are inaccessible;

- Evaluate the impact of encryption on performance by comparing the speed of operations with encryption enabled and disabled;

Chapter 2

Literature Review

This chapter provides an overview of existing research related to our topic. The chapter is divided into four main sections, each of which will examine works pertaining to the following

Section 1: The concept of orthogonal persistence and its implementation options;

Section 2: PhantomOS and its implementation of the concept of orthogonal persistence;

Section 3: Details and features of the PhantomOS port to Genode;

Section 4: Methods of protecting data at rest and their characteristics;

2.1 Persistence

2.1.1 Persistence definitions

Data persistence refers to the period of time during which data exists and is used [1]. This is precisely how some of the earliest researchers in the

field—Morrison R. and Atkinson M. P.—define this concept. In their work, they identify categories of persistence, divided into two groups:

1. Provided by the programming language;
2. Provided by the environment;

Researchers are striving to develop systems in which data usage is independent of the group or category to which the data belongs.

2.1.2 Orthogonal persistence principles

The concept of orthogonal persistence is based on principles formulated by researchers:

1. Independence;
2. Orthogonality of data types;
3. Persistence Identification;

In this case, independence means that data persistence does not depend on how the data is manipulated (the user cannot move data between long-term and short-term storage). The orthogonality of data types ensures that there are no cases in which data of any type cannot be persisted. The third principle means that persistent object identification does not relate to the type of such an object. A system that follows all three principles is orthogonally persistent.

2.1.3 Advantages of a persistent system

The desire to create such a system stems from the fact that it offers a number of advantages over conventional systems. These include [9]:

1. Increased programming productivity through simplified semantics;
2. Avoiding ad hoc solutions for data transformation and long-term data storage;
3. Providing security mechanisms for the entire environment;
4. Support for gradual evolution;
5. Automatically preserving referential integrity across the entire computational environment for the entire lifetime of an application

All of these are, to some extent, the result of simplifying the memory management model for application programmers. This eliminates a huge amount of code that would otherwise be required to handle I/O and data storage. This also includes serialization/deserialization and initialization/deinitialization.

2.1.4 The cost of persistence

All of the advantages outlined above come at a cost. In addition to the general challenges associated with creating and implementing a new system—especially one built on principles that are entirely different from those we are accustomed to—there are also challenges specific to orthogonally persistent systems. These include:

1. The need for a stable object store: This depends largely on the specific implementation method, so we will return to this topic in Section 2.2.
2. Reduced performance of some applications: Because the programmer does not have full control over the location of the data, access speed may be reduced. A similar problem exists when using virtual memory.

3. The cost of providing language-independent binding mechanisms.

Looking ahead, I will say that Phantom has solutions to minimize each of these problems, so we will return to them in Section 2.2. For now, note that point 1 depends largely on the implementation, and it is difficult to generalize information regarding it. Problems similar to point 2 also affect (albeit often to a lesser extent) systems with virtual memory, since the programmer does not have full control over the layout of the data, which can slow down access to it.

2.2 PhantomOS

2.2.1 PhantomOS Overview

PhantomOS is an open-source operating system. The concept was conceived by Dmitry Zavalishin, who also made the primary contribution to the system's development. Like other modern operating systems, Phantom features multitasking [10], [11], [12], a windowing subsystem [13], a network stack, and other familiar attributes. However, for our work, another feature is of greatest interest. PhantomOS provides an orthogonally persistent environment for applications within the Phantom Virtual Machine (PVM), where code is executed in the Phantom programming language. However, it is worth noting that there is also a POSIX compatibility subsystem. Access via arbitrary addresses is prohibited. Phantom already implements subsystems such as:

- Kernel itself: threads, synchronization, persistent memory management;
- Bytecode virtual machine - running native applications;
- POSIX layer - runs Linux-compatible (but not yet persistent) code;

- Graphics subsystem - Windows, controls, UI;
- Networking (TCP/IP);
- Phantom language compiler - the most native userland language;
- Java to Phantom translator - work in progress;
- Python to Phantom translator - just started;

All of this is specified in the documentation [4].

2.2.2 Mechanisms for ensuring persistence

Dmitry Zavalishin believes that it is impossible to preserve the state of the entire machine, but this is not necessary to achieve persistence [14]. Therefore, we will now discuss the mechanisms for ensuring a persistent environment. Persistence in PhantomOS is achieved by page-by-page mapping of the entire memory (PVM) to disk and periodically saving it. The kernel manages the snapshot process. It takes snapshots after first bringing the programs to a state where they are fully represented in memory. That is, all information from the processor registers is also transferred for this purpose. Application programs are blocked only during this brief preparation phase. The disk is switched to read-only mode during this process, but this does not cause a lock throughout the entire process of writing the snapshot to disk thanks to the use of CoW: if a page has been written to the snapshot, nothing prevents access to it; otherwise, a copy is created, which the program operates on, and the original page is moved closer to the front of the save queue [14], [15]. Writing the entire memory to disk with every snapshot is a very costly operation that is unnecessary. To optimize this process, only the increment

is written to disk, and preemptive writing is also used. The latter, by the way, serves two purposes:

- To speed up the snapshot writing process;
- To meet the increased demand for memory during the snapshot;

2.2.3 System and Persistent Environment features

One of the goals behind the system's design is to make life easier for programmers. They no longer need to manage memory; instead, the garbage collector handles this task. Other key features of the system include a global address space and the requirement that objects can only be accessed via a reference. Access via arbitrary addresses is prevented, which has a positive effect on security. It is in this environment that the garbage collector operates. The large amount of virtual memory and the inability to use stop-world algorithms led to a strategy of using two garbage collectors [16]:

1. Partial;
2. Full;

The first is fast, inexpensive, and possibly incomplete. It is assumed that it cleans up garbage in RAM without waiting for objects to be flushed to disk. It runs continuously and is currently implemented based on counting the number of references to an object. The second should be full, but it can run periodically thanks to the presence of the first. At the same time, a stop-world implementation is also possible due to the persistence of garbage: that is, what was garbage in the old snapshot will remain garbage in the new one. Based on this idea, it is

proposed to perform garbage collection on the old snapshot, although not the entire snapshot may be used for this, but only a reflection of its memory state. However, there are still a number of problems that need to be solved before its implementation [17].

2.3 OS Phantom to Genode port

2.3.1 Reason for porting

As previously mentioned, PhantomOS is currently being ported to the Genode framework. This is being done to improve [18];

- Reliability;
- Security;
- Interoperability;

In this way, we plan to achieve the required quality. One of the main reliability issues—the new kernel with built-in drivers—is planned to be resolved by using kernels supported by Genode, including many microkernels known for their high reliability. It is also proposed to replace new, insufficiently tested components with already proven ones offering the same functionality. This will also resolve the issue of interoperability, as there will be no need to rewrite existing components, and the focus can shift to the system’s logic. The Genode developers have taken a thorough approach to security. The framework uses a capability-based security system. Microkernels are often used as the system kernel. This makes it possible to isolate components to a significant degree and configure access to resources

more flexibly, allowing for a minimal TCB. This results in a minimal attack surface, which has an extremely positive effect on reliability.

2.3.2 Affected components

Initially, work was carried out to port the [18] system. Essentially, the task involves migrating the persistent environment to the framework. In addition to PVM, work was done on HAL, libc, and the physical memory allocation mechanism. Some functions were replaced with placeholders. The result of this work was a working isomem project [19]. It also includes a video placeholder in the form of a window subsystem with limited functionality. It is configured and runs as a separate, standalone Genode component. Subsequently, work was carried out on developing a persistent network subsystem for the [20] port and implementing the WASM bytecode runtime [21]. The snapshot creation mechanism was also modified, resulting in the creation of the snapper project [8].

2.3.3 Snapper

The current version of Snapper (Snapper 2.0) is designed to address the issues encountered in the implementation of the previous mechanism—the “superblock” [22], [23]. It improves disk space efficiency when storing multiple snapshots. Previously, snapshots were stored as monolithic objects in memory, which resulted in a large number of data copies when storing multiple snapshots. For unchanged pages, Snapper adds a link in the new generation without copying all the data again. The ability to recover from failures is ensured by using file systems for which such tools already exist, for example: ext4 and fsck. Using a file system to store snapshots can be more convenient during development and debugging.

Integrity checks have been added. In addition, the system has become configurable in terms of reliability through the introduction of a parameter called redundancy. If the specified number of links to a file is exceeded, a copy of the file is created, and all generations using this file are linked to both the original file and its copy. This allows an experienced administrator to independently configure the balance between reliability and storage usage.

2.4 Data protection at rest

Snapper has helped improve snapshot security by adding integrity checks, but neither it nor any other component ensures secure storage. They are stored on disk in plaintext, which can pose a serious security risk in many device usage scenarios.

2.4.1 Threats to stored data

Data at rest refers to any data stored on persistent storage media that is not currently being actively transmitted or processed. It is static and vulnerable to threats related to physical or logical access. Sensitive data may be stored on the disk and could be read or overwritten. In the context of PhantomOS, the situation is complicated by the fact that a snapshot is taken regardless of what data is in memory, and secret data may end up in it, even if the application level of the program provides for its protection using its own means [24]. This is similar to the problem of protecting virtual machine snapshots [25].

2.4.2 Ways to protect stored data

Data protection methods must align with the threat model, which, in turn, depends directly on the device's usage scenarios. This subsection provides only a brief overview of such methods, without a detailed explanation of why a particular method might be chosen. In this case, we are discussing storage encryption. We do not consider options involving robust physical and/or logical access controls. Encryption can be classified by scope [26]:

- Full disk encryption;
- Volume and virtual disk encryption;
- File and folder encryption;

and by level [27]:

- Block level;
- File system level (generalized, divided into several points regarding the number and removal of file systems);
- Application level;

These are the levels used at the OS level and above. Each higher level leaves the metadata of the lower level exposed. In addition to these, implementation at a low-level hardware level is possible, which would be transparent to the OS. Due to the absence in Genode of verified systems of this type or tools for their creation, this level will not be considered.

2.4.3 Current work

In this project, we will focus on implementing an environment for the secure storage of snapshots. This will be a block-level encrypted storage solution, which will enhance security compared to file-system-level encryption and higher, by hiding metadata and making it more difficult to extract system information. This is also facilitated by the fact that Genode already has a library [28] for this purpose and a test component [29], [30].

Tresor performs AES encryption on 4K-sized blocks. The virtual block device key is encrypted with a master key, which is managed by the Trust Anchor. Copy-on-write (CoW) is used during writing, ensuring the atomicity of the operation and improving the ability to recover from failures. The component uses SHA-256 for data integrity checking.

Chapter 3

Methodology

This chapter discusses system requirements and the implementation plan. First, we will describe a model of computer usage and identify the secure scenarios we intend to support. Next, we will outline the requirements for the component. After that, we will explain which component will be adapted and how.

3.1 Use cases

To identify the most appropriate requirements for the component, it is necessary to define the device's usage scenarios. To this end, a diagram of computer usage scenarios was created, with unsafe and safe scenarios marked on it. From among the safe scenarios, those that are supported and can be implemented within the scope of this project were selected.

3.1.1 All use cases

Before describing the diagram itself, it's worth mentioning what it depicts and how it was constructed. The diagram is a graph whose cycle begins and ends

with the “Power off” state. It illustrates the entire computer operation cycle. Each possible path represents a distinct usage scenario. When creating it, we aimed to describe absolutely all possible computer usage scenarios, grouping them according to criteria that were important to us. The grouping was done without partial overlaps or complete overlaps; actual operation may, and often will, be described by combinations of such scenarios. States on which the subsequent state or the security of the entire path does not depend were excluded for simplicity. We also did not consider a priori invalid cases, such as receiving a valid authentication factor from an untrusted user.




Fig. 3.1. Supported use case scheme

Before describing the diagram itself, it's worth mentioning what it depicts and how it was constructed. The diagram is a graph whose cycle begins and ends with the "Power off" state. It illustrates the entire computer operation cycle. Each possible path represents a distinct usage scenario. When creating it, we aimed to describe absolutely all possible computer usage scenarios, grouping them according to criteria that were important to us. The grouping was done without partial overlaps or complete overlaps; actual operation may, and often will, be described by combinations of such scenarios. States on which the subsequent state or the security of the entire path does not depend were excluded for simplicity. Cases that are a priori incorrect were also not considered, such as receiving a valid authentication factor from an untrusted user.

First, four initial states were identified. These were derived by classifying the states based on access method and user privileges. In this context, remote access refers to the ability to interact with the computer exclusively through trusted input/output devices. Arbitrary access refers to the absence of any restrictions on interaction. In fact, the set of remote access options is a subset of the set of arbitrary access options. Of course, security issues at the hardware level can lead to system compromise. Exploits below the OS level (hardware, firmware) are not considered in this work and do not affect the security assessment of the scenario. The same applies to users. A trusted user is one whose access to the computer is legitimate. By and large, the task boils down to ensuring that, of all users, only trusted ones can gain access.

Scenarios involving only trusted methods are simplified as much as possible, since with such a separation, the task at hand is always accomplished. To identify trusted users, we use authentication software that we consider reliable. We also believe that authentication factors are selected in such a way that their validity

unambiguously identifies a trusted user. Among the remaining options, those without authentication and remote access are significantly simplified.

3.1.2 Supported use cases

For our work, we selected secure authorization scenarios in which all users have unrestricted access to the device. These scenarios differ from insecure ones in that they guarantee the snapshot remains encrypted upon completion of the operation. We also note that scenarios in which, after granting access to a trusted user, an untrusted user gains access are not considered. In other words, every user, without exception, goes through authorization. The diagram omits details regarding the choice of authentication factor and encryption type. The use of external storage for the key is due to the simplicity of implementation while maintaining a security level acceptable to us. This will allow us to combine authentication with decryption.

3.2 Requirements

The scenario dictates the following implementation requirements:

1. Mandatory authorization;
2. Storage of keys on an external medium;
3. Encryption of snapshots;
4. Guarantee that only encrypted snapshots are stored;

The first two requirements can be combined. Since a long key is required for reliable encryption, a USB drive containing it will serve as a secure factor that is

difficult to forge. This will simplify the process without compromising the quality of the result. As mentioned earlier, Genode includes a library for block-level encryption—Tresor. It will enable the fulfillment of the last two requirements. Encryption will occur upon writing each block, ensuring that only encrypted data is written to the disk.

3.3 Implementation plan

Genode already includes a `file_vault` component used to create secure storage. The Tresor library is used for encryption. We plan to adapt this component for encrypting snapshots. To do this, all unnecessary functionality—mostly related to user interaction via the graphical interface—will be removed. The ability to recover the file system using `fsck` will also be added. The ability to properly shut down via the Phantom GUI will be added, as currently there is only a placeholder for this. For other system components, this should be transparent and require no changes. In addition, optimization work will be carried out, and the component will be configured to use keys from a USB flash drive.

Chapter 4

Implementation

In this chapter, we will examine the implementation of the component, discuss its testing, and present the results. In Section 4.1, we will examine the structure of the component in question and describe the changes made. Section 4.2 will focus on the adaptation of other components that was necessary to ensure the functionality of our solution. In Section 4.3, we will describe the testing methodology and the results of the tests themselves.

4.1 File_vault adaptation

In this project, our goal is not to create a universal tool or preserve all the functionality of the target system; therefore, during the adaptation process, we will retain and add only the necessary features. The modified component is hereinafter referred to as `se_vault`.

`File_vault` manages the configuration of the components responsible for encryption. It is a state orchestrator in the sandbox that provides `File_system` clients with a secure storage session, the sole client of which in our case will

be snapper. Upon startup, it prompts the user for a password. If the password matches, it determines the storage's state and either initializes it or unlocks it. Before shutting down, it seals the component, which resets all blocks and ensures the storage's consistent state. `file_vault` itself receives and routes to child (orchestrated) components the file system sessions containing the secure vault file image and information belonging to the Trust Anchor. Initialization occurs automatically. A passphrase may be requested, but this behavior is configurable.

The UI was deemed redundant, as Snapper uses only the API. The UI can also be used to enter a passphrase or request a file system resize. In our case, authentication is handled via a USB drive containing a key (and other Trust Anchor data), and there is no need to resize the file system during operation; therefore, the UI can be completely eliminated. This led to a significant reduction in the amount of code and the number of states being handled. In addition, all code for generating `fs_query` components was removed, since monitoring the return codes of the components proved sufficient for correct state transitions.

Next, an option was added to check and restore the FS state using `fsck`. Initially, `file_vault` created an `ext2` filesystem. It was replaced with `ext3`, and later with `ext4`. The reason for this was the lack of journaling, which could cause problems during recovery after crashes. The `rump_fs` component also drew attention, as it lacks the ability to configure the cache size, which is necessary to achieve a balance between reliability and speed. It was replaced with `lwext4`.

4.2 Related adaptations

4.3 Tests and results

Chapter 5

Evaluation and Discussion

5.1

Chapter 6

Conclusion

6.1

...

Bibliography cited

- [1] R. Morrison and M. P. Atkinson, “Persistent languages and architectures,” in *Security and Persistence*, J. Rosenberg and J. L. Keedy, Eds., Springer-Verlag, 1990, pp. 9–28.
- [2] A. C. Bomberger, W. S. Frantz, A. C. Hardy, N. Hardy, C. R. Landau, and J. S. Shapiro, “The KeyKOS nanokernel architecture,” in *Proceedings of the USENIX Workshop on Microkernels and Other Kernel Architectures*, Seattle, WA, 1992, pp. 95–112.
- [3] E. Tsalapatis, R. Hancock, T. Barnes, and A. J. Mashtizadeh, “The Aurora single level store operating system,” in *Proceedings of the ACM SIGOPS 28th Symposium on Operating Systems Principles (SOSP)*, ACM, 2021, pp. 788–803. DOI: [10.1145/3477132.3483563](https://doi.org/10.1145/3477132.3483563)
- [4] D. Zavalishin, *Phantom os documentation*, Available: <https://app.readthedocs.org/projects/phantomdox/downloads/pdf/latest/>, 2020.
- [5] G. Klein et al., “seL4: Formal verification of an OS kernel,” in *Proceedings of the 22nd ACM SIGOPS Symposium on Operating Systems Principles (SOSP)*, Big Sky, MT, USA: ACM, 2009, pp. 207–220. DOI: [10.1145/1629575.1629596](https://doi.org/10.1145/1629575.1629596)

- [6] N. Feske, *Genode operating system framework foundations*, Available: <https://genode.org/documentation/genode-foundations-25-05.pdf>, 2025.
- [7] R. Mitov, *Phantomuserland-snapper*, Available: github.com/rumenmitov/phantomuserland-snapper.
- [8] R. Mitov, *Snapper*, Available: <https://github.com/rumenmitov/snapper>.
- [9] A. Dearle, G. N. C. Kirby, and R. Morrison, “Orthogonal persistence revisited,” *arXiv preprint*, 2010, arXiv:1006.3448. [Online]. Available: <https://arxiv.org/abs/1006.3448>
- [10] Д. Завалишин, *Делаем мультизадачность*, Хабр, Дата обращения: 2025, Apr. 2016. [Online]. Available: <https://habr.com/ru/articles/282037/>
- [11] Д. Завалишин, *Преemptивность: Как отнять процессор*, Хабр, Дата обращения: 2025, Apr. 2016. [Online]. Available: <https://habr.com/ru/articles/282049/>
- [12] Д. Завалишин, *От шедулера к планировщику*, Хабр, Дата обращения: 2025, Apr. 2016. [Online]. Available: <https://habr.com/ru/articles/282213/>
- [13] Д. Завалишин, *Ос фантом: Оконная подсистема — делаем контролы*, Хабр, Дата обращения: 2025, Nov. 2019. [Online]. Available: <https://habr.com/ru/articles/472160/>
- [14] Д. Завалишин, *Персистентная оперативная память*, Хабр, Дата обращения: 2025, Mar. 2016. [Online]. Available: <https://habr.com/ru/articles/279443/>

- [15] D. Zavalishin, *Persistentmemory*, "Available: <https://github.com/dzavalishin/phantomuserland/wiki/PersistentMemory>", 2019.
- [16] Д. Завалишин, *Сборка мусора в персистентной модели: От терабайта и дальше*, Хабр, Дата обращения: 2025, Apr. 2016. [Online]. Available: <https://habr.com/ru/articles/281236/>
- [17] Д. Завалишин, *Фантом: Большая сборка мусора*, Хабр, Дата обращения: 2025, Jun. 2017. [Online]. Available: <https://habr.com/ru/articles/331974/>
- [18] A. Antonov, "Persistency in microkernel os: Porting experience of phantom os to genode os framework," Bachelors work, Innopolis University, 2021.
- [19] A. Anton, *Isomem*, "Available: <https://github.com/S7rizh/phantomuserland/tree/15ea4c963c497255f824ffabd7e0cf987d3b45c5/phantom/isomem>", 2024.
- [20] A. Brisilin, *Networking in orthogonally persistent operating systems*, Bachelors work, 2022.
- [21] K. Samburskiy, *Introducing bytecode runtime into a persistent operating system*, Bachelors work, 2024.
- [22] R. Mitov and A. Tormasov, *Practical persistence on microkernels (ft. PhantomOS)*, FOSDEM 2026, Microkernel and Component-Based OS devroom, Дата обращения: 2025, Feb. 2026. [Online]. Available: <https://fosdem.org/2026/schedule/event/DJ8YVT-practical-persistence/>
- [23] R. Mitov, "Snapper (v2): A PhantomOS snapshot mechanism," FOSDEM 2026, Tech. Rep., 2025. [Online]. Available: <https://fosdem.org/2026/>

- events / attachments / DJ8YVT - practical - persistence / slides / 267604 / snapper-v_5dptkby.pdf
- [24] M. Carlson, *Persistent memory security threat model*, Flash Memory Summit 2018, 2018. [Online]. Available: https://files.futurememorystorage.com/proceedings/2018/20180807_PMEM-101-1_Carlson.pdf
- [25] B. Liang et al., “Security issues and challenges for virtualization technologies,” *ACM Computing Surveys*, 2020. [Online]. Available: https://web.engr.oregonstate.edu/~benl/Publications/Journals/ACM_Computing_Surveys_2020.pdf
- [26] K. Scarfone, M. Souppaya, and M. Sexton, “Guide to storage encryption technologies for end user devices,” National Institute of Standards and Technology, Tech. Rep. SP 800-111, 2007. DOI: [10.6028/NIST.SP.800-111](https://doi.org/10.6028/NIST.SP.800-111) [Online]. Available: <https://csrc.nist.gov/pubs/sp/800/111/final>
- [27] C. P. Wright et al., *Cryptographic file systems performance: What you don’t know can hurt you*, Proceedings of the 2003 IEEE Security in Storage Workshop, 2003. [Online]. Available: <https://www.filesystems.org/docs/nc-perf/index.html>
- [28] M. Stein, *Tresor (readme)*, "Available: <https://github.com/genodelabs/genode/blob/sculpt-25.04/repos/gems/src/lib/tresor/README>", 2024.
- [29] M. Stein, *File vault (readme)*, "Available: https://github.com/genodelabs/genode/blob/sculpt-25.04/repos/gems/src/app/file_vault/README", 2025.

-
- [30] M. Stein, *Tresor (readme)*, 2021. [Online]. Available: <https://genodians.org/m-stein/2021-05-17-introducing-the-file-vault>

Appendix A

Extra Stuff

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Appendix B

Even More Extra Stuff

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.