Проверка что установил докер и compose.

```
lexander@linux:/opt/docker_final$
lient: Docker Engine - Community
Version: 27.3.1

API version: 1.47

Go version: gol.22.7
Version:
API version:
Go version:
Git commit:
Built:
OS/Arch:
Context:
                                                                         g01.22.7
ce12230
Fisep 20 11:41:03 2024
linux/amd64
default
  Engine:
Version:
API version:
Go version:
Git commit:
Built:
OS/Arch:
Experimental:
containerd:
Version:
                                                                        27.3.1
1.47 (minimum version 1.24)
gol.22.7
41ca978
Fri Sep 20 11:41:03 2024
linux/amd64
false
  unc:
Version:
GitCommit:
docker-init:
Version:
GitCommit:
```

```
lexander@linux:/opt/docker final$ docker compose version
locker Compose version v2.29.7
```

Запуск LDAP сервера.

```
ander@linux:/opt/docker_final$ docker compose up -d
[0000] /opt/docker_final/compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
Mileden Topic Assembly Created

Tell Running 27 final default Created
Container docker final-idap-1 Started
exander@linux:/opi/docker_final-idap-1 Started
exander@linux:/opi/docker_final-idap-1 Started
exander@linux:/opi/docker_final-idap-1 docker compose ps

ME COMMAND SERVICE CREATED STATUS PORTS
COMMAND SERVICE CREATED STATUS PORTS

COMMAND SERVICE CREATED STATUS PORTS

COMMAND SERVICE CREATED STATUS PORTS

COMMAND Il seconds ago Up 10 seconds 389/tcp, 636/tcp

exander@linux:/opi/docker_finals
```

Запуск Web интерфейса для LDAP сервера.

```
Humning 3/3
Network docker final default Created
Container docker final-ldap admin-1 Started
Container docker final-ldap-1 Started
Container docker final-ldap-1 Started
Landerslinux; opt/docker_finals docer compose ps
                    and 'docer' not found, did you mean:
Issanders linus: opt/docker famils docker compose ps.

100 (10000) /opt/docker famils docker compose ps.

100 (10000) /opt/docker famils docker compose ps.


100 (10000) /opt/docker famils doce ps.

100 (10000) /opt/docker famils docker famils doce ps.

100 (10000) /opt/docker famils docker famils docker famils doce ps.

100 (10000) /opt/docker famils docker fa
```

Вход в Web интерфейс ldap.



```
alexander@linux: /opt/docker_final x

File Edit Tabs Help

**lexander@linux: - d opt

bash: cd: opt: No such file or directory

alexander@linux: - d opt

bash: cd: opt: No such file or directory

alexander@linux: - d opt

alexander@linux: opt /ocker_final

alexander@linux: opt /ocker_final

alexander@linux: opt /ocker_final

alexander@linux: opt /ocker_final x

both


alexander@linux: opt /ocker_final x

both


alexander@linux: opt /ocker_final

alexan
```


Вход в GitLab.




При входе появилось окно LDAP, можно входить пользователями из LDAP.




Создание нового юзера в LDAP.



Выполнен вход из-под нового аккаунта.





Вход в Rocketchat.

