

```
<!DOCTYPE html>
<html lang="fr">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles/app.css">
  <title>Blog</title>
</head>

<body>
  <nav>
    <ul>
      <li><a href="[onshow.cible]">Fil</a></li>
      <li><a href="[onshow.cible]?view=account" class="selected">Profil</a></li>
      <li><a href="[onshow.cible]?view=post">[postText]</a></li>
    </ul>
  </nav>
  <main>
    <header>
      <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" fill="currentColor" width="30" height="30">
        <path fill-rule="evenodd"
          d="M7.5 6a4.5 4.5 0 1 1 9 0 4.5 4.5 0 0 1-9 0ZM3.751 20.105a8.25 8.25 0 0 1 16.498 0 .75.75 0 0 1-.437.695A18.683 18.683 0 0 1 12 22.5c-2.786 0-5.433-.608-7.812-1.7a.75.75 0 0 1-.437-.695Z"
          clip-rule="evenodd" />
      </svg>

      <form action="[onshow.cible]?view=account" method="post">
        <input class="transparent-input" style="font-size: 2em; font-weight: bold;" type="text" name="name" id="name" placeholder="Entrez un nom" required value="[name]" />
        <a href="[onshow.cible]?view=logout" style="display: block;">Déconnexion</a>

        <div class="otherinfos">
          <p>Bio</p>
          <input type="text" name="bio" id="bio" placeholder="Entrez votre bio" required value="[bio]" />

          <p>Statut</p>
          <input type="text" name="status" id="status" placeholder="Entrez votre status" required value="[status]" />

          <button type="submit">Modifier mes informations</button>
        </div>
      </form>
    </header>
    <section>
      <h2>Vos posts</h2>
      [posts.id;block=begin]
      <article id="[posts.postID]" class="post-card" onclick="location.href='[onshow.cible]?view=article&id=[posts.postID]'">
        <h3>[posts.title]</h3>
        <p>[posts.desc]</p>
        <p class="from">De [posts.name] - posté le [posts.created_at]</p>
      </article>
      [posts.id;block=end]
    </section>
  </main>
</body>
</html>
```



```
import url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&family=Roboto:ital,wght@0,100..900;1,100..900&display=swap');

html, body {
  margin: 0;
  padding: 0;
  overflow: hidden;
  font-family: "Poppins", sans-serif;
}

nav {
  height: 60px;
  padding: 0 25%;
}

nav ul {
  list-style: none;
  padding: 0;
  margin: 0;
  display: flex;
  align-items: center;
  justify-content: left;
  gap: 20px;
  height: 100%;
}

nav ul li a {
  text-decoration: none;
  color: rgb(0, 0, 0);
}

nav ul li a:hover {
  font-weight: bold;
}

.selected {
  font-weight: bold;
}

header {
  padding: 40px 25% 40px 25%;
  text-align: left;
}

header h1 {
  margin-top: 10px;
}

header p {
  margin: 0;
}

main {
  overflow-y: scroll;
  height: calc(100vh - 60px);
}

section, .login-form {
  padding: 0 25%;
  display: flex;
  flex-direction: column;
}

.transparent-input {
  background-color: transparent;
  border: none;
  color: black;
}

.transparent-input:focus {
  outline: none;
  border-bottom: 1px solid black;
}

.otherinfos {
  margin-top: 2em;
  display: flex;
  flex-direction: column;;
}

.otherinfos p {
  margin-top: 10px;
}

.otherinfos input {
  margin-top: 10px;
  padding: 10px;
  border: 1px solid #979797;
  border-radius: 5px;
}

.otherinfos button {
  margin-top: 20px;
  padding: 10px 20px;
  background-color: #000000;
  color: white;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  width: max-content;
  align-self: self-end;
}

.otherinfos button:hover {
  background-color: #6d6d6d;
}

.login-form fieldset {
  padding: 30px 40px;
  display: flex;
  flex-direction: column;
}

.login-form fieldset legend {
  font-size: 20px;
  font-weight: bold;
}

.login-form fieldset input {
  margin-top: 10px;
  padding: 10px;
  border: 1px solid #979797;
  border-radius: 5px;
}

#submit {
  margin-top: 20px;
  padding: 10px 20px;
  background-color: #000000;
  color: white;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}

.edit-form {
  display: flex;
  flex-direction: column;
}

.edit-form input {
  margin-top: 10px;
}

.edit-form input:focus {
  outline: none;
  border: none;
}

.edit-form textarea {
  margin-top: 20px;
  padding: 10px;
  border: 1px solid #979797;
  border-radius: 5px;
}

.edit-form button {
  margin-top: 20px;
  padding: 10px 20px;
  background-color: #000000;
  color: white;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  width: max-content;
  align-self: self-end;
}

.post-card {
  display: flex;
  flex-direction: column;
  background-color: #f9f9f9;
  padding: 20px;
  border: 1px solid #979797;
  border-radius: 5px;
  margin-bottom: 20px;
}

.post-card h3 {
  margin: 0;
}

.post-card p {
  margin: 0;
  padding: 0;
}

.post-card .from {
  font-size: 12px;
  color: #979797;
  margin-top: 5px;
}

.post-card:hover {
  background-color: #e0e0e0;
  cursor: pointer;
}

.author-div {
  display: flex;
  align-items: top;
  gap: 10px;
  margin-top: 10px;
}

@media screen and (max-width: 600px) {

  h1 {
    font-size: 24px;
  }

  header p {
    font-size: 16px;
  }

  section {
    padding: 0 5%;
  }
}
```



```
<?php

// Importation des classes
require('./classes/user.php');
require('./classes/post.php');
require('./classes/feed.php');
require('./classes/app.php');

// Initialisation de TinyButStrong
require('../tbs_3152/tbs_class.php');
$tbs = new clsTinyButStrong();

// Initialisation de la bdd
require('./connect.inc.php');
$dbStatus = "loading";

// Initialisation de la session
session_start();

try {

    // Connexion à la BDD
    $id_serveur_BD = "mysql:host=$host;dbname=$dbname";
    $pdo = new PDO($id_serveur_BD, $login, $password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $dbStatus = "success";

    $cible = $_SERVER["PHP_SELF"];

    // Création du feed
    $feed = new Feed($pdo, $tbs);

    // Préparation de l'application
    $app = new App($tbs, $feed, $pdo);
    $app->engine();

} catch (PDOException $error) {
    $dbStatus = "failed";
    echo "Erreur de connexion à la base de données : " . $error->getMessage();
}

?>
```



```
?php
class App {

    private $tbs;
    private $feed;
    private $pdo;

    function __construct($tbs, $feed, $pdo) {
        $this->tbs = $tbs;
        $this->feed = $feed;
        $this->pdo = $pdo;
    }

    // Affiche la page de login
    private function login() {
        $this->tbs->LoadTemplate("./pages/login.html");
        $this->tbs->MergeField('postText', ($_SESSION["loggedin"] != true) ? "" : "Poster");
        $this->tbs->MergeField('loginMessage', $_SESSION["user"]->loginMessage);
        $this->tbs->Show();
    }

    // Affiche la page de profil
    private function account() {
        $_SESSION["user"]->fetchPosted($this->pdo);
        $this->tbs->LoadTemplate("./pages/account.html");
        $this->tbs->MergeField('postText', ($_SESSION["loggedin"] != true) ? "" : "Poster");
        $this->tbs->MergeField('name', $_SESSION["user"]->getName());
        $this->tbs->MergeField('bio', $_SESSION["user"]->getBio());
        $this->tbs->MergeField('status', $_SESSION["user"]->getStatus());
        $this->tbs->MergeField('userID', $_SESSION["user"]->getId());
        $this->tbs->MergeBlock("posts", $_SESSION["user"]->getPosts());
        $this->tbs->Show();
    }

    // Affiche le fil
    private function feed() {
        $this->feed->fetchFeed();
        $this->tbs->LoadTemplate("./pages/feed.html");
        $this->tbs->MergeField('postText', ($_SESSION["loggedin"] != true) ? "" : "Poster");
        $this->tbs->MergeBlock("feed", $this->feed->getFeed());
        $this->tbs->Show();
    }

    // Affiche un article à partir de l'ID
    private function viewArticle($id) {
        $post = new Post($this->pdo, $id);
        $this->tbs->LoadTemplate("./pages/article.html");
        $this->tbs->MergeField('postText', ($_SESSION["loggedin"] != true) ? "" : "Poster");
        $this->tbs->MergeField('title', $post->getTitle());
        $this->tbs->MergeField('desc', $post->getDesc());
        $this->tbs->MergeField('content', $post->getContent());
        $this->tbs->MergeField('author', $post->getAuthor());
        $this->tbs->MergeField('id', $post->getId());
        $this->tbs->MergeField('created_at', $post->getCreatedAt());
        $this->tbs->MergeField('authorName', $post->getAuthor()->getName());
        $this->tbs->MergeField('authorBio', $post->getAuthor()->getBio());
        $this->tbs->MergeField('authorStatus', $post->getAuthor()->getStatus());
        $this->tbs->MergeField('authorID', $post->getAuthor()->getId());
        $this->tbs->Show();
    }

    // Affiche l'éditeur de post
    private function postEditor() {
        $this->tbs->LoadTemplate("./pages/edit.html");
        $this->tbs->MergeField('postText', ($_SESSION["loggedin"] != true) ? "" : "Poster");
        $this->tbs->Show();
    }

    public function engine() {
        $view = isset($_GET["view"]) ? $_GET["view"] : "";

        switch ($view) {
            case 'login':
                if (isset($_SESSION["loggedin"]) && $_SESSION["loggedin"] == true) {
                    header("Location: " . $_SERVER['PHP_SELF'] . "?view=");
                    exit;
                }

                $_SESSION["user"] = new User();
                $_SESSION['loggedin'] = false;
                if ($_SESSION["user"]->login($this->pdo)) {
                    // Connexion effectuée
                    // Redirection vers le profil
                    $_SESSION["loggedin"] = true;
                    header("Location: " . $_SERVER['PHP_SELF'] . "?view=account");
                    exit;
                } else {
                    // Connexion échouée
                    // Affichage du message d'erreur
                    $_SESSION["loggedin"] = false;
                    $this->tbs->MergeField('loginMessage', $_SESSION["user"]->loginMessage);
                    $this->login();
                }
                break;

            case 'logout':
                // Déconnexion
                session_destroy();
                header("Location: " . $_SERVER['PHP_SELF'] . "?view=");
                exit;
                break;

            case 'account':
                // Si l'utilisateur n'est pas connecté, on affiche la page de login
                if (!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] != true) {
                    header("Location: " . $_SERVER['PHP_SELF'] . "?view=login");
                    exit;
                } else {
                    // Sinon, on vérifie qu'il n'y aucun changement de variables
                    if (isset($_POST["name"]) && isset($_POST["bio"]) && isset($_POST["status"])) {
                        $_SESSION["user"]->updateUser($this->pdo);
                    }

                    $this->account();
                }
                break;

            case 'post':
                // Si l'utilisateur n'est pas connecté, on affiche la page de login
                if (!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] != true) {
                    header("Location: " . $_SERVER['PHP_SELF'] . "?view=login");
                    exit;
                } else {
                    // Sinon, on vérifie qu'il n'y aucun post à créer
                    if (isset($_POST["title"]) && isset($_POST["desc"]) && isset($_POST["content"])) {
                        $_SESSION["user"]->createPost($this->pdo);
                        header("Location: " . $_SERVER['PHP_SELF'] . "?view=account");
                        exit;
                    }

                    $this->postEditor();
                }
                break;

            case 'article':
                $postID = isset($_GET["id"]) ? $_GET["id"] : "";
                $this->viewArticle($postID);
                break;

            case 'addPost':
                // Gérer l'ajout d'un post
                break;

            default:
                $this->feed();
                break;
        }
    }
}
```



```
<?php
$host = "baxtvg07ywfmej9odmux-mysql.services.clever-cloud.com";
$login = "ut3haxz4or08f5db";
$password = "IVfe4iMi3y9Eu07zeiqq";
$dbname = "baxtvg07ywfmej9odmux";
?>
```

```
<!DOCTYPE html>
<html lang="fr">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles/app.css">
  <title>Blog</title>
</head>

<body>
  <nav>
    <ul>
      <li><a href="[onshow.cible]">Fil</a></li>
      <li><a href="[onshow.cible]?view=account">Profil</a></li>
      <li><a href="[onshow.cible]?view=post" class="selected">[postText]</a></li>
    </ul>
  </nav>
  <main>
    <header>
      <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" fill="currentColor" width="30" height="30">
        <path
          d="M21.731 2.269a2.625 2.625 0 0 0-3.712 0l-1.157 1.157 3.712 3.712 1.157-1.157a2.625 2.625 0 0 0-3.712ZM19.513 8.199l-3.712-3.712-8.4 8.4a5.25 5.25 0 0 0-1.32 2.214l-.8 2.685a.75.75 0 0 0 .933.933l2.685-.8a5.25 5.25 0 0 0 2.214-1.32l8.4-8.4Z" />
        <path
          d="M5.25 5.25a3 3 0 0 0-3 3v10.5a3 3 0 0 0 3 3h10.5a3 3 0 0 0 3-3V13.5a.75.75 0 0 0-1.5 0v5.25a1.5 1.5 0 0 1-1.5 1.5H5.25a1.5 1.5 0 0 1-1.5-1.5V8.25a.75.75 0 0 0 1.5 0Z" />
      </svg>
      <form action="[onshow.cible]?view=post" method="post" class="edit-form">
        <input class="transparent-input" style="font-size: 2em; font-weight: bold;" type="text" name="title" id="title" placeholder="Entrez un titre" required/>
        <input class="transparent-input" style="font-size: 1em;" type="text" name="desc" id="desc" placeholder="Entrez une description" required/>
        <textarea name="content" id="content"></textarea>
        <button type="submit">Poster</button>
      </form>
    </header>
  </main>
</body>

</html>
```



```
<!DOCTYPE html>
<html lang="fr">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles/app.css">
  <title>Blog</title>
</head>

<body>
  <nav>
    <ul>
      <li><a href="[onshow.cible]" class="selected">Fil</a></li>
      <li><a href="[onshow.cible]?view=account">Profil</a></li>
      <li><a href="[onshow.cible]?view=post">[postText]</a></li>
    </ul>
  </nav>
  <main>
    <header>
      <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" fill="currentColor" width="30" height="30">
        <path
          d="M11.47 3.841a.75.75 0 0 1 1.06 0l8.69 8.69a.75.75 0 1 0 1.06-1.06l-8.689-8.69a2.25 2.25 0 0 0-3.182 0l-8.69 8.69a.75.75 0 1 0 1.061 1.06l8.69-8.689Z" />
        <path
          d="m12 5.432 8.159 8.159c.03.03.06.058.091.086v6.198c0 1.035-.84 1.875-1.875 1.875H15a.75.75 0 0 1-.75-.75v-4.5a.75.75 0 0 0-.75-.75h-3a.75.75 0 0 0-.75.75V21a.75.75 0 0 1-.75.75H5.625a1.875 1.875 0 0 1-1.875-1.875v-6.198a2.29 2.29 0 0 0 .091-.086L12 5.432Z" />
      </svg>
      <h1>Bienvenue sur votre fil</h1>
      <p>Partagez vos idées et vos passions avec le monde !</p>
    </header>
    <section>
      <h2>Derniers posts</h2>
      [feed;block=begin]
      <article id="[feed.postID]" class="post-card" onclick="location.href='[onshow.cible]?view=article&id=[feed.postID]'">
        <h3>[feed.title]</h3>
        <p>[feed.desc]</p>
        <p class="from">De [feed.name] - posté le [feed.created_at]</p>
      </article>
      [feed;block=end]
    </section>
  </main>
</body>

</html>
```



```
<?php
```

```
class Feed {
```

```
    private $list = array();
```

```
    private $pdo;
```

```
    private $tbs;
```

```
    public function __construct($pdo, $tbs) {
```

```
        $this->pdo = $pdo;
```

```
        $this->tbs = $tbs;
```

```
    }
```

```
    public function fetchFeed() {
```

```
        $query = "SELECT * FROM posts JOIN users ON posts.author = users.userID ORDER BY created_at DESC";
```

```
        $req = $this->pdo->prepare($query);
```

```
        $req->execute();
```

```
        $this->list = $req->fetchAll(PDO::FETCH_ASSOC);
```

```
        return $this->list;
```

```
    }
```

```
    public function getFeed() {
```

```
        return $this->list;
```

```
    }
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
<html lang="fr">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="styles/app.css">
  <title>Connexion à votre compte</title>
</head>
<body>
  <nav>
    <ul>
      <li><a href="[onshow.cible]">Fil</a></li>
      <li><a href="[onshow.cible]?view=account" class="selected">Profil</a></li>
      <li><a href="[onshow.cible]?view=post">[postText]</a></li>
    </ul>
  </nav>
  <form action="[onshow.cible]?view=login" method="post" class="login-form">
    <h1>[loginMessage]</h1>
    <fieldset>
      <legend>Identification</legend>
      <label for="userID">ID du compte</label>
      <input type="text" id="userID" name="userID" required />
      <label for="password">Mot de passe</label>
      <input type="password" id="password" name="password" required />
      <label for="submit"></label>
      <input type="submit" id="submit" value="Valider" />
    </fieldset>
  </form>
</body>
</html>
```

```
<?php
```

```
class Post {
    private $pdo;
    private $id;
    private $title;
    private $desc;
    private $content;
    private $author;
    private $created_at;

    public function __construct($pdo, $id) {
        $this->pdo = $pdo;
        $this->id = $id;

        $stmt = $this->pdo->prepare("SELECT * FROM posts JOIN users ON posts.author = users.userID WHERE posts.postID = :id");
        $stmt->bindParam(':id', $this->id);
        $stmt->execute();
        $post = $stmt->fetch(PDO::FETCH_ASSOC);

        if ($post) {
            $this->title = $post['title'];
            $this->desc = $post['description'];
            $this->content = $post['content'];
            $this->author = new User();
            $this->author->setId($post['userID']);
            $this->author->setName($post['name']);
            $this->author->setBio($post['bio']);
            $this->author->setStatus($post['status']);
            $this->created_at = $post['created_at'];
        }
    }

    public function getId() {
        return $this->id;
    }

    public function getTitle() {
        return $this->title;
    }

    public function getDesc() {
        return $this->desc;
    }

    public function getContent() {
        return $this->content;
    }

    public function getAuthor() {
        return $this->author;
    }

    public function getCreatedAt() {
        return $this->created_at;
    }
}
```

```
?>
```

```
CREATE TABLE
  `posts` (
    `postID` int unsigned NOT NULL AUTO_INCREMENT,
    `created_at` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP,
    `content` longtext NOT NULL,
    `title` varchar(255) DEFAULT NULL,
    `desc` varchar(255) DEFAULT NULL,
    `author` int unsigned NOT NULL DEFAULT '0',
    PRIMARY KEY (`postID`)
  )
```

```
?php
class User
{
    private $id;
    private $name;
    private $bio;
    private $status;
    private $posts = [];

    public $loginMessage = "";

    public function __construct() {}

    public function getId()
    {
        return $this->id;
    }
    public function setId($id)
    {
        $this->id = $id;
    }
    public function getName()
    {
        return $this->name;
    }
    public function setName($name)
    {
        $this->name = $name;
    }
    public function getBio()
    {
        return $this->bio;
    }
    public function setBio($bio)
    {
        $this->bio = $bio;
    }
    public function getStatus()
    {
        return $this->status;
    }
    public function setStatus($status)
    {
        $this->status = $status;
    }
}

public function login($pdo)
{
    // Gérer le post de connexion
    if (isset($_POST["userID"]) && isset($_POST["password"])) {
        $id = $_POST["userID"];
        $password = $_POST["password"];

        // Vérifier les identifiants avec la bdd
        $stmt = $pdo->prepare("SELECT userID, name, bio, status FROM users WHERE userID = :id AND password = :password");
        $stmt->bindParam(':id', $id);
        $stmt->bindParam(':password', $password);
        $stmt->execute();

        $user = $stmt->fetch(PDO::FETCH_ASSOC);
        if ($user) {
            $this->id = $user['userID'];
            $this->name = $user['name'];
            $this->bio = $user['bio'];
            $this->status = $user['status'];

            $this->loginMessage = "Connexion réussie";
            return true;
        } else {
            // Afficher un message d'erreur
            $this->loginMessage = "Identifiants incorrects";
            return false;
        }
    } else {
        // Afficher un message d'erreur
        $this->loginMessage = "Veuillez entrer vos identifiants";
        return false;
    }
}

public function fetchPosted($pdo)
{
    $query = "SELECT * FROM posts JOIN users ON posts.author = users.userID ORDER BY created_at DESC";
    $req = $pdo->prepare($query);
    $req->execute();
    $this->posts = $req->fetchAll(PDO::FETCH_ASSOC);
    return $this->posts;
}

public function getPosts()
{
    return $this->posts;
}

public function createPost($pdo) {
    // Gérer le post de création
    if (isset($_POST["title"]) && isset($_POST["desc"]) && isset($_POST["content"])) {
        $title = $_POST["title"];
        $desc = $_POST["desc"];
        $content = $_POST["content"];

        // Insérer le post dans la bdd
        $stmt = $pdo->prepare("INSERT INTO posts (title, `desc`, content, author) VALUES (:title, :desc, :content, :author)");
        $stmt->bindParam(':title', $title);
        $stmt->bindParam(':desc', $desc);
        $stmt->bindParam(':content', $content);
        $stmt->bindParam(':author', $_SESSION["user"]->getId());
        $stmt->execute();
    }
}

public function updateUser($pdo)
{
    // Mise à jour des informations en local
    $_SESSION["user"]->setName($_POST["name"]);
    $_SESSION["user"]->setBio($_POST["bio"]);
    $_SESSION["user"]->setStatus($_POST["status"]);

    // On met à jour la base de données
    $stmt = $pdo->prepare("UPDATE users SET name = :name, bio = :bio, status = :status WHERE userID = :id");
    $stmt->bindParam(':name', $_SESSION["user"]->getName());
    $stmt->bindParam(':bio', $_SESSION["user"]->getBio());
    $stmt->bindParam(':status', $_SESSION["user"]->getStatus());
    $stmt->bindParam(':id', $_SESSION["user"]->getId());
    $stmt->execute();
}
}
```



```
CREATE TABLE
`users` (
  `userID` int unsigned NOT NULL AUTO_INCREMENT,
  `name` varchar(255) DEFAULT NULL,
  `password` varchar(255) DEFAULT NULL,
  `bio` varchar(255) DEFAULT NULL,
  `status` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`userID`)
)
```