

Marketing, with something to say.

R

00011C
00011C
00011C

scf

Whole-design revision authorized · C direction selected as a

The decisions to start with

Choose the integrated Content Desk front door, with each existing system retaining its data and action authority, unless a demonstrated delivery constraint justifies a thin shell. Choose proposal-first planning with explicit reasoning and separate release authorization. Choose one publication view alongside a connected human-work view, never one ambiguous “scheduled” status. Retain economical external authoring and add optional governed generation. Include genuine contributor and community-readiness workflows from the outset, without fake engagement. These are recommendations for review, not decisions already made.

What changes in this revision

The owner selected the task-specific C visual direction and asked for a deep review of the full product. This revision develops the distinct calendar, editor, review inbox and evidence notebook into one connected experience. Content remains findable in a stable home; saved revisions, editorial acceptance and release permission have explicit transitions; partial planning and publication outcomes have a responsible next action; and phone, contributor, no-art and interrupted-work paths receive actual specimens. The fifteen-chapter scope and all seventeen consequential-choice histories remain.

Start by comparing the connected journey in [Chapter 1](#) and the revised page/state contract in [Chapter 2](#), then inspect Create and Review together. [CQ01/CQ15](#) still determine the native front door and ownership; [CQ05/CQ07/CQ09](#) govern revision and review semantics; [CQ12](#) now develops the selected C direction while exact pixels and behavior remain proposed. The current native scheduling, project/type, media and approval contracts still require the explicitly identified source work. Attractive screens do not establish those integrations.

1 • Start with a useful marketing job

Recommended: start from a real piece of work and keep the full loop visible. Review [CQ02](#) for first-session friction and [CQ16](#) for how much planning the system proposes. The first outcome is a durable reopened draft; the connected routes below remain proposed.




Figure M01 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M01 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M01. Proposed Today and resume states. A useful source preview accompanies the current suggestion; independent decisions and urgent uncertain outcomes have their own routes.

A return session starts from what changed

Today has three modes: a new workspace offers Write a post, Bring in existing work and Plan an app campaign; an active workspace resumes the last meaningful edit and shows urgent decisions; a quiet workspace says there is no required action and offers optional capture. A blank day is a legitimate state. The page must not invent a task to justify its presence. First-use setup remains private and lightweight; choosing a platform does not start account connection.

The primary suggestion is selected from a bounded attention queue. A release uncertainty or expiring permission outranks optional adaptation because delay can cause a duplicate or missed external commitment. A saved typing session is offered as Resume, even when another suggested action ranks higher. A blocked item never masquerades as the best actionable next step: it names the blocker, responsible actor and useful resolving action. Waiting on a friend appears under Waiting, without nagging them or estimating their consent. Separate items in the side column are not numbered as though the article review depends on the LinkedIn adaptation.

Why this next? exposes three short layers: the objective and source revision; the actual dependency or rule; and any AI interpretation. For the Aster fixture, the supported structural change and an existing draft justify an adaptation. No relevant performance data establishes an optimal time or likely reach. Dismiss lets the owner choose Not useful, Later, Already handled or a free explanation; Later saves an explicit revisit condition rather than silently recurring. A changed source may bring an item back only with the new reason visible.

The suggestion's picture changes with its real object. An article can show its permitted cover or a readable text extract; a demonstration can show the selected frame; a revision can show a small actual changed passage; a community-setup task can use curated contextual artwork. The picture always links to that object or an inspectable provenance label. A decorative poster is never relabeled as a product screenshot. When no suitable permitted asset exists, strong type and a short excerpt carry the suggestion. Image failure does not remove the action.

Follow one object through the whole experience

Aster is an explicitly synthetic example used to connect the screens. The owner begins with a source story at revision 3 and a LinkedIn draft at revision 1. Today opens that exact draft in Create. Selecting the opening and applying an optional proposal creates revision 2 and leaves its review pending. Review opens revision 2, compares it with revision 1 and lets a qualified reviewer assess the exact wording. Plan may then save a Thursday-afternoon publication intention for the chosen account. This changes no provider schedule. A separate release request validates the exact package, actor, account, method, assets and time window through Channel Manager. Its receipt, uncertainty or partial outcome becomes an Outcomes item. Learn can join a verified or explicitly reported outcome to a genuine observation and propose a next question. Every step can return to the same Content record with its history intact.

This complete path has visible branches: a simple post can stop after private saving or copying; imported work can remain outside Content Desk when admission is unavailable; a reviewed piece can stay unscheduled; a publication intention can exist while preparation is blocked; and an unsuccessful outcome can still teach something. No page transition itself advances authority. The first useful result remains a durable draft the owner can reopen, but the design includes the entire loop.

Two tracks that share a workspace

General Vrooli communication explains the ecosystem, a founder’s real experience, a development decision, a useful technical lesson or an open-source contribution. An individual-app campaign explains one app to a particular audience with a valid next step and accurate availability. The same owner may do both, but the two tracks must not collapse into an undifferentiated feed. Every brief shows its purpose, audience, subject, evidence and intended audience action. A personal reflection need not sell anything. A commercial app announcement cannot borrow credibility from an unrelated ecosystem milestone.

For a general Vrooli post, you might select “Explain a lesson,” attach a supported example, write a concise observation here, and preview one personal-account version. For an app campaign, you select the product and audience, read Offer Desk’s actual release/offer facts, choose an evidence-backed story, plan a demonstration and complementary versions, and review the exact destinations. Shared facts are referenced; drafts and posts retain independent revision and receipt histories.

This product is for the owner operating Vrooli and its apps, with real collaborators when useful. It is not premised on launching a new marketing SaaS to unrelated buyers. The earlier solo-maker market hypothesis remains historical and potentially reusable, but broad productization, pricing and hosting choices are deferred until a separate commercial purpose is established. Current evidence does not validate demand, audience growth or revenue.




Figure M02 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M02 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M02. Proposed strategy and content-mix review. General Vrooli explanation and the app campaign have distinct purposes. AI reasoning, deterministic blockers and the owner’s plan choice are visible together.

A first session without a strategy interview

The first session offers three concrete entries: “Write a simple post,” “Bring in an article,” or “Plan content for an app.” Ask only what the chosen route needs. A simple post needs a destination project or explicit Unassigned, its text and optionally an audience. An article intake needs its source version and package. An app campaign needs its audience, offer/release source and useful outcome. Unknowns remain visible, not filled with generic personas or invented weekly quotas.

Today shows the next useful action, why it is suggested, its estimated effort, what is already saved and what blocks it. “Open draft” opens the exact Content Desk record. “Why this next?” explains that the fact check precedes adaptation, the selected format fits the intended reader, and the work fits a declared plan. Dismissal records the owner’s choice and does not resurrect the recommendation at every refresh. The owner can capture something unrelated without disturbing the selected campaign.

The concrete first outcome and full breadth

The first end-to-end outcome is one existing article or new simple post admitted as a durable editable draft, reopened with correct source/media lineage, reviewed, optionally assigned one publication intention, and accurately reconciled to a manual or supported connected outcome. This is the first proof of usefulness, not a covert reduction of the authorized whole design. Campaign planning, contributor boundaries, account eligibility, multiple channel variants, learning, recovery, settings and future integration are also specified in this edition.

A useful product should reduce context reconstruction and accidental rework. Later evaluation should observe whether the owner can find the next decision, preserve a good draft, distinguish a target from a scheduled release, and understand what was actually published. Count accepted useful outputs and owner correction effort, not raw post volume. No improvement or time-saving claim follows from a static design.

What stays simple

The light path is Capture → Edit → Preview → optional copy or authorized release. Source count, destination and save state remain discoverable, but no campaign form, claim worksheet, generation run or connected account is required for an ordinary personal observation. Additional checks appear because the content contains a material product claim, paid offer, sensitive source, contributor identity, or consequential external action. Explain the reason in ordinary language. Do not let a machine risk score become the only explanation.

2 • One front door, existing owners

Recommended: Content Desk owns the experience and content relationships; native domain owners keep their authority. [CQ01](#)/[CQ15](#) are the architecture choice. Project, family, package and source-work seams below require compatible source changes.




Figure M10 · Diagram. Proposed design; [open full-size visual atlas](#).

M10. Proposed ownership and state flow. Native owner names are source-grounded; new commands and relationships remain required design work.

Page purpose and a stable content home

The shared top navigation identifies five working modes, not five copies of a homepage. Today is an attention and resume surface. Plan is a structured planning workspace. Create opens a format-native editor. Review is a queue of specific decisions with an exact reader view. Learn is an evidence notebook with questions and experiments. Each mode has a different primary object, reading order and dominant control. The compact application bar, scope selector, search and typography are shared; the content arrangement is not. Remove page titles and a reader should still recognize a calendar, editor, comparison, evidence ledger or attention list.

Content is the stable library reached from the persistent Content control beside search, from Create's back link and from every object breadcrumb. It is not a sixth lifecycle stage. It lists drafts, briefs, published records, archived work and unscheduled ideas under truthful filters. Published work does not disappear from Create into Learn, and an unscheduled draft does not require a calendar date to be found. Content search supports actual title/body and permitted source identity, with project, campaign, format and lifecycle facets. A recent-items view and explicit Empty filter result distinguish no matching records from no content or unavailable service.

A record's Content home shows its private title, subject/project, optional campaign or family, current draft revision and linked destinations. Its side rail exposes revisions, sources, media, reviews, publication intentions, attempts and observations without flattening them into one status. This home supplies stable deep links across every mode. Breadcrumbs preserve return location and filter, and browser Back returns to the previous selection rather than resetting the entire workspace. A workspace-wide filter never changes a record's owning scope or the destination of an already-open editor.




Figure M15 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M15 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M15. A stable Content home keeps drafts, archived work and publication history findable. Same-title records remain distinguished by native identity and owning scope.

Relationships that stay intelligible as work grows

A single post is one native draft with optional subject/project and optional campaign. A content family is an optional relationship among a source article and adapted drafts, held by Content Desk if its existing relationships cannot express the need. It does not require a root article before writing a short post. Every variant points to the exact source revision from which it was derived and may carry deliberate local differences. A publication intention points to one exact variant plus one destination identity; several destinations create several intentions, never an ambiguous account array. A batch can group those intentions for review, but each retains its own admission and outcome.

Native draft/revision IDs remain authoritative. Proposed new relationships use owner-qualified references and explicit relation kinds such as derived-from, adapted-for, corrects, replaces or part-of-series. A copied text fragment is not automatically a live dependency. On source change, the user sees which supported claims or variants are affected and may update, keep an intentional historical version, or sever an incorrect derivation with explanation. A core change cannot silently mutate an already approved descendant.

A materialized ReviewPackage freezes body, media order/version/crop, links, accessibility text, author/attribution, method/source basis and the declared review scope. This proposed relationship must be reconciled with the native human-only ApproveDraft and review/type gates; destination-free wording assessment must not be mislabeled as that existing operational approval. An editorial package can lack a destination; it then records destination-unbound and cannot satisfy destination-specific release validation. A PublicationPackage adds account, audience, route, allowed time window, consent and release authority and therefore has its own immutable identity. In the connected fixture, RP2 derives from editorial package P2; the manual fixture uses MP2. Neither reuses P2's digest for changed fields. Any package identifier must be content-addressed or version-bound under the owner contract. These are proposed domain contracts, not existing fields asserted by the pictures.

Independent states instead of one green status

The UI keeps at least six dimensions separate: persistence (local, saving, confirmed, conflict or unknown); editorial work (idea, draft, awaiting review, changes requested, editorially accepted or archived); evidence readiness (unchecked, supported, needs evidence, changed or inaccessible); media (candidate, under review, released, rejected or missing); release (no intention, proposed, authorized, admitted, dispatching, uncertain, partial, published or cancelled); and observation coverage (none, reported, verified, stale or incomplete). Compact rows show the two dimensions relevant to the user's current task and disclose the rest on inspection. A green source check cannot stand for approval, and a published receipt cannot stand for a successful marketing outcome.

Every transition names its actor, preconditions, exact base revision, admitted result and failure return. Save advances persistence and a draft revision. Apply suggestion changes content, never review acceptance. Request review freezes a package and creates a decision request. Accept wording records an editorial decision for that package. Authorize release names the destination/action/time scope. Admit release returns an actual local/provider state. Reconcile records observed external truth. Learn proposes a hypothesis change. Denials preserve the prior admitted state; uncertain writes retain operation identity and await reconciliation.

Cardinalities, slots and explicit relationship changes

Recommended initial rule: each draft has one owning project or explicit Unassigned and at most one native campaign, consistent with the current campaign_id contract. Its private working title belongs to the draft. It can

appear in multiple saved collections, which are projections and consume no slots; it has at most one primary content-family membership in that same project. A family does not own campaign membership or grant source access. Multiple causal source/derivation references are allowed with exact pins and permitted access, including an authorized cross-project reference, but never automatic membership or copying. The campaign slot is charged once to its actual admitted draft/channel/format under native rules; a second collection or source link does not consume another slot.

A family is an optional Content Desk grouping with a stable identity and same-project membership. Detaching a draft removes that membership without deleting its source, siblings, history or receipts. Archiving a family hides the grouping, not every member. Moving a draft previews project, family, campaign and restricted references separately; a family in project A cannot remain the primary family of a draft moved to B. Cross-project citations may remain only where both permissions and method allow them. An active release remains bound to its historical package/scope; the move is blocked or explicitly deferred until that constraint can be safely resolved. No hidden cascade reschedules siblings. Supporting the same artifact in two campaigns is a later explicit native cardinality change, not achieved by duplicating its ID or charging it twice.

Concrete trace: source S1 in Founder writing supports family F1 with drafts D1 and D2; a permitted pinned reference from app campaign C2 supports independent draft D3 in project Aster. D1 and D2 may each belong to one campaign or none. A collection called Launch examples can display all three without owning them. Moving D2 to Aster preserves D2/revisions, requires explicit F1 detach and campaign remap, verifies S1 access and leaves D1's active release unchanged. If D2 itself has an admitted release that cannot tolerate the move, the preview refuses it until resolved. These are proposed relationship rules to reconcile in source application.

An operation key binds one exact intended effect

Every mutating owner command stores a canonical request fingerprint with its operation key: actor/owning scope, action, native target and expected base revision, exact package, destination and timing when applicable. Same key with the same fingerprint returns the prior admitted result. Same key with a changed fingerprint returns Operation conflict and exposes the original permitted result; it cannot report success for the new request. Lookup is authorization-checked and retained at least through the operation/recovery lifetime defined by the native owner; eviction must not silently make an uncertain request safe to repeat.

A parent plan operation groups stable child command keys and individual receipts, not one reusable key for every mutation. An intentional second import/copy carries a new explicit import-intent identity or nonce chosen as Create separate copy in the preview. A retry reuses the prior identity. Changing r2 to r3 or account A to B after a lost response requires reconciliation of the old action first, then a separate authorized intent if still wanted. The captured ReleaseWithOptions returns a prior key result without comparing the changed payload, while Enqueue does not itself establish deduplication; both need compatible owner changes. Existing body/update/approval/suggestion DTOs also lack the proposed revision guards. The UI must not imply that adding a correlation field alone solves these contracts.

Recommended boundary: improve Content Desk's experience

Content Desk already owns campaigns, declared artifact slots, drafts, immutable revisions, claims, reviews, operator approval, released-asset references and a publish ledger. Its current DESIGN requires a real editor shaped to the post type, a queue/editor/evidence-inspector composition, textual blocker explanations and editable agent suggestions with provenance. Preserve and develop those requirements. The proposal is a

Marketing workspace within that owner, with Today, Plan, Create, Review and Learn views plus contextual source, channel and settings panels.

Channel Manager continues to own platform identities, account/channel eligibility, policy and cadence constraints, action windows, release queue, attempts, outcome receipts and platform metrics. Offer Desk owns commercial truth, offer/catalog identity and release readiness. Asset Studio owns media bytes, version/provenance, conformance and release. Optional Prose Studio owns its generation mechanisms and versioned style/profile declarations. Brand Manager owns brand identity assets and application. The standing Marketing Crew's brand-manager is a team member role, not the separate Brand Manager scenario.

The editable native marketing plan-of-record is docs/marketing/README.md and its strategy/, catalogs/post-types/ and methods/post-techniques/ modules in the Vrooli repository. Those owner-curated files hold voice, audience, campaign intention, channel and post-type meaning; the Marketing Drive home remains the human project/discovery and design surface. Their authority is reconciled by scope and explicit adoption, not a claim that two independent copies are always synchronized. It expressly says live campaign/draft/readiness counts come from Content Desk's instrument rather than copied status prose. Campaign strategy is proposed by the domain steward and accepted by the operator; writing this dossier neither activates that team nor delegates new authority to it. Source code and a stored team configuration are not current execution qualification.

Personal Planner owns global availability and accepted human attention allocations. Marketing owns the content work's meaning, eligibility and completion. A publication target or automated action window remains marketing/channel-owned and may appear in Planner as a marker with zero human minutes. A review or manual publication step is separate human work. The existing illustrative SchedulingIntentV1 target contract already makes these distinctions; its SourceAdapter is planned, and no working marketing integration was found in the inspected files.

Compare the real alternatives

Integrated experience on Content Desk is recommended because it already owns the main content lifecycle and has a meaningful editor/review design. Its cost is cross-scenario projection and command integration; the UI must make unavailable dependencies legible. It should not absorb Channel Manager's account database or Planner's calendar to simplify one screen.

A thin experience shell is a credible fallback if native routing, deployment or access constraints make one Content Desk surface unworkable. It may own only presentation preferences, saved filters and short-lived proposal orchestration. Stable domain records, approvals, schedule authority and receipts stay with their native owners. A shell introduces another deployable surface and authentication/routing burden; justify it with a demonstrated need, not a preference for a fresh repository.

A new standalone Cadence scenario is not currently justified. It would duplicate editorial, release and planning responsibilities already evidenced. A genuinely new responsibility could warrant a new owner only after specifying the gap, why existing owners cannot responsibly hold it, and its narrow data/command authority. No source inspection established a current Promotion Manager or mapped the Cadence Site to a local scenario. Product naming remains a review choice.

Navigation without hiding ownership

Today is the next useful action and small set of decisions. Plan contains Strategy, Content mix, Publication and Work, all scoped to one project, one campaign or All work. Create contains the editor, intake and variants with

permanent evidence context on desktop. Review groups content decisions separately from release actions and uncertain outcomes. Learn shows attributed observations and proposed next experiments. Search spans only authorized records; Settings exposes method pins, privacy, cost, project defaults and connected capability state.

The workspace selector filters the same records. Changing it cannot move a draft, overwrite other projects, retarget a publish command or add private sources to chat. The record header always names its owning project and actual revision. Create project is additive and returns a new identity. Matching titles never imply identity. Archive and restore preserve identity; destructive operations show affected records and recoverability before confirmation.

A phone uses the same five labeled destinations. Plan becomes an agenda, not a shrunk week grid. Source and chat panels become named views with clear return to the draft and preserved selection. Review remains possible on phone with readable exact content and destination; it must not require approving an unseen desktop-only attachment. Long-form editing preserves cursor position when the keyboard, source view or chat opens.

Record identities and proposed integration envelope

Preserve each native owner's actual identifier. A UI entity reference contains owner, entity type, native ID and revision; it is not a second authoritative content ID. Every command carries actor/authority context, intended operation, expected revision, idempotency key and a correlation ID. Payloads identify the source and exact target. Responses return admitted identity/revision, actual accepted state, warnings, or a typed rejection/unknown outcome. These are proposed design requirements; they must be reconciled with the existing proto fields during source application.

A story is a user-facing relationship over content, not automatically a new aggregate or rewritten draft schema. A long article and its channel variants need a stable derivation link and source revision. An optional story/brief grouping may be added inside Content Desk when existing campaign/draft relationships cannot express it. Do not migrate every existing draft into a mandatory new "core story" record. A one-off can be a draft directly.

A campaign has purpose, audience, subject/product references, offer/destination, hypothesis, period, declared artifact slots and related drafts. A content-mix proposal has a versioned input basis, candidate set, reasons, exclusions and owner disposition. A human work item references remaining effort and a Planner allocation if accepted. A publication intention identifies a draft, its selected preview basis, a proposed destination and desired time before release admission. A newer draft revision marks the basis changed and offers compare/update; no approval silently transfers. Exact release admission pins a validated PublicationPackage. A release action and attempt belong to Channel Manager; a receipt proves an observed external result at an evidence level. An observation references the actual post, account, metric meaning, window and collection basis.

Project scope is a required native admission seam

The inspected Draft/CreateDraft contract exposes campaign_id, channel, format and post type, but no first-class project identity. The user-facing Vrooli / Founder writing scope therefore cannot be claimed as an existing native project field. Recommended change: add or reuse a Content Desk-owned stable subject/project reference that can bind a draft independently of a campaign, with optional scenario/product and narrative/offer references. Campaign remains optional at the UX level; existing campaign_id behavior and storage validation must be checked before a campaign-free command is offered. A hidden fake campaign called "No campaign" is not an acceptable semantic shortcut.

Source application must decide whether a compatible native subject grouping already exists outside the inspected contract or whether a narrow project-reference extension is needed. It must map current campaign-bound records, define unassigned drafts, reject cross-scope references and preserve IDs. The UI can preview the proposed project scope now; operational intake remains blocked until the receiver can faithfully admit it. Acceptance A1 and A8 include create/reopen/filter and reassignment with this exact mapping, and A3 explicitly tests the supported one-off path. No present CreateDraft call is asserted to satisfy that seam.

The schedule seam that must be built

Fresh source inspection found that the current typed Channel Manager SubmitRelease request does not accept a requested publication timestamp, and its handler passes `time.Now().UTC()`. A separate enqueue path accepts a window. Therefore “choose next Thursday and submit” is not an existing proven scheduling flow. The design requires one supported, revision-aware command to bind an approved content package, verified destination and desired execution window atomically or through an explicitly recoverable two-step process. Extend the rightful native contract; do not quietly call immediate release and hope a later enqueue repairs it.

When a dependency is down, Content Desk may show the last observed read model with its timestamp and stale label. It must not report account eligibility, release approval or available human time as current. The user can continue private writing and save a pending intention. Publishing controls require current admission checks. Every projection exposes which owner can correct the underlying data.

3 · Bring in real material, including the article already written

Recommended: preserve the existing article and its media, then admit a versioned draft without regeneration. [CQ17](#) governs authoring/method integration. Pending media, producer and native project/type admission remain actual gaps.




Figure M13 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M13 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M13. Proposed article intake and partial-admission recovery. The existing article remains the source, and missing media never implies regeneration or full success.

Intake is a reviewable transfer, with a resumable result

The import flow is Select source → Inspect extraction → Map destination and relationships → Save allowed parts → Reopen the admitted result. It is a task page, not an editor pretending the transfer already happened. The selected-source header shows the immutable input pin and whether it was actually read. Body, links and each media placement have their own result rows. Unsupported blocks remain attachments or visibly unresolved content; the user can inspect their originals. The chosen method and producer basis remain visible beside mapping, with no generated replacement text.

A successful partial intake opens the admitted Content record with a persistent, specific task such as Resolve image 2. It does not send the owner back to the beginning or repeatedly reimport the body. A safe replay uses the original media operation key and unchanged request fingerprint. If the target revision or payload changed, reconcile the original operation first, then preview a separate retry intent against the new base. A response timeout first opens admission reconciliation, while a definite rejected item can be retried after the cause changes. The source article and companion variants can be mapped together or separately; the preview spells out whether each action creates a new native draft, proposes a new revision or only links an existing record.

On phone, source summary precedes an ordered extraction list and a single destination step. Long content remains readable in a full-screen preview. The final confirmation shows exactly which parts will be saved and which are withheld; it does not hide a missing-image warning below the button. Returning after interruption restores the same source pin, mapping and item outcomes, and asks for renewed validation if access or revision changed.

Route A: the dot writes, scenarios add durable workflow

The illustrated article “How I’m trying to get more useful work from my ChatGPT dot” is the real integration fixture. Its revised native text, three inline visual placements and companion channel versions are delivered privately. Method 0.6 governs its founder-article workflow. The owner praised earlier art, style, organization and length, then requested narrative corrections. Current owner acceptance and reader engagement remain unestablished. Do not turn a production-quality example into evidence of an accepted autonomous publishing system.

For a request made here, continue to do the useful authoring here when quality and tools support it. Read the applicable adopted writing guidance and actual factual sources. Prepare article text, images, caption/alt text, claim locators and justified channel versions. Use scenario interfaces for durable storage, retrieval, review, scheduling and outcome handling. No paid regeneration is a prerequisite for admitting externally authored work.

Intake begins with a preview: “Bring this article into Vrooli / Founder writing.” It shows the source document identity and revision, title and body, source links, image order and dimensions, exact media files, rights/usage state, producer identity, applicable method versions, existing variant relationships and requested operation. The default operation is save as draft. Optional campaign and publication targets are separate, initially unset. The original artifact remains available; normalization creates a named derivative and never silently strips figures, citations or material limitations.

Pending media is not a released attachment

A draft must be able to show its proposed media before that media is released. The existing AttachReleasedAsset operation cannot honestly serve as the pending-media relationship. Proposed Content Desk-owned DraftMediaCandidate references therefore retain the source artifact/image position, candidate Asset Studio

identity/version when admitted, original-byte manifest, intended role/order/alt text and unresolved rights/conformance state. This is a required compatible relationship/adaptor extension, not a field claimed to exist today. It is visible in the reopened editor but ineligible for release.

The author or intake adaptor submits candidate media to Asset Studio under the appropriate authority. Asset Studio's designated asset reviewer/operator inspects rights, provenance, brand/conformance and actual bytes, then separately releases or rejects that exact version through its owner workflow. A Content Desk content reviewer cannot silently grant asset release. On an actual asset-release receipt, the supported released-asset attachment links the exact approved version; the pending candidate relationship remains provenance and no longer substitutes for the release link. Rejection preserves the source original and lets the author replace or remove the candidate. Unknown admission/release status stays unresolved and is reconciled before retry.

Acceptance A1 must reopen a draft with two pending candidate references and one deliberately missing image, then demonstrate candidate review/release and conversion to released attachments without loss of order, alt text or source lineage. Until these relationships and the reviewer route qualify, the UI may prepare the package but cannot claim a complete native illustrated-article intake. Text-only save remains useful and explicitly incomplete.

Contract, admission and partial failure

Content Desk's source already supports CreateDraft with a body, UpdateDraftBody and current-revision resolution. Existing body revisions withdraw applicable review/approval. Released-asset attachment includes asset identity, role, aspect ratio, alt text and position. Asset Studio already admits external image bytes and provenance into in_review; that is not release. Its current producing_scenario requirement needs an honest external-producer adaptor, because a dot/Drive document is not a fabricated native scenario. The inspected CLI lacks an asset-attachment verb even though a handler exists. The later implementation must expose a supported route, not bypass ownership with database writes.

Proposed intake identity is the source artifact ID + pinned revision + target project + import intent, with a stable operation key. Repeating the same admitted request returns its earlier draft/revision receipt. A changed source revision creates an explicit new revision proposal or a deliberately separate artifact. A title collision offers choices; it never overwrites by title. If there are newer native edits, show source/base/current comparison and let the owner merge or keep a separate branch.

A valid receipt names the Content Desk draft, exact admitted revision, source artifact relationship, each admitted asset ID/state and each unresolved item. "Uploaded" alone is insufficient. Atomic text intake may succeed while a media admission fails, but the draft must then say "Text saved; 1 image not admitted," with the source image retained and publication readiness blocked only where the missing image matters. A missing response after possible admission is "Intake outcome unknown"; reconcile by operation identity before resubmission. Do not duplicate the article or discard the locally prepared package.

If local access or a source connector is unavailable, the private article/package remains usable. Show "Prepared here; not yet admitted to Content Desk," with a recoverable queue item and exact source pin. Do not imply cross-device scenario storage. The implementation acceptance will reopen the admitted draft, fetch original and derivative text, inspect media ordering and rights, and verify that later edits preserve relationships. Those round trips have not been executed by this design commission.

Pinned fixture and a safe simulation

The real article's captured native revision begins ANLCKQkoy5zSIYx; the guide's captured revision begins ANLCKQkKNVbkfaur; full revision IDs and hashes are retained in the source record. The article contains three inline images. The companion has a separate X thread and LinkedIn adaptation. X remains link-only; private preview does not establish live feed behavior. A previous asset-catalog replacement was cancelled, so the native documents and current companion govern this fixture, not an assumed current older catalog.

Design simulation: select the article's pinned body and three image references; target the Founder writing project; choose save-as-draft; request no schedule. Expected result is a draft with import provenance, unapproved state and image admissions in_review until Asset Studio releases them. If image 2 is unavailable, return a retained draft and an explicit missing-media row. If a newer article revision appears, offer compare/update while preserving this source pin. If the owner wants a personal X adaptation, derive from the selected article revision, keep the actual X account restriction, and never browse or post there. This is a record/UX walkthrough, not a real submission receipt.

Capture, extraction and sources

Quick capture accepts text, links and files, with destination visible. A natural working title may be suggested; a public headline is a separate field. Text can be saved without either. Enter remains a writing key unless an explicit shortcut is selected. Unsupported file extraction produces a preserved attachment and "Extraction unavailable," not empty authoritative content. Links retain the observation basis; link-only material is distinguished from content that was actually read. Original bytes, extracted text and edited derivatives have separate identities.

If saving fails or returns malformed content, retain the exact typed text and show a plain explanation. Distinguish a local safety copy, server-confirmed save, queued sync and unknown outcome. Copy text remains available even when persistence fails. Adding a source to one project never grants other projects permission to use it. A source restricted to private thinking cannot become a published excerpt through a variant or export.

4 • Evidence, offers and the writing method

Recommended: make evidence inspectable at the sentence and freeze its selected basis in the review package. Request support, CQ03/CQ04 govern visibility and unsupported claims.




Figure M03 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M03 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M03. Proposed claim inspection and repair. Structural evidence and unestablished performance are distinct, with exact wording and source scope visible.

Evidence is navigable from the sentence that needs it

Selecting a claim highlights its exact span and opens the supporting excerpt with source identity, pin, permitted use and scope. The source rail shows facts separately from performance evidence. A statement about putting three files together can be supported by a before/after structure; that evidence does not establish faster work or reader understanding. The inspector offers Add evidence, Narrow wording and Remove claim. An optional AI suggestion must show the replacement and preserve the unsupported original in history.

Evidence status is computed from a specific claim-source relationship and an inspectable review basis. An automated check can flag missing support, but cannot silently manufacture a qualified human judgment. If an author disputes a flag, the resolution records who assessed it and why; blocked consequential claims cannot become ready through a generic Dismiss. A private reflection can be marked Author observation without forcing a fabricated external citation.

Changing a source's permission or factual content prompts a dependency impact view: which sentences, variants, review packages, publication intentions and active schedules may depend on it. The view groups definite matches separately from uncertain affected material. It proposes recheck work; it does not mass-rewrite drafts or promise that an external schedule can be stopped. A rejected source is removed from future optional-generation context as well as from visible citations.

A concrete immutable package basis

Synthetic package P2 for D1/r2 contains the exact structured text representation and body digest, format text-only, ordered empty media list, link set, author-expression identity Owner, revision producer external assistant plus owner edits, method pin M0.6 with adapter pin A0.1, and claim C1 anchored to the exact structural sentence at body r2. Source S1/r3 supports the structural statement; no timing claim is qualified. Its editorial decision scope is wording only and destination is unbound. Its digest covers a canonical manifest whose field normalization is defined by the native owner. Example labels P2/S1 are synthetic record nah

passage/image region, not only a document-level link. Supported means the selected evidence supports this wording within its recorded scope; it is not a universal truth label. The states are Supported, Needs evidence, Conflicting evidence, Source changed and Author observation.

The Aster fixture has review notes, a before/after comparison and a release checklist. They support moving three review files into one view. They do not support “40% faster.” The author may add appropriate evidence, narrow the wording or remove the claim. A qualified hypothesis is visibly a hypothesis. A warning dismissal cannot make an unsupported material factual claim indistinguishable from a checked one. Product availability, pricing, security, customer outcomes and comparative claims receive proportionate stronger checks.

A changed source marks only affected claims and descendants Needs recheck; it never silently rewrites approved prose. Preserve the old source version and show why the change matters. A historical screenshot may remain appropriate for a retrospective, while being unsuitable as proof of the current release. If access is revoked, distinguish an allowed retained snapshot from a broken link, and remove disallowed content from future context and exports. Search snippets and chat are part of the same privacy boundary.

Offer Desk retains commercial truth

A product campaign reads product/scenario identity, offer/SKU, intended audience, actual release readiness, price/entitlements when applicable and approved destination from Offer Desk’s canonical sources. Marketing stores a pinned reference and the wording used, not a competing price catalog. “Available now,” “free,” customer evidence and links must match the exact intended offer. If the release state or destination changes, new local release of the affected announcement is held for recheck; an already provider-owned schedule enters the route-specific cancel/amend/reconcile process and may not be stoppable instantly. A general technical lesson can continue when it does not imply the unavailable offer is ready.

A campaign can be awareness-only with no sale, but it still needs an honest reason for the audience to care. A no-purchase demo is not a promise of unrestricted product access. A broken destination blocks the associated call to action. Do not replace it with an unapproved waitlist or outreach promise merely to keep a scheduled slot full.

One method authority per scope, with compatible versions

The local marketing canon owns strategy, voice, audience and channel meaning. Post-type documents own a type’s purpose, audience, useful result and failure modes; paired x-* skills own the executable procedure. Shared writing techniques have one canonical home and are referenced, not independently copied. The Drive founder-article guide owns the specifically adopted source-backed founder-article workflow in this project. This does not make it the new global authority over all native post types.

The proposed method selection resolves assignment → medium/type → authoritative guidance → adopted revisions → local exceptions. For a founder article, guide 0.6 supplies reader promise, causal story, useful payoff, purposeful images, independent source/story review and exact delivery. For a native dev-log, the strategic type and x-dev-log procedure remain governing, with relevant shared techniques. A channel variant applies the channel’s current constraints and preserves the same factual limits. One method can cite the other for a relevant technique after approved adoption; neither silently overwrites the other.

The reconciliation is substantive. Both guide 0.6 and the local essay-shape technique require a coherent reading path; retain one canonical technique definition while the founder guide explains its case-specific application. Both first-mention guidance and the founder guide require unfamiliar names to be introduced; keep the native

familiarity evidence and do not assume that an imported reader knows Vrooli. The guide's story promise/stakes/payoff and separate article-only review are a useful article-specific extension, not a replacement for type-specific contrarian checks. Existing recommendation framing requires a genuine third-party basis; it cannot justify a friend pretending to be an independent customer. Cross-platform linking remains conditional on reader value and platform rules, not a quota or automatic amplification instruction.

Populated non-operating method/intake specimen

Specimen IA-01 is a design fixture, not an executable request or admission receipt. Its requested action is save-as-draft only; authorization for any actual submission is absent. Source artifact: Google Doc 1y3wD0fEipdbS6InO5sQi4zbRrQEfDZ700dUR0GIXOuc, captured native revision ANLCKQkoy5zSIYxSbL71JL87OUvn9O0cHF99k4hJyxP8qHxUSA0f92TLAacQmSlytB1VF04XoQaoVgffPzY5LuJBgWwAKAiNV_Kagl8iQ. Target display scope: Vrooli / Founder writing; native project ID unresolved pending the mapping contract, campaign unset. Producer kind: external assistant/Drive; adapter identity proposed as marketing.external-article-intake, not a fabricated producing_scenario.

Content relationship: one original article body, three native inline image references in document order, one companion X thread and one companion LinkedIn adaptation. Each imported variant must retain the selected source article revision and its own body/review revision. Asset byte locators/hashes are not invented from image positions: before real admission, materialize the current permitted originals, decode and hash them, and fill the media manifest. The missing-image branch deliberately simulates one unavailable original; it does not assert the actual article package is currently missing that image.

Method basis: founder-article-guide / adopted 0.6 / native source 1kX7cCuzxqesPXxCWtxOppYV3WfFt1A55p-QFmsC86Bo / captured revision ANLCKQkKNVbkfaurBptu_KgPGexsaTYO-x5n8ujU3yzz2Bmle_V6IYuD56mokyJCCgGCUvl-MLf-OKBnX2SqBfQAug7p pKnL3HA3tLDfpg. Applicable clauses: reader/evidence, narrative promise/causal thread/payoff, product-reference imagery, useful adaptation, independent source/story review, exact delivery. Snapshot identity: normalized-content SHA-256 430463c121fa0b64e850f4dd5dce64aa63fc8e071074fc5bcdd22a0c99fb91f3, explicitly a normalized snapshot hash rather than an original-byte document hash. Native post type: unresolved until the legitimate article/one-off compatibility or activation decision; do not spoof dev-log or scenario-spotlight.

Local exceptions: X remains link-only; no assumed premium/long-post capability; no publication/series/familiarity writeback during import; no public disclosure or paid regeneration. Adapter revision: proposed specimen 0.1, not installed/adopted runtime code. Operation identity: a deterministic import intent derived from source ID + captured revision + resolved target scope + save-as-draft, generated only when real admission is authorized. Expected result: admitted draft/revision and per-asset states or explicit blocked/unknown result; expected review state unapproved; expected publication state none. Historical method pins remain unknown unless evidence exists. This populated example exposes the unresolved native project, type and producer fields instead of hiding them behind a generic schema.

Clause-by-clause reconciliation before operational adoption

Essay shape: local essay-shape.md requires hook, introduction, body and conclusion for its named types and a reason to return. Guide 0.6 strengthens the reader promise, causal connection and payoff. Preserve the shared technique for applicable long-form/series types. A one-off personal observation can stay short only through the

explicit supported one-off route or an accepted local exception; the UI simplicity goal does not silently repeal native type rules.

Length/pacing: hook-vs-body-asymmetry.md currently makes a blanket X long-post claim, while x-dev-log warns only on hook length and assumes body capability from channel canon. Retain the useful pacing principle; treat the account-tier/length assertions as stale or unverified for the current identities. The article companion's short thread is a specific reviewed composition, not a new global 280-character rule. A later approved channel-update/skill repair must make limits identity/format/capability-aware. With X link-only, this edition neither checks nor promises long-post eligibility.

First mentions: intro-on-first-mention.md requires an audience-specific familiarity lookup and post-publication update. Preserve that requirement for its native types. If lookup is unavailable, default to explaining an unfamiliar name and show familiarity unknown. Private import or draft acceptance never writes a published-familiarity event. After a real release outcome, update the rightful Content Desk familiarity record with actual audience/publication evidence under an authorized workflow. Reconcile spotlight's malformed reference before operational reuse.

Series and cross-platform links: inter-post-linkage.md requires a real predecessor URL for later posts in a series and a post_url writeback after publication; standalone posts correctly have no predecessor. Retain series identity and order, but replace the retired Social Media Scheduler ownership reference with the accepted Channel Manager-to-Content Desk receipt integration during later source application. A placeholder cannot become a fake URL. Publication failure leaves the dependent series link unresolved, and unrelated channel adaptations need added reader value rather than compulsory crossposting.

Recommendation framing: preserve the real identifiable third-party basis, source, relationship disclosure and contrarian verification of third_party_basis=genuine-third-party. A friend's name without their input is not a basis. Guide 0.6's first-person rule preserves only experiences/opinions actually expressed. Labeled AI-persona practices in another native strategy are a separate scope; they do not authorize impersonating friends or manufacturing customer experience here. The source's conversion-lift assertions remain source-stated hypotheses, not validated evidence adopted by this dossier.

Internal numbering and comparison: preserve no-internal-numbering-externally for public copy and the distinction between internal sequence IDs and an intentionally useful series number. Competitive-comparison requires a real named alternative, comparable scope and support for any numeric claim; PRD statements and assistant summaries alone are not performance proof. The future adapter carries these applicable source pins instead of duplicating their definitions. Guide-specific image and exact-native-delivery requirements add article craft, not new platform permissions.

Procedure and write authority: native strategy/type changes require operator-approved decisions; executable skill edits follow their own owner route. The founder-guide adaptation proposal does not run the stale "publisher submits content-publish-proposal" procedure found in x-scenario-spotlight. Current Content Desk review/operator approval and Channel Manager release boundaries must be used after source reconciliation. All post-publish URL/familiarity/metrics writes are separate from authoring and need real outcomes. No existing method authority is silently migrated by these proposed corrections.

Trace the same IA-01 basis through optional local authoring

A non-operating Route B simulation starts from IA-01's original brief, permitted source set and adopted founder-guide 0.6, not from a command to regenerate the article merely for intake. The owner could request

one alternative opening or a new article under that basis. The proposed CommissionAgentWork request references the exact brief/method/source versions, allowed output scope and destination draft revision, selected qualified profile, provider/locality and approved resource ceiling. In this simulation those runtime approvals/profile qualification remain absent, so no job is sent and no cost is claimed.

Expected GetAgentWorkResult is a candidate suggestion with actual runner/model provenance, method/source pins, output body/media references, completion/partial/cancelled state and usage evidence or explicit unknown. It has no editorial or release approval. Compare that candidate against the existing article; Keep existing changes nothing. Adopt selected opening creates a new native revision only after expected-revision validation, preserves the prior article and records the suggestion's provenance. A stale base opens a merge comparison. Rejected or unavailable generation leaves IA-01's prepared source and admitted draft intact. The same exact-output review follows both routes, including narrative quality and current post-type/project/media constraints. This is a simulated contract/state trace; no paid generation or source adoption was run.

A versioned adapter, not another independently edited guide

The non-operating adapter specimen contains source URI/path, method identity, adopted version/hash, applicable sections, target type/channel, approved local exceptions, adapter version/hash and test evidence. It may embed a self-contained snapshot for an offline worker, clearly labeled derived and immutable. Changes are proposed at the authoritative source and deliberately adopted; editing the derived instructions alone creates drift. The design does not move the Drive guide or edit native skills now.

Prose Studio already treats declaration files as authority and database rows as projections, with content-hash versions and frozen referenced provenance. Reuse that versioning principle. Content Desk's inspected draft schema has no explicit editorial-method-version field. Add a compatible method-basis reference to draft/revision provenance or a versioned related record through its owner contract; do not pretend historical drafts have known method pins. UI should say "Method unknown" for unbackfilled records, not infer it from a present-day title.

A guide change produces a scoped diff and an adoption proposal. Unchanged drafts and approvals do not become invalid merely because a new guide exists. A material factual-policy change can flag relevant content for recheck; an aesthetic preference may affect future work only. Rollback restores the previous adopted method pin without deleting the new candidate or rewriting historical production records. The later implementation must test discovery from the normal entry, one different bounded assignment, exact provenance, changed-source behavior and rollback. One successful use is limited evidence, not mature quality or cost savings.

5 • Create well, with help that has visible limits

Recommended: give each format a real editor and make assistance optional, scoped and cost-visible. [CQ05/CQ17](#) govern revision and authoring. The richer job/cancellation controls require actual route capability before use.




Figure M04 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M04 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M04. Proposed source-aware editor and optional scoped assistance. Applying a selected edit produces a saved unapproved revision; generation, acceptance and release are different actions.

The editor is shaped by the artifact

Create defaults to the last saved record or a compact choice of Write, Import and Open content. A short post opens one comfortable text canvas; no large title field is required, and a private working title is distinct from public text. A long article has headings, image placement, captions, alt text and citation controls. A thread has an ordered item list with per-item limits, not a single long text box whose split is guessed at release. A silent demonstration has a storyboard with shot, action, evidence, caption and duration; rendered video remains a separate Asset Studio artifact. Switching formats creates an explicit adaptation proposal and cannot silently discard structure.

For desktop writing, the central canvas dominates, with a source/evidence rail and an optional exact destination preview. Opening AI replaces or tabs the secondary assistance pane rather than stacking another permanent column. Evidence remains reachable and its selected claim persists. At narrower widths, show one secondary pane at a time. Focus mode retains record, revision, save state and one route to evidence. The public preview is a best-effort format preview labeled by qualified format/account capability; it is never claimed pixel-identical to a provider whose renderer is unverified.

The current proposal in the C concept needs a precise anchor. Selecting the first paragraph identifies Replace opening, base r1 and the exact character/span anchor. Compare shows old and new wording; Apply creates r2 only if the base/anchor still matches. Keep original dismisses the proposal without changing text. If the user types elsewhere during generation, preserve both edits and rebase only if the owner contract establishes a safe nonconflicting merge; otherwise compare. A proposal that changes a factual claim also shows the changed evidence relationship.




Figure M16 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M16 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M16 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).

M16. Format-specific article, ordered thread and silent-demonstration canvases. The article uses an actual private source excerpt and its exported cover. Other content is synthetic; no runtime or media-release state is claimed.

Visible optional assistance and cost

Ask for help opens a compact context and route sheet before the first consequential request: selected draft/paragraph, source set, method pin, requested result, actual runner/provider and cost basis. The ordinary choice is Keep writing here or use the existing dot-authored material. Optional agent generation must be selected, with any required spending/privacy approval. A known ceiling is displayed in currency/units from the provider evidence; unknown cost is explicitly Unknown, never an invented estimate. A context-art thumbnail is not automatically sent to the model.

Assistance states are Not requested, Preparing context, Running, Partial result, Completed candidate, Cancel requested, Cancelled or Failed. A running indicator names the actual stage and offers cancellation only when the selected route supports it. Otherwise it states the control limit and lets the user keep editing or leave the job view; it does not freeze the editor. Only received output can be preserved as a partial candidate. Retry repeats the same bounded work only under the original permission and remaining allowance, and a potentially billable duplicate requires the relevant authority. Completed candidate is distinct from applied content and accepted quality.

Keyboard and interruptions are designed before polished empty space. Undo/redo remain local editing actions until save produces a revision; undo cannot roll back a published post. Escape closes a transient pane without applying its content. Browser Back or scope switch preserves a permitted local branch and identifies unsaved text. At phone keyboard-open size, the editing canvas scrolls above the keyboard; the small status row names the last confirmed save, while destination/release actions remain outside typing shortcuts. No Enter-to-publish behavior exists.




Figure M23 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M23 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M23. A bounded assistance request shows selected text/context and the actual route/cost gaps. Existing dot-authored work and manual editing stay useful without a generation run.

The job and accounting contract must match the selected route

The current CommissionAgentWork request exposes draft ID/action and result status/body; it does not establish selected-span binding, context/method pins, per-request budget, cancellation or usage. The richer help sheet therefore requires a route capability record before its controls are enabled. A job manifest pins draft/base/span, allowed context and recipient/provider, adopted method/adapter, requested output, runner/profile and budget scope. Each attempt has a stable job/attempt identity and observed usage basis; all candidates, failed attempts and partial outputs belong in the accounting view, not just the adopted candidate.

The selected native runner/provider's budget owner must reserve or otherwise enforce the authorized maximum across concurrent jobs. Prose's session budget/candidate accounting can be reused within its actual route, but is not proof of enforcement for an Agent Manager request. If reliable enforcement is unavailable, do not offer a promised hard ceiling; choose a bounded supported route or keep manual/external authoring. Unknown charges reserve an unresolved amount and stop new spending that could exceed the approved scope until reconciled. Idempotent result lookup is not a new billable attempt.

Cancel is offered only when the route supports it, and its label explains whether it stops new work or can abort already accepted provider work. Cancel requested does not erase incurred costs. Two jobs against the same paragraph retain their separate bases; only a selected candidate may be adopted after comparison with current text/method. A method change while generation runs does not rewrite the job's original pin. A stale result remains recoverable as a candidate, never silently current.

Editor, sources and chat together

The main workspace contains the selected draft, purpose, audience, working title, public headline when appropriate, revision and truthful save state. A post-type-shaped editor offers useful fields without forcing every format into the same article template. Sources, claims, assets and rights are inspectable in the evidence panel. Contextual chat sees only the explicitly selected project, draft/variant, revision and sources; the context summary is editable before a request. It cannot silently include private material from another project.

An explanatory answer has no Apply control. A writing proposal shows Replace opening / selected revision, Compare, Apply and Keep original. A plan proposal shows affected items, dates, capacity and release implications. A source-addition proposal names the sources and permitted use. Stale suggestions cannot overwrite newer edits; compare base, saved and proposed versions. Apply creates a new recoverable revision with producer/method provenance and invalidates review only as the changed package requires.

A working title helps the owner retrieve content; a public headline makes a promise to the reader; a social opening begins the actual message. Do not create titles by concatenating a product name with generic phrases. For the same synthetic facts, "Three review files, one place to decide" and "Keeping the evidence beside the decision" make different useful promises. "Our review system is 40% faster" is unsupported; "A quiet revolution in work" is empty. Preserve the original while comparing a small set of meaningfully distinct options.

Route B: optional local-agent authoring

The optional generation route receives the same brief, permitted sources and adopted method basis as the external route. It must disclose the actual runner and model/provider, whether inference is local or remote, the allowed context, estimate/ceiling and accounting source, expected deliverable and cancellation behavior. Running a coding agent on a local computer does not imply that inference is on-device or free. The current Content Desk Prose profile explicitly says `remote_only` and has a session cost ceiling.

Existing CommissionAgentWork, GetAgentWorkResult and AdoptAgentSuggestion contracts return editable suggestions under a read-only workbench profile. They cannot approve or publish. Generation completion produces a candidate with provenance, not a quality acceptance. Prose Studio composition is another optional mechanism; unavailable generation must not disable manual editing, external intake, sources, export or planning.

For cost-sensitive routing, prefer preserving good existing work. Display Included/allowance-based, Metered, or Unknown cost according to actual evidence, with units and the latest estimate if known. Unknown is not zero. The user can choose a smaller context or manual route, cancel within supported limits, and inspect incurred usage after partial failure. Do not silently switch provider, increase a ceiling, restart a billable generation or send sensitive sources elsewhere to recover a failure.

Quality is more than fluent text

The same outcome review applies to both routes: an intelligible reader promise, specific supported substance, coherent argument, useful ending, natural channel adaptation, purposeful images, exact-output integrity and honest limitations. An independent source-aware review checks facts and permissions; a separate article-only review checks why a reader would continue and whether the ending pays off. Neither reviewer agreement nor one matched example proves equal route quality. If the local route produces weaker material, record that gap and keep the economical external route usable.

A tutorial requires a stated starting point, prerequisites, reproducible steps, observable result and plausible recovery. A demonstration must show actual supported behavior and disclosed setup, not use editing as a performance claim. A dev-log explains a real decision and uncertainty without implying release. A scenario spotlight introduces the problem, particular product, relevant evidence and valid next action. A founder reflection can be valuable without a sales pitch. A contributor's firsthand account requires their actual experience and consent; no generator can manufacture that basis.

Complete small copy specimens under the same facts

The following drafts are synthetic, unapproved examples using only Aster's structural change and explicit lack of timing evidence. They demonstrate useful variation, not recommendations to publish these exact words or reuse one media asset across identities.

Core explanation: "We moved three review files into one view. The notes, comparison and release checklist now sit beside the decision. We have not measured whether it makes review faster. The useful question is whether someone can understand the proposed change without reconstructing the handoff."

LinkedIn version: "We moved three review files into one view. The notes, comparison and release checklist now sit beside the decision they support. We have not measured a speed improvement. What context do you usually have to go looking for during a review?"

Short personal-X draft, text-only: "A small design change: put the evidence beside the decision. Our review used to span three files; now that context is in one view. We haven't measured a speed improvement. I'm interested in whether the handoff is easier to understand." Account format/length eligibility is unverified; the design does not open X or infer a publishing grant.

Owned-community discussion draft: "What do you need beside a review decision? We're exploring one view for the notes, comparison and release checklist. It shows the structural change, but we haven't tested whether it

saves time. Which missing piece of context tends to slow your own reviews?” It is appropriate only if a genuine community purpose, rules and channel activation support it; no subreddit currently exists by this commission.

Silent demonstration outline: show the original three-file context; show the proposed single review view; highlight one decision and its source locator; end with “No timing study yet” and the actual supported next step if one is later approved. Captioning and visible prerequisites carry the explanation. No narration, performer or fabricated result is required. F2's LinkedIn image, text-only X draft and separately recorded video avoid assuming the same released asset can be reused across identities.

Focus and interruption

Focus mode removes secondary clutter but keeps project, revision, save state and a route back. New generated text arrives as a preview without moving the typing cursor. Phone panels preserve selection and scrolling; a keyboard cannot hide save state or the active control. Generation cancellation retains received text as incomplete when useful. A save timeout retains both local and last confirmed versions. Reopening restores the exact confirmed record plus any permitted recoverable branch, not an optimistic merged truth.

6 · Strategy, content mix and one unified schedule

Recommended: accept a coherent content plan, then separately admit human work and publication intentions. [CQ06/CQ16](#) govern the unified view and planning logic. Current source does not establish the complete timed-release or Planner adapter contract.




Figure M05 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).

Figure M05 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M05. Proposed publication intentions. The calendar contains intentions, not human allocations or inferred provider schedules. The selected drawer exposes its current content basis.

Plan begins with the intended outcome, then makes commitments inspectable

Strategy is a concise editable brief with audience job, subject, useful outcome, evidence/offer basis, available effort and exclusions. It is not a mandatory interview for one post. Content mix is a comparison surface: each proposed artifact has its reader purpose, source, format/channel fit, dependencies, remaining work, proposed destination and reason. The owner can choose a coherent lower-effort set, remove an item or save an idea without accepting the rest. A useful plan can exclude an entire channel.

Publication is the selected C week/agenda workspace: unplaced intentions and blocked preparation at the left, date/daypart grid in the center, and a selected-target drawer. An intention may be a date, daypart or exact window. Saving it does not create a release. The drawer shows the exact variant/revision, destination identity or Not selected, eligibility freshness, preparation dependency and permitted timing tolerance. Dragging invokes the same change preview as editing the fields; keyboard Move target supplies an equivalent action.

Work shows a dependency-aware list of remaining preparation and review, with source-owned task status and Planner-owned allocations. It separates an estimate from an accepted reservation and provides a jump to the actual Planner record. Time spent does not automatically subtract from remaining effort; the owner may revise the estimate. A public target shown as a passive marker consumes no human capacity, while a manual posting step does. A source task shared by three variants is counted once.

Accepting a plan is a set of explicit, recoverable admissions

The plan review summarizes what will become accepted content work, what remains an idea, what requests Planner allocation and what only saves publication intentions. Each command carries its own actor/revision/operation identity. The primary button can say Accept content plan; requesting Planner allocation is a separately visible optional operation. No release is silently bundled with plan acceptance. The result shows Content plan saved, Planner allocation accepted/pending/failed, and Publication intentions saved with their distinct receipts. Partial success remains durable and reopenable.

If Planner is unavailable, keep the accepted content plan and display Unreserved; do not retry it by creating another plan. If an intention failed after a plan save, resume only the failed intention. If a provider schedule already exists, the adjustment proposal names its cancellation/amendment capability and the consequences before any command. The owner can retain the original commitment while modifying unscheduled work. A distributed operation record coordinates retries and receipts without claiming a transaction across services.

Bulk planning groups only compatible selected items. Before applying, show item count, account identities, exact affected records and exceptions. A batch with two eligible targets and one blocked target offers Save eligible intentions and Keep blocked draft only when that partial choice is explicit. It never interprets an unchecked item as permission or hides the exception in a toast. Unknown route or timing data remains visible in the result.




Figure M17 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M17 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M17. A reduced content plan is saved while Planner time remains unreserved. Earlier publication intentions are retained at risk for date review; deferred adaptations do not become new commitments.

Stable preparation identity precedes Planner projection

Content Desk should own a proposed MarketingWorkItem with stable ID, project, occurrence when recurring, linked draft/family dependencies, task meaning, remaining-effort estimate and source revision. Its canonical source key is owner Content Desk + work ID + occurrence, not a displayed label or list position. A proof check shared by D1/D2/D3 is one work object whose dependent set has three members. Source projection admission maps that key to one Planner work projection; accepted allocations reference that projection and keep native Planner IDs.

Updating remaining effort or a deadline increments the source constraint revision and invalidates unaccepted allocation proposals. It does not silently move an accepted reservation; the user sees a conflict/change proposal. Removing two dependent variants leaves the shared work when still needed by the third. Removing the final dependency marks it no longer required and proposes a permitted cancellation, retaining prior allocations/history. Source archive/deletion emits a tombstone under the adapter contract. A completed Planner focus session records time spent; Content Desk owns whether the proof check actually succeeded. If the source is unavailable, completion remains pending rather than guessed.

The captured Planner work DTO has source_label but no source-object key. The source-adapter design is still planned. A compatible registration, identity mapping, deduplication, source revision and tombstone contract is required before the UI promises shared-work reservations. Native allocation Preview/Apply remains a second admission with its own proposal ID/revision/receipt. Replaying a projection is not replaying an allocation, and neither creates a publication schedule.

How the system decides what to suggest

Planning has three explicitly different mechanisms. AI interprets the brief, proposes audience-relevant angles, identifies candidate post types and explains plausible channel fit. Rules enforce admissibility, approved scope, format availability, identity restrictions, sources, deadlines, duplicate/repetition constraints and declared budgets. The owner accepts the resulting plan or changes it. Learning can later inform a proposal, but cannot silently change strategy or grant permission.

Inputs are the accepted goal/audience and current experiment; general Vrooli versus app subject; actual offer/release facts; permitted source material; post-type/method readiness; current channel/account capabilities and policies; declared artifact slots; remaining human effort and available windows; accepted commitments; existing scheduled actions; costs/limits; prior measured or owner-reported observations; and explicit preferences. Each input has an owner, revision and freshness. Unknown values stay unknown. A new account, missing analytics or an unclear audience is not a license to invent performance data.

The default is an explainable shortlist, not an engagement-maximizing black box. For each candidate, show reader benefit, why this audience/channel, factual basis, effort estimate/range, dependency, cost basis, risks and what is deliberately omitted. AI may say “a practical development lesson fits the existing technical audience,” but it cannot claim an optimal posting hour without relevant data. Offer one conservative plan and a meaningful lower-effort alternative under the same facts. The owner can edit, remove or defer any candidate.

The proposed planning orchestration lives with Content Desk as a versioned plan-proposal capability, not inside the chat transcript or a new scenario. It requests bounded reasoning from the selected permitted authoring/agent route and calls the rightful owners’ deterministic validation contracts. Strategy meaning remains in the adopted marketing canon; Channel Manager alone evaluates account/execution constraints and

Planner alone accepts human allocations. The UI shows that composed result and its revisions; no universal hidden model is authoritative for every decision.

Deterministic feasibility and selection

The initial rule pass removes forbidden actions, wrong or unverified identities, unsupported formats, blocked material claims, unavailable offers, disallowed sources and missing required approvals from release eligibility. Such items may remain visible as drafts or blocked ideas. Content Desk enforces declared per-channel/per-format artifact slots; the current source explicitly has no universal default. These counts are production limits, not human minutes. Channel Manager separately evaluates account policy, cadence ceilings and permissible action windows.

Human feasibility sums the remaining estimated effort of distinct work items once. Shared work is not counted once per variant. A split work item records allocation portions under one remaining-work total. Available attention comes from accepted Planner allocations and aggregate availability when the integration exists, or a clearly provisional manual estimate when it does not. Unknown effort is not zero; unknown availability is not unlimited. Publication itself can be a zero-attention marker while its preparation and manual handoff reserve real time.

After hard constraints, use an explicit ordering: accepted external commitments first; then source/offer prerequisites; then the owner's chosen priority; then audience value and useful reuse at a reasonable effort; then age/tie-break rules visible to the owner. AI can propose a qualitative ranking and explain it. A numeric weighted score is optional later, only if its dimensions, weights and limitations can be inspected. A score is never a permission grant or a probability of success. Do not smuggle the existing x-dev-log "interestingness" heuristic into a universal marketing optimizer: file counts and token usage can identify candidates, but do not establish reader value, shipping status or a good story.

Channel Manager's enqueue/portfolio-window logic can advance a requested time. The proposed release request therefore includes earliest and latest tolerated instants, original zone/local intent, and whether the time is fixed or flexible. The receipt returns the actual admitted window. A time outside the tolerated window requires a new proposal/authorization rather than silently treating the desired date as accepted. A provider-confirmed schedule amendment must also respect its actual cancellation/edit support. Revalidate account eligibility, the final local-day cadence ceiling, portfolio constraints, source/offer/content expiry and remaining authorization against the final admitted instant and again before Channel Manager-controlled execution; provider-owned/manual schedules follow [Chapter 8](#)'s qualified control contract. The inspected Enqueue checks its initial-day count before portfolioWindow can defer it; that is a source-observed risk to repair, not a reproduced runtime failure. A collision that moves Thursday 23:55 past midnight and beyond a latest-allowed Friday 00:00 cutoff must return a rejected/proposed adjustment, not an executable success. A lost response after local admission requires reconciliation by operation key before any retry.

A later optimizer could choose among already admissible candidate slots with explicit budget and collision constraints. It would need a deterministic replay from pinned inputs, explainable exclusions and a fallback when inputs are stale. It must be tested against a simple owner-curated plan before being called better. This edition recommends AI-assisted reasoning plus transparent rules first; measured engagement optimization remains a bounded future hypothesis.

A concrete synthetic week

Fixture F2 uses an illustrative 180-minute human-work allowance, not a user commitment or universal quota.

Monday: verify the source/demo and destination, 30 minutes. Tuesday: write the core explanation, 45.

Wednesday: LinkedIn adaptation, 20, then personal X adaptation, 15. Thursday: record/annotate a silent demo, 40, then exact review, 15. Friday: genuine response/observation work, 15. The total is 180 minutes. These estimates can be wrong; the UI allows correction and shows remaining work separately from past effort.

Three desired publication times are proposed: LinkedIn Thursday afternoon, personal X Friday morning, YouTube Saturday late morning, all in the explicitly displayed America/New_York fixture zone. The review precedes each target. X is a manual/link-only handoff. The YouTube item is a planned capability example whose current post-type activation and account route must still qualify. No target is a provider-confirmed schedule. The owned Vrooli subreddit remains a fourth channel idea with no date because community creation, moderation responsibility and account eligibility are unresolved. A calendar should make this honest absence useful.

If the owner has only 90 minutes, show a lower-effort alternative: keep the 30-minute proof check, 45-minute core story and a 15-minute review; defer video and channel adaptations. The system does not compress the video into fictitious spare time or secretly move a public commitment. If the target dates depend on deferred preparation, flag them At risk and propose new dates. Accepting the lighter work plan does not itself reschedule an already admitted Channel Manager action.

One view, three clocks and three authorities

The Publication layer shows content intentions and actual Channel Manager action windows, with states Proposed target, Ready but not scheduled, Awaiting authorization, Queued locally, Scheduled with provider confirmation, Due manual action, Outcome unknown, Published (evidence label), Partial, Failed, Cancellation requested or Cancelled. Provider-held/restricted is an observed external state, not success. A manually recorded provider schedule is explicitly Scheduled — owner reported until verified; its control capability remains separate from that evidence label. If the platform has only a local queue, label it “Queued locally,” never “Scheduled on platform.” A due date passing cannot produce a Published state.

The Work layer shows remaining human preparation, review and manual handoff, with Planner-owned allocations when available. It provides source-filtered availability without exposing unrelated private calendar titles. A direct drag follows the same Planner preview/conflict/acceptance contract as the central planner. When no adapter is implemented, show “Provisional marketing work plan; not reserved in Personal Planner.” This is a temporary planning estimate, not a second authoritative calendar. The recommended full implementation includes the adapter; a fallback does not silently remove it from scope.

The Actual layer shows observed release receipts and publication times, never editable desired timestamps. A correction or removal is a new linked event. Choosing All layers requires distinct shapes, labels and a legend; color alone is insufficient. Search and filters can select campaign, account, channel, responsible person or state without changing ownership. A phone agenda groups by local date and repeats timezone and layer meaning when ambiguity would matter.

Time, changes and synchronization

Store an absolute instant for an admitted timed action plus the original IANA zone and local-time intent. A date-only intention remains a civil date, not midnight UTC. Ask how to resolve a daylight-saving gap or duplicated local time; show both the original and destination interpretation when necessary. Changing display timezone

does not move the underlying action. A campaign launch window may remain a range until a real date is selected.

A plan proposal records its source, account-policy, offer, content and Planner revisions. Before apply, refresh consequential inputs and display differences. Do not claim distributed atomicity from a read followed by separate writes. If the system cannot reserve both preparation and release in one transaction, record each admission and expose partial success with a safe compensating choice. Roll back only operations the owner authorized and the provider can safely cancel. A failed downstream step cannot erase an already accepted reservation or pretend an external scheduled action disappeared.

Known schedule changes produce a comparison with old/new dates, affected content, reason, capacity impact, external commitments, review invalidation and required authority. Unknown outcomes pause automatic retries. Idempotency and reconciliation prevent duplicate work allocations or posts. Source deletion produces a tombstone while retaining the minimal historical relationship allowed by policy. Opaque revisions are compared for equality/ordering only as the owner's contract defines, never lexicographically guessed.

Cadence is a ceiling and hypothesis, not a content treadmill

A recurring series can propose a repeatable rhythm, but the owner must choose its bounded scope, channels, audiences and stop/review condition before any recurring execution. A gap in the calendar is valid when no useful supported content is ready. Avoid near-identical repeated posts and collisions where they harm the reader or violate platform policy. Platform ceilings are upper bounds, not targets. The native portfolio-separation rationale about making activity not appear coordinated is not adopted as a concealment objective. Retain only legitimate reader usefulness, policy, attention, capacity and collision constraints; disclosed real coordination should never be disguised by artificial timing. Do not use "account warming" as a covert instruction to post or comment more.

7 · Channels, genuine contributors and community readiness

Recommended: plan useful channels and genuine contributions, with action-scoped readiness and consent. [CQ13](#) governs collaborator scope. The owned subreddit remains a proposal; X stays link-only.




Figure M14 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M14 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M14. Proposed account readiness and destination selection. Identity, actor role, type/strategy activation, connection and permitted route remain separate checks.

Account selection is an action-scoped decision

A destination picker groups personal, organization and contributor-operated identities with stable handles/URLs, ownership and role, not just platform logos. Two LinkedIn accounts with similar display names remain distinguishable before preview or release. A draft's format can be LinkedIn while its account is still unselected. Selecting an account rechecks format, limits, disclosure, source/media reuse and actor permission; the resulting changes are shown rather than silently trimming text. Switching the global workspace does not retarget an open publication intention.

Readiness is a dedicated task view with separate rows for identity verification, current actor role, strategy/type activation, permitted publication route, platform/community policy, actual connection and rights. Each row has a basis and a next permitted action. A platform logo or green profile check is never the summary of all seven. X displays its standing link-only boundary and allows private text work without offering a hidden browse/connect/publish fallback.

The contributor workspace is organized around an artifact and a person, not engagement quotas. Its states are Prepared brief, Awaiting authorized handoff, Sent with receipt, Contributor considering, Accepted scope, Submitted, Changes requested, Contributor final wording accepted, Declined, Withdrawn or Outcome reported. Only verified messages/receipts support a response state. A contributor may accept a test but decline public quotation. Their public account and publication timing remain theirs unless exact delegation is established. A late response is Waiting, not an automatic failed task or a reason to contact them again without authority.

The packet preview has a clear Included/Excluded boundary: selected brief, permitted facts/media and disclosure context can be included; unrelated project history, private evidence and chat are excluded. Changing the proposed recipient, audience or rights scope forces a new sharing preview. Revocation shows what access can actually be removed and what external copies may remain. Friend participation and moderation labor are real work estimates, and community readiness can remain deferred without blocking the owner's independent article.

A channel has a job before it has a quota

Personal X can carry the owner's real observations and builder conversation; any brand or other X identity needs its own verified owner, purpose, audience and allowed actions. LinkedIn can explain engineering judgment to technical professional readers. YouTube can provide a real demonstration or a deeper explanation using written, annotated or silent-captioned formats when appropriate. An owned Vrooli subreddit can be a useful home for questions, releases, project discussions and genuine community contributions. None needs to be active simply because it is on a list.

The accepted YouTube direction is one founder-led Vrooli channel initially for developers and technical founders. Its operating allowance and other strategy choices remain proposals. The local channel canon describes a brand X account and Premium status, but that is not verified current account evidence. YouTube is partial/manual with placeholder account details; LinkedIn and Reddit are placeholders. Existing owner-confirmed personal profile links do not prove connected credentials or automation eligibility. X remains strictly link-only under the standing restriction: no browsing, scraping, account checks or dispatch through it in this work.

Native placeholder-channel activation is a distinct strategy decision: CHANNELS.md requires a channel-strategy-update with account count, purpose tags, primary-user member and initial strategy; until accepted, variants are speculative. This is separate from profile completeness, credentials, post-type activation and publishing permission. No one green check can stand in for the others.

Each channel brief names its audience job, useful content forms, identity, disclosure requirements, response/moderation needs, production cost, support evidence and current operational state. The same post does not automatically belong everywhere. A technical tradeoff may warrant X/LinkedIn versions; a visual workflow may warrant YouTube; a community question must be appropriate to that community. Reasons for exclusion are visible. Channel rules are versioned/current inputs, not hardcoded folklore such as an invented self-promotion ratio or fixed number of warm-up days.

“Account warming” becomes legitimate readiness

Use the user-facing label Account readiness. Separate: identity and affiliation accurately represented; profile completeness; ownership/role verification; platform and community eligibility; current restrictions; real history of useful participation if relevant; available approved publication route; and operational limits. A new account may need genuine use before a particular community permits posting, but the product does not manufacture karma, followers, comments, account age or an imitation human activity pattern.

Readiness states are Not configured, Owner supplied/unverified, Verified identity, Policy check needed, Eligible for specific action, Restricted, Disconnected, and Outcome unknown where relevant. An eligibility check has source, observation time, expiry and allowed action scope. A green profile-complete check cannot bypass a community ban, expired token or unsupported format. Recheck at execution. If blocked, explain the permitted next step: edit the private draft, wait for a documented eligibility condition, ask a real moderator through an authorized communication, use a genuinely suitable alternative, or stop. Never evade restrictions with another account.

Plan an owned Vrooli subreddit without creating it

The proposed community purpose is a transparent place for people interested in building and using Vrooli and its apps to ask questions, see accurate progress and share actual experiences. Recommended initial information includes a concise description, founder/moderator affiliation, rules against spam and harassment, topical posting guidance, a welcome/FAQ reference, useful post flairs, moderation responsibilities and a response plan. The name’s availability, actual creator eligibility and current setup steps are unverified. Creation and moderator invitations require a later authorized account action.

Useful proposed post types include an annotated development lesson, a product demonstration with limitations, a discussion of a real design choice, a question whose answer will influence work, a supported release note and a contributor’s real experience. Do not fill the subreddit with synthetic “users” to make it look active. The plan should assign responsibility for moderation and genuine replies and account for that human time. If nobody can responsibly maintain the community, defer creation rather than present an empty unattended channel as progress.

Crossposting to another subreddit is a separate destination with separate rules and fit. Owning one community does not grant permission to promote elsewhere. The workspace may keep relevant community rules and allowed post forms, but no broad allowlist was found in current sources. Review actual community rules before planning an external post. No mass invitation, unsolicited message batch or automatic comment sequence belongs in the design.

The current Channel Manager ReleaseWithOptions source rejects an asset ID already published by a different identity. Retain and surface that cross-identity reuse restriction in the initial implementation; the same source asset is not automatically reusable across the owner’s personal, brand and contributor accounts. The planner should exclude the blocked release and offer distinct genuinely adapted media only when its real provenance

and policy permit it. Re-importing identical bytes to obtain another ID is not a workaround. If legitimate multi-identity reuse is needed, propose a narrow policy change with rights, disclosure, duplication and platform evidence; owner approval and native tests must precede it.

Friends contribute as themselves

A friend may voluntarily contribute a real test, question, tutorial, screenshot, criticism or firsthand experience under their own identity. The contribution brief explains the topic and available facts, not a required sentiment. They can decline, disagree, edit or withdraw before publication. Record actual author, relationship/affiliation where relevant, source consent, permitted use and whether the account is owner-operated, contributor-operated or a community role. Do not store a friend's credentials or simulate their voice as an independent testimonial.

A contributor assignment can request a substantive artifact with its own review and handoff, but the owner cannot approve a friend's personal speech on their behalf. The contributor decides their final wording and publication unless explicit authorized delegation exists. Marketing may prepare an optional brief or approved assets; it may not fabricate experience, instruct them to conceal affiliation, coordinate votes or require likes/comments to boost distribution. Contribution scheduling coordinates real work or agreed publication logistics, never synchronized engagement designed to mislead a ranking system.

A comment can be drafted as a suggested reply to a real question, with the actual speaker, context and proposed text visible. Posting remains a separate authorized action through an allowed route. Do not auto-generate replies to pretend the owner or friends read and experienced something they did not. Moderation actions, public corrections and disclosure disputes need an accountable human. A declined contribution should be removed from expected output, not treated as an overdue automated task.

Minimal-access contributor handoff and response

Contributor coordination needs no forced product account. The owner prepares a bounded contribution packet containing the actual purpose, optional task, permitted facts/media, limitations, relationship/disclosure guidance, requested response and chosen review deadline if one was agreed. It excludes unrelated drafts, private evidence and chat. Before sending or sharing, resolve the real recipient and show the exact content, destination, access and purpose for the required authorization. A prepared packet does not send itself and the design does not contact the owner's friends now.

Two routes are proposed. Manual external handoff uses a permitted document/export and the owner's chosen communication route; the owner can later record the verified response and its evidence. A scoped invitation can grant only review/contribution access to the exact packet after explicit sharing permission, with expiry/revocation and an authenticated response route. A recipient can accept, ask a question, decline, submit their own artifact/edits or withdraw. A response from an unverified identity or unrelated comment is not consent. Record source message/response identity, actor, exact accepted wording/media/use scope and version; uncertain or partial answers remain pending.

The contributor can publish independently from their own account and report the actual URL/text/time, labeled contributor-reported until independently verified through an authorized route. The owner cannot silently turn that into a brand-account release or broaden reuse. If final text changes externally, retain both proposed and actual versions and assess whether agreed rights/disclosure still hold. Notifications and reminders require the bounded authorized recipient/purpose; no generic automatic follow-up to every friend is implied. This supplies

the actor/channel/response path behind the lightweight contributor view without adding mandatory accounts or access to the whole project.

Current platform evidence and its limits

Reddit's current official spam guidance rejects repeated or unsolicited mass engagement, repetitive promotional posting, tools that facilitate spam and artificial community growth. Its disrupting-communities policy prohibits coordinated voting, multiple-account vote manipulation and ban evasion. Reddit's moderator tools include scheduled posts with role-dependent permissions; existence of the feature does not establish this user's account eligibility or a working Channel Manager adapter. These facts support a readiness-and-genuine-participation design, not a warming automation. Sources: [Reddit spam policy](#) ; [Reddit community-integrity policy](#) ; [Reddit moderation tools](#) .

LinkedIn's official scheduling help documents scheduled personal posts and separate Page-role scheduling. Its authenticity guidance specifically rejects engagement pods and automated comments; its prohibited-software guidance rejects unauthorized automation. Design only for a currently permitted, qualified integration or the user's supported native manual route. Do not use browser automation as a fallback that ignores these restrictions. Sources: [LinkedIn personal scheduling](#) ; [LinkedIn Page scheduling](#) ; [LinkedIn authenticity guidance](#) ; [LinkedIn permitted-tool boundary](#) .

YouTube supports scheduling a private video to become public at a selected time; account restrictions can prevent it from publishing. Its fake-engagement policy prohibits artificial views, likes, comments and related metrics. A provider schedule receipt and later publication evidence therefore remain different states. Sources: [YouTube scheduled publication](#) ; [YouTube fake-engagement policy](#) . Official sources were checked for this edition. Volatile eligibility, API access, formats and numeric limits must be refreshed before implementation qualification or account action. X was not opened.

Vrooli · contribution packet

Fictional Alex · proposed recipient view

Your words. Your choice.

Optional feedback on one review workflow. Criticism is welcome.

The request

Try the described review and tell us what was confusing. You can decline or ask a question. There is no required praise, comment or social post.

Permitted packet

One task brief · selected source excerpt · no private project history

Your draft response

I understood the decision, but had to look twice to find the source.

Allow this exact quote?

Relationship shown: friend who tried the example.

Included use

Quote in the founder article only.

No personal-account post or broader reuse.

You can edit this wording or decline. A later destination or wording change needs your new permission.

No credentials or whole-project account needed.

Prepared design fixture · no message has been sent

Submit words and this permission

Decline

Proposed design 0.3 · synthetic Aster fixture · static specimen

Figure M11 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).

Review candidate · Oct 4, 2026

| 53




Figure M11 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M11. Proposed campaign and genuine-contributor view. A contribution is an optional real piece of work with its own author and consent. No vote/comment boosting target exists.

8 · Review, schedule and publication are separate events

Recommended: distinguish edit adoption, craft assessment, human native approval and release authority. [CQ08/CQ09](#) govern route and ceremony. Wording-only acceptance and general thread recovery require explicit native contract work.




Figure M06 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M06 · Readable phone reading and change states. Proposed design; [open full-size visual atlas](#).

M06. Proposed editorial review of saved r2 against previous r1, with readable phone final view and explicit restore-as-new-revision detail. The new scoped decision contract is not current runtime approval.

Review begins with the question being decided

The Review inbox separates Content decisions, Publication decisions and Outcomes needing reconciliation. A queue item names requester, object, revision/package, precise question, blockers and due basis. Changes requested returns to the author with a linked decision; it does not masquerade as a new draft. An inactive native

post type is a readiness task linked from the record, not a misleading Accept wording card. Review groups work by the person who can resolve it and supports Waiting on others without making those actions available to an unauthorized viewer.

evieinn.

Content review opens Read final by default when no meaningful prior revision exists; Compare is available when a specific change is being assessed. It shows the entire selected artifact, with images/captions/alt text and thread order, plus a focused change index and evidence panel. The owner can switch between final reading and differences without losing scroll position. A review of a suggested edit is distinct from an editorial acceptance: Adopt edit creates a dra

ends




Figure M19 · Readable related phone states. Proposed design; [open full-size visual atlas](#).

M19. Readable phone source inspection and an anchored change request preserve exact package context. A review comment does not silently edit or publish.

Release has its own concise confirmation

Publication review presents the exact final preview beside account identity, route, accepted content/media basis, current eligibility, author/contributor consent, desired window and what the system can control afterward. The main action is route-specific: Prepare manual handoff, Request provider schedule, or Authorize connected

release. A generic Publish button cannot conceal whether the action posts now, queues locally or schedules remotely. A provider preview limitation is disclosed before approval.

A stale package opens a change comparison. Even an innocuous-looking image crop can change meaning or hide disclosure; affected review must be re-evaluated. Editorial acceptance can remain valid for unchanged wording while release eligibility becomes stale because an account role expired. The interface shows both facts. Content changes never rewrite historical approval scope. Revalidation checks current revisions at admission and at the last safe execution boundary, with explicit control limits for provider-owned schedules.

Outcomes is an operational reconciliation queue. An unknown result opens the attempt timeline, exact submitted package, identity and last confirmed event. Check status, Record observation and permitted Cancel/Amend actions appear according to current capability. Retry is unavailable until its safety condition is met. A failed second item in a thread shows the posted prefix and the remaining suffix; continue or correct is a scoped new action. Leaving this page never dismisses unresolved risk or automatically retries.




Figure M24 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M24 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M24. Future qualified-release fixture. A synthetic human-approved package, identity and full allowed date/window are reviewed together. No actual account, approval or dispatch is asserted.

Command, actor and authority mapping

Adopt edit is an author operation: guard the exact saved/local base, create a new native body revision and preserve producer provenance. Record craft verdict is a reviewer assessment through the compatible native review route; it may be performed by an authorized agent or human, and does not own claim truth. Accept wording is a proposed scoped human editorial-decision record for an immutable package, available only after that narrower contract exists. It is not a renamed ApproveDraft call and never satisfies the existing human operator release-readiness gate by implication.

Approve native draft remains the human-operator-only native action under verified-claim, active-type, identity and lane conditions. The captured request takes draft ID, identity_id and lane; an account-free wording decision cannot truthfully fill it. Authorize release is the separately bounded human permission for the exact destination/action/window, followed by Channel Manager admission under its supported command. A human who holds all roles may see a concise combined review with every scope explicitly stated and separate receipts, avoiding redundant ritual; the system must still record and validate each native obligation. An agent's positive review plus supported-but-unverified evidence cannot pass the human operator or claim-verification gate.

This mapping supersedes any earlier interpretation that the all-fields package is required merely to assess wording, or that wording acceptance alone approves a native draft for publication. The final release package still includes all consequential fields. Until scoped editorial acceptance exists, the product may record a clearly labeled assessment and preserve the draft; it must not render an enabled control whose effect claims unsupported approval. Source application must resolve the exact enum/event names without weakening these meanings.

Ordered external items and the meaning of partial

The inspected native partial result describes a published root post with failed first comment; its single post ID/URL and completion callback do not model a general thread. A multi-item/thread route requires an explicit extension: stable item IDs, order/dependency edges, immutable per-item content/media, per-item attempt IDs and an append-oriented receipt history. Aggregate Pending, Dispatching, Partial, Unknown, Complete or Cancelled is derived from that history and never substitutes for it. Native first-comment partial maps to root complete plus first-comment failure under its own item role.

Every external item must begin under still-valid time/consent/eligibility authority. Reaching the latest allowed instant stops new suffix dispatch; it does not retract a completed prefix. An item already in flight can return a late receipt after expiry. Reconciliation appends that fact to the original attempt and prevents a duplicate repair, regardless of receipt arrival order. A continuation references only unresolved original item identities and needs fresh authority where scope expired. A correction links its new items to the old ones rather than replacing history.

Concrete failure trace: thread items T1 and T2 have receipts, T3's request timed out, then the window expires. State is Partial with T3 outcome unknown; no new suffix or full-thread retry is allowed. A late T3 receipt makes the actual thread complete at its real observed times while preserving the earlier uncertainty. If T3 is proven not admitted, a separately authorized continuation may submit it once. Existing CompleteRelease's treatment of partial as terminal must be reconciled rather than assumed to permit this expanded repair.

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Concurrent asset use honors the same policy

Source: [Channel Manager](#)

Source: [Channel Manager](#)

prohibition on cross-identity reuse of a published asset. To make it safe for concurrent queues, recommend Channel Manager-owned atomic asset-use reservations at release admission, keyed by the stable asset ID and the existing cross-identity policy, with immutable asset version recorded as a request provision. A the version of the same asset cannot evade that stable-ID reservation. Competing identities cannot both dispatch while one of

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Source: [Channel Manager](#)

Withdrawal before publication immediately blocks new local dispatch and invalidates the queued package. If a provider schedule already exists, show Cancellation requested and attempt the supported cancellation only under the authorized cancellation policy; otherwise escalate promptly to the accountable owner for the required action. A provider may be executing or the cancellation response may be lost, so do not promise that withdrawal instantly removes an external schedule. Preserve the schedule/attempt identity, reconcile the actual result and surface any unavoidable race. If already published, create a separately authorized correction/removal task and retain the historical event. Acceptance includes withdrawal while locally queued, provider-scheduled, dispatching and after publication, with a visible responsible actor at each branch.

Three release routes, chosen by evidence

Manual handoff remains universally useful where permitted: copy/export the reviewed package, open the supported destination independently, then record what happened. Copying is not publication. Store the exact copied package and later actual text if the user changed it externally. A manually entered URL/time is labeled owner-reported unless separately verified through an authorized read. If the owner does not complete posting, retain Ready for manual handoff or Mark not published.

Provider-native scheduling can be used where the owner has the correct account role and a supported native feature. The system records the actual provider schedule identity, accepted time and revision basis when available. If the user performs the native step manually, the evidence remains owner-reported until verified. The design does not assume it can inspect or control every native scheduled item.

Connected dispatch is a supported future route through Channel Manager only after its adapter, account grants, format limits, authority and recovery behavior qualify. It is not postponed by a universal “manual first” product decision, and not promised just because code exists. Per destination, show Available, Manual only, Not connected, Unsupported or Unverified. Offer the legitimate route appropriate to that state. X remains manual/link-only under the current restriction. LinkedIn requires a permitted integration or human native action, not prohibited automation.

A truthful control contract for every release route

Each release record distinguishes desired time, observed scheduled time, evidence source and control capability. A connected provider may support status/read, edit/reschedule, cancel, or none of those after handoff; record the actual qualified capabilities and last verification. A local queue remains under Channel Manager’s execution gate. A provider-owned schedule is controlled only through supported provider commands. A manually created schedule can be owner-reported but may have no authorized programmatic control at all.

When evidence, offer, consent or permissions change, block new local dispatch immediately. For an existing external schedule, create an urgent responsible-operator action, show the affected package and desired correction, and request or perform only the cancellation/amendment already authorized and supported. Keep Cancellation requested until confirmed, and Outcome unknown where the provider cannot establish the result. Do not advertise a universal execution-time recheck or automatic hold for native/manual schedules. If no reliable read/control route exists, a time-sensitive or revocable package should not be pre-scheduled far ahead under a promise of automatic protection; choose a later manual confirmation or an explicitly accepted risk/operating procedure.

The unified view shows Provider held/restricted when observed, rather than continuing to label the item simply scheduled. A missed publication may require rescheduling after the restriction is resolved, and the old authorization may have expired. After the target passes without a receipt, show Due for verification or Outcome

unknown, never infer success. Acceptance A5/A7 includes a manually created provider schedule with no read/cancel API, a provider-held video, and a changed offer after provider acceptance. The test expects a truthful operator action and reconciliation, not a fake cancellation guarantee.

Proposed release state machine

Draft → In review → Editorially approved describes content readiness. Revision changes can return the affected package to Needs review. Separately, Target proposed → Release requested → Accepted locally (shown as Queued locally) / Scheduled with provider → Dispatching → Published verified / Published owner-reported / Partial / Failed / Outcome unknown / Cancellation requested / Cancelled describes release. A local accepted job is not a provider schedule, and a provider schedule is not a published post. A terminal failure can still have a partial external result that needs reconciliation.

The release command must validate exact package digest/revision, active post type where applicable, current account/destination, release permission, source/offer readiness, asset release, format capability, policy freshness, target window and current contributor consent/final-wording/rights scope when applicable. It returns an action identity and admitted state. For dispatch controlled by Channel Manager, all irreversible boundaries are rechecked at execution; a past preview cannot override a revoked grant or changed offer. A provider-owned schedule or manual external action may run independently and cannot be guaranteed to honor a later local hold. The route-specific control contract above governs those cases. If the package changes after scheduling, pause or propose amendment through the provider's supported route rather than assuming the stored schedule updates automatically.

Partial and uncertain outcomes

Figure M07 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M07. Proposed reconciliation surface. A timeout after submission is an unknown outcome. It retains the attempt and exact destination and offers permitted verification before

after the earlier action is known not to have happened or the provider guarantees a safe idempotent replay for that same operation. Never create a new attempt simply because a timeout looks like failure.

For a thread or multi-asset release, track each provider item and ordering relation. If item one posts and item two fails, the action is Partial, not wholly failed. Show the actual posted prefix, remaining items and repair alternatives under the required authority. Do not delete the first item or post the entire thread again automatically. A provider may change a scheduled time, reject media, strip unsupported formatting or hold content for review; preserve its actual result and show the mismatch rather than projecting the desired state.

For an expired account grant, stop external action, retain content and intent, and use supported reconnection only with the needed permission. For a platform restriction, stop and surface the real constraint; do not rotate identities, evade checks or substitute unauthorized browser automation. For an unavailable service, keep private editing useful and show stale projections clearly. Recovery never creates broader data access or spending authority.

Corrections, cancellation and historical truth

A corrected private draft does not change an existing public post. Create a linked correction task with the affected claim, actual destinations and proposed edit/withdrawal action. External edits/deletes require their own authority and provider support. Cancellation requested while dispatching can be uncertain; show cancellation requested until the provider confirms the outcome. Published history remains a factual event even when content is later removed, subject to privacy/retention policy. Learning must not silently erase an embarrassing or unsuccessful result.

9 · Learn from outcomes without inventing a success story

Recommended: learn from attributed observations and bounded questions. [CQ10](#) governs evidence-tiered learning. Missing metrics stay unknown; native observation lineage needs the extensions below.

Content Desk

Illustrative workspace

Today

Plan

Create

Review

Learn

Vrooli · All work

Content

Search

Learn

Evidence and experiments

Add observation

Import evidence

Scope Aster review story

Period All recorded evidence

Sources All permitted

Observations

Experiments

Coverage

No publication outcomes recorded

Evidence	Kind	Source	Observed	Status
Aster review structure	Content fact	Source r3	Fixture source	Available
LinkedIn publication	Publication outcome	Not provided	Unknown	Missing
Reader understanding	Audience observation	Not recorded	Unknown	Missing
Faster review	Outcome claim	No timing study	Unknown	Unsupported

Selected evidence · Aster review story r3

Three files, one view

Establishes the structural change.

Does not establish speed or audience understanding.

Inspect source >

Linked question · proposed

Does the explanation stand on its own?

Needs exact post/version, attributed feedback and an observation date.

Not run · no results

Save experiment idea

Proposed design 0.3 · synthetic Aster fixture · static specimen

Figure M08 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M08 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M08. Proposed evidence notebook and observation entry. Content facts, reported/verified publication and audience feedback do not become one success score.

Learn has questions, observations and experiments

The selected C ledger is the starting point: source facts, publication receipts, audience observations and unsupported outcome claims are different kinds. The default view is the owner's current question with evidence coverage, not a dashboard of impressive totals. A source fact can be inspected here because it frames the hypothesis, but it is not counted as audience feedback. No-results is an informative empty state with Add observation, Import permitted receipt or Define a question; it offers no invented success graph.

Import publication evidence routes through Channel Manager's supported outcome mechanism and Content Desk's publish ledger, reconciling the native post/attempt identity; Learn must not create its own competing release record. Import metric observations uses the rightful owner's metric definition and provenance. An observation form asks what was observed, on which exact post/version/account, when, from what source and with which limitations. Quantitative observations include metric definition, window and denominator when meaningful. Qualitative feedback retains the actual wording or permitted paraphrase and relationship context. The user may save a private observation without publishing it or exposing the person. Missing fields remain incomplete, never zero. A duplicate imported metric is reconciled by source identity/window, not added to inflate totals.

An experiment is a bounded question, hypothesis, proposed change, target content set, expected observation and stop/review condition. Its states are Idea, Proposed, Accepted scope, In progress, Observation incomplete, Reviewed, Stopped or Superseded. Creating an idea does not schedule a campaign, recruit readers or contact anyone. Accepting it can propose content work through Plan; those commands and their external permissions remain visible. Results can lead to Keep, Change or Stop with an evidence-linked reason. Negative and inconclusive outcomes remain searchable.

Before recommending a new tactic, show the strongest alternative explanation and missing evidence. The owner can disagree with the interpretation while retaining the observation. A change to strategic canon or a post-type method is a separate adoption proposal under its native owner, with a versioned rationale. The next planning pass references the accepted learning result and its limits instead of treating every past assistant suggestion as ground truth.




Figure M25 · Readable related phone states. Proposed design; [open full-size visual atlas](#).

M25. Manual handoff reporting and an incomplete private observation. Copying stays separate from posting; a missing observation time stays visible and produces no audience result.

Observation identity survives correction and reconciliation

An immutable observation identifies native release/item and exact package, metric definition/version or qualitative question, collection route, observation time, covered interval, unit/denominator when meaningful and evidence basis. Provider observations retain provider event/sample identity. A correction is a new

observation with corrects/supersedes relation, not an overwritten value. Repeating the identical imported event returns its prior result; a conflicting same-ID payload is held for reconciliation. A seven-day click count cannot replace a lifetime count merely because both are called clicks.

Owner-reported and provider-verified observations can be linked as corroborating or conflicting, while both original bases remain available. The selected current projection explains its inclusion and comparison rules. Missing denominator/window prevents the affected comparison; it need not prevent saving the honest incomplete observation. Qualitative evidence has a permitted attribution scope that can differ from the person's public identity. An accepted learning conclusion references the exact observations it used and becomes Needs recheck when one is corrected.

The captured native metric/publish read models are draft-focused and do not expose this full window, denominator, package or correction lineage. Extend the rightful Channel Manager/Content Desk owner records or their versioned related records before promising it. Learn is the view, not a second metrics database. Two accounts using one variant keep separate release/item identities and are not added into one success total without an explicit comparable aggregation rule.

Start with the audience question

The useful question may be whether a reader understands what an app does, whether a demonstration is reproducible, what confuses a prospective user, or whether a founder explanation creates substantive questions. Reach and clicks can inform this, but they are not interchangeable with useful understanding or revenue. A post with no analytics can still have an honest qualitative reflection; a quiet channel is not automatically a failed experiment.

Channel Manager owns provider outcomes and metrics; Content Desk joins them to campaign, draft and publish-ledger coverage. Each observation carries actual account/post identity, metric definition, collection route, time window, observation time, denominator and uncertainty. Zero is a measured zero; missing is missing. An imported count revised later is a new dated observation. Do not add incompatible channel metrics into a single success total or infer conversions from impressions.

The manual reflection distinguishes “two people asked about the setup” from “this opening caused more interest.” The first can be an observation with source; the second is an interpretation. A contributor’s positive comment is not independent market validation when the relationship matters. Friends’ participation should remain labeled where relevant to analysis, without turning private relationships into public disclosures beyond the authorized use.

Make the next proposal better

A learning suggestion states the observation, uncertainty, changed hypothesis, proposed content or offer adjustment, expected observation, effort/cost and review condition. For example, repeated genuine setup questions could justify a tutorial proposal with prerequisites and a real failure/recovery step. It does not prove that more posts will generate leads. A broken demo destination points first to a product/destination repair, not necessarily a channel change.

The owner can save a suggestion as an idea, accept it into a draft brief, modify it or decline. Accepted learning can propose a scoped method change through the native owner process. It does not automatically overwrite strategic canon, activate a post type, adopt a new guide, change a price or create a recurring schedule. Dismissed suggestions stay dismissed unless material new evidence explains why they returned.

Evaluate effort and quality




Figure M09 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M09. Proposed interrupted-edit comparison and safe recovery. Base, server revision and local branch stay distinct until the composed result is deliberately saved.

Recovery is reachable from the object that failed

Every pending command has a compact operation record with actor, owning service, target/base revision, operation key, last confirmed event and allowed next action. Content home and the affected page link to it. The global status tray is a route to these records, not a second authoritative operation log. A toast can acknowledge an event but cannot be the only place an unknown save or release is explained.

Loading keeps the selected object's identity visible. Empty states distinguish No content yet, No matching items, Nothing waiting for you and Data unavailable. A service timeout leaves cached material labeled with observation time and disables only the action requiring current data. A malformed response is not success. Retry carries the original operation identity when safe; a new request is explicitly labeled when the intended effect changed. Cancel requested remains pending until the owner service confirms it.

An interrupted editorial review restores its package and reading position, but refreshes current content and authority before acceptance. An expired login retains the permitted recovery copy and names the account/workspace it belongs to. After reconnecting, the user sees any changed source permissions before that copy is uploaded or sent to a provider. If a draft was deleted or moved elsewhere, recover locally as a new candidate only through an explicit destination choice; do not resurrect it into a former scope silently.

Privacy applies to secondary surfaces too: search snippets, notification previews, thumbnails, generated context, exports, cached excerpts and contributor packets. A revoked source may leave a historical locator where permitted while its bytes are no longer displayable. An empty thumbnail is preferable to leaking private content. Audit access is role-limited and is not exposed by sharing one draft. Shared-device mode can disable local recovery and visual previews without making private saving impossible.

Saves, conflicts and offline work

The editor vocabulary is Editing, Saving, Saved on this device, Saved to Content Desk, Save failed and Save outcome unknown. Only a returned record/revision receipt can support the corresponding confirmed state. A local safety copy is a recoverable branch, not a cross-device authority. It has an explicit storage policy and device-clear control; sensitive or shared-device contexts may disable it. No retention duration, encryption or backup guarantee is invented by a mockup.

Two concurrent editors retain the common base, newer saved version and local changes. Nonoverlapping changes may be merged only under a defined safe rule; meaning-changing conflicts require comparison. “Keep mine” is an explicit new revision, not deletion of the other person’s history. A workspace-list refresh cannot replace another project’s drafts. Undo after later conflicting work becomes a comparison, not a hidden overwrite. Revision guards apply to review, plan and release commands as well as text.

Offline work supports private writing and permitted local recovery. Uploads and generation can pause independently. Queued sync does not run under a revoked or different account session. On reauthentication, confirm the original workspace/identity before uploading. Signing into another account must not send the previous account’s draft there. Offer return to the original account, keep a permitted recovery copy, or explicit discard.

Missing and stale dependencies

For each dependency, show last checked, actual state and impact: missing source blocks the affected claim check; missing media blocks that exact package; unavailable generation leaves manual authoring; unavailable Planner makes work placement provisional; unavailable Channel Manager prevents verified release admission. A

loading skeleton is temporary, not a permanent substitute for an error. Unknown health must not be collapsed into unavailable or healthy. Historical inspection counts never become live dashboards.

A new source revision marks only relevant dependent claims, variants, plans and approvals stale. Preserve unaffected accepted scope. A source permission change can remove it from future context even while its historical locator remains. A stale method pin can still be intentional; show why a newer version matters and ask for scoped adoption. Freshness, production, owner acceptance, retirement and implementation are independent dimensions.




Figure M20 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).

Save outcome unknown

Your local wording is retained. Check the original save before trying again.

Check save status

Figure M20 · Readable failed-save control detail. Proposed design; [open full-size visual atlas](#).

M20. No work, no matching content, loading and unknown save are distinct states with different safe actions.

Access and source privacy

Default project access is private, consistent with the current design home. A share preview names recipients/roles and separates draft text, permitted evidence, media, chat, revision history and publication observations. The default review package should not expose an entire source library. Authorization is checked server-side on reads and commands, including search snippets and cross-project links. Payload-supplied actor/workspace IDs are not trusted as authority.

Credentials remain in their supported owner service and are never part of content exports, prompts or assets. A provider context preview identifies what will be sent and to whom. A changed provider can change privacy and cost and needs the relevant choice. Private case details must not become public marketing examples, reusable training material or mockup content by default. This edition uses synthetic product scenes and a private article fixture; public sharing has not been granted.

Portability, archive and deletion

A readable export should preserve article/variant text, selected revisions, source locators, permitted original media, rights/alt text, method/provenance basis, review scope, publication receipts and observations with stable relationships. A machine-readable archive has an explicit schema/version and omits credentials. The preview warns when omitted dependencies make claims unsupported. A readable export and a verified round-trip restore are separate capabilities.

Import uses a dry-run preview with new/existing/conflicting/unsupported records and an explicit target namespace or mapping. Never merge by title. A partial failure is recoverable without removing unrelated work. Archive hides content from normal views while preserving identity and relationships. Recoverable deletion explains its recovery window once chosen; irreversible deletion and account exit require explicit action-time treatment, affected-data preview and truthful limits on external copies. Revoking a connector stops future access; it does not remove already published content.

11 • Visual and interaction contract

Recommended: develop the selected C direction through purpose-specific workspaces, deliberate mobile reflow and useful adaptive imagery. [CQ12](#) records the selected starting direction and pending exact design/token decisions.

A Modernist Press language, different geometry per job

The owner praised the revised C task-specific pages and asked that they start this full redesign. The shared proposed language is warm ivory, cobalt primary actions and rules, near-black text, restrained red for meaningful exceptions, confident sans-serif hierarchy and readable serif prose. Content Desk's captured DESIGN.md currently binds a different operational token contract and permits no local deviation. This proposal therefore requires an explicit scoped native DESIGN/token amendment under [CQ12](#) before implementation; the dossier does not silently override those existing tokens. Preserve the native permanent-inspector, format-shaped authoring and accessibility commitments while reconciling that amendment. Today can use expressive typography and a relevant image; Plan, Create, Review and Learn use their task's working geometry. This supersedes candidate 0.2's muted vermilion visual recommendation, while preserving its exact source and review history. It is design direction for this revision, not acceptance of every control or future implementation.

Plan uses a real calendar or agenda, unplaced tray and selected-target drawer. Create uses a large writing canvas, source rail and optional preview. Review uses a decision queue, final reading/comparison and scoped decision bar. Learn uses a ledger, evidence detail and experiment notebook. Content uses a compact durable collection with filters and object relationships. Empty, loading, error and no-art versions retain these identities. Neither a giant slogan nor a hero card belongs on every route.

Adaptive imagery is a small, inspectable selection policy

For Today, choose the most useful permitted representation in this order: an actual selected artifact preview at the referenced version; a curated context image with rights and semantic fit; a typography/excerpt treatment; a plain no-image composition. The order can be overridden by an explicit user preference. A preview selection record names asset/source version, role (artifact preview or context art), crop/focal point, alt text, rights/permitted audience, last validation and fallback. It is presentation metadata, not proof of a product claim.

Do not generate a new image on every visit or as a prerequisite for a suggestion. Optional commissioned illustration can be offered only when it adds understanding and its cost/context are authorized. Generated art is labeled in provenance and never passed off as a real screenshot, customer or outcome. A cached image is invalidated when its source permission or selected version changes. No-art and reduced-data modes remove transfer and motion, preserve meaning in adjacent text and retain a composed typographic layout. An image failure replaces the media area without shifting the primary control under the pointer.

The image follows the work

Same article and next action · three deliberate presentation states


Actual artifact preview

Exported cover · source pin retained



Curated context art

Vector context · not evidence or post media



No image available

Deliberate typographic fallback

The next decision
should arrive
before I ask

Article section heading · source pin

Review the existing dot article

Owner review pending. Preserve the current prose and images.

Open exact article

Review the existing dot article

Owner review pending. Preserve the current prose and images.

Open exact article

Review the existing dot article

Owner review pending. Preserve the current prose and images.

Open exact article




Figure M21 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).

M21. The same article action uses its actual exported cover, explicitly contextual vector art or a source-heading fallback. No per-visit generation or evidentiary claim is implied.

Responsive contracts, not shrunken boards

At a wide desktop, use the page-specific multi-pane form. At an intermediate width, collapse the least important secondary pane behind a named control; never compress all columns to unreadable width. On phone, a stable five-item navigation remains, with Content reachable through its persistent named control. Plan is an agenda plus a full-screen target editor; Create is canvas then named Sources/Preview/Help views; Review is Read final followed by a change list and scope bar; Learn is an evidence list with one selected detail and an explicit return. Phone review cannot hide evidence or media required for a decision.

The proposed minimum touch target is 44 by 44 CSS pixels, with sufficient spacing for adjacent destructive and primary controls. Text content wraps at 320 CSS pixels and remains operable at 200 percent text zoom; test 400 percent page zoom and the resulting single-column reflow during implementation. Design targets draw on [W3C contrast guidance](#), [reflow guidance](#) and [enhanced target-size guidance](#). Normal body/status text targets at least 4.5:1 contrast, large text and essential non-text controls at least 3:1, using actual rendered colors. These are explicit test targets, not certification from a raster. Cobalt alone never distinguishes selected, pending, failed or published.

Keyboard order follows task order, with visible focus and named controls. Date placement has a keyboard equivalent to drag; comparison changes can be navigated by heading and next-change actions; error summaries focus the first affected field without discarding input. Dialogs have a single clear title, initial focus, contained keyboard focus and deterministic return. Screen-reader announcements distinguish save pending, saved revision

and uncertain outcome, and do not announce every keystroke. Reduced motion removes decorative movement and keeps necessary state changes perceivable.




Figure M22 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).

M22. Proposed dark editor appearance retains the same record, source limits and optional proposal. Token contrast is checked separately; this is not an implemented accessibility test.

Readability belongs to the delivered artifact

The atlas contains full-size viewports and focused state specimens at their intended scale. The native dossier uses overview images only for composition and readable detail figures for consequential controls, with the same meaning in native text. A 1600-pixel desktop compressed to a seven-inch document cannot carry all its small labels. Figure selection and cropping are designed before export, not repaired after approval. The exact native PDF must be examined at normal page scale and matched zoom against the supplied image; sharp source pixels alone do not pass. No claim of live native-phone viewer behavior is made without actual observation.

Components and meaningful states

The project selector displays owning scope and supports a distinct additive create action. A draft header shows title, type, audience, revision and save state. A source row shows identity, version, permitted use and freshness. A claim panel shows exact wording and supporting locator. A method chip exposes its adopted source/version and local exceptions. An asset row distinguishes imported/in_review/released and available/missing. A plan proposal names actor/origin and affected domain commands. A destination row exposes account identity, role, current capability and restriction basis. A release receipt shows actual evidence and external identity, not a generic success check.

Each component has meaningful empty, loading, valid, warning, error, disabled, stale and unavailable states where relevant. Disabled actions explain the missing condition and permitted recovery. Unknown is not styled as failure or success. State color is redundant with text and icon/shape. Long titles, non-Latin content, missing thumbnails, large articles and lengthy source names must wrap without hiding the consequential part. Record actions are visible links/buttons rather than passive-looking prose.




Figure M12 · Desktop layout overview. Proposed design; [open full-size visual atlas](#).




Figure M12 · Readable phone detail. Proposed design; [open full-size visual atlas](#).

M12. Proposed simple-post and interrupted-phone specimens. The native one-off admission seam remains a prerequisite to operational save.

12 · Privacy, costs and commercial boundaries

Recommended: retain private native ownership and visible optional costs. [CQ14](#) stays deferred as a separate commercial question; [CQ15/CQ17](#) govern data and authoring routes. No new hosted account, price or free-inference claim follows.

Permission and cost are part of action design

The capability view names what the current actor may read, edit, assess, approve, release, share or administer for each scope. UI role labels simplify that truth but never replace server checks. A reviewer can inspect only the permitted package and cannot inherit publisher credentials. A contributor can control their wording without seeing other contributors' private material. An account administrator can manage supported connections only through the required security authorization.

The action preview makes data movement concrete: selected material, recipient/provider, purpose, cost/ceiling when known, and resulting durable state. Internal navigation and private editing do not create repetitive permission prompts. Account grants, third-party sharing, external publication, paid generation and irreversible deletion preserve their actual boundaries. The optional assistant route must disclose when running locally still uses remote inference. A route that fails or exceeds its authorized scope returns to a useful manual/existing-work path, without silently switching providers.

Native scenario authority, not a new hosted account premise

The recommended authority is the existing Content Desk/Channel Manager/Asset Studio/Offer Desk/Planner estate under its actual authentication, storage and operating model. The earlier standalone hosted-Cadence versus local-only choice is superseded as an architectural default. A browser front door can still be available across devices through the ecosystem's supported route; that does not authorize a new hosting vendor, account system, credentials or grants. Cross-device/offline recovery must be reconciled with the real service design before promises are made.

The workspace should expose the current authenticated owner/scope, per-capability access and data destination. Account creation and reconnection are explicit supported flows with the appropriate permission. Signing out differs from deleting local recovery data, archiving a project and deleting an account. Keep those consequences understandable. No security, encryption, backup, retention or support guarantee is inferred from a private Drive folder or a source implementation.

Cost as part of the proposed action

External authoring with this dot is the current preferred route when it can do the work well; the owner presently perceives it as included while local coding agents may incur usage. Preserve that routing preference without promising perpetual free inference. Local-agent runtime, inference locality, model/provider charges, image/video services, platform APIs and human review time are separate costs. A source field `remote_only` refutes an on-device/free assumption but does not itself establish the actual bill.

Before a generation or integration commission, show known price/usage basis, estimate and hard ceiling when supported, what can incur charges, cancellation limits and unknowns. Do not introduce a paid provider, upgrade, account connection or open-ended run through an implementation default. Cost alerts should not hide after the work begins; actual usage and partial-failure cost remain inspectable. Design all core storage/review/manual authoring paths to survive unavailable generation or rejected spending.

Preserve the commercial question without forcing a new business

[CQ14](#) originally compared a flat subscription, base subscription plus metered generation, and local/bring-your-own-provider editions for standalone Cadence. A flat subscription gives predictable spend but must cover variable generation and recurring support. A base subscription plus metered generation aligns charges with use but makes creative exploration less predictable. A local/bring-your-own-provider edition offers control but increases setup, backup and support burden. Those are still legitimate alternatives if the owner later decides to sell this capability. They are not the current marketing project's purpose or an accepted new SKU. Recommend deferring a separate Cadence offer and asking Offer Desk/monetization owners how any accepted capability belongs in the actual product catalog.

If commercial work is later commissioned, it must establish useful job, buyer and audience, competing alternatives, expected support and acquisition effort, provider/storage costs, entitlement boundaries, price, refunds/cancellation, retention/export obligations and evidence. A simple notes document plus assistant, native channel scheduler, Buffer or Typefully may already solve a narrower need. The earlier competitor comparisons remain dated design hypotheses, not current hands-on benchmarks or evidence that this integrated workspace wins. Refresh material claims before a commercial decision.

The first-outcome design can proceed while these terms remain open. No unlimited generation, validated demand, paid subscriber projection or launch permission is created by this dossier. Commercial source owners retain authority; marketing may explain an accepted offer accurately rather than define one for convenience.

13 · Acceptance walkthroughs and adversarial cases

Use these connected cases to challenge the complete design and later accepted implementation. The design can be reviewed now; runtime, device, account and actual publication tests remain unexecuted obligations.

One draft through the whole loop

Synthetic state trace · no commands executed

1 Source and draft

S1/r3 supports D1/r1. Existing article or simple post can enter here.

Content Desk



2 Apply a scoped edit

New saved draft r2. Unapproved. Source limit stays in the text.

Author / Content Desk



3 Make the review decision

Exact wording/package assessed. Native human approval remains explicit.

Reviewer / human operator



4 Plan and allocate separately

Save intention I1. Request work allocation W1. Keep separate receipts.

Content Desk / Planner



5 Admit an exact release

Bind package, identity and allowed window. Return actual admitted state.

Channel Manager



6 Reconcile and learn

Receipt or unknown result › attributed observation › next question.

Channel Manager / Content Desk

Unknown result: hold, inspect the original operation, then recover.

Proposed design 0.3 · conceptual diagram · no runtime validation

Figure M18 · Diagram. Proposed design; [open full-size visual atlas](#).

M18. A concrete source-to-learning state trace shows who acts and what changes. Each arrow is a proposed handoff, not evidence of an executed command.

Additional connected-design acceptance

D1, title-removal test: independently inspect Today, Plan, Create, Review, Learn and Content with their page titles obscured. Identify the main object, next meaningful action and what changes when it is used. Failure means page architecture needs revision even if typography is attractive. Test the actual delivered pixels, not their captions.

D2, connected object trace: start at Today with Aster source r3 and LinkedIn draft r1; navigate into the editor, apply a selected opening to produce r2, request/reopen exact review, record editorial acceptance, save an unbound or selected-account publication intention, authorize only a supported release route and reconcile its result. At every transition identify native object, actor, base/result revision and which states did not change. Inject a newer edit before acceptance and a lost response after release admission. The design trace is static; runtime acceptance remains a later obligation.

D3, content retrieval: find the same object from search, Content, Plan and Review after it becomes published, archived or blocked. Filter to a scope with no matches, then simulate unavailable data. The empty messages and recovery paths must remain distinct, and no object may be duplicated merely because a user navigated through a different page.

D4, partial plan application: accept content work, fail Planner allocation and save two of three intentions. Reopen the same plan and resume only the unresolved operations. Verify that a saved intention, accepted reservation and provider schedule remain different. Change timezone and cross an allowed-window boundary before final admission.

D5, responsive and interrupted work: inspect the exact 390-pixel phone designs for editing with keyboard, review of all media, agenda target changes, unknown release and a missing source. At implementation test actual 320-pixel layout, text zoom, keyboard/screen reader, focus return, reduced motion and no-art/low-data variants. Static designs specify these outcomes but do not establish them.

D6, image selection and privacy: exercise actual artifact preview, curated context art, typography fallback and unavailable image under the same suggestion. Each must preserve object identity, source limit, next action and provenance. Revoke preview permission and verify the design does not leak it through a thumbnail, cached search result or AI context. Optional generation is absent from the default path.

D7, downstream learning: a manual copy event yields no publication receipt; an owner-reported post yields only reported evidence; a provider-confirmed post with no analytics yields unknown audience outcomes. Add genuine feedback, disagree with the interpretation, save an experiment idea and reject automatic recurrence. The observation remains preserved independently of the decision.

A design acceptance contract, not invented runtime proof

The following examples specify what a later implementation must demonstrate. In this commission, source inspection and static record/UX walkthroughs can establish coherent requirements and reveal omissions. They cannot establish persistence, API reliability, paid cost, actual account eligibility, scheduled publication or human usability. The final review receipt names what was actually inspected and leaves operational tests open.

First useful external article

Given the pinned private article, its permitted source/image package and method 0.6, preview admission to the chosen Content Desk project without regeneration. Show current source revision, article/variant relationships,

a

A · Equivalent optional authoring route

Give the optional local agent the same brief, permitted evidence and adopted method pins under a known runner/provider and bounded cost authority. It returns an editable suggestion with provenance and cost evidence or a visible unknown. Compare usefulness, factual fidelity, natural opening, narrative payoff, visual contribution and exact-output integrity with

preparation after the target and introduce a conflicting Planner revision. Expected: preserved instants/civil dates, explicit ambiguity, conflict preview and no hidden cross-owner timestamp mutation.

A · Account and contributor integrity

Select the wrong account or a revoked publisher role: block the external action and retain the draft. Select an unsupported format or a channel whose policy check is stale: explain the qualifying condition. An owned-subreddit idea remains uncreated until later authorization. A fictional contributor can receive a minimal-access handoff only through the separately authorized communication/share route, return a verified scoped response, and decline or edit a proposed artifact without being scored as an engagement failure. Test partial/ambiguous response, changed final wording, own-account publication report, consent withdrawal and invitation revocation without exposing unrelated source material. A request for coordinated votes, fake testimonials, disguised affiliation or bypassing a restriction is excluded, even if it would increase a proposed metric.

A · Review invalidation and exact release

Approve a specific package, then change the body, image, link, alt text, account or consequential offer basis. Re-evaluate the affected review/authority scope and show why. A variant is an independent snapshot; a core revision change creates a proposed update, not a silent replacement. Submit under an expected revision and stable operation ID. Inject provider timeout, a posted thread prefix, media rejection and cancellation while dispatching. Expected: actual partial/unknown evidence, reconciliation before retry, and no fabricated complete success.

A · Cross-project trust and privacy

Create project B while editing project A; reopen both and verify A's records remain unchanged. Switch the All work filter while a capture form is open; destination remains explicit. Two identically titled drafts remain distinguishable by owner/identity. Revoke a private source while it is in chat context; future access and snippets stop. Export only a permitted review package and inspect it for missing dependency warnings and excluded credentials/private notes. Import a conflicting archive without overwriting unrelated work.

Reassignment is an explicit command, not a filter change. Preview the old/new project, campaign and descendants, required memberships, source/media access and any review/release consequences. An actor authorized for only one project cannot move or expose a draft to the other. Retain the native draft ID and history where the owner's schema supports reassignment; reject unsupported partial moves rather than inventing an implicit copy. A campaign owned by project A cannot silently remain attached to a draft moved to B: require an explicit permitted detach/remap decision. Existing publication receipts retain their historical scope and evidence. Test a concurrent edit during reassignment, missing target permission, restricted source, active scheduled descendant and rollback without changing unrelated records.

A · Visual, writing and recovery breadth

Inspect Today, strategy, editor, evidence, plan, variants, release, campaign/contributor, eligibility, learning and recovery at the exact supplied desktop/phone sizes, with no art, long text, missing assets, empty state, stale evidence and disabled controls. Cold-read natural draft openings without internal context; reject generic hype or invented experience. At implementation, test keyboard/screen reader, real responsive layouts, network loss, session expiry, malformed save responses and recovery across devices. Static boards are not substitutes for these tests.

MARKETING / PRIVATE DESIGN REVIEW

A10 • Delivery-team handoff and next use

After scoped owner acceptance and separate source-application authority, update the actual scenario canon and capture exact before/after receipts. A fresh receiving producer must retrieve the accepted docs, source evidence and original-resolution visual bytes through its normal route, identify unresolved choices and map screen/state to requirements without author coaching. Then test the native commissioning route under its current permissions. A team record, enabled flag or terminal run is not acceptance. No such implementation dispatch is performed here.

Review findings and closeout

Distinct reviews cover source/coverage and contradictions; user/operator/failure paths; actual paired-screen/editorial craft; and exact native/PDF delivery. A cold reader first finds the purpose, conclusion, limits and next decision without being told the answer. A source-aware pass separately checks facts and authority. Each material finding records location, evidence, impact, disposition and changed-artifact retest. “Design addressed” does not mean owner accepted or runtime resolved. Required gates still open at release must remain explicit and the candidate must not be called complete.

14 • Choices for owner review, with prior history

The complete index carries CQ01–CQ16 from candidate 0.1 and CQ17 from candidate 0.2. They remain reviewable at their actual scopes. CQ12 records the later owner-selected C starting direction while its exact implementation, behavior and pixels remain proposed; no broader choice is inferred. The original voice continuation authorized design work; the later redesign direction is recorded at its narrower visual scope. A new recommendation does not erase the old candidate or its exact review basis.

validation differ by route; richer strategy is needed before a coordinated campaign is accepted, not before saving a thought.

CQ0 · How visible should evidence be?

Reframe against Content Desk's actual permanent-inspector design. Recommended: preserve an inspectable evidence panel on desktop with compact source cues and context-sensitive claim detail; use a named source view on phone. A permanently expanded dense claim list can help expert review but harms ordinary writing. Consequence: evidence remains present and reachable without forcing every reflection into compliance paperwork.

CQ0 · What happens to unsupported material claims?

Carry forward proportionate strictness. Recommended: final readiness blocks unsupported consequential factual/performance claims until evidenced, narrowed, removed or honestly classified as a qualified hypothesis/author observation where appropriate. A mere dismissible warning would weaken the whole evidence model. Consequence: classify the actual content and retain exceptions/actors; do not make an unverifiable marketing promise look approved.

CQ0 · How do revisions and AI edits work?

Carry forward automatic recoverable revisions with optional named milestones. Existing native immutable revisions constrain the implementation. AI proposals apply to an exact scope/revision and cannot overwrite later edits; changed output withdraws affected reviews. Alternative: required named versions add ceremony with little benefit for routine edits. Consequence: provenance, undo and exact approval remain inspectable; method basis is addressed in [CQ17](#).

CQ0 · Who owns the unified schedule?

Supersede the old Cadence-local manual-capacity default. Recommended: one Marketing publication view projects Content Desk intentions and Channel Manager action/receipt state; Personal Planner owns accepted human reservations. Implement the existing target integration contract through rightful owners. Until qualified, manual capacity is explicitly provisional and unreserved. Alternative: a deliberately narrower initial delivery can omit the live Planner adapter only through a scoped owner decision. Consequence: no duplicate calendar authority or claim that an illustrative contract is implemented.

CQ0 · Are channel versions live mirrors?

Carry forward independent snapshots with derivation links and proposed updates. Recommend one owning project, at most one native campaign and one primary same-project family per draft; saved collections can display the same record without consuming another slot. These proposed cardinalities and detach/move rules require native compatibility review. A variant retains its selected core/source revision and deliberate audience-specific wording. A core correction marks affected variants for review rather than silently rewriting them. Alternative: live linking before approval can reduce maintenance but makes divergent wording harder to reason about. Consequence: more visible update work, safer review and publication history.

CQ0 · Must publication be manual first?

Supersede the universal manual-first recommendation. Recommended: design all three legitimate routes—manual handoff, support u-

per-account capability and authority. Use what is actually available. Current evidence does not establish working real-account dispatch, and X remains link-only. Alternative: an explicitly scoped implementation phase can deliver manual-only first without pretending the full requirement is complete. Consequence: the schedule-release seam and recovery contracts must be built before connected timing is promised.

CQ0 · How much approval ceremony does a post need?

Carry forward proportionate exact preview. Recommended: a proposed wording-only human assessment record remains distinct from native human-operator ApproveDraft and release permission, with one concise combined decision when the same human holds all roles and each scope is explicit. Use light preview for ordinary personal writing; material source/offer/asset/destination checks when consequences require them. Editorial approval stays separate from external-action permission. Existing active-post-type gates remain until deliberately reconciled. Alternative: one heavy checklist is simple to implement but makes small posts unnecessarily costly.

CQ1 · What learning is useful without integrations?

Reframe “manual first” as evidence-tiered learning. Recommended: accept honest manual observations now and supported imported metrics when qualified, with source/window/denominator visible. Do not make analytics a prerequisite for a good draft, or treat missing metrics as zero. Alternative: analytics-first adds convenience but can prioritize easy engagement numbers over useful outcomes. Consequence: no causal optimization claim without evidence.

CQ2 · Should the device keep a safety copy?

Carry forward a disclosed recoverable local branch for private use, with project/device exclusions and clear data clearing. Native service policy must establish retention, encryption, backup and cross-device limits before implementation promises them. Alternative: opt-in or no local copy may be right for shared/sensitive contexts but reduces recovery. Consequence: signing out, revocation and account switching must not leak or silently erase text.

CQ3 · Which visual direction should be developed?

Develop the owner-selected task-specific C / Modernist Press direction: expressive, relevant Today imagery and confident type; purpose-specific calendar, editor, review and evidence surfaces; readable mobile and no-art forms. The owner authorized this as the starting point for redesign, not every exact image, token or behavior. Candidate 0.2's restrained vermilion recommendation is superseded as the current visual recommendation and retained historically. Alternative: align more closely to existing native design tokens at the cost of the selected expression; a larger atmospheric treatment can enrich Today but would crowd operational work. Consequence: acceptance must cover exact responsive/state specimens and any native token amendment, with adaptive art provenance and no mandatory generation.

CQ4 · Are real collaborators part of the experience?

Supersede solo-only scope as the default because the owner explicitly raised friends' contributions. Recommended: lightweight contributor briefs, consent/affiliation, author-controlled wording and independent publication, with explicit reviewer/publisher/moderator capabilities. Do not assume a full agency workspace or credential sharing. Alternative: manual external collaboration can be a labeled early delivery limit, but contributor integrity remains specified. Consequence: genuine contribution is supported; engagement pods, impersonation and coordinated votes are excluded.

CQ.1 · Is this a new commercial product?

Reframe and defer the old standalone subscription/metered/BYOP choice. Recommended: no separate Cadence SKU assumption; consult Offer Desk and monetization owners if a commercial capability is later proposed. Preserve all three historical models and their cost/support tradeoffs as alternatives for that later purpose. Consequence: no price, entitlement, cancellation/refund policy, demand claim or sales authority is created now. This does not block designing the owner's marketing workspace.

CQ.2 · Where does authoritative state live?

Supersede the provisional hosted-Cadence versus local-only default. Recommended: use the existing native scenario estate and supported authenticated routes, with Content Desk content, Channel Manager release, Asset Studio media, Offer Desk offers and Planner reservations each authoritative. A thin shell owns only presentation and bounded orchestration. Alternative deployment changes require a concrete operating/security need. Consequence: source application must preserve native identities and avoid a second workspace database or new grants by implication.

CQ.3 · How much does the system choose the content plan?

Expand the optional campaign question to answer the owner's strategy/cadence request. Recommended: campaigns stay optional for single posts; AI proposes coherent channel/type/angle/date combinations from pinned inputs, rules enforce constraints, the owner accepts the plan, and release authority remains separate. Transparent arithmetic handles slots and human effort. No engagement-maximizing or autonomous recurring publication default. Alternative: a more manual planner reduces inference/cost; a bounded later optimizer needs evidence and explicit limits. Consequence: the "Why this?" explanation and proposal/apply contract are core UX.

CQ.4 · How should authoring and method authority connect?

New choice arising from the owner's article/cost question. Recommended: preserve dot-authored prose/media as a preferred economical intake route; keep native post-type/technique authority and Drive founder-guide authority in their actual scopes; add a versioned derived adapter/provenance record and optional local-agent/Prose route. Do not duplicate independently edited rules or require regeneration. Alternative: migrate a particular method authority later only after evidence, scoped acceptance, source updates and rollback. Consequence: intake, missing producer identity, asset release, method pins and bounded quality/cost comparison must be delivered.

Minor defaults and future breadth

The exact transport library, background queue technology, CSS breakpoints and storage migration implementation are engineering choices within the accepted semantic contracts; do not stop design for each. Consequential changes to ownership, privacy, provider/cost, permissions, product scope or public behavior return to the owner. Rich analytics, new paid channels, broad agency roles, a commercial edition and unsupported formats remain conditional breadth, not silently promised launch features. The first usable article route does not erase the whole-product design and implementation obligations.

15 · Source record, design delivery and the later implementation commission

This source record separates design production, scoped owner acceptance, native source application and implementation. Start a later full implementation commission only from accepted scope and current native readiness.

Revision 0. authority and method use

The owner explicitly rejected repeated homepage structures across the first concept family, praised the revised task-specific C pages, and commissioned a deep adversarial redesign of the full Marketing specification and UX from those images. This extends authorized design work; it does not accept all seventeen consequential choices or commission implementation. The five chosen concept images are retained as source references with exact prompts, byte identities and limits. The rejected earlier family remains historical and is not the current route.

The current main design-product-dossier and craft-review-artifacts definitions were read. Initial reads of all seven relative dossier resources failed. The verified owned skill source subsequently supplied the complete main method 1.2.1 and all seven references, which were read before the revised visual system was scaled. The 1.2.1 main source SHA-256 is fad38799c867667ac293ccc0258a58f59c09cd308b79caae149395b8abb66508. The later 1.2.2 access-only clarification was also consumed from verified source 0c3f15dfc3267a8621190c0bb61e2a2c03fa4d8bd42aadba2c76e229dc5202f6; it changes no design or delivery scope. The skill loader still returned a cached earlier main text; verified source access resolved this task's reading gap without claiming the loader was repaired. The complete native Craft counterpart retains its stated d47349d basis. This revision adopts dossier 1.2.1 for this authorized project work only; existing project history and other projects' pins remain unchanged.

This project's deliverables are revised together: the same editable native dossier, exact-revision PDF, full-size visual atlas, visual lifecycle catalogue, source assets and navigational routes. Prior candidate 0.2's repaired 53-page export and original/derived visuals remain recoverable history. An atlas is part of this commission's requested package, not a universal requirement imposed on other work. Migration's verified recovery baseline precedes canonical revision writes.

What is observed, proposed and accepted

The current explicit owner continuation releases comprehensive design and planning. I4A's founder-led technical YouTube identity/audience is accepted at its stated scope. Article acceptance remains pending. The native scenario descriptions below are source observations at their captured revision; earlier runtime board values are a dated snapshot. Every new integration, UI specimen, schedule, architectural choice and CQ recommendation remains a candidate. No source application or runtime qualification has been performed by this commission.

The existing Marketing entry and this same native dossier remain the normal discovery path. The Product Map records topology and evidence, not product acceptance or live operational status. The Cadence Site is a historical reference. The verified owner-only recovery baseline also preserves candidate 0.2: [53-page PDF](#), [14-board atlas](#), and [reviewed source package](#). Their recorded hashes distinguish them from the current same-ID outputs. Earlier candidate 0.1's exact native PDF, full-size atlas, source package and original CQ text preserve history; this edition changes the current recommendation without pretending earlier assumptions were owner-approved.

Current source evidence

The complete local evidence bundle captures 71 files and original text at Oct 4, 2026 , 00:36:46 UTC. Its SHA-256 is 9c0b591022499a049bd77a6137a45f891257a443a8280606c7afea6fd93749dd; 826,674 bytes. It was transferred privately, materialized and hash-verified before use. The complete snapshot remains the owner-only Library file l16-marketing-source-evidence.json; the existing dated inspection document is the Drive evidence entry. No duplicate Drive copy is assumed. This was file-only inspection: no wrappers, services, tests, account access, source edits or team changes. It establishes exact source content, not runtime behavior.

Important source pins include Content Desk PRD

486d73acc863ef6298ae44279425c48424e7570b616daf474069a202855971a7; Content Desk DESIGN 1a0672f72b55af9318a25d90c9e7592b01af4fcf392b531f0ace196ca2e95127; Channel Manager PRD 4b209758ebf4aecd871d48403e1bd5181f71cdd94a5e092163d9170abcbea9e5; Channel Manager DESIGN 523bf832bd240058d9361ce2ca9078fb15fcd7cd50a32ed6769ba74397a52c0e; Channel Manager proto 781e28361e4510c00da0b27811868e0bb8356c2998d528bc1fe7addfb1db2bcb; Planner source implementation plan 1ae18bb79a5f38398dfc36625e0a04b616f806fca786edff8bdcecc807402092. Full paths, text and remaining hashes are retained in the bundle, not replaced by these selected examples. One guessed channel-manager/api/handlers/channelmanager/connect_handler.go path was absent; the actual module.go was captured and supports the handler finding.

The fresh bundle includes docs/marketing/README.md; strategy/CAMPAIGNS.md and CHANNELS.md; catalogs/post-types/README.md and the captured text-type entries (video activation status is reported by the catalogue, not fresh reads of each video file); methods/post-techniques/*; scenarios/content-desk/PRD.md, DESIGN.md, experience/* and its captured proto/reference contracts; scenarios/channel-manager/PRD.md, DESIGN.md, action scheduling service and handlers/channelmanager/module.go; the captured Content Desk and Channel Manager proto contracts and Prose Studio declaration/data references; and Personal Planner's source-implementation-plan, INTEGRATIONS, SEAMS and calendar/integration contracts. The current release handler's immediate time and separate enqueue window are a concrete seam, not a theoretical concern.

Carried-forward observations are labeled separately: external Asset Studio ingress/producing_scenario/in_review behavior, Content Desk body-review invalidation and released-asset handler details, and optional Prose composition/agent-work mechanism were established in the earlier completed local report at 00:47 UTC on Oct 3, 2026 . The 71-file snapshot contains no Asset Studio source, no Content Desk API handler files and no Prose proto; it does not newly hash-verify those particular assertions. The l16 proposal and dated inspection receipt preserve their actual source locators. Recheck these consequential contracts through permitted direct file reads before implementation application; no current runtime qualification is inferred.

Existing x-dev-log revision 43 has SHA-256

5dda47f90f2f692353fd52209b653433da8fd42013265b6aa00fc4a83b07425e; x-scenario-spotlight revision 1 has cc495109a4415126312dbd1582bf221bf71c14f96df1ec6036b2c2714fab84c. Both return drafts and cite strategic canon, but retain stale publisher/advertiser/Social Media Scheduler references; spotlight also has a malformed subject-familiarity path. Source-supported feature wording is not proof of runtime verification. Preserve the useful type/technique intent and propose owner-authorized procedure repairs before operational reuse; do not copy stale instructions into a new authoritative skill.

The earlier board read was completed on the prior inspection, not re-run now. It reported 31 drafts including evaluation/custody fixtures, none approved/published; all output quality unassessed and distribution

disconnected in that snapshot, with Channel Manager not running. Do not present those counts as current production deliverables. The earlier Prompt Manager skill-read wrapper unexpectedly rebuilt/installed a CLI; a later wrapper retry was denied. This edition uses read-only files and does not repeat that path or treat the side effect as installation authority.

Ordered required reading

1. The current I16 commission and its Owner request tab, including the later verbatim live-call continuation, define scope and authority. [Marketing experience design commission](#)
2. Marketing home and Product Map explain the project's purpose, existing artifacts and identity boundaries. [Marketing start here](#) [Marketing Product Map](#)
3. The complete local source snapshot and dated inspection evidence establish actual native owners, contract gaps and observation limits. [Vrooli read-only inspection evidence and source access](#)
4. The current article, guide 0.6 and companion package provide the real external-authoring quality fixture and exact scope of method adoption. [How I'm trying to get more useful work from my ChatGPT dot](#) [Founder article editorial method](#) [ChatGPT dot article package](#)
5. [Original exact native PDF](#) ; [Original full-size visual atlas](#) ; [Original visual catalogue](#) ; [Original source package](#) preserve candidate 0.1 and historical visual inputs.
6. Commission Useful Work and Craft review artifacts govern the scoped briefing and reader/exact-delivery checks. [Work brief pilot review draft](#) [Review artifact presentation and PDF production](#)

For candidate 0.2, the dossier main method was loaded but its relative references were unavailable; the native Craft guide and linked Nooch worked procedure supplied qualified fallback detail. Candidate 0.3 recovered and consumed the complete verified dossier source as recorded above. Nooch and Planner remain actual-pixel quality references, not a migration of their schema, approvals or workflow. Future shared changes do not silently upgrade this project.

A separate full implementation commission

After the owner accepts exact design scope, prepare one coherent full implementation proposal against that accepted revision. Name what will exist, who it helps, the actual source targets, exclusions and required end-to-end evidence. Do not merely attach pictures to "build the design." First reconcile and apply accepted meaning to the rightful scenarios' canonical PRD, requirements, DESIGN, experience/journey and interface/test records under explicit source-application authority. Capture before/after pins, resolve contradictions and verify readback. Accepted design, source applied and software implemented are separate states.

The source-application plan must also reconcile request-fingerprints with the scoped edit-out decisions versus native approval, immutable package, claim authors, project family/cardinality and campaign slots, source-work identity/Planner records, ordered management of times, concurrent set reservation, complete job/copy plan, and other project information. The named seams are required for the corresponding controls.

The plan should also include a detailed description of the project, including the project's purpose, scope, and goals. The plan should also include a detailed description of the project, including the project's purpose, scope, and goals. The plan should also include a detailed description of the project, including the project's purpose, scope, and goals.

integration; and marketing canon/paired-skill repairs through operator-approved decisions. Preserve backward compatibility and migration/backfill limits. Do not edit other projects or assume a global method adoption.

Required assets must be available as actual bytes at the selected version and original resolution, not merely an atlas or link. The handoff manifest connects each source/image version, materialized path, byte count, hash, format/dimensions and screen/state to governing requirements. Distinguish normative selected references from historical, illustrative and rejected assets. A fresh receiving reader retrieves the documents and assets through the execution route without author coaching, verifies decoding/coverage and records gaps before team enablement.

Reuse rightful delivery ownership before creating a team

The stored Marketing Crew is a standing domain steward, configured disabled in the earlier source record; it is not the software delivery team. The existing finite Aquila Marketing and Capability Maturity effort is also configured disabled, with a mission centered on an Aquila launch bundle and a brief stating execution is unapproved. Inspect its current charter before deciding reuse. Reuse it only if the owner accepts the revised destination/charter and no existing commitments are lost. Otherwise propose a separate finite cross-scenario delivery effort with justified owners. BAS is a workflow reference, not permission to copy its team, settings or scope.

The implementation proposal names an accountable coordinator, per-scenario implementation owners, independent acceptance/QA, source integration, release/operations and final acceptance responsibilities. Its goal references canonical specs and accepted amendments rather than becoming a competing specification copy. Native orchestrator/supervisor ownership governs integration and acceptance. Do not invent a parent-chat approval after every epoch or fixed calendar gates that the native workflow does not require.

Native setup and execution boundary

Re-read the current native commissioning route before use. The earlier verified source route is Prompt Manager finite leader-led delivery

idea h n
approved for e t
annavenManagedpir

boundary, without blocking preserved external work. Learning and cross-cutting recovery/privacy/accessibility must be integrated into those journeys rather than deferred as disconnected polish.

These are coherent acceptance slices inside the full approved delivery, not independently invented commissions or permission to stop after the easiest screen. The implementation proposal may sequence them differently when dependencies justify it. It must cover the accepted whole scope, identify conditionally deferred breadth, and include rollout, backups, reversible migration/cutover, runtime observation, ownership after delivery and exact handoff. Real-account publication, public release, campaign launch, new credentials and spending remain explicit authority boundaries.

Candidate 0. critique, correction and delivery record

Separate source-contract, user-journey and actual-pixel reviews challenged the complete candidate. The source review required concrete ownership for project/family relationships, native human approval, immutable package and claim anchors, request-fingerprint idempotency, source work and Planner allocation, ordered partial outcomes, stable-asset reservations, actual job/cost capabilities and observation correction lineage. The assembled design identifies those source gaps and the required native changes; none is presented as a working integration.

The journey review replaced repeated homepage composition with purpose-specific workspaces, durable Content retrieval, an economical existing-article route, format-native creation, explicit saved-revision transitions, proportionate review, genuine contributor consent and recoverable partial results. The representative review specimen was independently rechecked before the broader visual set. The full visual review then corrected six material issues: unsupported learning claims, an unavailable-save action, a readiness dead end, dark-mode navigation, misleading fixture provenance and an unverified article quote.

A final independent pass read all fifteen chapters and the earlier findings, checked selected captured contracts, and inspected the connected ordinary-article and Aster journeys plus the later assistance, release-preflight and observation specimens. It found no remaining blocking design contradiction or sampled reading-surface defect. One stale source-brief reference to editorial P2 was corrected to release RP2 and independently reread. The connected release fixture uses RP2; manual MP2 and the unpublished private-reflection example are separate fixtures. The latter is not evidence that unknown attempt A7 did not publish.

The title-removal check distinguished the suggested-work surface, planning grid, writing canvas, review queue/comparison, evidence ledger and persistent Content collection by their task structure. The native proposal contains 45 image placements drawn from 47 current states across 25 families; the vector atlas has 28 pages. Its one-phone-page footer was repaired and the exact page rechecked. All fifteen chapter anchors and seventeen choice histories survive; CQ12 records the selected starting direction while exact screens, responsive behavior and the native token amendment remain proposed.

The first exact native export was inspected across all 97 page layouts. All 45 extracted embedded images decode pixel-identically to their selected direct-vector derivatives. Independent normal-scale samples included the new assistance/release/outcome controls, readable review/source details and choice/source pages. Desktop images are explicitly layout overviews; phone and focused detail views carry readable controls in this document. Explicit proposed light and dark text-token pairs also passed the stated contrast calculation. These are static artifact checks, not live Google Docs/iOS, keyboard, screen-reader, reflow, persistence, usability or publication tests.

The final native revision, exact exported PDF, atlas and source-package identities are reconciled in the living visual catalogue and delivery receipt. Earlier 0.2/53-page recovery copies remain immutable. The source package retains current original-resolution images and vectors, authoring sources, selected C reference pixels and prompts, prior visual history, and scoped review evidence; the raw repository bundle remains in its separate owner-only source location. Review completion supports an owner-review candidate. Exact choice acceptance, native source application and implementation still require their own evidence.

Historical candidate 0. critique and correction record

Source/contract review closed six material findings: concrete method and two-route specimens, native project/campaign-free admission, cross-identity asset restrictions, final admitted-time validation, fresh-versus-carried source attribution and retained commercial tradeoffs. The corrected text was rechecked against the actual captured sources; this establishes design fidelity, not working integration.

Cold-reader and failure review closed six material journey findings: contributor consent bound to the exact package, honest control limits for provider-owned/manual schedules, pending-media references and an Asset Studio release actor, consistent partial/cancellation/provider-held states, a minimal-access contributor handoff/response route, and project migration/reassignment acceptance. The first reader could identify what the product does, its owner split, the AI/rules/operator boundary and the first [CQ01](#)/[CQ15](#) choice without coaching.

Actual-pixel review inspected all fourteen visual boards after the representative gate. Corrections restored phone scope/source/review routes, exact viewport sizes, matched action text across devices, visible AI-edit selection, provisional capacity, simulated media-failure labels, phone save state and the unknown-outcome observation fallback. All six material family findings were rechecked on the corrected exact PNGs. The fourteen-page atlas was rasterized and every page was pixel-identical to those reviewed images. Navigation icon refinement remains a minor proposed-design detail, not a runtime accessibility claim.

Native structure and exported-page checks remain a separate evidence layer. The native file contains editable chapters/choices, real source chips/links and inline overview figures; full-size boards carry readable control detail. The provider adds a tab-title leaf to its PDF export, so it is retained as part of the exact native export rather than silently removed. Per-page inspection and final revision/hash/access receipts accompany the delivered candidate. None of these checks establishes owner acceptance, native-phone behavior or implemented accessibility. The project-local readability check now compares actual embedded/exported pixels at matched display sizes and intended zoom; a sharp atlas alone does not pass that check. Overview labels are not a substitute for readable decision details. Live native-Doc and iOS viewer behavior remains unverified.

Release record and stopping condition

The design is complete only when the current native dossier, exact-revision PDF, full-size visual set and source/asset records are coherent, materially challenged, corrected, rechecked and reachable from the existing Marketing home. A concise delivery note states the changed recommendation, open owner choices and verified limits. It must not label an incomplete artifact as review-ready because a document exists or a tool returned success.

Owner review can accept a section, semantic choice or visual direction at a pinned version. Record the exact scope and remaining limits; a picture's direction approval is not exact behavior approval. Later authorized source application records exact targets and readback, then runtime implementation/acceptance evidence remains separate. The normal resume path must reveal unread delivered work and approved-but-unapplied decisions without another investigation or a second central registry.