VEGA / SYSTEM MONITOR

The design, at full resolution.



206 original images. No downsampling or JPEG recompression.

HOW TO READ THIS ATLAS

Current direction first. Version history stays visible.

What this adds

What is current

How older images are labeled

Coverage

Approval and evidence boundary

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Click a state. Or use the PDF bookmarks.

Vega · Optical observatory · styling study
Synthetic design fixture · not host observations | raster chart geometry approximate
VEGA
Dashboard
Forensics
Logs
Capacity
Scripts
10 Oct 2026
10:00 – 11:00 UTC
15m
1h
6h
24h
Snapshot
11:00
SYSTEM OVERVIEW
Example machine
10 Oct 2026 · 10:00 – 11:00 UTC
Evaluation ready 11:00
Collector active at snapshot
2 active alerts
CRITICAL
CPU utilization elevated
Active since 10:57
Inspect CPU
WARNING
Disk space needs attention
Active since 09:57 · before chart window
Inspect disk
CPU
Utilization
94 %
10:59:55
CPU 91% · 10:20 historical sample
100
50
0
10:00
10:30
11:00 UTC
Memory
Utilization
61 %
10:59:55
GPU
Utilization
8 %
4 missing · 10:18 – 10:24
Disk I/O
Read + write
18 MB/s
10:59:50
Session history from 10:43
40
20
83.5% space used
Network
Established TCP connections
640
1,000
500
Processes & ownership
CPU and memory details
Infrastructure
Pools, queues & storage I/O
Investigations & reports
Forensics and historical context
Example machine
1h
10 Oct 2026
10:00 – 11:00 UTC
Evaluation ready 11:00
Collector active at snapshot
2 active alerts
CRITICAL
CPU utilization elevated
Active since 10:57
WARNING
Disk space needs attention
Active since 09:57 · before chart window

Vega

Dashboard | Forensics | Logs | Capacity | Scripts

Example | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

SYSTEM OVERVIEW

Example machine

10 Oct 2026 · 10:00–11:00 UTC

Evaluation ready 11:00 | Collector active at snapshot

2 active alerts

CRITICAL	CPU utilization elevated	Active since 10:57	Inspect CPU →
WARNING	Disk space needs attention	Active since 09:57 · before chart window	Inspect disk →

CPU

Utilization

94 % 10:59:55

CPU 91% · 10:20 historical sample

Memory

Utilization

61 % 10:59:55



GPU

Utilization

8 % 10:59:55

4 missing · 10:18–10:24

Disk I/O

Read + write

18 MB/s 10:59:50



83.5% space used

Network

Established TCP connections

640 10:59:55

Processes & ownership → CPU and memory details

Infrastructure → Pools, queues & storage I/O

Investigations & reports → Forensics and historical context

Design concept · synthetic fixture · not live

Snapshot 11:00 UTC

Vega

Dashboard | Forensics | Logs | Capacity | Scripts

Example | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

SYSTEM OVERVIEW

Example machine

10 Oct 2026 · 10:00–11:00 UTC

Evaluation ready 11:00

Collector active at snapshot

2 active alerts

CRITICAL	CPU utilization elevated	Active since 10:57	Inspect CPU →
WARNING	Disk space needs attention	Active since 09:57 · before chart window	Inspect disk →

CPU

Utilization

94 % 10:59:55

CPU 91% · 10:20 historical sample



Memory

Utilization

61 % 10:59:55

GPU

Utilization

8 % 10:59:55

4 missing · 10:18–10:24

Disk I/O

Read + write

18 MB/s 10:59:50

83.5% space used

Network

Established TCP connections

640 10:59:55

Processes & ownership →
CPU and memory details

Infrastructure →
Pools, queues & storage I/O

Investigations & reports →
Forensics and historical context


Vega
Example
Example machine
10 Oct 2026
10:00–11:00 UTC
1h
Evaluation ready · 11:00
Collector active at snapshot
2 active alerts
CRITICAL
CPU utilization elevated
Since 10:57
WARNING
Disk space needs attention
Since 09:57 · before window
CPU
94 %
Utilization
10:59:55
CPU 91% · 10:20 historical sample
100
50
0
10:00
10:30
11:00
Memory
61 %
Utilization
10:59:55
100
50
0
10:00
10:30
11:00
GPU
8 %
Utilization
10:59:55
4 missing · 10:18–10:24
100
50
0
10:00
10:30
11:00
Disk I/O
18 MB/s
Read + write
10:59:50
40
20
0
Session history
from 10:43
10:00
10:30
11:00
83.5% space used
Network
640
Established TCP connections
10:59:55
1,000
500
0
10:00
10:30
11:00
Processes & ownership
CPU and memory details
Infrastructure
Pools, queues & storage I/O
Investigations & reports
Forensics and historical context
Design concept · synthetic fixture
Not live · snapshot 11:00 UTC


Vega
Example
Example machine
10 Oct 2026
10:00–11:00 UTC
1h
Evaluation ready · 11:00
Collector active at snapshot
2 active alerts
CRITICAL
CPU utilization elevated
Since 10:57
WARNING
Disk space needs attention
Since 09:57 · before window
CPU
94%
Utilization
10:59:55
CPU 91% · 10:20 historical sample
100
50
0
10:00
10:30
11:00
Memory
Utilization
100
50
0
10:00
10:30
11:00
GPU
8%
Utilization
10:59:55
4 missing · 10:18–10:24
100
50
0
10:00
10:30
11:00
Disk I/O
18 MB/s
Read + write
10:59:50
40
20
0
Session history
from 10:43
10:00
10:30
11:00
83.5% space used
Network
640
Established TCP connections
10:59:55
1,000
500
0
10:00
10:30
11:00
Processes & ownership
CPU and memory details
Infrastructure
Pools, queues & storage I/O
Investigations & reports
Forensics and historical context
Design concept · synthetic fixture
Not live · snapshot 11:00 UTC

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Example
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h

Back to Dashboard

CPU Pressure and ownership

Example machine · selected history 10:00–11:00 UTC

Customize layout

CRITICAL CPU utilization elevated · active since 10:57
Evaluation 11:00 · 2 host conditions

Utilization over time

CPU 91% · 10:20 selected historical sample

94%
Observed 10:59:55



31 samples · % utilization · elapsed time

Per-core utilization

Current % · 10:59:55

Core 0	Core 1	Core 2	Core 3
98%	96%	94%	92%
Core 4	Core 5	Core 6	Core 7
95%	93%	91%	93%

Imbalance 7 percentage points

CPU modes

I/O wait / steal · %

CPU pressure

PSI avg10 · % wall time

Current synthetic measurements 10:59:55

Normalized load · 1m	Normalized load · 5m	Quota throttling
1.25	0.98	6.4%
Load / core	Load / core	Share of cgroup periods

Temperature evidence	Nearest thermal trip
68°C	95°C
Not a throttle diagnosis	Source trip temperature

Saturation and limits

Run queue
12 runnable
Process count

Frequency ratio
0.83
Current / maximum

hip
history 10:20
ure current utilization.

Processes and owners
Current snapshot 10:59:48 · selected
Cumulative CPU time does not meas

Owner	Process CPU%	Cumulative CPU seconds
example-search	Not qualified	12,460.8
example-cache	Not qualified	6,031.2
example-reports	Not qualified	804.6

Process / current identity
index-worker PID 4821
cache-service PID 3178
report-worker PID 9026

sorted by cumulative CPU seconds.

Top CPU ranking not qualified; table

-workload/bin/index-worker --workspace=/srv/example/search-snapshots/2026-10-10

/opt/vega/examples/synthetic

rker: 220 threads · leak candidates not evaluated

286 processes · 2 zombies · index-wo

ching mountec endpoint! No action sent.

No mat

Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega

Dashboard | Forensics | Logs | Capacity | Scripts

• Example | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

← Back to Dashboard

CPU Pressure and ownership

Example machine · selected history 10:00–11:00 UTC

Customize layout

CRITICAL — CPU utilization elevated · active since 10:57 — Evaluation 11:00 · 2 host conditions

Utilization over time

CPU 91% · 10:20 selected historical sample



31 samples · % utilization · elapsed time

94%

Observed 10:59:55

Per-core utilization

Current % · 10:59:55

Core 0	Core 1	Core 2	Core 3
98%	96%	94%	92%
Core 4	**Core 5**	**Core 6**	**Core 7**
95%	93%	91%	93%

Imbalance 7 percentage points

CPU modes

I/O wait / steal · %



CPU pressure

PSI avg10 · % wall time



ion and limits

Current synthetic measurements 10:59:55

Saturat

ue	Normalized load · 1m	Normalized load · 5m	Quota throttling	Run queu
nnable	1.25	0.98	6.4%	12 ru
unt	Load / core	Load / core	Share of cgroup periods	Process co



frequency ratio	emperature evidence	Nearest
0.83	68°C	95°C
Current / maximum	Not a throttle diagnosis	Source trip

Processes and ownership

Current snapshot 10:59:48 · selected history 10:20

Cumulative CPU time does not measure current utilization.

s CPU%	Cumulative CPU seconds	Process / current identity	Owner	Proces
ualified	12,460.8	index-worker PID 4821	example-search	Not qu
ualified	6,031.2	cache-service PID 3178	example-cache	Not qu
ualified	804.6	report-worker PID 9026	example-reports	Not qu

oshots/2026-10-10

Top CPU ranking not qualified; table sorted by cumulative CPU seconds.

`/opt/vega/examples/synthetic-workload/bin/index-worker --workspace=/srv/example/search-snap`

286 processes · 2 zombies · index-worker: 220 threads · leak candidates not evaluated

Terminate unavailable — No matching mounted endpoint. No action sent.

Synthetic design fixture · not host observations

Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega

Example

Back to Dashboard

CPU

Pressure & ownership

Example machine

10 Oct 2026

10:00–11:00 UTC

1h

CRITICAL · CPU utilization

Active since 10:57 · evaluation 11:00

Utilization

94%

10:59:55

91% at 10:20 · historical sample

Per-core utilization

Current % · 10:59:55

Core 0	Core 1	Core 2	Core 3
98%	96%	94%	92%

Core 4	Core 5	Core 6	Core 7
95%	93%	91%	93%

Imbalance 7 percentage points

CPU modes

I/O wait / steal · %

CPU pressure

PSI avg10 · % wall time

Saturation and limits

Current evidence 10:59:55

Run queue Process count	12 runnable
Normalized load · 1m Load / core	1.25
Normalized load · 5m Load / core	0.98
Quota throttling Share of cgroup periods	6.4%
Frequency ratio Current / maximum	0.83
Temperature evidence Not a throttle diagnosis	68°C
Nearest thermal trip Source trip temperature	95°C

Processes and ownership

Current snapshot 10:59:48

Cumulative seconds, not utilization.

index-worker PID 4821 · example-search Process CPU% not qualified	12,460.8 s
cache-service PID 3178 · example-cache Process CPU% not qualified	6,031.2 s
report-worker PID 9026 · example-reports Process CPU% not qualified	804.6 s

Selected process identity · index-worker

```
/opt/vega/examples/synthetic-workload/
bin/index-worker
--workspace=/var/example/
search-snapshots/2026-10-10
```

286 processes · 2 zombies

index-worker: 220 threads

Leak candidates not evaluated

Terminate unavailable

No mounted endpoint · no action sent

CPU ranking not qualified; table uses cumulative seconds, not utilization.

Synthetic design fixture · not host observations

Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
Example
Back to Dashboard
CPU
Pressure & ownership
Example machine
10 Oct 2026
10:00–11:00 UTC
1h
CRITICAL · CPU utilization
Active since 10:57 · evaluation 11:00
Utilization
94%
10:59:55
91% at 10:20 · historical sample
100
50
0
10:00
10:30
11:00
r-core utilization
rrent % · 10:59:55
Core 0
Core 1
Core 2
Core 3
3%
96%
94%
92%
Core 4
Core 5
Core 6
Core 7
5%
93%
91%
93%
balance 7 percentage points
PU modes
wait / steal · %
10:00
10:30
11:00
I/O wait 5.2%
Steal 0.4%
PU pressure
I avg10 · % wall time
Some 12.4%
Full 1.8%
Saturation and limits
current evidence 10:59:55
Run queue
Process count
12 runnabl
Normalized load · 1m
Load / core
Normalized load · 5m
Load / core
Quota throttling
Share of cgroup periods
Frequency ratio
Current / maximum
0.8
Temperature evidence
Not a throttle diagnosis
68°
Nearest thermal trip
Source trip temperature
95°
Processes and ownership
Current snapshot 10:59:48
Cumulative seconds, not utilization.
index-worker
PID 4821 · example-search
Process CPU% not qualified
12,460.8
cache-service
PID 3178 · example-cache
Process CPU% not qualified
6,031.2
report-worker
PID 9026 · example-reports
Process CPU% not qualified
804.6
Selected process identity · index-worker
/opt/vega/examples/synthetic-workload/bin/index-worker --workspace=/srv/example/search-snapshots/2026-10-10
286 processes · 2 zombies
index-worker: 220 threads
Leak candidates not evaluated
Terminate unavailable
No mounted endpoint · no action sent
CPU ranking not qualified; table uses cumulative seconds, not utilization.
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Example
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Back to Dashboard
Memory
Occupancy, paging and contributors
Example machine · selected history 10:00–11:00 UTC
Customize layout
2 host alerts · see Dashboard
Memory & swap occupancy
Memory
Swap
61%
Memory observed 10:59:55
100
50
0
10:00
10:30
11:00
SWAP
12.5%
1.0 / 8.0 GB
Used / total
Percent of each own capacity · memory and swap are separate stocks
Paging activity
Flow evidence is separate from occupied memory. No causal diagnosis is inferred.
Swap traffic
8
pages/sec
120
60
0
10:00
10:30
11:00
Observed 10:59:55 · 31 synthetic samples
Major faults
3.1
faults/sec
8
4
0
10:00
10:30
11:00
Observed 10:59:55 · 31 synthetic samples
Fragmentation
Max free order · dimensionless integer
12
6
0
10:00
10:30
11:00
Highest free order
9
Compaction failure ratio
0.8%
Valid supplied ratio · observed 10:59:55
Raw zone payload not supplied
View raw-zone evidence
Platform pressure level unavailable
Top Memory Consumers
Resident memory · MB
Current snapshot 10:59:48 · subset
index-worker
2140
PID 4821 · example-search
cache-service
1002
PID 3178 · example-cache
report-worker
486
Top Paging Consumers
Major faults/sec
Current snapshot 10:59:48 · subset
index-worker
2.1
PID 4821 · example-search
cache-service
0.6
PID 3178 · example-cache
Selected process identity · index-worker / PID 4821
/opt/vega/examples/synthetic-workload/bin/index-worker --workspace=/srv/example/search-snapshots/2026-10-10
Current snapshot 10:59:48 · this identity does not establish ownership of a historical peak
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega

Dashboard | Forensics | Logs | Capacity | Scripts

Example | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

Back to Dashboard

Memory

2 host alerts · see Dashboard

Example machine · selected history 10:00–11:00 UTC

61%

emory observed 10:59:55

SWAP

12.5%

1.0 / 8.0 GB

Used / total

Memory & swap occupancy

Memory — Swap

100

50

0

10:00 10:30 11:0

Percent of each own capacity · memory and swap are separate stocks

Paging activity

Flow evidence is separate from occupied memory. No causal diagnosis is inferred.

3.1

10:30 11:00

Swap traffic 8

pages/sec

120

60

0

10:00 10:30 11:00

Observed 10:59:55 · 31 synthetic samples

Major faults

faults/sec

8

4

0

10:00

Observed 10:59:55 · 31 synthetic samples

r 9

e ratio 0.8%

· observed 10:59:55

l not supplied

ence

vel unavailable

Fragmentation

Max free order · dimensionless integer

12

6

0

10:00 10:30 11:00

Highest free orde

Compaction failur

Valid supplied ratio

Raw zone payloac

View raw-zone evid

Platform pressure le

Top Memory Consumers

Resident memory · MB

Current snapshot 10:59:48 · subset

index-worker PID 4821 · example-search	2140
cache-service PID 3178 · example-cache	1002
report-worker PID 9026 · example-reports	486

Top Paging Consumers

Major faults/sec

Current snapshot 10:59:48 · subset

index-worker PID 4821 · example-search	2.1
cache-service PID 3178 · example-cache	0.6
report-worker PID 9026 · example-reports	0.2

Selected process identity · index-worker / PID 4821

/opt/vega/examples/synthetic-workload/bin/index-worker --workspace=/srv/example/search-snapshots/2026-10-10

Current snapshot 10:59:48 · this identity does not establish ownership of a historical peak

Synthetic design fixture · not host observations

Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega

Example

← Back to Dashboard

Memory

Example machine

10 Oct 2026

10:00–11:00 UTC

1h

Occupancy, paging and contributors

2 host alerts · see Dashboard

Memory & swap

61%

10:59:55

Swap used / total 1.0 / 8.0 GB

12.5% · observed 10:59:55

Swap traffic

8

pages/sec

Observed 10:59:55 · 31 synthetic samples

Major faults

3.1

faults/sec

Observed 10:59:55 · 31 synthetic samples

Fragmentation

Max free order · integer

Highest free order 9

Compaction failure ratio 0.8%

Observed 10:59:55 · valid supplied ratio

Raw zone detail unavailable

Top Memory Consumers

Resident memory · MB

Current snapshot 10:59:48 · subset

index-worker 2140

PID 4821 · example-search

cache-service 1002

PID 3178 · example-cache

report-worker 486

PID 9026 · example-reports

Top Paging Consumers

Major faults/sec

Current snapshot 10:59:48 · subset

index-worker 2.1

PID 4821 · example-search

cache-service 0.6

PID 3178 · example-cache

report-worker 0.2

PID 9026 · example-reports

Process identity detail

index-worker · PID 4821 · current snapshot

```
/opt/vega/examples/synthetic-workload/
bin/index-worker
--workspace=/srv/example/
search-snapshots/2026-10-10
```

Current contributors do not explain a past peak.

Synthetic design fixture · not host observations

Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega

Example

← Back to Dashboard

Memory

Example machine

10 Oct 2026

10:00–11:00 UTC

1h

Occupancy, paging and contributors

2 host alerts · see Dashboard

Memory & swap

61%

10:59:55



Swap used / total 1.0 / 8.0 GB

12.5% · observed 10:59:55

Swap traffic

8

pages/sec



Observed 10:59:55 · 31 synthetic samples

Major faults

3.1

faults/sec



Observed 10:59:55 · 31 synthetic samples

Fragmentation

Max free order · integer



Highest free order 9

Compaction failure ratio 0.8%

Observed 10:59:55 · valid supplied ratio

Raw zone detail unavailable

Top Memory Consumers

Resident memory · MB

Current snapshot 10:59:48 · subset

index-worker 2140

PID 4821 · example-search

cache-service 1002

PID 3178 · example-cache

report-worker 486

PID 9026 · example-reports

Top Paging Consumers

Major faults/sec

Current snapshot 10:59:48 · subset

index-worker 2.1

PID 4821 · example-search

cache-service 0.6

PID 3178 · example-cache

report-worker 0.2

PID 9026 · example-reports

Process identity detail

index-worker · PID 4821 · current snapshot

```
/opt/vega/examples/synthetic-workload/
bin/index-worker
--workspace=/srv/example/
search-snapshots/2026-10-10
```

Current contributors do not explain a past peak.

Synthetic design fixture · not host observations

Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Example
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Dashboard
Disk
Example machine
10 Oct 2026 · 10:00–11:00 UTC
Open logs
2 active alerts
CRITICAL
CPU utilization · since 10:57
WARNING
Disk space condition · since 09:57
Evaluation ready 11:00
REPORTED OCCUPANCY
Disk space used
83.5 %
0
10:59:50
100%
Read & write throughput
MB/s · session-only history
Read
MB/s
Write
MB/s
Combined
MB/s
Observed 10:59:50
40
30
20
10
0
No samples in this session
History begins 10:43
10:00
10:30
11:00
Coverage 10:43–10:59:50 · session history may reset on reload
WARNING · active since 09:57
Volume identity unavailable
Capacity bytes not supplied
+ write.
Observed UTC
Read MB/s
Write MB/s
Combined MB/s
10:57:00
8
15
23
10:58:30
7.2
14.2
21.4
10:59:50
6
12
18
Recent samples
Matched timestamps; combined is read
Analysis could not be loaded.
Occupancy and I/O remain available. No scan has been started.
Retry analysis
Proposed retry
ueue and wait · descriptors and watchers: no values supplied in this fixture.
Disk analysis
UNAVAILABLE · HTTP 404
Mounted volumes · usage history · qu
nes & usage history
Pressure & limits
Directory analysis
Inspect CPU condition
More disk evidence
Volun
A verified handoff is required before any storage action.
Cleanup belongs to Storage Manager.
Explicit disk inspection · snapshot 11:00 UTC
Design concept · synthetic fixture · not live

Vega Dashboard Forensics Logs Capacity Scripts • Example Controls 10 Oct 2026 10:00–11:00 UTC 15m 1h 6h 24h

‹ Dashboard

Disk Example machine

10 Oct 2026 · 10:00–11:00 UTC

Open logs

2 active alerts CRITICAL CPU utilization · since 10:57 → WARNING Disk space condition · since 09:57 Evaluation ready 11:00

REPORTED OCCUPANCY

Disk space used

83.5

10:59:50 100%

ive since 09:57

ty unavailable

not supplied

Read & write throughput

MB/s · session-only history

Read 6 MB/s Write 12 MB/s Combined 18 MB/s Observed 10:59:50

40 30 20 10 0

No samples in this session

History begins 10:43

10:00 10:30 11:00

Coverage 10:43–10:59:50 · session history may reset on reload

WARNING · act

Volume identi

Capacity bytes

nples

nps; combined is read + write.

Observed UTC	Read MB/s	Write MB/s	Combined MB/s
10:57:00	8	15	23
10:58:30	7.2	14.2	21.4
10:59:50	6	12	18

Recent sam

Matched timestan

ysis

Analysis could not be loaded.

UNAVAILABLE · HTTP 404

Occupancy and I/O remain available. No scan has been started.

Retry analysis

Proposed retry

Disk anal

Mounted volumes · usage history · queue and wait · descriptors and watchers: no values supplied in this fixture.

More disk evidence Volumes & usage history Pressure & limits Directory analysis Inspect CPU condition →

Cleanup belongs to Storage Manager. A verified handoff is required before any storage action.

Design concept · synthetic fixture · not live

Explicit disk inspection · snapshot 11:00 UTC


Vega
Example
‹ Dashboard
Disk
1h
Example machine
10 Oct 2026 · 10:00–11:00 UTC
2 active alerts
Evaluation ready 11:00
CRITICAL
CPU utilization
Active since 10:57
WARNING
Disk space condition
Since 09:57 · before window
REPORTED OCCUPANCY
Disk space used
83.5
%
0
10:59:50
100%
WARNING · active since 09:57
Volume identity unavailable
Capacity bytes not supplied
Read & write throughput
MB/s · session-only history
Read
Write
Combined
6 MB/s
12 MB/s
18 MB/s
Observed 10:59:50
40
30
20
10
0
No samples in this session
History begins 10:43
10:00
10:30
11:00
Session coverage: 10:43–10:59:50
Reload may clear this session history.
Recent samples
Same timestamp · read + write = combined
10:57:00
23.0 MB/s
Read 8 · Write 15 MB/s
10:58:30
21.4 MB/s
Read 7.2 · Write 14.2 MB/s
10:59:50
18.0 MB/s
Read 6 · Write 12 MB/s
Disk analysis
UNAVAILABLE · HTTP 404
Analysis could not be loaded.
Retry analysis
Proposed retry · no scan started
More disk evidence
Volumes & usage history
Scope and values unavailable
Pressure & limits
Queue, wait, descriptors and watchers
Directory analysis
No scan started in this fixture
Open logs
Selected machine / hour
Cleanup belongs to Storage Manager.
Verified handoff required before action.
Design concept · synthetic fixture · not live
Explicit inspection · snapshot 11:00 UTC

Vega

Example

‹ Dashboard

Disk

1h

Example machine

10 Oct 2026 · 10:00–11:00 UTC

2 active alerts

Evaluation ready 11:00

CRITICAL CPU utilization
Active since 10:57

WARNING Disk space condition
Since 09:57 · before window

REPORTED OCCUPANCY

Disk space used

WARNING · active since 09:57

Volume identity unavailable

Capacity bytes not supplied

Read & write throughput

MB/s · session-only history

Read 6 MB/s · Write 12 MB/s · Combined 18 MB/s

Observed 10:59:50



Session coverage: 10:43–10:59:50

Reload may clear this session history.

Recent samples

Same timestamp · read + write = combined

10:57:00 — 23.0 MB/s
Read 8 · Write 15 MB/s

10:58:30 — 21.4 MB/s
Read 7.2 · Write 14.2 MB/s

10:59:50 — 18.0 MB/s
Read 6 · Write 12 MB/s

Disk analysis

UNAVAILABLE · HTTP 404

Analysis could not be loaded.

Occupancy and I/O remain available.

Retry analysis

Proposed retry · no scan started

More disk evidence

Volumes & usage history
Scope and values unavailable

Pressure & limits
…eue, wait, descriptors and watchers

Directory analysis
No scan started in this fixture

Open logs — Selected machine / hour

Cleanup belongs to Storage Manager.
Verified handoff required before action.

Design concept · synthetic fixture · not live
Explicit inspection · snapshot 11:00 UTC

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Example
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Back to Dashboard
Network evidence
Connections, flow and ownership with their collection boundaries.
Example machine
Local example · synthetic subject
Current signal 10:59:55 UTC
History 10:00–11:00 UTC · 10 Oct 2026
Established TCP connections
Count · Linux contract
640
10:59:55 UTC
1,000
500
0
10:00
10:30
11:00
31 supplied samples · count history
Inspect history
View sample data
01 Connection populations
Synthetic current snapshot · 10:59:55 UTC
Established
640
TIME_WAIT
768
Listen
34
Count scale 0–1,000 · three supplied states
TCP sockets across all states
Not supplied
Other recognized states are unknown; no total is inferred.
02 Connection flow
Derived interval change, separate from transport counters
−0.13 /s
Average net change in established connections
10:58:00–10:59:55 · 655 → 640 · −15 over 115 seconds
Opened / closed counters
Unsupported
The rate above is calculated from the two history samples.
It does not count connections opened or closed.
rors / drops
errors / 0 drops
errors / 0 drops
Ownership & endpoints
On-demand snapshot unavailable in this fixture
Bounded current evidence, when supported.
Historical ownership is not supplied.
Diagnostic execution is unavailable here.
View capability details
View retained sections
V05 · static source render
Receive and transmit stay paired with interface identity and observation time.
Interface / operational state
Receive
Transmit
enp11s0
Up
120,000 bytes/s
24,000 bytes/s
br-e2613be114df
Up
0 bytes/s
14 bytes/s
Synthetic interface snapshot · 10:59:55 UTC · link Up is not end-to-end health.
Topology & connection pools
No topology or pool samples supplied. These remain separate evidence sections.
Packet loss: not measured by host collector · DNS health: owned by Network Manager
Design concept · synthetic fixture · not host observations

Vega | Dashboard | Forensics | Logs | Capacity | Scripts | • Example | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

← Back to Dashboard

Network evidence

Connections, flow and ownership with their collection boundaries.

Example machine

Local example · synthetic subject

Current signal 10:59:55 UTC

History 10:00–11:00 UTC · 10 Oct 2026

Established TCP connections

Count · Linux contract

640

10:59:55 UTC



supplied samples · count history

Inspect history | View sample data

Connection populations

Synthetic current snapshot · 10:59:55 UTC

tablished 640

ME_WAIT 768

ten 34

Count scale 0–1,000 · three supplied states

P sockets across all states — Not supplied

ier recognized states are unknown; no total is inferred.

02 Connection flow

Derived interval change, separate from transport counters

−0.13 /s

Average net change in established connections

10:58:00–10:59:55 · 655 → 640 · −15 over 115 seconds

Opened/closed counters — Unsupported

The rate above is calculated from the two history samples.
It does not count connections opened or closed.

face identity and observation time.

	Receive	Transmit	Errors / drops
	120,000 bytes/s	24,000 bytes/s	0 errors / 0 drops
	0 bytes/s	14 bytes/s	0 errors / 0 drops

link Up is not end-to-end health.

Ownership & endpoints

On-demand snapshot unavailable in this fixture

Bounded current evidence, when supported.
Historical ownership is not supplied.
Diagnostic execution is unavailable here.

View capability details

03 Interface health

Receive and transmit stay paired with inter

Interface / operational state	
enp11s0	Up
br-e2613be114df	Up

Synthetic interface snapshot · 10:59:55 UTC ·

e remain separate evidence sections.

View retained sections

NS health: owned by Network Manager

Topology & connection pools

No topology or pool samples supplied. Thes

Packet loss: not measured by host collector · DN

ations

V05 · static source render

Design concept · synthetic fixture · not host observ

Vega

Example

← Back to Dashboard

Network evidence

Example machine

Local example · synthetic subject

10 Oct 2026
10:00–11:00 UTC

1h

Connections and ownership

Established TCP connections

10:59:55

640

Count · Linux contract

31 supplied samples

Inspect history

View sample data

01 Connection populations

Synthetic current snapshot · 10:59:55

Established	640
TIME_WAIT	768
Listen	34

Count scale 0–1,000 · three supplied states

TCP sockets across all states
Not supplied

Other recognized states are unknown.
No all-state total is inferred.

02 Connection flow

−0.13 /s

Average net change in established connections over 10:58:00–10:59:55

655 → 640 · −15 over 115 seconds

Derived from the two history samples.

Opened / closed counters — Unsupported

Net change does not count connections opened or closed.

03 Interface health

Synthetic snapshot · 10:59:55 UTC

enp11s0 — Up

Receive	Transmit
120,000 bytes/s	24,000 bytes/s

0 errors · 0 drops

br-e2613be114df — Up

Receive	Transmit
0 bytes/s	14 bytes/s

0 errors · 0 drops

Packet loss: not measured by host collector.
DNS health: owned by Network Manager.

04 Ownership & endpoints

On-demand snapshot unavailable here.
A supported snapshot is current, bounded evidence. Historical ownership is not supplied.

View capability details

Topology & connection pools

No samples supplied. Separate retained evidence sections remain discoverable.

View retained sections

Design concept · synthetic fixture
Not host observations · V05

Vega
Example
Back to Dashboard
Network evidence
Example machine
1h
10 Oct 2026
10:00–11:00 UTC
Connections and ownership
Established TCP connections
640
Count · Linux contract
1,000
500
0
10:00
10:30
31 supplied samples
Inspect history
01 Connection populations
Synthetic current snapshot · 10:59:55
640
Established
768
TIME_WAIT
34
Listen
Count scale 0–1,000 · three supplied states
TCP sockets across all states
Not supplied
Other recognized states are unknown.
No all-state total is inferred.
02 Connection flow
−0.13 /s
Average net change in established connections over 10:58:00–10:59:55
655 → 640 · −15 over 115 seconds
Derived from the two history samples.
Opened / closed counters
Net change does not count connections opened or closed.
03 Interface health
Synthetic snapshot · 10:59:55 UTC
Up
enp11s0
Receive
120,000 bytes/s
Transmit
24,000 bytes/s
0 errors · 0 drops
Up
br-e2613be114df
Receive
0 bytes/s
Transmit
14 bytes/s
0 errors · 0 drops
Packet loss: not measured by host collector.
DNS health: owned by Network Manager.
04 Ownership & endpoints
On-demand snapshot unavailable here.
A supported snapshot is current, bounded evidence. Historical ownership is not supplied.
View capability details
Topology & connection pools
No samples supplied. Separate retained evidence sections remain discoverable.
View retained sections
Design concept · synthetic fixture
Not host observations · V05

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Example
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Back to Dashboard
GPU devices
Utilization history, device evidence and current process ownership.
Example machine
Local example · synthetic subject
Current signal 10:59:55 UTC
History 10:00–11:00 UTC · 10 Oct 2026
GPU utilization
8%
10:59:55 UTC
100
50
0
11:00
10:00
10:30
Inspect history
View sample data
01 Current device snapshot
Independent synthetic example · 11:00:00 UTC · separate from the overview history
Thermal & power
Temperature 47 °C
Power 52 W
Fan Unsupported
SM / memory clock 1,200 / 7,000 MHz
Driver reading not supplied
1 DEVICE · GPU 0
Example compute adapter
12% Device utilization
Device observation 11:00:00 UTC
GPU 0 · Example compute adapter
Device memory
VRAM used / total · MB
4,096 / 16,384 MB
25% of device memory capacity
Memory-controller utilization 6%
02 Processes on GPU 0
Synthetic current snapshot · 11:00:00 UTC · these rows do not explain a historical peak
GPU memory
Identity detail
Executable / owner
PID
2,048 MB
Hide full path
example-render-worker
Owner not supplied
4201
Full executable path
/opt/example/workloads/render-pipeline/worker-packages/gpu-render-worker/bin/example-render-worker
1,024 MB
Show full path
example-encoder
Example media job
4219
The process snapshot and device evidence have their own timestamp. Missing history, unsupported fan and unknown driver are distinct
V06 · static source render
Design concept · synthetic fixture · not host observations

Vega

Dashboard | Forensics | Logs | Capacity | Scripts

Example | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

Back to Dashboard

GPU devices

Utilization history, device evidence and current process ownership.

Example machine

Local example · synthetic subject

Current signal 10:59:55 UTC

History 10:00–11:00 UTC · 10 Oct 2026

GPU utilization

8%

Overview signal aggregation and device basis not supplied



4 missing samples · 10:18–10:24 · no connecting path from 10:16 to 10:26

Inspect history | View sample data

01 Current device snapshot

Independent synthetic example · 11:00:00 UTC · separate from the overview history

1 DEVICE · GPU 0

Example compute adapter

12% Device utilization

Device observation 11:00:00 UTC

GPU 0 · Example compute adapter

Device memory

VRAM used / total · MB

4,096 / 16,384 MB

25% of device memory capacity

Memory-controller utilization 6%

Thermal & power

Temperature	47 °C
Power	52 W
Fan	Unsupported
SM / memory clock	1,2

Driver reading not supplied

02 Processes on GPU 0

Synthetic current snapshot · 11:00:00 UTC · these rows do not explain a historical peak

Executable / owner	PID	GPU memory	Identity detail
example-render-worker Owner not supplied	4201	2,048 MB	Hide full path
Full executable path: /opt/example/workloads/render-pipeline/worker-packages/gpu-render-worker/bin/example-render-worker			
example-encoder Example media job	4219	1,024 MB	Show full path

The process snapshot and device evidence have their own timestamp. Missing history, unsupported fan and unknown driver are distinct.

Vega

Example

Back to Dashboard

GPU devices

Example machine

Local example · synthetic subject

10 Oct 2026
10:00–11:00 UTC

1h

Utilization and device evidence

GPU utilization

10:59:55

8 %

Overview signal · device basis unknown

4 missing samples · 10:18–10:24

Inspect history

View sample data

01 Current device snapshot

Independent synthetic example · 11:00 UTC
Separate from the overview history

1 DEVICE · GPU 0

Example compute adapter

12% Device utilization

Device observation 11:00:00 UTC

GPU 0 · Example compute adapter

Device memory

VRAM used / total · MB

4,096 / 16,384 MB

25% of device memory capacity

Memory-controller utilization	6%

Thermal & power

Temperature	47 °C
Power	52 W
Fan	Unsupported
SM clock	1,200 MHz
Memory clock	7,000 MHz
Driver reading	Not supplied

02 Processes on GPU 0

Synthetic current snapshot · 11:00:00 UTC
These rows do not explain a history peak.

example-render-worker

Owner not supplied

PID 4201 2,048 MB

Hide full executable path

Full executable path

/opt/example/workloads/
render-pipeline/worker-packages/
gpu-render-worker/bin/
example-render-worker

example-encoder

Example media job

PID 4219 1,024 MB

Show full executable path

Device and process snapshots have their own timestamp. Missing history, unsupported fan and unknown driver are distinct states.

Design concept · synthetic fixture
Not host observations · V06

Vega

Example

Back to Dashboard

GPU devices

Example machine

Local example · synthetic subject

10 Oct 2026
10:00–11:00 UTC

1h

Utilization and device evidence

GPU utilization

10:59:55

8 %

Overview signal · device basis unknown



4 missing samples · 10:18–10:24

Inspect history

View sample data

01 Current device snapshot

Independent synthetic example · 11:00 UTC
Separate from the overview history

1 DEVICE · GPU 0

Example compute adapter

12% Device utilization

Device observation 11:00:00 UTC

GPU 0 · Example compute adapter

Device memory

VRAM used / total · MB

4,096 / 16,384 MB

25% of device memory capacity

Memory-controller utilization	6%

Thermal & power

Temperature	47 °C
Power	52 W
Fan	Unsupported
SM clock	1,200 MHz
Memory clock	7,000 MHz
Driver reading	Not supplied

02 Processes on GPU 0

Synthetic current snapshot · 11:00:00 UTC
These rows do not explain a history peak.

example-render-worker

Owner not supplied

PID 4201 2,048 MB

Hide full executable path

Full executable path

/opt/example/workloads/
render-pipeline/worker-packages/
gpu-render-worker/bin/
example-render-worker

example-encoder

Example media job

PID 4219 1,024 MB

Show full executable path

Device and process snapshots have their own timestamp. Missing history, unsupported fan and unknown driver are distinct states.

Design concept · synthetic fixture
Not host observations · V06


VEGA
DESIGN FIXTURE
Edit script source
Example
Example machine · Local
Editable draft
SHELL
fixture-custom-check
fixture
Replace
Options
example
Replace
Replace all
Case
Regex
Word
Select all
1 #!/bin/bash
2 # NAME: Example operator check
3 # DESCRIPTION: Synthetic source for the design review
4 # CATEGORY: performance
5 # AUTHOR: Example operator
6 # This fixture is never executed.
7 printf '{"fixture":true,"status":"example"}\n'
8
Draft · Not submitted.
Review save

VEGA

DESIGN FIXTURE

Container Health Analyzer

Example

Example machine · Local | Read only SHELL

container-health

```
#!/usr/bin/env bash
# INVESTIGATION_SCRIPT
# NAME: Container Health Analyzer
# DESCRIPTION: Reports container runtime availability and a bounded health summary.
# CATEGORY: resource-management
# OUTPUTS: json
# AUTHOR: claude-agent
# CREATED: 2026-02-18
# LAST_MODIFIED: 2026-08-26

set -euo pipefail
printf '%s\n' 'collecting container health' >&2
timestamp="$(date -u +%Y-%m-%dT%H:%M:%SZ)"
if ! docker info >/dev/null 2>&1; then
  jq -n --arg ts "$timestamp" '{investigation:"container-health", timestamp:$ts, status:"unavailable", reason:"Docker daemon is unavailable", findings:[], recommendations:[]}'
  exit 0
fi

running="$(docker ps -q 2>/dev/null | wc -l | tr -d ' ')"
unhealthy="$(docker ps --filter health=unhealthy -q 2>/dev/null | wc -l | tr -d ' ')"
exited="$(docker ps -a --filter status=exited -q 2>/dev/null | wc -l | tr -d ' ')"
jq -n --arg ts "$timestamp" --argjson running "${running:-0}" --argjson unhealthy "${unhealthy:-0}" --argjson exited "${exited:-0}" \
  '{investigation:"container-health", timestamp:$ts, status:"completed", summary:{total_running:$running, unhealthy:$unhealthy, exited:$exited}, findings:[], recommendations:[]}'

```

Read only · Complete document.

Review run


VEGA
DESIGN FIXTURE
Edit script source
Example
Example machine - Local
Editable draft
SHELL
fixture-custom-check
fixture
Replace
Options
example
Replace
Replace all
Case
Regex
Word
Select all
1 #!/bin/bash
2 # NAME: Example operator check
3 # DESCRIPTION: Synthetic source for the design review
4 # CATEGORY: performance
5 # AUTHOR: Example operator
6 # This fixture is never executed.
7 printf '{"fixture":true,"status":"example"}\n'
8
Draft · Not submitted.
Review save


VEGA
DESIGN FIXTURE
Memory specimen
Example
EXAMPLE MACHINE · LOCAL
Memory buddyinfo
Independent raw-zone reader specimen.
Machine
Example machine
Selected history
10:00–11:00 UTC
Observed
2026-10-10T10:59:55Z
Raw zones
Independent synthetic map<string,string> reader example; keys/values authored, not parsed host evidence
Open buddyinfo JSON
Platform pressure
Level
unknown
Reason
No supported pressure verdict supplied
Observed
2026-10-10T10:59:55Z
The authored zone strings do not establish fragmentation, page-


VEGA
DESIGN FIXTURE
Edit script source
Example
Example machine · Local
Editable draft
SHELL
fixture-custom-check
1 #!/b
2 # NA
3 # DE
the
4 # CA
5 # AU
6 # Th
7 prin
'{"f
n'
8
DOCUMENT TOOLS
Find
Wrap
Copy all
History
Undo
Redo
Text size
A–
A+
View draft
Review run override
Synthetic source draft
No script is saved or executed while editing.
Review uses the exact draft.
Draft · Not submitted.
Review save

VEGA DESIGN FIXTURE

Container Health Analyzer • Example

Example machine · Local | Read only SHELL

container-health

```
1  #!/usr/bin/env bash
2  # INVESTIGATION_SCRIPT
3  # NAME: Container Health Analyzer
4  # DESCRIPTION: Reports container
   runtime availability and a bounded
   health summary.
5  # CATEGORY: resource-management
6  # OUTPUTS: json
7  # AUTHOR: claude-agent
8  # CREATED: 2026-02-18
9  # LAST_MODIFIED: 2026-08-26
10
11 set -euo pipefail
12 printf '%s\n' 'collecting container
   health' >&2
13 timestamp="$(date -u +%Y-%m-
   %dT%H:%M:%SZ)"
14 if ! docker info >/dev/null 2>&1;
   then
15   jq -n --arg ts "$timestamp"
   '{investigation:"container-health",
   timestamp:$ts,
   status:"unavailable",
   reason:"Docker daemon is
   unavailable", findings:[],
```

Read only · Complete document.

Review run


VEGA
DESIGN FIXTURE
Memory buddyinfo
Example
Example machine · Local
Read only
JSON
memory-buddyinfo-example-v1 · 2026-10-10T10:59:55Z
{
"Node 0, zone DMA": "128 64 32 16 8 4 2 1 0 0 0",
"Node 0, zone DMA32": "4096 2048 1024 512 256 128 64 32 16 8 0",
"Node 0, zone Normal": "8192 4096 2048 1024 512 256 128 64 32 16 0"
}
Read only · Complete document.


VEGA
DESIGN FIXTURE
Edit script source
Example
Example machine · Local
Editable draft
SHELL
fixture-custom-check
#!/bin/bash
NAME: Example operator check
DESCRIPTION: Synthetic source for the design review
CATEGORY: performance
AUTHOR: Example operator
This fixture is never executed.
printf '{"fixture":true,"status":"example"}\n'
newer source remains unsent
Save outcome unknown · Source edits unsent.
Review save

VEGA

DESIGN FIXTURE

Container Health Analyzer

• Example

Example machine · Local | Read only SHELL

container-health

```
#!/usr/bin/env bash
# INVESTIGATION_SCRIPT
# NAME: Container Health Analyzer
# DESCRIPTION: Reports container runtime availability and a bounded health summary.
# CATEGORY: resource-management
# OUTPUTS: json
# AUTHOR: claude-agent
# CREATED: 2026-02-18
# LAST_MODIFIED: 2026-08-26

set -euo pipefail
printf '%s\n' 'collecting container health' >&2
timestamp="$(date -u +%Y-%m-%dT%H:%M:%SZ)"
if ! docker info >/dev/null 2>&1; then
  jq -n --arg ts "$timestamp" '{investigation:"container-health", timestamp:$ts, status:"unavailable", reason:"Docker daemon is unavailable", findings:[], recommendations:[]}'
  exit 0
fi

running="$(docker ps -q 2>/dev/null | wc -l | tr -d ' ')"
unhealthy="$(docker ps --filter health=unhealthy -q 2>/dev/null | wc -l | tr -d ' ')"
exited="$(docker ps -a --filter status=exited -q 2>/dev/null | wc -l | tr -d ' ')"
jq -n --arg ts "$timestamp" --argjson running "${running:-0}" --argjson unhealthy "${unhealthy:-0}" --argjson exited "${exited:-0}" \
  '{investigation:"container-health", timestamp:$ts, status:"completed", summary:{total_running:$running, unhealthy:$unhealthy, exited:$exited}, findings:[], recommendations:[]}'

```

Read only · Complete document.

Review run

VEGA DESIGN FIXTURE

Historical report specimen

Example

One evidence source was unavailable during this report period. Available evidence was retained; the report did not establish a root cause.

Finding

A disk-analysis response was unavailable. Capacity and throughput are different quantities; neither establishes why storage was occupied.

Recommendation

Inspect the failed source in its own context before planning a change. Preserve the original response alongside subsequent evidence.

Risk

Historical recommendations may be out of date. Applying changes requires a separate review of current evidence and authority.

Technical evidence

illustrative report payload · Authored five-line serialization

Open technical JSON

VEGA
DESIGN FIXTURE
Historical technical evidence
Example
Example machine · Local
Read only
JSON
report-example-018 · daily · 2026-02-18T19:45:00Z
1 {
2 "source": "disk-analysis",
3 "result": "unavailable",
4 "http_status": 404, "diagnosis": null
5 }
Read only · Complete document.


VEGA
DESIGN FIXTURE
Settings
Example
MONITORING
Monitoring settings
Settings for Example machine
Collection & evaluation
On · Collection every 10s
Alert thresholds
CPU 85% · Memory 90% · Disk 85%
CPU escalation
Severity, sustained pressure & cooldown
Investigation cooldown
300 seconds between investigations
Confirmed response · 11:02 UTC
Changes affect future collection and evaluation.
Reset all settings...


VEGA
DESIGN FIXTURE
Collection
Example
Collection & evaluation
Choose how often Vega observes and evaluates this machine.
Monitoring active
Confirmed monitoring is on.
Metric collection
Time between collection cycles.
15
s
Threshold checking
Time between condition evaluations.
20
s
Anomaly detection
Time between anomaly checks.
30
s
Editing a draft. Collection remains on.
Save sends the complete settings object.
Review 1 change


VEGA
DESIGN FIXTURE
Review changes
Example
EXAMPLE MACHINE · LOCAL
Review 1 change
Only the values below differ from the confirmed response.
Metric collection
10 s → 15 s
The complete loaded settings object is sent, with untouched fields preserved. This does not clear existing alerts or stop an investigation.
A confirmed response is required before changes are shown as saved.
Save settings


VEGA
DESIGN FIXTURE
Logs
Example
threshold.
10:59:47
Info
example-worker.service
Work item completed; result record is available.
10:59:43
Warning
example-worker.service
Storage observation incomplete: volume identity was not returned. The read-only check retained...
10:59:30
Info
example-worker.service
Read-only inspection started for the selected scope.
10:58:12
Info
example-worker.service
Worker returned to the waiting state.
10:57:03
Info
example-worker.service
Worker is ready for the next item.
Newer
Cursor page
Older
Older-page request preview; the fixture remains unchanged.


VEGA
DESIGN FIXTURE
Log entry
Example
Warning
10 Oct 2026 · 10:59:43 UTC
example-worker.service
Example machine · Current boot
MESSAGE
Storage observation incomplete: volume identity was not returned. The read-only check retained throughput samples; no cleanup action was requested.
Copy message
Entry details
Machine
Example machine
Unit
example-worker.service
Process ID
7812
Boot
0123456789abcdef0123456789abcdef
Timestamp
2026-10-10T10:59:43Z
Priority
Warning
Record identity
fixture-journal-3


VEGA
DESIGN FIXTURE
Logs
Example
threshold.
10:59:47
Info
example-worker.service
Work item completed; result record is available.
10:59:43
Warning
example-worker.service
Storage observation incomplete: volume identity was not returned. The read-only check retained...
10:59:30
Info
example-worker.service
Read-only inspection started for the selected scope.
10:58:12
Info
example-worker.service
Worker returned to the waiting state.
10:57:03
Info
example-worker.service
Worker is ready for the next item.
Newer
Cursor page
Older
Snapshot 11:00 UTC · 6 fixture entries


VEGA
DESIGN FIXTURE
Logs
Example
10:00–11:00 UTC
Current boot · Limit 200
Filters
All units · Any priority
Updates paused
Return to latest
10:59:52
Warning
example-worker.service
Work queue exceeded its configured observation threshold.
10:59:47
Info
example-worker.service
Work item completed; result record is available.
10:59:43
Warning
example-worker.service
Storage observation incomplete: volume identity was not returned. The read-only check retained...
10:59:30
Info
example-worker.service
Read-only inspection started for the selected scope.
10:58:54
Notice
example-scheduler.service
Deferred work is eligible for the next scheduling pass.


VEGA
DESIGN FIXTURE
Collection
Example
Collection & evaluation
Choose how often Vega observes and evaluates this machine.
Monitoring active
Confirmed monitoring is on.
Metric collection
Time between collection cycles.
10
s
Threshold checking
Time between condition evaluations.
20
s
Anomaly detection
Time between anomaly checks.
30
s
Editing a draft. Collection remains on.
Save sends the complete settings object.
No changes


Settings save pending
Switching the viewed machine does not cancel the submitted save for Example machine. Its result remains attached to that machine.
Switch view
Cancel


VEGA
DESIGN FIXTURE
Machine view
Remote
VROOLI BRIDGE
Remote example
The selected machine changed. Previous local records and settings are not relabeled.
Remote example · Linux
Live · Read only · Fixture heartbeat 11:00 UTC
Retry now
Back to this computer
This fixture is qualified for local task design. It does not decide or remove remote product capabilities. D1 remains open.
Choose another machine
Return to the local representative tasks


VEGA
DESIGN FIXTURE
Machine view
Remote
VROOLI BRIDGE
Remote example
The selected machine changed. Previous local records and settings are not relabeled.
Remote example · Linux
Live · Read only · Fixture heartbeat 11:00 UTC
Retry now
Back to this computer
This fixture is qualified for local task design. It does not decide or remove remote product capabilities. D1 remains open.
Choose another machine
Return to the local representative tasks
Design fixture: Example machine settings confirmed.


VEGA
DESIGN FIXTURE
Capacity
Example
EXAMPLE MACHINE · LOCAL
Capacity
Compare observed GPU memory with the active capacity ledger.
Refresh
Review scenarios
Current-state ledger · No historical request filter or response-wide timestamp.
Sensing warning
Fixture warning: GPU process ownership is incomplete for one consumer.
GPU 0 · Illustrative GPU
Observed used
18 GiB
Claimed
28 GiB
Free 6 GiB · Total 24 GiB
Claims exceed total by 4 GiB. The meter is capped at 100%.
Full capacity quantities
Observed, free, total and claimed bytes


VEGA
DESIGN FIXTURE
Active claims
Example
EXAMPLE MACHINE · LOCAL
Active claims
A read-only ledger. Activity is reported state, and protection applies while active.
scenario/example-inference
granted · interactive · active · 14 GiB · Protected
scenario/example-worker
granted · service · idle · 10 GiB
scenario/example-batch
degraded · batch · active · 4 GiB
Full-phone detail is a proposed presentation. No claim create, release or preemption control is added.

VEGA DESIGN FIXTURE

Claim detail

• Example

EXAMPLE MACHINE · LOCAL

example-inference

granted · Protected while active

Owner	scenario/example-inference
Resource	vram · GPU 0
Status	granted
Priority tier	interactive
Activity	active
Amount	14 GiB · 15,032,385,536 bytes

rile active Protection Protected w

ls Additional typed source field

l the current table. Proposed disclosure beyond

n-1-)00000000000		Claim ID	fixture-claim 00000000(
nce-1		Instance ID	fixture-insta
34 bytes		Preferred	17,179,869,18


VEGA
DESIGN FIXTURE
Consumer findings
Example
EXAMPLE MACHINE · LOCAL
Consumer findings
Reconciliation of observed GPU consumers against the claim ledger.
Over-claim
warn · Observed VRAM exceeds this consumer's matched active claim by 1 GiB.
Unclaimed
warn · unknown · 2 GiB
Claimed
info · Observed consumer has a matching claim.
No response-wide timestamp is supplied. Classification and severity are source values; no dismiss or consumer-control action is added.


VEGA
DESIGN FIXTURE
Forensics
Example
EXAMPLE MACHINE · LOCAL
Forensics
Inspect the host's prior shutdown, boot records and reported evidence.
Refresh
Review scenarios
Host-state evidence · The shared time window does not filter this request.
Prior shutdown
Unclean shutdown
Boot –1 · fixture-boot-prior · No recognized shutdown marker was found before the next boot. This classification does not identify a root cause.
Boot history
4 source records · Full boot identity and duration
corrected · Current boot · source-
0 uncorrected ·
reported windo
ts
rds · /sys/fs/pstore
Pstore artifac
2 metadata reco


VEGA
DESIGN FIXTURE
Boot history
Example
EXAMPLE MACHINE · LOCAL
Boot history
Source boot records. Selecting a row opens the proposed full-phone reader.
0 · Current boot
fixture-boot-current · 2h 0m
-1 · Unclean shutdown
fixture-boot-prior-1 · 1d 0h
-2 · Clean shutdown
fixture-boot-clean-2 · 23h 58m
-3 · Unknown
fixture-boot-unknown · Unknown
Generated
2026-10-10T10:59:58Z · source field
Generated is the source envelope field, not a claim about every record's observation time. Displaying it here is a proposed disclosure.


VEGA
DESIGN FIXTURE
Boot record
Example
EXAMPLE MACHINE · LOCAL
Unclean shutdown
Boot index -1 · Full source record
No recognized shutdown marker was found before the next boot. This classification does not identify a root cause.
Boot ID
fixture-boot-prior-1111111111111111111
Index
-1
Duration
1d 0h
First entry
2026-10-09T08:00:00Z · source field
Last entry
2026-10-10T08:54:00Z · source field
Clean flag
false
Reason
No recognized shutdown marker


VEGA
DESIGN FIXTURE
Pstore artifacts
Example
EXAMPLE MACHINE · LOCAL
Pstore artifacts
Metadata reported by the host. These entries do not provide artifact-file actions.
/sys/fs/pstore
fixture-console-0
console · 16,284 bytes · Modified 2026-10-10T08:55:00Z
fixture-dmesg-0000000000000000000000000000001
dmesg · 4,096 bytes · Modified not supplied
Generated
2026-10-10T10:59:55Z · source field
Generated is the source envelope field, not a claim about every record's observation time. Displaying it here is a proposed disclosure.


VEGA
DESIGN FIXTURE
Autoheal checks
Example
EXAMPLE MACHINE · LOCAL
Autoheal checks
Reported forensics checks, ordered by severity.
fixture-kernel-capture
CRITICAL · A retained kernel capture was reported. Inspect host evidence before drawing a cause from this check.
fixture-mce-review
WARNING · Corrected machine-check records were reported in the source window.
fixture-agent-status
UNKNOWN · A check result was not returned.
fixture-boot-records
OK · Boot records are readable.
This envelope has no generated-at field. Individual last-run fields, when supplied, are shown in the proposed reader. These are reported checks, with no run-check action.


VEGA
DESIGN FIXTURE
Reported check
Example
EXAMPLE MACHINE · LOCAL
fixture-kernel-capture
Reported status: critical
A retained kernel capture was reported. Inspect host evidence before drawing a cause from this check.
Check ID
fixture-kernel-capture
Status
critical
Category
forensics
Last run
2026-10-10T10:58:00Z · source field
Additional source fields
{
"evidence": "fixture-console-0",
"interpretation": "The check reports evidence presence; it does not establish which process caused the prior shutdown."
}
Category, details and last-run time are typed source fields not


VEGA
DESIGN FIXTURE
CPU layout
Example
EXAMPLE MACHINE · LOCAL
Customize CPU layout
Display preferences apply immediately in this fixture.
They do not change monitoring or process state.
Density
Comfortable
Columns
1
The source keeps one column below 48rem, regardless of the column preference. Density changes spacing. Preferences are in memory only in this offline fixture.
Usage history
Mode and stall history
Mode breakdown
Done


VEGA
DESIGN FIXTURE
Capacity policy
Example
Policy controls
Each change saves one key. Capacity is a current-state ledger; the global history window does not change these values.
Tracking threshold
1048576 · bytes
Idle grace
30s · source duration string
Heartbeat lifetime
60s · source duration string
Reconciliation warning
10485760 · bytes
Admission mode
advisory · off / advisory / on
Permit preemption
false · source string
Auto-stop owners
example-owner · comma-separated owner IDs


VEGA
DESIGN FIXTURE
Idle grace
Example
Idle grace
How long a claim must be idle before it becomes reclaim-eligible.
idle_grace · source duration string
55s
Only this key is submitted. Server parsing and validation still apply; raw source strings are preserved.
Discard this draft
Review change


VEGA
DESIGN FIXTURE
Review policy
Example
Idle grace
Review one change for Example machine.
Current → proposed
30s → 55s
SetCapacityPolicy sends {key: idle_grace, value: the proposed string}. Other drafts remain untouched. How long a claim must be idle before it becomes reclaim-eligible.
Save this key


VEGA
DESIGN FIXTURE
Automatic triggers
Example
Conditions & cooldown
Configure each supplied trigger without turning historical samples into active alerts.
High CPU usage
Disabled · above 95 % · CPU used 43.2 %
Memory pressure
Enabled · below 10 % · Memory available 28 %
Low disk space
Enabled · above 90 % · Observation unavailable
Network connections
Enabled · above 2000 connections · Established TCP 591 connections
Process anomaly
Enabled · above 25 processes · Anomalous processes 0 processes
Cooldown period
300 seconds · source range 60–3600, step 60
Reset cooldown
120 seconds remaining · clears last-trigger timestamp only


VEGA
DESIGN FIXTURE
Memory pressure
Example
Memory pressure
Triggers when available memory falls below threshold below 10 %. This threshold is a condition setting, not a completed incident or proof of repair.
Memory available
28 %
Trigger
Enabled
Threshold
below 10 %
Auto-fix
Requested · prompt behavior, not permissions
Auto-fix does not change the execution profile. Report-only investigations may still write reports or scripts.


VEGA
DESIGN FIXTURE
Capacity
Example
EXAMPLE MACHINE · LOCAL
Capacity
Compare observed GPU memory with the active capacity ledger.
Refresh
Review scenarios
Current-state ledger · No historical request filter or response-wide timestamp.
Sensing warning
Fixture warning: GPU process ownership is incomplete for one consumer.
GPU 0 · Illustrative GPU
Observed used
18 GiB
Claimed
28 GiB
Free 6 GiB · Total 24 GiB
Claims exceed total by 4 GiB. The meter is capped at 100%.
Full capacity quantities
Observed, free, total and claimed bytes


VEGA
DESIGN FIXTURE
Active claims
Example
EXAMPLE MACHINE · LOCAL
Active claims
A read-only ledger. Activity is reported state, and protection applies while active.
scenario/example-inference
granted · interactive · active · 14 GiB · Protected
scenario/example-worker
granted · service · idle · 10 GiB
scenario/example-batch
degraded · batch · active · 4 GiB
Full-phone detail is a proposed presentation. No claim create, release or preemption control is added.


VEGA
DESIGN FIXTURE
Claim detail
Example
EXAMPLE MACHINE · LOCAL
example-inference
granted · Protected while active
Owner
scenario/example-inference
Resource
vram · GPU 0
Status
granted
Priority tier
interactive
Activity
active
Amount
14 GiB · 15,032,385,536 bytes
Protection
Protected while active
Additional typed source fields
Proposed disclosure beyond the current table.
Claim ID
fixture-claim-1-00000000000000000000
Instance ID
fixture-instance-1
Preferred
17,179,869,184 bytes


VEGA
DESIGN FIXTURE
Consumer findings
Example
EXAMPLE MACHINE · LOCAL
Consumer findings
Reconciliation of observed GPU consumers against the claim ledger.
Over-claim
warn · Observed VRAM exceeds this consumer's matched active claim by 1 GiB.
Unclaimed
warn · unknown · 2 GiB
Claimed
info · Observed consumer has a matching claim.
No response-wide timestamp is supplied. Classification and severity are source values; no dismiss or consumer-control action is added.


VEGA
DESIGN FIXTURE
Forensics
Example
EXAMPLE MACHINE · LOCAL
Forensics
Inspect the host's prior shutdown, boot records and reported evidence.
Refresh
Review scenarios
Host-state evidence · The shared time window does not filter this request.
Prior shutdown
Unclean shutdown
Boot –1 · fixture-boot-prior · No recognized shutdown
Boot history
4 source records · Full boot identity a
Machine check errors
0 uncorrected · 2 corrected · Current reported window
Pstore artifacts
2 metadata records · /sys/fs/pstore


VEGA
DESIGN FIXTURE
Boot history
Example
EXAMPLE MACHINE · LOCAL
Boot history
Source boot records. Selecting a row opens the proposed full-phone reader.
0 · Current boot
fixture-boot-current · 2h 0m
-1 · Unclean shutdown
fixture-boot-prior-1 · 1d 0h
-2 · Clean shutdown
fixture-boot-clean-2 · 23h 58m
-3 · Unknown
fixture-boot-unknown · Unknown
Generated
Generated is the source envelope field, not a claim abo
record's observation time. Displaying it here is a propos
disclosure.


VEGA
DESIGN FIXTURE
Boot record
Example
EXAMPLE MACHINE · LOCAL
Unclean shutdown
Boot index -1 · Full source record
No recognized shutdown marker was found before the next boot. This classification does not identify a root cause.
Boot ID
fixture-boot-prior-1111111111111111
Index
-1
Duration
1d 0h
First entry
2026-10-09T08:00:00Z · source field
Last entry
2026-10-10T08:54:00Z · source field
Clean flag
false
Reason
No recognized shutdown marker was found before the next boot. This classification does not identify a root cause.


VEGA
DESIGN FIXTURE
Pstore artifacts
Example
EXAMPLE MACHINE · LOCAL
Pstore artifacts
Metadata reported by the host. These entries do not provide artifact-file actions.
/sys/fs/pstore
fixture-console-0
console · 16,284 bytes · Modified 2026-10-10T08:55:00Z
fixture-dmesg-0000000000000000000000000000000001
dmesg · 4,096 bytes · Modified not supplied
Generated
2026-10-10T10:59:55Z · source field
Generated is the source envelope field, not a claim about every record's observation time. Displaying it here is a proposed disclosure.


VEGA
DESIGN FIXTURE
Autoheal checks
Example
EXAMPLE MACHINE · LOCAL
Autoheal checks
Reported forensics checks, ordered by severity.
fixture-kernel-capture
CRITICAL · A retained kernel capture was reporte
fixture-mce-review
achine-check records were
ndow.
WARNING · Corrected ma
reported in the source wi
ult was not returned.
fixture-agent-status
UNKNOWN · A check resu
dable.
fixture-boot-records
OK · Boot records are rea
ated-at field. Individual last-run
nown in the proposed reader. These
o run-check action.
This envelope has no gener
fields, when supplied, are sh
are reported checks, with n


VEGA
DESIGN FIXTURE
Reported check
Example
EXAMPLE MACHINE · LOCAL
fixture-kernel-capture
Reported status: critical
A retained kernel capture was reported. Inspect host evidence before drawing a cause from this check.
Check ID
fixture-kernel-capture
Status
critical
Category
forensics
Last run
2026-10-10T10:58:00Z · source field
Additional source fields
{
"evidence": "fixture-console-0",
"interpretation": "The check reports evidence presence; it does not establish which process caused the prior shutdown."
}
Category, details and last-run time are typed source fields not


VEGA
DESIGN FIXTURE
CPU layout
Example
EXAMPLE MACHINE · LOCAL
Customize CPU layout
Display preferences apply immediately in this fixture.
They do not change monitoring or process state.
Density
Comfortable
Columns
1
The source keeps one column below 48rem, regardless of the column preference. Density changes spacing. Preferences are in memory only in this offline fixture.
Usage history
Mode and stall history
Mode breakdown
Done


VEGA
DESIGN FIXTURE
Capacity policy
Example
Policy controls
Each change saves one key. Capacity is a current-state ledger; the global history window does not change these values.
Tracking threshold
1048576 · bytes
Idle grace
30s · source duration string
Heartbeat lifetime
60s · source duration string
Reconciliation warning
10485760 · bytes
Admission mode
advisory · off / advisory / on
Permit preemption
false · source string
Auto-stop owners
example-owner · comma-separated owner IDs


VEGA
DESIGN FIXTURE
Idle grace
Example
Idle grace
How long a claim must be idle before it becomes reclaim-eligible.
idle_grace · source duration string
55s
Only this key is submitted. Server parsing and validation still apply; raw source strings are preserved.
Discard this draft
Review change


VEGA
DESIGN FIXTURE
Review policy
Example
Idle grace
Review one change for Example machine.
Current → proposed
30s → 55s
SetCapacityPolicy sends {key: idle_grace, value: the proposed string}. Other drafts remain untouched. How long a claim must be idle before it becomes reclaim-eligible.
Save this key


VEGA
DESIGN FIXTURE
Automatic triggers
Example
Conditions & cooldown
Configure each supplied trigger without turning historical samples into active alerts.
High CPU usage
Disabled · above 95 % · CPU used 43.2 %
Memory pressure
Enabled · below 10 % · Memory available 28 %
Low disk space
Enabled · above 90 % · Observation unavailable
Network connections
Enabled · above 2000 connections · Established TCP 591 connections
Process anomaly
Enabled · above 25 processes · Anomalous processes 0 processes
Cooldown period
300 seconds · source range 60–3600, step 60
Reset cooldown
120 seconds remaining · clears last-trigger timestamp only


VEGA
DESIGN FIXTURE
Memory pressure
Example
Memory pressure
Triggers when available memory falls below threshold below 10 %. This threshold is a condition setting, not a completed incident or proof of repair.
Memory available
28 %
Trigger
Enabled
Threshold
below 10 %
Auto-fix
Requested · prompt behavior, not permissions
Auto-fix does not change the execution profile. Report-only investigations may still write reports or scripts.


VEGA
DESIGN FIXTURE
Display & live view
Example
Display & live view
Appearance belongs to this app. The machine selector remains visible; changing a view does not change host collection or action permissions.
Appearance
Dark
Shared history window
24h
Pause supported live updates
This prototype changes view state only. Logs honors pause; the current Forensics and Capacity hooks keep polling. A unified freeze across every surface is an open proposed change. Pausing the view does not stop host collection or alert evaluation.
Refresh available snapshot
Request latest stored data, without promising a new measurement
Latest available fixture retained. Observation time did not change; no collection was triggered.


VEGA
DESIGN FIXTURE
Machine view
Remote
VROOLI BRIDGE
Remote example
The selected machine changed. Previous local records and settings are not relabeled.
Remote example · Linux
Live · Read only · Fixture heartbeat 11:00 UTC
Retry now
Back to this computer
This fixture is qualified for local task design. It does not decide or remove remote product capabilities. D1 remains open.
Choose another machine
Return to the local representative tasks


VEGA
DESIGN FIXTURE
Forensics
Example
EXAMPLE MACHINE · LOCAL
Forensics
Inspect the host's prior shutdown, boot records and reported evidence.
Refresh
Review scenarios
Refresh failed · retained evidence
The last returned summary remains below. No new summary was confirmed. Its source timestamps are unchanged.
Host-state evidence · The shared time window does not filter this request.
Prior shutdown
Unclean shutdown
Boot –1 · fixture-boot-prior · No recognized shutdown marker was found before the next boot. This classification does not identify a root cause.
Boot history
4 source records · Full boot identity and duration
Machine check errors
0 uncorrected · 2 corrected · Current boot · source-reported window


VEGA
DESIGN FIXTURE
Capacity
Example
EXAMPLE MACHINE · LOCAL
Capacity
Compare observed GPU memory with the active capacity ledger.
Refresh
Review scenarios
Current-state ledger · No historical request filter or response-wide timestamp.
Refresh failed · last returned ledger retained
Overview and claims below are older retained values. Their response has no blanket timestamp. No new current-state read was confirmed.
Sensing warning
Fixture warning: GPU process ownership is incomplete for one consumer.
GPU 0 · Illustrative GPU
Observed used
18 GiB
Claimed
28 GiB
Free 6 GiB · Total 24 GiB
Claims exceed total by 4 GiB. The meter is capped at 100%.


VEGA
DESIGN FIXTURE
Start investigation
Example
EXAMPLE MACHINE · LOCAL
What should Vega check?
The request inspects current state on Example machine. The shell's time window is not an execution filter.
Auto-fix
Ask the agent to attempt remediation. Off requests a report-only investigation.
Add optional note
Auto-fix changes the prompt, not runner permissions. Report-only may still write reports or scripts. The source-owned runner profile controls its authority.
Design fixture · The launch request has only Auto-fix and an optional note. No model, schedule, budget or history-range control is added.
Review launch


VEGA
DESIGN FIXTURE
Investigations
Example
EXAMPLE MACHINE · LOCAL
Investigations
Investigate this machine's current state, then read the evidence in its own context.
Start investigation
Agent status
running agent · Last acknowledged 11:00:00 UTC
Investigation findings
6 example records · Search and read full findings
Automatic triggers
Thresholds, Auto-fix and investigation cooldown
Generated reports
Daily and weekly summaries of collected telemetry
Investigation scripts
7 source catalog entries · Inspect before running
Review this design
Fixed example data. Actions model responses locally and never contact a machine or service.
Choose a review scenario


VEGA
DESIGN FIXTURE
Reports
Example
EXAMPLE MACHINE · LOCAL
Generated reports
Daily and weekly summaries of collected telemetry.
These are separate from investigation findings.
Generate daily
Generate weekly
4 fixture reports
Refresh
daily
Daily report
CPU 34.2% · Memory 61.8% average
Generated 2026-10-10T06:00:00Z
3 alerts · 6 recommendations
weekly
Weekly report
CPU 29.7% · Memory 60.4% average
Generated 2026-10-09T06:00:00Z
12 alerts · 6 recommendations
daily
Daily report
CPU 38.1% · Memory 66.2% average
Generated 2026-10-08T06:00:00Z
4 alerts · 6 recommendations


VEGA
DESIGN FIXTURE
Scripts
Example
EXAMPLE MACHINE · LOCAL
Investigation scripts
Find a tool, inspect its source, then review exactly what would run.
Search by name, ID, category or description
New script
Reload catalog
7 of 7 source catalog entries
Authoring
shell
Enabled
Container Health Analyzer
Reports container runtime availability and a bounded health summary
container-health · resource-management
shell
Enabled
Master System Sweep
Returns a bounded machine-readable system investigation summary
master-system-sweep · system
native
Enabled


VEGA
DESIGN FIXTURE
Start investigation
Example
EXAMPLE MACHINE · LOCAL
What should Vega check?
The request inspects current state on Example machine. The shell's time window is not an execution filter.
Auto-fix
Ask the agent to attempt remediation. Off requests a report-only investigation.
Add optional note
Auto-fix changes the prompt, not runner permissions. Report-only may still write reports or scripts. The source-owned runner profile controls its authority.
Design fixture · The launch request has only Auto-fix and an optional note. No model, schedule, budget or history-range control is added.
Review launch


VEGA
DESIGN FIXTURE
Investigations
Example
EXAMPLE MACHINE · LOCAL
Investigations
Investigate this machine’s current state, then read the evidence in its own context.
Start investigation
Agent status
running agent · Last acknowledged 11:00:00 UTC
Investigation findings
6 example records · Search and read full findings
Automatic triggers
Thresholds, Auto-fix and investigation cooldown
Generated reports
Daily and weekly summaries of collected telemetry
Investigation scripts
7 source catalog entries · Inspect before running
Review this design
Fixed example data. Actions model responses locally and never contact a machine or service.
Choose a review scenario


VEGA
DESIGN FIXTURE
Reports
Example
EXAMPLE MACHINE · LOCAL
Generated reports
Daily and weekly summaries of collected telemetry.
kly
Generate daily
Generate wee
Refresh
4 fixture reports
daily
Daily report
CPU 34.2% · Memory 61.8% average
Generated 2026-10-10T06:00:00Z
3 alerts · 6 recommendations
weekly
Weekly report
CPU 29.7% · Memory 60.4% average
Generated 2026-10-09T06:00:00Z
12 alerts · 6 recommendations
daily
Daily report
CPU 38.1% · Memory 66.2% average
Generated 2026-10-08T06:00:00Z
4 alerts · 6 recommendations


VEGA
DESIGN FIXTURE
Scripts
Example
EXAMPLE MACHINE · LOCAL
Investigation scripts
Find a tool, inspect its source, then review exactly what would run.
Search by name, ID, category or description
New script
Reload catalog
7 of 7 source catalog entries
Authoring
shell
Enabled
Container Health Analyzer
Reports container runtime availability and a bounded health summary
container-health · resource-management
shell
Enabled
Master System Sweep
Returns a bounded machine-readable system investigation summary
master-system-sweep · system
native
Enabled


VEGA
DESIGN FIXTURE
Termination review
Example
Machine
Example machine · local fixture
Process
example-finished-worker-2
PID
6101
Category
Zombie processes
Evidence collected
2026-10-10T10:59:00Z · source field
Forceful and irreversible
The existing UI warns that termination cannot be undone. It may interrupt work and lose unsaved state.
Source boundary: the UI attempts POST /processes/{pid}/kill, but no matching mounted server endpoint was found. This design cannot demonstrate current successful termination.
Preview below models a failed or unknown request only. No process is contacted, dismissed, removed or marked terminated.
Cancel
Preview request


VEGA
DESIGN FIXTURE
Termination review
Example
Machine
Example machine · local fixture
Process
example-finished-worker-2
PID
6101
Category
Zombie processes
Evidence collected
2026-10-10T10:59:00Z · source field
Forceful and irreversible
The existing UI warns that termination cannot be undone. It may interrupt work and lose unsaved state.
Source boundary: the UI attempts POST /processes/{pid}/kill, but no matching mounted server endpoint was found. This design cannot demonstrate current successful termination.
Preview below models a failed or unknown request only. No process is contacted, dismissed, removed or marked terminated.
Cancel
Preview request


VEGA
DESIGN FIXTURE
Termination review
Example
Terminate this process?
example-finished-worker-2 · PID 6101
Machine
Example machine · local fixture
Process
example-finished-worker-2
PID
6101
Category
Zombie processes
Evidence collected
2026-10-10T10:59:00Z · source field
Forceful and irreversible
The existing UI warns that termination cannot be undone. It may interrupt work and lose unsaved state.
Source boundary: the UI attempts POST /processes/{pid}/kill, but no matching mounted server endpoint was found. This design cannot demonstrate current successful termination.
Preview below models a failed or unknown request only. No process is contacted, dismissed, removed or marked terminated.
Cancel
Preview request


VEGA
DESIGN FIXTURE
Termination review
Example
Terminate this process?
example-finished-worker-2 · PID 6101
Machine
Example machine · local fixture
Process
example-finished-worker-2
PID
6101
Category
Zombie processes
Evidence collected
2026-10-10T10:59:00Z · source field
Forceful and irreversible
The existing UI warns that termination cannot be undone. It may interrupt work and lose unsaved state.
Source boundary: the UI attempts POST /processes/{pid}/kill, but no matching mounted server endpoint was found. This design cannot demonstrate current successful termination.
Preview below models a failed or unknown request only. No process is contacted, dismissed, removed or marked terminated.
Cancel
Preview request


VEGA
DESIGN FIXTURE
Settings
Example
MONITORING
Monitoring settings
Settings for Example machine
1 unsent change
Not submitted
The current response matches the submitted settings. This read does not prove which request caused them, and sent no new save.
Collection & evaluation
On · Collection every 20s
Alert thresholds
CPU 85% · Memory 90% · Disk 85%
CPU escalation
Severity, sustained pressure & cooldown
Investigation cooldown
300 seconds between investigations
Last confirmed fixture response · 11:02 UTC
Changes affect future collection and evaluation.
Design fixture: Example machine settings confirmed. Newer draft remains unsaved.


VEGA
DESIGN FIXTURE
Settings
Example
MONITORING
Monitoring settings
Settings for Example machine
Save outcome unknown · Example machine
Submitted proposal retained: Metric collection 10 → 15 s.
Changing the viewed machine does not discard this submission.
Save outcome not confirmed. The submitted proposal is retained for this machine.
Collection & evaluation
On · Collection every 15s
Alert thresholds
CPU 85% · Memory 90% · Disk 85%
CPU escalation
Severity, sustained pressure & cooldown
Investigation cooldown
300 seconds between investigations
Check current settings


VEGA
DESIGN FIXTURE
Settings
Example
MONITORING
Monitoring settings
Settings for Example machine
Save outcome unknown · Example machine
Submitted proposal retained: Metric collection 10 → 15 s.
Changing the viewed machine does not discard this submission.
Save outcome not confirmed. The submitted proposal is retained for this machine.
Collection & evaluation
On · Collection every 15s
Alert thresholds
CPU 85% · Memory 90% · Disk 85%
CPU escalation
Severity, sustained pressure & cooldown
Investigation cooldown
300 seconds between investigations
Check current settings


VEGA
DESIGN FIXTURE
Settings
Example
MONITORING
Monitoring settings
Settings for Example machine
Save outcome unknown · Example machine
Submitted proposal retained: Metric collection 10 → 15 s.
Changing the viewed machine does not discard this submission.
Save outcome not confirmed. The submitted proposal is retained for this machine.
Collection & evaluation
On · Collection every 15s
Alert thresholds
CPU 85% · Memory 90% · Disk 85%
CPU escalation
Severity, sustained pressure & cooldown
Investigation cooldown
300 seconds between investigations
Last confirmed fixture response · 11:02 UTC
Changes affect future collection and evaluation.
Check current settings


VEGA
DESIGN FIXTURE
Settings
Example
MONITORING
Monitoring settings
Settings for Example machine
Save outcome unknown · Example machine
Submitted proposal retained: Metric collection 10 → 15 s.
Changing the viewed machine does not discard this submission.
Save outcome not confirmed. The submitted proposal is retained for this machine.
Collection & evaluation
On · Collection every 15s
Alert thresholds
CPU 85% · Memory 90% · Disk 85%
CPU escalation
Severity, sustained pressure & cooldown
Investigation cooldown
300 seconds between investigations
Last confirmed fixture response · 11:02 UTC
Changes affect future collection and evaluation.
Check current settings

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Capacity
Example machine · current snapshot 11:00 UTC
Current-state ledger. The selected history window does not apply.
Refresh
GPU 0 · Example compute adapter
Measured use and reservations can overlap.
Observed used
4,096 MB
Granted claims
6,144 MB
16,384 MB
Do not add observed and claimed amounts
Observed free 12,288 MB · total capacity
Active claims
Granted reservations · current snapshot 11
Resource
State
Priority
Activity
Amount
Owner
VRAM · GPU 0
Granted
Service
active
4,096 MB
example-render-worker
VRAM · GPU 0
Granted
Service
idle
2,048 MB
Example media job
Consumer reconciliation
Coverage is not an authorization verdict.
worker
PID 4201
2,048 MB observed
CLAIMED
example-render-
ob
PID 4219
1,024 MB observed
CLAIMED
Example media j
navailable
PID 5310
256 MB observed
UNKNOWN
Owner identity u
Capacity policy
Confirmed values in this synthetic scenario
Each key saves separately. No change has b
Advisory never blocks a start.
advisory
Save
Admission mode
enforce
Permission for the final stop stage.
false
Save
Permit preemption
preempt_enabled
Comma-separated owner identities.
(empty)
Save
Auto-stop eligible owners
auto_stop_allowlist
Minimum observed bytes to reconcile.
268435456
Save
Tracking threshold
tracking_threshold
Over-claim drift threshold in bytes.
536870912
Save
Reconciliation warning
reconcile_warn_threshold
Raw duration text; format is source-owned.
1m0s
Save
Idle grace
idle_grace
30s
Save
Default heartbeat TTL
default_heartbeat_ttl
Show additional keys
Additional supplied keys (10
Raw-key editor retains all supplied
Refresh every 15s is independent of
Synthetic design fixture · not host observa
Not live · snapshot 11:00 UTC · 10 Oct 202


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Capacity
Refresh
Current-state ledger. The selected history window does not apply.
GPU 0 · Example compute adapter
Measured use and reservations can overlap.
6,144 MB
bserved and claimed amounts
Observed used
4,096 MB
Granted claims
Observed free 12,288 MB · total capacity 16,384 MB
Do not add c
Active claims
Granted reservations · current snapshot 11:00
Amount
Owner
Resource
State
Priority
Activity
4,096 MB
example-render-worker
VRAM · GPU 0
Granted
Service
active
2,048 MB
Example media job
VRAM · GPU 0
Granted
Service
idle
Consumer reconciliation
Coverage is not an authorization verdict.
2,048 MB observed
CLAIMED
example-render-worker
PID 4201
1,024 MB observed
CLAIMED
Example media job
PID 4219
256 MB observed
UNKNOWN
Owner identity unavailable
PID 5310
Capacity policy
Confirmed values in this synthetic scenario · 11:00
Each key saves separately. No change has been sent.
Admission mode
enforce
advisory
Save
Advisory never blocks a start.
Permit preemption
preempt_enabled
false
Save
Permission for the final stop stage.
Auto-stop eligible owners
auto_stop_allowlist
(empty)
Save
Comma-separated owner identities.
Tracking threshold
tracking_threshold
268435456
Save
Minimum observed bytes to reconcile.
Reconciliation warning
reconcile_warn_threshold
536870912
Save
Over-claim drift threshold in bytes.
Idle grace
idle_grace
1m0s
Save
Raw duration text; format is source-owned.
Default heartbeat TTL
default_heartbeat_ttl
30s
Save
Claim liveness when none is supplied.
Show additional keys
Additional supplied keys (10)
Raw-key editor retains all supplied levers; parsing and bounds remain source-owned.
Refresh every 15s is independent of global pause. Proposed: retain dirty rows and flag incoming changes.
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


boards
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
Vega
Dash
READ EVIDENCE
-artifact evidence
our. Response generated 11:00 UTC; individual observation times not supplied.
Refresh
Last shutdown
UNAVAILABLE
No prior boot recorded.
Clean shutdown not established.
Machine-check errors
COLLECTION FAILED
ras-mc-ctl: exit status 1.
Not a zero-error result.
Pstore artifacts
PERMISSION DENIED
Directory was not readable.
Artifact presence is unknown.
Forensics
Example machine · Local
Boot, machine-check and crash
Host-state records may precede the selected h
Boot history
CURRENT BOOT
0123456789abcdef...
No prior boot recorded.
ss sources
artifacts in pstore," while direct collection is denied.
Pstore evidence conflicts acro
The separate autoheal check says "No crash
results
each check, not the active-alert feed
chdog
The watchdog reported findings requiring inspection.
Details ›
The source reports sustained stranded-memory pressure.
Details ›
collection
ras-mc-ctl failed with exit status 1.
Details ›
The source reports warning disk pressure.
Details ›
Only the current boot is recorded; no history yet.
Details ›
heck
No crash artifacts in pstore.
Details ›
ses
No zombie processes detected in this check.
Details ›
eadiness
The source reports that recovery preconditions hold.
Details ›
Source-reported check
8 returned checks · severity belongs t
CRITICAL
Emergency wat
CRITICAL
Host pressure
WARNING
Machine-check
WARNING
Disk pressure
OK
Boot history
OK
Crash-artifact c
OK
Zombie proces
OK
Boot recovery r
Evidence scope
These are diagnostic records. No perm
ission repair, service restart or host change is triggered from a check row.
ent-host diagnosis · native logo unchanged
nds independently of global pause. A unified view freeze is proposed separately.
Reference-derived synthetic fixture · no curr
Current source polls this route every 60 seco

Vega

Dashboard Forensics Logs Capacity Scripts Controls

10 Oct 2026
10:00–11:00 UTC

Forensics

READ EVIDENCE

Example machine · Local

Boot, machine-check and crash-artifact evidence

Refresh

Host-state records may precede the selected hour. Response generated 11:00 UTC; individual observation times not supplied.

Boot history
CURRENT BOOT
nce is unknown.

Last shutdown
UNAVAILABLE
No prior boot recorded.

Machine-check errors
COLLECTION FAILED
Clean shutdown not established.

Pstore artifacts
PERMISSION DENIED
Not a zero-error result.
Artifact prese

Pstore evidence conflicts across sources

The separate autoheal check says “No crash artifacts in pstore,” while direct collection is denied.
Individual observation times are unavailable. These sources do not establish that crash artifacts are absent.

Source-reported check results

8 returned checks · severity belongs to each check, not the active-alert feed

CRITICAL	Emergency watchdog	The watchdog reported findings requiring inspection.	Details ›
CRITICAL	Host pressure	The source reports sustained stranded-memory pressure.	Details ›
WARNING	Machine-check collection	ras-mc-ctl failed with exit status 1.	Details ›
WARNING	Disk pressure	The source reports warning disk pressure.	Details ›
OK	Boot history	Only the current boot is recorded; no history yet.	Details ›
OK	Crash-artifact check	No crash artifacts in pstore.	Details ›
OK	Zombie processes	No zombie processes detected in this check.	Details ›
OK	Boot recovery readiness	The source reports that recovery preconditions hold.	Details ›

Evidence scope

These are diagnostic records. No permission repair, service restart or host change is triggered from a check row.

Reference-derived synthetic fixture · no current-host diagnosis · native logo unchanged
Current source polls this route every 60 seconds independently of global pause. A unified view freeze is proposed separately.


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
Forensics
Example machine · Local
READ EVIDENC
Crash-artifact check
SOURCE-REPORTED OK
system-pstore-evidence
“No crash artifacts in pstore.”
Observation time: not supplied
Separate direct pstore source: denied
Conflict remains unresolved.
Evidence outside this hour
HISTORICAL RECORD
Selected hour: 10:00–11:00 UTC
9 Oct 2026 · 08:32 UTC
This record predates the selected hour.
It remains available as boot context.
Use explicit log filters for this date.
No previous boot
VALID SOURCE LIMIT
Only the current boot was returned.
No previous shutdown is available.
This is not proof that a restart was
clean, or that a crash did not happen.
Continue with available evidence.
Inspect conflicts. Do not animate a missing source into an OK result.
Record timestamps and response-generated time are different. Where individual evidence time is absent, say so.
Long technical identifiers and raw output wrap or use a contained, keyboard-reachable scroller; the page never widens.
A ternate fixtures / separate evidence states · no host action performed

Vega

Dashboard **Forensics** Logs Capacity Scripts Controls

10 Oct 2026
10:00–11:00 UTC

Forensics

Example machine · Local

READ EVIDENCE

Crash-artifact check

SOURCE-REPORTED OK

system-pstore-evidence

“No crash artifacts in pstore.”

Observation time: not supplied

Separate direct pstore source: denied

Conflict remains unresolved.

Close evidence

Evidence outside this hour

HISTORICAL RECORD

Selected hour: 10:00–11:00 UTC

9 Oct 2026 · 08:32 UTC

This record predates the selected hour.

It remains available as boot context.

Use explicit log filters for this date.

Close evidence

No previous boot

VALID SOURCE LIMIT

Only the current boot was returned.

No previous shutdown is available.

This is not proof that a restart was

clean, or that a crash did not happen.

Continue with available evidence.

Close evidence

Inspect conflicts. Do not animate a missing source into an OK result.

Record timestamps and sequence numbers are different. Where individual evidence items disagree, say so.

Long technical identifiers and raw output wrap or use a contained, keyboard-reachable scroller; the page never widens.

Alternate fixtures / separate evidence states · no host action performed


vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
Logs
Example machine · Local
READ EVIDENCE
Unit
All units
Priority
Any priority
Boot
Current boot
Grep / regex
Optional regex
Limit
200
Kernel only
Since
2026-10-10 10:00 UTC
Until
2026-10-10 11:00 UTC
Reset filters
Refresh
Apply query
Updates paused while reading
Polling is paused while you read older entries. Host collection continues.
Return to latest
8 entries returned
Snapshot 11:00:00 UTC · no known total
TIME UTC
PRIORITY
UNIT / MESSAGE
10:59:52
Warning
example-worker.service
Work queue exceeded its configured observation threshold.
10:59:47
Info
example-worker.service
Work item completed; result record is available.
10:59:43
Warning
example-worker.service
Storage observation incomplete: volume identity was not returned. The read-o...
10:59:30
Info
example-worker.service
Read-only inspection started for the selected scope.
10:58:54
Notice
example-scheduler.service
Deferred work is eligible for the next scheduling pass.
10:58:12
Info
example-worker.service
Worker returned to the waiting state.
10:57:38
Info
example-scheduler.service
A scheduled work item was acknowledged.
10:57:03
Info
example-worker.service
Worker is ready for the next item.
Selected entry
10:59:43 UTC
WARNING
example-worker.service
Example machine · PID 7812
Storage observation incomplete: volume identity was not returned. The read-only check retained throughput samples; no cleanup action was requested.
Copy message
Raw metadata
ENTRY IDENTITY
Boot
0123456789abcdef…
Cursor
fixture-cursor-0003
Timestamp is the log observation, not the latest query completion.
Illustrative entry · no action performed
Newer
Older
Cursor navigation · total pages unknown
Selected row remains stable during refresh
Synthetic log fixture · proposed reading/selection behavior · no runtime query or clipboard test


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
Logs
Example machine · Local
READ EVIDENCE
All units
Any priority
Current boot
Optional regex
200
Apply query
Since
2026-10-10 10:00 UTC
Until
2026-10-10 11:00 UTC
Reset filters
Refresh
Updates paused while reading
Polling is paused while you read older entries. Host collection continues.
8 entries returned
Snapshot 11:00:00 UTC · no known total
Selected entry
TIME UTC
PRIORITY
UNIT / MESSAGE
10:59:47
Info
example-worker.service
Work item completed; result record is available.
10:59:43
Warning
example-worker.service
Storage observation incomplete: volume identity was not returned. The read-o...
10:59:30
Info
example-worker.service
Read-only inspection started for the selected scope.
10:58:54
Notice
example-scheduler.service
Deferred work is eligible for the next scheduling pass.
10:58:12
Info
example-worker.service
Worker returned to the waiting state.
10:57:38
Info
example-scheduler.service
A scheduled work item was acknowledged.
10:57:03
Info
example-worker.service
Worker is ready for the next item.
10:59:43 UTC
example-worker.service
Example machine · PID 7812
ENTRY IDENTITY
Boot
0123456789abcdef…
Cursor
fixture-cursor-0003
Timestamp is the log observatic
not the latest query completion
Illustrative entry · no action performe
Newer
Older
Cursor navigation · total pages unknown
Synthetic log fixture · proposed reading/selection behavior · no runtime query or clipboard test


vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
READ EVIDENCE
Logs
Example machine · Local
QUERY STATE COMPANIONS
paused
try and place are retained.
w query.
eave.
Return to latest
Could not load older entries
QUERY FAILURE
The previous 8 entries are still shown.
The older request failed; this does not
establish that no older records exist.
Example machine · 10:00–11:00 UTC
Back to loaded page
Retry older
No matching entries
VALID EMPTY RESPONSE
Query completed for the selected interval.
0 entries match these filters.
change a filter or choose another interval.
Example machine · 10:00–11:00 UTC
Edit filters
Reset filters
Reading is
POLLING PAUSED
Your selected e
Returning to latest makes a ne
Your place stays until you choose to l
Example machine · 10:00–11:00 UTC
Keep reading
Retain the query. Retain the last successful page. Distinguish no matches from no response.
A historical capture demonstrated Older failure and Newer recovery. This specimen proposes clearer recovery and stable rows;
it does not claim successful older retrieval or a repaired journal command. Filters stay editable after failure.
Proposed separate states · synthetic fixture · no requests performed

Vega

Dashboard Forensics **Logs** Capacity Scripts Controls

10 Oct 2026
10:00–11:00 UTC

Logs

Example machine · Local

READ EVIDENCE

QUERY STATE COMPANIONS

Could not load older entries

QUERY FAILURE

The previous 8 entries are still shown.
The Older request failed; this does not establish that no older records exist.

Example machine · 10:00–11:00 UTC

Back to loaded page

Retry older

No matching entries

VALID EMPTY RESPONSE

Query completed for the selected interval.
0 entries match these filters.
Change a filter or choose another interval.

Example machine · 10:00–11:00 UTC

Edit filters

Reset filters

Reading is paused

POLLING PAUSED

Your selected entry and place are retained.
Returning to latest makes a new query.
Your place stays until you choose to leave.

Example machine · 10:00–11:00 UTC

Keep reading

Return to latest

Retain the query. Retain the last successful page. Distinguish no matches from no response.

A historical capture demonstrated Older failure and Newer recovery. This specimen proposes clearer recovery and stable rows:

urnal command. Filters stay editable after failure.

it does not claim successful older retrieval or a repaired jo

Proposed separate states · synthetic fixture · no requests performed


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Script library
Close
Execution result
Container Health Analyzer · Example machine
SYNTHETIC RECEIPT · no script was executed
Run / mode
run-example-014 · shell
Process receipt
Completed · exit 0
Duration / timeout
0.42 s · not timed out
Started UTC
10 Oct 2026 · 11:02:00
Docker evidence unavailable
The process completed, but its payload reports that the Docker daemon was unavailable.
stdout · complete returned JSON
{
"investigation": "container-health",
"status": "unavailable",
"reason": "Docker daemon is unavailable",
"findings": [],
"recommendations": [],
"timestamp": "2026-10-10T11:02:00Z"
}
stderr
collecting container health
Close result
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent

Vega

Dashboard Forensics Logs Capacity **Scripts** Controls 10 Oct 2026 10:00–11:00 UTC 15m **1h** 6h 24h

‹ Script library

Close

Execution result

Container Health Analyzer · Example machine

SYNTHETIC RECEIPT · no script was executed

Run / mode	Process receipt	Duration / timeout	Started UTC
run-example-014 · shell	Completed · exit 0	0.42 s · not timed out	10 Oct 2026 · 11:02:00

Docker evidence unavailable

The process completed, but its payload reports that the Docker daemon was unavailable.

stdout · complete returned JSON


```
{
  "investigation": "container-health",
  "status": "unavailable",
  "reason": "Docker daemon is unavailable",
  "findings": [],
  "recommendations": [],
  "timestamp": "2026-10-10T11:02:00Z"
}
```


stderr

```
collecting container health
```

Close result


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Script library
Close
Review execution
container-health · Example machine · Linux
Shell-gated built-in
Source
Inspected · deployed bytes unverified
Tools
bash, jq, docker · not verified
Authority
Not verified for this machine
The inspected source calls Docker info/ps; no restart or cleanup command was found.
The runner writes a temporary script file. This review does not grant permission.
Execution unavailable until verified
Verify source, platform, tools and authority.
No execution request has been sent.
Close review
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Script library
Close
Review execution
container-health · Example machine · Linux
Shell-gated built-in
Runs host shell commands through the configured runner.
Source
Inspected · deployed bytes unverified
Tools
bash, jq, docker · not verified
Authority
Not verified for this machine
The inspected source calls Docker info/ps; no restart or cleanup command was found.
The runner writes a temporary script file. This review does not grant permission.
Execution unavailable until verified
Verify source, platform, tools and authority.
No execution request has been sent.
Close review
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Script library
Close
Container Health Analyzer
Immutable built-in · shell-gated · Linux / macOS · requires bash, jq, docker
1160 bytes · 23 source lines · source inspected; deployed bytes unverified
Review execution
Full source · exact characters, visually soft-wrapped
Source header dates are not API metadata timestamps
1 #!/usr/bin/env bash
2 # INVESTIGATION_SCRIPT
3 # NAME: Container Health Analyzer
4 # DESCRIPTION: Reports container runtime availability and a hou
nded health summary,
5 # CATEGORY: resource_management
6 # OUTPUTS: json
7 # AUTHOR: claude-agent
8 # CREATED: 2026-02-18
9 # LAST_MODIFIED: 2026-08-26
10
11 set -euo pipefail
12 printf '%s\n' 'collecting container health' >&2
13 timestamp="$(date -u +%Y-%m-%dT%H:%M:%SZ)"
14 if ! docker info >/dev/null 2>&1; then
15 jq -n --arg ts "$timestamp" '{investigation:"container-health", timestamp:$ts, status:"unavailable", reas
on:"Docker daemon is unavailable", findings:[], recommendations:[]}'
16 exit 0
17 fi
18
19 running="$(docker ps -q 2>/dev/null | wc -l | tr -d ' ')"
20 unhealthy="$(docker ps --filter health=unhealthy -q 2>/dev/null | wc -l | tr -d ' ')"
21 exited="$(docker ps -a --filter status=exited -q 2>/dev/null | wc -l | tr -d ' ')"
22 jq -n --arg ts "$timestamp" --argjson running "${running:-0}" --argjson unhealthy "${unhealthy:-0}" --argjs
on exited "${exited:-0}" \
23 '{investigation:"container-health", timestamp:$ts, status:"completed", summary:{total_running:$running, u
nhealthy:$unhealthy, exited:$exited}, findings:[], recommendations:[]}'
Source viewing does not run the script.
No runtime result or execution permission is implied.
Native source catalog · synthetic selection · not live
No script executed · deployed catalog and overlays unverified

Vega

Dashboard Forensics Logs Capacity **Scripts** Controls 10 Oct 2026 10:00–11:00 UTC 15m **1h** 6h 24h

‹ Script library

Close

Container Health Analyzer

Immutable built-in · shell-gated · Linux / macOS · requires bash, jq, docker

1160 bytes · 23 source lines · source inspected; deployed bytes unverified

Review execution

Full source · exact characters, visually soft-wrapped

Source header dates are not API metadata timestamps.

```
1   #!/usr/bin/env bash
2   # INVESTIGATION_SCRIPT
3   # NAME: Container Health Analyzer
4   # DESCRIPTION: Reports container runtime availability and a bounded health summary.
5   # CATEGORY: resource-management
6   # OUTPUTS: json
7   # AUTHOR: claude-agent
8   # CREATED: 2026-02-18
9   # LAST_MODIFIED: 2026-08-26
10
11  set -euo pipefail
12  printf '%s\n' 'collecting container health' >&2
13  timestamp="$(date -u +%Y-%m-%dT%H:%M:%SZ)"
14  if ! docker info >/dev/null 2>&1; then
15    jq -n --arg ts "$timestamp" '{investigation:"container-health", timestamp:$ts, status:"unavailable", reas
    ↳ on:"Docker daemon is unavailable", findings:[], recommendations:[]}'
16    exit 0
17  fi
18
19  running="$(docker ps -q 2>/dev/null | wc -l | tr -d ' ')"
20  unhealthy="$(docker ps --filter health=unhealthy -q 2>/dev/null | wc -l | tr -d ' ')"
21  exited="$(docker ps -a --filter status=exited -q 2>/dev/null | wc -l | tr -d ' ')"
22  jq -n --arg ts "$timestamp" --argjson running "${running:-0}" --argjson unhealthy "${unhealthy:-0}" --argjs
    ↳ on exited "${exited:-0}" \
23    '{investigation:"container-health", timestamp:$ts, status:"completed", summary:{total_running:$running, u
    ↳ nhealthy:$unhealthy, exited:$exited}, findings:[], recommendations:[]}'
```

Source viewing does not run the script.

No runtime result or execution permission is implied.

Native source catalog · synthetic selection · not live

No script executed · deployed catalog and overlays unverified

Vega
Dashboard
Operations
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
Investigation scripts
Inspect the tool, its authority and its result.
Example machine
Current-state execution · hour is reference only
Search name, ID or category
Refresh
Built-in editing unavailable
7 BUILT-IN SCRIPTS
Container Health Analyzer
Selected
Shell-gated
Linux / macOS
Master System Sweep
Shell-gated
Linux / macOS
Memory Pressure Attribution
Native query
Linux / macOS / Windows
Network Anomaly Detector
Native query
Linux / macOS / Windows
Resource Leak Detector
Native query
Linux / macOS / Windows
Service Configuration Validator
Native query
Linux / macOS / Windows
Service Health Monitor
Native query
Linux / macOS / Windows
Container Health Analyzer
container-health
BUILT-IN · IMMUTABLE
Reports container runtime availability and a bounded health summary.
Execution mode
Shell-gated
Supported platforms
Linux / macOS
Required tools
bash · jq · docker
Machine context
Example machine · Linux
Prerequisites have not been verified on this machine.
The selected history hour does not scope script execution.
Review execution
Open full source
Source preview
1160 bytes · unchang
1 #!/usr/bin/env bash
3 # NAME: Container Health Analyzer
4 # DESCRIPTION: Reports container runtime availability and a bounded heal…
5 # CATEGORY: resource-management
7 # AUTHOR: claude-agent
8 # CREATED: 2026-02-18
9 # LAST_MODIFIED: 2026-08-26
Preview only · open full source for all 23 lines
No run submitted
Native source catalog · synthetic selection · not live
No script executed · deployed catalog and overlays unverified

Vega

Dashboard Forensics Logs Capacity **Scripts** Controls 10 Oct 2026 10:00–11:00 UTC 15m **1h** 6h 24h

Investigation scripts

Inspect the tool, its authority and its result.

Example machine

Current-state execution · hour is reference only

Search name, ID or category

Refresh

Built-in editing unavailable

7 BUILT-IN SCRIPTS

Container Health Analyzer — Selected
Shell-gated
Linux / macOS

Master System Sweep
hell-gated
inux / macOS

Memory Pressure Attribution
lative query
inux / macOS / Windows

elected history hour does not scope script execution.

Leak Detector
ry
OS / Windows

onfiguration Validator
ry
OS / Windows

ealth Monitor
Linux / macOS / Windows

Container Health Analyzer

container-health

BUILT-IN · IMMUTABLE

Reports container runtime availability and a bounded health summary.

Execution mode	Shell-gated
Supported platforms	Linux / macOS
Required tools	bash · jq · docker
Machine context	Example machine · Linux

Prerequisites have not been verified on this machine

Native query

Network Anomaly Detector

The s

Native query
Linux / mac

Service C
Native que
Linux / mac

Service H
Native que

Source preview

1160 bytes · unchanged

```
1  #!/usr/bin/env bash
2  # INVESTIGATION_SCRIPT
3  # NAME: Container Health Analyzer
4  # DESCRIPTION: Reports container runtime availability and a bounded heal…
5  # CATEGORY: resource-management
6  # OUTPUTS: json
7  # AUTHOR: claude-agent
8  # CREATED: 2026-02-18
9  # LAST_MODIFIED: 2026-08-26
```

Preview only · open full source for all 23 lines

No run submitted

Execution results appear with run ID, mode, timing and raw output.

Native source catalog · synthetic selection · not live
No script executed · deployed catalog and overlays unverified

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Back to Dashboard
Automatic triggers
Source configuration · effective state unverified
Editing unavailable
Existing configuration remains visible. No changes have been sent.
Trigger
Condition
Enabled
Auto-fix
High CPU Usage
high_cpu
CPU utilization above 95%
Off
On
Memory Pressure
memory_pressure
Low Disk Space
disk_space
Disk space used above 90%
On
On
Excessive Network Connections
network_connections
Established TCP above 2000
On
On
Process Anomaly
process_anomaly
Anomalous processes above 25
On
On
Cooldown source value · 600 seconds
Effective period and remaining time unverified. Reset clears only the last-trigger timestamp, not an agent or the period.
Auto-fix changes requested for review; it does not define execution permissions. No trigger priority, sustain duration or schedule editor is proposed.
Source configuration specimen · not live
Inspected native source · effective values unverified

Vega

Dashboard Forensics Logs Capacity Scripts Controls 10 Oct 2026 10:00–11:00 UTC 15m 1h 6h 24h

← Back to Dashboard

Automatic triggers

Source configuration · effective state unverified

Editing unavailable

Existing configuration remains visible. No changes have been sent.

Trigger	Condition	Enabled	Auto-fix
High CPU Usage high_cpu	CPU utilization above 95%	Off	On
Memory Pressure memory_pressure	Available memory below 10%	On	On
Low Disk Space disk_space	Disk space used above 90%	On	On
Excessive Network Connections network_connections	Established TCP above 2000	On	On
Process Anomaly process_anomaly	Anomalous processes above 25	On	On

Cooldown source value · 600 seconds

p, not an agent or the period.

Effective period and remaining time unverified. Reset clears only the last-trigger timestam

Auto-fix changes requested behavior; it does not define execution permissions. No trigger


Vega
Back to Dashboard
Automatic triggers
Source configuration · effective state unverified
Editing unavailable
Existing configuration remains visible.
No changes have been sent.
High CPU Usage
CPU utilization above 95%
Enabled: Off
Auto-fix: On
Source readout · changes unavailable
Memory Pressure
Available memory below 10%
Enabled: On
Auto-fix: On
Source readout · changes unavailable
Low Disk Space
Disk space used above 90%
Enabled: On
Auto-fix: On
Source readout · changes unavailable
Excessive Network Connections
Established TCP above 2000
Enabled: On
Auto-fix: On
Source readout · changes unavailable
Process Anomaly
Anomalous processes above 25
Enabled: On
Auto-fix: On
Source readout · changes unavailable
Cooldown source value · 600 second
Effective period and remaining time unverified
Reset is unavailable in this source treatment.
Reset clears the last-trigger timestamp only.
It does not stop an agent or change the period
Auto-fix changes requested behavior.
It does not define execution permissions.
Source configuration specimen · not live
Inspected native source · effective values unverified


Vega
Back to Dashboard
Automatic triggers
Editing unavailable
Existing configuration remains visible.
No changes have been sent.
High CPU Usage
CPU utilization above 95%
Enabled: Off
Auto-fix: On
Source readout · changes unavailable
Memory Pressure
Available memory below 10%
Enabled: On
Auto-fix: On
Source readout · changes unavailable
Low Disk Space
Disk space used
Enabled: On
Excessive Netw
Established TCP
Enabled: On
Process Anoma
Anomalous proc
Enabled: On
Cooldown source
Effective period and r
Reset is unavailable in
Reset clears the last-t
It does not stop an ac
Auto-fix changes requ
It does not define exe
Source configuration spe
Inspected native source ·

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Back to Dashboard
Devices & infrastructure
Example machine · current-state workspace · shell history does not scope these snapshots
Automatic tri
Hardware evidence
4 supp
PCI
Example compute adapter
0000:01:00.0 / class 0302 / example-compute-adapter
USB
Example environmental sensor
usb-Example_Instrumentation_Environmental_Sensor_EXAMPLE000024-if00
BLOCK
Example NVMe device
NETWORK
enp11s0
Selected evidence · Block
Example NVMe device
SMART evidence · permission denied
Device identity remains available.
Identity
Supplied
Telemetry
Unavailable
Evidence
Permission limited
Control
Unavailable
Anticipation
Unavailable
Capability grades describe evidence coverage. They do not grant execution authority.
Network enp11s0 · link up, speed unknown / Thermal evidence unavailable
Connection pools
Pool
Active
Idle
Max
Waiting
Reported health
example-primary
Database
12
4
24
0
Healthy
example-upstream
HTTP client
8
8
32
2
Healthy
Queues and background jobs
Subscribers
Channels
Pending jobs
Active jobs
Failed jobs
Storage I/O
Read
Write
Queue depth
I/O wait
Service dependencies
example-database
example-database:5432
Healthy
4.2 ms
Checked 10:59:58
example-cache
example-cache:6379
Degraded
38.6 ms
Checked 10:59:58
Certificates
No records returned
Configured certificate checks
Successful response · 10:59:58
API process · 46 goroutines
Not a host-wide process count
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026
Observed 11:00
Leak risk
Low
Low


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Back to Dashboard
Devices & infrastructure
Example machine · current-state workspace · shell history does not scope these snapshots
Automatic triggers
Hardware evidence
4 supplied entries
PCI
Example compute adapter
lass 0302 / example-compute-adapter
USB
Example environmental sensor
usb-Example_Instrumentation_Environmental_Sensor_EXAMPLE000024-if00
0000:01:00.0 / c
NETWORK
enp11s0
/sys/class/net/enp11s0
BLOCK
Example NVMe device
/dev/disk/by-id/nvme-Example_Storage_Device_EXAMPLE00000001
Selected evidence · Block
Example NVMe device
Telemetry
Unavailable
Evidence
Permission limited
Control
Unavailable
Anticipation
Unavailable
ice coverage. They do not grant execution authority.
known / Thermal evidence unavailable
Device identity remains available.
Identity
Supplied
Capability grades describe evider
Network enp11s0 · link up, speed ur
Observed 11:00
Connection pools
Active
Idle
Max
Waiting
Reported health
Leak risk
12
4
24
0
Healthy
Low
Pool
example-primary
Database
8
8
32
2
Healthy
Low
example-upstream
HTTP client
Observed 10:59:50
Queues and background jobs
Storage I/O
2%
wait
6
Subscribers
3
Channels
21
Pending jobs
4
Active jobs
1
Failed jobs
6 MB/s
Read
12 MB/s
Write
1.4
Queue depth
2.
I/O w
Service dependencies
example-database
example-database:5432
Healthy
4.2 ms
Checked 10:59:58
example-cache
example-cache:6379
Degraded
38.6 ms
Checked 10:59:58
Certificates
No records returned
Configured certificate checks
Successful response · 10:59:58
API process · 46 goroutines
Not a host-wide process count
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega
Back to Dashboard
Devices & infrastructure
Example machine · current state
Snapshot 11:00 · 10 Oct 2026
Hardware evidence
4 supplied entries
PCI
Example compute adapter
0000:01:00.0 / class 0302 / example-compute-adapter
USB
Example environmental sensor
usb-Example_Instrumentation_Environm
BLOCK
Example NVMe device
/dev/disk/by-id/nvme-Example_Storage_Device_EXAMPLE00000001
NETWORK
enp11s0
/sys/class/net/enp11s0
Selected evidence · Block
Example NVMe device
SMART evidence · permission denied
Device identity remains available.
Identity
Telemetry
Unavailab
Evidence
Permission limit
Control
Unavailab
Anticipation
Unavailab
Capability is evidence coverage.
It does not grant execution authority.
Connection pools
Observed
example-primary
Database · reported healthy · leak risk low
12
Active
4
Idle
24
Max
0
Waiting
example-upstream
HTTP client · reported healthy · lea
8
Active
8
Idle
32
Max
2
Waiting
Queues and backgro
6
Subscribers
3
Channels
4
Active jobs
1
Failed jobs
21
Pending jobs
Storage I/O
6
Read
MB/s
12
Write
1.4
Queue depth
Network link speed · unknown
enp11s0 reports link up; no speed
Thermal evidence · unavailabl
Service dependencies &
Synthetic design fixture · not host obser
Not live · snapshot 11:00 UTC · 10 Oct 20

Vega

← Back to Dashboard

Devices & infrastructure

Example machine · current state

Snapshot 11:00 · 10 Oct 2026

Hardware evidence

4 supplied entries

PCI

Example compute adapter

0000:01:00.0 / class 0302 / example-compute-adapter

USB

Example environmental sensor

usb-Example_Instrumentation_Environmental_Sensor_EXAMPLE000024-if00

BLOCK

Example NVMe device

/dev/disk/by-id/nvme-Example_Storage_Device_EXAMPLE00000001

NETWORK

enp11s0

/sys/class/net/enp11s0

Selected evidence · Block

Example NVMe device

SMART evidence · permission denied

Device identity remains available.

Identity	Supplied
Telemetry	Unavailable
Evidence	Permission limited
Control	Unavailable
Anticipation	Unavailable

Capability is evidence coverage.
It does not grant execution authority.

Connection pools

Observed 11:00

example-primary

Database · reported healthy · leak risk low

12	4	24	0
Active	Idle	Max	Waiting

example-upstream

HTTP client · reported healthy · leak risk low

8	8	32	2
Active	Idle	Max	Waiting

Queues and background jobs

6	3	21
Subscribers	Channels	Pending jobs

4	1
Active jobs	Failed jobs

Storage I/O

Observed 10:59:50

6 MB/s	12 MB/s
Read	Write

1.4	2.2%
Queue depth	I/O wait

Network link speed · unknown

enp11s0 reports link up; no speed supplied.

Thermal evidence · unavailable

Service dependencies & certificates

Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
‹ Infrastructure
Services & ev
Example machine · curr
Service depend
example-database
example-database:543
Healthy · 4.2 ms
example-cache
example-cache:6379
Degraded · 38.6 ms
10:59:58
10:59:58
Certificates
No records returned for
certificate checks.
Successful response · 10:
System Monitor AP
46 goroutines
Not a host-wide process co
Automat
Synthetic design fixture · not ho
Not live · snapshot 11:00 UTC ·


Vega
‹ Infrastructure
Services & evidence
Example machine · current state
Service dependencies
example-database
example-database:5432
Healthy · 4.2 ms
10:59:58
example-cache
example-cache:6379
Degraded · 38.6 ms
10:59:58
Certificates
No records returned for configured certificate checks.
Successful response · 10:59:58
System Monitor API process
46
goroutines
Not a host-wide process count
Automatic triggers
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
Back to Dashboard
Agent status
10:59:30
Investigations & reports
Example machine · current-state investigation · selected hour is reference context only
Prepare investigation
Current-state scope
NOT SUBMITTED
Auto-fix
Off
Report-only requested behavior
Queued is an acknowledgement.
Running has not been confirmed.
Refresh status
Stop...
A stop receipt is not proof that OS processes have terminated.
Reports are independent of this hour
Generate Daily and Weekly select a report type.
They do not submit the shell time range or create a schedule.
Generate daily
Generate weekly
Refresh
Daily · report-example-018
Illustrative historical report contents
Recommendations require current evidence review.
Open report
Acknowledged record
QUEUED
inv-example-001
Report-only · Example machine
Optional note
Review the current CPU and disk conditions.
The 10:00–11:00 overview is reference context only.
Execution authority matters
Report-only may write reports or scripts. The source profile permits read/write/shell; Auto-fix is not a permission or sandbox switch.
Cooldown · 4m 30s remaining
Ready at 11:04:30 · synthetic state
Launch unavailable during cooldown
Launch investigation
Report library
Daily operational report
18 Feb 2026 · 19:45 UTC
Historical · outside selected hour
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Back to Dashboard
Investigations & reports
Example machine · current-state investigation · selected hour is reference context only
Agent status
Prepare investigation
Current-state scope
NOT SUBMITTED
Auto-fix
Off
Acknowledged record
QUEUED
10:59:30
inv-example-001


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
15m
1h
6h
24h
Close report
‹ Reports
REPORT SECTIONS
Summary
Finding
Recommendation
Risk
Technical evidence
report-example-018
Daily · historical
Historical report
18 Feb 2026 · 19:45 UTC · outside selected hour
Illustrative report content
Summary
One evidence source was unavailable during this report period. Available evidence was retained; no root cause was established.
Finding
A disk-analysis response was unavailable. Occupancy and throughput are different quantities. Neither explains why storage was occupied.
Recommendation
Inspect the failed source in its own context before planning a change. Retain the original response beside subsequent evidence.
Risk
Historical recommendations may be out of date. Any change requires current evidence and a separate authority review.
Technical evidence
{
"source": "disk-analysis",
"result": "unavailable",
"http_status": 404, "diagnosis": null
}
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Reports
Close report
Historical report
18 Feb 2026 · 19:45 UTC · outside selected hour
Illustrative report content
REPORT SECTIONS
Summary
Finding
Recommendation
Risk
Technical evidence
report-example-018
Daily · historical
Summary
One evidence source was unavailable during this report period. Available evidence was retained; no root cause was established.
Finding
A disk-analysis response was unavailable. Occupancy and throughput are different quantities. Neither explains why storage was occupied.
Recommendation
Inspect the failed source in its own context before planning a change. Retain the original response beside subsequent evidence.
Risk
Historical recommendations may be out of date. Any change requires current evidence and a separate authority review.
Technical evidence
{
"source": "disk-analysis",
"result": "unavailable",
"http_status": 404, "diagnosis": null
}
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
DESIGN FIXTURE
EXAMPLE MACHINE
Monitoring settings
Monitoring settings
Example machine · Local
Confirmed response · 11:02:00 UTC
Settings
2 unsaved changes
Investigation cooldown
Monitoring active
Editing the local host only.
established by this modal.
Threshold Checking
seconds
20
seconds
Metric Collection
15
Effective 10 seconds → draft 15 seconds
Anomaly Detection
30
seconds
Alert thresholds
Memory Usage
90
%
Disk Usage
85
%
CPU Usage
85
%
CPU escalation
CPU Critical Band
%
97
%
CPU High Band
92
CPU Debounce Samples
samples
2
samples
CPU Sustained Samples
3
seconds
CPU Cooldown
1800
Investigation cooldown
seconds
Cooldown Period
600
ges affect future evaluation;
Review 2 changes
Cancel
Reset all settings...


Vega
DESIGN FIXTURE
Checking
seconds
Disk Usage
%
85
%
Band
%
nce Samples
samples
Review 2 changes
EXAMPLE MACHINE
Monitoring settings
Settings
Collection & evaluation
Alert thresholds
CPU escalation
Investigation cooldown
Editing the local host only.
Remote authorization is not established by this modal.
Monitoring settings
Example machine · Local
Confirmed response · 11:02:00 UTC
2 unsaved changes
Synthetic values for this design specimen
Collection & evaluation
Monitoring active
On · collection continues while editing
Metric Collection
Threshold C
15
seconds
20
Effective 10 seconds → draft 15 seconds
Anomaly Detection
30
seconds
Alert thresholds
CPU Usage
Memory Usage
85
%
90
CPU escalation
CPU High Band
CPU Critical
92
%
97
CPU Sustained Samples
CPU Debou
3
samples
2
CPU Cooldown
1800
seconds
Investigation cooldown
Cooldown Period
600
seconds
Effective 300 seconds → draft 600 seconds
Save sends the full settings object. Changes affect future evaluation; they do not clear active conditions.
Cancel
Reset all settings...
Whole-settings action · separate confirmation


Vega
DESIGN FIXTURE
EXAMPLE MACHINE
Settings · consequential transitions
Review changes
REVIEW BEFORE SUBMIT
Example machine · Local
Metric Collection: 10 → 15 seconds
Cooldown Period: 300 → 600 seconds
Save sends the full settings object.
Active conditions are not cleared.
Keep editing
Save changes
Focus begins on Keep editing
Save outcome unknown
RECONCILE BEFORE RETRY
The request did not return a result.
Your draft is still available.
The server may have saved the change.
Read current settings before retrying.
No duplicate request has been sent.
Keep draft
Focus begins on Check current
Check current
Discard local changes?
2 unsaved changes on Example machine.
Discard removes this local draft only.
It does not restore or change the
server's effective configuration.
Keep editing
Discard draft
Focus begins on Keep editing
Reset all settings?
Example machine · Local
Thresholds, intervals and investigation
settings are included.
The endpoint returns defaults after reset.
A before/after preview is unavailable.
Cancel
Focus begins on Cancel
Reset settings
Separate proposed states · synthetic values · no action performed

Vega

DESIGN FIXTURE

EXAMPLE MACHINE

Settings · consequential transitions

Review changes

REVIEW BEFORE SUBMIT

Example machine · Local

Metric Collection: 10 → 15 seconds

Cooldown Period: 300 → 600 seconds

Save sends the full settings object.

Active conditions are not cleared.

Keep editing

Save changes

Focus begins on Keep editing

Save outcome unknown

RECONCILE BEFORE RETRY

The request did not return a result.

Your draft is still available.

The server may have saved the change.

Read current settings before retrying.

No duplicate request has been sent.

Keep draft

Check

Focus begins on Check current

Discard local changes?

LOCAL DRAFT ONLY

2 unsaved changes on Example machine.

Discard removes this local draft only.

It does not restore or change the

server's effective configuration.

Keep editing

Discard draft

Focus begins on Keep editing

Reset all settings?

WHOLE-SETTINGS ACTION

Example machine · Local

Thresholds, intervals and investigation

settings are included.

The endpoint returns defaults after reset

A before/after preview is unavailable

Cancel

Reset se

Focus begins on Cancel

Separate proposed states · synthetic values · no action performed


Vega
DESIGN FIXTURE
EXAMPLE MACHINE
Shared controls · state companions
Navigation
Opened from the left menu
Dashboard
Forensics
Logs
Capacity
Scripts
Monitoring settings
Display preferences
Investigations & reports
Escape closes · focus returns to menu
Choose machine
Persistent subject · no local fallback
Example machine
This host · selected
Remote example
Unreachable · last seen 10:58 UTC
Grant status unavailable
Add machine...
Opens the existing Bridge pairing flow
Settings unavailable
Example machine · Local
We could not load your current monitoring settings.
No defaults have been substituted.
Your current configuration is unknown.
Existing collection may still be active.
Retry loading
Close
Editing, saving and reset stay unavailable until a trustworthy response is loaded.
Proposed safety repair · source currently substitutes editable fallback defaults.
o this host
REMOTE LOCAL-ONLY GATE
This view cannot inspect Remote example yet.
Keep the selected remote subject and explain the unsupported route. Returning to this host is explicit.
Never show local processes, logs or investigations beneath the remote machine name.
Switch t
Proposed states · synthetic subjects · no runtime/permission verification

Vega

DESIGN FIXTURE

EXAMPLE MACHINE

Shared controls · state companions

Navigation

Opened from the left menu

- Dashboard
- Forensics
- Logs
- Capacity
- Scripts
- [illegible]

Editing, saving and reset stay unavailable until a trustworthy response is loaded.

Proposed safety repair · source currently substitutes editable fallback defaults.

Choose machine

Persistent subject · no local fallback

- **Example machine**
  This host · selected
- **Remote example**
  Unreachable · last seen 10:58 UTC
  Grant status unavailable

Add machine...

Opens the existing Bridge onboarding flow

Monitoring settings

Display preferences

Investigations & reports

Escape closes · focus returns to menu

Settings unavailable

Example machine · Local

We could not load your current monitoring settings.

No defaults have been substituted.
Your current configuration is unknown.
Existing collection may still be active.

Retry loading

Close

Switch to this host

REMOTE LOCAL-ONLY GATE

This view cannot inspect Remote example yet.

Keep the selected remote subject and explain the unsupported route. Returning to this host is explicit.
Never show local processes, logs or investigations beneath the remote machine name.

Proposed states · synthetic subjects · no runtime/permission verification

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
15m
1h
6h
24h
Detail controls · entry and editor specimens
Your investigation layout
Linked from CPU / Memory details - primary evidence and context stay protected.
Close editor
Protected
Down
Hide
Down
Hide
Down
Hide
Down
Hide
Down
Hide
CPU detail
94%
Example machine · observed 10:59:55
10:00–11:00 UTC · 2 host alerts
Customize layout
Memory detail
61%
Example machine · observed 10:59:55
10:00–11:00 UTC · 2 host alerts
Customize layout
Platform pressure level unavailable
Keyboard and cancellation
Up / Down offer a keyboard alternative to drag.
Move retains focus on the same section control.
Apply returns focus to Customize layout.
Escape / Cancel discards this local draft.
Restore defaults affects this detail layout only.
Persisted preference contract remains unverified.
Customize CPU layout
Proposed local presentation draft
Context stays visible
Machine, time range, alert/error state and primary history cannot be hidden.
Usage history
Pinned · always shown
Mode breakdown
Moved above mode history
Up
Mode and stall history
Shown
Up
Stall and saturation
Shown
Up
Core distribution and throttling
Shown
Up
CPU attribution
Shown
Up
Process monitor
Shown
Up
Apply layout
Cancel
Restore default arrangement
No telemetry change
Design concept · proposed control specimen · no layout or telemetry changed


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Detail controls · entry and editor specimens
Your investigation layout
Linked from CPU / Memory details · primary evidence and context stay protected.
CPU detail
94%
Customize CPU layout
Close editor
Proposed local presentation draft
Context stays visible
Machine, time range, alert/error state and primary history cannot be hidden.
Usage history
Protected
Pinned · always shown
Mode breakdown
Up
Down
Hide
Mode and stall history
Shown
Stall and saturation
Shown
Example machine · observed 10:59:
10:00–11:00 UTC · 2 host alerts
Customize layout
Memory detail
Example machine · observed 10:59:
10:00–11:00 UTC · 2 host alerts
Customize layout
Platform pressure level unavailable
Keyboard and cancellation
Up / Down offer a keyboard alternat
61%
ive to drag.
Move retains focus on the same section control.
Core distribution and throttling
Apply returns focus to Customize layout.
Escape / Cancel discards this local draft.
Restore defaults affects this detail layout only.
Persisted preference contract remains unverified.
Shown
CPU attribution
Shown
Process monitor
Shown
Apply layout
Cancel
Restore default arrangement
No telemetry change
Design concept : proposed control specimen : no layout or telemetry changed


Vega
Detail controls · entry and editor specimens
Your investigation layout
CPU detail
94%
Example machine · observed 10:59:55
10:00–11:00 UTC · 2 host alerts
Customize layout
Pressure and ownership remain in view.
Memory detail
61%
Example machine · observed 10:59:55
10:00–11:00 UTC · 2 host alerts
Customize layout
Platform pressure level unavailable
Customize CPU layout
Proposed local presentation draft
Context stays visible
Machine, time range, alert and error state, and primary history cannot be hidden.
Usage history
Pinned · always shown
Mode breakdown
Up
Down
Hide
Draft order changed · not applied
Mode and stall history
Up
Down
Hide
Stall and saturation
Up
Down
Hide
Core distribution and throttling
Up
Down
Hide
CPU attribution
Up
Down
Hide
Process monitor
Up
Down
Hide
Apply layout
Cancel
Restore default arrangement
Changes presentation only; no metric request.
Proposed controls · synthetic fixture · not live


Vega
Detail controls · entry and editor specimens
Your investigation layout
CPU detail
94%
Example machine · observed 10:59:55
10:00–11:00 UTC · 2 host alerts
Customize layout
Pressure and ownership remain in view.
Memory detail
61%
Example machine · observed 10:59:55
10:00–11:00 UTC · 2 host alerts
Customize layout
Platform pressure level unavailable
Customize CPU layout
Proposed local presentation draft
Context stays visible
Machine, time range, alert and error state, and primary history cannot be hidden.
Usage history
Pinned · always shown
Mode breakdown
Up
Down
Hide
Draft order changed · not applied
Mode and stall history
Up
Down
Hide
Stall and saturation
Down
Hide
Up
Down
Hide
Down
Hide
Down
Hide
Down
Hide
Cancel
controls · synthetic fixture · not live


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Memory detail
Customize layout
Raw-zone evidence
Example machine · observed 10:59:55 UTC
Platform pressure unavailable
Level: unknown · observed 10:59:55 · no supported pressure verdict supplied
buddyinfo
Raw map of string keys and string values
Synthetic payload · preserved verbatim
Wrap: on
Copy payload
Display wraps do not change payload bytes.
{
"Node 0, zone DMA": "128 64 32 16 8 4 2 1 0 0 0",
"Node 0, zone DMA32": "4096 2048 1024 512 256 128 64 32 16 8 0",
"Node 0, zone Normal": "8192 4096 2048 1024 512 256 128 64 32 16 0"
}
Raw evidence has no inferred pressure verdict.
No parsed unit or page-order meaning is asserted.
Raw payload and measured histories are separate evidence
The reader does not derive fragmentation or platform pressure from these strings. Copy/Wrap are proposed usability controls.
Close raw evidence
Design concept · independent synthetic raw-payload reader · not live

Vega

Dashboard | Forensics | Logs | Capacity | Scripts | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

‹ Memory detail

Raw-zone evidence

Customize layout

Example machine · observed 10:59:55 UTC

Platform pressure unavailable

Level: unknown · observed 10:59:55 · no supported pressure verdict supplied

buddyinfo

Raw map of string keys and string values

Synthetic payload · preserved verbatim

Wrap lines | Copy payload

Display wraps do not change payload bytes.


```
{
  "Node 0, zone DMA": "128 64 32 16 8 4 2 1 0 0 0",
  "Node 0, zone DMA32": "4096 2048 1024 512 256 128 64 32 16 8 0",
  "Node 0, zone Normal": "8192 4096 2048 1024 512 256 128 64 32 16 0"
}
```


Raw evidence has no inferred pressure verdict.

No parsed unit or page-order meaning is asserted.

Raw payload and measured histories are separate evidence.

The reader does not derive fragmentation or platform pressure from these strings. Copy/Wrap are proposed usability controls.

Close raw evidence

Design concept · independent synthetic raw-payload reader · not live


Vega
‹ Memory detail
Raw-zone evidence
Example machine · observed 10:59:55 UTC
Selected history 10:00–11:00 UTC
Customize layout
Back to Memory
Platform pressure unavailable
Level: unknown · observed 10:59:55
No supported verdict supplied.
buddyinfo
Raw map of string keys and string values
Synthetic payload · preserved verbatim
Wrap: on
Copy payload
Display wraps do not change payload bytes.
{
"Node 0, zone DMA": "128 64
32 16 8 4 2 1 0 0 0",
"Node 0, zone DMA32": "4096
2048 1024 512 256 128 64 32 16
8 0",
"Node 0, zone Normal": "8192
4096 2048 1024 512 256 128 64
32 16 0"
}
Raw evidence has no inferred pressure verdict.
No parsed unit or page-order meaning is asserted.
Reader behavior
Copy returns the original JSON, without wrapping.
Close returns to the same Memory section.
Close raw evidence
Independent synthetic reader specimen · not live


Vega
‹ Memory detail
Raw-zone evidence
Example machine · observed 10:59:55 UTC
Selected history 10:00–11:00 UTC
Customize layout
Back to Memory
Platform pressure unavailable
Level: unknown · observed 10:59:55
No supported verdict supplied.
buddyinfo
Raw map of string keys and string values
Synthetic payload · preserved verbatim
Wrap: on
Copy payload
Display wraps do not change payload bytes.
{
"Node 0, zone DMA": "128 64
32 16 8 4 2 1 0 0 0",
"Node 0, zone DMA32": "4096
2048 1024 512 256 128 64 32 16
8 0",
"Node 0, zone Normal": "8192
4096 2048 1024 512 256 128 64
32 16 0"
}
Raw evidence has no inferred pressure verdict.
Reader behavior
Copy returns the original JSON, without wrappi
Close returns to the same Memory section.
Close raw evidence
Independent synthetic reader specimen · not live

Vega
DESIGN FIXTURE
EXAMPLE MACHINE
Shared context · controls and identity
Controls
Refresh latest snapshot
Pause live display
Monitoring settings
Investigation status
Investigation status
Example machine · Local
RUNNING
Example investigation 01
Last status 10:59:57 UTC
Mode: report-only · Auto-fix off
Local-only view
Selected: Remote example
Remote logs are not available here.
Keep Remote example selected, or switch to Example machine to read its local logs.
Switching hosts does not grant remote access or change permissions.
Display preferences
DEBUG / DEMONSTRATION
Simulated output
Display pause does not stop collection.
Collection and evaluation keep running.
Execution authority is managed separately.
Refresh status
Stop investigation...
Check the final run status after stopping.
A stop request may need reconciliation.
Switch to Example machine
The machine subject changes only on selection.
Display preferences
Local presentation preferences
Appearance
Dark
Light
Motion
Use system reduced-motion preference.
Reduction preserves content and focus.
Motion changes never hide a status update.
Telemetry values update without animation.
Preferences do not change collection, alert evaluation or agent authority.
Proposed shared behavior
Controls keeps baseline functions discoverable while separating presentation from host actions.
The current source has mixed pause coverage; unified freezing needs source application.
System Output is simulated and is proposed for this explicitly labeled debug location.
Agent status, source permission and action acknowledgement remain distinct.
Separate proposed states · synthetic subjects · no runtime or action proof

Vega

DESIGN FIXTURE

EXAMPLE MACHINE

Shared context · controls and identity

Controls

Refresh latest snapshot

Pause live display

Monitoring settings

Investigation status

Display preferences

DEBUG / DEMONSTRATION

Simulated output

Display pause does not stop collection.

Investigation status

Example machine · Local

RUNNING

Example investigation 01

Last status 10:59:57 UTC

Mode: report-only · Auto-fix off

Report-only may write reports/scripts.
Execution authority is managed separately.

Refresh status

Stop investigation...

Check the final run status after stopping.

Collection and evaluation keep running.

A stop request may need reconciliation.

Local-only view

Selected: Remote example

Remote logs are not available here.

Keep Remote example selected, or switch to Example machine to read its local logs.

Switching hosts does not grant remote access or change permissions.

Switch to Example machine

The machine subject changes only on selection.

Display preferences

Local presentation preferences

Appearance

Dark | **Light**

Motion

Use system reduced-motion preference.
Reduction preserves content and focus.
Motion changes never hide a status update.

Telemetry values update without animation.

Preferences do not change collection

Proposed shared behavior

Controls keeps baseline functions discoverable while separating presentation from host actions.

The current source has mixed pause coverage; unified freezing needs source application.

System Output is simulated and is proposed for this explicitly labeled debug location.

Agent status, source permission and action acknowledgement remain distinct.

alert evaluation or agent authority.

ion proof

Separate proposed states · synthetic subjects · no runtime or act


Vega
DESIGN FIXTURE
Controls
Refresh latest snapshot
Pause live display
Monitoring settings
Investigation status
Display preferences
DEBUG / DEMONSTRATION
Simulated output
Display pause does not stop collection.
Collection and evaluation keep running.
Investigation status
Example machine · Local
RUNNING
Example investigation 01
Last status 10:59:57 UTC
Mode: report-only · Auto-fix off
Report-only may write reports/scripts.
Execution authority is managed separately.
Refresh status
Stop investigation...
Check the final run status after stopping.
A stop request may need reconciliation.
Local-only view
Selected: Remote example
Remote logs are not available here.
Keep Remote example selected, or switch
to Example machine to read its local logs.
Switching hosts does not grant
remote access or change permissions.
Switch to Example machine
The machine subject changes only on selection.
Display preferences
Local presentation preferences
Appearance
Dark
Light
Motion
Use system reduced-motion preference.
Reduction preserves content and focus.
Motion changes never hide a status update.
Telemetry values update without animation.
Preferences do not change collection,
alert evaluation or agent authority.
Separate design fixtures · no runtime proof


Vega
DESIGN FIXTURE
Controls
Refresh latest snapshot
Pause live display
Monitoring settings
Investigation status
Display preferences
DEBUG / DEMONSTRATION
Simulated output
Display pause does not stop collection.
Collection and evaluation keep running.
Investigation status
Example machine · Local
RUNNING
Example investigation 01
Last status 10:59:57 UTC
Mode: report-only · Auto-fix off
Report-only may write reports/scripts.
Execution authority is managed separately.
Refresh status
Stop investigation...
Check the final run status after stopping.
A stop request may need reconciliation.
Local-only view
Selected: Remote example
Remote logs are not available here.
Keep Remote example selected, or switch to Example machine to read its local logs.
Switching hosts does not grant remote access or change permissions.
Switch to Example machine
The machine subject changes only on selection.
Display preferences
Local presentation preferences
Appearance
Dark
Light
Motion
Use system reduced-motion preference.
Reduction preserves content and focus.
Motion changes never hide a status update.
Telemetry values update without animation.
Preferences do not change collection, alert evaluation or agent authority.
Separate design fixtures · no runtime proof


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
apacity and investigation states
parate synthetic specimens · no requests sent
Capacity · review one raw value
NOT SENT
Key
enforce
Confirmed → proposed
advisory → on
Scope
Example machine · current policy
On can block new starts when admission fails.
Other rows keep their own draft and save state.
Confirm change
Proposed review
Capacity · incoming conflict
UNSAVED
Last confirmed
advisory
Your draft
on
Incoming value
off · newer poll response
Keep the draft visible. Resolve the conflict
before a new save; no silent replacement.
Use incoming
Keep draft also available
Capacity · save response lost
OUTCOME UNKNOWN
Key and requested value
rce = on
confirmed value
sory
r outcome
confirmed
ad the effective value before resending.
sful persistence.
Investigation · admission unknown
OUTCOME UNKNOWN
Request
Auto-fix Off · note retained
Acknowledgement
Not received
Investigation ID
Unavailable
An agent may have been admitted.
Reconcile status before another launch.
Refresh agent status
Do not duplicate launch
Do not claim rollback or succes
Refresh effective valu
No automatic retry
receipt
PPED RECORD
stigation
-example-001
Reports · evidence unavailable
MISSING EVIDENCE
Report summary
Available and readable
Technical evidence
Not included in this report
Historical scope
18 Feb 2026 · outside selected hour
Keep findings visible and dated.
No placeholder becomes an empty result.
Close report
No report regeneration
Investigation · stop
Application status
Stopped receipt received
OS processes
Termination not verified
This independent fixture is not remediation
success or proof that child processes stopped.
Inspect status
No OS termination claim
Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline



Capacity and investigation states

Separate synthetic specimens · no requests sent

Capacity · review one raw value

NOT SENT

Key
enforce

Confirmed → proposed
advisory → on

Scope
Example machine · current policy

On can block new starts when admission fails.
Other rows keep their own draft and save state.

Confirm change

Proposed review

Capacity · incoming conflict

UNSAVED

Last confirmed
advisory

Your draft
on

Incoming value
off · newer poll response

Keep the draft visible. Resolve the conflict
before a new save; no silent replacement.

Use incoming

Keep draft also available

Capacity · save response lost

OUTCOME UNKNOWN

Key and requested value
enforce = on

Last confirmed value
advisory

Server outcome
Not confirmed

Re-read the effective value before resending.
Do not claim rollback or successful persistence.

Refresh effective value

No automatic retry

Investigation · admission unknown

OUTCOME UNKNOWN

Request
Auto-fix Off · note retained

Acknowledgement
Not received

Investigation ID
Unavailable

An agent may have been admitted.
Reconcile status before another launch.

Refresh agent status

Do not duplicate launch

Investigation · stop receipt

STOPPED RECORD

Investigation
inv-example-001

Application status
Stopped receipt received

OS processes
Termination not verified

This independent fixture is not remediation
success or proof that child processes stopped.

Inspect status

No OS termination claim

Reports · evidence unavailable

MISSING EVIDENCE

Report summary
Available and readable

Technical evidence
Not included in this report

Historical scope
18 Feb 2026 · outside selected hour

Keep findings visible and dated.
No placeholder becomes an empty result.

Close report

No report regeneration

Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline


Vega
Capacity and investigation states
Separate synthetic specimens · no requests sent
Capacity · review one raw value
NOT SENT
Key
enforce
Confirmed → proposed
advisory → on
Scope
Example machine · current policy
On can block new starts when admission fails.
Other rows keep their own draft and save state.
Confirm change
Proposed review
Capacity · incoming conflict
UNSAVED
Last confirmed
advisory
Your draft
on
Incoming value
off · newer poll response
Keep the draft visible. Resolve the conflict before a new save; no silent replacement.
Use incoming
Keep draft also available
Capacity · save response lost
OUTCOME UNKNOWN
Key and requested value
enforce = on
Last confirmed value
advisory
Server outcome
Not confirmed
Re-read the effective value before resending.
Do not claim rollback or successful persistence.
Refresh effective value
No automatic retry
Investigation · admission unknown
OUTCOME UNKNOWN
Request
Auto-fix Off · note retained
Acknowledgement
Not received
Investigation ID
Unavailable
Refresh
Do not duplicate launch
Investigation · st
STOPPED RECORD
Investigation
inv-example-001
Application status
Stopped receipt rece
OS processes
Termination not veri
This independent fixture
success or proof that chil
stopped.
Inspe
No OS termination claim
Reports · eviden
MISSING EVIDENCE
Report summary
Available and readab
Technical evidence
Not included in this
Historical scope
18 Feb 2026 · outside
Keep findings visible and
No placeholder becomes
Close
No report regeneration
Synthetic design fixture · not h
Independent hypothetical stat


Vega
Capacity and investigation states
Separate synthetic specimens · no requests sent
Capacity · review one raw value
NOT SENT
Key
enforce
Confirmed → proposed
advisory → on
Scope
Example machine · current policy
On can block new starts when admission fails.
Other rows keep their own draft and save state.
Confirm change
Proposed review
Capacity · incoming conflict
UNSAVED
Last confirmed
advisory
Your draft
on
Incoming value
off · newer poll response
Keep the draft visible. Resolve the conflict before a new save; no silent replacement.
Use incoming
Keep draft also available
Capacity · save response lost
OUTCOME UNKNOWN
Key and requested value
enforce = on
Last confirmed value
advisory
Server outcome
Not confirmed
Re-read the effective value before resending.
Do not claim rollback or successful persistence.
Refresh effective value
No automatic retry
Investigation · admission unknown
OUTCOME UNKNOWN
Request
Auto-fix Off · note retained
Acknowledgement
Not received
Investigation ID
Unavailable
An agent may have been admitted.
Reconcile status before another launch.
Refresh agent status
Do not duplicate launch
Investigation · stop receipt
STOPPED RECORD
Investigation
inv-example-001
Application status
Stopped receipt received
OS processes
Termination not verified
This independent fixture is not remediation success or proof that child processes stopped.
Inspect status
No OS termination claim
Reports · evidence unavailable
MISSING EVIDENCE
Report summary
Available and readable
Technical evidence
Not included in this report
Historical scope
18 Feb 2026 · outside selected hour
Close report
No report regeneration
Synthetic design fixture · not host observations
Independent hypothetical states · not a combin


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Overview status treatments
Separate synthetic specimens · no requests sent
Evaluation ready
NO ACTIVE CONDITIONS
Evaluation
Succeeded at 11:00:00
Active conditions
None returned for Example machine
Collector
Active at snapshot
Keep the same five-history overview.
A successful check defines this scoped state.
One active condition
WARNING
Disk space condition
Active since 09:57 · before chart hour
Current occupancy
83.5% · observed 10:59:50
Evaluation
Succeeded at 11:00:00
No automatic inspection is selected.
The warning remains above the histories.
Inspect disk
Explicit selection
Evaluation failed
KNOWN OPEN · NOT REVALIDATED
Last successful evaluation
10:58:30
Known-open conditions
CPU since 10:57 · Disk since 09:57
Evaluation attempt
11:00:00 · failed
Retain both known-open rows with their ages.
Unknown evaluation can coexist with warnings.
Current sample unavailable
DATED HISTORY RETAINED
CPU current sample
Unavailable at 11:00:00
Last valid sample
93% at 10:58:00
History after last valid sample
No new measurement supplied
Keep the dated trace and a real missing extent.
No zero-line, joined gap or synthetic new point.
n status
ation requested
Refresh evaluatio
Status feed only; no evalua
host observations
tes · not a combined timeline
Synthetic design fixture · not
Independent hypothetical sta


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Overview status treatments
Separate synthetic specimens · no requests sent
Evaluation ready
NO ACTIVE CONDITIONS
Evaluation
Succeeded at 11:00:00
Active conditions
None returned for Example machine
Collector
Active at snapshot
Keep the same five-history overview.
A successful check defines this scoped state.
One active condition
WARNING
Disk space condition
Active since 09:57 · before chart hour
Current occupancy
83.5% · observed 10:59:50
Evaluation
Succeeded at 11:00:00
No automatic inspection is selected.
The warning remains above the histories.
Inspect disk
Explicit selection
Evaluation failed
KNOWN OPEN · NOT REVALIDATED
Last successful evaluation
10:58:30
Known-open conditions
CPU since 10:57 · Disk since 09:57
Evaluation attempt
11:00:00 · failed
Retain both known-open rows with their ages.
Unknown evaluation can coexist with warnings.
Current sample unavailable
DATED HISTORY RETAINED
CPU current sample
Unavailable at 11:00:00
Last valid sample
93% at 10:58:00
History after last valid sample
No new measurement supplied
Keep the dated trace and a real missing extent.
No zero-line, joined gap or synthetic new point.
Refresh evaluation status
Status feed only; no evaluation requested
Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline

Vega
Overview status treatments
Separate synthetic specimens · no requests sent
Evaluation ready
NO ACTIVE CONDITIONS
Evaluation
Succeeded at 11:00:00
Active conditions
None returned for Example machine
Collector
Active at snapshot
Keep the same five-history overview.
A successful check defines this scoped state.
One active condition
WARNING
Disk space condition
Active since 09:57 · before chart hour
Current occupancy
83.5% · observed 10:59:50
Evaluation
Succeeded at 11:00:00
No automatic inspection is selected
The warning remains above the histories.
Inspect disk
Explicit selection
Evaluation failed
KNOWN OPEN · NOT REVALIDATED
Last successful evaluation
10:58:30
Known-open conditions
CPU since 10:57 · Disk since 09:57
Evaluation attempt
11:00:00 · failed
Retain both known-open rows with their ac
Unknown evaluation can coexist with warnings.
Refresh evaluation status
Status feed only; no evaluation requested
Current sample unavailable
DATED HISTORY RETAINED
CPU current sample
Unavailable at 11:00:00
Last valid sample
93% at 10:58:00
History after last valid sample
No new measurement supplied
Keep the dated trace and a real missing extent.
No zero-line, joined gap or synthetic new point.
Synthetic design fixture · not host observations
Independent hypothetical states · not a combinec


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
esource evidence states
parate synthetic specimens · no requests sent
Memory · zero and unsupported
COMPARISON
Measured zero
0% swap · 0 B used / 8 GB total
Observed 10:59:55
Valid denominator; a real zero.
Unsupported collector
Swap usage unavailable, not 0%.
Keep each state local to swap evidence.
Disk · invalid denominator
PARTIAL
Open file descriptors
4096 observed
Reported limit
−1 · limit unavailable
Utilization
Unavailable · no valid denominator
Keep the valid count. Omit the percent gauge.
Disk · directory evidence
COMPARISON
Not scanned
No scan has been requested.
Scan failed
No directory result was received.
Last successful result
Unavailable in this specimen
Neither state means zero directories.
Review scan
No scan sent
GPU · device disappeared
UNKNOWN
Example compute adapter
Last seen 10:58:00
Inventory checked
11:00:00 · device not returned
Current utilization
Unavailable
Retain dated evidence. Do not append 0%.
Refresh inventory
Proposed refresh
Network · attribution unavailable
PARTIAL
Established TCP
640 · observed 10:59:55
On-demand ownership
Request failed
Current owners
Unavailable
The count remains valid; ownership is separate.
Retry snapshot
No request sent
CPU · section layout
PROPOSED
Pinned context
Machine, time, history and local errors
Supporting sections
Mode breakdown · stalls · saturation
Per-core and ownership
Retained as available sections
Reorder supporting sections; preserve data scope.
Restore default
Presentation only
nthetic design fixture · not host observations


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
Resource evidence states
Disk · invalid denominator
PARTIAL
Open file descriptors
4096 observed
Reported limit
−1 · limit unavailable
Utilization
Unavailable · no valid denominator
Keep the valid count. Omit the percent gauge.
Memory · zero and unsupported
COMPARISON
Measured zero
0% swap · 0 B used / 8 GB total
Observed 10:59:55
Valid denominator; a real zero.
Unsupported collector
Swap usage unavailable, not 0%.
Keep each state local to swap evidence.
GPU · device disappeared
UNKNOWN
Example compute adapter
Last seen 10:58:00
Inventory checked
11:00:00 · device not returned
Current utilization
Unavailable
Retain dated evidence. Do not append 0%.
Refresh inventory
Proposed refresh
Disk · directory evidence
COMPARISON
Not scanned
No scan has been requested.
Scan failed
No directory result was received.
Last successful result
Unavailable in this specimen
Neither state means zero directories.
Review scan
No scan sent
CPU · section layout
PROPOSED
Pinned context
Machine, time, history, and local errors
Supporting sections
Mode breakdown · stalls · saturation
Per-core and ownership
Retained as available sections
Reorder supporting sections; preserve data scope.
Restore default
Presentation only
Network · attribution unavailable
PARTIAL
Established TCP
640 · observed 10:59:55
On-demand ownership
Request failed
Current owners
Unavailable
The count remains valid; ownership is separate.
Retry snapshot
No request sent
Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline


Vega
Resource evidence states
Separate synthetic specimens · no requests sent
Memory · zero and unsupported
COMPARISON
Measured zero
0% swap · 0 B used / 8 GB total
Observed 10:59:55
Valid denominator; a real zero.
Unsupported collector
Swap usage unavailable, not 0%.
Keep each state local to swap evidence.
Disk · invalid denominator
PARTIAL
Open file descriptors
4096 observed
Reported limit
−1 · limit unavailable
Utilization
Unavailable · no valid denominator
Keep the valid count. Omit the percent gauge.
Disk · directory evidence
COMPARISON
Not scanned
No scan has been requested.
Scan failed
No directory result was received.
Last successful result
Unavailable in this specimen
Neither state means zero directories.
Review scan
No scan sent
GPU · device disappeared
UNKNOWN
Example compute adapter
Last seen 10:58:00
Inventory checked
Current utilization
Unavailable
Retain dated evidence. Do not append 0%.
Refresh inventory
Proposed refresh
Network · attribution unavailable
PARTIAL
Established TCP
640 · observed 10:59:55
On-demand ownership
Request failed
Current owners
Unavailable
The count remains valid; ownership is separate.
Retry snapshot
No request sent
CPU · section layout
PROPOSED
Pinned context
Machine, time, history and local errors
Supporting sections
Mode breakdown · stalls · saturation
Retained as available section
Reorder supporting sections; prese
Restore default
Presentation only
Synthetic design fixture · not host obser
Independent hypothetical states · not a


Vega
Resource evidence states
Separate synthetic specimens · no requests sent
Memory · zero and unsupported
COMPARISON
Measured zero
0% swap · 0 B used / 8 GB total
Observed 10:59:55
Valid denominator; a real zero.
Unsupported collector
Swap usage unavailable, not 0%.
Keep each state local to swap evidence.
Disk · invalid denominator
PARTIAL
Open file descriptors
4096 observed
Reported limit
−1 · limit unavailable
Utilization
Unavailable · no valid denominator
Keep the valid count. Omit the percent gauge.
Disk · directory evidence
COMPARISON
Not scanned
No scan has been requested.
Scan failed
No directory result was received.
Last successful result
Unavailable in this specimen
Neither state means zero directories.
Review scan
No scan sent
GPU · device disappeared
UNKNOWN
Example compute adapter
Last seen 10:58:00
Inventory checked
11:00:00 · device not returned
Current utilization
Unavailable
Retain dated evidence. Do not append 0%.
Refresh inventory
Proposed refresh
Network · attribution unavailable
PARTIAL
Established TCP
640 · observed 10:59:55
On-demand ownership
Request failed
Current owners
Unavailable
The count remains valid; ownership is separate.
Retry snapshot
No request sent
CPU · section layout
PROPOSED
Pinned context
Machine, time, history and local errors
Supporting sections
Mode breakdown · stalls · saturation
Per-core and ownership
Retained as available sections
Reorder supporting sections; preserve data scope.
Restore default
Presentation only
Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
cript results and storage boundaries
parate synthetic specimens · no requests sent
Script · execution review
NOT SENT
Tool
container health · immutable built-in
Machine / platform
Example machine · Linux
Mode / required tools
Shell-gated · bash, jq, docker
Prerequisites and authority are unverified.
Review required before offering execution.
Close review
Run unavailable
Script · completed process
RESULT UNAVAILABLE
Run
run example 014 · shell mode
Process receipt
Exit 0 · 0.42 s · not timed out
Payload result
Docker daemon is unavailable
A completed process is not healthy evidence.
stdout status is unavailable; findings are empty.
Inspect raw output
Synthetic receipt
Script · skipped before execution
SKIPPED
Reason
required tools unavailable: docker
Process exit
Not applicable
Collected findings
Not collected
Do not display a default exit 0 as success.
Return to script
No automatic tool install
Script · request response lost
OUTCOME UNKNOWN
Run ID
Unavailable
Process exit code
Unknown
Output
Not received
A transport error is not exit code 1.
Reconcile run status before trying again.
Refresh run history
No duplicate Run
Disk · scan cancellation
REQUEST PENDING
Scan request
Cancellation requested
Worker acknowledgement
Not yet received
Directory results
Partial results remain dated
Do not label cancelled until acknowledged.
No reclaimed-space result is implied.
Storage Manager · handoff
UNAVAILABLE
Purpose
Review storage policy and audit
Destination
Not verified
Destructive action
None requested
Keep the disk evidence visible.
A verified target is required before Open.
resh scan status
synthetic state
Back to disk
No cleanup or deletion
Ref
Independent
fixture · not host observations
othetical states · not a combined timeline
Synthetic design
Independent hyp

Vega

Dashboard | Forensics | Logs | Capacity | Scripts | Controls | 10 Oct 2026 10:00–11:00 UTC | 15m | 1h | 6h | 24h

Script results and storage boundaries

Separate synthetic specimens · no requests sent

Script · execution review

NOT SENT

Tool

container-health · immutable built-in

Process receipt

Exit 0 · 0.42 s · not timed out

Payload result

Docker daemon is unavailable

A completed process is not healthy evidence.
stdout status is unavailable; findings are empty.

Inspect raw output

Synthetic receipt

Script · completed process

RESULT UNAVAILABLE

Run

run-example-014 · shell mode

Machine / platform

Example machine · Linux

Mode / required tools

Shell-gated · bash, jq, docker

Prerequisites and authority are unverified.
Review required before offering execution.

Close review

Run unavailable

Script · request response lost

OUTCOME UNKNOWN

Run ID

Unavailable

Process exit code

Unknown

Output

Not received

A transport error is not exit code 1.
Reconcile run status before trying again.

Refresh run history

No duplicate Run

Script · skipped before execution

SKIPPED

Reason

required tools unavailable: docker

Process exit

Not applicable

Collected findings

Not collected

Do not display a default exit 0 as success.

Return to script

No automatic tool install

Storage Manager · handoff

UNAVAILABLE

Purpose

Review storage policy and audit

Destination

Not verified

Destructive action

None requested

Keep the disk evidence visible.
A verified target is required before Open.

Back to disk

No cleanup or deletion

Disk · scan cancellation

REQUEST PENDING

Scan request

Cancellation requested

Worker acknowledgement

Not yet received

Directory results

Partial results remain dated

Do not label cancelled until acknowledged.
No reclaimed-space result is implied.

Refresh scan status

Independent synthetic state

Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline


Vega
Script results and storage boundaries
Separate synthetic specimens · no requests sent
Script · execution review
NOT SENT
Tool
container-health · immutable built-in
Machine / platform
Example machine · Linux
Mode / required tools
Shell-gated · bash, jq, docker
Prerequisites and authority are unverified.
Review required before offering execution.
Close review
Run unavailable
Script · completed process
RESULT UNAVAILABLE
Run
run-example-014 · shell mode
Process receipt
Exit 0 · 0.42 s · not timed out
Payload result
Docker daemon is unavailable
A completed process is not healthy evidence.
stdout status is unavailable; findings are empty.
Inspect raw output
Synthetic receipt
Script · skipped before execution
SKIPPED
Reason
required tools unavailable: docker
Process exit
Not applicable
Collected findings
Not collected
Do not display a default exit 0 as success.
Return to script
No automatic tool install
Script · request response lost
OUTCOME UNKNOWN
Run ID
Unavailable
Process exit code
Unknown
Output
Not received
A transport error is not exit code 1.
Reconcile run status before trying again.
Refresh run history
No duplicate Run
Disk · scan cancellation
REQUEST PENDING
Scan request
Cancellation requested
Worker acknowledgement
Not yet received
Directory results
Partial results remain dated
Do not label cancelled until acknowledged.
No reclaimed-space result is implied.
Refresh scan status
Independent synthetic state
Storage Manager · handoff
UNAVAILABLE
Purpose
Review storage policy and audit
Destination
Not verified
Destructive action
None requested
Keep the disk evidence visible.
A verified target is required before Open.
Back to disk
No cleanup or deletion
Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline

Vega

Script results and storage boundaries

Separate synthetic specimens · no requests sent

Script · execution review

NOT SENT

Tool
container-health · immutable built-in

Machine / platform
Example machine · Linux

Mode / required tools
Shell-gated · bash, jq, docker

Prerequisites and authority are unverified.
Review required before offering execution.

Close review

Run unavailable

Script · completed process

RESULT UNAVAILABLE

Run
run-example-014 · shell mode

Process receipt
Exit 0 · 0.42 s · not timed out

Payload result
Docker daemon is unavailable

A completed process is not healthy evidence.
stdout status is unavailable; findings are empty.

Inspect raw output

Synthetic receipt

Script · skipped before execution

SKIPPED

Reason
required tools unavailable: docker

Process exit
Not applicable

Collected findings
Not collected

Do not display a default exit 0 as success.

Return to script

No automatic tool install

Script · request response lost

OUTCOME UNKNOWN

Run ID
Unavailable

Process exit code
Unknown

Output
Not received

A transport error is not exit code 1.
Reconcile run status before trying again.

Refresh run history

No duplicate Run

Disk · scan cancellation

REQUEST PENDING

Scan request
Cancellation requested

Worker acknowledgement
Not yet received

Directory results
Partial results remain dated

Do not label cancelled until acknowledged.
No reclaimed-space result is implied.

Refresh scan status

Independent synthetic state

Storage Manager · handoff

UNAVAILABLE

Purpose
Review storage policy and audit

Destination
Not verified

Destructive action
None requested

Keep the disk evidence visible.
A verified target is required before Open.

Back to disk

No cleanup or deletion

Synthetic design fixture · not host observations
Independent hypothetical states · not a combined timeline


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Capacity ledger
Capacity policy
Example machine · current-state policy
Synthetic supplied snapshot · 11:00 UTC
Raw values follow the captured policy list.
Selected chart hour does not scope policy.
What these settings allow
Admission: advisory never blocks a start.
Preemption: false does not permit last-rung preemption (stop). An owner allowlist separately limits auto-stop.
Effects describe this example, not verified deployment.
Policy with source-defined help
Admission
enforce
advisory
Save
Advisory never blocks a start.
Unchanged · no write submitted
false
Save
her last-rung preemption (stop) is permitted.
write submitted
stop owners
lowlist
Empty string
Save
allowlist, comma-separated.
write submitted
1m0s
Save
re a claim becomes reclaim-eligible.
write submitted
beat
tbeat_ttl
30s
Save
iveness TTL when none is supplied.
write submitted
racking
eshold
268435456
Save
ved bytes before reconciliation.
write submitted
n warning
n_threshold
536870912
Save
bytes before a warning.
write submitted
Additional supplied keys
Exact raw strings · meaning/parsing unverified
No new units, defaults or controls inferred.
sweep_interval
15s
Save
degrade_debounce
30s
Save
Unchanged · no write submitted
upshift_headroom
2147483648
Save
Unchanged · no write submitted
idle_yield_floor
batch
Save
Unchanged · no write submitted
terminal_retention
24h0m0s
Save
Unchanged · no write submitted
observed_peak_halflife
10m0s
Save
Unchanged · no write submitted
default_idle_unload_ttl
0s
Save
Unchanged · no write submitted
recommend_headroom
20
Save
Unchanged · no write submitted
swap_pressure_threshold
50
Save
Unchanged · no write submitted
accel_reprobe
report
Save
Unchanged · no write submitted
Preemption
preempt_enab
Controls whet
Unchanged · no
Automatic-s
auto_stop_al
Eligible owner
Unchanged · no
Idle grace
idle_grace
Time idle befo
Unchanged · no
Claim heart
default_hear
Default claim
Unchanged · no
Consumer
tracking_thre
Minimum obse
Unchanged · no
Reconciliatio
reconcile_war
Overclaim drift
Unchanged · no
one outcome
mits only its key and raw value; a response may return the entire policy.
rror/unknown status must not erase another row's draft. Success needs readback.
flict · proposed treatment
e specimen · no write sent
:00
advisory
Your draft
on
Incoming at 11:00:15
off
Review incoming
Discard draft
n dirty drafts on 15s refresh. Global pause does not stop policy refresh. No atomic concurrency guarantee.
One key,
Each Save sub
Per-key dirty/e
Refresh con
Independent sta
Last read at 11
Proposed: retai
thetic policy state using captured raw strings · no configuration changed
Design concept · syn


Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
‹ Capacity ledger
Capacity policy
Example machine · current-state policy
Synthetic supplied snapshot · 11:00 UTC
Raw values follow the captured policy list.
Selected chart hour does not scope policy.
What these settings allow
Admission: advisory never blocks a start.
Preemption: false does not permit last-rung preemption (stop). An owner allowlist separately limits auto-stop.
Effects describe this example, not verified deployment.
Policy with source-defined help
Admission
enforce
advisory
Save
Advisory never blocks a start.
Preemption
preempt_enabled
false
Save
Controls whether last-rung preemption (stop) is permitted.
Unchanged · no write submitted
Automatic-stop owners
auto_stop_allowlist
Empty string
Save
Eligible owner allowlist, comma-separated.
Unchanged · no write submitted
Idle grace
idle_grace
1m0s
Save
Time idle before a claim becomes reclaim-eligible.
Unchanged · no write submitted
Claim heartbeat
default_heartbeat_ttl
30s
Save
Unchanged · no write submitted
Consumer tracking
tracking_threshold
268435456
Save
Minimum observed bytes before reconciliation.
Reconciliation warning
reconcile_warn_threshold
536870912
Save
Overclaim drift bytes before a warning.
Unchanged · no write submitted
Additional supplied keys
Exact raw strings · meaning/parsing unverified
No new units, defaults or controls inferred.
sweep_interval
15s
Save
Unchanged · no write submitted
degrade_debounce
30s
Save
upshift_headroom
2147483648
Save
Unchanged · no write submitted
idle_yield_floor
batch
Save
Unchanged · no write submitted
terminal_retention
24h0m0s
Save
Unchanged · no write submitted
observed_peak_halflife
10m0s
Save
Unchanged · no write submitted
default_idle_unload_ttl
0s
Save
Unchanged · no write submitted
recommend_headroom
20
Save
Unchanged · no write submitted
swap_pressure_threshold
50
Save
Unchanged · no write submitted
accel_reprobe
report
Save
Unchanged · no write submitted
Each Save submits only its key and raw value; a response may return the entire policy.
Per-key dirty/error/unknown status must not erase another row's draft. Success needs readback.
Refresh conflict · proposed treatment
Independent state specimen · no write sent
Last read at 11:00
advisory
Your draft
on
Incoming at 11:00:15
off
Review incoming
Discard draft
Proposed: retain dirty drafts on 15s refresh. Global pause does not stop policy refresh. No atomic concurrency guarantee.
Design concept · synthetic policy state using captured raw strings · no configuration changed


Vega
‹ Capacity ledger
Capacity policy
Examine real-time current-state policy
Synthetic supplied snapshot · 11:00 UTC
Raw values follow the captured policy list.
Selected chart hour does not scope policy.
What these settings allow
Admission: advisory never blocks a start.
Preemption: false does not permit
last-rung preemption (stop).
An owner allowlist separately limits auto-stop.
Effects describe this example, not verified deployment.
Policy with source-defined help
Admission
enforce
advisory
Save
Unchanged · no write submitted
Allowed values: off / advisory / on
Preemption
preempt_enabled
false
Save
Unchanged · no write submitted
Automatic-stop owners
auto_stop_allowlist
Empty string
Save
Unchanged · no write submitted
Idle grace
idle_grace
1m0s
Save
Unchanged · no write submitted
Claim heartbeat
default_heartbeat_ttl
30s
Save
Unchanged · no write submitted
Consumer tracking
tracking_threshold
268435456
bytes
Save
Unchanged · no write submitted
Minimum observed bytes before reconciliation.
Reconciliation warning
reconcile_warn_threshold
536870912
bytes
Save
Unchanged · no write submitted
Overclaim drift bytes before a warning.
Additional supplied keys
Exact raw strings · meaning/parsing unverified
No new units, defaults or controls inferred.
sweep_interval
15s
Save
Unchanged · no write submitted
degrade_debounce
30s
Save
Unchanged · no write submitted
upshift_headroom
2147483648
Save
Unchanged · no write submitted
idle_yield_floor
batch
Save
Unchanged · no write submitted
terminal_retention
24h0m0s
Save
Unchanged · no write submitted
observed_peak_halflife
10m0s
Save
Unchanged · no write submitted
default_idle_unload_ttl
0s
Save
Unchanged · no write submitted
recommend_headroom
20
Save
Unchanged · no write submitted
swap_pressure_threshold
50
Save
Unchanged · no write submitted
accel_reprobe
report
Save
Unchanged · no write submitted
One key, one outcome
Each Save submits only its key and raw value.
A response may return the entire policy.
Success needs readback; a failed or unknown
outcome must not erase another row's draft.
Refresh conflict · proposed treatment
Independent state specimen · no write sent
Last read at 11:00
advisory
Your draft
on
Incoming at 11:00:15
off
Review incoming
Discard draft
Draft retained on the 15s policy refresh.
Global pause does not stop policy refresh.
No atomic concurrency guarantee is asserted.
aptured raw strings
guration changed
Synthetic state · c
Not live · no confi


Vega
‹ Capacity ledger
Capacity policy
Example machine · current-state policy
Synthetic supplied snapshot · 11:00 UTC
Raw values follow the captured policy list.
Selected chart hour does not scope policy.
What these settings allow
Admission: advisory never blocks a start.
Preemption: false does not permit
last-rung preemption (stop).
An owner allowlist separately limits auto-stop.
Effects describe this example, not verified deployment.
Policy with source-defined help
Admission
enforce
advisory
Save
Unchanged · no write submitted
Allowed values: off / advisory / on
Preemption
preempt_enabled
false
Save
Unchanged · no write submitted
Automatic-stop owners
auto_stop_allowlist
Empty string
Save
Unchanged · no write submitted
Idle grace
idle_grace
1m0s
Save
Unchanged · no write submitted
Claim heartbeat
default_heartbeat_ttl
30s
Save
Unchanged · no write submitted
Consumer tracking
tracking_threshold
268435456
bytes
Save
Unchanged · no write submitted
Minimum observed bytes before reconciliation.
Reconciliation warning
reconcile_warn_threshold
bytes
Unchanged · no write submitted
Overclaim drift bytes before a warning.
Additional supplied keys
Exact raw strings · meaning/parsing unver
No new units, defaults or controls inferred.
sweep_interval
15s
Unchanged · no write submitted
degrade_debounce
30s
Unchanged · no write submitted
upshift_headroom
2147483648
Unchanged · no write submitted
idle_yield_floor
batch
Unchanged · no write submitted
terminal_retention
24h0m0s
Unchanged · no write submitted
observed_peak_halflife
10m0s
Unchanged · no write submitted
default_idle_unload_ttl
0s
Unchanged · no write submitted
recommend_headroom
20
Unchanged · no write submitted
swap_pressure_threshold
50
Unchanged · no write submitted
accel_reprobe
report
Unchanged · no write submitted
One key, one outcome
Each Save submits only its key and raw
A response may return the entire policy
Success needs readback; a failed or unk
outcome must not erase another row's
Refresh conflict · proposed treati
Independent state specimen · no write sent
Last read at 11:00
Your draft
Incoming at 11:00:15
Review incoming
Discard
Draft retained on the 15s policy refresh.
Global pause does not stop policy refresh.
No atomic concurrency guarantee is asserted.
Synthetic state · captured raw strings
Not live · no configuration changed

Vega

Capacity

Example machine

Refresh

Current snapshot 11:00 UTC

10 Oct 2026 · current-state ledger

Selected history does not apply here.

GPU 0 · Example compute adapter

Measured use and reservations can overlap.

Observed used 4,096 MB

Granted claims 6,144 MB

Observed free 12,288 MB

Total capacity 16,384 MB

Active claims

Granted reservations · current snapshot 11:00

example-render-worker

VRAM · GPU 0 4,096 MB

Granted · Service priority · active

`example-claim-render`

Example media job

VRAM · GPU 0 2,048 MB

Granted · Service priority · idle

`example-claim-media`

Consumer reconciliation

Coverage is not an authorization verdict.

example-render-worker

PID 4201 · 2,048 MB observed

CLAIMED

Example media job

PID 4219 · 1,024 MB observed

CLAIMED

Owner identity unavailable

PID 5310 · 256 MB observed

UNKNOWN

Capacity policy

Confirmed values in this synthetic scenario · 11:03

Each key saves separately. No change has been sent.

Admission mode

`enforce`

advisory Save

Permit preemption

`preempt_enabled`

false Save

Auto-stop eligible owners

`auto_stop_allowlist`

(empty) Save

Tracking threshold · bytes

`tracking_threshold`

268435456 Save

Reconciliation warning · bytes

`reconcile_warn_threshold`

536870912 Save

Idle grace

`idle_grace`

1m0s Save

Default heartbeat TTL

`default_heartbeat_ttl`

30s Save

10 additional supplied keys

Show additional keys

Raw text formats remain source-owned.

15s refresh is separate from global pause.

Proposed: preserve dirty rows on refresh.

Synthetic design fixture · not host observations

Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega

Capacity

Example machine

Refresh

Current snapshot 11:00 UTC

10 Oct 2026 · current-state ledger

Selected history does not apply here.

GPU 0 · Example compute adapter

Measured use and reservations can overlap.

Observed used	4,096 MB
Granted claims	6,144 MB
Observed free	12,288 MB
Total capacity	16,384 MB

Active claims

Granted reservations · current snapshot 11:00

example-render-worker

VRAM · GPU 0 — 4,096 MB

Granted · Service priority · active

`example-claim-render`

Example media job

VRAM · GPU 0 — 2,048 MB

Granted · Service priority · idle

`example-claim-media`

Consumer reconciliation

Coverage is not an authorization verdict.

example-render-worker

PID 4201 · 2,048 MB observed

CLAIMED

Example media job

PID 4219 · 1,024 MB observed

CLAIMED

Owner identity unavailable

PID 5310 · 256 MB observed

UNKNOWN

Capacity policy

Confirmed values in this synthetic scenario · 11:00

Each key saves separately. No change has been sent.

Admission mode

`enforce`

advisory — Save

Permit preemption

`preempt_enabled`

false — Save

Auto-stop eligible owners

`auto_stop_allowlist`

(empty) — Save

Tracking threshold · bytes

`tracking_threshold`

268435456 — Save

Reconciliation warning · bytes

`reconcile_warn_threshold`

536870912 — Save

Idle grace

`idle_grace`

1m0s — Save

Default heartbeat TTL

`default_heartbeat_ttl`

30s — Save

10 additional supplied keys

Show additional keys

Raw text formats remain source-owned.

15s refresh is separate from global pause.

Proposed: preserve dirty rows on refresh.

Synthetic design fixture · not host observations

Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega
Forensics
Example machine · Local
10 Oct 2026 · 10:00–11:00 UTC
Response generated 11:00 UTC.
Observation times unknown; may predate hour.
CURRENT BOOT ONLY
No previous shutdown record.
Refresh
Collection details
Pstore sources disagree
A check reports no crash artifacts.
Direct collection is denied.
Observation times are unavailable.
Source-reported check results
8 returned checks · not the active-alert feed
CRITICAL
Emergency watchdog
The watchdog reported findings requiring inspection.
CRITICAL
Host pressure
The source reports sustained stranded-memory pressure.
WARNING
Machine-check collection
ras-mc-ctl failed with exit status 1.
WARNING
Disk pressure
The source reports warning disk pressure.
OK
Boot history
Only the current boot is recorded; no history yet.
OK
Crash-artifact check
No crash artifacts in pstore.
OK
Zombie processes
No zombie processes detected in this check.
OK
Boot recovery readiness
The source reports that recovery preconditions hold.
Collection details
Boot history
CURRENT BOOT
0123456789abcdef...
No prior boot recorded.
Last shutdown
UNAVAILABLE
No prior boot recorded.
This does not establish a clean shutdown or a crash.
Machine-check errors
COLLECTION FAILED
ras-mc-ctl failed: exit status 1.
Failed collection is not a zero-error result.
Pstore artifacts
PERMISSION DENIED
Pstore directory was not readable.
Artifact presence cannot be determined from this source.
Check rows inspect evidence only.
No permission repair or service action.
Reference-derived synthetic fixture
Full content · no viewport/runtime proof

Vega

Forensics

Example machine · Local

10 Oct 2026 · 10:00–11:00 UTC

Response generated 11:00 UTC.
Observation times unknown; may predate hour.

CURRENT BOOT ONLY

No previous shutdown record.

Refresh

Collection details

Pstore sources disagree

A check reports no crash artifacts.

Observation times are unavailable.
Crash artifacts cannot be ruled out.

lts

Source-reported check resul

8 returned checks · not the active-alert feed

CRITICAL

Emergency watchdog

The watchdog reported findings requiring inspection.

CRITICAL

Host pressure

The source reports sustained stranded-memory pressure.

WARNING

Machine-check collection

ras-mc-ctl failed with exit status 1.

WARNING

Disk pressure

The source reports warning disk pressure.

OK

Boot history

Only the current boot is recorded; no history yet.

OK

Crash-artifact check

No crash artifacts in pstore.

OK

Zombie processes

No zombie processes detected in this checl

OK

Boot recovery readiness

The source reports that recovery preconditions hold.

Collection details

Boot history

CURRENT BOOT

0123456789abcdef...
No prior boot recorded.

Last shutdown

UNAVAILABLE

No prior boot recorded.
This does not establish a clean shutdown or a crash.

Machine-check errors

COLLECTION FAILED

ras-mc-ctl failed: exit status 1.
Failed collection is not a zero-error result.

Pstore artifacts

PERMISSION DENIED

Pstore directory was not readable.
Artifact presence cannot be determined from this source.

Check rows inspect evidence only.

No permission repair or service action.

Reference-derived synthetic fixture
Full content · no viewport/runtime proof


Vega
Forensics
Example machine · Local
10 Oct 2026 · 10:00–11:00 UTC
Crash-artifact check
SOURCE-REPORTED OK
system-pstore-evidence
“No crash artifacts in pstore.”
Observation time: not supplied
Separate direct pstore source: denied
Conflict remains unresolved.
Close evidence
Evidence outside this hour
HISTORICAL RECORD
Selected hour: 10:00–11:00 UTC
9 Oct 2026 · 08:32 UTC
This record predates the selected hour.
It remains available as boot context.
Use explicit log filters for this date.
Close evidence
No previous boot
VALID SOURCE LIMIT
Only the current boot was returned.
No previous shutdown is available.
This is not proof that a restart was
clean, or that a crash did not happen.
Continue with available evidence.
Close evidence
Alternate fixtures / separate evidence states · no host action performed

Vega

Forensics

Example machine · Local

10 Oct 2026 · 10:00–11:00 UTC

Crash-artifact check

SOURCE-REPORTED OK

system-pstore-evidence

“No crash artifacts in pstore.”

Observation time: not supplied

Separate direct pstore source: denied

Conflict remains unresolved.

Close evidence

Evidence outside this hour

HISTORICAL RECORD

Selected hour: 10:00–11:00 UTC

9 Oct 2026 · 08:32 UTC

This record predates the selected hour.

It remains available as boot context.

Use explicit log filters for this date.

Close evidence

No previous boot

VALID SOURCE LIMIT

Only the current boot was returned.

No previous shutdown is available.

This is not proof that a restart was clean, or that a crash did not happen.

Continue with available evidence.

Close evidence

Alternate fixtures / separate evidence states · no host action performed


Vega
Logs
Example machine · Local
10 Oct 2026 · 10:00–11:00 UTC
Log filters
Example machine · Local
Unit
All units
Priority
Any priority
Boot
Current boot
Grep / regex
Optional regex
Limit
200
Since
2026-10-10 10:00 UTC
Until
2026-10-10 11:00 UTC
Kernel only
Apply changes the query, not the machine.
Reset filters
Apply query
Escape closes without submitting this draft.
Proposed mobile filter sheet · all 8 filter roles
Static specimen · no query or keyboard test


Vega
Logs
Example machine · Local
10 Oct 2026 · 10:00–11:00 UTC
Log filters
ll units
ny priority
urrent boot
ptional regex
00
026-10-10 10:00 UTC
026-10-10 11:00 UTC
Kernel only
ly changes the query, not the machine.
Reset filters
Apply query
pe closes without submitting this draft.
ed mobile filter sheet · all 8 filter roles
pecimen · no query or keyboard test


Vega
Logs
Example machine · Local
10 Oct 2026 · 10:00–11:00 UTC
Query 10:00–11:00 UTC
All units · Any priority
Filters
Refresh query
Current boot · Kernel off · Limit 200
Updates paused
Reading position kept
Return to latest
8 entries · snapshot 11:00 UTC
10:59:52
Warning
example-worker.service
Work queue exceeded its configured observation threshold.
10:59:47
Info
example-worker.service
Work item completed; result record is available.
10:59:43
Warning
example-worker.service
Storage observation incomplete: volume identity was not returned. The read-only check retained throughput samples; no cleanup action was requested.
Example machine · PID 7812
Boot 0123456789abcdef...
Copy message
Raw metadata
Collapse entry
example-worker.service
Read-only inspection started for the selected scope.
10:58:54
example-scheduler.service
Deferred work is eligible for the next scheduling pass.
10:58:12
example-worker.service
Worker returned to the waiting state
10:57:38
example-scheduler.service
A scheduled work item was acknowledg
10:57:03
example-worker.service
Worker is ready for the next item.
Newer
Older
Cursor pages · total unknown
Synthetic fixture · full scrolling content
No runtime, viewport or clipboard proof

Vega

Logs

Example machine · Local

10 Oct 2026 · 10:00–11:00 UTC

Query 10:00–11:00 UTC

All units · Any priority

Filters

Refresh query

Current boot · Kernel off · Limit 200

Updates paused

Reading position kept

Return to latest

8 entries · snapshot 11:00 UTC

10:59:52 Warning

example-worker.service

Work queue exceeded its configured observation threshold.

10:59:47 Info

example-worker.service

Work item completed; result record is available.

10:59:43 Warning

example-worker.service

Storage observation incomplete: volume identity was not returned. The read-only checker ran through part of the sample, so cleanup action was requested.

Example machine · PID 7812

Boot 0123456789abcdef...

Copy message

Raw metadata

Collapse entry

10:59:30 Info

example-worker.service

Read-only inspection started for the selected scope.

10:58:54 Notice

example-scheduler.service

Deferred work is eligible for the next scheduling pass.

10:58:12 Info

example-worker.service

Worker returned to the waiting state

10:57:38 Info

example-scheduler.service

A scheduled work item was acknowledg

10:57:03 Info

example-worker.service

Worker is ready for the next item.

Newer

Older

Cursor pages · total unknown

Synthetic fixture · full scrolling content

No runtime, viewport or clipboard proof


Vega
Logs
Example machine · Local
10 Oct 2026 · 10:00–11:00 UTC
QUERY STATE COMPANIONS
Could not load older entries
QUERY FAILURE
The previous 8 entries are still shown.
The Older request failed; this does not establish that no older records exist.
Example machine · 10:00–11:00 UTC
Back to loaded page
Retry older
No matching entries
VALID EMPTY RESPONSE
Query completed for the selected interval.
0 entries match these filters.
Change a filter or choose another interval.
Example machine · 10:00–11:00 UTC
Edit filters
Reset filters
Reading is paused
POLLING PAUSED
Your selected entry and place are retained.
Returning to latest makes a new query.
Your place stays until you choose to leave.
Example machine · 10:00–11:00 UTC
Keep reading
Return to latest
Proposed separate states · synthetic fixture · no requests performed

Vega

Logs

Example machine · Local

10 Oct 2026 · 10:00–11:00 UTC

QUERY STATE COMPANIONS

Could not load older entries

QUERY FAILURE

The previous 8 entries are still shown.
The Older request failed; this does not establish that no older records exist.

Example machine · 10:00–11:00 UTC

Back to loaded page

Retry older

No matching entries

VALID EMPTY RESPONSE

Query completed for the selected interval.
0 entries match these filters.
Change a filter or choose another interval.

Example machine · 10:00–11:00 UTC

Edit filters

Reset filters

Reading is paused

POLLING PAUSED

Your selected entry and place are retained.
Returning to latest makes a new query.
Your place stays until you choose to leave.

Example machine · 10:00–11:00 UTC

Keep reading

Return to latest

Proposed separate states · synthetic fixture · no requests performed


Vega
‹ Script library
Close
Execution result
Container Health Analyzer · Example machine
SYNTHETIC RECEIPT · no script was executed
Run / mode
run-example-014 · shell
Process receipt
Completed · exit 0
Duration / timeout
0.42 s · not timed out
Started UTC
10 Oct 2026 · 11:02:00
Docker evidence unavailable
The process completed, but its payload reports that the Docker daemon was unavailable.
stdout · complete returned JSON
Soft-wrapped · exact returned characters
{
"investigation": "container-health"
,
"status": "unavailable",
"reason": "Docker daemon is unavail
able",
"findings": [],
"recommendations": [],
"timestamp": "2026-10-10T11:02:00Z"
}
stderr
collecting container health
Close result
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent


Vega
‹ Script library
Close
Execution result
Container Health Analyzer · Example machine
SYNTHETIC RECEIPT · no script was executed
Run / mode
run-example-014 · shell
Process receipt
Completed · exit 0
Duration / timeout
0.42 s · not timed out
Started UTC
10 Oct 2026 · 11:02:00
Docker evidence unavailab
The process completed, but its payload r
that the Docker daemon was unavailable
stdout · complete returned JSON
Soft-wrapped · exact returned characters
{
"investigation": "container-he
,
"status": "unavailable",
"reason": "Docker daemon is un
able",
"findings": [],
"recommendations": [],
"timestamp": "2026-10-10T11:02
}
stderr
collecting container health
Close result
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent


Vega
‹ Script library
Close
Review execution
container-health · Example machine · Linux
Shell-gated built-in
Runs host shell commands through the configured runner.
Source
Inspected · deployed bytes unverified
Tools
bash, jq, docker · not verified
Authority
Not verified for this machine
The inspected source calls Docker info/ps.
No restart or cleanup command was found.
The runner writes a temporary script file.
This review does not grant permission.
Execution unavailable until verified
Verify source, platform, tools and authority.
No execution request has been sent.
Close review
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent


Vega
‹ Script library
Close
Review execution
container-health · Example machine · Linux
Shell-gated built-in
Runs host shell commands through the configured runner.
Source
Inspected · deployed bytes unverified
Tools
bash, jq, docker · not verified
Authority
Not verified for this machine
The inspected source calls Docker info/ps.
No restart or cleanup command was found.
The runner writes a temporary script file.
This review does not grant permission.
Execution unavailable until verified
Verify source, platform, tools and authority.
No execution request has been sent.
Close review
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent

Vega
‹ Script library
Close
Container Health Analyzer
container-health
BUILT-IN · IMMUTABLE
Reports container runtime availability and a bounded health summary.
Machine context
Example machine · Linux
Execution mode
Shell-gated
Supported platforms
Linux / macOS
Required tools
bash · jq · docker
Prerequisites have not been verified.
The history hour does not scope execution.
Open full source
1160 bytes · source inspected
Deployed source and overlays unverified.
Review execution
No run submitted
Synthetic design fixture · not host observations


Vega
‹ Script library
Close
Container Health Analyzer
container-health
BUILT-IN · IMMUTABLE
Reports container runtime availability and a bounded health summary.
Machine context
Example machine · Linux
Execution mode
Shell-gated
Supported platforms
Linux / macOS
Required tools
bash · jq · docker
Prerequisites have not been verified.
The history hour does not scope execution.
1160 bytes · source inspected
Deployed source and overlays unverified.
Review execution
No run submitted
Synthetic design fixture · not host observations
Independent hypothetical state · no action sent


Vega
‹ Script library
Close
Container Health Analyzer
Shell-gated · built-in source
Linux / macOS · bash, jq, docker
Immutable · 1160 bytes · 23 source lines
Source inspected; deployed bytes unverified
Review execution
Full source · soft-wrap preserves characters
1 #!/usr/bin/env bash
2 # INVESTIGATION_SCRIPT
3 # NAME: Container Health Ar
4 # DESCRIPTION: Reports cont
↳ ntime availability and a bo
↳ alth summary.
5 # CATEGORY: resource-manage
6 # OUTPUTS: json
7 # AUTHOR: claude-agent
8 # CREATED: 2026-02-18
9 # LAST_MODIFIED: 2026-08-26
10
11 set -euo pipefail
12 printf '%s\n' 'collecting c
↳ health' >&2
13 timestamp="$(date -u +%Y-%m
↳ M:%SZ)"
14 if ! docker info >/dev/null
↳ hen
15 jq -n --arg ts "$timestam
↳ estigation:"container-healt
↳ stamp:$ts, status:"unavaila
↳ ason:"Docker daemon is unav
↳ , findings:[], recommendati
16 exit 0
17 fi
18
19 running="$(docker ps -q 2>/
↳ | wc -l | tr -d ' ')"
20 unhealthy="$(docker ps --fi
↳ lth=unhealthy -q 2>/dev/nul
↳ l | tr -d ' ')"
21 exited="$(docker ps -a --fi
↳ tus=exited -q 2>/dev/null |
↳ tr -d ' ')"
22 jq -n --argjson "$times
↳ on running "${running:-
↳ n unhealthy "${unhealth
↳ json exited "${exited:-
23 '{investigation:"cont
↳ ", timestamp:$ts, statu
↳ ", summary:{total_runni
↳ unhealthy:$unhealthy,
↳ ed}, findings:[], recom
↳]}'
Source viewing does not run the scr
No runtime result or execution perm
Native source catalog · synthetic selection
No script executed · deployed catalog and

Vega
‹ Script library
Close
Container Health Analyzer
Shell-gated · built-in source
Linux / macOS · bash, jq, docker
Immutable · 1160 bytes · 23 source lines
Source inspected; deployed bytes unverified.
Review execution
Full source · soft-wrap preserves characters
#!/usr/bin/env bash
INVESTIGATION_SCRIPT
NAME: Container Health Analyzer
DESCRIPTION: Reports container runtime availability and a bounded health summary.
CATEGORY: resource-management
OUTPUTS: json
AUTHOR: claude-agent
CREATED: 2026-02-18
LAST_MODIFIED: 2026-08-26
set -euo pipefail
printf '%s\n' 'collecting container health' >&2
timestamp="$(date -u +%Y-%m-%dT%H:%M:%SZ)"
if ! docker info >/dev/null 2>&1; then
jq -n --arg ts "$timestamp" '{investigation:"container-health", timestamp:$ts, status:"unavailable", reason:"Docker daemon is unavailable", findings:[], recommendations:[]}'
exit 0
fi
running="$(docker ps -q 2>/dev/null | wc -l | tr -d ' ')"
unhealthy="$(docker ps --filter health=unhealthy -q 2>/dev/null | wc -l | tr -d ' ')"
exited="$(docker ps -a --filter status=exited -q 2>/dev/null | wc -l | tr -d ' ')"
jq -n --arg ts "$timestamp" --argjson running "${running:-0}" --argjson unhealthy "${unhealthy:-0}" --argjson exited "${exited:-0}" \
'{investigation:"container-health", timestamp:$ts, status:"completed", summary:{total_running:$running, unhealthy:$unhealthy, exited:$exited}, findings:[], recommendations:[]}'
Source viewing does not run the script.
No runtime result or execution permission is implied.


Vega
Investigation scripts
Example machine · current state
Search name, ID or category
Refresh
Container Health Analyzer
Selected
Shell-gated
Linux / macOS
Master System Sweep
Shell-gated
Linux / macOS
Memory Pressure Attribution
Native query
Linux / macOS / Windows
Network Anomaly Detector
Native query
Linux / macOS / Windows
Resource Leak Detector
Native query
Linux / macOS / Windows
Inspect selected script


Vega
Investigation scripts
Example machine · current state
Search name, ID or category
Refresh
7 BUILT-IN SCRIPTS
Container Health Analyzer
Selected
Shell-gated
Linux / macOS
Master System Sweep
Shell-gated
Linux / macOS
Memory Pressure Attribution
Native query
Linux / macOS / Windows
Network Anomaly Detector
Windows
Native query
Linux / macOS / W
k Detector
Windows
Resource Leal
Native query
Linux / macOS / W
guration Validator
Windows
Service Config
Native query
Linux / macOS / W
n Monitor
Windows
Service Health
Native query
Linux / macOS / W
spect selected script
Ins
available
Built-in editing una
· synthetic selection · not live
leployed catalog and overlays unverified
Native source catalog
No script executed · d


Vega
Back to Dashboard
Investigations
Example machine · current state
Snapshot 11:00 · 10 Oct 2026
Selected hour is reference context only.
SUBMITTED
Off
Prepare investigation
Current-state scope
NOT
Auto-fix
Report-only requested behavior
Optional note
Review current CPU and disk conditi
The 10:00–11:00 overview is referenc
context only.
Execution authority matters
Report-only may write reports or scrip
The source profile permits read/write
Auto-fix does not change permissions
Cooldown · 4m 30s remainin
Ready at 11:04:30 · synthetic state
Launch unavailable during cooldown
Launch investigation
10:59:30
Acknowledged record
QUEUED
inv-example-001
Report-only · Example machine
Queued is an acknowledgement.
Running has not been confirmed.
Refresh status
A stop receipt is not proof that OS
processes have terminated.
Report generation
Daily or Weekly type; separate from the
Generate daily
Refresh reports
Report library
Daily operational report
18 Feb 2026 · 19:45 UTC
Historical · outside selected hour
Illustrative report contents
Open report
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
‹ Reports
Close
Historical report
18 Feb 2026 · 19:45 UTC · outside selected hour
Illustrative report content
Summary
One evidence source was unavailable.
Available evidence was retained;
no root cause was established.
Finding
Disk analysis was unavailable.
Occupancy and throughput do not
explain why storage was occupied.
Recommendation
Inspect the failed source in context.
Retain the original response beside
subsequent evidence.
Risk
This report may be out of date.
Changes require current evidence
and separate authority review.
Technical evidence
{
"source": "disk-analysis",
"result": "unavailable",
"http_status": 404, "diagnosis": null
}
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026


Vega
‹ Reports
Close
Historical report
18 Feb 2026 · 19:45 UTC · outside selected hour
Illustrative report content
Summary
One evidence source was unavailable.
Available evidence was retained;
no root cause was established.
Finding
Disk analysis was unavailable.
Occupancy and throughput do not
explain why storage was occupied.
Recommendation
Inspect the failed source in context.
Retain the original response beside
subsequent evidence.
Risk
This report may be out of date.
Changes require current evidence
and separate authority review.
Technical evidence
{
"source": "disk-analysis",
"result": "unavailable",
"http_status": 404, "diagnosis": null
}
Synthetic design fixture · not host observations
Not live · snapshot 11:00 UTC · 10 Oct 2026

Vega
DESIGN FIXTURE
Monitoring settings
Example machine · Local
Confirmed response · 11:02:00 UTC
2 unsaved changes
Synthetic values for this design specimen
Collection & evaluation
Monitoring active
On · collection continues while editing
Metric Collection
15 seconds
Effective 10 seconds → draft 15 seconds
Threshold Checking
20 seconds
Anomaly Detection
30 seconds
Alert thresholds
CPU Usage
85 %
Memory Usage
90 %
Disk Usage
85 %
CPU escalation
CPU High Band
92 %
CPU Critical Band
97 %
CPU Sustained Samples
3 samples
CPU Debounce Samples
2 samples
CPU Cooldown
1800 seconds
Investigation cooldown
Cooldown Period
600 seconds
Effective 300 seconds → draft 600 seconds
Save sends the full settings object.
Changes affect future evaluation; they
do not clear active conditions.
Cancel
Review 2 changes
Reset all settings...
Whole-settings action · separate confirmation

Vega

DESIGN FIXTURE

Monitoring settings

Example machine · Local

Confirmed response · 11:02:00 UTC

2 unsaved changes

Synthetic values for this design specimen

Collection & evaluation

Monitoring active

On · collection continues while editing

Metric Collection

15 seconds

Effective 10 seconds → draft 15 seconds

Threshold Checking

20 seconds

Anomaly Detection

30 seconds

Alert thresholds

CPU Usage

85 %

Memory Usage

90 %

Disk Usage

85 %

CPU escalation

CPU High Band

92 %

CPU Critical Band

97 %

CPU Sustained Samples

3 samples

CPU Debounce Samples

2 samples

CPU Cooldown

1800 seconds

Investigation cooldown

Cooldown Period

600 seconds

Effective 300 seconds → draft 600 seconds

Save sends the full settings object.
Changes affect future evaluation; they
do not clear active conditions.

Cancel

Review 2 changes

Reset all settings...

Whole-settings action · separate confirmation


Vega
DESIGN FIXTURE
Review changes
REVIEW BEFORE SUBMIT
Example machine · Local
Metric Collection: 10 → 15 seconds
Cooldown Period: 300 → 600 seconds
Save sends the full settings object.
Active conditions are not cleared.
Keep editing
Focus begins on Keep editing
Save outcome unknown
RECONCILE BEFORE RETRY
The request did not return a result.
Your draft is still available.
The server may have saved the change.
Read current settings before retrying.
No duplicate request has been sent.
Keep draft
Focus begins on Check current
Discard local changes?
LOCAL DRAFT ONLY
2 unsaved changes on Example machine.
Discard removes this local draft only.
It does not restore or change the
server's effective configuration.
Keep editing
Focus begins on Keep editing
Reset all settings?
WHOLE-SETTINGS ACTION
Example machine · Local
Thresholds, intervals and investigation
settings are included.
The endpoint returns defaults after reset.
A before/after preview is unavailable.
Cancel
Focus begins on Cancel

Vega

DESIGN FIXTURE

Review changes

REVIEW BEFORE SUBMIT

Example machine · Local

Metric Collection: 10 → 15 seconds

Cooldown Period: 300 → 600 seconds

Save sends the full settings object.

Active conditions are not cleared.

Keep editing | **Save changes**

Focus begins on Keep editing

Save outcome unknown

RECONCILE BEFORE RETRY

The request did not return a result.

Your draft is still available.

The server may have saved the change.

Read current settings before retrying.

No duplicate request has been sent.

Keep draft | **Check current**

Focus begins on Check current

Discard local changes?

LOCAL DRAFT ONLY

2 unsaved changes on Example machine.

Discard removes this local draft only.
It does not restore or change the
server's effective configuration.

Keep editing | Discard draft

Focus begins on Keep editing

Reset all settings?

WHOLE-SETTINGS ACTION

Example machine · Local
Thresholds, intervals and investigation
settings are included.

The endpoint returns defaults after reset.

A before/after preview is unavailable.

Cancel | Reset settings

Focus begins on Cancel


Vega
DESIGN FIXTURE
Navigation
Opened from the left menu
Dashboard
Forensics
Logs
Capacity
Scripts
Monitoring settings
Display preferences
Investigations & reports
Escape closes · focus returns to menu
Choose machine
Persistent subject · no local fallback
Example machine
This host · selected
Remote example
Unreachable · last seen 10:58 UTC
Grant status unavailable
Add machine...
Opens the existing Bridge pairing flow.
Settings unavailable
Example machine · Local
We could not load your current monitoring settings.
No defaults have been substituted.
Your current configuration is unknown.
Existing collection may still be active.
Retry loading
Close
Editing, saving and reset stay unavailable until a trustworthy response is loaded.
Proposed safety repair · source currently substitutes editable fallback defaults.
Proposed states · synthetic subjects · no runtime/permission verification


Vega
DESIGN FIXTURE
Navigation
Opened from the left menu
Dashboard
Forensics
Logs
Capacity
Scripts
Monitoring settings
Display preferences
Investigations & reports
Escape closes · focus returns to menu
Choose machine
Persistent subject · no local fallback
Example machine
This host · selected
Remote example
Unreachable · last seen 10:58 UTC
Grant status unavailable
Add machine...
Opens the existing Bridge pairing flow.
Settings unavailable
Example machine · Local
We could not load your current monitoring settings.
No defaults have been substituted.
Your current configuration is unknown.
Existing collection may still be active.
Retry loading
Close
diting, saving and reset stay unavailable
ntil a trustworthy response is loaded.
roposed safety repair · source currently
ubstitutes editable fallback defaults.
osed states · synthetic subjects - no runtime/permission verification

Vega

Dashboard | Forensics | Logs | Capacity | Scripts | Controls

10 Oct 2026
10:00–11:00 UTC

15m | 1h | 6h | 24h

‹ Dashboard

Disk Example machine

10 Oct 2026 · 10:00–11:00 UTC

Open logs

2 active alerts · CRITICAL · CPU utilization : since 10:57 → WARNING · Disk space condition : since 09:57 · Evaluation ready 11:00

REPORTED OCCUPANCY

Disk space used

Read & write throughput

MB/s · session-only history

Read 6 MB/s · Write 12 MB/s · Combined 18 MB/s

No samples in this session
History begins 10:43

40
30
20
10
0

10:00 10:30 11:00

Coverage 10:43–10:59:50 · session history may reset on reload

Observed 10:59:5

83.5

WARNING · active since 09:57

Volume identity unavailable
Capacity bytes not supplied

Observed UTC	Read MB/s	Write MB/s	Combined MB/s
10:57:00	8	15	23
10:58:30	7.2	14.2	21.4
10:59:50	6	12	18

Recent samples

Matched timestamps; combined is read + write.

Analysis could not be loaded.

Occupancy and I/O remain available. No scan has been started.

Retry analysis

Proposed retry

d wait · descriptors and watchers: no values supplied in this fixture.

Disk analysis

UNAVAILABLE · HTTP 404

Mounted volumes · usage history · queue an

sage history | Pressure & limits | Directory analysis | Inspect CPU condition →

More disk evidence | Volumes & u

A verified handoff is required before any storage action.

Cleanup belongs to Storage Manager.

Explicit disk inspection · snapshot 11:00 UTC

Design concept · synthetic fixture · not live

es; measurements do not animate
:00–11:00 UTC · actual Vega mark fixed

Vega · Disk inspection · complete surface settle
Offline specimen · same Example machine / 10

Vega
Dashboard
Forensics
Logs
Capacity
Scripts
Controls
10 Oct 2026
10:00–11:00 UTC
15m
1h
6h
24h
SYSTEM OVERVIEW
Example machine
10 Oct 2026 · 10:00–11:00 UTC
Evaluation ready 11:00
Collector active at snapshot
2 active alerts
CRITICAL
CPU utilization elevated
Active since 10:57
Inspect CPU
WARNING
Disk space needs attention
Active since 09:57 · before chart window
Inspect disk
CPU
Utilization
94 %
10:59:55
CPU 91% · 10:20 historical sample
100
50
0
10:00
10:30
11:00
Memory
Utilization
61 %
10:59:55
100
50
0
10:00
10:30
11:00
GPU
Utilization
8 %
10:59:55
4 missing · 10:18–10:24
100
50
0
10:00
10:30
11:00
Disk I/O
Read + write
18 MB/s
10:59:50
40
20
0
Session history
from 10:43
10:00
10:30
11:00
83.5% space used
Network
Established TCP connections
640
10:59:55
1,000
500
0
10:00
10:30
11:00
Processes & ownership
CPU and memory details
Infrastructure
Pools, queues & storage I/O
Investigations & reports
Forensics and historical context
Vega mark fixed
Vega · Overview · complete surface settles; measurements do not ani
Offline specimen · same Example machine / 10:00–11:00 UTC · actual


Vega
‹ Dashboard
Disk
1h
Example machine
10 Oct 2026 · 10:00–11:00 UTC
2 active alerts
Evaluation ready 11:00
CRITICAL
CPU utilization
Active since 10:57
WARNING
Disk space condition
Since 09:57 · before window
REPORTED OCCUPANCY
Disk space used
83.5 %
0
10:59:50
100%
WARNING · active since 09:57
Volume identity unavailable
Capacity bytes not supplied
Read & write throughput
MB/s · session-only history
Read
Write
Combined
6 MB/s
12 MB/s
18 MB/s
Observed 10:59:50
40
30
20
10
0
No samples in this session
History begins 10:43
10:00
10:30
11:00
Session coverage: 10:43–10:59:50
Reload may clear this session history.
Recent samples
Same timestamp · read + write = combined
10:57:00
23.0 MB/s
Read 8 · Write 15 MB/s
10:58:30
21.4 MB/s
Read 7.2 · Write 14.2 MB/s
10:59:50
18.0 MB/s
Read 6 · Write 12 MB/s
Disk analysis
UNAVAILABLE · HTTP 404
Analysis could not be loaded.
Occupancy and I/O remain available.
Retry analysis
Proposed retry · no scan started
More disk evidence
Volumes & usage history
Scope and values unavailable
Pressure & limits
Queue, wait, descriptors and watchers
Directory analysis
No scan started in this fixture
Open logs
Selected machine / hour
Cleanup belongs to Storage Manager.
Verified handoff required before action.
Design concept · synthetic fixture · not live
Explicit inspection · snapshot 11:00 UTC
Overview → explicit Disk inspection → Back
Fixed synthetic data · offline motion specimen


Vega
Example machine
10 Oct 2026
10:00–11:00 UTC
1h
Evaluation ready · 11:00
Collector active at snapshot
2 active alerts
CRITICAL
CPU utilization elevated
Since 10:57
WARNING
Disk space needs attention
Since 09:57 · before window
CPU
94 %
Utilization
10:59:55
CPU 91% · 10:20 historical sample
100
50
0
10:00
10:30
11:00
Memory
61 %
Utilization
10:59:55
100
50
0
10:00
10:30
11:00
GPU
8 %
Utilization
10:59:55
4 missing · 10:18–10:24
100
50
0
10:00
10:30
11:00
Disk I/O
18 MB/s
Read + write
10:59:50
40
20
0
Session history
from 10:43
10:00
10:30
11:00
83.5% space used
Network
640
Established TCP connections
10:59:55
1,000
500
0
10:00
10:30
11:00
Processes & ownership
CPU and memory details
Infrastructure
Pools, queues & storage I/O
Investigations & reports
Forensics and historical context
Design concept · synthetic fixture
Not live · snapshot 11:00 UTC
Overview → explicit Disk inspection → Back
Fixed synthetic data · offline motion specimen