Student Table

```
CREATE TABLE Student (
    student_id VARCHAR(10) PRIMARY KEY,
    student_name VARCHAR(40) NOT NULL,
    course VARCHAR(30),
    marks INT CHECK (marks BETWEEN 0 AND 100),
    grade CHAR(1),
    city VARCHAR(20)
);

INSERT INTO Student (student_id, student_name, course, marks, grade, city) VALUES
('S01', 'Anita', 'DBMS', 85, 'A', 'Pune'),
('S02', 'Rahul', 'Python', 72, 'B', 'Mumbai'),
('S03', 'Neha', 'DBMS', 91, 'A', 'Pune'),
('S04', 'Karan', 'Java', 65, 'C', 'Nashik'),
('S05', 'Isha', 'Python', 88, 'A', 'Nagpur');

-- 3. List all students with grade 'A'.
SELECT * FROM Student WHERE grade = 'A';

-- 4. Count total number of students from 'Pune'.
SELECT COUNT(*) AS total_students FROM Student WHERE city = 'Pune';

-- 5. Find average marks per course.
SELECT course, AVG(marks) AS average_marks FROM Student GROUP BY course;
```

-- 6. Display students having marks greater than 80.

SELECT * FROM Student WHERE marks > 80;

-- 7. List all students whose names end with 'a'.

SELECT * FROM Student WHERE student_name LIKE '%a';

-- 8. Update the marks of student 'Rahul' to 78.

UPDATE Student SET marks = 78 WHERE student_name = 'Rahul';

-- 9. Delete a student who belongs to 'Nashik'.

DELETE FROM Student WHERE city = 'Nashik';

-- 10. Display students in descending order of marks.

SELECT * FROM Student ORDER BY marks DESC;