Student Collection (MongoDB)

```
// 1. Insert records
db.student.insertMany([
 {"_id": 1, "name": "Anita", "course": "DBMS", "marks": 85, "grade": "A", "city": "Pune" },
 {"_id": 2, "name": "Rahul", "course": "Python", "marks": 72, "grade": "B", "city": "Mumbai" },
 {"_id": 3, "name": "Neha", "course": "DBMS", "marks": 91, "grade": "A", "city": "Pune" },
 {"_id": 4, "name": "Karan", "course": "Java", "marks": 65, "grade": "C", "city": "Nashik" },
 {"_id": 5, "name": "Isha", "course": "Python", "marks": 88, "grade": "A", "city": "Nagpur" }
]);

// 2. Display all students
db.student.find().pretty();

// 3. Find students with grade = "A"
db.student.find({ grade: "A" });

// 4. Display students having marks greater than 80 using $gt
db.student.find({ marks: { $gt: 80 } });

// 5. Find students from city "Pune" or "Mumbai" using $or
db.student.find({ $or: [ { city: "Pune" }, { city: "Mumbai" } ] });

// 6. Retrieve students whose marks are between 70 and 90 using $and
db.student.find({ $and: [ { marks: { $gte: 70 } }, { marks: { $lte: 90 } } ] });
```

```
// 7. Find students not belonging to course "DBMS"

db.student.find({ course: { $ne: "DBMS" } });


// 8. Update marks of student "Rahul" to 78

db.student.updateOne({ name: "Rahul" }, { $set: { marks: 78 } });


// 9. Delete a student with grade "C"

db.student.deleteOne({ grade: "C" });


// 10. Find students whose names contain "a" using $regex

db.student.find({ name: { $regex: "a", $options: "i" } });
```