

Product Table

```
CREATE TABLE Product (  
    product_id VARCHAR(10) PRIMARY KEY,  
    product_name VARCHAR(40) NOT NULL,  
    category VARCHAR(30),  
    price DECIMAL(10,2) CHECK (price > 0),  
    stock INT CHECK (stock >= 0),  
    supplier VARCHAR(30) DEFAULT 'Local'  
);
```

```
INSERT INTO Product (product_id, product_name, category, price, stock, supplier) VALUES  
( 'P101', 'Laptop', 'Electronics', 55000, 10, 'Dell'),  
( 'P102', 'Mouse', 'Electronics', 800, 50, 'Logitech'),  
( 'P103', 'Chair', 'Furniture', 1500, 20, 'Ikea'),  
( 'P104', 'Table', 'Furniture', 2500, 15, 'Godrej'),  
( 'P105', 'Printer', 'Electronics', 9000, 8, 'HP');
```

-- 3. List all products from the 'Furniture' category.

```
SELECT * FROM Product WHERE category = 'Furniture';
```

-- 4. Find the average price of all products.

```
SELECT AVG(price) AS average_price FROM Product;
```

-- 5. Display the product name and price ordered by price descending.

```
SELECT product_name, price FROM Product ORDER BY price DESC;
```

-- 6. Count total number of products in each category.

```
SELECT category, COUNT(*) AS total_products FROM Product GROUP BY category;
```

-- 7. Display products having stock between 10 and 30.

```
SELECT * FROM Product WHERE stock BETWEEN 10 AND 30;
```

-- 8. List all products supplied by 'HP' or 'Dell'.

```
SELECT * FROM Product WHERE supplier IN ('HP', 'Dell');
```

-- 9. Update the stock of 'Mouse' to 60.

```
UPDATE Product SET stock = 60 WHERE product_name = 'Mouse';
```

-- 10. Delete all records of category 'Furniture'.

```
DELETE FROM Product WHERE category = 'Furniture';
```