

MongoDB Compass & Atlas Practical

Database: spotifyDB → Atlas Database: instaClone

1. Create spotifyDB and playlists using MongoDB Compass

Open MongoDB Compass and connect to the local MongoDB server using:

```
mongodb://localhost:27017
```

Create a database named **spotifyDB** and a collection named **playlists**.

Output:

Database created successfully

```
spotifyDB
■■■ playlists
```

2. Import restaurant JSON into zomatoRestaurants

Create a file named **restaurants.json** with the following 10 sample documents:

```
[
  {"name": "La Piazza", "cuisine": "Italian", "rating": 4.5},
  {"name": "Spice Garden", "cuisine": "Indian", "rating": 4.3},
  {"name": "Sushi House", "cuisine": "Japanese", "rating": 4.6},
  {"name": "Pizza Palace", "cuisine": "Italian", "rating": 4.2},
  {"name": "Dragon Wok", "cuisine": "Chinese", "rating": 4.1},
  {"name": "Burger Hub", "cuisine": "American", "rating": 4.0},
  {"name": "Tandoori Flames", "cuisine": "Indian", "rating": 4.7},
  {"name": "Pasta Point", "cuisine": "Italian", "rating": 4.4},
  {"name": "Thai Orchid", "cuisine": "Thai", "rating": 4.5},
  {"name": "Curry Leaf", "cuisine": "Indian", "rating": 4.2}
]
```

In Compass: spotifyDB → Create Collection → zomatoRestaurants → Add Data → Import JSON.

Output:

zomatoRestaurants
Documents: 10

La Piazza	Italian	4.5
Spice Garden	Indian	4.3
Sushi House	Japanese	4.6
Pizza Palace	Italian	4.2
Dragon Wok	Chinese	4.1
Burger Hub	American	4.0
Tandoori Flames	Indian	4.7
Pasta Point	Italian	4.4
Thai Orchid	Thai	4.5
Curry Leaf	Indian	4.2

3. Create MongoDB Atlas instaClone database

Sign up for MongoDB Atlas, create a free cluster, create a database user, and allow your IP address under Network Access. Create/use the database named **instaClone**.

Output:

```
Cluster
  ■■■ instaClone
    ■■■ zomatoRestaurants
```

4. Export local collection and import into Atlas

Export the local zomatoRestaurants collection using mongoexport:

```
mongoexport --uri="mongodb://localhost:27017/spotifyDB" --collection=zomatoRestaurants --out=restaurants.json
```

Expected output:

```
connected to: mongodb://localhost:27017/spotifyDB
exported 10 records
```

Import the exported JSON into Atlas. Replace the placeholders with the actual Atlas username, password, and cluster hostname.

```
mongoimport --uri="mongodb+srv://<username>:<password>@cluster0.xxxxx.mongodb.net/instaClone" --collection=zomatoRestaurants
```

Expected output:

```
connected to: mongodb+srv://cluster0.xxxxx.mongodb.net/instaClone
10 document(s) imported successfully
```

5. Verify imported documents in MongoDB Compass

Connect Compass to the Atlas cluster and open: **instaClone** → **zomatoRestaurants** → **Documents**.

You should see all 10 restaurant documents.

Optional verification using MongoDB Shell:

```
use instaClone
db.zomatoRestaurants.countDocuments()
```

Output:

```
10
```

Final Result

Task	Result
Local database	spotifyDB
Local collection	playlists
Restaurant collection	zomatoRestaurants
Sample restaurants	10
Atlas database	instaClone
Export tool	mongoexport
Import tool	mongoimport
Final document count	10

Import status	SUCCESS
---------------	---------

Note: The command outputs above are representative expected outputs. Actual timestamps, connection hostnames, and MongoDB version details may differ on your system.