Національний технічний університет України «Київський політехнічний інститут імені Ігоря Сікорського» Факультет інформатики та обчислювальної техніки Кафедра інформаційних систем та технологій

Лабораторна робота №2

з дисципліни "Основи клієнтської розробки"
Тема: "Таблиці, фрейми"

Тематика:«Рецепти»

Виконав:

студент групи ІП-93

Домінський Валентин

Олексійович

Перевірила:

ст. вик. Кафедри ІСТ


Хмелюк Марина Сергіївна

Завдання:


- 1. На сторінці додати таблицею 3 * 4. Залити кольором шапку з заголовками колонок. Додати заголовок до таблиці. В комірки першого рядка вставити картинки, другого рядка гіперпосилання, 3 рядка текст.
- 2. Створити складну таблицю, застосувавши різні види вирівнювання для різних рядків, об'єднання комірок (rawspan, calspan), використати відступи (cellspacing, cellpadding).

Результати:

Головна сторінка з простою та складною таблицями, різним вирівнюванням та фреймом:



Додаткова сторінка зі списком il та ul, картинкою та посиланнями на якоря:



Вихідний код:

index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta name="author" content="Valentyn Dominskyi">
 <meta name="keywords" content="recipes, cookbook">
 <meta name="description" content="cookbook site with recipes">
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Main page</title>
</head>
<!-- Set styles for different links -->
<body link="#2E82B3" vlink="#F08221" alink="#C728F7" style="font-size: 23px; color: #ffffff;"</p>
background="./images/Background.jpg">
 <header style="text-align: center">
   <h3>Cookbook</h3>
 </header>
 <article>
   <!-- Borderlight and borderdark, as I understood, don't work in modern browsers -->
   <table border="5" align="center" valign="center" bordercolor="#56018F" style="margin-
left: auto; margin-right: auto; text-align: center;" title="All available recipes">
     <caption>All Recipes</caption>
     Belgian
waffles
     Envelopes With
Apples
     Cracked
Cookies
```

```
Waffle
Tubes
   <a href="images/Belgian_Waffles.jpg" target="_blank">
       <img src="images/Belgian_Waffles.jpg" alt="Belgian Waffles" width="280">
      </a>
    <a href="images/Envelopes-With-Apples.ipg" target="_blank">
       <img src="images/Envelopes-With-Apples.jpg " alt="Belgian Waffles "</pre>
width="297">
      </a>
    <a href="images/Cracked-Cookies.jpg" target="_blank">
       <img src="images/Cracked-Cookies.jpg" alt="Belgian Waffles" width="207">
      </a>
    <a href="images/Waffle-Tubes.jpg" target="_blank">
       <img src="images/Waffle-Tubes.jpg" alt="Belgian Waffles" width="280">
      </a>
    <a href="../Lab1/Belgian-Waffles.html">Belgian Waffles Recipe</a>
    <a href="../Lab1/Envelopes-With-Apples.html">Envelopes With Apples
Recipe</a>
    <a href="../Lab1/Cracked-Cookies.html">Cracked Cookies Recipe</a>
```

```
<a href="Waffle-Tubes.html">Waffle Tubes Recipe</a>
```

In North America, Belgian waffles are a variety of waffle with a lighter batter, larger squares, and deeper pockets than American waffles. Belgian waffles were originally leavened with yeast, but baking powder is now often used

```
</d>
```

Envelopes are simple to make: prepare a cottage cheese dough, as a filling I use apples, you can replace them with pears, dried fruits or come up with another stuffing, according to your taste

```
</d>
```

These traditional Christmas cookies are a cut above the rest because they're as rich and fudgy as brownies. They're thick and soft-baked in the centers with a little extra chocolate for good measure!

The taste of tender, sweet and crunchy waffle tubes is familiar to all of us from childhood. This appetizing dessert has become a favorite delicacy of many children, and adults will love these delicacies. You can cook incense sticks at home with a waffle

```
iron
```

```
</article>
 <hr>
 <article>
   <table border="5" align="left" frame="box" valign="center" cellpadding="5"
cellspacing="7" bordercolor="#56018F" style="margin-left: auto; margin-right: auto; text-align:
center; "title="Ingredients in all available recipes">
     <colgroup>
      <col valign="middle" span="4" style="background-color:black" />
      <col/>
     </colgroup>
     <caption>Ingredients in all available recipes</caption>
     <thead>
      Recipes
        Ingredients
        Vanillin
        Milk
        Cocoa
        </thead>
```

```
<a href="../Lab1/Belgian-Waffles.html ">Belgian Waffles</a>
  \left\( 
  \left\( 
  X
  <a href="../Lab1/Envelopes-With-Apples.html">Envelopes With Apples</a>
  \left\( 
  ≪
  X
  <a href="../Lab1/Cracked-Cookies.html">Cracked Cookies</a>
```

```
\left\( 
      X
      \left\( 
      <a href="Waffle-Tubes.html">Waffle Tubes</a>
      X
      \left\( 
      X
      </article>
 <iframe src="../Lab1/Belgian-Waffles.html" width="750" height="490" name="Recipe"</pre>
frameborder="1">
   Your Browser doesn't support frames!
  </iframe>
```

```
<hr>
  <footer>
    <a href="../index.html ">Back to all labs</a>
  </footer>
</body>
</html>
Waffle-Tubes.html:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="author" content="Valentyn Dominskyi">
  <meta name="keywords" content="recipes, cookbook, Waffle tubes">
  <meta name="description" content="cookbook site with recipes">
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Waffle tubes</title>
</head>
<!-- Set styles for different links -->
<body link="#2E82B3" vlink="#F08221" alink="#C728F7" style="font-size: 23px; color: #ffffff;"</p>
background="./images/Background.jpg">
  <header style="text-align: center">
    <h3>Waffle tubes</h3>
  </header>
  <div>
    <aside style="float:right; width:25%; height:auto; border: 2px solid white; padding: 1%;
margin:auto 2%; margin-bottom: 3%;">
      <!-- Deprecated tag-->
      <!-- Set new font, but don't want to use any except basic, 'cause it will be worse for users -->
```

```
<!-- A lot of documentations don't recommend to use this tag, because it's depricated -->
        <font face="Lucida Console" size="5" color="orange">Interesting pages to see:</font>
      <article style="font-family: Lucida Console; font-size: 20px; text-align: left;">
        <dl>
          <dt>
            <a href="../Lab2/index.html" target="_blank">Main Page</a>
          </dt>
          <dd>The begining of this site</dd>
          <hr>
          <dt>
            <a href="../Lab1/Belgian-Waffles.html">Belgian waffles</a>
          </dt>
          <dd>A variety of waffle with <br > a lighter batter, larger squares, <br > and deeper
pockets</dd>
          <hr>
          <dt>
            <a href="../Lab1/Envelopes-With-Apples.html">Envelopes With Apples</a>
          </dt>
          <dd>Layered envelopes with apples <br/>br> filling, with a cinnamon flavor</dd>
        </dl>
      </article>
    </aside>
    <article>
      <h3 style="text-align: center">Table of Content:</h3>
      style="padding-left: 15%;">
        <a href="#Description"><i>Description</i></a>
        <a href="#Ingredients"><i>Ingredients</i></a>
        <a href="#Directions"><i>Directions</i></a>
        <a href="#Result"><i>Result</i></a>
      </0|>
      <a name="Description"></a>
```

```
<h3 style="text-align: center">Description:</h3>
```

The taste of tender, sweet and crunchy waffle tubes is familiar to all of us from childhood. This appetizing dessert has become a favorite delicacy of many children, and adults will love these delicacies. You can cook incense sticks at home with a waffle

```
iron. Suitable for both electric and Soviet waffle makers for baking waffles on the stove
     <a name="Ingredients"></a>
     <h3 style="text-align: center">Ingredients:</h3>
     100 gr. Margarine / Oil
       0.5 cups of Sugar
       3 \ 4 glasses of Milk
       1 cup Flour
       2 Chicken egg
     <a name="Directions"></a>
     <h3 style="text-align: center">Directions:</h3>
     Melt Margarine / Oil in a Waffle iron
       Pour the mass on the waffle iron
       Fry
       PROFIT
     <a name="Result"></a>
     <h3 style="text-align: center">Result:</h3>
     <!-- scale and translate, as for Me, looks bad in this situation, 'cause text underneath will be
placed too down without slicing the block size-->
     <a href="images/Waffle-Tubes.jpg" target="_blank">
       <img src="images/Waffle-Tubes.jpg" alt="Waffle Tubes" height="300">
       </a>
   </article>
```

```
</div>
<footer>
<a href="../index.html">Back to all labs</a>
</footer>
</body>
</html>
```

Висновки:

Я познайомився з таблицями різної складності. Додав заголовки та зафарбував їхній фон. Попрацював з заголовками. Застосував різні види вирівнювання для певних рядків. Зумів об'єднати комірки та використав відступи

Посилання:

<u>Github</u>

Github Pages