

MOSCOW, RUSSIA
DOMODEDOVO
RWY 14R, 14

PZ - 90.02 coordinates

WARNING:


1. MAX IAS shall be 460km/h at altitudes below FL100.
2. All ACFT shall follow the noise abatement procedures at all times as in accordance with ICAO DOC 8168.

AIRAC AMDT 09/19

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION
LEVEL : By ATC

MOSCOW, RUSSIA
DOMODEDOVO
RWY 14R, 14



MOSCOW	APPROACH	See AD 2.1 UDD-56
DOMODEDOVO	RADAR	127.700
	TOWER 1	118.600
	TOWER 2	119.700

BEARINGS AND TRACKS ARE MAGNETIC
ALTITUDES, HEIGHTS AND ELEVATIONS ARE IN METRES
DISTANCES ARE IN KILOMETRES

WARNING:
1. MAX IAS shall be 460km/h at altitudes below FL100.
2. All ACFT shall follow the noise abatement procedures
at all times as in accordance with ICAO DOC 8168.

AIRAC AMDT 09/19


Federal Air Transport Agency

CHANGE: NIL

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION
LEVEL : By ATC

MOSCOW, RUSSIA
DOMODEDOVO
RWY 14R, 14




MOSCOW	APPROACH	See AD 2.1 UDD-56
DOMODEDOVO	RADAR	127.700
	TOWER 1	118.600
	TOWER 2	119.700

BEARINGS AND TRACKS ARE MAGNETIC
ALTITUDES, HEIGHTS AND ELEVATIONS ARE IN METRES
DISTANCES ARE IN KILOMETRES

MOSCOW, RUSSIA
DOMODEDOVO
RWY 14R, 14

GEKLA 14A (GKL 14A),
GEKLA 14B (GKL 14B),
GEKLA 14M (GKL 14M),
MARYINO 14B (RW 14B)



WARNING:


1. MAX IAS shall be 460km/h at altitudes below FL100.
2. All ACFT shall follow the noise abatement procedures at all times as in accordance with ICAO DOC 8168.

CHANGE: N/A

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION
LEVEL : **By ATC**

MOSCOW, RUSSIA
DOMODEDOVO
RWY 32L, 32




MOSCOW	APPROACH	See AD 2.1 UDD-56
DOMODEDOVO	RADAR	127.700
	TOWER 1	118.600
	TOWER 2	119.700

WARNING:
1. MAX IAS shall be 460km/h at altitudes below FL100.
2. All ACFT shall follow the noise abatement procedures at all times as in accordance with ICAO DOC 8168.

BEARINGS AND TRACKS ARE MAGNETIC
ALTITUDES, HEIGHTS AND ELEVATIONS ARE IN METRES
DISTANCES ARE IN KILOMETRES

MOSCOW, RUSSIA
DOMODEDOVO
RWY 32L, 32




CHANGE: HLDG FL

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION
LEVEL : By ATC

MOSCOW, RUSSIA
DOMODEDOVO
RWY 32L, 32



MOSCOW	APPROACH	See AD 2.1 UDD-56
DOMODEDOVO	RADAR	127.700
	TOWER 1 RWY 32L	118.600
	TOWER 2 RWY 32	119.700


WARNING:
1. MAX IAS shall be 460km/h at altitudes below FL100.
2. All ACFT shall follow the noise abatement procedures at all times as in accordance with ICAO DOC 8168.

BEARINGS AND TRACKS ARE MAGNETIC
ALTITUDES, HEIGHTS AND ELEVATIONS ARE IN METRES
DISTANCES ARE IN KILOMETRES

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION
LEVEL : By ATC

MOSCOW, RUSSIA
DOMODEDOVO
RWY 14R, 32L



MOSCOW
DOMODEDOVO

APPROACH
RADAR
TOWER 1 RWY 14R/32L

See AD 2.1 UUDD-56
127.700
118.600

WARNING:
1. The routes shall be assigned by ATS unit.
2. MAX IAS shall be 460km/h at altitudes below FL100.
3. All ACFT shall follow the noise abatement procedures at all times as in accordance with ICAO DOC 8168.

BEARINGS AND TRACKS ARE MAGNETIC
ALTITUDES, HEIGHTS AND ELEVATIONS ARE IN METRES
DISTANCES ARE IN KILOMETRES

AIRAC AMDT 09/19

Federal Air Transport Agency

CHANGE: HLDG FL