

Course

- POST api/course: Create new course

POST http://localhost:8080/api/course

Body

```
1 {
2   "id": "C001",
3   "courseLevelId": 1,
4   "name": "Introduction to Programming",
5   "nameVn": "Giới thiệu lập trình",
6   "creditTheory": 3,
7   "creditLab": 2,
8   "description": "This course introduces basic programming concepts."
9 }
```

Status: 200 OK Time: 179 ms Size: 369 B

id	course_level_id	credit_lab	credit_theory	description	name	name_vn
C001	1	2	3	This course introduces basic programming con...	Introduction to Programming	Giới thiệu lập trình

- GET api/courses: List all courses

o Implement filtering and sorting for this end point

GET http://localhost:8080/api/course

Query Params




Key	Value
Key	Value

Status: 200 OK Time: 32 ms Size: 614 B

```
1 [{"id":"C001","courseLevelId":1,"name":"Introduction to Programming","nameVn":"Giới thiệu lập trình","creditTheory":3,"creditLab":2,"description":"This course introduces basic programming concepts."}, {"id":"C002","courseLevelId":2,"name":"Advanced Java Programming","nameVn":"Lập trình Java nâng cao","creditTheory":4,"creditLab":3,"description":"An advanced course on Java programming covering OOP, multithreading, and design patterns."}]
```

id	course_level_id	credit_lab	credit_theory	description	name	name_vn
C001	1	2	3	This course introduces basic programming con...	Introduction to Programming	Giới thiệu lập trình
C002	2	3	4	An advanced course on Java programming co...	Advanced Java Programming	Lập trình Java nâng cao
NULL	NULL	NULL	NULL	NULL	NULL	NULL

- GET api/course/{program_name}: show detail for given course



Program and CourseProgram are as same as Course.

Program:

The screenshot shows a REST client interface with a POST request to `http://localhost:8080/api/program`. The request body is a JSON object with the following fields: `name` (Software Engineering), `duration` (4), `version` (1.0), `majorId` (101), `programTypeId` (1), and `validFrom` (2024). The response status is 200 OK, and the response body is a JSON array containing the created program object.

```
1 {
2   "name": "Software Engineering",
3   "duration": 4,
4   "version": "1.0",
5   "majorId": 101,
6   "programTypeId": 1,
7   "validFrom": "2024"
8 }
```

```
1 [{"id":1,"name":"Software Engineering","duration":4,"version":"1.0","majorId":101,"programTypeId":1,"validFrom":"2024"}]
```

id	duration	major_id	name	program_type_id	valid_from	version
1	4	101	Software Engineering	1	2024	1.0
NULL	NULL	NULL	NULL	NULL	NULL	NULL

The screenshot shows a REST client interface with a GET request to `http://localhost:8080/api/program?filter=Computer&sort=name.asc`. The query parameters are `filter=Computer` and `sort=name.asc`. The response status is 200 OK, and the response body is a JSON array containing two program objects: one for Software Engineering and one for Computer Science.

Query Params

Key	Value
☒ filter	Computer
☒ sort	name.asc
Key	Value

```
1 [{"id":1,"name":"Software Engineering","duration":4,"version":"1.0","majorId":101,"programTypeId":1,"validFrom":"2024"}, {"id":2,"name":"Computer Science","duration":3,"version":"2.0","majorId":102,"programTypeId":2,"validFrom":"2025"}]
```

The screenshot shows a REST client interface with a GET request to `http://localhost:8080/api/program/Software Engineering`. The response status is 200 OK, and the response body is a JSON array containing the program object for Software Engineering.

Query Params

Key	Value
Key	Value

```
1 [{"id":1,"name":"Software Engineering","duration":4,"version":"1.0","majorId":101,"programTypeId":1,"validFrom":"2024"}]
```

http://localhost:8080/api/program/2

Save

No Environment

PUT

http://localhost:8080/api/program/2

Send

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettingsCodeCookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Beautify

1

{

2

"name": "Computer Science",

3

"duration": 4,

4

"version": "3.0",

5

"majorId": 102,

6

"programTypeId": 100,

7

"validFrom": "2025"

8

}

9

BodyCookiesHeaders (5)Test Results

Status: 200 OKTime: 95 msSize: 280 B

⌵

PrettyRawPreviewJSON

⌵

1

[{"id":1,"name":"Software Engineering","duration":4,"version":"1.0","majorId":101,"programTypeId":1,"validFrom":"2024"}]

id	duration	major_id	name	program_type_id	valid_from	version
1	4	101	Software Engineering	1	2024	1.0
2	4	102	Computer Science	100	2025	3.0
NULL	NULL	NULL	NULL	NULL	NULL	NULL

http://localhost:8080/api/program/2

Save

No Environment

DELETE

http://localhost:8080/api/program/2

Send

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettingsCodeCookies

Query Params

Key	Value
Key	Value

BodyCookiesHeaders (3)Test Results

Status: 204 No ContentTime: 30 msSize: 112 B

⌵

id	duration	major_id	name	program_type_id	valid_from	version
1	4	101	Software Engineering	1	2024	1.0
NULL	NULL	NULL	NULL	NULL	NULL	NULL