

Horse Search API — Camarero Client Guide

Overview

This API allows Camarero to search for a horse by microchip number or tattoo and retrieve horse details from the Incompass system.

Authentication

Every request must include the API key in the request header.

Header	Value
`X-API-Key`	*(your CMR API key — provided separately)*

Requests without a valid key will receive a `403 Forbidden` response.

Base URLs

Environment	Base URL
Production	`https://data.trkmgr.com`
Test	`https://test-data.trkmgr.com`

Endpoint

POST /external/horse/search

Full URLs:

- Production: `https://data.trkmgr.com/external/horse/search`
- Test: `https://test-data.trkmgr.com/external/horse/search`

Content-Type: `application/json`

Request Body

```
{
  "chipNumber": "string",
  "tattoo": "string"
}
```

Field	Type	Required	Description
`chipNumber`	string	Conditional	Microchip number of the horse
`tattoo`	string	Conditional	Tattoo identifier of the horse

Note: **At least one of `chipNumber` or `tattoo` must be provided.** Sending both is allowed; either will be used to locate the horse.

Response Body

HTTP `200 OK`

```
{
  "horseName": "string",
  "registrationNumber": "string",
  "microchipNumber": "string",
  "tattoo": "string",
  "dob": "string",
  "breed": "string",
  "sex": "string",
  "sexDescription": "string",
  "color": "string",
  "colorDescription": "string",
  "dam": {
    "horseName": "string",
    "registrationNumber": "string",
    "microchipNumber": "string",
    "tattoo": "string",
    "dob": "string",
    "breed": "string",
    "sex": "string",
    "sexDescription": "string",
    "color": "string",
    "colorDescription": "string",
    "dam": null,
    "markings": []
  },
  "markings": [
    {
      "registrationNumber": "string",
      "markPartId": "string",
      "text1": "string",
      "text2": "string"
    }
  ]
}
```

Field	Type	Description
`horseName`	string	Registered name of the horse
`registrationNumber`	string	Official registration number
`microchipNumber`	string	Microchip number
`tattoo`	string	Tattoo identifier
`dob`	string	Date of birth
`breed`	string	Breed code
`sex`	string	Sex code
`sexDescription`	string	Sex description (e.g. Gelding, Mare, Colt)
`color`	string	Color code

Field	Type	Description
<code>`colorDescription`</code>	string	Color description (e.g. Bay, Chestnut)
<code>`dam`</code>	object	Dam (mother) details — same structure as the horse object
<code>`markings`</code>	array	List of physical markings on the horse
<code>`markings[].registrationNumber`</code>	string	Registration number the marking belongs to
<code>`markings[].markPartId`</code>	string	Body part identifier for the marking
<code>`markings[].text1`</code>	string	Marking description line 1
<code>`markings[].text2`</code>	string	Marking description line 2

Error Responses

HTTP Status	Reason
<code>`400 Bad Request`</code>	Request body is missing, or neither <code>`chipNumber`</code> nor <code>`tattoo`</code> was provided
<code>`401 Unauthorized`</code>	Authentication header is missing
<code>`403 Forbidden`</code>	Invalid or unauthorized API key
<code>`404 Not Found`</code>	No horse found matching the provided identifier
<code>`500 Internal Server Error`</code>	Unexpected server error

Examples

Search by Chip Number

Request

```
POST https://data.trkmgr.com/external/horse/search
X-Api-Key: <your-api-key>
Content-Type: application/json
```

```
{
  "chipNumber": "982000123456789"
}
```

Response

```
{
  "horseName": "SECRETARIAT",
  "registrationNumber": "USA12345",
  "microchipNumber": "982000123456789",
  "tattoo": "A12345",
  "dob": "03/30/1970",
  "breed": "TB",
  "sex": "G",
  "sexDescription": "Gelding",
  "color": "CH",
  "colorDescription": "Chestnut",
  "dam": {
    "horseName": "SOMETHINGROYAL",
    "registrationNumber": "USA00001",
    "microchipNumber": null,
    "tattoo": null,
  }
}
```

```

    "dob": "01/01/1952",
    "breed": "TB",
    "sex": "M",
    "sexDescription": "Mare",
    "color": "BAY",
    "colorDescription": "Bay",
    "dam": null,
    "markings": []
  },
  "markings": [
    {
      "registrationNumber": "USA12345",
      "markPartId": "LF",
      "text1": "White sock",
      "text2": null
    }
  ]
}

```

Search by Tattoo

Request

```

POST https://data.trkmgr.com/external/horse/search
X-API-Key: <your-api-key>
Content-Type: application/json

```

```

{
  "tattoo": "A12345"
}

```

Error — Neither Field Provided

Request

```

POST https://data.trkmgr.com/external/horse/search
X-API-Key: <your-api-key>
Content-Type: application/json

```

```

{}

```

Response — `400 Bad Request`

```

{
  "message": "Either chipNumber or tattoo must be provided."
}

```