

Contents

1. About Pashov Audit Group 3

2. Disclaimer 3

3. Risk Classification 3

4. Methodology 4

5. Findings 6

Low findings 7

[L-01] First compact finding without description header 7

[L-02] Second compact finding inline rec phrasing 7

[L-03] Third compact finding suggested phrasing 7

Pashov Audit Group Sample-Compact Security Review

2 / 8

1. About Pashov Audit Group

Pashov Audit Group is a synthetic audit firm used only for unit tests.

This paragraph fills the about section so the TOC anchor's body extends across the about / disclaimer / methodology pages.

Pashov Audit Group Sample-Compact Security Review

3 / 8

2. Disclaimer

Synthetic disclaimer.

3. Risk Classification

Severity scale: Critical / High / Medium / Low / Informational.

4. Methodology

Synthetic methodology text intended to bleed into the TOC anchor body if the extractor does not filter TOC anchors. The methodology mentions Recommendation steps and Description tracking which would otherwise trigger the section-signal scorer.

Pashov Audit Group Sample-Compact Security Review

4 / 8

5. Findings

Findings count

Severity Amount

Low 3

Total findings 3

Summary of findings

ID Title Severity Status

[L-01] First compact finding without description header Low Acknowledged

[L-02] Second compact finding inline rec phrasing Low Acknowledged

[L-03] Third compact finding suggested phrasing Low Acknowledged

Pashov Audit Group Sample-Compact Security Review

5 / 8

Low findings

[L-01] First compact finding without description header

The contract at `target/contracts/Compact.sol:L42` includes a parameter called `fooBar` that is not documented in the README, leading to confusion about its intended use across teams. The same parameter appears in the deployment config and is wired to a privileged setter without a comment.

It is recommended to document the `fooBar` parameter in the README.

[L-02] Second compact finding inline rec phrasing

The error code emitted at `target/contracts/Compact.sol:L88` mixes natural-language strings with numeric codes which complicates off-chain observability. The off-chain monitor cannot reliably branch on either form.

It's recommended to standardise on a single numeric error code scheme.

[L-03] Third compact finding suggested phrasing

The fee router at `target/contracts/Compact.sol:L150` reuses the same storage slot across two unrelated config groups. A future migration could overwrite one group accidentally.

It's suggested to split the storage layout into two separate slots so the migration path stays unambiguous.

Pashov Audit Group Sample-Compact Security Review