

```
In [3]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
df=pd.read_csv("data science salaries.csv")
print(df)
```

	work_year	experience_level	employment_type	job_title	\
0	2023	SE	FT	Principal Data Scientist	
1	2023	MI	CT	ML Engineer	
2	2023	MI	CT	ML Engineer	
3	2023	SE	FT	Data Scientist	
4	2023	SE	FT	Data Scientist	
...	
3750	2020	SE	FT	Data Scientist	
3751	2021	MI	FT	Principal Data Scientist	
3752	2020	EN	FT	Data Scientist	
3753	2020	EN	CT	Business Data Analyst	
3754	2021	SE	FT	Data Science Manager	

	salary	salary_currency	salary_in_usd	employee_residence	remote_ratio	\
0	80000	EUR	85847	ES	100	
1	30000	USD	30000	US	100	
2	25500	USD	25500	US	100	
3	175000	USD	175000	CA	100	
4	120000	USD	120000	CA	100	
...	
3750	412000	USD	412000	US	100	
3751	151000	USD	151000	US	100	
3752	105000	USD	105000	US	100	
3753	100000	USD	100000	US	100	
3754	7000000	INR	94665	IN	50	

	company_location	company_size
0	ES	L
1	US	S
2	US	S
3	CA	M
4	CA	M
...
3750	US	L
3751	US	L
3752	US	S
3753	US	L
3754	IN	L

[3755 rows x 11 columns]

```
In [33]: c=df.groupby('employee_residence').get_group('US')
print('No. of employees from USA',len(c))
```

No. of employees from USA 3004

```
In [3]: India=df.groupby('employee_residence').get_group('IN')
print(India)
```

	work_year	experience_level	employment_type	\
41	2022	MI	FT	
82	2023	MI	FT	
83	2022	EN	FT	
156	2023	MI	FT	
217	2023	EN	FT	
...	
3689	2020	MI	FT	
3705	2021	EN	FT	
3729	2021	EN	FT	
3734	2021	MI	FT	
3754	2021	SE	FT	

	job_title	salary	salary_currency	\
41	Machine Learning Engineer	1650000	INR	
82	Applied Machine Learning Engineer	65000	EUR	
83	AI Developer	300000	USD	
156	Applied Data Scientist	1700000	INR	
217	Data Engineer	1400000	INR	
...	
3689	Product Data Analyst	450000	INR	
3705	Big Data Engineer	435000	INR	
3729	AI Scientist	1335000	INR	
3734	Lead Data Analyst	1450000	INR	
3754	Data Science Manager	7000000	INR	

	salary_in_usd	employee_residence	remote_ratio	company_location	\
41	20984	IN	50	IN	
82	69751	IN	100	DE	
83	300000	IN	50	IN	
156	20670	IN	100	IN	
217	17022	IN	100	IN	
...	
3689	6072	IN	100	IN	
3705	5882	IN	0	CH	
3729	18053	IN	100	AS	
3734	19609	IN	100	IN	
3754	94665	IN	50	IN	

	company_size
41	L
82	S
83	L
156	L
217	L
...	...
3689	L
3705	L
3729	S
3734	L
3754	L

[71 rows x 11 columns]

```
In [4]: print("Average salary of Indians in USD is",India['salary_in_usd'].mean())
```

Average salary of Indians in USD is 36218.45070422535

```
In [5]: Companies_in_India=df.groupby('company_location').get_group('IN')
Posts_in_India=Companies_in_India['job_title'].tolist()
```

```

Posts_in_India=set(Posts_in_India)
print("Posts available for people in data science in India is")
print(Posts_in_India)

```

Posts available for people in data science in India is

```

{'Power BI Developer', 'Data Engineer', 'Head of Machine Learning', 'Machine Learning Research Engineer', 'Data Scientist', 'Applied Machine Learning Scientist', 'Lead Machine Learning Engineer', 'Applied Data Scientist', 'Data Science Consultant', 'Business Data Analyst', 'Computer Vision Engineer', 'Machine Learning Engineer', 'Lead Data Scientist', 'BI Data Analyst', 'AI Developer', 'Lead Data Analyst', 'Data Science Manager', 'Head of Data Science', 'Research Scientist', 'Data Analyst', 'Principal Data Architect', 'Big Data Engineer', 'Product Data Analyst', '3D Computer Vision Researcher'}

```

```

In [6]: companylocation=df['company_location'].tolist()
        companylocation=set(companylocation)
        companylocation=list(companylocation)

```

```

In [7]: no_of_employees=[]
        descendingorder=[]
        for i in range(len(companylocation)):
            c=df.groupby('company_location').get_group(companylocation[i])
            d=len(c)
            no_of_employees.append(d)
            descendingorder.append(d)
        no_of_employees.sort(reverse=True)
        favlocation=[]
        order=[]
        for i in range(5):
            for j in range(len(companylocation)):
                if(descendingorder[j]!=no_of_employees[i]):
                    favlocation.append(companylocation[j])
                    order.append(descendingorder[j])
        print("Top 5 locations for companies are")
        plt.bar(favlocation,order)


```

Top 5 locations for companies are

```

Out[7]: <BarContainer object of 5 artists>

```



```
In [3]: c=input("enter the name of the post")
d=df.groupby('job_title').get_group(c)
print("The max salary for this post is",d['salary_in_usd'].max())
print("The mean salary for this post is",d['salary_in_usd'].mean())
print("The median salary for this post is",d['salary_in_usd'].median())
```

enter the name of the postApplied Scientist
 The max salary for this post is 350000
 The mean salary for this post is 190264.4827586207
 The median salary for this post is 191737.5

```
In [5]: c=input("enter the code of country")
d=df.groupby('employee_residence').get_group(c)
print('Max salary offered in the country is',d['salary_in_usd'].max())
print('Mean salary offered in the country is',d['salary_in_usd'].mean())
print('Median salary offered in the country is',d['salary_in_usd'].median())
Companies=df.groupby('company_location').get_group(c)
Posts=Companies['job_title'].tolist()
Posts=set(Posts)
print("Posts available for people in data science are")
print(Posts)
```

enter the code of countryJP
 Max salary offered in the country is 260000
 Mean salary offered in the country is 103537.71428571429
 Median salary offered in the country is 74000.0
 Posts available for people in data science are
 {'Machine Learning Engineer', 'Machine Learning Scientist', 'ML Engineer', 'Data Engineer', 'Director of Data Science'}

```
In [7]: c=df.groupby('company_size').get_group('L')
l=len(c)
d=df.groupby('company_size').get_group('S')
m=len(d)
e=df.groupby('company_size').get_group('M')
```

```


n=len(e)
a=np.array([1,m,n])
b=np.array(['L','S','M'])
plt.pie(a,labels=b)

```

```

Out[7]: ([<matplotlib.patches.Wedge at 0x1c40b5ae190>,
<matplotlib.patches.Wedge at 0x1c40b609b90>,
<matplotlib.patches.Wedge at 0x1c40b60ac90>],
[Text(1.0215981211725451, 0.4078446748662119, 'L'),
Text(0.6978993053093786, 0.850256761013217, 'S'),
Text(-0.9634048160461234, -0.5308965628247514, 'M')])

```



```


In [25]: c=df['work_year'].tolist()
c=set(c)
c=list(c)
workemployee=[]
for i in range(len(c)):
    d=df.groupby('work_year').get_group(c[i])
    e=len(d)
    workemployee.append(e)
plt.plot(c,workemployee)

```

```


Out[25]: [<matplotlib.lines.Line2D at 0x1e4933172d0>]

```



```
In [7]: d=df['salary_in_usd']  
plt.hist(d,bins=11,edgecolor='black')
```

```
Out[7]: (array([ 218.,  590.,  832., 1005.,  661.,  255.,  123.,   49.,    8.,  
                8.,   6.]),  
array([ 5132., 45574.54545455, 86017.09090909, 126459.63636364,  
       166902.18181818, 207344.72727273, 247787.27272727, 288229.81818182,  
       328672.36363636, 369114.90909091, 409557.45454545, 450000.        ]),  
<BarContainer object of 11 artists>)
```




```

In [12]: c=df['employee_residence'].tolist()
c=set(c)
c=list(c)
country=[]
employee=[]
c.sort(reverse=True)
for i in range(5):
    a=df.groupby('employee_residence').get_group(c[i])
    a=len(a)
    employee.append(a)
    country.append(c[i])
plt.pie(employee,labels=country)
plt.title('Top 5 countries having most employees')

```

Out[12]: Text(0.5, 1.0, 'Top 5 countries having most employees')



```

In [32]: c=df['experience_level']
c=set(c)
c=list(c)
experienceno=[]
for i in range(len(c)):
    a=df.groupby('experience_level').get_group(c[i])
    a=len(a)
    experienceno.append(a)
plt.pie(experienceno,labels=c)

```

Out[32]: ([<matplotlib.patches.Wedge at 0x1c40f24e690>, <matplotlib.patches.Wedge at 0x1c40f24f3d0>, <matplotlib.patches.Wedge at 0x1c40f240890>, <matplotlib.patches.Wedge at 0x1c40f241b50>], [Text(1.0608125642967916, 0.2909926174837866, 'EN'), Text(-0.9647343017648791, 0.5284767989214204, 'SE'), Text(0.7141304120336674, -0.8366706368748844, 'MI'), Text(1.0950005456880005, -0.10475593034755154, 'EX')])



```
In [24]: a=np.mean(df['salary_in_usd'])
print("Mean salary in data science is",a)
```

Mean salary in data science is 137570.38988015978

```
In [25]: b=np.median(df['salary_in_usd'])
print("Median salary in data science is",b)
```

Median salary in data science is 135000.0

```
In [34]: c=np.min(df['salary_in_usd'])
print("Minimum salary is",c)
```

Minimum salary is 5132

```
In [38]: c=np.std(df['salary_in_usd'])
print("Standard difference in salary is",c)
```


Standard difference in salary is 63047.228497405435

```
In [41]: d=np.count_nonzero(df['work_year']==2020)
e=np.count_nonzero(df['work_year']==2021)
f=np.count_nonzero(df['work_year']==2022)
g=np.count_nonzero(df['work_year']==2023)
print(d,e,f,g)
```

76 230 1664 1785

```
In [46]: c=np.array([d,e,f,g])
a=np.array(['2020','2021','2022','2023'])
plt.bar(a,c)
plt.title('Workyear vs No. of employees')
```

Out[46]: Text(0.5, 1.0, 'Workyear vs No. of employees')



In []: