

The Ultimate Web Development Handbook



Tables in HTML

Creating Tables

Use the `<table>` tag to create tables. Inside a table, use:

- `<tr>` for table rows
 - `<td>` for table data (cells)
 - `<th>` for table headers
-

Basic Table Example

```
<table>
  <tr>
    <th>Name</th>
    <th>Age</th>
  </tr>
  <tr>
    <td>Alice</td>
    <td>24</td>
  </tr>
  <tr>
    <td>Bob</td>
    <td>30</td>
  </tr>
</table>
```

This will display:

Name	Age
Alice	24
Bob	30

Adding Borders

By default, tables have no border. Use the `border` attribute to add one.

```
<table border="1">  
  ...  
</table>
```

Table Headings vs Data

- `<th>` is usually bold and centered.
- `<td>` is regular table data.

Spanning Columns and Rows

Use `colspan` and `rowspan` to merge cells.

Column Span Example:

```
<tr>  
  <th colspan="2">Employee Details</th>  
</tr>
```

Row Span Example:

```
<tr>
  <td rowspan="2">John</td>
  <td>Manager</td>
</tr>
<tr>
  <td>IT Department</td>
</tr>
```

Tip

- Keep your tables organized and easy to read.
- Use headers (`<th>`) for important rows or columns.
- Avoid very complex tables for layout—use CSS for page design.