Name:Vương Bá Phục ID:GCS230123

Vue2

Lesson 5



Lesson 6



Lesson 7



Understanding

Lessons 5–7 develop a deeper understanding of how Vue connects data, logic, and the user interface through its reactive system. Lesson 5 emphasizes list rendering with v-for and the importance of using keys to maintain element identity. Understanding keys reveals how Vue optimizes DOM updates by tracking changes efficiently rather than recreating elements. This concept is crucial because improper key usage can lead to performance issues and unexpected UI behavior, especially when components contain local state.

Lesson 6 shifts the focus to conditional rendering and dynamic visual states. By comparing v-if and v-show, this lesson highlights the trade-offs between rendering cost and runtime performance. More importantly, it reinforces a declarative mindset: developers describe what the UI should look like under certain conditions instead of manually manipulating the DOM. Dynamic class and style bindings further support this idea by allowing visual states such as availability or selection to be driven directly by reactive data, improving clarity and maintainability.

Lesson 7 completes this understanding by distinguishing between methods and computed properties. Methods handle user-driven actions and events, while computed properties express derived state in a cached and reactive way. This separation encourages cleaner logic and better performance.

Together, these lessons promote a consistent pattern: keep state minimal, derive values declaratively, and rely on Vue's reactivity to update the interface automatically, resulting in predictable, efficient, and testable applications.