

```
import os

import cv2

import glob

import argparse

import numpy as np

import pandas as pd

import matplotlib.pyplot as plt

from skimage.feature import greycomatrix, greycoprops

from skimage import io, img_as_ubyte

from scipy.stats import entropy

from sklearn.ensemble import IsolationForest


def extract_features(image_path):

    """Compute basic thermal texture features for one image."""

    img = io.imread(image_path, as_gray=True)

    img_uint8 = img_as_ubyte(img)


    mean = np.mean(img)

    std = np.std(img)

    min_val = np.min(img)
```

```

max_val = np.max(img)

ent = entropy(np.histogram(img, bins=256)[0] + 1e-6)

# Grey-level co-occurrence matrix (texture)

glcm = greycomatrix(img_uint8, distances=[1], angles=[0], symmetric=True, normed=True)

contrast = greycoprops(glcm, 'contrast')[0, 0]

homogeneity = greycoprops(glcm, 'homogeneity')[0, 0]

return [mean, std, min_val, max_val, ent, contrast, homogeneity]

```

```

def extract_frames(video_path, output_folder, step=10):
    """Extract every Nth frame from a video and save to folder."""
    os.makedirs(output_folder, exist_ok=True)

    cap = cv2.VideoCapture(video_path)

    frame_id = 0

    saved_frames = []

    if not cap.isOpened():
        raise IOError(f"Error: Could not open video file: {video_path}")

    print(f"[INFO] Extracting frames from {video_path} ...")

    while True:

        ret, frame = cap.read()

        if not ret:
            break

        if frame_id % step == 0:

            gray = cv2.cvtColor(frame, cv2.COLOR_BGR2GRAY)

            fname = os.path.join(output_folder, f"frame_{frame_id:05d}.png")

```

```

    cv2.imwrite(fname, gray)

    saved_frames.append(fname)

    frame_id += 1

cap.release()

print(f"[INFO] Saved {len(saved_frames)} frames.")

return saved_frames


def main(video_path, frame_step, contamination):

    frames_dir = "frames_extracted"

    frame_files = extract_frames(video_path, frames_dir, step=frame_step)

    # Compute features

    print("[INFO] Computing features for frames ...")

    features = [extract_features(f) for f in frame_files]

    df = pd.DataFrame(features, columns=["mean", "std", "min", "max", "entropy", "contrast",
    "homogeneity"])

    # Isolation Forest

    print("[INFO] Running Isolation Forest ...")

    model = IsolationForest(contamination=contamination, random_state=42)

    df["anomaly"] = model.fit_predict(df)

    anomalies = df[df["anomaly"] == -1]

    print(f"[INFO] Detected {len(anomalies)} anomalous frames out of {len(df)}")

    # Plot

    plt.figure(figsize=(10,4))

    plt.plot(df["mean"], label="Mean Temperature", color="blue")

```

```
plt.scatter(anomalies.index, anomalies["mean"], color="red", label="Anomalies")

plt.xlabel("Frame Index")

plt.ylabel("Mean Pixel Value")

plt.legend()

plt.title("Thermal Anomaly Detection via Isolation Forest")

plt.tight_layout()

plt.show()
```

```
# Save results
```

```
anomalies_out = pd.DataFrame({

    "frame_index": anomalies.index,

    "frame_path": [frame_files[i] for i in anomalies.index]

})

anomalies_out.to_csv("anomalous_frames.csv", index=False)

print("[INFO] Saved anomalous frame list to anomalous_frames.csv")


print("\nSample anomalous frames:")

print(anomalies_out.head())
```

```
if __name__ == "__main__":

    parser = argparse.ArgumentParser()

    parser.add_argument("--video", type=str, required=True, help="Path to the thermal video (.mp4)")

    parser.add_argument("--frame-step", type=int, default=10, help="Extract every Nth frame (default: 10)")

    parser.add_argument("--contamination", type=float, default=0.02, help="Expected anomaly fraction (default: 0.02)")

    args = parser.parse_args()

    main(args.video, args.frame_step, args.contamination)
```

