




Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X- Factory Date		Product Type	DRESS/ ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU



Modified By: TK26580 on 2023-03-24



Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU




"For Pockets Reference Only, see DI for TD construction callouts"

WILL SEND ORIGINAL SAMPLE






Modified By: TK26580 on 2023-03-21

RS - STRETCH TWILL
WV44Y113
UTILITY JUMPSUIT

Suffix:	RS, RS1	RS, RS1	RS, RS1	RS, RS1
Month:				
Meeting Needs:	SAMPLE IN RS, L/D IN RS1	SAMPLE IN RS1, L/D IN RS	SAMPLE IN RS1, L/D IN RS	SAMPLE IN RS, L/D IN RS1
				

MATERIALS & TRIMS									Colorways			
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	ARMY BOTLE	NAVY WATER	VERA BLACK	VERA KHAKI
	HH98634	110427	W 71/28/1 POLYESTER/ RAYON/ SPANDEX TWILL-2/2 7.00 OZ/YD2	BODY & BELT			H.C.T.TEXTILE LTD.		549-710 ARMY BOTTLE ATLAS 549-710	654-950 NAVY WATER ATLAS 654-950	VERA BLACK	VERA KHAKI KOHL'S STANDARD
	GENERIC	59548	BUTTON	@ FRONT PLACKET BUTTON SIZE: 24L FAUX HORN DTM 4 HOLE WITH RIM					DTM TO GROUND - ARMY BOTLE	DTM TO GROUND - NAVY WATER	DTM TO GROUND - VERA BLACK	DTM TO GROUND - VERA KHAKI
	GENERIC	63021	HOOK & BAR	METAL PANT HOOK & BAR @ FRONT WB					GUNMETAL 18-0306 TCX	GUNMETAL 18-0306 TCX	GUNMETAL 18-0306 TCX	GUNMETAL 18-0306 TCX
	GENERIC	63039	ZIPPER	@ FRONT FLY ZIPPER CLOSURE					DTM TO GROUND - ARMY BOTLE	DTM TO GROUND - NAVY WATER	DTM TO GROUND - VERA BLACK	DTM TO GROUND - VERA KHAKI
	GENERIC	64233	ELASTIC	@ BACK WB					DTM TO GROUND - ARMY BOTLE	DTM TO GROUND - NAVY WATER	DTM TO GROUND - VERA BLACK	DTM TO GROUND - VERA KHAKI

RS1 - ECOLOT PONTE
WV44Y113
UTILITY JUMPSUIT

Suffix:	RS, RS1	RS, RS1	RS, RS1	RS, RS1
Month:				
Meeting Needs:	SAMPLE IN RS, L/D IN RS1	SAMPLE IN RS1, L/D IN RS	SAMPLE IN RS1, L/D IN RS	SAMPLE IN RS, L/D IN RS1
				

MATERIALS & TRIMS									Colorways			
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	ARMY BOTLE	NAVY WATER	VERA BLACK	VERA KHAKI
<i>Material/Trim Rebuild-Phase 2 Pre-MarketPlace</i>	DKPXS0042	67365	K 75/20/5 POLYESTER/ RAYON/ SPANDEX PONTE 320 GM2	BODY & BELT			ECOLOT TEXTILE CO. LTD.		549-710 ARMY BOTTLE ATLAS 549-710	654-950 NAVY WATER ATLAS 654-950	VERA BLACK	VERA KHAKI KOHL'S STANDARD
	GENERIC	59548	BUTTON	@ FRONT PLACKET BUTTON SIZE: 24L FAUX HORN DTM 4 HOLE WITH RIM					DTM TO GROUND - ARMY BOTLE	DTM TO GROUND - NAVY WATER	DTM TO GROUND - VERA BLACK	DTM TO GROUND - VERA KHAKI
	GENERIC	63021	HOOK & BAR	METAL PANT HOOK & BAR @ FRONT WB					GUNMETAL 18-0306 TCX	GUNMETAL 18-0306 TCX	GUNMETAL 18-0306 TCX	GUNMETAL 18-0306 TCX
	GENERIC	63039	ZIPPER	@ FRONT FLY ZIPPER CLOSURE					DTM TO GROUND - ARMY BOTLE	DTM TO GROUND - NAVY WATER	DTM TO GROUND - VERA BLACK	DTM TO GROUND - VERA KHAKI
	GENERIC	64233	ELASTIC	@ BACK WB					DTM TO GROUND - ARMY BOTLE	DTM TO GROUND - NAVY WATER	DTM TO GROUND - VERA BLACK	DTM TO GROUND - VERA KHAKI



POM Page Description:				LADIES BOTTOMS ALPHA								
Brand	SIMPLY VERAVER WANG	Division	YOUNG WOMENS	Customer	WOMENS		Tech Designer	YA CHANG CHOU	Business	SPORTSWEAR	Size Indicator	REGULAR
FORM1		KOS-WMS0008-1509				FORM2						
Grade Table		LADIES (000-20) REG&PETITE										
Material 1	110427	W 71/28/1 POLYESTER/RAYON/SPANDEX TWILL-2/2 7.00 OZ/YD2					Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2			
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20		
P	A001-LA2-20	LADIES ALPHA SIZES XS(2-4) S(6-8) M(10-12) L(14-16) XL(18) XXL(20)										
	A150	SHLDR SLOPE-DEV ONLY	-1/8	1/8			1 1/4					
	A299-03W	HPS TO FRT TOP WB	-1/4	1/4	16	16 1/2	17	17 1/2	18	18 1/4		
	A151	FORWARD SHLDR SEAM @HPS-STRAIGHT	-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4		
P	A100	NK WIDTH @ SEAM	-1/4	1/4	6 1/2	6 1/2	6 3/4	7	7 1/4	7 3/8		
P	A131	RV-NECKBAND LEN ALONG NK SM	-1/4	1/4	21 1/4	21 1/2	22 1/4	23 1/8	23 7/8	24 1/4		
S	A110	FRT NK DROP @ SEAM	-1/8	1/8	4 1/4	4 3/8	4 1/2	4 3/4	4 7/8	4 7/8		
S	A120	BK NK DROP @ SEAM	-1/8	1/8	1 1/8	1 1/8	1 1/4	1 1/4	1 3/8	1 1/2		
P	A250	ACROSS SHOULDER, EDGE TO EDGE	-3/8	3/8	15	15 1/2	16	16 3/4	17 3/8	17 5/8		
S	A253	XFRT/BK PLCMT #" FM HPS	0	0	5 1/4	5 3/8	5 1/2	5 3/4	5 7/8	5 7/8		
S	A254	ACROSS FRONT, EDGE TO EDGE	-3/8	3/8	12 5/8	13 1/8	13 5/8	14 3/8	15	15 1/4		
S	A255	ACROSS BACK @ YOKE, EDGE TO EDGE	-3/8	3/8	14 1/2	15	15 1/2	16 1/4	16 7/8	17 1/8		
	A154A	BK YOKE HEIGHT @ CB , FR CB NK SEAM	-1/4	1/4	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2		
P	A261H	*CHEST 1" BLW AH EXTD-1/2 MEAS @BK	-1/2	1/2	18 1/2	19 1/2	20 1/2	22	23 3/4	24 3/4		
P	A330	ARMHOLE DROP-FROM HPS @ NK SEAM	-1/4	1/4	9 1/8	9 1/4	9 1/2	9 3/4	10 1/8	10 3/8		
P	A362-1B	SLV LEN FROM SHLDR PT-S/SLV			12 1/4	12 3/8	12 1/2	12 3/4	12 7/8	12 7/8		
S	A340H	UA/MUSCLE 1" BLW AH-1/2 MEAS			6 1/2	6 7/8	7 1/4	7 3/4	8 3/8	8 7/8		
S	A352H-1B	SLV OPENING RLXD-1/2 MEAS S/SLV			5	5 1/2	6	6 1/2	7 1/4	7 3/4		
	A363-1B	UNDERARM SLV LEN										
	A368	CF PLACKET WIDTH	-1/8	1/8	1	1	1	1	1	1		
	A614	CHEST PKT FROM HPS	-1/4	1/4	7 1/8	7 1/4	7 1/2	7 3/4	8	8 1/8		



FORM1		KOS-WMS0008-1509					FORM2				
Grade Table		LADIES (000-20) REG&PETITE									
Material 1		110427	W 71/28/1 POLYESTER/RAYON/SPANDEX TWILL-2/2 7.00 OZ/YD2					Material 2		67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20	
	A600	*REV.CHEST PKT WD AT TOP	-1/4	1/4	4 3/4	4 3/4	5	5 1/4	5 1/4	5 1/2	
	A602	CHEST PKT HEIGHT@CENTER	-1/4	1/4	5 1/4	5 1/4	5 1/2	5 3/4	5 3/4	6	
P	A135	COLLAR PT LENGTH			2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	
	A135A	COLLAR HEIGHT@CB			2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	
	A137	COLLAR STAND HEIGHT@CB			1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	1 1/8	
	A000										
	A000	-----BOTTOM-----									
P	A270H	WAIST RLXD-TOPS-1/2 MEAS									
	A270H	WAIST RLXD-TOPS-1/2 MEAS - BK ONLY	-1/2	1/2	15 1/2	16 1/2	17 1/2	19	20 3/4	21 3/4	
P	A271H	WAIST EXTD-TOPS 1/2 MEAS - BACK ONLY									
	A411	LOW HIP PLCMT FROM BTM WAIST SEAM	-1	1	7	7	7 1/2	8	8	8	
P	A283H	LOW HIP-1/2 MEAS	-1/2	1/2	20 1/2	21 1/2	22 1/2	24	25 3/4	26 3/4	
P	A425H	THIGH @ 1" BLW CROTCH PT-1/2 MEAS	-1/4	1/4	13 1/2	14 1/4	15	16	17 1/4	17 7/8	
S	A430X	KNEE PLCMT FM CROTCH POINT	0	0	13	13	13	13	13	13	
S	A430H	KNEE #" FM CROTCH POINT-1/2 MEAS	-3/8	3/8	12 1/2	12 7/8		13 3/4	14 1/4	14 1/2	
P	A438H-08P	RV-LEG OPENING RLXD-FULL LENGTH 1/2 MEAS	-1/4	1/4	12 1/4	12 5/8	13	13 1/2	14	14 1/4	
P	A450	*FRT RISE TO BTM WB SEAM	-1/4	1/4	10 1/4	11	11 3/4	12 1/2	13 1/4	13 5/8	
P	A460	BK RISE TO BTM WB SEAM	-1/4	1/4	15 1/4	16	16 3/4	17 1/2	18 1/4	18 5/8	
P	A500 NG	INSEAM-NG	-1/2	1/2	31	31	31	31	31	31	
	A475	ZIPPER LENGTH	-1/8	1/8	5	5	5 1/2	6	6	6 1/2	
S	A476	RV-FLY LENGTH BLW WB SEAM	-1/8	1/8	5 1/2	5 1/2	6	6 1/2	6 1/2	7	
	A404 NG	WAISTBAND HEIGHT	-1/8	1/8	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	
	A616	RV-FRT HIP PKT FROM SS@BTM OF WB	-1/4	1/4	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	
	A624	ON-SEAM PKT OPENING	-1/4	1/4	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	



FORM1		KOS-WMS0008-1509					FORM2						
Grade Table		LADIES (000-20) REG&PETITE											
Material 1		110427	W 71/28/1 POLYESTER/RAYON/SPANDEX TWILL-2/2 7.00 OZ/YD2					Material 2		67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2		
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20			
	A624	ON-SEAM PKT OPENING	-1/4	1/4									
	A601	HIP PATCH PKT WIDTH@BTM	-1/4	1/4	6 1/4	6 1/4	6 1/2	6 3/4	6 3/4	7			
	A602	HIP PATCH PKT HEIGHT@CENTER	-1/4	1/4	9 1/4	9 1/4	9 1/2	9 3/4	9 3/4	10			
	A548	BELT LOOP FM CF	-1/4	1/4	4 1/4	4 1/2	4 3/4	5 1/8	5 1/2	5 3/4			
P	A405A	BELT WIDTH	-1/8	1/8	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4			
P	A405	BELT LENGTH TO LONGEST	-1/4	1/4	64	66	68	71	74 1/2	76 1/2			
	A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4									
	A615	PKT FROM HEM - TO BTTM OF PKT			16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2			
	A605 NG	PKT FLAP WIDTH@TOP-NG	-1/4	1/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4			
	A600	PKT WIDTH@TOP	-1/4	1/4	9 1/4	9 1/4	9 1/2	9 3/4	9 3/4	10			
	A607 NG	PKT FLAP HT@CENTER-NG	-1/8	1/8	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2			
	A602 NG	PKT HEIGHT@CENTER-NG	-1/4	1/4	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2			
	A632	WELT PKT OPENING			6	6	6	6	6	6			
	A634	WELT PKT BAG HEIGHT	-1/4	1/4	1/2	1/2	1/2	1/2	1/2	1/2			
	A571	PLEAT/ TUCK DEPTH	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2			




Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

"For Pockets Reference Only, see DI for TD construction callouts"

WILL SEND ORIGINAL SAMPLE





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

"For Pockets Reference Only, see DI for TD construction callouts"
 WILL SEND ORIGINAL SAMPLE





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683039	Create Date	2023-02-24	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

"Only for Design Reference in development, see DI for TD construction callouts"

WILL SEND ORIGINAL SAMPLE





Fit Eval No: 154550

POM Page Description:	LADIES BOTTOMS ALPHA
------------------------------	-----------------------------

Fiscal Season	SP24	Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Customer	WOMENS	Created On	2023-03-24
Request No	00683039	Tech Designer	YA CHANG CHOU	Designer	ALYSSA BAEZ	Product Manager	FRANCESCA KARL	Size Indicator	REGULAR
Agent	LI & FUNG KOREA	Vendor	NOBLAND INTERNATIONAL INC.	Workflow Alert		PP Deadline			

Sample Information						Fit Approved		NA	
Sample Round	Sample 1	Sample Type		Fit Sample Size	10	Sample Request Date	03/24/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1	110427	W 71/28/1 POLYESTER/RAYON/SPANDEX TWILL-2/2 7.00 OZ/YD2			Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2		

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A001-LA2-20	LADIES ALPHA SIZES XS(2-4) S(6-8) M(10-12) L(14-16) XL(18) XXL(20)										
A150	SHLDR SLOPE-DEV ONLY	-1/8	1/8	1 1/4							
A299-03W	HPS TO FRT TOP WB	-1/4	1/4	17							
A151	FORWARD SHLDR SEAM @HPS-STRAIGHT	-1/8	1/8	3/4							
A100	NK WIDTH @ SEAM	-1/4	1/4	6 3/4							
A131	RV-NECKBAND LEN ALONG NK SM	-1/4	1/4	22 1/4							
A110	FRT NK DROP @ SEAM	-1/8	1/8	4 1/2							
A120	BK NK DROP @ SEAM	-1/8	1/8	1 1/4							
A250	ACROSS SHOULDER, EDGE TO EDGE	-3/8	3/8	16							
A253	XFRT/BK PLCMT #" FM HPS	0	0	5 1/2							
A254	ACROSS FRONT, EDGE TO EDGE	-3/8	3/8	13 5/8							
A255	ACROSS BACK @ YOKE, EDGE TO EDGE	-3/8	3/8	15 1/2							
A154A	BK YOKE HEIGHT @ CB , FR CB NK SEAM	-1/4	1/4	4 1/2							
A261H	*CHEST 1" BLW AH EXTD-1/2 MEAS @BK	-1/2	1/2	20 1/2							
A330	ARMHOLE DROP-FROM HPS @ NK SEAM	-1/4	1/4	9 1/2							
A362-1B	SLV LEN FROM SHLDR PT-S/SLV			12 1/2							
A340H	UA/MUSCLE 1" BLW AH-1/2 MEAS			7 1/4							
A352H-1B	SLV OPENING RLXD-1/2 MEAS S/SLV			6							



Sample Information						Fit Approved		NA	
Sample Round	Sample 1	Sample Type		Fit Sample Size	10	Sample Request Date	03/24/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1	110427	W 71/28/1 POLYESTER/RAYON/SPANDEX TWILL-2/2 7.00 OZ/YD2			Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2		

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A363-1B	UNDERARM SLV LEN										
A368	CF PLACKET WIDTH	-1/8	1/8	1							
A614	CHEST PKT FROM HPS	-1/4	1/4	7 1/2							
A600	*REV.CHEST PKT WD AT TOP	-1/4	1/4	5							
A602	CHEST PKT HEIGHT@CENTER	-1/4	1/4	5 1/2							
A135	COLLAR PT LENGTH			2 1/2							
A135A	COLLAR HEIGHT@CB			2 1/4							
A137	COLLAR STAND HEIGHT@CB			1 1/8							
A000											
A000	-----BOTTOM-----										
A270H	WAIST RLXD-TOPS-1/2 MEAS										
A270H	WAIST RLXD-TOPS-1/2 MEAS - BK ONLY	-1/2	1/2	17 1/2							
A271H	WAIST EXTD-TOPS 1/2 MEAS - BACK ONLY										
A411	LOW HIP PLCMT FROM BTM WAIST SEAM	-1	1	7 1/2							
A283H	LOW HIP-1/2 MEAS	-1/2	1/2	22 1/2							
A425H	THIGH @ 1" BLW CROTCH PT-1/2 MEAS	-1/4	1/4	15							
A430X	KNEE PLCMT FM CROTCH POINT	0	0	13							
A430H	KNEE #" FM CROTCH POINT-1/2 MEAS	-3/8	3/8								
A438H-08P	RV-LEG OPENING RLXD-FULL LENGTH 1/2 MEAS	-1/4	1/4	13							
A450	*FRT RISE TO BTM WB SEAM	-1/4	1/4	11 3/4							
A460	BK RISE TO BTM WB SEAM	-1/4	1/4	16 3/4							
A500 NG	INSEAM-NG	-1/2	1/2	31							
A475	ZIPPER LENGTH	-1/8	1/8	5 1/2							
A476	RV-FLY LENGTH BLW WB SEAM	-1/8	1/8	6							
A404 NG	WAISTBAND HEIGHT	-1/8	1/8	1 3/4							
A616	RV-FRT HIP PKT FROM SS@BTM OF WB	-1/4	1/4	1 1/2							
A624	ON-SEAM PKT OPENING	-1/4	1/4	6 1/2							
A624	ON-SEAM PKT OPENING	-1/4	1/4								
A601	HIP PATCH PKT WIDTH@BTM	-1/4	1/4	6 1/2							
A602	HIP PATCH PKT HEIGHT@CENTER	-1/4	1/4	9 1/2							



Sample Information						Fit Approved		NA	
Sample Round	Sample 1	Sample Type		Fit Sample Size	10	Sample Request Date	03/24/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1	110427	W 71/28/1 POLYESTER/RAYON/SPANDEX TWILL-2/2 7.00 OZ/YD2			Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2		

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A548	BELT LOOP FM CF	-1/4	1/4	4 3/4							
A405A	BELT WIDTH	-1/8	1/8	1 3/4							
A405	BELT LENGTH TO LONGEST	-1/4	1/4	68							
A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4								
A615	PKT FROM HEM - TO BTM OF PKT			16 1/2							
A605 NG	PKT FLAP WIDTH@TOP-NG	-1/4	1/4	9 3/4							
A600	PKT WIDTH@TOP	-1/4	1/4	9 1/2							
A607 NG	PKT FLAP HT@CENTER-NG	-1/8	1/8	2 1/2							
A602 NG	PKT HEIGHT@CENTER-NG	-1/4	1/4	10 1/2							
A632	WELT PKT OPENING			6							
A634	WELT PKT BAG HEIGHT	-1/4	1/4	1/2							
A571	PLEAT/ TUCK DEPTH	-1/8	1/8	1 1/2							