FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER

Tech Spec Overview



	SIMPLY VERAVERA WANG		YOUNG WOMENS	Request No.	00682088	Create Date	2023-02-02	Cut Date	
X-		Product Type	TOPS	Product	FRANCESCA KARL	Designer	ALYSSA	Tech	YA CHANG CHOU
Factory				Manager			BAEZ	Designer	
Date									



Modified By: TKA0O4Y on 2023-02-28


FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER

Design Intent



Brand	SIMPLY VERAVERA	Division	YOUNG WOMENS	Request No.	00682088	Create Date	2023-02-02	Cut Date	
	WANG								
X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU



FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER

Design Intent



Brand	SIMPLY	Division	YOUNG WOMENS	Request No.	00682088	Create Date	2023-02-02	Cut Date	
	VERAVERA								
	WANG								
X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

'Only for Design Reference in development, see DI for TD construction call







Modified By: TK26580 on 2023-03-13

3 of 13

RS - SHINY WASHER

RS - SHIN	Y WASHE	R					S	uffix:	RS	RS	RS	RS	RS	RS	RS
WV44W11	7						Me	onth:	12-DEC	12-DEC	12-DEC	12-DEC	12-DEC	12-DEC	12-DEC
SHIRRED	ROLL TA	в РО	POVER				Meeting Ne	eds:	LAB DIP	LAB DIP	SAMPLE	LAB DIP	LAB DIP	SAMPLE	LAB DIP
MATERIALS & 1	RIMS			1					Colorways						
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill G	TY	ALPNE FRST	ANTQ GARDN	ANTQUE BRY	ARMY BOTLE	COKTL ROSE	DEVAN BLUE	KAISA BEIG
	FNC-10806	75345	W 100 POLYESTER SATIN 3.10				FNC (FUEN CORPORATION)		324-710 ALPINE FROST	105-211 ANTIQUE GARDEN	104-620 ANTIQUE BERRY	549-710 ARMY BOTTLE	104-530 COCKTAIL ROSE	432-760 DEVAN BLUE ATLAS	544-120 KAISA BEIGE ATLAS
			OZ/YD2						ATLAS 324-710	ATLAS 105-211	ATLAS 104-620	ATLAS 549-710	ATLAS 104-530		544-120
	GENERIC	59548	BUTTON	4 16L DTM PLASTIC FOUR					324-710 ALPINE FROST	105-211 ANTIQUE GARDEN	104-620 ANTIQUE BERRY	549-710 ARMY BOTTLE	104-530 COCKTAIL ROSE	432-760 DEVAN BLUE	544-120 KAISA BEIGE ATLAS
				HOLE BUTTONS AT CUFF AND SLEEVE TAB					ATLAS 324-710	ATLAS 105-211	ATLAS 104-620	ATLAS 549-710	ATLAS 104-530		544-120
							S	uffix:	RS	RS	RS	RS	RS	RS	RS
									12-DEC	12-DEC	12-DEC	12-DEC	12-DEC	12-DEC	12-DEC
							Meeting Ne			LAB DIP	LAB DIP	LAB DIP	LAB DIP	LAB DIP	LAB DIP
MATERIALS & 1									Colorways						
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill G	ΥT	MDISON BRY	NAVY WATER	OCEAN KISS	PRISTINE	ROSE SMOKE	RVTING RSE	STONE TOWR
	FNC-10806	75345	W 100 POLYESTER SATIN 3.10 OZ/YD2				FNC (FUEN CORPORATION)		440-980 MADISON BERRY ATLAS 440-980	654-950 NAVY WATER ATLAS 654-950	325-650 OCEAN KISS ATLAS 325-650	PRISTINE 11-0606 TCX	ROSE SMOKE 14-1506 TCX	440-750 RIVETING ROSE ATLAS 440-750	660-240 STONE TOWER ATLAS 660-240

	GENERIC	59548	BUTTON	4 16L DTM PLASTIC FOUR HOLE BUTTONS AT CUFF AND SLEEVE TAB					440-980 MADISON BERRY ATLAS 440-980	NAVY WATER ATLAS	325-650 OCEAN KISS ATLAS 325-650	PRISTINE 11-0606 TCX	ROSE SMOKE 14-1506 TCX	440-750 RIVETING ROSE ATLAS 440-750	660-240 STONE TOWER ATLAS 660-240
							N		12-DEC	RS 12-DEC	RS 12-DEC	RS 12-DEC	RS 12-DEC	RS 12-DEC	RS 12-DEC
							Meeting N	Needs:	LAB DIP	LAB DIP	LAB DIP	LAB DIP	LAB DIP	LAB DIP	LAB DIP
MATERIALS		-16-1 ID		1	I-mail (In	O (MIN)	274	Colorways	TROTA DOOS	WEDA BLACK	WHONT BIVE	Ve out	WATEROTON	
MATERIALS Image	& TRIMS Supplier Ref#	Mtrl ID	Component		Finish / Wash	Position	Supplier / Mill	QTY	Colorways TAWNY PORT	TRCTA ROSE	VERA BLACK	VNCNT RIVR	VOGUE MAVE	WATERSTON	WHT KNIGHT
_		Mtrl ID 75345	W 100 POLYESTER SATIN 3.10 OZ/YD2				Supplier / Mill FNC (FUEN CORPORATION		TAWNY		VERA BLACK	VNCNT RIVR 431-580 VINCENT RIVER ATLAS 431-580		WATERSTONI 651-340 WATERSTONI ATLAS 651-340	658-110

RP - CORE CREPE WV44W117 SHIRRED ROLL TAB POPOVER

Suffix:	RP	RP	RP
Month:	12-DEC	12-DEC	12-DEC
Meeting Needs:	SAMPLE	SAMPLE	SAMPLE
	P24SVW464B LARGE GRAPHIC FLORAL	P24SVW468B FLORAL GLOW	P24SVW469C LARGE PAINTSTROKE

MATERIALS & T	RIMS								Colorways		
Image	Supplier Ref#	Mtrl ID			Finish / Wash	Position	Supplier / Mill	QTY	BL GRPHC F	BLCK FLRL	GRN PNTSTR
Material/Trim Rebuild-Phase 2 Pre-MarketPlace	WIN-PZ-4476	73536	W 100 POLYESTER CREPE 3.45 OZ/YD2				WINTEX FABRIC CO.,LTD.		GRAPHIC		GREEN PAINTSTROKE
	GENERIC	59548		4 16L DTM PLASTIC FOUR HOLE BUTTONS AT CUFF AND SLEEVE TAB					GROUND - BL	GROUND -	DTM GROUND - GRN PNTSTR

FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER



Points of Measure

POI						LADIES	ALPI	HA AF								
Branc	,	SIMPL` VERAV WANG	/ER	YOUNG WOMENS	(Customer	W	OMENS	Tech Desi		YA CHA CHOU	NG E	Business	SPORTSWEAR	Size Indicator	REGULAR
FOR	M1	I	KOS-WMS0	008-1509				FORM	2							
	Table	l	LADIES (000-2	0) REG&PETITE												
Materi	1			ER CREPE 3.45 OZ/YD2			1		Material			_	R SATIN 3.10 O	Z/YD2		
P/S	POM C		POM Description		TOL (-) TOL (+)	2	6	10	14	18	20	20P			
Р	A001- LA000-			A SIZES XXS(000-00) XS(0-2) L(12-14) XL(16-18) XXL(20)												
	A000															
	A150		SHLDR SLOPE	E-DEV ONLY	-1/8	1/8			3/4							
	A151		FORWARD SH	ILDR SEAM @HPS-STRAIGHT	-1/8	1/8	1	1	1	1	1	1	1			
Р	A300		*REV FRONT I IMAGINARY L	LEN - HPS TO CENTER FRONT NE HEM	-1/2	1/2	26	26 1/2	27	27 1/2	28	28 1/4	26 3/4			
Р	A300		*REV BACK LE HEM	N - HPS TO CENTER BACK	-1/2	1/2	26 1/2	27	27 1/2	28	28 1/2	28 3/4	27 1/4			
Р	A100		NECK WIDTH	- SEAM TO SEAM	-1/4	1/4	7 1/4	7 1/2	7 3/4	8	8 1/4	8 3/8	8 3/8			
S	A110		* REV FRT NK	DROP - HPS TO SEAM *	-1/8	1/8	3 3/4	3 7/8	4	4 1/8	4 1/4	4 1/4	4 1/4			
	A367		*RV_CF NK PL OPENING	ACKET LENGTH -ACTUAL	-1/4	1/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 1/2			
	A125A		FRT NOTCH V EXCL -TRIM	/IDTH- FM EDGE TO EDGE -	-1/8	1/8	1/2	1/2	1/2	1/2	1/2	1/2	1/2			
	A368		CF PLACKET	WIDTH	-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4			
	A571		PLEAT/DEPTH	@ CF BTTM PLACKET	-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4			
S	A120		BK NK DROP	HPS TO SEAM	-1/8	1/8	1 3/8	1 3/8	1 1/2	1 1/2	1 5/8	1 3/4	1 3/4			
	A000		SHIPPING DISTANCE AT EPONT SHOULDED		-1/8	1/8	1/8	1/4	3/8	1/2	5/8	3/4	3/4			
Р	A250	1	ACROSS SHO	ULDER	-3/8	3/8	14 1/2	15	15 1/2	16 1/4	16 7/8	17 1/8	16 7/8			
S	A253		ACROSS FRONT PLCMT FM HPS - SHIRRING EXTENDED 0			0	5 1/4	5 3/8	5 1/2	5 3/4	5 7/8	5 7/8	5 5/8			
S	A254		ACROSS FRO	NT - MEAS. EXTENDED	-3/8	3/8	13	13 1/2	14	14 3/4	15 3/8	15 5/8	15 3/8			

FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER



Points of Measure

FOR	2M1	KOS-WMS0008-1509				FORM	2				
Grad	e Table	LADIES (000-20) REG&PETITE				Ļ		Ų		_	
Mater	ial 1 73536	W 100 POLYESTER CREPE 3.45 OZ/YD2					Material 2	75345	W 100 PC	DLYESTER	SATIN 3.10
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20	20P
s	A255	ACROSS BACK @ MEAS. EXTENDED WITH CB PLEAT CLOSED	-3/8	3/8	15 1/2	16	16 1/2	17 1/4	17 7/8	18 1/8	17 7/8
	A000	SHIRRING AT CENTER BACK YOKE SEAM AREA					4				
Р	A261H	*REV CHEST 1" BLW AH -1/2 MEAS- CF KNIFE PLAT CLOSED	-1/2	1/2	19 1/2	20 1/2	21 1/2	23	24 3/4	25 3/4	25 1/2
Р	A261H	REV. BK CHEST 1" BLW AH RLXD SEAM TO SEAM-1/2 MEAS -PLEAT OPEN &SHIRRING EXTEND	-1/2	1/2	23	24	25	26 1/2	28 1/4	29 1/4	29
Р	A290H	SWEEP RLXD@HEM -1/2 MEAS	-1/2	1/2	21 1/2	22 1/2	23 1/2	25	26 3/4	27 3/4	27 1/2
Р	A330	ARMHOLE DROP-FROM HPS	-1/4	1/4	8 1/4	8 5/8	9	9 3/8	9 3/4	9 7/8	9 5/8
Р	A362-4W	SLV LEN FROM SHLDR PT-L/SLV	-1/4	1/4	24	24 1/4	24 1/2	24 3/4	25	25 1/8	23 3/4
S	A340H	UA/MUSCLE 1" BLW AH-1/2 MEAS	-3/8	3/8	6 5/8	7	7 3/8	7 7/8	8 1/2	9	8 7/8
	A357	SLV CUFF WIDTH	-3/8	3/8	3 1/2	3 3/4	4	4 1/4	4 1/2	4 5/8	4 1/2
	A358	SLV CUFF HEIGHT	-1/8	1/8	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
	A124	NK TRIM HEIGHT	-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4
	A000	SLEEVE TAB PLACEMENT- FROM SHLDR SEAM	-1/8	1/8	13	13 1/4	13 1/2	13 3/4	14	14 1/8	13 3/8
	A541	SLEEVE TAB LENGTH INCLUDE BOX STITCH	-1/4	1/4	6	6	6	6	6	6	6
	A542	SLEEVE TAB WIDTH	-1/8	1/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8
	A356A	*REV SLV SLIT/PLCKT LEN-ACTUAL OPENING - EXCLUDING CUFF	-1/8	1/8	3	3	3	3	3	3	3
	A000	SLV CAP HEIGHT - DEV ONLY	-1/8	1/8			5 5/8				
	A000	SLV CAP WIDTH MEAS. MEAS. 3 1/2" FM CAP SEAM - DEV ONLY	-1/8	1/8			5 1/2				


FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER

Attachments



		SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00682088	Create Date	2023-02-02	Cut Date	
2	X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU




FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER

Attachments



	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00682088	Create Date	2023-02-02	Cut Date	
X-Factory Date	_	Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU



FA23
Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER





Brand	SIMPLY	Division	YOUNG WOMENS	Request No.	00682088	Create Date	2023-02-02	Cut Date	
	VERAVERA								
	WANG								
X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

"Only for Design Reference in development, see DI for TD construction callouts"

WILL SEND ORIGINAL SAMPLE





FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER



Fit Eval - Spec

Fit Eval No: 153825

POM Page Description:	LADIES ALPHA
-	

Fiscal Season	FA23	Brand	SIMPLY VERAVERA WANG		YOUNG WOMENS	Customer	WOMENS	Created On	2023-03-13
Request No	00682088	Tech Designer	YA CHANG CHOU	Designer		Product Manager	FRANCESCA KARL	Size Indicator	REGULAR
Agent	LI & FUNG KOREA		NOBLAND INTERNATIONAL INC.	Workflow Alert		PP Deadline			

Sample Info	rmation			Fit Approved		NA			
Sample Round	Sample 1	Sample Type		Fit Sample Size	10	Sample Request Date	03/13/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1 73536	W 100 POLYESTER CREPE 3.45 OZ/YD2 Material 2 75345 W 100 POLYESTER SATIN 3.10 OZ/YD2								

Code	Description	Tol(-)	Tol(+)	Spec	Measurer	Measurer	Meas 1 Comments	Measurer	Measurer	Meas 2 Comments	Rev
					1 Actuals	1 Delta		2 Actuals	2 Delta		
A001-	LADIES ALPHA SIZES XXS(000-00)										
LA000-20	XS(0-2) S(4-6) M(8-10) L(12-14)										
	XL(16-18) XXL(20)										
A000											
A150	SHLDR SLOPE-DEV ONLY	-1/8	1/8	3/4							
A151	FORWARD SHLDR SEAM @HPS- STRAIGHT	-1/8	1/8	1							
A300	*REV FRONT LEN - HPS TO CENTER FRONT IMAGINARY LINE HEM	-1/2	1/2	27							
A300	*REV BACK LEN - HPS TO CENTER BACK HEM	-1/2	1/2	27 1/2							
A100	NECK WIDTH - SEAM TO SEAM	-1/4	1/4	7 3/4							
A110	* REV FRT NK DROP - HPS TO SEAM *	-1/8	1/8	4							
A367	*RV_CF NK PLACKET LENGTH - ACTUAL OPENING	-1/4	1/4	4 3/4							
A125A	FRT NOTCH WIDTH- FM EDGE TO EDGE - EXCL -TRIM	-1/8	1/8	1/2							
A368	CF PLACKET WIDTH	-1/8	1/8	3/4							
A571	PLEAT/DEPTH @ CF BTTM PLACKET	-1/8	1/8	3/4							
A120	BK NK DROP - HPS TO SEAM	-1/8	1/8	1 1/2							
A000	SHIRRING DISTANCE AT FRONT SHOULDER (3 ROWS)	-1/8	1/8	3/8							
A250	ACROSS SHOULDER	-3/8	3/8	15 1/2							
A253	ACROSS FRONT PLCMT FM HPS - SHIRRING EXTENDED	0	0	5 1/2							

FA23 Stage: COSTING SPEC

WV44W117 SHIRRED ROLL TAB POPOVER

Fit Eval - Spec



Sample Info	rmation			Fit Approved		NA			
Sample Round	Sample 1	Sample Type		Fit Sample Size	10	Sample Request Date	03/13/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1 73536	W 100 POLYESTER (CREPE 3.45 OZ/YD	2	Material 2 7	75345 W 100 POLYEST	ER SATIN 3.10 OZ/YD2			·

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A254	ACROSS FRONT - MEAS. EXTENDED	-3/8	3/8	14						
A255	ACROSS BACK @ MEAS. EXTENDED WITH CB PLEAT CLOSED	-3/8	3/8	16 1/2						
A000	SHIRRING AT CENTER BACK YOKE SEAM AREA			4						
A261H	*REV CHEST 1" BLW AH -1/2 MEAS- CF KNIFE PLAT CLOSED	-1/2	1/2	21 1/2						
A261H	REV. BK CHEST 1" BLW AH RLXD SEAM TO SEAM-1/2 MEAS -PLEAT OPEN &SHIRRING EXTEND	-1/2	1/2	25						
A290H	SWEEP RLXD@HEM -1/2 MEAS	-1/2	1/2	23 1/2						
A330	ARMHOLE DROP-FROM HPS	-1/4	1/4	9						
A362-4W	SLV LEN FROM SHLDR PT-L/SLV	-1/4	1/4	24 1/2						
A340H	UA/MUSCLE 1" BLW AH-1/2 MEAS	-3/8	3/8	7 3/8						
A357	SLV CUFF WIDTH	-3/8	3/8	4						
A358	SLV CUFF HEIGHT	-1/8	1/8	2 1/2						
A124	NK TRIM HEIGHT	-1/8	1/8	3/4						
A000	SLEEVE TAB PLACEMENT- FROM SHLDR SEAM	-1/8	1/8	13 1/2						
A541	SLEEVE TAB LENGTH INCLUDE BOX STITCH	-1/4	1/4	6						
A542	SLEEVE TAB WIDTH	-1/8	1/8	7/8						
A356A	*REV SLV SLIT/PLCKT LEN-ACTUAL OPENING - EXCLUDING CUFF	-1/8	1/8	3						
A000	SLV CAP HEIGHT - DEV ONLY	-1/8	1/8	5 5/8						
A000	SLV CAP WIDTH MEAS. MEAS. 3 1/2" FM CAP SEAM - DEV ONLY	-1/8	1/8	5 1/2						