




Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683012	Create Date	2023-02-23	Cut Date	
X- Factory Date		Product Type	DRESS/ ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683012	Create Date	2023-02-23	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU



Modified By: TK26580 on 2023-03-13







Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683012	Create Date	2023-02-23	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU


"Pre-development Samples"



Modified By: TK26580 on 2023-03-13

RS - ECOLOT PONTE
WV44Y118
SHORT SLV SEAMED FIT &
FLARE DRESS

Suffix:	RS	RS	RS	RS	RS	RS
Month:						
Meeting Needs:	SAMPLE	L/D	SAMPLE	L/D	L/D	L/D
						


Materials & Trims									Colorways					
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	DEVAN BLUE	MDISON BRY	NAVY WATER	TAWNY PORT	VERA OLIVE	WHT KNIGHT
	DKPXS0042	67365	K 75/20/5 POLYESTER/ RAYON/ SPANDEX PONTE 320 GM2	BODY			ECOLOT TEXTILE CO. LTD.		432-760 DEVAN BLUE	440-980 MADISON BERRY	654-950 NAVY WATER	TAWNY PORT	VERA OLIVE	658-110 WHITE KNIGHT
									ATLAS 432-760	ATLAS 440-980	ATLAS 654-950	19-1725 TCX		ATLAS 658-110
		75994	INVISIBLE ZIPPER	@ BACK CLOSURE					DTM TO GROUND - DEVAN BLUE	DTM TO GROUND - MDISON BRY	DTM TO GROUND - NAVY WATER	DTM TO GROUND - TAWNY PORT	DTM TO GROUND - VERA OLIVE	DTM TO GROUND - WHT KNIGHT

RS1 - ECOLOT FOIL CROC
PONTE
WV44Y118
SHORT SLV SEAMED FIT &
FLARE DRESS

Suffix: RS1

Month:

Meeting Needs: SAMPLE



SP24SVW177
A
BLACK FOIL
CROC PONTE
A

MATERIALS & TRIMS									
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	BL
	2A2109009	95881	K 75/20/5 POLYESTER/ RAYON/ SPANDEX PONTE 320.00 GM2	BODY			ECOLOT TEXTILE CO. LTD.		BLK FOILA
		75994	INVISIBLE ZIPPER	@ BACK CLOSURE					DTM TO GROUND - BL


Colorways

RP - ECOLOT PONTE
WV44Y118
SHORT SLV SEAMED FIT &
FLARE DRESS

Suffix: RP

Month:

Meeting Needs: SAMPLE



P24SVW464B
LARGE
GRAPHIC
FLORAL

MATERIALS & TRIMS										Colorways									
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	BL GRPHC F										
<div>Material/Trim Rebuild-Phase 2 Pre-MarketPlace</div>	DKPXS0042	67365	K 75/20/5 POLYESTER/ RAYON/ SPANDEX PONTE 320 GM2	BODY			ECOLOT TEXTILE CO. LTD.		BLUE GRAPHIC FLORAL										
		75994	INVISIBLE ZIPPER	@ BACK CLOSURE					DTM TO GROUND - BL GRPHC F										



POM Page Description:				LADIES TOPS ALPHA									
Brand	SIMPLY VERAVER WANG	Division	YOUNG WOMENS	Customer	WOMENS		Tech Designer	YA CHANG CHOU		Business	SPORTSWEAR	Size Indicator	REGULAR
FORM1		KOS-WMS0008-1509				FORM2							
Grade Table		LADIES (000-20) REG&PETITE											
Material 1	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2					Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2				
Material 3	95881	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320.00 GM2					Material 4						
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20			
P	A001-LA000-20	LADIES ALPHA SIZES XXS(000-00) XS(0-2) S(4-6) M(8-10) L(12-14) XL(16-18) XXL(20)											
	A000												
	A150	SHLDR SLOPE-DEV ONLY -	-1/8	1/8			3/4						
	A151	FORWARD SHLDR SEAM @HPS-STRAIGHT	-1/8	1/8	7/8	7/8	7/8	7/8	7/8	7/8			
P	A300	LEN HPS TO CF HEM	-1/2	1/2	36 1/2	37	37 1/2	38	38 1/2	38 3/4			
	A272HPS	WAIST PLCMT FM HPS	-1/4	1/4	14	14 1/2	15	15 1/2	16	16 1/4			
P	A250	ACROSS SHOULDER - EDGE TO EDGE	-3/8	3/8	14 1/2	15	15 1/2	16 1/4	16 7/8	17 1/8			
S	A253	XFRT/BK PLCMT #" FM HPS	0	0	5 1/4	5 3/8	5 1/2	5 3/4	5 7/8	5 7/8			
S	A254	ACROSS FRONT EDGE TO EDGE	-3/8	3/8	11 1/2	12	12 1/2	13 1/4	13 7/8	14 1/8			
S	A254	*REV. FRONT PRINCESS SEAM TO SEAM - @ APPEX AREA - 10" FM HPS	-3/8	3/8	6 3/4	7 1/4	7 3/4	8 1/2	9 1/8	9 3/8			
S	A255	ACROSS BACK -EDGETO EDGE	-3/8	3/8	13 1/4	13 3/4	14 1/4	15	15 5/8	15 7/8			
P	A260H	*REV CHEST 1" BLW AH RLXD-1/2 MEAS-FOLDED	-1/2	1/2	15 1/2	16 1/2	17 1/2	19	20 3/4	21 3/4			
	A270H	WAIST RLXD-TOPS-1/2 MEAS	-1/2	1/2	13 1/2	14 1/2	15 1/2	17	18 3/4	19 3/4			
	A000	FRONT PRINCESS SEAM DISTANCE @WAIST	-3/8	3/8	5	5 1/2	6	6 3/4	7 3/8	7 5/8			
	A000	BACK PRINCESS SEAM DISTANCE @ WAIST	-3/8	3/8	4 3/4	5 1/4	5 3/4	6 1/2	7 1/8	7 3/8			
P	A100	NK WIDTH @ EDGE TO EDGE	-1/4	1/4	6 1/2	6 3/4	7	7 1/4	7 1/2	7 5/8			
S	A110	FRT NK DROP @ EDGE	-1/8	1/8	4	4 1/8	4 1/4	4 3/8	4 1/2	4 1/2			
S	A120	BK NK DROP @ EDGE	-1/8	1/8	5/8	5/8	3/4	3/4	7/8	1			
	A124	NK TRIM HEIGHT	-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4			



FORM1		KOS-WMS0008-1509					FORM2			
Grade Table		LADIES (000-20) REG&PETITE								
Material 1	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2					Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2	
Material 3	95881	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320.00 GM2					Material 4			
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20
	A576	DART LENGTH - AROUND BUST	-1/8	1/8						
P	A330	ARMHOLE DROP-FROM HPS TO EDGE	-1/4	1/4	9	9 3/8	9 3/4	10 1/8	10 1/2	10 5/8
P	A362-1B	SLV LEN FROM SHLDR PT-S/SLV	-1/4	1/4	6 1/4	6 3/8	6 1/2	6 3/4	6 7/8	6 7/8
S	A352H-1B	SLV OPENING RLXD-1/2 MEAS S/SLV	-1/4	1/4						
S	A340H	UA/MUSCLE 1" BLW AH-1/2 MEAS	-1/4	1/4	6 1/4	6 5/8	7	7 1/2	8 1/8	8 5/8
	A359	SLV HEM/TRIM HEIGHT - INSIDE FACING	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
P	A284HPS	HIP PLCMT FROM HPS- HIGH HIP - FOR REF ONLY	0	0	19	19 1/2	20	20 1/2	21	21 1/4
P	A283H	HIP-TOPS-1/2 MEAS - HIGH HIP WIDTH-MEAS. STRAIGHT ACROSS- FOR REF ONLY	-1/2	1/2	15 1/2	16 1/2	17 1/2	19	20 3/4	21 3/4
P	A292H	*RV BACK SWEEP ALONG CURVE-1/2 MEAS. FM SEAM TO SEAM	-1/2	1/2	35	36	37	38 1/2	40 1/4	41 1/4
	A375 ZG	CB ZIPPER LENGTH >18"	-1/4	1/4	19 5/8	20 1/8	20 1/2	21	21 3/8	21 1/2
	A557 NG	RUFFLEHEIGHT-NG AT SKIRT @ SIDE LINE	-1/8	1/8	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2
	A128	NK FACING HEIGHT - FM SEAM TO HEM EDGE	-1/4	1/4	4	4	4	4	4	4
	A568	BTTM HEM HEIGHT AND INSIDE FACING AT BTTM HEM	-1/8	1/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8	2 5/8



Attachments

Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683012	Create Date	2023-02-23	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU






Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683012	Create Date	2023-02-23	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

WV44Y118 - SHORT SLV SEAMED FIT & FLARE DRESS

**** FOLLOW SKETCH W/ MODIFICATION BELOW ****

PLEASE FOLLOW PR- DEV SAMPLE
FOR ALL DETAILS





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00683012	Create Date	2023-02-23	Cut Date	
X-Factory Date		Product Type	DRESS/ROMPER	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

"Pre-development Samples"





Fit Eval No: 153824

POM Page Description:	LADIES TOPS ALPHA
------------------------------	--------------------------

Fiscal Season	SP24	Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Customer	WOMENS	Created On	2023-03-13
Request No	00683012	Tech Designer	YA CHANG CHOU	Designer	ALYSSA BAEZ	Product Manager	FRANCESCA KARL	Size Indicator	REGULAR
Agent	LI & FUNG KOREA	Vendor	NOBLAND INTERNATIONAL INC.	Workflow Alert		PP Deadline			

Sample Information						Fit Approved		NA	
Sample Round	Sample 1	Sample Type		Fit Sample Size	10	Sample Request Date	03/13/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2			Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2		
Material 3	95881	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320.00 GM2			Material 4				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A001- LA000-20	LADIES ALPHA SIZES XXS(000-00) XS(0-2) S(4-6) M(8-10) L(12-14) XL(16-18) XXL(20)										
A000											
A150	SHLDR SLOPE-DEV ONLY -	-1/8	1/8	3/4							
A151	FORWARD SHLDR SEAM @HPS- STRAIGHT	-1/8	1/8	7/8							
A300	LEN HPS TO CF HEM	-1/2	1/2	37 1/2							
A272HPS	WAIST PLCMT FM HPS	-1/4	1/4	15							
A250	ACROSS SHOULDER - EDGE TO EDGE	-3/8	3/8	15 1/2							
A253	XFRT/BK PLCMT #" FM HPS	0	0	5 1/2							
A254	ACROSS FRONT EDGE TO EDGE	-3/8	3/8	12 1/2							
A254	*REV. FRONT PRINCESS SEAM TO SEAM - @ APPEX AREA - 10" FM HPS	-3/8	3/8	7 3/4							
A255	ACROSS BACK -EDGETO EDGE	-3/8	3/8	14 1/4							
A260H	*REV CHEST 1" BLW AH RLXD-1/2 MEAS- FOLDED	-1/2	1/2	17 1/2							
A270H	WAIST RLXD-TOPS-1/2 MEAS	-1/2	1/2	15 1/2							
A000	FRONT PRINCESS SEAM DISTANCE @WAIST	-3/8	3/8	6							
A000	BACK PRINCESS SEAM DISTANCE @ WAIST	-3/8	3/8	5 3/4							
A100	NK WIDTH @ EDGE TO EDGE	-1/4	1/4	7							

KOHL'S

SP24
Stage: COSTING SPEC

WV44Y118
SHORT SLV SEAMED
FIT & FLARE DRESS
Fit Eval - Spec



Sample Information						Fit Approved		NA	
Sample Round	Sample 1	Sample Type		Fit Sample Size	10	Sample Request Date	03/13/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2			Material 2	67365	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320 GM2		
Material 3	95881	K 75/20/5 POLYESTER/RAYON/SPANDEX PONTE 320.00 GM2			Material 4				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A110	FRT NK DROP @ EDGE	-1/8	1/8	4 1/4							
A120	BK NK DROP @ EDGE	-1/8	1/8	3/4							
A124	NK TRIM HEIGHT	-1/8	1/8	3/4							
A576	DART LENGTH - AROUND BUST	-1/8	1/8								
A330	ARMHOLE DROP-FROM HPS TO EDGE	-1/4	1/4	9 3/4							
A362-1B	SLV LEN FROM SHLDR PT-S/SLV	-1/4	1/4	6 1/2							
A352H-1B	SLV OPENING RLXD-1/2 MEAS S/SLV	-1/4	1/4								
A340H	UA/MUSCLE 1" BLW AH-1/2 MEAS	-1/4	1/4	7							
A359	SLV HEM/TRIM HEIGHT - INSIDE FACING	-1/8	1/8	1 1/2							
A284HPS	HIP PLCMT FROM HPS- HIGH HIP - FOR REF ONLY	0	0	20							
A283H	HIP-TOPS-1/2 MEAS - HIGH HIP WIDTH- MEAS. STRAIGHT ACROSS- FOR REF ONLY	-1/2	1/2	17 1/2							
A292H	*RV BACK SWEEP ALONG CURVE-1/2 MEAS. FM SEAM TO SEAM	-1/2	1/2	37							
A375 ZG	CB ZIPPER LENGTH >18"	-1/4	1/4	20 1/2							
A557 NG	RUFFLEHEIGHT-NG AT SKIRT @ SIDE LINE	-1/8	1/8	16 1/2							
A128	NK FACING HEIGHT - FM SEAM TO HEM EDGE	-1/4	1/4	4							
A568	BTTM HEM HEIGTH AND INSIDE FACING AT BTTM HEM	-1/8	1/8	2 5/8							