




<b>Brand</b>	SIMPLY VERAVERA WANG	<b>Division</b>	YOUNG WOMENS	<b>Request No.</b>	00682059	<b>Create Date</b>	2023-02-01	<b>Cut Date</b>	
<b>X- Factory Date</b>		<b>Product Type</b>	TOPS	<b>Product Manager</b>	FRANCESCA KARL	<b>Designer</b>	ALYSSA BAEZ	<b>Tech Designer</b>	YA CHANG CHOU





<b>Brand</b>	SIMPLY VERAVERA WANG	<b>Division</b>	YOUNG WOMENS	<b>Request No.</b>	00682059	<b>Create Date</b>	2023-02-01	<b>Cut Date</b>	
<b>X-Factory Date</b>		<b>Product Type</b>	TOPS	<b>Product Manager</b>	FRANCESCA KARL	<b>Designer</b>	ALYSSA BAEZ	<b>Tech Designer</b>	YA CHANG CHOU






Modified By: TK26580 on 2023-02-13

RS1 - HAMMERED CREPE  
WV44W113  
RUFFLE NECK SHELL

Suffix:	RS1	RS1	RS1	RS1
Month:	12-DEC	12-DEC	12-DEC	12-DEC
Meeting Needs:				
				

MATERIALS & TRIMS									Colorways			
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	NAVY WATER	RVTING RSE	VNCNT RIVR	WHT KNIGHT
	GN63501L	109778	W 100 POLYESTER DOBBY 4.50 OZ/YD2		ANTI-ST ATIC,WA SHED,,		GUY'N CO.		654-950 NAVY WATER ATLAS 654-950	440-750 RIVETING ROSE ATLAS 440-750	431-580 VINCENT RIVER ATLAS 431-580	658-110 WHITE KNIGHT ATLAS 658-110
	GENERIC	59548	BUTTON	5 FAUX SHELL DTM BUTTONS- 18L AT CF PLACKET					654-950 NAVY WATER ATLAS 654-950	440-750 RIVETING ROSE ATLAS 440-750	431-580 VINCENT RIVER ATLAS 431-580	658-110 WHITE KNIGHT ATLAS 658-110






RP1 - CORE CREPE  
WV44W113  
RUFFLE NECK SHELL

Suffix:	RP1	RP1	RP1
Month:	12-DEC	12-DEC	12-DEC
Meeting Needs:			
			
	P24SVW460A ABSTRACT BLOOM	P24SVW471C BRUSHED TEXTURE	P24SVW472E PAINTSTROKES








MATERIALS & TRIMS									Colorways		
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	BL BSTRCT	BLCK WHT T	PNK PNTSTR
<i>Material/Trim Rebuild-Phase 2 Pre-MarketPlace</i>	WIN-PZ-4476	73536	W 100 POLYESTER CREPE 3.45 OZ/YD2				WINTEX FABRIC CO.,LTD.		BLUE ABSTRACT BLOOM	BLACK WHITE TEXTURE	PINK PAINTSTROKES

	GENERIC	59548	BUTTON	5 FAUX SHELL DTM BUTTONS-18L AT CF PLACKET					DTM GROUND - BL BSTRCT	DTM GROUND - BLCK WHT T	DTM GROUND - PNK PNTSTR
--	---------	-------	--------	--	--	--	--	--	------------------------	-------------------------	-------------------------

RS - SHINY WASHER  
WV44W113  
RUFFLE NECK SHELL

Suffix:	RS	RS	RS	RS	RS	RP	RS
Month:	09-SEP	09-SEP	09-SEP	09-SEP	09-SEP	09-SEP	09-SEP
Meeting Needs:	3D	3D, SAMPLE	3D	3D	3D	3D, SAMPLE	3D
						F23SVW450A LARGE PEBBLED SNAKE	

MATERIALS & TRIMS									Colorways						
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	LIME FROST	LONDON ROS	MDNGT SPHR	MODERN WHT	SMTH CBRNT	TN PBBLD S	VERA BLACK
	FNC-10806	75345	W 100 POLYESTER SATIN 3.10 OZ/YD2				FNC (FUEN CORPORATION)		215-880 LIME FROST ATLAS 215-880	102-331 LONDON ROSE ATLAS 102-331	328-960 MIDNIGHT SAPPHIRE ATLAS 328-960	658-180 MODERN WHITE ATLAS 658-180	439-960 SMOOTH CABERNET ATLAS 439-960	TAN PEBBLED SNAKE	VERA BLACK
	GENERIC	59548	BUTTON	5 FAUX SHELL DTM BUTTONS-18L AT CF PLACKET					215-880 LIME FROST ATLAS 215-880	102-331 LONDON ROSE ATLAS 102-331	328-960 MIDNIGHT SAPPHIRE ATLAS 328-960	658-180 MODERN WHITE ATLAS 658-180	439-960 SMOOTH CABERNET ATLAS 439-960	TAN PEBBLED SNAKE	VERA BLACK

Suffix:	RS	RP1	RP1	RS1	RP1	RS1	RS1
Month:	09-SEP	12-DEC	12-DEC	12-DEC	12-DEC	12-DEC	12-DEC
Meeting Needs:	3D						
							
	P24SVW460A ABSTRACT BLOOM	P24SVW471C BRUSHED TEXTURE		P24SVW472E PAINTSTROK ES			

MATERIALS & TRIMS									Colorways						
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	WINE CELAR	BL BSTRCT	BLCK WHT T	NAVY WATER	PNK PNTSTR	RVTING RSE	VNCNT RIVR
	FNC-10806	75345	W 100 POLYESTER SATIN 3.10 OZ/YD2				FNC (FUEN CORPORATION)		104-970 WINE CELLAR ATLAS 104-970					440-750 RIVETING ROSE ATLAS 440-750	431-580 VINCENT RIVER ATLAS 431-580
	GENERIC	59548	BUTTON	5 FAUX SHELL DTM BUTTONS- 18L AT CF PLACKET					104-970 WINE CELLAR ATLAS 104-970						

Suffix:	RS1
Month:	12-DEC
Meeting Needs:	

MATERIALS & TRIMS									Colorways						
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	WHT KNIGHT						
	FNC-10806	75345	W 100 POLYESTER SATIN 3.10 OZ/YD2				FNC (FUEN CORPORATION)		658-110 WHITE KNIGHT ATLAS 658-110						
	GENERIC	59548	BUTTON	5 FAUX SHELL DTM BUTTONS- 18L AT CF PLACKET											

RP - PRINTABLE SATIN  
WV44W113  
RUFFLE NECK SHELL

Suffix:	RP
Month:	09-SEP
Meeting Needs:	3D, SAMPLE
	F23SVW450A LARGE PEBBLED SNAKE

MATERIALS & TRIMS									Colorways	
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	TN PBBLD S	
	UA-20198AC	103044	W 100 POLYESTER SATIN 2.60 OZ/YD2		SOLID: \$1.95/Y, 88G/SQM		UNITEDTEX ENTERPRISE LIMITED		TAN PEBBLED SNAKE	
	GENERIC	59548	BUTTON	5 FAUX SHELL DTM BUTTONS- 18L AT CF PLACKET					TAN PEBBLED SNAKE	



POM Page Description:				LADIES TOPS ALPHA											
Brand	SIMPLY VERAVER WANG	Division	YOUNG WOMENS	Customer	WOMENS		Tech Designer	YA CHANG CHOU		Business	SPORTSWEAR		Size Indicator	REGULAR/PETITE	
FORM1		KOS-WMS0008-1509						FORM2							
Grade Table		LADIES (000-20) REG&PETITE													
Material 1	73536	W 100 POLYESTER CREPE 3.45 OZ/YD2						Material 2	109778	W 100 POLYESTER DOBBY 4.50 OZ/YD2					
Material 3	103044	W 100 POLYESTER SATIN 2.60 OZ/YD2						Material 4	75345	W 100 POLYESTER SATIN 3.10 OZ/YD2					
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20	20P				
P	A001-LA000-20	LADIES ALPHA SIZES XXS(000-00) XS(0-2) S(4-6) M(8-10) L(12-14) XL(16-18) XXL(20)													
	A001-LP 000-20	PETITE ALPHA SIZE PXXS(000-00)PXS(0-2)PS(4-6)PM(8-10)PL(12-14)PXL(16-18)PXXL(20)													
	A000														
	A150	SHLDR SLOPE-DEV ONLY	-1/8	1/8			3/4								
	A151	FWD SHLDR SM - HPS @NK SM, EXCLD TRIM	-1/8	1/8	1	1	1	1	1	1	1				
P	A300	LENGTH - HPS TO HEM - BTTM HEM LEVEL	-1/2	1/2	25	25 1/2	26	26 1/2	27	27 1/4	25 3/4				
P	A100	NK WIDTH - SEAM TO SEAM	-1/4	1/4	7 1/2	7 3/4	8	8 1/4	8 1/2	8 5/8	8 5/8				
S	A120	BK NK DROP@SEAM	-1/8	1/8	7/8	7/8	1	1	1 1/8	1 1/4	1 1/4				
S	A110	RV-FRT NK DROP - HPS NECK SEAM - EXCL NK BAND	-1/8	1/8	4	4 1/8	4 1/4	4 3/8	4 1/2	4 1/2	4 1/2				
S	A112	*RV* FRT NK DROP-CNTR 2ND BTTN	-1/8	1/8	7 1/2	7 5/8	7 3/4	7 7/8	8	8	7 3/4				
	A000	*RV* 3RD BUTTON PLACEMENT AT APPEX	-1/8	1/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10	9 5/8				
	A365	*RV* PLKT LENGTH	-1/4	1/4	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9				
	A368	PLACKET WIDTH	-1/8	1/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8				
	A124	*REV NK TRIM HEIGHT - RUFFLE	-1/8	1/8	1	1	1	1	1	1	1				
	A137	COLLAR STAND HEIGHT@CB	-1/8	1/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8				
P	A250	ACROSS SHOULDER	-3/8	3/8	12	12 1/2	13	13 3/4	14 3/8	14 5/8	14 3/8				
S	A253	XFRT/BK PLCMT 5 1/2" FM HPS	0	0	5 1/4	5 3/8	5 1/2	5 3/4	5 7/8	5 7/8	5 5/8				
S	A254	ACROSS FRONT - RELAXED	-3/8	3/8	10 3/4	11 1/4	11 3/4	12 1/2	13 1/8	13 3/8	13 1/8				
S	A255	ACROSS BACK - EXTENDED	-3/8	3/8	13 1/4	13 3/4	14 1/4	15	15 5/8	15 7/8	15 5/8				



FORM1		KOS-WMS0008-1509						FORM2						
Grade Table		LADIES (000-20) REG&PETITE												
Material 1		73536	W 100 POLYESTER CREPE 3.45 OZ/YD2						Material 2		109778	W 100 POLYESTER DOBBY 4.50 OZ/YD2		
Material 3		103044	W 100 POLYESTER SATIN 2.60 OZ/YD2						Material 4		75345	W 100 POLYESTER SATIN 3.10 OZ/YD2		
P/S	POM Code	POM Description	TOL (-)	TOL (+)	2	6	10	14	18	20	20P			
P	A260H	CHEST 1" BLW AH - 1/2 MEAS- EXTENDED	-1/2	1/2	19 1/2	20 1/2	21 1/2	23	24 3/4	25 3/4	25 1/2			
P	A290H	SWEEP RLXD@SHIRTTAIL LEVEL-1/2 MEAS- CB PLEATS OPEN	-1/2	1/2	20 3/4	21 3/4	22 3/4	24 1/4	26	27	26 3/4			
P	A330	ARMHOLE DROP-FROM HPS	-1/4	1/4	7 7/8	8 1/4	8 5/8	9	9 3/8	9 1/2	9 1/4			
	A000	ARMHOLE TRIM HEIGHT - 1/4" INSIDE BINDING	0	0	1/4	1/4	1/4	1/4	1/4		1/4			
	A568	BOTTOM HEM TRIM HEIGHT	-1/8	1/8	1/4	1/4	1/4	1/4	1/4	1/4	1/4			
	A000	*RV* BK NECK SHIRRING WIDTH	-1/8	1/8	3	3	3	3	3		3			






<b>Brand</b>	SIMPLY VERAVERA WANG	<b>Division</b>	YOUNG WOMENS	<b>Request No.</b>	00682059	<b>Create Date</b>	2023-02-01	<b>Cut Date</b>	
<b>X-Factory Date</b>		<b>Product Type</b>	TOPS	<b>Product Manager</b>	FRANCESCA KARL	<b>Designer</b>	ALYSSA BAEZ	<b>Tech Designer</b>	YA CHANG CHOU





<b>Brand</b>	SIMPLY VERAVERA WANG	<b>Division</b>	YOUNG WOMENS	<b>Request No.</b>	00682059	<b>Create Date</b>	2023-02-01	<b>Cut Date</b>	
<b>X-Factory Date</b>		<b>Product Type</b>	TOPS	<b>Product Manager</b>	FRANCESCA KARL	<b>Designer</b>	ALYSSA BAEZ	<b>Tech Designer</b>	YA CHANG CHOU





<b>Brand</b>	SIMPLY VERAVERA WANG	<b>Division</b>	YOUNG WOMENS	<b>Request No.</b>	00682059	<b>Create Date</b>	2023-02-01	<b>Cut Date</b>	
<b>X-Factory Date</b>		<b>Product Type</b>	TOPS	<b>Product Manager</b>	FRANCESCA KARL	<b>Designer</b>	ALYSSA BAEZ	<b>Tech Designer</b>	YA CHANG CHOU

"Only for Design Reference in development, see DI for TD construction callouts"





Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00682059	Create Date	2023-02-01	Cut Date	
X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

## Critical Points of Attention

Style No: WV14W103R/E/P  
Date: 09-Dec-2021  
By: Yumi Kim / CTD (Level 3)

### <Front placket >

<X>



Placket edge is very wavy.

<O>



- Make sure to follow above photo for production.
- Placket edge should be as straight as possible.
- Make sure to set button hole length & stitch tension properly.
- Ensure to attach button with enough button shank.

**KOHL'S**



Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00682059	Create Date	2023-02-01	Cut Date	
X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

## Critical Points of Attention

Style No: WV14W103R/E/P  
Date: 09-Dec-2021  
By: Yumi Kim / CTD (Level 3)



Edge is not straight.



Bubbling under the placket.

- Make sure that CF placket is straight and even w/out puckering. Each side edge should be finished straightly as pattern shape.
- Make sure to adjust stitch tension properly when making button hole to prevent puckering. Also, make sure to set button hole size correctly so that it can be closed easily.
- Pls pay more attention to prevent bubbling at front body.
- Ensure to attach button w/ X stitch securely to prevent falling off. All buttons should be lined up.

**KOHL'S**



Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00682059	Create Date	2023-02-01	Cut Date	
X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

## Critical Points of Attention

Style No: WV14W103RE/P  
Date: 09-Dec-2021  
By: Yumi Kim / CTD (Level 3)



- Make sure to set neck band height 5/8 ht all around the neck. Edge stitches should be lined up w/seam.
- Pls use each sizes template for neck band so that it can be smooth curved shape as pattern.
- Neck line should be symmetrical shape left to right.
- Ruffle should be meet at CF seam and maintain 1 ht all around the neck.
- Shirring should be distributed evenly at ruffle & front body. Pls follow shirring length as pattern at front & back neck(body).

**KOHL'S**






<b>Brand</b>	SIMPLY VERAVERA WANG	<b>Division</b>	YOUNG WOMENS	<b>Request No.</b>	00682059	<b>Create Date</b>	2023-02-01	<b>Cut Date</b>	
<b>X-Factory Date</b>		<b>Product Type</b>	TOPS	<b>Product Manager</b>	FRANCESCA KARL	<b>Designer</b>	ALYSSA BAEZ	<b>Tech Designer</b>	YA CHANG CHOU

## Critical Points of Attention

Style No: WV14W103R/E/P  
Date: 09-Dec-2021  
By: Yumi Kim / CTD (Level 3)



- Pls adjust stitch tension properly to prevent puckering at AH area.
- Make sure to set 1/4 stitch all around the AH.
- Ensure that front AH edge should be finished without flipping out. See above photo and follow approved PPS for production.

**KOHL'S**



Brand	SIMPLY VERAVERA WANG	Division	YOUNG WOMENS	Request No.	00682059	Create Date	2023-02-01	Cut Date	
X-Factory Date		Product Type	TOPS	Product Manager	FRANCESCA KARL	Designer	ALYSSA BAEZ	Tech Designer	YA CHANG CHOU

## Critical Points of Attention

Style No: WV14W103R/E/P  
Date: 09-Dec-2021  
By: Yumi Kim / CTD (Level 3)



- Make sure to adjust stitch tension properly and pay more attention to prevent puckering & bubbling. See photo and it must be improved for production.
- Do not hard press to prevent indentation of seam allowance & white shine.

KOHL'S