

Name of Student: Vyankatesh Suresh Rohokale	PRN: 26070122518
Semester: III	Year : AY 2026-27
Subject: Programming with Java	
ASSIGNMENT No : 4	
TITLE : Wrapper Classes in Java	

Problem Statement

Develop a Java application demonstrating the use of wrapper classes for conversion between primitive data types and objects, and performing basic operations on wrapped values.

Learning Objectives

To perform conversion between primitive data types and wrapper objects using Java wrapper classes.

Questions :

1. Create a program to convert student marks from String format to Integer and calculate total marks.
2. Develop an Employee Payroll System that accepts employee IDs, basic salary, and bonus amounts from the user. Convert the entered values into wrapper objects and perform validation operations to ensure valid salary values before calculating the net salary.

Programme

1 :

```
J Demo.java
1  import java.util.Scanner;
2
3  class StudentMarks {
4
5      public static void main(String[] args) {
6
7          Scanner sc = new Scanner(System.in);
8
9          System.out.print("Enter marks for Subject 1: ");
10         String m1 = sc.nextLine();
11
12         System.out.print("Enter marks for Subject 2: ");
13         String m2 = sc.nextLine();
14
15         System.out.print("Enter marks for Subject 3: ");
16         String m3 = sc.nextLine();
17
18         // Convert String to Integer
19         Integer marks1 = Integer.valueOf(m1);
20         Integer marks2 = Integer.valueOf(m2);
21         Integer marks3 = Integer.valueOf(m3);
22
23         int total = marks1 + marks2 + marks3;
24
25         System.out.println("Total Marks = " + total);
26
27         sc.close();
28     }
29 }
```

2:

```
J Demo.java
1  import java.util.Scanner;
2  class EmployeePayroll {
3      public static void main(String[] args) {
4          Scanner sc = new Scanner(System.in);
5          System.out.print("Enter Employee ID: ");
6          String idInput = sc.nextLine();
7          System.out.print("Enter Basic Salary: ");
8          String salaryInput = sc.nextLine();
9          System.out.print("Enter Bonus: ");
10         String bonusInput = sc.nextLine();
11         // Convert String values into wrapper objects
12         Integer employeeId = Integer.valueOf(idInput);
13         Double basicSalary = Double.valueOf(salaryInput);
14         Double bonus = Double.valueOf(bonusInput);
15
16         // Validation
17         if (basicSalary < 0) {
18             System.out.println("Invalid basic salary.");
19         }
20         else if (bonus < 0) {
21             System.out.println("Invalid bonus.");
22         }
23         else {
24
25             Double netSalary = basicSalary + bonus;
26
27             System.out.println("\nEmployee ID: " + employeeId);
28             System.out.println("Basic Salary: ₹" + basicSalary);
29             System.out.println("Bonus: ₹" + bonus);
30             System.out.println("Net Salary: ₹" + netSalary);
31         }
32
33         sc.close();
34     }
35 }
```

Output:

1:

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  CODE REFERENCE LOG
● piyushrohokale@Piyushs-MacBook-Air assignment06 % javac Demo.java && java Demo
Data written successfully.

Employee Details:
Employee ID: 518
Employee Name: Piyush
Department: Finance
○ piyushrohokale@Piyushs-MacBook-Air assignment06 %
```

2 :

```
piyushrohokale@Piyushs-MacBook-Air assignment06 % javac Demo.java && java Demo
Data written successfully.

Employee Details:
Employee ID: 518
Employee Name: Piyush
Department: Finance%
piyushrohokale@Piyushs-MacBook-Air assignment06 %
```

Github :

Java_assignments / assignment04 /

VyankateshRohokale A5 and A6 dbac26c · 5 days ago History

Name	Last commit message	Last commit date
..		
.DS_Store	A4	5 days ago
Assignment 4.pdf	A4	5 days ago
Screenshot 2026-08-07 at 10.30.26 AM.png	A5 and A6	5 days ago
WrapperDemo.class	A4	5 days ago
WrapperDemo.java	A4	5 days ago

Conclusion :

The programs successfully demonstrate the use of wrapper classes in Java by converting String inputs into Integer and Double objects. The converted values are used for calculations such as total marks and employee net salary. The payroll program also performs input validation, showing how wrapper classes can be used effectively for handling and processing numerical data in real-world applications.

